

3896

59

Book "B"

ORIGINAL

4-679

BOOK 3896

FIELD NOTES

OF THE SURVEY OF THE

Subdivision Lines

of

Township 38 North, Range 1 East

Of the Gila and Salt River Base and Meridian,

In the State of Arizona

EXECUTED BY

Dupree R. Averill

U.S. Surveyor

In the capacity of U. S. Surveyor..., under Special Instructions dated May 28, 1929, issued by the District Cadastral Engineer to govern surveys included in Group No. 158 Arizona, which were approved by the Commissioner of the General Land Office, June 8, 1929, and Assignment Instructions dated June 26, 1929.

Survey commenced August 29, 1929.

Survey completed October 5, 1929.

3896


3896

1A

Book "B"
Group 158 Arizona

BOOK 3896


INDEX DIAGRAM.



———— Lines surveyed under this group.

———— Accepted surveys.

----- Unsurveyed.

 Areas surveyed as per accepted plats on file.

Book "B"

Group 158 Arizona

Township 38 North, Range 1 East

DATE DIAGRAM

1929

BOOK 3896

Surveyed by Wm. E. Hiester, U.S.S. and Benj. J. Kinsey, U.S.S. in 1925 & 1926.

*Gila and Salt River Meridian
Surveyed by J.C. Thome, U.S.S. in 1914 under Group 29*

6 10-5	10-4 10-4	5 10-5	9-30 9-30	4 10-1	10-2 10-2	3 9-28	9-28 9-28	2 9-27	9-27 9-27	1 9-26	9-26 9-26
7 9-25	10-4 10-4	8 9-24	9-30 9-30	9 9-23	9-28 9-28	10 9-22	9-27 9-27	11 9-25	9-26 9-26	12 9-21	9-21 9-21
18 9-16	9-17 9-17	17 9-15	9-23 9-23	16 9-9	9-19 9-19	15 9-19	9-22 9-22	14 9-20	9-21 9-21	13 9-20	9-20 9-20
19 9-12	9-15 9-15	20 9-12	9-9 9-9	21 9-7	9-7 9-7	22 9-4	9-5 9-5	23 9-4	9-20 9-20	24 8-29	8-29 8-29
30 9-10	9-11 9-11	29 9-11	9-6 9-6	28 9-6	9-11 9-11	27 9-1	9-4 9-4	26 8-30	8-29 8-29	25 8-29	8-29 8-29
31 9-10	9-10 9-10	32 9-6	9-6 9-6	33 9-11	9-11 9-11	34 8-30	8-30 8-30	35 8-29	8-29 8-29	36 8-29	8-29 8-29

See Book "A" of this group for dates of survey of this line.

Surveyed by B.J. Kinsey, U.S.S. in 1926 under Group 126.

- _____ Surveyed by Dupree R. Averill, U.S. Surveyor, on dates shown thereon. Field notes herein.
- _____ Surveyed by Dupree R. Averill, U.S.S. under this group. Notes in Book "A".
- _____ Accepted surveys.

Survey of the Subdivision Lines of Township 38 North, Range 1 East

chains

The surveys herein described were executed on dates shown on diagram on page 1 hereof, by Dupree R. Averill, U.S. Surveyor, using Buff and Buff transit No. 17992. This instrument is described in Book "A" of this group, together with descriptions of field tests of same. The final tests made on August 31, 1929 for the surveys described in said book apply as a preliminary test for the surveys hereinafter described.

The cor. of secs. 1, 2, 35 and 36 on S. bdy. of T. 38 N., R. 1 E., established in 1926, is an iron post, 2 ins. in diam., projecting 12 ins. above ground, firmly set, properly marked on brass cap, and witnessed by four properly marked yellow pine bearing trees, one each NE., SE., SW. and NW. of cor., Thence,

N. 0° 02' E., bet. secs. 35 and 36.

Over rolling land, thru dense timber.

Asc. S. slope 25 ft.

8.00 Spur, slopes N. 80° W. Desc. NE. slope 85 ft.

18.70 Gully, course N. 60° W. Asc. along W. slope 60 ft.

35.00 Small spur, slopes W. Desc. slightly over W. slope to

40.00 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, and raise a mound of stone, 2 ft. base, 1 ft. high, around post, for $\frac{1}{4}$ sec. cor., marked on brass cap,

↑
S 35 | S 36

1929

from which

A yellow pine, 14 ins. diam., bears N. 31° E., 86 lks. dist., marked $\frac{1}{4}$ S 36 BT

A yellow pine, 15 ins. diam., bears N. 25° W., 113 lks. dist., marked $\frac{1}{4}$ S 35 BT

Desc. NW. slope 215 ft.

60.00 Leave timber, bears E. and NW.

61.70 Old road, bears NW. and S. 30° E., in draw, course NW.

Enter scattering timber. Asc. SW. slope 85 ft.

69.50 Change to NW. slope. Desc. 65 ft.

77.30 Gully, course W. Asc. SW. slope 30 ft. to

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, and raise a mound of stone 2 ft. base, 1 ft. high, around post, for cor. of secs. 25, 26, 35 and 36, marked on brass cap,

T 38 N R 1 E

S 26 | S 25

S 35 | S 36

1929

from which

A yellow pine, 20 ins. diam., bears N. 60° E., 29 lks. dist., marked T 38 N R 1 E S 25 BT

A yellow pine, 15 ins. diam., bears S. 69 $\frac{1}{2}$ ° E., 104 lks. dist., marked T 38 N R 1 E S 36 BT

A yellow pine, 20 ins. diam., bears S. 40 $\frac{1}{2}$ ° W., 133 lks. dist., marked T 38 N R 1 E S 35 BT

A yellow pine, 24 ins. diam., bears N. 20 $\frac{1}{2}$ ° W., 73 lks. dist., marked T 38 N R 1 E S 26 BT

Land, rolling.

Soil, gravelly, 2nd rate.

Timber, pine and aspen.

Undergrowth, none.

N. 89° 58' E., on random line, bet. secs. 25 and 36.


40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.30 Fall 7 lks. S. of the cor. of secs. 25, 30, 31 and 36, on the E. bdy. of the Tp., described in Book "A"

Thence,

Subdivisions of T.38 N., R.1 E.

- chains S.89°55'W., on true line, bet. secs. 25 and 36.
Over rolling land, thru dense timber. Desc. W. slope 65 ft.
- 4.20 Gully, course S. Asc. SE. slope 70 ft.
- 11.00 Spur, slopes S. Desc. W. slope 105 ft.
- 19.95 Gully, course S. Thence along SW. slope.
- 26.00 Draw, course NW. Desc. along N. slope.
- 29.00 Gully, course N. Asc. E. slope 60 ft.
- 34.00 Spur, slopes N.60°E., Desc. along N. slope to
- 40.15 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, for 1/4 sec. cor., marked on brass cap,



1929

from which,


- A yellow pine, 20 ins. diam., bears N.71 1/2°E., 129 lks. dist., marked 1/4 S 25 BT
- A yellow pine, 20 ins. diam., bears S.57°W., 49 lks. dist., marked 1/4 S 36 BT

- 45.00 Desc. NW. slope 125 ft.
- 57.80 Gully, course N. Asc. E. slope 120 ft.
- 67.00 Shoulder of spur, extends NW. Desc. SW. slope 165 ft. to
- 80.30 The cor. of secs. 25, 26, 35 and 36.

Land, rolling.
Soil, gravelly, 2nd rate.
Timber, pine, aspen and fir.
Undergrowth, none.

N.0°02'E., bet. secs. 25 and 26.
Over rolling land, thru scattering timber. Along W. slope.

- 5.00 Desc. NW. slope 60 ft.
- 9.20 Draw, course S.80°W. Asc. S. slope 180 ft.
- 23.00 Spur, slopes W. Desc. N. slope 155 ft.
- 37.00 Draw, course N.80°W. Asc. SW. slope 40 ft. to
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, for 1/4 sec. cor., marked on brass cap,




1929

from which

- A yellow pine, 10 ins. diam., bears N.25°E., 69 lks. dist., marked 1/4 S 25 BT
- A yellow pine, 12 ins. diam., bears N.80°W., 35 lks. dist., marked 1/4 S 26 BT

- Asc. 10 ft.
- 42.00 Small spur, slopes S. Desc. NW. slope 40 ft.
- 44.30 Gully, course S.60°W. Asc. S. slope 65 ft.
- 56.00 Spur, slopes W. Desc. N. slope 65 ft.
- 58.80 Gully, course NW. Asc. 25 ft.
- 73.80 Thence over W. slope, along spur extending NW.
- 76.50 Spur, slopes NE. Desc. N. slope 135 ft. to
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground, for cor. of secs. 23, 24, 25 and 26, marked on brass cap,



1929

from which

- A fir, 20 ins. diam., bears N.43 1/2°E., 115 lks. dist., marked T 38 N R 1 E S 24 BT
- A yellow pine, 8 ins. diam., bears S.52°E., 119 lks.

Subdivisions of T.38 N., R.1 E.

chains

dist., marked T 38 N R 1 E S 25 BT
 A yellow pine, 36 ins.diam., bears S.41°W., 65 lks.
 dist., marked T 38 N R 1 E S 26 BT
 A yellow pine, 10 ins.diam., bears N.65°W., 124 lks.
 dist., marked T 38 N R 1 E S 23 BT

Land, rolling.
 Soil, gravelly, 2nd rate.
 Timber, pine, fir and aspen.
 Undergrowth, none.

40.00 N.89°55'E., on random line, bet. secs. 24 and 25.
 Set temp. 1/4 sec. cor.
 80.30 Fall 5 lks. N. of the cor.of secs.19,24,25 and 30, on the
 E. bdy. of the Tp.,described in Book "A",
 Thence,
 S.89°57'W.,on true line, bet. secs. 24 and 25.
 Over rolling land,thru dense timber. Asc. E. slope 150 ft.
 6.00 Spur, slopes NE.
 10.00 Head of small draw, course N.
 13.60 Wire fence, bears N. and SE.
 16.00 Flat ridge, bears N. and SE. Desc. W. slope 75 ft.
 23.20 Head of gully, course N. Asc. NE. slope 75 ft.
 29.75 Flat spur, slopes N.60°W., Desc. W. slope 70 ft. to
 40.15 Set an iron post, 3 ft. long, 1 in. diam.,26 ins.in the
 ground,and raise a mound of stone 18 in. base,10 ins.
 high around post,for 1/4 sec.cor.,marked on brass cap,

S 24

1/4 S 25

1929

from which

A yellow pine, 12 ins. diam., bears N.15°E., 133 lks.
 dist., marked 1/4 S 24 BT
 A yellow pine, 30 ins. diam., bears S.11°E., 51 lks.
 dist., marked 1/4 S 25 BT

40.80 Gully, course SW. Thence along S. slope.
 50.00 Desc. SW. slope 95 ft.
 58.00 Gully, course S.20°W. Asc. 30 ft.
 60.00 Desc. SW. slope 170 ft.
 76.75 Draw, course N.60°W. Asc. NE. slope 40 ft. to
 80.30 The cor. of secs. 23,24,25 and 26.

Land, rolling.
 Soil, gravelly, 2nd rate.
 Timber, pine and fir.
 Undergrowth, none.

N.0°02'E., on true line,bet. secs.23 and 24.
 Over rolling land, thru dense timber. Desc.NE.slope 45 ft.
 2.20 Draw, course NW. Asc. 15 ft.
 5.00 Tip of spur from NE. Desc. 5 ft.
 6.20 Gully, course SW, Asc. SE.slope 115 ft.
 14.50 Small spur, slopes SE. Desc. 5 ft.
 16.80 Head of gully, course SE. Asc. SE. slope 100 ft.
 24.00 Spur, extends W.
 25.00 Spur, slopes NW. Desc. NE. slope 115 ft.
 38.00 Gully, course NE.
 39.00 Small spur, slopes E.
 40.00 Set an iron post, 3 ft.long, 1 in.diam.,26 ins.in the
 ground,for 1/4 sec.cor., marked on brass cap,

S 23 | S. 24

1929

from which

Subdivisions of T.38 N.,R.1 E.

chains

A yellow pine, 6 ins., diam., bears N.52°E. 81 lks.,
dist., marked $\frac{1}{4}$ S 24 BT
A yellow pine, 24 ins., diam., bears N.70°W. 45 lks.,
dist., marked $\frac{1}{4}$ S 23 BT

48.70 Desc., NE.slope 85 ft.,
Small draw, course NW., Asc., along W.slope 20 ft.,
55.00 Along top of flat spur, sloping N.
69.00 Leave Spur, slopes NW., Desc., NE.slope 115 ft.,
74.60 Draw, course NW., Asc., S.slope 10 ft.,
80.00 Set an iron post, 3 ft. long, 2 ins., diam., 12 ins., in the
ground, to bedrock, supported in a mound of stone,
3 ft. base, 2 ft high, for the cor., of secs., 13, 14,
23 and 24, marked on brass cap

T 38 N R 1 E
S 14 | S 13
S 23 | S 24

1929

from which

A yellow pine, 10 ins., diam., bears N.58 $\frac{1}{2}$ °E. 62 lks.,
dist., marked T 38 N R 1 E S 13 BT
A yellow pine, 14 ins., diam., bears S.66°E. 64 lks.,
dist., marked T 38 N R 1 E S 24 BT
A yellow pine, 20 ins., diam., bears S.45°W. 18 lks.,
dist., marked T 38 N R 1 E S 23 BT
A yellow pine, 18 ins., diam., bears N.57°W. 23 lks.,
dist., marked T 38 N R 1 E S 14 BT

Land: rolling hills.
Soil: gravelly, 2nd. rate.
Timber: pine, fir, aspen.
Undergrowth: none.

40.00 N.89°57'E. on random line bet. secs., 13 and 24.
Set temp., $\frac{1}{4}$ sec. cor.,
80.20 Fall 2 lks., S. of the cor., of secs., 13, 18, 19 and 24, on
the E. bdy., of Tp., described in Book "A".

Thence
S.89°56'W. on true line bet. secs., 13 and 24.
Over rolling land, thru dense timber.
Asc., E.slope 75 ft.,

7.00 Ridge, extends SW, N, and W.,
13.25 Wire fence, extends N. and S., Desc., NW.slope 75 ft.,
25.70 Head of gully, course N., Asc. NE.slope 55 ft.,
31.00 Ridge, bears N.80°W and S.80°E., Spur, slopes N.,
40.10 Set an iron post, 3 ft. long, 1 in., diam., 30 ins., in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ S 13
S 24

1929

from which

A yellow pine, 18 ins., diam., bears N.39°E. 32 lks.,
dist., marked $\frac{1}{4}$ S 13 BT
A yellow pine, 10 ins., diam., bears S.44°E. 35 lks.,
dist., marked $\frac{1}{4}$ S 24 BT

44.70 Along S. slope.
Fence, bears NW. and SE., Desc., SW.slope 250 ft.,
80.20 The cor., of secs., 13, 14, 23 and 24.

Land: rolling.
Soil: gravelly, 2nd. and 3rd. rate.
Timber: pine.
Undergrowth: none.

Subdivisions of T.38 N.,R.1 E.

chains
 N.0°02'E. bet.secs.,13 and 14.
 Over rolling land, thru dense timber.
 Asc., SW.slope 110 ft.,
 6.00 Spur, slopes SW., Desc., 30 ft.,
 10.60 Gully, course SW., Asc., SE.slope 80 ft.,
 13.50 Spur, slopes SW.,
 13.80 Wire fence, bears E.and W. Along W. slope.
 20.00 Spur, slopes W., Desc., N.slope 130 ft.,
 32.74 Intersect S.side line (2-3) "Buster" pat.lode mining claim, Min.Surv.
 No.3694, 13.14 chs., N.81°00'W., of cor.,No.2, which
 is a sandstone, firmly set, 10, x 9 x 9 ins., above
 ground, marked with a cross (X) on top, B - 2, 3694
 on N., face. Thence across patented mineral land.
 34.10 Gully, course W., Asc., 25 ft.,
 36.50 Spur, slopes W., Desc., N. slope 80 ft.,
 40.00 Set an iron post, 3 ft.long, 1 in.,diam.,30 ins.,in the
 ground, for $\frac{1}{4}$ sec.cor., marked on brass cap

$\frac{1}{4}$
 S 14 S 13

1929

from which

A fir, 14 ins.,diam., bears N.29°E., 94 lks.,dist.,
 marked $\frac{1}{4}$ S 13 BT
 A yellow pine, 14 ins.,diam.,bears S.87 $\frac{1}{2}$ °W. 44 lks.,
 dist., marked $\frac{1}{4}$ S 14 BT
 U.S.L.M.No.1 of Warm Springs Mining District,
 Arizona, which is a hewed pine stake, 8 ins.,
 square, 4 ft. long, lying in a mound of earth and
 stone,marked U S L M No.1,-from which a pine,24 ins.
 diam., bears N.44°E. 48 lks.,dist., and a pine,30 in.
 diam.,bears S.20 $\frac{1}{2}$ °W. 25 lks.,dist., both trees
 marked US LM No 1 BT,- bears S.89°55'E. 30.44 chs.,
 dist.,
 Desc., NW.slope 80 ft.,
 45.00 Across small basin.
 50.00 Lamb Lake, 2 chs., in diam., bears W., about 6.00 chs.,
 dist.,
 53.00 Old road, along edge of basin, bears SE., and N.75°W.,
 Desc., N.slope 135 ft.,
 61.00 Draw, course NW.,
 61.20 Intersect E.end line (1-5) "Millsite" pat.lode claim, Min.Surv.No.1655, ...
 4.24 chs.N.13°52'W. from Cor.No.1, which is a stake,
 4 ins.,diam., set in a mound of stone, marked M-1
 1655. Leave patented mineral land.
 Asc., SW.slope 90 ft.,
 67.00 Spur, slopes NW., Desc., NE.slope 115 ft.,
 73.00 Wash, 15 lks.,wide, 2 ft.deep, in draw, course NW.,
 73.10 Old road, bears NW. and SE.
 Asc., SW. slope 100 ft., thru scattered timber.
 80.00 Set an iron post,3 ft.long,2 ins.,diam.,24 ins.,in the
 ground, supported in a mound of stone,2 ft.base,1 ft.
 high, for the cor.,of secs.,11,12,13 and 14, marked
 on brass cap

T 38 N R 1 E
 S 11 S 12
 S 14 S 13

1929

from which

A yellow pine,12 ins.,diam.,bears N.54 $\frac{1}{2}$ °E. 91 lks.,
 dist., marked T 38 N R 1 E S 12 BT
 A yellow pine,12 ins.,diam.,bears S.65°E. 101 lks.,
 dist., marked T 38 N R 1 E S 13 BT
 A yellow pine, 8 ins.,diam.,bears S.27 $\frac{1}{2}$ °W. 87 lks.,
 dist., marked T 38 N R 1 E S 14 BT
 A yellow pine, 8 ins.,diam.,bears N.59 $\frac{1}{2}$ °W. 96 lks.,
 dist., marked T 38 N R 1 E S 11 BT

Subdivisions of T.38 N., R.1 E.

chains

Land: rolling.
Soil: rocky and gravelly, 3rd. rate.
Timber: pine, fir, aspen.
Undergrowth: none.

N.89°56'E. on random line bet. secs., 12 and 13.
40.00 Set temp., $\frac{1}{4}$ sec. cor.,
80.18 Fall 10 lks., N., of the cor., of secs., 7, 12, 13 and 18, on
the E., bdy. of the Tp., described in Book "A".

Thence

West on true line bet. secs., 12 and 13.
Over rolling land, thru dense timber.
Asc., E. slope 85 ft.,
6.00 Spur, slopes N., Desc., NW. slope 100 ft.,
16.10 Head of gully, course N.30°W. Asc., 30 ft.,
21.50 Spur, slopes N., Desc., W. slope 180 ft.,
23.50 Head of gully, course NW.
33.90 Gully, course N.20°E. Asc., 30 ft.,
34.50 Spur, slopes N., Desc., 30 ft.,
36.00 Gully, course N.; Asc., 30 ft.,
38.90 Small spur, slopes N.; Desc., 15 ft.,
40.09 Set an iron post, 3 ft., long, 1 in., diam., 30 ins., in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ $\frac{S 12}{S 13}$

1929

from which

A yellow pine, 18 ins., diam., bears N.8°W., 30 lks.,
dist., marked $\frac{1}{4}$ S 12 BT
A yellow pine, 16 ins., diam., bears S.23 $\frac{1}{2}$ °W. 75 lks.,
dist., marked $\frac{1}{4}$ S 13 BT

42.50 Along NE. slope, Asc., 15 ft.,
Small spur, slopes N., Desc., W. slope 70 ft.,
50.20 Wash, 10 lks., wide, in draw, course SW., Asc., SE. slope
35 ft.,
58.00 Spur, slopes S., Desc., 20 ft.
59.80 Gully, course S., Asc., SE. slope 45 ft.,
67.75 Spur, slopes S.20°W., Desc., 35 ft.,
69.75 Gully, course SW., Asc., SE. slope 60 ft.,
71.45 Wire fence, bears N. and S.,
75.00 Spur, slopes SW., Desc., gradual SW. slope 30 ft.,
80.18 The cor., of secs., 11, 12, 13 and 14.

Land: rolling.
Soil: gravelly and rocky, 2nd. and 3rd. rate.
Timber: pine, aspen.
Undergrowth: none.

N.0°02'E. bet. secs., 11 and 12.
Over rolling land, thru dense timber.
Asc., SW. slope 125 ft.,
8.50 Divide, bears E., and W., Desc., gradual slope 80 ft.
9.90 Old road, bears E. and W.,
10.50 Telephone line, bears E. and W.
10.90 Road, bears E. and W.,
13.36 Intersect S. side line (1-2) "Mackin" pat. lode claim, Min. Surv. No. 3102, at
8.58 chs., S.78°20'W., of cor., No. 1, which is a 4 x 4
in., stake, 3 ft. above ground, supported in a mound
of stone, mkd. 1-3102-Min. W. face. Thence across said claim.
21.60 Intersect N. side line (3-4) of "Mackin" pat. lode claim at, S.78°20'W.
2.75 chs., dist., from cor., No. 4, which is a 4 x 4 in.
stake, 3 ft. above ground, supported in a mound of
stone, marked 4-3102 M.
Leave patented mineral land.

Subdivisions of T.38 N., R.1 E.

chains

21.70 Wire fence, bears NW. and S30°E.
 36.20 Small draw, course NW., Asc., SW.slope 80 ft.,
 38.00 Toe of spur, slopes W.,
 38.60 Head of gully, course SW.,
 40.00 Set an iron post, 3 ft. long, 1 in., diam., 16 ins., in the
 ground, to bedrock, supported in a mound of stone,
 3 ft. base, 20 ins., high, for $\frac{1}{4}$ sec. cor., marked on
 brass cap

$\frac{1}{4}$
 S 11 | S 12
 1929

from which

A yellow pine, 14 ins., diam., bears N. 18 $\frac{1}{2}$ ° E. 26 lks.,
 dist., marked $\frac{1}{4}$ S 12 BT
 A yellow pine, 10 ins., diam., bears N. 81 $\frac{1}{2}$ ° W. 56 lks.,
 dist., marked $\frac{1}{4}$ S 11 BT

Asc., S. slope 60 ft.,
 46.50 Spur, slopes W., Desc., N. slope 35 ft.,
 59.60 Gully, course NW.; Asc., 10 ft.,
 62.50 Spur, slopes W., Desc., N. slope 105 ft.,
 69.60 Draw, course W., Asc., S. slope 120 ft.,
 76.90 Wire fence, bears NE. and SW.,
 78.00 Spur, slopes W.,
 80.00 Set an iron post, 3 ft. long, 2 ins., diam., 30 ins., in the
 ground, for the cor. of secs., 1, 2, 11 and 12, marked
 on brass cap

T 38 N R 1 E
 S 2 | S 1
 S 11 | S 12
 1929

from which

A yellow pine, 14 ins., diam., bears N. 22 $\frac{1}{2}$ ° E. 127 lks.,
 dist., marked T 38 N R 1 E S 1 BT
 A yellow pine, 18 ins., diam., bears S. 52 $\frac{1}{2}$ ° E. 105 lks.,
 dist., marked T 38 N R 1 E S 12 BT
 A yellow pine, 16 ins., diam., bears S. 47 $\frac{1}{2}$ ° W. 24 lks.,
 dist., marked T 38 N R 1 E S 11 BT
 A yellow pine, 14 ins., diam., bears N. 21° W. 85 lks.,
 dist., marked T 38 N R 1 E S 2 BT
 Cor. No. 1 (SW. cor.) "Jimbo" pat. lode claim, M.S. 3709 brs. N. 35° 26' E., 12.05 chs.
 Land: rolling.
 Soil: gravelly and rocky, 2nd. and 3rd. rate.
 Timber: pine.
 Undergrowth: none.

40.00 East on random line bet. secs., 1 and 12.
 Set temp., $\frac{1}{4}$ sec. cor.,
 80.04 Fall 7 lks., N. of the cor., of secs., 1, 6, 7 and 12, on the
 E. bdy., of Tp., described in Book "A".

Thence
 N. 89° 57' W. on true line bet. secs., 1 and 12.
 Over rolling land, thru dense timber.
 1.00 Desc., W. slope 70 ft.,
 4.80 Small draw, course N., Asc., 80 ft.,
 11.50 Flat spur, slopes N.,
 15.14 Intersect E. side line (3-4) of "Hawk" pat. lode mining claim, Min. Surv.
 No. 3695, 2.68 chs., N. 16° 52' W., of cor., No. 4, which
 is a stone, firmly set, 10 x 6 x 6 ins., above ground,
 marked with a cross (X) on top, H-4 3695 on N. face and
 P-3, 3695 on S. face Thence across said claim.
 21.50 Desc., W. slope 60 ft.,
 24.30 Gully, course N., Asc., E. slope 65 ft.,

Subdivisions of T.38 N., R.1 E.

chains

24.66 Intersect W. side line (1-2) of "Hawk" pat. lode mining claim, Min. Surv. No. 3695, 5.48 chs., N.16°52'W., of cor., No.1, which is a stone, firmly set, 10 x 9 x 8 ins., above ground, marked with a cross (X) on top, H-1 3695 on N. face and P-2 3695 on S. face. Leave pat. mineral land.

29.50 Flat spur, extends NW.,

31.00 Old road, bears N.30°W. and S.30°E.,

33.73 Intersect E. side line (3-4) of "Grant" pat. lode mining claim, M.S. No. 3707, 5.75 chs., N.25°02'W., of cor., No.4, which is a stone firmly set, 8 x 8 x 8 ins., above ground, marked with cross (X) on top, G-4 3707 on E. face. Thence across Desc., W. slope 40 ft., said claim.

37.80 Gully, course NW., Asc., NE. slope 10 ft.,

40.02 Set an iron post, 3 ft. long, 1 in., diam., 18 ins., in the ground, to bedrock, supported in a mound of stone, 2 ft. base, 1 1/2 ft. high, for 1/4 sec. cor., marked on brass cap

1/4 S 1
S 12

1929

from which

A yellow pine, 20 ins., diam., bears N.59°E. 47 lks., dist., marked 1/4 S 1 BT

A yellow pine, 18 ins., diam., bears S.54°W. 27 lks., dist., marked 1/4 S 12 BT

43.76 Intersect W. side line (1-2) "Grant" pat. lode claim, M.S. 3707, 10.00 chs. from N.25°02'W. from Cor. No.1. Leave patented mineral land.

50.00 Top of spur, sloping W.,

58.50 Old road, bears SE. and NW.,

60.50 Road, bears NE. and SW.

61.90 Road, bears NW. and SE.,

75.00 Spur, extends SW.,

77.80 Wire fence, bears NE. and SW.

80.04 The cor., of secs., 1, 2, 11 and 12.

Land: rolling.

Soil: gravelly and rocky, 2nd. and 3rd. rate.

Timber: Pine.

Undergrowth: none.

40.00 N.0°02'E. on random line bet. secs., 1 and 2.

79.72 Set temp., 1/2 sec. cor.,

Fall 9 lks., E. of the cor., of secs., 1, 2, 35 and 36, on the N. bdy., of the Tp., which is an iron post, 2 ins. in diam., projecting 12 ins. above ground, firmly set, properly marked on brass cap, and witnessed by four properly marked bearing trees.

Thence S.0°02'E., on true line, bet. secs., 1 and 2.

Over rolling land, thru dense timber.

Desc., SE. slope 25 ft.,

4.00 Head of gully, course NE., Asc., 25 ft.,

8.00 Along top of flat spur, extending NW.,

32.00 Leave spur, desc., SE slope 10 ft.,

36.50 Gully, course NE., Asc., 10 ft.,

39.50 Small spur, slopes NE.,

39.72 Set an iron post, 3 ft. long, 1 in., diam., 12 ins., in the ground; to bedrock, supported in a mound of stone, 3 ft. base, 2 ft. high, for 1/2 sec. cor., marked on brass cap

1/4 S 2 | S 1

1929

from which

A yellow pine, 16 ins., diam., bears S.52°E., 25 lks., dist., marked 1/4 S 1 BT

Subdivisions of T.38 N.,R.1 E.

chains

A yellow pine, 12 ins., diam., bears N.49°W., 51 lks., dist., marked 1/4 S 2 BT

- 45.60 Desc., SE.slope 40 ft.,
 - 59.70 Gully, course NE., Asc., 70 ft.,
 - 61.50 Old road, bears NW. and SE.
 - 65.40 Flat spur, extends NW., Desc., SE.slope 35 ft.,
 - 66.20 Gully, course SW. Asc., 35 ft.,
 - 67.30 Small spur, slopes SW.,
 - 70.00 Gully, course W.,
 - 77.70 Along gentle W. slope.
 - 79.72 Gully, course W.,
- The cor., of secs., 1, 2, 11 and 12.

Cor., to S., of the above chain, Survey No. 4709, which is a stone, 12 x 12 x 7 ins., above ground, marked with number (1) on top, 3-1-1929 on N. face, bears S. 35° 2' W., 18.07 lks., dist.,

Land: rolling.
Soil: gravelly, 2nd. rate.
Timber: pine.
Undergrowth: none.

The cor., of secs., 23, 34 and 35, on the S., bdy. of the Over Tp., is an iron post, 2 ins. diam., projecting 15 ins. above ground, firmly set, properly marked on brass cap, and witnessed by four properly marked bearing trees.

Thence
N. 0° 02' E. bet. secs., 34 and 35.
Over rolling land, thru dense timber.

- 7.50 Asc., S. slope 100 ft.,
 - 13.20 Shoulder of spur, slopes E., Desc., NE.slope 40 ft.,
 - 19.50 Gully, course E., Asc., 10 ft.,
 - 29.50 Spur, slopes SE., Desc., 30 ft.,
 - 39.70 Spur, slopes E., Desc., N.slope 115 ft.,
 - 39.95 Draw, course W., Enter scattered timber, bears E. and W.
 - 40.00 Old road, bears E. and W.,
- Set an iron post, 3 ft. long, 1 in., diam., 36 ins., in the ground, for 1/4 sec. cor., marked on brass cap

1/4
S 34 | S 35
1929

from which
A yellow pine, 12 ins., diam., bears S. 37° E. 312 lks., dist., marked 1/4 S 35 BT
A yellow pine, 12 ins., diam., bears N. 39 1/4° W., 153 lks. dist., marked 1/4 S 34 BT

- 43.00 Asc., S. slope 30 ft.,
 - 49.50 Toe of spur, slopes W., Desc., 10 ft.,
 - 60.00 Draw, course W., Asc., SW.slope 60 ft.,
 - 73.40 Change of slope to NW., Desc., 110 ft.,
 - 75.00 Old road, bears NE. and SW., in draw, course NE.,
 - 80.00 Asc., SE.slope 70 ft.,
- Set an iron post, 3 ft. long, 2 ins., diam., 12 ins., in the ground, to bedrock, supported in a mound of stone, 4 ft. base, 2 ft. high, for the cor., of secs., 26, 27, 34 and 35, marked on brass cap

T 38 N R 1 E
S 27 | S 26
S 34 | S 35
1929

from which

Subdivisions of T.38 N., R.1 E.

chains

A yellow pine, 10 ins., diam., bears N.70°E., 92 lks.,
 dist., marked T 38 N R 1 E S 26 BT
 A yellow pine, 30 ins., diam., bears S.60°E. 36 lks.,
 dist., marked T 38 N R 1 E S 35 BT
 A yellow pine, 24 ins., diam., bears S.29°W., 105 lks.,
 dist., marked T 38 N R 1 E S 34 BT
 A yellow pine, 30 ins. diam, brs. N.44½°W., 92 lks. dist.
 Land: rolling. mkd T38NR1E S27BT

Soil: gravelly and rocky, 2nd. and 3rd. rate.
 Timber: pine and aspen.
 Undergrowth: none.

40.00 N.89°58'E. on random line bet. secs. 26 and 35.
 Set temp., ¼ sec. cor.,
 79.98 Fall 10 lks., S., of the cor., of secs., 25, 26, 35 and 36.

Thence
 S.89°54'W. on true line bet. secs., 26 and 35.
 Over rolling land, thru dense timber.

Desc., SW. slope 65 ft.,
 4.40 Draw, course NW.,
 10.00 Along foot of N. slope.
 15.00 Asc., NE. slope 140 ft.,
 28.00 Spur, slopes NW., Desc., W. slope 75 ft.,
 39.99 Set an iron post, 3 ft. long, 1 in., diam., 12 ins., in the
 ground, to bedrock, supported in a mound of stone,
 4 ft. base, 2 ft. high, for ¼ sec. cor., marked on brass
 cap

¼ S 26
 ¼ S 35

1929

from which

A yellow pine, 12 ins., diam., bears N.45°E. 25 lks.,
 dist., marked ¼ S 26 BT
 A yellow pine, 8 ins., diam., bears S.9°W., 44 lks.,
 dist., marked ¼ S 35 BT

42.00 Desc., 25 ft.,
 Gully, course N.60°W., Asc., 10 ft.,
 46.00 Small spur, slopes NW., Desc., W. slope 45 ft.,
 52.00 Shallow draw, course NW., Asc., 20 ft.,
 56.00 Spur, slopes NW., Desc., 35 ft.,
 62.50 Small draw, course N.10°W., Asc., 10 ft.,
 64.50 Small spur, slopes N.; Desc., 10 ft.,
 68.00 Old road, bears NE. and SW., in draw, course NE.,
 72.00 Asc., SE. slope 90 ft.,
 79.98 The cor., of secs., 26, 27, 34 and 35.

Land: rolling.
 Soil: gravelly and rocky, 2nd. and 3rd. rate.
 Timber: pine and aspen.
 Undergrowth: none.

7.00 N.0°02'E. bet. secs., 26 and 27.
 Over rolling land, thru scattered timber.
 Asc., SE. slope 50 ft.,
 12.30 Spur, slopes E., Enter dense timber, bears E. and W.,
 Desc., N. slope 75 ft.,
 13.50 Gully, course NE., Along E. slope.
 16.30 Spur, slopes NE.
 21.00 Head of gully, course E.,
 23.80 Spur, slopes E.,
 27.00 Gully, course E.,
 40.00 Spur, slopes E.,
 Set an iron post, 3 ft. long, 1 in., diam., 30 ins., in the

Subdivisions of T.38 N., R.1 E.,

chains

ground, for $\frac{1}{4}$ sec., cor., marked on brass cap
$$\begin{array}{c} \frac{1}{4} \\ \text{S } 27 \text{ | S } 26 \\ 1929 \end{array}$$

from which

A yellow pine, 24 ins., diam., bears S.75°E., 87 lks.,
dist., marked $\frac{1}{4}$ S 26 BT
A yellow pine, 20 ins., diam., bears S.37°W., 56 lks.,
dist., marked $\frac{1}{4}$ S 27 BT

43.50 Gully, course S.60°E., Asc., S.slope 65 ft.,
50.00 Spur, extends N.20°E.,
60.00 Deac., N. slope 85 ft.,
69.00 Gully, course NW., Asc., S.slope 20 ft.,
73.00 Small spur, slopes W.; Along W. slope.
80.00 Set an iron post, 3 ft. long, 2 ins., diam., 30 ins., in the
ground, for the cor., of secs., 22, 23, 26 and 27, marked
on brass cap

$$\begin{array}{c} \text{T } 38 \text{ N R } 1 \text{ E} \\ \text{S } 22 \text{ | S } 23 \\ \text{S } 27 \text{ | S } 26 \\ 1929 \end{array}$$

from which

A yellow pine, 14 ins., diam., bears N.66°E., 60 lks.,
dist., marked T 38 N R 1 E S 23 BT
A yellow pine, 6 ins., diam., bears S.53°E., 33 lks.,
dist., marked T 38 N R 1 E S 26 BT
A yellow pine, 12 ins., diam., bears S.68 $\frac{1}{2}$ °W., 25 lks.,
dist., marked T 38 N R 1 E S 27 BT
A yellow pine, 10 ins., diam., bears N.55 $\frac{1}{2}$ °W., 62 lks.,
dist., marked T 38 N R 1 E S 22 BT

Land: rolling.
Soil: rocky, 2nd. and 3rd. rate.
Timber: pine.
Undergrowth: none.

40.00 N.89°54'E. on random line bet. secs., 23 and 26.
Set temp., $\frac{1}{4}$ sec. cor.,
79.84 Fall 5 lks., N., of the cor., of secs., 23, 24, 25 and 26.

Thence

S.89°56'W., on true line bet. secs., 23 and 26.
Over rolling land, thru dense timber.
Asc., NE. slope 50 ft.,
7.50 Spur, slopes N., Along N. slope.
11.00 Spur, slopes NW., Desc., W. slope 55 ft.,
14.10 Small draw, course N., Asc., E. slope 45 ft.,
17.00 Spur, slopes N., Desc., W. slope 40 ft.,
21.80 Gully, course N.30°E., Asc., NE. slope 165 ft.,
31.00 Spur, slopes N., Desc., W. slope 45 ft., along spur.
39.92 Set an iron post, 3 ft. long, 1 in., diam., 20 ins., in the
ground, to bedrock, supported in a mound of stone
2 ft. base, 1 ft. high, for $\frac{1}{4}$ sec. cor., marked on brass
cap

$$\begin{array}{c} \frac{1}{4} \text{ S } 23 \\ \text{S } 26 \\ 1929 \end{array}$$

from which

A yellow pine, 18 ins., diam., bears N.43 $\frac{1}{2}$ °W., 40 lks.,
dist., marked $\frac{1}{4}$ S 23 BT
A yellow pine, 18 ins., diam., bears S.32°E., 105 lks.,
dist., marked $\frac{1}{4}$ S 26 BT

Subdivisions of T.38 N.,R.1 E.

chains

48.00 Along spur, extending W.,
 Leave spur, slopes NW., Desc., W. slope 200 ft.,
 58.00 Old road, bears NW. and S., in draw, course NW.,
 59.30 Wash, 15 lks.,wide, 4 ft.deep, course N.50°W.,
 Asc., NE.slope 200 ft.,
 72.00 Spur, slopes N., Along N. slope.
 77.25 Spur, slopes N., Desc., W. slope 30 ft.,
 79.84 The cor.,of secs.,22,23,26 and 27.

Land: rolling.
 Soil: gravelly and rocky, 2nd.and 3rd.rate.
 Timber: pine, fir, aspen.
 Undergrowth: none.

9.80 N.0°02'E. bet.secs.,22 and 23.
 12.50 Over rolling and broken land,thru dense timber.
 15.50 Desc., NW.slope 115 ft.,
 19.20 Draw, course N.80°E., Asc., SE.slope 70 ft.,
 27.50 Along E. slope.
 31.60 Desc., NE.slope 40 ft.,
 35.00 Draw, course SE., Asc., SW.slope 110 ft.,
 40.00 Small spur, slopes W., Desc., 30 ft.,
 Gully, course W., Asc., S.slope 30 ft.,
 Over level bench land.
 Set an iron post,3 ft.long,1 in.,diam.,30 ins.,in the
 ground, for $\frac{1}{4}$ sec.cor., marked on brass cap

$\frac{1}{4}$
 S 22 | S 23
 1929

from which

A yellow pine,12 ins.,diam.,bears N.45°E., 73 lks.,
 dist., marked $\frac{1}{4}$ S 23 BT
 A yellow pine,14 ins.,diam.,bears N.60°W.,78 lks.,
 dist., marked $\frac{1}{4}$ S 22 BT

60.00 Desc. gradual N. slope 25 ft.,
 75.00 Spur, slopes N., Desc.,45 ft.,
 80.00 Set an iron post,3 ft.long,2 ins.,diam.,26 ins.,in the
 ground,for the cor.,of secs.,14,15,22 and 23, marked
 on brass cap

T 38 N R 1 E
 S 15 | S 14
 S 22 | S 23
 1929

from which

A yellow pine, 14 ins.,diam.,bears N.56 $\frac{1}{2}$ °E. 72 lks.,
 dist., marked T 38 N R 1 E S. 14 BT
 A yellow pine, 18 ins.,diam.,bears S.22 $\frac{1}{2}$ °E. 115 lks.,
 dist., marked T 38 N R 1 E S 23 BT
 A yellow pine, 12 ins.,diam.,bears S.68°W., 186 lks.,
 dist., marked T 38 N R 1 E S. 22 BT
 A yellow pine, 14 ins.,diam.,bears N.40°W., 100 lks.,
 dist., marked T 38 N R 1 E S 15 BT

Land: rolling.
 Soil: gravelly, 2nd. rate.
 Timber: pine.
 Undergrowth: none.

Subdivisions of T.38 N., R.1 E.

chains N.89°56'E. on random line bet.secs.,14 and 23.
 40.00 Set temp., $\frac{1}{4}$ sec.cor.,
 79.80 Fall 16 lks., N., of the cor., of secs., 13, 14, 23 and 24..

Thence

N.89°57'W., on true line bet.secs.,14 and 23.
 Over rolling land, thru dense timber.
 Desc., SW.slope 12 ft.,
 1.30 Draw, course N.60°W., Along N. slope, asc., 10 ft.,
 13.50 Tip of spur, slopes NW., Desc., SW.slope 65 ft.,
 18.50 Gully, course NW., Asc., NE.slope 70 ft.,
 30.00 Spur, slopes NW., Desc., SW.slope 65 ft.,
 36.80 Gully, course NW., Asc., NE.slope 40 ft.,
 39.90 Set an iron post, 3 ft.long, 1 in., diam., 30 ins., in the
 ground, for $\frac{1}{4}$ sec.cor., marked on brass cap

$\frac{1}{4}$ S 14
 S 23

1929

from which

A fir, 26 ins., diam., bears N.11°E., 37 lks., dist.,
 marked $\frac{1}{4}$ S 14 BT
 A yellow pine, 12 ins., diam., bears S.71°E. 66 lks.,
 dist., marked $\frac{1}{4}$ S 23 BT

40.00 Spur, slopes NW., Desc., W. slope 135 ft.,
 49.70 Wash, 20 lks., wide, 1 ft.deep, in draw, course N.20°W.,
 Asc., E. slope 220 ft.,
 57.75 Wire fence, bears N.70°E. and S.70°W., Change of slope
 to NE.,
 61.25 Wire fence, bears N.70°W. and S.70°E.,
 70.00 Spur, slopes N., Along N. slope.
 79.80 The cor., of secs., 14, 15, 22 and 23.

Land: rolling and hilly.
 Soil: gravelly and rocky, 2nd.rate.
 Timber: pine, fir, aspen.
 Undergrowth: none.

N.0°02'E. bet.secs.,14 and 15.
 Over rolling and broken land, thru dense timber.
 Desc., N. slope 360 ft.,
 3.20 Wire fence, bears S.60°E. and N.70°W.,
 5.50 Head of gully, course NE.,
 8.40 Gully, course NW.,
 11.00 Spur, slopes W.,
 15.00 Head of gully, course W.,
 18.50 Spur, slopes NW.,
 21.80 Gully, course NW.,
 23.00 Spur, slopes NW.,
 25.60 Wash, 20 lks., wide, 2 ft.deep, in draw, course SW.,
 Along canyon bottom.,
 28.00 Wash, course SE.
 32.60 Wash, course SW.,
 Leave canyon, Asc., SE.slope 130 ft.,
 37.80 Spur, slopes W., Over gentle N., slope.
 40.00 Set an iron post, 3 ft.long, 1 in., diam., 12 ins., in the
 ground, to bedrock, supported in a mound of stone,
 3 ft.base, 2 ft.high, for $\frac{1}{4}$ sec. cor., marked on brass
 cap

$\frac{1}{4}$
 S 15 | S 14

1929

from which

A yellow pine, 14 ins., diam., bears N.83°E. 33 lks.,
 dist., marked $\frac{1}{4}$ S 14 BT
 A yellow pine, 10 ins., diam., bears N.55°W. 41 lks.,
 dist., marked $\frac{1}{4}$ S 15 BT

Subdivisions of T.38 N.,R.1 E.

chains

48.50 Desc., N. slope 115 ft.,
 Gully, course W., Asc., SW.slope 30 ft.,
 51.00 Spur, slopes W., Desc., NW.slope 105 ft.,
 57.60 Wash, 30 lks.,wide, 1 ft.deep, in draw, course SW.,
 Asc., SE.slope 330 ft.,
 78.00 Ridge, bears NE., and SW., Over level bench land.
 79.05 Telephone line, bears E. and W.,
 79.95 Road, bears E. and W.,
 80.00 Set an iron post, 3 ft.long, 2 ins.,diam., 28 ins.,in the
 ground, for the cor.,of secs.,10,11,14 and 15,
 marked on brass cap

T 38 N R 1 E
 S 10 | S 11
 S 15 | S 14

1929

from which

A yellow pine, 8 ins.,diam., bears N.37 $\frac{1}{2}$ °E., 67 lks.,
 dist., marked T 38 N R 1 E S 11 BT
 A yellow pine, 20 ins.,diam., bears S.55°E., 113 lks.,
 dist., marked T 38 N R 1 E S 14 BT
 A yellow pine, 15 ins.,diam., bears S.17°W. 30 lks.,
 dist., marked T 38 N R 1 E S 15 BT
 A yellow pine, 12 ins.,diam., bears N.70°W. 54 lks.,
 dist., marked T 38 N R 1 E S 10 BT

Land: broken and rolling.
 Soil: gravelly and rocky, 3rd.rate.
 Timber: pine, fir, aspen.
 Undergrowth: none.

40.00 S.89°57'E. on random line bet.secs.,11 and 14.
 Set temp., $\frac{1}{4}$ sec.cor.,
 80.00 Fall 7 lks.,S., of the cor.,of secs.,11,12,13 and 14.

Thence
 West on true line bet.secs.,11 and 14.
 Over rolling land, thru dense timber.
 Desc., SW.slope 70 ft.,

7.00 Change to SE.slope, Asc., 145 ft.,
 15.00 Spur, slopes S., Along S. slope.
 22.00 Spur, slopes S. Desc., SW.slope 75 ft.,
 31.20 Gully, course S., Asc., SE.slope 110 ft.,
 40.00 Set an iron post, 3 ft.long, 1 in.,diam., on bedrock,
 supported in a mound of stone, 4 ft.base, 3 ft.high,
 for $\frac{1}{4}$ sec.,cor., marked on brass cap

$\frac{1}{4}$ S 11
 S 14

1929

from which

A yellow pine, 8 ins.,diam., bears N.45°E., 104 lks.,
 dist., marked $\frac{1}{4}$ S 11 BT
 A yellow pine, 20 ins.,diam., bears S.51 $\frac{1}{2}$ °W., 81 lks.,
 dist., marked $\frac{1}{4}$ S 14 BT

42.00 Along S. slope.
 Spur, slopes S., Desc., 15 ft.,
 47.30 Head of gully, course S., Asc., 30 ft.,
 60.00 Over level bench, bears N.70°E. and S.70°W.,
 71.90 Telephone line, bears NE. and SW.,
 79.75 Road, bears N.70°E. and S.70°W.,
 80.00 The cor.,of secs.,10,11,14 and 15.

Land: rolling and broken.
 Soil: rocky, 3rd.rate.
 Timber: pine.
 Undergrowth: none.

Subdivisions of T.38 N., R.1 E.

chains

N.0°02'E. bet.secs.,10 and 11.
Over rolling land,thru dense timber.
Desc., gradually over N. slope.

0.70 Old road, bears E. and W.
6.00 Flat spur, extends NW.,
12.50 Head of gully, course NE.,Along E. slope.
20.00 Shoulder of spur, slopes NE., Desc., NE.slope 55 ft.,
35.30 Small draw, course NE.,
38.90 Draw, course N.20°W., Along W. slope.
40.00 Set an iron post,3 ft.long,1 in.,diam., 26 ins.,in the
ground, supported in a mound of stone,2 ft.base,
10 ins.,high, for $\frac{1}{4}$ sec.cor., marked on brass cap

$\frac{1}{4}$
S 10 S 11
1929

from which

A yellow pine,12 ins.,diam.,bears N.6 $\frac{3}{4}$ °E.,195 lks.,
dist., marked $\frac{1}{4}$ S 11 BT
A yellow pine,10 ins.,diam.,bears N.81 $\frac{1}{4}$ °W. 139 lks.,
dist., marked $\frac{1}{4}$ S 10 BT

45.00 Desc., NW.slope 20 ft.,
48.00 Wash, 5 lks.,wide, in draw, course NE., Asc., SE.slope
80 ft.,
58.00 Spur, slopes E., Desc., NE.slope 85 ft.,
63.80 Gully, course NE., Desc., E. slope 25 ft.,
65.00 Toe of spur, slopes E., Desc., N. slope 35 ft.,
67.80 Wash, 10 lks.,wide, in draw, course NW., Along W. slope.
78.50 Small spur, slopes W., Desc., N. slope 25 ft.,
80.00 Set an iron post,3 ft.long,2 ins.,diam., 18 ins.,in the
ground, to bedrock, supported in a mound of stone,
3 ft.base,1 $\frac{1}{2}$ ft.high, for the cor.,of secs.,2,3,10
and 11, marked on brass cap

T 38 N R 1 E
S 3 S 2
S 10 S 11
1929

from which

A yellow pine,14 ins.,diam.,bears N.18°E. 162 lks.,
dist.,marked T 38 N R 1 E S 2 BT
A yellow pine,18 ins.,diam.,bears S.29°E., 91 lks.,
dist., marked T 38 N R 1 E S 11 BT
A yellow pine,18 ins.,diam.,bears S.40°W.,60 lks.,
dist., marked T 38 N R 1 E S 10 BT
A yellow pine,20 ins.,diam.,bears N.72°W.,86 lks.,
dist., marked T 38 N R 1 E S 3 BT

Land: rolling.
Soil: gravelly and rocky, 2nd.and 3rd.rate.
Timber: pine.
Undergrowth: none.

East on random line bet.secs.,2 and 11.
40.00 Set temp., $\frac{1}{4}$ sec.cor.,
80.26 Fall 2 lks.,S. of the cor.,of secs.,1,2,11 and 12.

Thence
S.89°59'W. on true line bet.secs.,2 and 11.
Over rolling land,thru dense timber.
Desc., along spur, 35 ft.,
16.00 Spur, extends S.70°W., Desc.,NW.slope 90 ft.,
29.00 Draw, course SW., Asc., SE.slope 65 ft.,
38.00 Along S. slope.
40.13 Set an iron post,3 ft.long,1 in.,diam.,24 ins.,in the
ground, to bedrock, supported in a mound of stone
3 ft.base,1 ft.high, for $\frac{1}{4}$ sec.cor., marked on brass
cap

Subdivisions of T.38 N., R.1 E.

chains

$\frac{1}{4}$ $\frac{S}{S}$ $\frac{2}{11}$

1929

from which

A yellow pine, 18 ins., diam., bears N.20°E., 28 lks.,
dist., marked $\frac{1}{4}$ S 2 BT
A yellow pine, 14 ins., diam., bears S, 10°W., 48 lks.,
dist., marked $\frac{1}{4}$ S 11 BT

40.10 Spur, slopes SW., Desc., SW. slope 135 ft.,
52.15 Wash, 20 lks., wide, in draw, course NW., Asc., 25 ft.,
55.70 Toe of spur, slopes N., Desc., 10 ft.,
56.60 Gully, course N., Asc., along N. slope 30 ft.,
61.00 Head of gully, course NE., Asc., NE. slope 40 ft.,
66.00 Spur, extends N., Desc., W. slope 105 ft.,
75.00 Change of slope to NW.,
80.26 The cor., of secs., 2, 3, 10 and 11.

Land: rolling.
Soil: rocky, 2nd. and 3rd. rate.
Timber: pine, aspen.
Undergrowth: none.

40.00 N.0°02'W. on random line bet. secs., 2 and 3.
79.61 Set temp., $\frac{1}{4}$ sec. cor.,
Fall 25 lks., W. of the cor., of secs., 2, 3, 34 and 35, on
the N., bdy., of the Tp., which is an iron post, 2 ins. diam.,
projecting 2 ft. above ground, firmly supported in a
mound of stone, 3 ft. base, 2 ft. high, properly
marked on brass cap, and witnessed by four properly
marked bearing trees.

Thence
S.0°09'W. on true line bet. secs., 2 and 3.
Over rolling and mountainous land, thru dense timber and
scattered undergrowth.

Desc., SW. slope 45 ft.,
2.50 Draw, course NW., Asc., NE. slope 20 ft.,
7.00 Along E., slope.
11.40 Draw, course N.20°E., Asc., NW. slope 30 ft.,
14.00 Along W. slope.
17.20 Draw, course N.30°W., Asc., NE. slope 50 ft.,
21.00 Spur, extends NW., Desc., SW. slope 185 ft.,
37.00 Wash, 30 lks., wide, in draw, course NW.,
Asc., NE. slope 65 ft.,
39.61 Set an iron post, 3 ft. long, 1 in., diam., 18 ins., in the
ground, to bedrock, supported in a mound of stone,
3 ft. base, 1½ ft. high, for $\frac{1}{4}$ sec. cor., marked on
brass cap

$\frac{1}{4}$
S 3 | S 2

1929

from which

A yellow pine, 18 ins., diam., bears N.64°E., 33 lks.,
dist., marked $\frac{1}{4}$ S 2 BT
A yellow pine, 10 ins., diam., bears N.82°W., 29 lks.,
dist., marked $\frac{1}{4}$ S 3 BT

Along E. slope.
41.00 Gully, course NE., Asc., NE. slope 145 ft.,
48.00 Spur, slopes E., Desc., 40 ft.,
51.20 Gully, course E., Asc., N. slope 110 ft.,
60.00 Over level spur, extending NW.,
70.00 Desc., S. slope 110 ft.,
79.45 Gully, course SW., Asc., 5 ft.,
79.61 The cor., of secs., 2, 3, 10 and 11.

Subdivisions of T.38 N., R.1 E.

chains

Land: rolling and mountainous.
Soil: rocky, 3rd. rate.
Timber: pine, fir, aspen.
Undergrowth: white oak.

From cor., of secs., 3, 4, 33 and 34, on the S., bdy., of the Tp.,
which is an iron post, 2 ins., diam., projecting 15 ins. above
ground, firmly set, and properly marked on brass cap,
and witnessed by four properly marked bearing trees.

N. 0° 01' E. bet. secs., 33 and 34.

Over rolling land, thru dense timber.

8.70 Old road, bears NW. and SE.
15.00 Small spur, slopes N. 30° W.,
25.00 Desc., NW. slope 72 ft.,
32.50 Confluence of three drains, from SE, SW and NW, course NE.
Asc., S. slope 30 ft.,
40.00 Set an iron post, 3 ft. long, 1 in., diam., 32 ins., in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
S 33 | S 34
1929

from which

A yellow pine, 12 ins., diam., bears N. 44 $\frac{1}{2}$ ° E., 37 lks.,
marked $\frac{1}{4}$ S 34 BT

A yellow pine, 10 ins., diam., bears S. 86° W., 65 lks.,
marked $\frac{1}{4}$ S 33 BT

Asc., SE slope 40 ft.,

45.00 Spur, slopes E., Desc., NE. slope 40 ft.,

49.00 Gully, course E., Asc., 40 ft.,

61.00 Across flat, bears NE. and SW.

66.00 Desc., along spur, 80 ft.,

80.00 Spur, extends NE.,

Set an iron post, 3 ft. long, 2 ins., diam., 30 ins., in the
ground, for the cor., of secs., 27, 28, 33 and 34,
marked on brass cap

T 38 N R 1 E
S 28 | S 27
S 33 | S 34
1929

from which

A yellow pine, 18 ins., diam., bears N. 53° E. 72 lks.,
dist., marked T 38 N R 1 E S 27 BT

A yellow pine, 24 ins., diam., bears S. 64 $\frac{1}{2}$ ° E. 70 lks.,
dist., marked T 38 N R 1 E S 34 BT

A yellow pine, 48 ins., diam., bears S. 63 $\frac{1}{2}$ ° W. 157 lks.,
dist., marked T 38 N R 1 E S 33 BT

A yellow pine, 15 ins., diam., bears N. 13° W. 114 lks.,
dist., marked T 38 N R 1 E S 28 BT

Land: rolling and level, much.

Soil: gravelly; 2nd. rate.

Timber: pine.

Undergrowth: none.

N. 89° 58' E. on random line bet. secs., 27 and 34.

40.00 Set temp., $\frac{1}{4}$ sec. cor.,

79.90 The cor., of secs., 26, 27, 34 and 35.

Thence

S. 89° 58' W. on true line bet. secs., 27 and 34.

Over rolling land, thru dense timber.

Subdivisions of T.38 N., R.1 E.

chains

18.50 Asc., SE.slope 75 ft.,
 Flat ridge, bears NE., and SW.
 33.50 Desc., NW.slope 30 ft.,
 37.90 Head of gully, course NW., Asc., 20 ft.,
 39.95 Set an iron post, 3 ft.long, 1 in., diam., 30 ins., in the
 ground, for $\frac{1}{4}$ sec.cor., marked on brass cap

$\frac{1}{4}$ S 27
 S 34

1929

from which

A yellow pine, 20 ins., diam., bears S.9 $\frac{1}{2}$ °W., 90 lks.,
 dist., marked $\frac{1}{4}$ S 34 BT
 A yellow pine, 14 ins., diam., bears N.22 $\frac{1}{2}$ °W. 75 lks.,
 dist., marked $\frac{1}{4}$ S 27 BT

45.00 Desc., SW.slope 90 ft.,
 55.70 Gully, course S.60°W., Desc., 60 ft.,
 66.80 Draw, course N., Asc., NE.slope 60 ft.,
 72.50 Spur, slopes N., Desc., 20 ft.,
 74.60 Gully, course N., Asc., 60 ft.,
 79.90 The cor., of secs., 27, 28, 33 and 34.

Land: rolling.
 Soil: gravelly, 2nd. and 3rd. rate.
 Timber: pine, aspen.
 Undergrowth: oak.

7.40 N.0°01'E. bet.secs., 27 and 28.
 12.00 Over rolling land, thru dense timber.
 14.00 Desc., NW.slope 70 ft.
 18.00 Draw, course N.30°E. Along E. slope.
 23.00 Small spur, slopes E.,
 26.50 Gully, course E.,
 35.00 Spur, slopes E., Desc., NE.slope 60 ft.,
 40.00 Gully, course E., Asc., 40 ft.,
 Along E. slope.
 Change to NE.slope; desc., 25 ft.,
 Set an iron post, 3 ft.long, 1 in., diam., 30 ins., in the
 ground, for $\frac{1}{4}$ sec.cor., marked on brass cap

$\frac{1}{4}$
 S 28 | S 27

1929

from which

A yellow pine, 30 ins., diam., bears N.67°E., 62 lks.,
 dist., marked $\frac{1}{4}$ S 27 BT
 A yellow pine, 14 ins., diam., bears S.31°W., 30 lks.,
 dist., marked $\frac{1}{4}$ S 28 BT

46.30 Desc., 60 ft.,
 Confluence of two draws, from NE., and SE., course NW.,
 Asc., SW.slope 155 ft.,
 63.00 Across level land, bears NE. and W.,
 80.00 Set an iron post, 3 ft.long, 2 ins., diam., 30 ins., in the
 ground, for the cor., of secs., 21, 22, 27 and 28,
 marked on brass cap

T 38 N R 1 E

S 21 | S 22
 S 28 | S 27

1929

from which

A yellow pine, 20 ins., diam., bears N.26 $\frac{1}{2}$ °E., 116 lks.,
 dist., marked T.38 N R 1 E-S 22 BT

Subdivisions of T.38 N., R.1 E.,

chains

A yellow pine, 15 ins., diam., bears S.46°E., 100 lks.,
 dist., marked T 38 N R 1 E S 27 BT
 A yellow pine, 15 ins., diam., bears S.60°W., 127 lks.,
 dist., marked T 38 N R 1 E S 28 BT
 A yellow pine, 8 ins., diam., bears N.65°W., 87 lks.,
 dist., marked T 38 N R 1 E S 21 BT

Land: rolling and level.
 Soil: gravelly and rocky, 2nd. rate.
 Timber: pine, aspen.
 Undergrowth: none.

40.00 N.89°58'E. on random line bet. secs., 22 and 27.
 Set temp., $\frac{1}{4}$ sec. cor.,
 80.10 The cor., of secs., 22, 23, 26 and 27.

Thence
 S.89°58'W. on true line bet. secs., 22 and 27.
 Over rolling land, thru dense timber.
 Desc., W. slope 85 ft.,
 4.20 Draw, course N.15°E., Asc., E. slope 140 ft.,
 12.00 Spur, slopes NE.,
 15.90 Head of gully, course NE., Across flat table land.
 40.05 Set an iron post, 3 ft. long, 1 in., diam., 30 ins., in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\frac{1}{4} \begin{array}{l} S 22 \\ S 27 \end{array}$$

1929

from which

A yellow pine, 12 ins., diam., bears N.26°E., 101 lks.,
 dist., marked $\frac{1}{4}$ S 22 BT
 A yellow pine, 12 ins., diam., bears S.6°W., 101 lks.,
 dist., marked $\frac{1}{4}$ S 27 BT

50.20 Old road, bears NW. and SE.,
 80.10 The cor., of secs., 21, 22, 27 and 28.

Land: rolling, and level.
 Soil: clay loam, 2nd. rate.
 Timber: pine.
 Undergrowth: none.

1.90 N.0°01'E. bet. secs., 21 and 22.
 Over level land, thru dense timber.
 15.00 Old road, bears E. and W.,
 Desc., NW. slope 30 ft.,
 18.50 Head of gully, course NW., Asc., 35 ft.,
 24.00 Across table land.
 37.40 Old road, bears NW. and SE.,
 40.00 Set an iron post, 3 ft. long, 1 in., diam., 30 ins., in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\frac{1}{4} \begin{array}{l} S 21 \\ S 22 \end{array}$$

1929

from which

A yellow pine, 20 ins., diam., bears S.51°E., 30 lks.,
 dist., marked $\frac{1}{4}$ S 22 BT
 A yellow pine, 24 ins., diam., bears N.45°W., 83 lks.,
 dist., marked $\frac{1}{4}$ S 21 BT


45.00 Spur, slopes N.30°W.,
 55.00 Desc., N. slope 220 ft.,
 68.50 Draw, course N.20°W., Asc., SW. slope 70 ft.,

Subdivisions of T.38 N., R.1 E.

chains

75.00
80.00

Flat spur, extends NW.,
Set an iron post, 3 ft. long, 2 ins., diam., 24 ins., in the ground, to bedrock, supported in a mound of stone, 1 1/2 ft. base, 1 ft. high, for the cor., of secs., 15, 16, 21 and 22, marked on brass cap



1929

from which

- A yellow pine, 20 ins., diam., bears N.81°E., 207 lks., dist., marked T 38 N R 1 E S 15 BT
- A yellow pine, 18 ins., diam., bears S.20°E., 97 lks., dist., marked T 38 N R 1 E S 22 BT
- A yellow pine, 14 ins., diam., bears S.50°W., 147 lks., dist., marked T 38 N R 1 E S 21 BT
- A yellow pine, 18 ins., diam., bears N.36 1/2°W., 57 lks., dist., marked T 38 N R 1 E S 16 BT

Land: level and rolling.
Timber: pine, fir, aspen.
Soil: gravelly and rocky clay, 2nd. rate.
Undergrowth: scrub oak.


40.00
80.24

N.89°58'E. on random line bet. secs., 15 and 22.
Set temp., 1/4 sec. cor.,
Fall 10 lks., S. of the cor., of secs., 14, 15, 22 and 23.

Thence
S.89°54'W. on true line bet. secs., 15 and 22.
Over rolling land, thru dense timber.

8.00
15.50
25.00
32.25
35.00
40.12

Desc., NW. slope 90 ft.,
Draw, course N., Asc., NE. slope 130 ft.,
Along N. slope.
Spur, slopes N., Desc., NW. slope 50 ft.,
Old road bears NW. and SE.
Spur, slopes N.80°W.,
Set an iron post, 3 ft. long, 1 in., diam., 30 ins., in the ground, for 1/4 sec. cor., marked on brass cap



1929

from which

- A yellow pine, 10 ins., diam., bears N.6°E., 65 lks., dist., marked 1/4 S 15 BT
- A yellow pine, 16 ins., diam., bears S.24°E. 21 lks., dist., marked 1/4 S 22 BT.

45.00
58.50
62.00
63.70
72.00
75.70
77.00
80.24

Desc., SW. slope 260 ft.,
Draw, course NW., Asc., NE. slope 30 ft.,
Toe of spur, slopes N. Desc., NW. slope 30 ft.,
Gully, course NE., Asc., SE. slope 170 ft.,
Spur, slopes NE., Desc., 20 ft.,
Head of gully, course NE., Asc., 30 ft.,
Across small bench.
The cor., of secs., 15, 16, 21 and 22.

Land: rolling and broken.
Soil: gravelly and rocky, 3rd. rate.
Timber: pine, fir, aspen.
Undergrowth: scrub oak.

Subdivisions of T.38 N.,R.1 E.

chains

N.0°01'E. bet.secs.,15 and 16.
Over mountainous land,thru dense timber and scattered undergrowth.

Across small bench.

- 3.50 Desc., NW.slope 440 ft.,
- 22.00 Gully, course NW., Along W. slope.
- 23.00 Toe of spur, slopes NW., Desc., NW. slope 50 ft.,
- 25.95 Wire fence, bears E. and W.,
- 27.10 Wash, 15 lks.,wide, 3 ft.deep, in draw, course W.,
- Asc., NE.slope 200 ft.,
- 36.00 Change of slope to E.,
- 40.00 Set an iron post,3 ft.long,1 in.,diam.,30 ins.,in the ground, for $\frac{1}{4}$ sec.cor., marked on brass cap

$\frac{1}{4}$
S 16 S 15
1929

from which

- A yellow pine,20 ins.,diam.,bears S.42 $\frac{1}{2}$ °E. 32 lks. dist., marked $\frac{1}{4}$ S 15 BT
- A yellow pine,20 ins.,diam.,bears N.20°W., 60 lks. dist., marked $\frac{1}{4}$ S 16 BT

- 43.00 Desc., NE.slope 50 ft.,
- 48.30 Gully, course SE., Asc., S. slope 380 ft.,
- 51.00 Trail, on small spur, sloping SE., Asc., along spur.
- 56.00 Change to SE.slope.
- 61.20 Gully, course S.20°E.,Change of slope to SW.,
- 71.00 Across bench land, bears E. and W.,
- 72.70 Telephone line, bears NE. and SW.,
- 72.75 Old road, bears NE. and SW.,
- 80.00 Set an iron post,3 ft.long,2 ins.,diam.,24 ins.,in the ground, for the cor.,of secs.,9,10,15 and 16, marked on brass cap

T 38 N R 1 E
S 9 | S 10
S 16 | S 15
1929

from which

- A yellow pine,16 ins.,diam.,bears N.22°E.,30 lks., dist., marked T 38 N R 1 E S 10 BT
- A yellow pine,30 ins.,diam.,bears S.12°E. 110 lks. dist., marked T 38 N R 1 E S 15 BT
- A yellow pine,20 ins.,diam.,bears S.32°W. 142 lks. dist., marked T 38 N R 1 E S 16 BT
- A yellow pine,30 ins.,diam.,bears N.51°W., 38 lks. dist., marked T 38 N R 1 E S 9 BT

Land: mountainous,rolling and broken.

Soil: rocky, 3rd.rate.

Timber: pine, aspen, fir.

Undergrowth: scrub oak.

- 40.00 N.89°54'E. on random line bet.secs.10 and 15.
- 80.10 Set temp., $\frac{1}{4}$ sec.cor.,
Fall 7 lks.,N.,of the cor.,of secs.,10,11,14 and 15.

Thence

S.89°57'W. on true line bet.secs.,10 and 15.
Over rolling land,thru dense timber.

- 5.10 Old road, bears NE. and SW.,
- 6.20 Road, bears NW. and SE.
- 10.20 Road,new grade, bears NW. and SE.
- 15.85 Road, bears NE. and SW.
- 22.40 Road, bears NE. and SW.

Subdivisions of T.38 N., R.1 E.

chains

36.10 Head of gully, course NW.,
40.05 Set an iron post, 3 ft. long, 1 in., diam., 30 ins., in the ground, for 1/4 sec. cor., marked on brass cap

1/4 S 10
S 15

1929

from which

A yellow pine, 14 ins., diam., bears N. 73 1/4° W., 128 lks.,
dist., marked 1/4 S 10 BT
A yellow pine, 18 ins., diam., bears S. 18° W., 26 lks.,
dist., marked 1/4 S 15 BT

70.00 Head of drain, course NW.
74.50 Head of drain, course NE.,
80.10 The cor., of secs., 9, 10, 15 and 16.

Land: rolling and level rolling.
Soil: clay loam, rocky, 2nd. rate.
Timber: pine.
Undergrowth: none.

N. 0° 01' E. bet. secs., 9 and 10.

Over level land, thru dense timber.

10.00 Leave level land enter rolling and mountainous land.

20.35 Desc., NE. slope 105 ft.,

20.35 Gully, course NW., Asc., SW. slope 80 ft.,

27.50 Along top of spur, sloping N. 20° W.,

39.00 Leave spur, extends NW.,

40.00 Set an iron post, 3 ft. long, 1 in., diam., 28 ins., in the ground, for 1/4 sec. cor., marked on brass cap

1/4 S 9 S 10

1929

from which

A yellow pine, 20 ins., diam., bears S. 73° E., 42 lks.,
dist., marked 1/4 S 10 BT
A yellow pine, 18 ins., diam., bears S. 36° W., 8 lks.,
dist., marked 1/4 S 9 BT

50.30 Desc., NE. slope 180 ft.,

60.00 Draw, course NW., Asc., SW. slope 255 ft.,

60.00 Spur, extends NW., Desc., NE. slope 30 ft.,

72.50 Gully, course E., Asc., 10 ft.,

75.00 Small spur, slopes E., Desc., NE. slope 45 ft.,

80.00 Set an iron post, 3 ft. long, 2 ins., diam., 28 ins., in the ground, for the cor., of secs., 3, 4, 9 and 10, marked on brass cap

T 38 N R 1 E
S 4 S 3
S 9 S 10

1929

from which

A yellow pine, 16 ins., diam., bears N. 81 1/2° E. 97 lks
dist., marked T 38 N R 1 E S 3 BT
A yellow pine, 30 ins., diam., bears S. 40° E., 34 lks.,
dist., marked T 38 N R 1 E S 10 BT
A yellow pine, 24 ins., diam., bears S. 23° W. 57 lks.,
dist., marked T 38 N R 1 E S 9 BT
A yellow pine, 30 ins., diam., bears N. 13 1/2° W. 326 lks.,
dist., marked T 38 N R 1 E S 4 BT

Land: level, rolling and mountainous.

Soil: rocky, 3rd. rate.

Timber: pine, fir, cedar, aspen.

Undergrowth: scrub oak.

Subdivisions of T.38 N., R.1 E.

chains

N.89°57'E. on random line bet.secs.,3 and 10.
 40.00 Set temp., $\frac{1}{4}$ sec.cor.,
 79.90 Fall 2 lks.,N. of the cor.,of secs.,2,3,10 and 11.
 Thence
 S.89°58'W. on true line bet.secs.,3 and 10.
 Over rolling and mountainous land,thru dense timber.
 Desc., 6 ft.,
 0.20 Gully, course SW., Along S. slope, desc. 40 ft.,
 3.40 Gully, course S.,
 7.00 Draw, from SE., course SW., Asc., SE.slope 50 ft.,
 11.50 Along S. slope.
 16.00 Desc., SW.slope 90 ft.,
 21.70 Wash, 20 lks.,wide, in draw, course NW., Asc., NE.slope
 115 ft.,
 27.00 Spur, extends N., Desc., W. slope 115 ft.,
 33.60 Draw, course N., Asc., NE.slope 135 ft.,
 39.95 Set an iron post,3 ft.long,1 in.,diam.,28 ins.,in the
 ground, for $\frac{1}{4}$ sec.cor., marked on brass cap

$$\frac{1}{4} \begin{array}{l} S \ 3 \\ S \ 10 \end{array}$$

1929

from which

A yellow pine,30 ins.,diam.,bears N.49 $\frac{1}{2}$ °W: 112 lks.,
 dist., marked $\frac{1}{4}$ S 3 BT
 A yellow pine,20 ins.,diam.,bears S.37°E. 117 lks.,
 dist., marked $\frac{1}{4}$ S 10 BT

Asc., NE.slope 55 ft.,
 49.00 Spur, slopes N., Desc., SW.slope 80 ft.,
 61.00 Gully, course NW., Asc., NE.slope 60 ft.,
 70.00 Spur, slopes NW., Desc., SW.slope 180 ft.,
 77.70 Draw, course N., Asc., E. slope 70 ft.,
 79.90 The cor.,of secs.,3,4,9 and 10.

Land: rolling and mountainous.
 Soil: rocky, 3rd.rate.
 Timber: pine, fir, cedar.
 Undergrowth: scrub.oak.

N.0°09'E. on random line bet.secs.,3 and 4.
 40.00 Set temp., $\frac{1}{4}$ sec., cor.,
 79.56 Fall 5 lks.,E. of the cor.,of secs.,3,4,33 and 34, on the
 N., bdy.,of the Tp., which is an iron post,2 ins.diam,
 projecting 12 ins.,above ground, firmly set, and properly
 marked on brass cap, and witnessed by four properly
 marked bearing trees.
 Thence
 S.0°07'W. on true line bet.secs.,3 and 4.
 Over mountainous land,thru dense timber and scattered
 undergrowth:
 Desc., SW.slope 350 ft.,
 17.50 Draw, course N.70°W., Asc., NE.slope 260 ft.,
 31.00 Small spur, slopes E., Along E. slope, desc.10 ft.,
 37.00 Gully, course NE., Asc., N. slope 60 ft.,
 39.56 Set an iron post,3 ft.long,1 in.,diam.,30 ins.,in the
 ground, for $\frac{1}{4}$ sec.cor., marked on brass cap

$$\frac{1}{4} \begin{array}{l} S \ 4 \\ S \ 3 \end{array}$$

1929

from which

A yellow pine,20 ins.,diam.,bears S.10°E., 90 lks.,
 dist., marked $\frac{1}{4}$ S 3 BT
 A yellow pine,5 ins.,diam.,bears S.73°W.,73 lks.,
 dist., marked $\frac{1}{4}$ S 4 BT

Subdivisions of T.38 N.,R.1 E.


chains

- 42.00 Asc., N. slope 50 ft.,
- 52.00 Change of slope to NE.,Asc., 80 ft.,
- 59.00 Small spur, slopes E., Desc., along E. slope 45 ft.,
- 79.56 Gully, course E., Asc., NE.slope 105 ft.,
- The cor.,of secs.,3,4,9 and 10.

Land:mountainous and rolling.
 Soil: rocky, 3rd.rate.
 Timber: pine, cedar, pinon, fir.
 Undergrowth:scrub oak.


 From cor.,of secs.,4,5,32 and 33, on the S., bdy.of the Tp,
 which is an iron post, 2 ins.,diam.,projecting 15 ins.above
 ground, firmly set, and properly marked on brass cap,
 and witnessed by four properly marked bearing trees,
 North, E. bet.,secs.,32 and 33.

- Over rolling and mountainous land, thru dense timber.
- 4.00 Desc., NW.slope 20 ft.,
- 9.90 Gully, course SW., Asc., S. slope 105 ft.,
- Old road, bears E. and W., Old corral bears East about
12 chs.,dist.,
- 10.00 Spur, slopes W.,
- 15.00 Spur, slopes NW., Desc., N. slope 90 ft.,
- 22.30 Draw, course NW., Asc., SW.slope 30 ft.,
- 28.00 Spur, slopes NW. Desc., N. slope 100 ft.,
- 39.70 Draw, course S.60°W., Asc., S. slope 15 ft.,
- 40.00 Set an iron post,3 ft.long,1 in.,diam., 30 ins.,in the
ground, for $\frac{1}{4}$ sec.cor., marked on brass cap



from which
 A yellow pine,14 ins.,diam.,bears N.50 $\frac{1}{2}$ °E. 117 lks.,
 dist., marked $\frac{1}{4}$ S 33 BT
 A yellow pine,14 ins.,diam.,bears N.50°W. 74 lks.,
 dist., marked $\frac{1}{4}$ S 32 BT

- 45.50 Asc., S. slope 100 ft.,
- 51.00 Spur, slopes SW., Desc., W. slope 30 ft.,
- 57.50 Gully, course S.30°W., Asc., SE.slope 65 ft.,
- 69.50 Spur, slopes W., Desc., NW.slope 130 ft.,
- 75.00 Draw, course W., Asc., S. slope 120 ft.,
- 80.00 Flat spur, slopes SW., Desc., gradually.
- Set an iron post,3 ft.long, 2 ins.,diam., 30 ins.,in the
ground, for the cor.,of secs.,28,29,32 and 33,
marked on brass cap



from which
 A yellow pine, 18 ins.,diam.,bears N.29 $\frac{1}{2}$ °E. 196 lks.
 dist., marked T 38 N R 1 E S 28 BT
 A yellow pine, 20 ins.,diam.,bears S. 21°E. 145 lks.
 dist., marked T 38 N R 1 E S 33 BT
 A yellow pine, 18 ins.,diam.,bears S.30 $\frac{1}{2}$ °W. 135 lks.
 dist., marked T 38 N R 1 E S 32 BT
 A yellow pine, 18 ins.,diam.,bears N.38 $\frac{1}{2}$ °W. 231 lks.,
 dist., marked T 38 N R 1 E S 29 BT

Land: rolling and mountainous.
 Soil: rocky, 3rd.rate.
 Timber: pine, fir, aspen, cedar.
 Undergrowth: scrub oak.

Subdivisions of T.38 N., R.1 E.

chains	N.89°58'E. on random line bet.secs.,28 and 33.
40.00	Set temp., $\frac{1}{4}$ sec.cor.,
80.04	The cor. of secs.,27,28,33 and 34.
	Thence
	S.89°58'W. on true line bet.secs.,28 and 33.
	Over rolling land, thru dense timber and scattered undergrowth.
	Desc., NW.slope 25 ft.
4.00	Gully, course NE., Asc., E. slope 40 ft.
8.00	Spur, slopes N., Desc., W. slope 65 ft.,
16.15	Draw, course N.20°W., Asc., 60 ft.,
25.50	Small spur, slopes N., Over rolling N. slope.
27.60	Head of gully, course NW.,
32.90	Gully, course N.,
40.02	Set an iron post, 3 ft.long, 1 in., diam., 24 ins., in the ground, to bedrock, supported in a mound of stone, 1 $\frac{1}{2}$ ft.base, 1 ft.high, for $\frac{1}{4}$ sec.cor., marked on brass cap
	$\frac{1}{4} \begin{array}{c} S 28 \\ S 33 \end{array}$
	1929
	from which
	A yellow pine, 15 ins., diam., bears N.49°E., 54 lks. dist., marked $\frac{1}{4}$ S 28 BT
	A yellow pine, 14 ins., diam., bears S.58°E. 86 lks., dist., marked $\frac{1}{4}$ S 33 BT
43.60	Head of gully, course N.,
47.50	Small spur, slopes N.20°W., Desc., 40 ft.,
50.70	Gully, course N.20°W., Asc., 40 ft.,
56.00	Spur, slopes NE., Desc., 30 ft.,
59.00	Draw, course N.60°E., Asc., SE.slope 85 ft.,
71.00	Flat spur, extends NW., Across bench land.
71.90	Old road, bears NW. and SE.,
80.04	The cor., of secs.,28,29,32 and 33.
	Land: rolling.
	Soil: gravelly, 2nd.rate.
	Timber: pine, fir.
	Undergrowth: scrub oak.

	North, bet.secs.,28 and 29.
	Over rolling land, thru dense timber and scattered undergrowth.
	Across bench.
1.00	Head of gully, course S.80°W.
6.20	Stub road, extends W.,
10.00	Desc., N. slope 55 ft.,
13.90	Gully, course N.30°W., Asc., 40 ft.
19.00	Desc., N. slope 235 ft.,
40.00	Set an iron post, 3 ft.long, 1 in., diam., 18 ins., in the ground, to bedrock, supported in a mound of stone, 2 $\frac{1}{2}$ ft.base, 1 $\frac{1}{2}$ ft.high, for $\frac{1}{4}$ sec.cor., marked on brass cap
	$\frac{1}{4} \begin{array}{c} S 29 \\ S 28 \end{array}$
	1929
	from which
	A yellow pine, 36 ins., diam., bears S.54°E., 69 lks., dist., marked $\frac{1}{4}$ S 28 BT
	A yellow pine, 30 ins., diam., bears S.80°W., 20 lks., dist., marked $\frac{1}{4}$ S 29 BT
40.50	Desc., 10 ft.,
	Draw, course N.70°W.,

Subdivisions of T.38 N.,R.1 E.,

chains

52.00 Asc., S. slope 210 ft.,
 60.70 Across table land, bears NW. and SE.
 70.60 Stub road, extends N.60°W.,
 80.00 Head of gully, course N.60°W.,
 Set an iron post, 3 ft. long, 2 ins., diam., 24 ins. in the
 ground, to bedrock, supported in a mound of stone,
 2 ft. base, 1 ft. high, for the cor., of secs., 20, 21, 28
 and 29, marked on brass cap

T 38 N R 1 E

S 20	S 21
S 29	S 28

 1929

from which
 A yellow pine, 38 ins., diam., bears N.50°E., 101 lks.,
 dist., marked T 38 N R 1 E S 21 BT
 A yellow pine, 18 ins., diam., bears S.40°E., 168 lks.,
 dist., marked T 38 N R 1 E S 28 BT
 A yellow pine, 30 ins., diam., bears S.50½°W., 104 lks.,
 dist., marked T 38 N R 1 E S 29 BT
 A yellow pine, 20 ins., diam., bears N.26½°W., 152 lks.,
 dist., marked T 38 N R 1 E S 20 BT

Land: rolling.
 Soil: gravelly 2nd. rate.
 Timber: pine, fir, cedar.
 Undergrowth: oak.

40.00 N.89°58'E. on random line bet. secs., 21 and 28.
 80.00 Set temp., ¼ sec. cor.,
 Fall 2 lks., S. of the cor., of secs., 21, 22, 27 and 28.

Thence
 S.89°57'W. on true line bet. secs., 21 and 28.
 Over rolling land, thru dense timber and scattered
 undergrowth.
 Across bench land.

20.00 Spur, slopes S.60°W., Desc., W. slope 70 ft.,
 28.80 Gully, course SW., Asc., SE. slope 35 ft.,
 34.00 Spur, slopes SW., Desc., 65 ft.,
 37.30 Gully, course S.30°W., Asc., 15 ft.,
 40.00 Set an iron post, 3 ft. long, 1 in., diam., 12 ins. in the
 ground, to bedrock, supported in a mound of stone,
 3 ft. base, 2 ft. high, for ¼ sec. cor., marked on
 brass cap

¼

S 21
S 28

 1929

from which
 A yellow pine, 15 ins., diam., bears N.67°E., 76 lks.,
 dist., marked ¼ S 21 BT
 A yellow pine, 15 ins., diam., bears S.7°E., 101 lks.,
 dist., marked ¼ S 28 BT

Over S. slope.
 42.00 Desc., W. slope 90 ft.,
 45.30 Gully, course SW., Asc., 10 ft.,
 48.00 Spur, slopes S., Desc., SW. slope 130 ft.,
 56.40 Confluence of two draws, from S., and S.70°E., course
 NW.,
 Asc., NE. slope 230 ft.,
 67.00 Gully, course NE.,
 73.00 Head of gully, course N.30°E.,
 77.00 Across bench land.
 80.00 The cor., of secs., 20, 21, 28 and 29.

Subdivisions of T.38 N. R.1 E.

chains

Land: rolling and broken.
Soil: clay loam and rocky, 3rd. rate.
Timber: pine, fir, cedar.
Undergrowth: scrub oak.

North, $\frac{1}{4}$ sec., bet., secs., 20 and 21.

Over rolling and mountainous land, thru dense timber and scattered undergrowth.

3.50 Desc., NE. slope 225 ft.,
17.80 Gully, course N. 30° E., Asc., 5 ft.
19.50 Small spur, slopes NE., Desc., 95 ft.,
29.90 Draw, course NW., Asc., SW. slope 215 ft.,
40.00 Set an iron post, 3 ft., long, 1 in., diam. on bedrock,
supported in a mound of stone, 5 ft. base, 3 ft.,
high, for $\frac{1}{4}$ sec. cor., marked on brass cap

	$\frac{1}{4}$	
S 20		S 21
1929		

from which

A yellow pine, 12 ins., diam., bears N. 87° E. 90 lks.,
dist., marked $\frac{1}{4}$ S 21 BT
A piñon, 15 ins., diam., bears N. 63° W. 61 lks.,
dist., marked $\frac{1}{4}$ S 20 BT

Asc., SW. slope 90 ft.,
52.50 Ridge, bears NW. and SE. Desc., N. slope 190 ft.,
72.30 Draw, course W., Asc., S. slope 50 ft.,
75.00 Small spur, slopes W., Desc., N. slope 70 ft.,
78.70 Draw, course S. 80° W., Asc., S. slope 20 ft.,
80.00 Set an iron post, 3 ft. long, 2 ins., diam., on bedrock,
supported in a mound of stone, 4 ft. base, 30 ins., high
for the cor., of secs., 16, 17, 20 and 21, marked on
brass cap

T 38	N	R 1	E
S 17		S 16	
S 20		S 21	
1929			

from which

A yellow pine, 10 ins., diam., bears N. $35\frac{1}{2}^{\circ}$ E. 130 lks.,
dist., marked T 38 N R 1 E S 16 BT
A yellow pine, 28 ins., diam., bears S. 43° E. 184 lks.,
dist., marked T 38 N R 1 E S 21 BT
A yellow pine, 15 ins., diam., bears S. 74° W. 67 lks.,
dist., marked T 38 N R 1 E S 20 BT
A yellow pine, 10 ins., diam., bears N. $32\frac{1}{2}^{\circ}$ W. 85 lks.,
dist., marked T 38 N R 1 E S 17 BT

Land: rolling and mountainous.
Soil: rocky, 2nd. and 3rd. rate.
Timber: pine, fir, piñon, cedar.
Undergrowth: scrub oak and cherry.

40.00 N. $89^{\circ}57'$ E. on random line bet. secs., 16 and 21.
Set temp., $\frac{1}{4}$ sec. cor.,
79.86 Fall 2 lks., S. of the cor., of secs., 15, 16, 21 and 22.

Thence
S. $89^{\circ}56'$ W. bet. secs., 16 and 21.
Over rolling and broken land, thru dense timber and scattered undergrowth.
7.00 Desc., SW. slope 280 ft.,
14.20 Draw, course NW., Asc., NE. slope 190 ft.,
26.50 Over bench land, along gentle N. slope; spur extends NW.
30.00 Old road, bears NW. and SE.

Subdivisions of T.38 N., R.1 E.

chains

32.70 Drain, course NW.
 38.70 Drain, course N.
 39.93 Set an iron post, 3 ft. long, 1 in., diam., 18 ins., in the ground, to bedrock, supported in a mound of stone, 2 ft. base, 1 1/2 ft. high, for 1/4 sec. cor., marked on brass cap

1/4 S 16
 S 21

1929


from which
 A yellow pine, 24 ins., diam., bears N. 38 1/2° E. 75 lks., dist., marked 1/4 S 16 BT
 A yellow pine, 18 ins., diam., bears S. 18° E. 86 lks., dist., marked 1/4 S 21 BT

57.00 Gully, course N. 20° W.,
 65.00 Desc., NW. slope 50 ft.,
 78.00 Small draw, course S. 70° W., Asc., 20 ft.,
 79.86 The cor., of secs., 16, 17, 20 and 21.

Land: rolling and broken.
 Soil: gravelly and rocky, 2nd. and 3rd. rate.
 Timber: pine, aspen, fir.
 Undergrowth: scattered oak.

North, bet. secs., 16 and 17.
 Over rolling land, thru dense timber.
 Asc., S. slope 65 ft.,

9.30 Stub road, extends west along spur, Leave timber.
 10.00 Enter dense undergrowth, bears E. and W.,
 10.88 Rim of canyon, bears E. and W., Set triangulation flag "A". To determine distance across canyon, set flag "B" on line on the north rim, from which point run a base line East, 14.42 chs., to point "C", from which flag "A" bears S. 19° 15' W.,



Computed dist., from "A" to "B" is 41.29 chs., which, added to 10.88 chs., gives 52.17 chs. North from sec. cor. as the location of flag "B" on sec. line. Thence by return measurement, 12.17 chs. South to
 40.00 Set an iron post, 3 ft. long, 1 in., diam., 30 ins., in the ground, for 1/4 sec. cor., marked on brass cap

1/4
 S 17 S 16

1929

from which
 A pinon, 12 ins., diam., bears N. 66 1/2° W., 64 lks., dist., marked 1/4 S 17 BT
 A cedar, 12 ins., diam., bears S. 33° E., 41 lks., dist., marked 1/4 S 16 BT.

Asc., SE. slope 280 ft., thru dense timber.
 47.00 Sharp spur, slopes S. 20° W., Change to SW. slope.
 51.00 Rim of canyon, bears E. and NW., Over bench land.
 52.17 Triangulation flag B.
 54.47 Telephone line, bears E. and W.,

Subdivisions of T.38 N.,R.1 E.


chains

55.20
55.85

Stub road, extends W.,
Cor., No. 4, "Warm Springs Mill Site", Min.Surv. No.1668,
which is a stake, 3 ft. long, 4 ins., diam., supported
in a mound of stone, marked 4-1668, bears S.77°50'W.
24.26 chs., dist.,
From Cor.No.4 of Mill Site, the mill building, in a
dilapidated condition bears SW. 4.00chs., dist.,
No. trace remains of U.S.L.M. No.2.

57.50
61.60
75.00
80.00

Stub road, bears West.
Head of gully, course W., Ascend gradually.
Flat spur, extends W.,
Set an iron post, 3 ft. long, 2 ins., diam., 24 ins., in the
ground, to bedrock, supported in a mound of stone,
2 ft. base, 1 ft. high, for the cor., of secs., 8, 9, 16
and 17, marked on brass cap



- from which
- A yellow pine, 18 ins., diam., bears N.60½°E., 81 lks.,
dist., marked T 38 N R 1 E S 9 BT
 - A yellow pine, 20 ins., diam., bears S.12½°E. 31 lks.,
dist., marked T 38 N R 1 E S 16 BT
 - A yellow pine, 14 ins., diam., bears S.63°W., 125 lks.,
dist., marked T 38 N R 1 E S 17 BT
 - A yellow pine, 14 ins., diam., bears N.61½°W., 141 lks.,
dist., marked T 38 N R 1 E S 8 BT

Land: rolling and mountainous.
Soil: rocky, 3rd. and 4th. rate.
Timber: pine, cedar, pinon.
Undergrowth: scrub oak and dogwood.


40.00
80.00

N.89°56'E. on random line bet.secs.,9 and 16.
Set temp., ¼ sec.cor.,
Fall 14 lks., S. of the cor., of secs., 9, 10, 15 and 16.

Thence
S.89°50'W. on true line bet.secs.,9 and 16.
Over rolling land, thru dense timber.

19.60
40.00

Head of gully, course NW.
Set an iron post, 3 ft. long, 1 in., diam., 30 ins., in the
ground, for ¼ sec.cor., marked on brass cap



1929

- from which
- A yellow pine, 16 ins., diam., bears N.26°E. 92 lks.,
dist., marked ¼ S 9 BT
 - A yellow pine, 18 ins., diam., bears S.52°E. 52 lks.,
dist., marked ¼ S 16 BT


50.00
80.00

Old road, bears NW. and SE.,
The cor., of secs., 8, 9, 16 and 17.

Land: rolling.
Soil: rocky, 2nd. and 3rd. rate.
Timber: pine.
Undergrowth: none.


Subdivisions of T.38 N., R.1 E.

chains
 North, N. bet. secs., 8 and 9.
 Over rolling land, thru dense timber.
 11.00 Head of gully, course W.,
 17.20 Stub road, extends NW.,
 19.00 Low ridge, bears NW. and SE.
 Small lake, enclosed by corral bears east about
 15 chs., dist.,
 25.00 Desc., N. slope 75 ft.,
 36.70 Wash, 10 lks., wide, course W., Asc., 10 ft.,
 40.00 Set an iron post, 3 ft. long, 1 in., diam., 28 ins., in the
 ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



from which
 A yellow pine, 24 ins., diam., bears N. $42\frac{1}{2}^{\circ}$ E., 73 lks.,
 dist., marked $\frac{1}{4}$ S 9 BT
 A yellow pine, 20 ins., diam., bears S. 78° W., 82 lks.,
 dist., marked $\frac{1}{4}$ S 8 BT

Asc., SE. slope 30 ft.,
 44.00 Ridge, bears NW. and SE. Desc., 30 ft.,
 64.00 Spur, slopes NW., Desc., NE. slope 40 ft.,
 66.70 Gully, course NW., Along W. slope.
 68.00 Change of slope to NW., Desc., 140 ft.,
 72.50 Draw, course N. 25° E., Asc., SE. slope 65 ft.,
 80.00 Set an iron post, 3 ft. long, 2 ins., diam., 12 ins., in the
 ground, to bedrock, supported in a mound of stone,
 4 ft. base, 2 ft. high, for the cor., of secs., 4, 5, 8
 and 9, marked on brass cap



from which
 A pinon, 12 ins., diam., bears N. $23\frac{1}{2}^{\circ}$ E., 87 lks., dist.,
 marked T 38 N R 1 E S 4 BT
 A pinon, 10 ins., diam., bears S. 52° E., 33 lks., dist.,
 marked T 38 N R 1 E S 9 BT
 A pinon, 12 ins., diam., bears S. 40° W., 52 lks., dist.,
 marked T 38 N R 1 E S 8 BT
 A pinon, 14 ins., diam., bears N. $30\frac{1}{2}^{\circ}$ W., 90 lks., dist.,
 marked T 38 N R 1 E S 5 BT

Land: rolling and broken.
 Soil: rocky; 2nd. and 3rd. rate.
 Timber: pine, pinon, cedar.
 Undergrowth: sagebrush, scrub oak, cherry and dogwood.

40.00 N. $89^{\circ}50'$ E. on random line bet. secs., 4 and 9.
 Set temp., $\frac{1}{4}$ sec. cor.,
 79.80 Fall 6 lks., S. of the cor., of secs., 4, 9 and 10.

Thence
 S. $89^{\circ}47'$ W. on true line bet. secs., 4 and 9.
 Over rolling and mountainous land, thru dense timber and
 scattered undergrowth.
 Asc., E. slope 85 ft.,
 6.00 Spur, extends N., Desc., SW. slope 65 ft.,
 12.50 Gully, course NW., Asc., NE. slope 40 ft.,
 17.30 Shoulder of spur, slopes NW., Desc.; SW. slope 385 ft.,
 29.50 Draw, course NW., Asc., NE. slope 240 ft.,
 37.20 Spur, slopes N., Desc., NW. slope 25 ft.,

Subdivisions of T.38 N., R.1 E.,

chains

39.90 Set an iron post, 3 ft. long, 1 in., diam., 12 ins., in the ground, to bedrock, supported in a mound of stone, 4 ft. base, 2 ft. high, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$ $\frac{S 4}{S 9}$

1929

from which

A pinon, 8 ins., diam., bears N.86°W., 301 lks., dist., marked $\frac{1}{4}$ S 4 BT

A yellow pine, 16 ins., diam., bears S.69°E. 260 lks., dist., marked $\frac{1}{4}$ S 9 BT

40.60 Desc., NW. slope 20 ft.,
 46.80 Gully, course NE., Asc., E. slope 250 ft.,
 48.50 Small spur, slopes SE., Along S. slope.
 51.00 Gully, course SE., Change to NE. slope.
 55.00 Across flat spur, extends N.,
 60.00 Drain, course NE.,
 73.75 Desc., W. slope 325 ft.,
 Confluence of two draws, from SE., and from S.20°W., course N.,
 Asc., E. slope 185 ft.,
 79.80 The cor., of secs., 4, 5, 8 and 9.

Land: rolling and mountainous.
 Soil: rocky, 3rd. rate.
 Timber: pine, pinon, cedar.
 Undergrowth: scrub oak, cherry, dogwood and sagebrush.

40.00 N.0°07'E. on random line bet. secs., 4 and 5.
 Set temp., $\frac{1}{4}$ sec. cor.,
 79.80 Fall 16 lks., E. of the cor., of secs., 4, 5, 32 and 33, on the N., bdy., of the Tp., which is an iron post, 2 ins. diam., projecting 16 ins., above ground, firmly set, properly marked on brass cap, and witnessed by four properly marked bearing trees,

Thence
 South on true line bet. secs., 4 and 5.
 Over mountainous land, thru dense timber and scattered undergrowth.

25.30 Desc., SW. slope 750 ft.,
 Wash, 100 lks., wide, in draw, course NW., Old road follows along wash.
 Asc., broken N. slope 420 ft.,

39.80 Set an iron post, 3 ft. long, 1 in., diam., 30 ins., in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$\frac{1}{4}$
 S 5 | S 4

1929

from which

A pinon, 10 ins., diam., bears S.12°E. 63 lks., dist., marked $\frac{1}{4}$ S 4 BT

A pinon, 14 ins., diam., bears S.35°W., 8 lks., dist., marked $\frac{1}{4}$ S 5 BT

Asc., 425 ft.,
 52.00 Rocky spur, slopes NE., Desc., SE. slope 190 ft.,
 67.20 Gully, course E., Asc., 55 ft.,
 73.80 Spur, slopes E., Desc., 40 ft.,
 77.30 Gully, course E., Along E. slope,
 79.80 The cor., of secs., 4, 5, 8 and 9.

Subdivisions of T.38 N.,R.1 E.


chains

Land: mountainous. inc.
Soil: rocky, 3rd. and 4th. rate.
Timber: pinon, cedar.
Undergrowth: scrub oak, dogwood and sagebrush.

From cor., of secs., 5, 6, 31 and 32, on the S. bdy. of the
which is an iron post, 2 ins., diam. projecting 30 ins. above
ground, supported in a mound of stone, 3 ft. base,
30 ins., high, properly marked on brass cap, and wit-
nessed by four properly marked bearing trees,
North, . . . bet., secs., 31 and 32.

6.70
24.00
40.00


Over mountainous land, thru dense timber and scattered
undergrowth.
Desc., NW. slope 120 ft.,
Draw, course SW., Asc., S. slope 325 ft.,
Across level mesa, bears E. and W.,
Set an iron post, 3 ft. long, 1 in., diam., 30 ins., in the
ground, for $\frac{1}{4}$ sec. cor., marked on brass cap



from which
A yellow pine, 15 ins., diam., bears S. 81° E., 141 lks.,
dist., marked $\frac{1}{4}$ S 32 BT
A yellow pine, 18 ins., diam., bears S. 86° W., 119 lks.,
dist., marked $\frac{1}{4}$ S 31 BT

48.20
64.00
65.50
70.00
76.00
80.00

Stub road, extends N. 10° W.
Leave mesa, bears NW. and SE., Desc., NE. slope 55 ft.,
Along E. slope, thru dense undergrowth.
Change of slope to SE., Asc., 30 ft.,
Small spur, slopes NE., Desc., 65. ft.,
Set an iron post, 3 ft. long, 2 ins., diam., 30 ins., in the
ground, for the cor., of secs., 29, 30, 31 and 32,
marked on brass cap



from which
A yellow pine, 15 ins., diam., bears N. 9° E., 217 lks.,
dist., marked T 38 N R 1 E S 29 BT
A yellow pine, 10 ins., diam., bears S. 13° E., 58 lks.,
dist., marked T 38 N R 1 E S 32 BT
A yellow pine, 7 ins., diam., bears S. 65° W., 43 lks.,
dist., marked T 38 N R 1 E S 31 BT
A yellow pine, 34 ins., diam., bears N. 76 $\frac{1}{2}$ ° W., 76 lks.,
dist., marked T 38 N R 1 E S 30 BT

Land: mountainous, rolling and level.
Soil: gravelly and rocky, 2nd., and 3rd. rate.
Timber: pine, cedar, pinon.
Undergrowth: scrub oak, dogwood and sagebrush.

40.00
80.10

N. 89° 58' E. on random line bet. secs., 29 and 32.
Set temp., $\frac{1}{4}$ sec., cor.,
Fall 10 lks., S. of the cor., of secs., 28, 29, 32 and 33.

Thence
S. 89° 54' W. on true line bet. secs., 29 and 32.
Over rolling land, thru dense timber.

Subdivisions of T.38 N., R.1 E.

chains	Desc., NW.slope 60 ft.,
5.00	Gully, course SW., Asc., SE.slope 60 ft.,
16.00	Small spur, slopes SW., Along S. slope.
20.00	Along flat ridge, extending W.,
30.00	Desc., 60 ft.,
40.05	Set an iron post, 3 ft. long, 1 in., diam., 12 ins., in the ground, to bedrock, supported in a mound of stone, 2 ft. base, 2 ft. high, for $\frac{1}{4}$ sec. cor., marked on brass cap.
	$\frac{1}{4}$ $\frac{S}{S}$ $\frac{29}{32}$
	1929
	from which
	A yellow pine, 22 ins., diam., bears N. 67° E., 100 lks., dist., marked $\frac{1}{4}$ S 29 BT.
	A yellow pine, 18 ins., diam., bears S. 23° W., 54 lks., dist., marked $\frac{1}{4}$ S 32 BT.
	Desc., W. slope 210 ft.,
50.25	Draw, course N., Asc., E. slope 170 ft.,
58.00	Spur, slopes N. 20° W., Desc., W. slope 270 ft.,
67.60	Draw, course N., Asc., E. slope 205 ft.,
75.70	Small spur, slopes NE., Along N. slope.
77.50	Head of gully, course NE., Asc., NE. slope 40 ft.,
80.10	The cor., of secs., 29, 30, 31 and 32.
	Land: rolling and broken.
	Soil: gravelly and rocky, 2nd. rate.
	Timber: pine, aspen, fir.
	Undergrowth: scrub oak and cherry.


	S. 89° 58' W. on random line bet. secs., 30 and 31.
40.00	Set temp., $\frac{1}{4}$ sec. cor.,
78.85	Fall 30 lks., N. of the cor., of secs., 25, 30, 31 and 36, on the W. bdy. of the Tp. (G. & S. R. Meridian) which is an iron post, 3 ins. diam., projecting 12 ins., above ground, firmly set, further supported in a mound of stone, 2 ft. base, 8 ins., high, and properly marked on brass cap.
	No bearing trees.
	Thence
	N. 89° 45' E. on true line bet. secs., 30 and 31.
	Over rough mountainous land, thru dense timber and scattered undergrowth.
	Asc., SW. slope 1000 ft.,
38.85	Set an iron post, 3 ft., long, 1 in., diam., 12 ins., in the ground, to bedrock, supported in a mound of stone, 3 ft. base, 2 ft. high, for $\frac{1}{4}$ sec. cor., marked on brass cap.
	$\frac{1}{4}$ $\frac{S}{S}$ $\frac{30}{31}$
	1929
	from which
	A pinon, 10 ins., diam., bears N. 13° W., 21 lks., dist., marked $\frac{1}{4}$ S 30 BT.
	A yellow pine, 18 ins., diam., bears S. 32½° W., 204 lks., dist., marked $\frac{1}{4}$ S 31 BT.
	Asc., SW. slope 150 ft.,
55.40	Flat ridge, extends NW., Desc., NE. slope 80 ft.,
62.25	Gully, course NW., Asc., SE. slope 100 ft.,
69.00	Flat spur, extends N. 20° W., Desc., NE. slope 80 ft.,
78.85	The cor., of secs., 29, 30, 31 and 32.
	Land: rough mountainous.
	Soil: rocky, 3rd. rate.
	Timber: pinon, cedar, pine.
	Undergrowth: scrub oak, cherry, dogwood and sagebrush.

Subdivisions of T.38 N.,R.1 E.

chains


North, bet.secs.,29 and 30.
Over rolling and mountainous land, thru scattered timber and dense undergrowth.

- 0.80 Desc., N. slope 30 ft.,
- Head of gully, course NE. Along E. slope.
- 5.00 Asc., 30 ft.,
- 11.50 Spur, slopes E., Desc., NE.slope 135 ft.,
- 17.50 Head of gully, course E.
- 18.50 Small spur, slopes E., Desc., 45 ft.,
- 20.30 Head of gully, course E., Asc., SE.slope 90 ft.,
- 29.50 Rocky spur, slopes E., Leave scattered timber, bears S, and NW.,
- Desc., NE.slope 235 ft.,
- 40.00 Set an iron post, 3 ft.long, 1 in.,diam., 20 ins., in the ground, to bedrock, with marked stone (X) 6 x 6 x 4 ins., alongside, supported in a mound of stone, 2 ft.base, 14 ins.,high, for $\frac{1}{4}$ sec.cor., marked on brass cap



1929

- 53.00 Continue descent 170 ft.,
- 55.00 Wash, 15 lks.,wide, in draw, course NW.,
- Wash, from E., course W., Leave undergrowth, bears NW.and SE.
- Asc., SW.slope 265 ft., thru dense timber.
- 70.00 Spur, slopes W., Desc., NW.slope 70 ft.,
- 73.30 Gully, course W., Asc., along W. slope 40 ft.,
- 80.00 Set an iron post, 3 ft.long, 2 ins.,diam., 18 ins., in the ground, to bedrock, supported in a mound of stone, 2 ft.base, $1\frac{1}{2}$ ft.high, for the cor.,of secs.,19,20, 29 and 30, marked on brass cap



1929

- from which
- A pinon, 8 ins.,diam.,bears N.11°E. 82 lks.,dist., marked T 38 N R 1 E S 20 BT
- A pinon, 14 ins.,diam.,bears S.13 $\frac{1}{2}$ °E. 41 lks.,dist., marked T 38 N R 1 E S 29 BT
- A pinon, 8 ins.,diam.,bears S.68°W. 32 lks.,dist., marked T 38 N R 1 E S 30 BT
- A fir, 24 ins.,diam.,bears N.9°W.,101 lks.,dist., marked T 38 N R 1 E S 19 BT

Land: rolling and mountainous.
Soil: rocky, 2nd.and 3rd.rate.
Timber: pine, pinon, cedar.
Undergrowth: scrub oak.

- 40.00 N.89°54'E. on random line.bet.secs.,20 and 29.
- Set temp., $\frac{1}{4}$ sec., cor.,
- 80.16 Fall 10 lks.,S. of the cor.,of secs.,20,21,28 and 29.

Thence
S.89°50'W. on true line bet.secs.,20 and 29.
Over rolling land, thru dense timber and scattered undergrowth.

- 11.00 Desc., SW.slope 100 ft.,
- Small draw, course NW., Asc., NE.slope 65 ft.,
- 19.00 Along N. slope.
- 38.00 Flat spur, slopes NW., Desc., gradually.

chains

40.08 Set an iron post, 3 ft. long, 1 in., diam., 30 ins., in the ground, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\frac{1}{4} \begin{array}{l} S 20 \\ S 29 \end{array}$$

1929

from which

A yellow pine, 16 ins., diam., bears N. $22\frac{1}{2}^{\circ}$ W. 114 lks., dist., marked $\frac{1}{4}$ S 20 BT

A yellow pine, 13 ins., diam., bears S. $39\frac{1}{2}^{\circ}$ E. 37 lks., dist., marked $\frac{1}{4}$ S 29 BT

Across flat spur, extending N. 70° W.

43.00 Desc., SW. slope 175 ft.,

57.50 Draw, course NW., Asc., NE. slope 110 ft.,

66.00 Spur, slopes N., Desc., W. slope 240 ft.,

80.16 The cor., of secs., 19, 20, 29 and 30.

Land: rolling.

Soil: rocky, 2nd. rate.

Timber: pine, pinon, cedar.

Undergrowth: ~~scrub oak, sagebrush,~~ dogwood and cherry.

40.00 S. $89^{\circ}45'$ W. on random line bet. secs., 19 and 30.

78.60 Set temp., $\frac{1}{4}$ sec. cor.,

Fall 12 lks., N., of the cor., of secs., 19, 24, 25 and 30, on W. bdy. of the Tp. (G. & S. R. Meridian), which is an iron post, 3 ins. diam., projecting 18 ins., above ground, firmly set, supported in a mound of stone, 3 ft. base, $1\frac{1}{2}$ ft. high, properly marked on brass cap. No bearing trees.

Thence

N. $89^{\circ}40'$ E. on true line bet. secs., 19 and 30.

Over mountainous land, thru dense timber and scattered undergrowth.

Asc., SW. slope 60 ft.,

3.50 Spur, slopes NW., Desc., NE. slope 405 ft.,

28.80 Draw, course NW., Asc., SW. slope 310 ft.,

38.60 Set an iron post, 3 ft. long, 1 in., diam., 18 ins., in the ground, to bedrock, supported in a mound of stone, 3 ft. base, $1\frac{1}{2}$ ft. high, for $\frac{1}{4}$ sec. cor., marked on brass cap

$$\frac{1}{4} \begin{array}{l} S 19 \\ S 30 \end{array}$$

1929

from which

A pinon, 10 ins., diam., bears N. 16° W. 39 lks., dist., marked $\frac{1}{4}$ S 19 BT

A pinon, 10 ins., diam., bears S. 20° W. 33 lks., dist., marked $\frac{1}{4}$ S 30 BT

Asc., W. slope 50 ft.,

39.00 Top of limestone ledge, 20 ft. high, bears NW. and SE.

42.00 Small spur, slopes SW., Asc., along SW. slope 30 ft.,

46.00 Gully, course SW., Asc., NW. slope 435 ft.,

60.00 Spur, slopes SW., Desc., SE. slope 265 ft.,

76.60 Draw, course SW., Asc., W. slope 35 ft.,

78.60 The cor., of secs., 19, 20, 29 and 30.

Land: mountainous.

Soil: rocky, 3rd. rate.

Timber: pinon, cedar, pine.


Undergrowth: scrub oak, dogwood, cherry and sagebrush.

Subdivisions of T.38 N.,R.1 E.

chains


North, bet.secs.,19 and 20.
Over rolling and mountainous land, thru dense timber and scattered undergrowth.

- 2.10 Desc., NW.slope 15 ft.,
- 13.00 Draw, course SW., Asc., S.slope 225 ft.,
- 20.00 Across flat spur, extending W.,
- 32.20 Desc., NE.slope 130 ft.,
- 39.00 Gully, course NW., Change of slope to NW., Desc.,110 ft.,
- 40.00 Small spur, slopes NW., Change of slope to N.
Set an iron post,3 ft.long,1 in.,diam.,18 ins.,in the ground, to bedrock, supported in a mound of stone, 2 ft.base, 1 1/2 ft.high, for 1/4 sec.cor., marked on brass cap



from which
An oak, 2 ins.,diam.,bears N.7°E.,69 lks.,dist., marked BT
A pinon, 10 ins.,diam.,bears S.9 1/2°W.,105 lks.,dist., marked 1/4 S 19 BT

- 42.50 Desc., N. slope 30 ft.,
- 65.00 Draw, course N.60°W., Asc., SW.slope 475 ft.,
- 78.00 Spur, slopes W., Desc., gradual N. slope 90 ft.
- 80.00 Gully, course N.65°W., Asc., 35 ft.,
Set an iron post,3 ft.long,2 ins.,diam.,on surface rock, supported in a mound of stone,5 ft.base, 3 ft.high, for the cor.,of secs.,17,18,19 and 20, marked on brass cap



from which
A yellow pine,18 ins.,diam.,bears N.30°E.,37 lks., dist., marked T.38 N R 1 E S 17 BT
A yellow pine,18 ins.,diam.,bears S.56 1/2°E.,139 lks., dist., marked T 38 N R 1 E S 20 BT
A pinon,8 ins.,diam.,bears S.50 1/2°W., 62 lks., dist., marked T 38 N R 1 E S 19 BT
A pinon, 8 ins.,diam.,bears N.55 1/2°W. 51 lks., dist., marked T 38 N R 1 E S 18 BT

Land: rolling and mountainous.
Soil: rocky, 2nd.and 3rd.rate.
Timber: pine, pinon, cedar.
Undergrowth: scrub oak,dogwood,sagebrush and cherry.

- 40.00 N.89°50'E. on random line bet.secs.,17 and 20.
Set temp.,1/4 sec.cor.,
- 80.16 The cor.,of secs.,16,17,20 and 21.

- 7.50 Thence
- 13.40 S.89°50'W. on true line bet.secs.,17 and 20.
- 17.70 Over rolling land,thru dense timber and scattered undergrowth.
- 21.00 Asc., along S. slope 30 ft.,
- 25.00 Desc., SW.slope 80 ft.,
- 31.40 Small draw, course N.75°W., Along N.slope.
- 32.50 Draw, course N. Asc., NE.slope 40 ft.,
- 38.50 Along N. slope.
- Desc., NW.slope 70 ft.,
- Draw, course S., Asc., SE.slope 30 ft.,
- Small spur, slopes S., Along S. slope.
- Gully, course SE., Asc., E.slope 40 ft.,

chains

40.08 Set an iron post, 3 ft. long, 1 in., diam., 18 ins., in the ground, to bedrock, supported in a mound of stone, 2 ft. base, 1½ ft. high, for ¼ sec. cor., marked on brass cap

$$\frac{1}{4} \frac{S \ 17}{S \ 20}$$

1929

from which

A cedar, 16 ins., diam., bears N.10°W., 24 lks., dist., marked ¼ S 17 BT

A yellow pine, 8 ins., diam., bears S.14°E. 54 lks., dist., marked ¼ S 20 BT

45.00 Asc., E. slope 110 ft.,
Ridge, bears N., and SW., Along gentle N. slope.
54.50 Spur, extends NW.,
57.50 Gully, course NW.,
78.50 Desc., gradual SW. slope. 10 ft.,
80.16 The cor., of secs., 17, 18, 19 and 20.

Land: rolling.

Soil: gravelly and rocky, 2nd. and 3rd. rate.

Timber: pine, cedar.

Undergrowth: scrub oak.

40.00 S. 89°40'W. on random line bet. secs., 18 and 19.
Set temp., ¼ sec. cor.,

78.58 Fall 4 lks., S. of the cor., of secs., 13, 18, 19 and 24, on W. bdy. of the Twp. (G. & S. R. Meridian) which is an iron post, 3 ins. diam., projecting, 24 ins., above ground, firmly set, supported in a mound of stone, 4 ft. base, 2 ft. high, and, properly marked on brass cap. No bearing trees.

Thence

N. 89°42'E. on true line bet. secs., 18 and 19.

Over broken mountainous land, thru dense timber.

Asc., NW. slope 525 ft.,

38.58 True point for ¼ sec. cor., falls upon W. face of decomposed granite ledge, an insecure position for the establishment of the corner monument.

38.68 Set an iron post, 3 ft. long, 1 in., diam., 14 ins., in the ground, to bedrock, supported in a mound of stone, 3 ft. base, 1½ ft. high, for witness cor. to ¼ sec. cor. of secs. 18 and 19, marked on brass cap.

$$WC \ \frac{1}{4} \frac{S \ 18}{S \ 19}$$

1929

from which

A fir, 18 ins., diam., bears N. 24°E., 70 lks., dist., marked ¼ S 18 WC BT

A fir, 6 ins., diam., bears S. 52°E., 53 lks., dist., marked ¼ S 19 WC BT

46.50 Asc., NW. slope 130 ft.,
50.50 Spur, slopes NW., Along N. slope.
55.00 Gully, course N.,
58.70 Desc., NE. slope 190 ft.,
62.00 Gulch, course N., Asc., NW. slope 75 ft.,
65.00 Toe of spur, slopes N. Along N. slope.
78.58 Draw, course NW., Asc., SW. slope 220 ft.,
The cor., of secs., 17, 18, 19 and 20.

Land: mountainous.

Soil: rocky, 3rd. rate.

Timber: pine, fir, cedar, pinon.


Undergrowth: scrub oak, cherry and dogwood.

chains

North, bet. secs., 17 and 18.
Over mountainous land, thru scattered timber and undergrowth.

- 1.50 Spur, slopes NW., Desc., NE.slope 115 ft.,
- 7.20 Gully, course NW., Asc., SW.slope 90 ft.,
- 9.35 Sharp rocky spur, slopes W., Top of bluff 40 ft.high, precipitous and broken slopes to the north prevent direct measurement.

To determine the distance across the canyon, and the correct position for the $\frac{1}{4}$ sec. cor., at this point set triangulation flag "A", and on line to the north set flags "B", and "C". Proceed to flag "B" in bottom of canyon and run a base S.77°40'W., 9.74 chs., to flag "D", from which flag "A" bears S.22°40'E., and flag "C" bears N.20°35'E.,
Angle of elevation from "B" to "A" is $-31\frac{1}{2}^\circ$
Angle of elevation from "B" to "C" is $+30\frac{1}{2}^\circ$




The computed distances are:

- A - B:----- 24.86 chs., Desc. = -1003 ft.
- B - C:----- 23.26 chs., Asc. = 904 ft.

The position of flag "B" is:

- 34.21 Thence by direct measurement Across bottom of canyon.
- 34.34 Telephone line, bears NE. and SW.
- 35.60 Wash, 50 lks., wide, 6 ft., deep, course S.75°W.,
- 36.50 Narrow gauge railroad bears NE. and SW., Asc., S. slope 80 ft.,
- 40.00 Set an iron post, 3 ft. long, 1 in., diam., 18 ins., in the ground, to bedrock, supported in a mound of stone, 3 ft., base, 1 1/2 ft. high, for $\frac{1}{4}$ sec. cor., marked on brass cap



- from which
- A pinon, 10 ins., diam., bears S.81°E., 30 lks., dist., marked $\frac{1}{4}$ S 17 BT
- A pinon, 6 ins., diam., bears S.76 1/2°W., 24 lks., dist., marked $\frac{1}{4}$ S 18 BT

- 57.47 Discontinue direct measurement and proceed to flag "C" at Top of small decomposed bluff, facing S., Asc., S. slope 115 ft.,
- 61.50 Rim of canyon, bears E., and W., Over bench land.
- 67.00 Flat spur, extends W., Desc., NW.slope 100 ft.,
- 80.00 Set an iron post, 3 ft. long, 2 ins., diam., 10 ins., in the ground, to bedrock, supported in a mound of stone, 4 ft. base, 2 ft. high, for the cor., of secs., 7, 8, 17 and 18, marked on brass cap

Subdivisions of T.38 N.,R.1 E.

chains

T 38 N R 1 E

S 7	S 8
S 18	S 17

1929

from which

- A yellow pine, 24 ins., diam., bears N.53°E., 71 lks., dist., marked T 38 N R 1 E S 8 BT
- A yellow pine, 18 ins., diam., bears S.9°E., 56 lks., dist., marked T 38 N R 1 E S 17 BT
- A yellow pine, 24 ins., diam., bears S.60°W., 40 lks., dist., marked T 38 N R 1 E S 18 BT
- A yellow pine, 18 ins., diam., bears N.20°W., 76 lks., dist., marked T 38 N R 1 E S 7 BT

Land: mountainous and rolling mountains.
 Soil: rocky, gravelly, 3rd. and 2nd. rate.
 Timber: pinon, cedar, pine.
 Undergrowth: scrub oak, sagebrush, dogwood and cherry.

N.89°50'E. on random line bet. secs., 8 and 17.

40.00 Set temp., 1/4 sec. cor.,

80.10 Fall 5 lks., N., of the cor., of secs., 8, 9, 16 and 17.

Thence

S.89°52'W. on true line bet. secs., 8 and 17.

Over rolling land, thru dense timber and scattered undergrowth.

20.00 Desc., NW. slope 160 ft.,

28.70 Small draw, course SW., Asc., SE. slope 140 ft.,

40.05 Set an iron post, 3 ft. long, 1 in., diam., 30 ins., in the ground, for 1/4 sec. cor., marked on brass cap

1/4 S 8
S 17

1929

from which

- A pinon, 8 ins., diam., bears N.63°E., 89 lks., dist., marked 1/4 S 8 BT
- A pinon, 12 ins., diam., bears S.9°E. 34 lks., dist., marked 1/4 S 17 BT

Asc., SE. slope 40 ft.,

45.00 Across bench land, bears N70°E. and S.70°W.,

66.00 Desc., NW. slope 110 ft.,

80.10 The cor., of secs., 7, 8, 17 and 18.

Land: rolling.
 Soil: gravelly and rocky, 2nd. and 3rd. rate.
 Timber: pine, pinon, cedar.
 Undergrowth: scrub oak, sagebrush and dogwood.

S.89°42'W. on random line bet. secs., 7 and 18.

40.00 Set temp., 1/4 sec. cor.,

78.66 Fall 4 lks. S. of the cor., of secs., 7, 12, 13 and 18, on W. bdy. of the Tp. (G. & S. R. Meridian), which is an iron post, 3 ins. diam., projecting 18 ins., above ground, firmly set in a mound of stone, 3 ft. base, 1 1/2 ft. high, and properly marked on brass cap. No bearing trees.

Thence

N.89°44'E. on true line bet. secs., 7 and 18.

Over mountainous land, thru dense timber.

Asc., W. slope 460 ft.,

Subdivisions of T.38 N.,R.1 E.

chains

13.00 Top of mountain, bears NE. and S., Across small bench.
 25.50 Desc., SE.slope 230 ft.,
 37.90 Small draw, course SW.; Asc.; 25 ft.,
 38.66 Set an iron post, 3 ft.long, 1 in.,diam., 16 ins., in the
 ground, to bedrock, supported in a mound of stone,
 3 ft.base, 20 ins.,high, for $\frac{1}{4}$ sec.cor., marked on
 brass cap

$$\begin{array}{c} \frac{1}{4} \text{ S } 7 \\ \hline \frac{1}{4} \text{ S } 18 \end{array}$$

1929

from which
 A yellow pine, 20 ins.,diam., bears N.75°W., 54 lks.,
 dist., marked $\frac{1}{4}$ S 7 BT
 A pinon, 14 ins.,diam., bears S.6°W., 41 lks.,dist.,
 marked $\frac{1}{4}$ S 18 BT

Asc., W. slope 105 ft.,
 44.50 Spur, slopes SW., Asc., SW.slope 80 ft.,
 54.00 Along gentle S., slope.
 63.00 Desc., SE. slope 80 ft.,
 70.60 Gully, course S., Asc., 15 ft.,
 71.60 Toe of spur, slopes S., Desc., SE.slope 60 ft.,
 77.70 Draw, course SW., Asc., 10 ft.,
 78.66 The cor., of secs., 7, 8, 17 and 18.

Land: mountainous.
 Soil: rocky, 3rd. rate.
 Timber: pinon, cedar, pine.
 Undergrowth: scrub oak, dogwood and sagebrush.

North, bet.secs., 7 and 8.
 Over rolling and mountainous land, thru dense timber and
 scattered undergrowth.

Desc., N.slope 10 ft.,
 0.60 Draw, course SW. Asc., SE.slope 165 ft.,
 15.00 Flat ridge, bears E. and SW.,
 23.40 Drain, course NW.,
 32.00 Spur, extends NW.,
 38.50 Desc., gradually.
 40.00 Set an iron post, 3 ft.long, 1 in.,diam., 16 ins., in the
 ground, to bedrock, supported in a mound of stone,
 3 ft.base, 1 $\frac{1}{2}$ ft.high, for $\frac{1}{4}$ sec.cor., marked on v
 brass cap

$$\begin{array}{c} \frac{1}{4} \\ \hline \text{S } 7 \text{ | } \text{S } 8 \end{array}$$

1929

from which
 A pinon, 12 ins.,diam., bears S.70°E., 122 lks.,
 dist., marked $\frac{1}{4}$ S 8 BT
 A pinon, 12 ins.,diam., bears S.8°W., 153 lks.,
 dist., marked $\frac{1}{4}$ S 7 BT

Desc., broken NE.slope 670 ft.,
 62.80 Gully, course NE.
 75.00 Canyon, course W., Asc., SW.slope 165 ft.,
 80.00 Set an iron post, 3 ft.long, 2 ins.,diam., 30 ins., in the
 ground, for the cor., of secs., 5, 6, 7 and 8, marked
 on brass cap

$$\begin{array}{c} \text{T } 38 \text{ N } \text{R } 1 \text{ E} \\ \hline \text{S } 6 \text{ | } \text{S } 5 \\ \hline \text{S } 7 \text{ | } \text{S } 8 \end{array}$$

1929

from which

Subdivisions of T.38 N.,R.1 E.

chains

- A pinon, 12 ins.,diam.,bears N.30 $\frac{1}{2}$ °E., 65 lks.,
dist., marked T 38 N R 1 E S 5 BT
- A pinon, 10 ins.,diam.,bears S.39°E., 65 lks.,
dist., marked T 38 N R 1 E S 8 BT
- A pinon, 8 ins.,diam., bears S.17°W., 76 lks.,
dist., marked T 38 N R 1 E S 7 BT
- A pinon, 8 ins.,diam.,bears N.38 $\frac{1}{2}$ °W., 125 lks.,
dist., marked T 38 N R 1 E S 6 BT

Land: ~~rolling and mountainous.~~
Soil: gravelly and rocky, 2nd.and 3rd.rate.
Timber: pinon, cedar, pine, aspen.
Undergrowth: ~~scrub oak, cherry and dogwood.~~

40.00
79.98

N.89°52'E. on random line bet.secs.,5 and 8.
Set temp., $\frac{1}{4}$ sec.cor.,
Fall 14 lks.,N. of the cor.,of secs.,4,5,8 and 9.

Thence
S.89°58'W., on true line bet.secs.,5 and 8...
Over mountainous land,thru dense timber and scattered-
undergrowth.

8.50
19.00
26.50
33.00
37.10
39.99

Asc., E. slope 215 ft.,
Over level spur, extending N.,
Small spur, slopes NW., Desc., SW.slope 105 ft.,
Gully, course NW., Asc., 20 ft.,
Spur, slopes N., Desc., NW.slope 75 ft.,
Gully, course NE., Asc., SE.slope 35 ft.,
Set an iron post,3 ft.long,1 in.,diam.,30 ins.,in the
ground, for $\frac{1}{4}$ sec.cor., marked on brass cap

$$\frac{1}{4} \frac{S 5}{S 8}$$

1929

from which

- A yellow pine,18 ins.,diam.,bears N. 55°W., 80 lks.,
dist., marked $\frac{1}{4}$ S 5 BT
- A pinon, 6 ins.,diam.,bears S.61°E., 45 lks.,
dist., marked $\frac{1}{4}$ S 8 BT

43.50
49.70
52.50
53.60
57.50
79.98

Asc., SE.slope 55 ft.,
Flat spur, extends NW., Desc., SW.slope 65 ft.,
Gully, course NW., Asc., 25 ft.,
Small spur, slopes N., Desc., 10 ft.,
Gully, course NE., Asc., SE.slope 45 ft.,
Flat spur, extends NW., Desc., SW.slope 560 ft.,
The cor.,of secs.,5,6,7 and 8.

Land: ~~mountainous and rolling.~~
Soil: rocky, 2nd.and 3rd.rate.
Timber: pine, pinon, cedar.
Undergrowth: ~~scrub oak, dogwood, cherry and sagebrush.~~

40.00
78.80


S.89°44'W. on random line bet.secs.,6 and 7.
Set temp., $\frac{1}{4}$ sec.cor.,
Fall 14 lks.,S. of the cor.,of secs.,1,6,7 and 12, on Wabdy
of the Tp. (G & So R. Meridian) which is an iron post, 3 ins.diam,
projecting .12 ins.,above ground, firmly set,
supported in a mound of stone,2 ft.base,1 ft.high,and
properly marked on brass cap. No bearing trees.

Thence
N.89°50'E. on true line bet.secs.,6 and 7.
Over ~~rolling and mountainous~~ land,thru scattering timber
Asc. and undergrowth. Asc. gradual NW. slope 180 ft.

Subdivisions of T.38 N., R.1 E.

chains

38.80 Set an iron post, 3 ft. long, 1 in., diam., 12 ins., in the ground, to bedrock, supported in a mound of stone, 4 ft. base, 2 ft. high, for 1/4 sec. cor., marked on brass cap



1929

from which
A pinon, 8 ins., diam., bears N. 88 1/2 W., 85 lks., dist., marked 1/4 S 6 BT
A pinon, 12 ins., diam., bears S. 15 W., 44 lks., dist., marked 1/4 S 7 BT

Asc., NW. slope 65 ft.,
45.50 Spur, slopes N., Desc., NE. slope 45 ft.,
48.50 Gully, course N., Asc., NW. slope 85 ft.,
62.00 Small spur, slopes N., Along N. slope.
65.50 Wash, mouth of canyon, course NW., Asc., SW. slope 330 ft.
78.80 The cor., of secs., 5, 6, 7 and 8.


Land: rolling and mountainous.
Soil: rocky, and gravelly, 2nd. and 3rd. rate.
Timber: cedar, pinon.
Undergrowth: sagebrush, scrub oak and cherry.

North on random line bet. secs., 5 and 6.

40.00 Set temp., 1/4 sec. cor.,
79.82 Fall 14 lks., W. of the cor., of secs., 5, 6, 31 and 32, on the N., bdy., of the Tp., which is an iron post, 2 ins. diam., projecting, 12 ins., above ground, firmly set, properly marked on brass cap, and witnessed by four properly marked bearing trees.

Thence
S. 0° 06' W. on true line bet. secs., 5 and 6.
Over rolling land, thru scattered timber and undergrowth.

7.60 Gully, course NW., Asc., NE. slope 50 ft.,
13.80 Small spur, slopes E., Along E. slope.
21.00 Gully, course NE., Asc., NW. slope 50 ft.,
25.80 Spur, slopes W., Along W. slope.
35.20 Gully, course NW., Asc., NE. slope 65 ft.,
39.82 Set an iron post, 3 ft. long, 1 in., diam., 16 ins., in the ground, to bedrock, supported in a mound of stone, 3 ft. base, 1 1/2 ft. high, for 1/4 sec. cor., marked on brass cap



1929

from which
A cedar, 8 ins., diam., bears N. 7° E., 90 lks., dist., marked 1/4 S 5 BT
A pinon, 6 ins., diam., bears N. 33° W. 39 lks., dist., marked 1/4 S 6 BT

Asc., NE. slope 50 ft.,
45.00 Spur, slopes NW., Along W. slope.
54.00 Gully, course W., Asc., NW. slope 235 ft.,
77.00 Change of slope to SW., Desc., 20 ft.,
79.82 The cor., of secs., 5, 6, 7 and 8.

Land: rolling and mountainous.
Soil: rocky, 2nd. and 3rd. rate.
Timber: cedar and pinon.
Undergrowth: sagebrush, scrub oak and cherry.

General Description

The lands embraced within the township lie at an elevation varying from 6000 to 7500 ft., comprising a plateau region breaking sharply to the lower elevation throughout the most westerly tier of sections. The drainage is to the west thru several deep canyons.

Mineral deposits have been located in sections 1, 12, 13 and 14; some few of which are intermittently exploited at the present time, altho the great majority are either worked out, or lying dormant. The railroad extending into section 17 from the smelter at Ryan is in disuse, as is also the old mill near its terminus.

Roads extending into the township are mainly camp trails, utilized in tending the grazing bands of sheep in the fall months. Roads in to the mineral deposits are in better condition, and in better upkeep.

Water is located only at the millsite in the north-east quarter of section 17; a small spring only.

The soil is a rocky clay of shallow depth, and due to the high elevation and restricted season offers no inducement to an agricultural pursuit. A heavy growth of pine timber predominates, intersperced with fir and aspen thickets. Cedar and pinon and oak brush cover the westerly slopes of the mountains.

The continued satisfactory adjustment of the transit used throughout the surveys described in the foregoing field notes is indicated from results of the field tests of same described in Book "C" of this group.

CERTIFICATE OF UNITED STATES SURVEYOR.

I, Dupree R. Averill, U. S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the District Cadastral Engineer, for Group 158, Arizona bearing date of the 28th day of May, 1929, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of

the Subdivision Lines of

Township 38 North, Range 1 East of the Gila and Salt River Base and Meridian, in the State of Arizona, which are represented in the foregoing field notes and by diagram on page 1 hereof as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the District Cadastral Engineer, for Group 158, Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Dupree R. Averill
U. S. Surveyor.
Place: Phoenix, Arizona
Date: January 29, 1930
APPROVAL.

OFFICE OF U. S. SUPERVISOR OF SURVEYS,

Denver, Colo., Feb. 24, 1931.

The foregoing field notes of the survey of the Subdivision Lines of

Township 38 North, Range 1 East

of the Gila and Salt River Base and Meridian, in the State of Arizona

executed by Dupree R. Averill, U.S. Surveyor under his special instructions dated May 28, 1929 for Group 158, Arizona, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U. S. Supervisor of Surveys.

I certify that the foregoing transcript of the field notes of the above described surveys in, has been correctly copied from the original notes on file in this office.

U. S. Supervisor of Surveys.