

Original
4-879

Book A.

BOOK 3987

FIELD NOTES

OF THE SURVEY OF THE

South boundary and subdivisional lines

of

Township 36 North, Range 12 West,

3987

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Benjamin J. Kinsey, U.S. Surveyor

3987

In the capacity of U. S. Surveyor, under Special Instructions dated June 30, 1931, issued by the District Cadastral Engineer to govern surveys included in Group No. 169, which were approved by the Commissioner of the General Land Office, September 21, 1931, and Assignment Instructions dated July 27, 1932

Survey commenced September 7, 1932

Survey completed October 6, 1932

BOOK 3987

INDEX DIAGRAM.

Township 36 North, Range 12 West

| | | | | | |
|----------|-------------|-------------|-------------|-------------|-------------|
| 6 65 | 66 5 65 | 51 4 50 | 40 3 39 | 29 2 28 | 18 1 17 |
| 7 63 | 63 8 62 | 49 9 48 | 38 10 37 | 27 11 26 | 16 18 15 |
| 18 60 | 61 17 59 | 47 16 46 | 36 15 35 | 25 14 24 | 14 18 13 |
| 19 57 | 58 20 56 | 45 21 44 | 34 22 33 | 23 23 23 | 12 24 11 |
| 20 54 | 55 29 53 | 43 28 42 | 32 27 31 | 22 26 21 | 10 25 9 |
| 31 7 | 52 33 6 | 41 33 5 | 30 34 4 | 19 35 3 | 9 36 2 |

The surveys herein described were executed with Buff and Buff transit No. 16724. The instrument is equipped with the Smith solar and otherwise conforms to the standard requirements of the General Land Office.

September, 7, 1932: at station about 2 chs. southeast of the cor. of sees. 16, 17, 20, and 21, T. 36 N., R. 12 W., G. and S.R. B. and M., Arizona, in latitude 36° 31' N., as determined by observations hereinafter described, and approximate longitude 113° 35' W., examine the adjustments of the instrument and find no errors. To test the workings of the solar apparatus proceed as follows:

At 8h. 34m., p.m., l.m.t., observe Polaris at eastern elongation, making four observations, two each with the telescope in direct and reversed positions, marking the mean point in the line thus determined by a tack set in a stake driven firmly in the ground about 5 chs. North-erly.

Azimuth of Polaris at eastern elongation: 1° 19'.

September, 8: lay off the azimuth of Polaris, 1° 19' to the west and mark the meridian thus determined with a tack set in top of a stake about 5 chs. North.

At 9h. 00m., a.m., app. t., set off 36° 31' N., on latitude arc, 5° 37' N., on decl. arc and determine a meridian with the solar which agrees with the true meridian.

At 12h. 00m., app. noon, with lat. arc unchanged, observe the sun on the meridian; the resultant reading of the declination arc is 5° 34' N., which agrees with the computed declination of the sun.

At 3h. 00m., p.m., app. t., with lat. arc unchanged, set off 5° 31' N. on the declination arc and determine a meridian with the solar which agrees with the true meridian.

As all of the observations taken during the usual hours of solar work agree within 1' of the true meridian, conclude that the instrument is in a satisfactory state of adjustment.

Unless otherwise specified, all measurements are made with a Lallie 5-chain steel tape, compared with a Lufkin standard and found correct; the measurements are made on the slope, the vertical angle determined and the slope measurements properly reduced to true horizontal distances.

September, 10, 1932; in approximate latitude 36° 31' N., and approximate longitude 113° 35' W., make an altitude observation upon the star Sagittarii for latitude, observing in direct and reversed positions of the telescope:

Mean observed altitude: 26° 27' 30"
Reduced latitude : 36° 30' 40"
Mean watch time of obsn.: 8h. 12m. 30s.
Watch fast of l.m.t. : 43m. 23s.

Star Sagittarii σ

Mean observed altitude: 27° 08' 30s
Reduced latitude : 36° 30' 18"
Mean watch time of obsn.: 8h. 19m. 30s.
Watch fast of l.m.t. : 43m. 23s.

Chains

Star Sagittarii 5

Mean observed altitude: $23^{\circ} 32' 30''$.
 Reduced latitude : $36^{\circ} 30' 51''$.
 Watch time of obsn. : 8h. 26m. 30s.
 Watch fast of l.m.t. : 43m. 23s.

Mean of the above obsns. : $36^{\circ} 30' 36''$ reduced latitude.

September, 11, 1932: at same station as above described, make a meridian observation of the sun for time and latitude, observing simultaneously the altitude of the suns lower limb, and the transit of the suns west limb, reversing the telescope and observing simultaneously the altitude of the suns upper limb and the transit of the suns east limb:

Mean observed altitude : $57^{\circ} 54' 26''$.
 Reduced latitude : $36^{\circ} 31' 01''$.
 Mean watch time of observation: 12h. 40m. 00s.
 Watch fast of l.m.t. : 43m. 23s.

S. BDY. T. 36 N., R. 12 W.

The North Bdy. of T. 36 N., R. 12 W., (9th. Stan. Par. N.,) as well as the east bdy. was surveyed by Hiester & Hunter in 1924. The west bdy. was surveyed by Averill in 1929.

From the cor. of Tps. 35 and 36 N., Rs. 11 and 12 W., West, on a random line, setting temp. $\frac{1}{2}$ sec. and sec. cors. at intervals of 40 chs. along the entire line bet. Tps. 35 and 36 N., R. 12 W., At 478, 38 chs. intersect N. and S. line 69 lks. N. of the cor. of Tps. 35 and 36 N., Rs. 12 and 13 W.

The cor. of Tps. 35 and 36 N., Rs. 11 and 12 W., is an iron post 3 ins. diam., 12 ins. above ground, mkd. on brass cap

| | |
|-----------------|------|
| T 36 N | |
| R 12 W - R 11 W | |
| S 36 | S 31 |
| S 1 | S 6 |
| T 35 N | |
| 1924 | |

witnessed by
 a mound of stone, 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
 Thence,

S. $89^{\circ} 55''$ W., on true line, bet. secs. 1 and 36.

Over rolling land, through scattering timber and undergrowth. Desc. gradual. N.W. slope.

- 2.10 Head of wash, course N. Asc. gradual N.E. slope.
- 4.00 Spur, bears N. Desc. 43 ft. over N.W. slope.
- 10.50 Wash, 10 lks. wide; course N. Asc. 69 ft. over N.E. slope.
- 17.50 Spur, bears N. Desc. 84 ft. over N.W. slope.

S. BDY. of T. 36. N., R. 12 W.

Chains

25.00 Slope becomes more gradual.

38.00 Shallow draw, 1 ch. wide, course N.E. Asc. slight S.E. slope.

40.00 Set an iron post 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\frac{1}{4} \begin{array}{l} S 36 \\ S 1 \end{array}$$

1932

No suitable bearing trees available; raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.

Asc. 133 ft. over east slope, to spur.

40.60 Old road, bears N.E. and S.W.

60.00 Spur, bears N. Desc. 23 ft. over N.W. slope.

67.10 Small wash, course N.E. Asc. 23 ft. over N.E. slope.

80.00 Spur, bears N. Set an iron post 3 ft. long, 2 ins. diam., 14 ins. in the ground to bedrock, deposit a stone 6 x 4 x 2 ins., mkd. X, at base of post, in a mound of stone to top. for cor. of secs. 1, 2, 35, and 36, with brass cap mkd.

T 36 N R 12 W

| | |
|------|------|
| S 35 | S 36 |
| S 2 | S 1 |

T 35 N

1932

from which,

A cedar, 8 ins. diam., bears S. 60 $\frac{1}{2}$ ° W., 513 lks. dist., mkd. T 35 N R 12 W S 2 B T

A cedar, 10 ins. diam., bears S. 3° E., 365 lks. dist., mkd. T 35 N R 12 W S 1 B T

No other trees available.

Land, rolling.

Soil, stony, 3rd. rate.

Timber, a few scattering cedar and pinon.

Undergrowth, sagebrush.

S. 89° 55' W., on true line, bet. secs. 2 and 35.

Over rolling land, through scattering undergrowth.

Desc. gradual N.W. slope.

16.00 Shallow draw, course N. Thence over rolling N. slope.

16.30 Road, bears N. and S.

40.00 Set an iron post 3 ft. long, 1 in. diam., 16 ins. in the ground to bedrock, with stone 4x4x2 ins. mkd. X, deposited at the base, and in a mound of stone to top for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\frac{1}{4} \begin{array}{l} S 35 \\ S 2 \end{array}$$

1932

available.


No suitable bearing trees

S. BDY. of T. 36 S., R. 12 W.

4

Chains

- 42.30 Center of shallow draw, course N.E. Asc. 23 ft. over slight S.E. slope.
- 50.00 Low spur, slopes N.E. Desc. gradual N.W. slope.
- 70.00 Center of shallow draw, course N.E. Asc. gradual N.E. slope.
- 80.00 Spur, slopes N.E. Set an iron post 3 ft. long, 2 ins. diam., 16 ins. in the ground to bedrock, with stone 4x4x2 ins., mkd. with X, deposited at base, in a mound of stone to top, for cor. of secs. 2, 3, 34, and 35, with brass cap mkd.



1932


No suitable bearing trees available.

Land, rolling.
 Soil, stony, 4th. rate.
 Timber, pinon and cedar. Undergrowth, sagebrush.

S. 89° 55' W., on true line, bet. secs. 3 and 34.

Over rolling land, through scattering timber and undergrowth.

- 1.00 Desc. gradual N.W. slope.
- 15.00 Shallow draw, 2 chs. wide, course N.E. Asc. gradual N.E. slope.
- 33.30 Spur, bears N.W. Desc. gradual W. slope.
- 35.00 Shallow draw head, course N.W. Asc. gradual N.E. slope.
- 40.00 Low spur, slopes N. Set an iron post 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, with stone 4x4x2 ins. deposited at base, in a mound of stone to top, for the 1/4 sec. cor., with brass cap mkd.



1932

from which,
 A cedar, 12 ins. diam., bears N. 54 1/2° E., 131 lks. dist., mkd. 1/4 S 34 B T

A cedar, 12 ins. diam., bears S. 13° W., 42 lks. dist., mkd. 1/4 S 3 B T

Desc. gradual N.W. slope.


- 46.40 Shallow draw, 50 lks. wide, course N.E. Asc. gradual S.E. slope.
- 59.30 Head of draw, course S.E. Continue slight ascent.
- 65.00 Spur, bears N. Desc. 29 ft. over N.W. slope.
- 70.10 Road, from Wolfhole, Ariz. to settlements to South, bears N. and S.

S. Bdy. of T. 36 N. R. 12 W.

Chains

70.20 Shallow draw, about 2 chs. wide, course N. Over slightly rolling N. slope.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 26 ins. in the ground, for the cor. of secs. 3, 4, 33, and 34, with brass cap marked



from which,

A cedar, 16 ins. diam., bears N. 7 1/2° E., 530 lks. dist., mkd. T 36 N R 12 W S 34 B T

A cedar, 15 ins. diam., bears S. 51° E., 423 lks. dist., mkd. T 35 N R 12 W S 3 B T

A cedar, 24 ins. diam., bears S. 16° W., 494 lks. dist., mkd. T 35 N R 12 W S 4 B T

A cedar, 8 ins. diam., bears N. 59° W., 442 lks. dist., mkd. T 36 N R 12 W S 33 B T

Land, rolling.
Soil, stony 4th. rate.
Timber, pinon and cedar. Undergrowth, sagebrush.

S. 89° 55' W., on true line, bet. secs. 4 and 33.

Over mountainous land, through scattering timber and undergrowth.

Desc. slight N.W. slope.

2.50 Center of draw, 2 chs. wide, course N.E. Asc. 57 ft. over S.E. slope.


15.00 Spur, bears N.E. Desc. gradual S.W. slope.

20.50 Shallow draw head, course S.E. Asc. 29 ft. over S.E. slope.

30.00 Spur, 1 ch. wide, bears S. Desc. 151 ft. over S.W. slope.

35.95 Shallow draw, course S.W. Asc. gradual S.E. slope.

40.00 Set an iron post 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, with a stone 3x3x1 in. deposited at base, in a mound of stone to top, for 1/4 sec. cor., with brass cap mkd.



from which,

A cedar, 14 ins. diam., bears N. 11° W., 98 lks. dist., mkd. 1/4 S 33 B T

A cedar, 5 ins. diam., bears S. 38 1/2° W., 92 lks. dist., mkd. 1/4 S 4 B T

Desc. gradual, S. slope.

Chains

- 58.30 Center of shallow draw, 3 chs. wide, course S.E. Asc. gradual S.E. slope.
- 75.00 Spur, bears S.E. Thence along S. slope over level ground.
- 80.00 Ridge, bears N. and S. Set an iron post 3 ft. long, 2 ins. diam., 16 ins. in the ground to bedrock, with a stone 3x3x2, mkd. with a cross (X) at base, in a mound of stone to top, for cor. of secs. 4, 5, 32, and 33, with brass cap mkd.

| | |
|--------|--------|
| T 36 N | R 12 W |
| S 32 | S 33 |
| S 5 | S 4 |
| T 35 N | |
| 1932 | |

from which,

A cedar, 16 ins. diam., bears N. $74\frac{1}{2}^{\circ}$ E., 93 lks. dist., mkd. T 36 N R 12 W S 33 B T

A pinon, 14 ins. diam., bears S. $36\frac{1}{2}^{\circ}$ E., 224 lks. dist., mkd. T 35 N R 12 W S 4 B T

A pinon, 5 ins. diam., bears S. 40° W., 59 lks. dist., mkd. T 35 N R 12 W S 5 B T

A cedar, 12 ins. diam., bears N. 67° W., 301 lks. dist., mkd. T 36 N R 12 W S 32 B T

Land, mountainous.

Soil, stony 4th. rate.

Timber, cedar and pinon.

Undergrowth, sagebrush and buckbrush.

S. $89^{\circ} 55'$ W., on true line, bet. secs. 5 and 32.

Over mountainous land, through scattering pinon and cedar. Across level ridge top.

5.00 Leave top, desc. 96 ft. over S.W. slope.

11.10 Wash, 20 lks. wide, course S.W. Over rolling S. slope.

13.85 Wash, 10 lks. wide, course S.E. Asc, 26 ft. over S.E. slope.

19.00 Spur, bears S. Desc. 66 ft. over S.W. slope.

21.10 Wash, 10 lks. wide, course S. Asc. 12 ft. over S.E. slope.

25.70 Wash, 15 lks. wide, course S. Asc. 20 ft. over S.E. slope.

29.00 Spur, bears S. Desc. 10 ft. over S.W. slope.

30.70 Wash, 10 lks. wide, course S. Asc. gradual S.E. slope.

33.00 Spur, bears S. Desc. 99 ft. over S.W. slope.

39.59 Wash, 25 lks. wide, course S. Asc. gradual S.E. slope.

40.00 Set an iron post 3 ft. long, 1 in. diam., 5 ins. in the ground to bedrock, with a stone 2x2x1 ins. deposited at base, in a mound of stone to top, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.

Chains

$\frac{1}{4}$ S 32
S 5

1932

No suitable bearing trees available.

Asc. 76 ft. over S.E. slope.

46.40 Spur, bears S. Desc. 86 ft. over S.W. slope.

50.25 Wash, 10 lks. wide, course S.W. Asc. slight S.E. slope.

51.00 Spur, bears S.W. Desc. 18 ft. over N.W. slope.

52.00 Wash, 30 lks. wide, course S. Asc. 126 ft. over S.E. slope.


58.00 Spur, bears S. Desc. 26 ft. over S.W. slope.

61.80 Wash, 10 lks. wide, course S.W. Asc. 20 ft. over S.E. slope.

67.00 Spur, bears S.W. Desc. 102 ft. over S.W. slope.

71.40 Wash, 30 lks. wide, course S. Asc. 329 ft. over S.E. slope.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 12 ins. in the ground to bedrock, with a stone 2x2x1 ins. deposited at base, in a mound of stone to top, for the cor. of secs. 5, 6, 31, and 32, with brass cap mkd.



1932

From which,

A cedar, 14 ins. diam., bears N. 5° E., 293 lks. dist., mkd. T 36 N R 12 W S 32 B T

A cedar, 6 ins. diam., bears N. 21° W., 122 lks. dist., mkd. T 36 N R 12 W S 31 B T

No other suitable bearing trees available.

Land, mountainous.
Soil, rocky 4th. rate.
Timber, pinon and cedar.
Undergrowth, sage, cacti, and buckbrush.

S. 89° 55' W., on true line, bet. secs. 6 and 31.

Over mountainous land, through scattering timber and undergrowth.

1.00 Spur, bears S.W. Desc. 358 ft. over S.W. slope.

15.75 Wash, 15 lks. wide, course S.W. Asc. gradual S.E. slope.

18.00 Spur, bears S.W. Desc. 168 ft. over S.W. slope.

26.20 Wash, 30 lks. wide, course S. Asc. 25 ft. over S.E. slope.

31.40 Spur, bears S. Desc. 291 ft. over steep S.W. slope.

S. BDY. of T. 36 N., R. 12 W.

8

Chains

40.00 Set an iron post 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, with a stone 2x2x1 ins. deposited at base, in a mound of stone to top, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\frac{1}{4} \text{ S } 31$$

$$\text{S } 6$$

1932

No suitable bearing trees available.

Desc. 30 ft. over W. slope.

40.60 Enter Hidden Canyon, wash 50 lks. wide, course N.W. Across level land.

42.50 Leave canyon bottom; asc. 90 ft. over N.E. slope.

43.80 Spur, bears N. Desc. 113 ft. over N.W. slope.

49.60 Enter Hidden Canyon; wash, 50 lks. wide, course S.W.

51.00 Leave canyon bottom; asc. gradual S.E. slope.

54.00 Spur, bears S. Desc. 23 ft. over S.W. slope.

60.00 Enter Hidden Canyon, across bottom.

60.95 Wash, 50 lks. wide, course N.W.

62.00 Leave bottom; asc. 217 ft. over N.E. slope.

68.45 Corral and water trough, bears N., 3 chs. dist.

73.08 Spring bears N., 2 chs. dist.

76.00 Spur, bears N. Desc. 14 ft. over NW slope.

78.38 The cor. of Ts. 35 and 36 N., Rs. 12 and 13 W., which is an iron post, 3 ins. diam., in a mound of stone 2 ft. high, marked and witnessed as described in the official record.

Land, mountainous.

Soil, stony, 4th. rate.

Timber, pinon and cedar.

Undergrowth, sagebrush, cliff, and buck brush.

SUBDIVISION of T. 36 N., R. 12 W.

Commence the subdivisional survey at the cor. of secs. 1, 2, 35, and 36, on the S. bdy. of the Tp., hereinbefore described.

N. $0^{\circ} 01'$ W., on true line, bet. secs. 35 and 36.

Over rolling land, through scattering timber and undergrowth.

Desc. 75 ft. over N. slope.

14.40 Shallow draw, 30 lks. wide, course E. Asc. slight S. slope.

15.85 Road, bears E. and W.

17.50 Road, bears N.W. and S.E.

SUBDIVISION OF T. 36 N., R. 12 W.

Chains

20.00 Leave bottom of draw, asc. 161 ft. over S. slope.

40.00 Set an iron post 3 ft. long, 1 in. diam., 2 ins. in the ground to bedrock, with a stone 2x2x1 ins. deposited at base, in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
 S 35 | S 36
 1932

from which,

A cedar, 4 ins. diam., bears S. 53° E., 63 lks. dist., mkd. $\frac{1}{4}$ S 36 B T

A cedar, 12 ins. diam., bears N. 80° W., 85 lks. dist., mkd. $\frac{1}{4}$ S 35 B T

Desc. 63 ft. over N.W. slope.

52.95 Shallow draw, 30 lks. wide, course S.W. Asc. 109 ft. over S.E. slope.

60.00 Ridge, with level top, 2 chs. wide, bears S.E. and S.W. Desc. 63 ft. over N. slope.

78.00 Wash, 30 lks. wide, course N.W. Asc. gradual S.W. slope.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 25, 26, 35, and 36, with brass cap mkd.

T 36 N R 12 W
 S 26 | S 25
 S 35 | S 36
 1932

from which,

A cedar, 8 ins. diam., bears N. 47° E., 74 lks. dist. mkd. T 36 N R 12 W S 25 B T

A pinon, 12 ins. diam., bears S. 59° E., 240 lks. dist., mkd. T 36 N R 12 W S 36 B T

A cedar, 20 ins. diam., bears S. 38° W., 161 lks. dist., mkd. T 36 N R 12 W S 35 B T

A cedar, 24 ins. diam., bears N. 55° W., 90 lks. dist., mkd. T 36 N R 12 W S 26 B T

Land, rolling and mountainous.
 Soil, rocky 4th. rate.
 Timber, pinon and cedar.
 Undergrowth, sagebrush, cliff and buck brush.

N. 89° 55' E., on a random line, bet. secs. 25 and 36.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.00 Intersect E. bdy. of Tp., at 5 lks. N. of the cor. of secs. 25, 30, 31, and 36, which is an iron post 2 ins. diam., firmly set, projecting 12 ins. above ground, with brass cap properly marked and witnessed by mound of stone W. of cor.

Thence,

SUBDIVISION of T. 36 N., R. 12 W.

10

Chains

S. 89° 57' W., on true line, bet. secs. 25 and 36.

Over mountainous land, through scattering timber and undergrowth.

Desc. gradually over N.W. slope.

4.20 Wash, 20 lks. wide, course N.E. Asc. 23 ft. over S.E. slope.

8.00 Spur, bears S. Desc. 12 ft. over S.W. slope.

11.00 Shallow draw, 50 lks. wide, course S. Asc. 46 ft. over S. E. slope.

21.90 Spur, bears S. Desc. gradual S.W. slope.

28.29 Shallow draw, 20 lks. wide, course S.E. Asc. 63 ft. over S.E. slope.

40.00 Set an iron post 3-ft. long; 1 in. diam., 14 ins. in the ground to bedrock, with a stone 2x2x1 ins. deposited at base, in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 25
S 36

1932

from which,

A cedar, 18 ins. diam., bears N. 80° E., 200 lks. dist., mkd. $\frac{1}{4}$ S 25 B T

A cedar, 18 ins. diam., bears S. 78° W., 251 lks. dist., mkd. $\frac{1}{4}$ S 36 B T

Asc. 34 ft. over N.E. slope.

45.00 Spur, bears N.W. Desc. 29 ft. over S.W. slope.

50.55 Shallow draw, 50 lks. wide, course N.W. Asc. slight N.E. slope.

58.00 Toe of spur, bears N. Desc. slight N.W. slope.

60.15 Wash; 30 lks. wide, course N. Asc. 63 ft. over N.E. slope.

66.00 Spur, bears N.E. Along nearly level N. slope.

72.00 Spur, slopes N. Desc. 63 ft. over S.W. slope.

80.00 Intersect the cor. of secs. 25, 26, 35, and 36.

Land, rolling and mountainous.
Soil, rocky 4th. rate.
Timber, pinon and cedar.
Undergrowth, sagebrush and cacti.

N. 0° 01' W., on true line, bet. secs. 25 and 26.

Over mountainous land, through scattering timber and undergrowth.

Desc. gradual N.W. slope.


14.20 Sink, 2 $\frac{1}{2}$ chs. in diam., extends west from this point.

Chains

Thence along rolling W. slope, on slight descent.

27.70 Shallow draw, 50 lks. wide, course N. Continue along east side of same.

40.00 Set an iron post 3 ft. long, 1 in. diam., on bedrock, with stone 2x2x1 ins. mkd. with X deposited at base, in a mound of stone to top, for 1/4 sec. cor., with brass cap mkd.



from which,

A cedar, 9 ins. diam., bears N. 31 1/4° E., 220 lks. dist., mkd. 1/4 S. 25 B T.

No other bearing tree available.

Continue over rolling land,


48.30 Shallow draw, 5 chs. wide, course N.E.

52.20 Road, bears N.E. and S.W.

65.50 Road, bears N.W. and S.E., in wash, 50 lks. wide, course N.W.

79.00 Wash, 30 lks. wide, course W.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 23, 24, 25, and 26, with brass cap mkd.



1932

from which,

A cedar, 10 ins. diam., bears N. 50° W., 634 lks. dist., mkd. T 36 N R 12 W S 23 B T

A cedar, 20 ins. diam., bears N. 83° E., 508 lks. dist., mkd. T 36 N R 12 W S 24 B T

A cedar, 10 ins. in diam., bears S. 28 3/4° E., 737 lks. dist., mkd. T 36 N R 12 W S 25 B T

A cedar, 10 ins. diam., bears S. 28 1/4° W., 847 lks. dist., mkd. T 36 N R 12 W S 26 B T

Land, rolling and mountainous.
Soil, stony, 4th. rate.
Timber, pinon and cedar.
Undergrowth, sagebrush and cacti.

N. 89° 57' E., on a random line bet. secs. 24 and 25.

40.00 Set temp. 1/4 sec. cor.

79.96 Intersect E. bdy. of Tp. at 7 lks. N. of the cor. of secs. 23, 24, 25, and 26, with an iron post 2 ins. in

SUBDIVISION of T. 36 N., R. 12 W.

12

Chains

19, 24, 25, and 30, which is an iron post 2 ins. diam. firmly set, projecting 12 ins. above ground, with brass cap properly marked and witnessed by a mound of stone W. of cor.

Thence,

West, on true line, bet. secs. 24 and 25.

Over mountainous land, through scattering timber and undergrowth.

Asc. gradual N.E. slope.

12.50 Spur, bears N. Desc. 34 ft. over N.W. slope.

17.30 Wash, 10 lks. wide, course N.E. Asc. gradual N.E. slope.

25.00 Spur, bears S.E. Desc. 12 ft. over S.W. slope.

39.00 Wash, 30 lks. wide, course S. Asc. gradual N.E. slope.

39.98 Set an iron post 3 ft. long, 1 in. diam., 10 ins. in the ground to bedrock, with a cross X cut on stone 2 x 2 x 2 ins. deposited at base, in a mound of stone to top for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\frac{\frac{1}{4} \text{ S } 24}{\text{S } 25}$$

1932

from which,

A cedar, 8 ins. diam., bears S. 76° E., 177 lks. dist., mkd. $\frac{1}{4}$ S 25 B T

A cedar, 10 ins. diam., bears N. $25\frac{1}{2}^{\circ}$ W., 75 lks. dist., mkd. $\frac{1}{4}$ S 24 B T

40.50 Ridge, bears N. and S. Desc. 57 ft. over S.W. slope.

56.50 Shallow draw, 50 lks. wide, course N.W. Asc. gradual N.E. slope.

65.00 Spur, bears N.W. Desc. gradual S.W. slope.

79.96 Intersect the cor. of secs. 23, 24, 25, and 26.

Land, mountainous.
Soil, stony 4th. rate.
Timber, pinon and cedar.
Undergrowth, sagebrush and cacti.

N. $0^{\circ} 01'$ W., on true line, bet. secs. 23 and 24.

Over mountainous land, through scattering timber and undergrowth.

Asc. 46 ft. over S. slope.

12.00 Spur, bears N.W. Desc. 38 ft. over N. slope.


19.40 Shallow draw, 1 ch. wide, course N.W. Asc. 58 ft. over S.W. slope.

27.80 Shallow wash, course S.W.

SUBDIVISION of T. 36 N., R. 12 W.

Chains

40.00 Set an iron post 3 ft. long, 1 in. diam., 15 ins. in the ground to bedrock, in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.



from which,

A cedar, 4 ins. diam., bears N. 6° W., 25 lks. dist., mkd. $\frac{1}{4}$ S 23 B T

A cedar, 14 ins. diam., bears N. 74° E., 30 lks. dist., mkd. $\frac{1}{4}$ S 24 B T

Desc. gradual N. slope.

41.00 Shallow draw, course N.W. Asc. 53 ft. over S. slope.

52.00 Spur, bears N.W. Desc. 67 ft. over N.W. slope.


58.25 Wash, 20 lks. wide, course N.E. Asc. gradual S.E. slope.

62.00 Spur, bears ~~SE~~. Desc. 35 ft. over N.E. slope.

67.20 Road, bears E. and W.

73.60 Shallow draw, 1 ch. wide, course S.E. Asc. gradually along S. slope.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 15 ins. in the ground to bedrock, in a mound of stone to top, for cor. of secs. 13., 14, 23, and 24, with brass cap mkd.



from which,

A cedar, 10 ins. diam., bears N. 60 $\frac{1}{2}$ ° W., 177 lks. dist., mkd. T 36 N R 12 W S 14 B T

A cedar, 10 ins. diam., bears N. 72° E., 82 lks. dist., mkd. T 36 N R 12 W S 13 B T

A cedar, 8 ins. diam., bears S. 45° E., 26 lks. dist., mkd. T 36 N R 12 W S 24 B T

A cedar, 10 ins. diam., bears S. 27 $\frac{1}{2}$ ° W., 126 lks. dist., mkd. T 36 N R 12 W S 23 B T

Land, mountainous.
Soil, rocky 4th. rate.
Timber, pinon and cedar.
Undergrowth, sage, cliff and buckbrush.

East, on a random line, bet. secs. 13 and 24.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.02 Intersect the E. bdy. of Tp. at 14 lks. N. of the cor.

Chains

of secs. 13, 18, 19, and 24, which is an iron post 2 ins. diam., firmly set, projecting 12 ins. above ground, with brass cap properly marked and witnessed by a mound of stone W. of cor.

Thence,

✓ N. 89° 54' W., on true line, bet. secs. 13 and 24.

Over mountainous land, through scattering timber and undergrowth.

Desc. slight W. slope.

7.60 Wash, 25 lks. wide, course N. Asc. 23 ft. over N.E. slope.

23.00 Ridge, bears N.W. and S.E. Desc. gradual W. slope.

27.40 Rock ledge, 6 ft. high, bears N. and S.

32.90 Wash, 30 lks. wide, course N.W.

38.50 Wash, 20 lks. wide, course N. Desc. gradually over N.W. slope.

40.01 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 13
S 24

1932

from which,

A cedar, 10 ins. diam., bears N. 59° W., 392 lks. dist., mkd. $\frac{1}{4}$ S 13 B T

A cedar, 14 ins. diam., bears S. 33 $\frac{1}{2}$ ° W., 79 lks. dist., mkd. $\frac{1}{4}$ S 24 B T

Asc. 29 ft. over N.E. slope.

48.00 Wash, 50 lks. wide, course N. Asc. 29 ft. over N.E. slope.

57.00 Spur, bears N.W. Desc. 58 ft. over S.W. slope.

67.00 Wash, 20 lks. wide, course N.W. Across level bottomland.

69.30 Road, bears N.E. and S.W.

70.10 Draw, 1 chain wide, course N. Asc. 46 ft. over E. slope.

80.02 The cor. of secs. 13, 14, 23, and 24.

Land, rolling and mountainous.

Soil, stony 4th. rate.

Timber, pinon and cedar.

Undergrowth, sagebrush, cacti and cliffbrush.

N. 0° 01' W., on true line, bet. secs. 13 and 14.


Over mountainous land, through scattering timber and undergrowth.

Desc. 23 ft. over gradual N.W. slope.

SUBDIVISION of T. 36 N., R. 12 W.

Chains

- 7.50 Wash, 50 lks. wide, course E. Asc. 29 ft. over S. slope.
- 15.00 Spur, bears E. Desc. 29 ft. over N. slope.
- 20.00 Wash, 20 lks. wide, course N.E. Asc. 16 ft. over S.E. slope.
- 28.50 Spur, bears N.E. Desc. 11 ft. over N. slope.
- 34.20 Shallow draw, course E. Asc. 34 ft. over S.E. slope.
- 40.00 Spur, bears E. Set an iron post 3 ft. long, 1 in. diam., 3 ins. in the ground to bedrock, in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.




from which,

A cedar, 18 ins. diam., bears S. 32° E., 93 lks. dist., mkd. $\frac{1}{4}$ S 13 B T

A cedar, 10 ins. diam., bears S. 10° W., 118 lks. dist., mkd. $\frac{1}{4}$ S 14 B T

Desc. gradual N.E. slope.

- 43.30 Wash, 30 lks. wide, course S.E. Asc. 26 ft. over S. slope.
- 50.00 Spur, bears N.E. Desc. 29 ft. over N.W. slope.
- 56.00 Wash, 20 lks. wide, course N.E.
- 61.50 Wash, 50 lks. wide, course N.E. Asc. gradual S.E. slope.
- 69.00 Spur, bears E. Along rolling W. slope.
- 78.00 Spur, bears N. Desc. 27 ft. over N. slope.
- 80.00 Set an iron post 3 ft. long, 2 ins. diam., 26 ins. in the ground for the cor. of secs. 11, 12, 13, and 14, with brass cap mkd.



1932

No suitable bearing trees available; raise a mound of stone 4 ft. base, 2 ft. high W. of cor.

Land, mountainous.
Soil, rocky 4th. rate.
Timber, pinon and cedar.
Undergrowth, sagebrush, cacti and cliffbrush.

S. 89° 54' E., on a random line, bet. secs. 12 and 13.

- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.02 Intersect the E. bdy. of Tp., at 21 lks. S. of the cor. of secs. 7, 12, 13, and 18, which is an iron post 2 ins.

Chains

... diam., firmly set, projecting 12. ins. above ground, with brass cap properly marked, and witnessed by a mound of stone W. of cor.

Thence, S. 89° 57' W., on true line, bet. secs. 12 and 13.

Over rolling and mountainous land, through scattering timber and undergrowth.

Asc. 21 ft. over S. slope.

33.40 Wash, 10 lks. wide, course S. Asc. gradually up E. slope.

40.01 Set an iron post 3 ft. long, 1 in. diam., 10 ins. in the ground to bedrock, in a mound of stone to top, for 1/4 sec. cor., with brass cap mkd.

1/4 S 12
S 13

1932

from which,

A cedar, 8 ins. diam.; bears N. 41° E., 10 lks. dist. mkd. 1/4 S 12 B T

A cedar, 10 ins. diam., bears S. 17° E., 20 lks. dist. mkd. 1/4 S 13 B T

Across level top of ridge, bears N.W. and S.E.

45.00 Leave ridge, desc. 130 ft. over S.W. slope.

49.00 Head of draw, course N.W. Continue desc. over gradual W. slope.

63.60 Road, bears N. and S.

63.80 Shallow draw, 50 lks. wide, course N. Asc. 29 ft. over N.E. slope.

72.50 Spur, bears S.E. Desc. slight S.W. slope.

75.00 Shallow draw, course S.E. Asc. 40 ft. over N.E. slope.

80.02 Intersect the cor. of secs. 11, 12, 13, and 14.

Land, mountainous and rolling.

Soil, rocky 4th. rate.

Timber, pinon and cedar.

Undergrowth, sage, cliff brush and cacti.

N. 0° 01' W., on true line, bet. secs. 11 and 12.

Over mountainous land, through scattering timber and undergrowth.


Desc. 63 ft. over N. slope.

9.40 Wash, 1 ch. wide, course N.E. Asc. 81 ft. over S.E. slope.

35.00 Spur, bears E. Desc. 52 ft. over N.E. slope.

Chains

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.



from which,

A cedar, 8 ins. diam., bears N. 73 1/2° E., 536 lks. dist., mkd. 1/4 S 12 B T

A cedar, 10 ins. diam., bears S. 24° W., 533 lks. dist., mkd. 1/4 S 11 B T

Desc. slight N. slope.

41.00 Draw, 1 ch. wide, course E. Over rolling E. slope.


47.00 Small wash, course N.E. Asc. gradual S. E. slope.

57.50 Spur, bears E. Desc. gradual N.E. slope.

62.90 Wash, 50 lks. wide, course E. Asc, 58 ft. over S. slope.

70.00 Level spur, bears N.E. Desc. 46 ft. over N.W. slope.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 15 ins. in the ground to bedrock, with a stone 2x2x1 ins. deposited at base, in a mound of stone, to top, for cor. wbf secs. 1, 2, 11, and 12, with brass cap mkd.



1932

from which,

A cedar, 10 ins. diam., bears S. 47° E., 109 lks. dist., mkd. T 36 N R 12 W S 12 B T

A cedar, 24 ins. diam., bears S. 61° W., 476 lks. dist., mkd. T 36 N R 12 W S 11 B T

No other bearing trees available.

Land, mountainous.

Soil, rocky 4th. rate.

Timber, pinon and cedar.

Undergrowth, sage and cliff brush, and cacti.

N. 89° 57' E., on a random line, bet. secs. 1 and 12.

40.00 Set temp. 1/4 sec. cor.

80.02 Intersect E. bdy. of Tpm at 7 lks. N. of the cor. of secs. 1, 6, 7, and 12, which is an iron post 2 ins. in diam., firmly set, projecting 12 ins. above ground, with brass cap properly marked and witnessed by a mound of stone W. of cor.

SUBDIVISION of T. 36 N., R. 12 W.

Chains

Thence, ...
 West, on true line, bet. secs. 1 and 12.
 Over mountainous land, through scattering timber and undergrowth.
 Desc. 29 ft. over W. slope.
 17.30 Wash, 50 lks. wide, course N. Asc. gradual E. slope.
 .26.00. Ridge, 3. chs. wide, bears N. and S. Desc. 62 ft. over W. slope.
 .40.01. Set an iron post 3 ft. long, 1 in. diam., 14 ins. in the ground to bedrock, with cross 2x2x1 ins. deposited at base, in a mound of stone to top for 1/4 sec. cor., with brass cap mkd.
 1/4 S 1
 S 12
 1932
 from which,
 A lone cedar, 20 ins. diam., bears S. 67° W., 618 lks. dist., marked 1/4 S 12 B T
 No other bearing tree available.
 Desc. gradual W. slope.
 42.80 Wash, 30 lks. wide, course N.W. Asc. 41 ft. over N.E. slope.
 47.00 Spur, bears N. Desc. 80 ft. over gradual W. slope.
 60.00 Draw, 2 chs. wide, course N. Road in draw, bears N. and S. Asc. 74 ft. over N.E. slope.
 75.00 Spur, bears N.E. Desc. 37 ft. over W. slope.
 80.02 Intersect the cor. of secs. 1, 2, 11, and 12.
 Land, mountainous.
 Soil, rocky 4th. rate.
 Timber, pinon and cedar.
 Undergrowth, sagebrush and caeti.


N.0° 01' W., on true line, bet. secs. 1 and 2.
 Over mountainous land, through scattering timber and undergrowth.
 Desc. gradual N.W. slope.
 5.70 Draw, 50 lks. wide, course N.E. Asc. gradual S.W. slope.
 12.50 Spur, bears E. Desc. 25 ft. over N. slope.
 15.00 Wash, 50 lks. wide, course E. Asc. 69 ft. over S. slope.
 15.55 Road, bears E. and W.
 25.00 Spur, bears E. Desc. 23 ft. over N. slope.

Chains

30.00 Shallow draw, course E. Asc. gradual S. slope.

38.00 Spur, bears N.E. Desc. 14 ft. over N.W. slope.

40.00 Set an iron post 3 ft. long, 1 in. diam., 3 ins. in the ground to bedrock, with stone 3x3x2 ins. deposited at base, in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.



No suitable bearing trees available.

Desc. gradual N.W. slope.

47.50 Shallow draw, 50 lks. wide, course N.E. Asc. 29 ft. over gradual S.E. slope.


62.00 Spur, bears E. Desc. 35 ft. over N.W. slope.

77.60 Wash, 30 lks. wide, course N.E. Asc. slight S.E. slope.

83.90 Intersect the 9th. Stan. Par. N., at 17.45 chs. W. of the Standard $\frac{1}{4}$ sec. cor. of sec. 36, which is an iron post 1 in. diam.; firmly set, projecting 12 ins. above ground, with brass cap properly mkd. and witnessed by mound of stone N. of cor.

At point for cor.

Set an iron post 3 ft. long, 2 ins. diam., 8 ins. in the ground to bedrock, in a mound of stone to top, for closing corner of secs. 1 and 2, with brass cap mkd.



from which,

A cedar, 8 ins. diam., bears S. $85\frac{1}{2}^{\circ}$ E., 93 lks. dist., mkd. C C T 36 N R 12 W S 1 B T

A cedar, 10 ins. diam., bears S. $70\frac{1}{2}^{\circ}$ W., 90 lks. dist., mkd. C C T 36 N R 12 W S 2 B T

Land, mountainous.
Soil, rocky 4th. rate.
Timber, pinon and cedar.
Undergrowth, sage and cliff brush, cacti.

From cor. of secs. 2, 3, 34, and 35, on S. bdy. of Tp., hereinbefore described.

N. $0^{\circ} 01'$ W., on true line, bet. secs. 34 and 35.

Over mountainous land, through scattering timber and undergrowth.

Desc. 49 ft. over N.W. slope.

9.40 Shallow draw, 50 lks. wide, course E. Across level land.

SUBDIVISION of T. 36 N., R. 12 W.

20


Chains

14.00 Road, bears E. and W. Leave level land, asc. 180 ft. over S. slope.

27.00 Ridge, bears N.E. and N.W. Desc. 63 ft. over N.W. slope.

36.50 Shallow draw, 50 lks. wide, course N.E. Asc. slight S.E. slope.

40.00 Set an iron post 3 ft. long, 1 in. diam., 15 ins. in the ground to bedrock, in a mound of stone to top, for 1/4 sec. cor., with brass cap mkd.



1932

from which,

A cedar, 28 ins. diam., bears N. 52 1/2° E., 122 lks. dist., mkd. 1/4 S 35 B T

A cedar, 24 ins. diam., bears S. 65° W., 136 lks. dist., mkd. 1/4 S 34 B T

Asc. gradual S.E. slope.

47.00 Spur, bears N.E. Desc. gradual N. slope.

51.00 Wash, 20 lks. wide, course E. Asc. 49 ft. over S.E. slope.

57.00 Wash, 10 lks. wide, course S.E. Asc. slight S.E. slope.

65.00 Desc. 23 ft. over N.W. slope.

68.30 Wash, 10 lks. wide, course E. Asc. 29 ft. over S.W. slope.

75.00 Desc. 23 ft. over N.W. slope.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 16 ins. in the ground to bedrock, in a mound of stone to top, for cor. of secs. 26, 27, 34, and 35, with brass cap mkd.

T 36 N R 12 W

S 27 | S 26

S 34 | S 35

1932

from which,

A cedar, 6 ins. diam., bears N. 30° W., 51 lks. dist., mkd. B T

A cedar, 4 ins. diam., bears N. 35 1/2° E., 46 lks. dist., mkd. B T

A cedar, 8 ins. diam., bears S. 30° E., 170 lks. dist., mkd. T 36 N R 12 W S 35 B T

A cedar, 12 ins. diam., bears S. 67° W., 95 lks. dist., mkd. T 36 N R 12 W S 34 B T

Land, mountainous.

Soil, rocky 4th. rate.

Timber, pinon and cedar. Undergrowth, sage, cliff brush, and cacti.

Chains

N. 89° 55' E., on a random line, bet. secs. 26 and 35.

40.00 Set temp. 1/4 sec. cor.

80.08 Intersect the cor. of secs. 26, 27, 34, and 35.

Thence,

S. 89° 55' W., on true line, bet. secs. 26 and 35.

Over mountainous land, through scattering timber and undergrowth.

Desc. gradual W. slope.

1.00 Shallow draw, 50 lks. wide, course North. Across level bottom land.

15.00 Shallow draw, 100 lks. wide, course N. Asc. gradual

4.20 Shallow draw, 50 lks. wide, course N. Asc. 23 ft. over S.E. slope.

10.00 Level spur, bears N.E. Desc. gradual N.W. slope.

14.80 Wash, 30 lks. wide, course N.E. Asc. 29 ft. over S.E. slope.

30.00 Spur, bears N.E. Desc. 58 ft. over N.W. slope.

40.04 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.

1/4 S 26 / S 35

1932

from which,

A cedar, 20 ins. diam., bears N. 15° W., 225 lks. dist., mkd. 1/4 S 26 B T

A cedar, 14 ins. diam., bears S. 0° 15' W., 212 lks. dist., mkd. 1/4 S 35 B T

Desc. gradual N.W. slope.

44.50 Shallow draw, 2 chs. wide, course N.E. Across level land.

45.10 Old road, bears N. and S.

49.00 Leave level land, asc. 29 ft. over N.E. slope.

55.00 Spur, bears N. Desc. gradual S.W. slope.

65.00 Asc. gradual N.E. slope.

76.00 Spur, bears N. Desc. gradual N.W. slope.

80.08 Intersect the cor. of secs. 26, 27, 34, and 35.

Land, mountainous.

Soil, rocky 4th. rate.

Timber, pinon and cedar.

Undergrowth, sage and cliff brush, cacti.

SUBDIVISION of T. 36 N., R. 12 W.

| Chains | |
|--------|--|
| | N. 0° - 01' W., on true line, bet. secs. 26 and 27. |
| | Over mountainous land, through scattering timber and undergrowth. |
| 3.60 | Shallow draw, 2 chs. wide, course N.E. |
| 17.00 | Spur, bears N.E. Desc. 52 ft. over N.W. slope. |
| 27.00 | Shallow draw, 1 ch. wide, course N.E. Asc. gradual S.W. slope. |
| 40.00 | Set an iron post 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd. |
| | $\frac{1}{4}$ S 27 S 26 1932. |
| | from which, |
| | A cedar, 10 ins. diam., bears N. $71\frac{1}{2}^{\circ}$ E., 82 lks. dist., mkd. $\frac{1}{4}$ S 26 B T |
| | A cedar, 10 ins. diam., bears S. 88° W., 88 lks. dist., mkd. $\frac{1}{4}$ S 27 B T |
| | Desc. gradual N.E. slope. |
| 43.70 | Shallow draw, course N.E. Asc. gradual S.E. slope. |
| 48.00 | Spur, bears E. Desc. gradual N.W. slope. |
| 50.30 | Shallow draw, course E. Asc. 86 ft. over S.E. slope. |
| 61.00 | Spur, bears E. Desc. gradual N.E. slope. |
| 62.92 | Shallow draw, course E. Asc. 28 ft. over S.E. slope. |
| 73.90 | Spur, bears E. Desc. gradual N.E. slope. |
| 80.00 | Set an iron post 3 ft. long, 2 ins. diam., 12 ins. in the ground to bedrock, in a mound of stone to top, for the cor. of secs. 22, 23, 26, and 27, with brass cap mkd. |
| | T 36 N R 12 W S 22 S 23 S 27 S 26 1932 |
| | from which, |
| | A cedar, 14 ins. diam., bears N. 76° W., 83 lks. dist., mkd. T 36 N R 12 W S 22 B T |
| | A cedar, 24 ins. diam., bears N. 87° E., 21 lks. dist., mkd. T 36 N R 12 W S 23 B T |
| | A cedar, 10 ins. diam., bears S. $37\frac{1}{2}^{\circ}$ E., 110 lks. dist., mkd. T 36 N R 12 W S 26 B T |
| | A cedar, 12 ins. diam., bears S. 40° W., 49 lks. dist., mkd. T 36 N R 12 W S 27 B T |

Chains

N. 89° 55' E., on a random line, bet. secs. 23 and 26.

40.00 Set temp. 1/4 sec. cor.

80.00 Intersect the cor. of secs. 23, 24, 25, and 26.

Thence,

S. 89° 55' W., on true line, bet. secs. 23 and 26.

Over mountainous land, through scattering timber and undergrowth.


7.80 Shallow draw, 1 ch. wide, course N.W.

9.40 Road, bears N.W. and S.E.

19.40 Shallow draw, course N.E.

34.80 Shallow draw, 1 ch. wide, course N.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for the 1/4 sec. cor. of secs. 23 and 26, with brass cap mkd.



1932

from which,

A cedar, 10 ins. diam., bears N. 5° W., 186 lks. dist., mkd. 1/4 S 23 B T

A cedar, 8 ins. diam., bears S. 52° E., 118 lks. dist., mkd. 1/4 S 26 B T

Asc. 57 ft. over E. slope.

55.00 Spur, bears N. Desc. 69 ft. over N.W. slope.

64.90 Shallow draw, 3 chs. wide, course N.E. Across level land.

70.00 Road, bears N.W. and S.E. Asc. 29 ft. over N.E. slope.

80.00 Intersect the cor. of secs. 22, 23, 26, and 27.

Land, mountainous.
Soil, stony, 3rd. and 4th. rate.
Timber, pinon, and cedar.
Undergrowth, sage and cliff brush, cacti.

N. 0° 01' W., on true line, bet. secs. 22 and 23.

Over mountainous land, through scattering timber and undergrowth.

Desc. gradual N. slope, down ridge.

8.20 Road, bears N.W. and S.E., in saddle; asc. 29 ft. over S.W. slope.

22.00 Spur, bears W. Desc. 23 ft. over N.W. slope.

30.00 Spur, bears W. Desc. 80 ft. over N.W. slope.


40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the

SUBDIVISION of T: 36 N., R. 12 W.

24

Chains

ground for 1/4 sec. cor., with brass cap mkd.



from which,

A cedar, 12 ins. diam., bears N. 26° E., 5 lks. dist., mkd. 1/4 S 23 B T


A cedar, 24 ins. diam., bears N. 30° W., 25 lks. dist., mkd. 1/4 S 22 B T

Desc. gradual N.W. slope.

45.50 Draw, 30 lks. wide, course N.W. Asc. 47 ft. over gradual N.W. slope.

62.00 Spur, bears N.W. Desc. 23 ft. over N.W. slope.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 16 ins. in the ground to bedrock, with a stone 2x2x2, mkd. with X at deposited at base, in a mound of stone to top, for cor. of secs. 14, 15, 22, and 23, with brass cap mkd.



1932

from which,

A cedar, 24 ins. diam., bears N. 46 1/2° W., 470 lks. dist., mkd. T 36 N R 12 W S 15 B T.

A cedar, 10 ins. diam., bears S. 86 1/2° E., 310 lks. dist., mkd. T 36 N R 12 W S 23 B T

No other bearing trees available.

Land, mountainous.

Soil, rocky 4th. rate.

Timber, pinon and cedar.

Undergrowth, sagebrush and cacti.

N. 89° 55' E., on a random line, bet. secs. 14 and 23.

40.00 Set temp. 1/4 sec. cor.

79.96 Intersect N. and S. line at 12 lks. N. of the cor. of secs. 13, 14, 23, and 24,

Thence,

West, on true line, bet. secs. 14 and 23.

Over mountainous land, through scattering timber and undergrowth.

Asc. 34 ft. over E. slope.

13.00 Ridge, level top 5 chs. wide, bears N. and S. Desc. 52 ft. over W. slope.

Chains

33.30 Head of draw, course S. Asc. 12 ft. over E. slope.

37.00 Spur, bears S. Desc. 24 ft. over W. slope.

39.98 Set an iron post 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, with stone 3x3x2 ins., mkd. with X, deposited at base, in mound of stone to top, for 1/4 sec. cor. with brass cap mkd.

1/4 S 14
S 23

1932

No bearing trees available.

Desc. 34 ft. over S.W. slope.

46.50 Road, bears N.W. and S.E.

48.00 Shallow draw, 2 chs. wide, course N.W. Asc. 23 ft. over gradual N.E. slope.

70.00 Spur, bears N. Desc. 46 ft. over N.W. slope.

79.96 Intersect the cor. of secs. 14, 15, 22, and 23.

Land, mountainous.
Soil, rocky 4th. rate.
Timber, pinon and cedar.
Undergrowth, sagebrush and cacti.

N.0° 01' W., on true line, bet. secs. 14 and 15.

Over mountainous land, through scattering timber and undergrowth.

Desc. gradual N.W. slope.

3.00 Shallow draw, 3 chs. wide, course N.E.

3.70 Road, bears N.E. and S.W. Asc. gradual S.E. slope.

7.00 Low spur, bears E. Desc. gradual N. slope.

19.10 Wash, 30 lks. wide, course N.E. Asc. 74 ft. over S.E. slope.

30.00 Spur, bears E. Desc. 63 ft. over N.E. slope.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for 1/4 sec. cor., with brass cap mkd.

1/4
S 15 | S 14

1932

from which,

A cedar, 20 ins. diam., bears N. 42 1/2° W., 62 lks. dist.; mkd. 1/4 S 15 B T

A cedar, 10 ins. diam., bears S. 27° E., 260 lks. dist.; mkd. 1/4 S 14 B T

Chains

Desc. slight N. slope.


41.00 Wash, 20 lks. wide, course E. Asc. 90 ft. over S. slope.

57.00 Spur, bears E. Desc. 116 ft. over N.E. slope.

59.00 Spur, bears N.W. Desc. along E. side of spur.

79.50 Shallow draw, 1 ch. wide, course N.W. Asc. slight S.W. slope.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 26 ins. in the ground for the cor. of secs. 10, 11, 14, and 15, with brass cap mkd.



1932

from which,

A cedar, 8 ins. diam., bears N. 27° W., 224 lks. dist., mkd. T 36 N R 12 W S 10 B T

A cedar, 16 ins. diam., bears N. 30° E., 326 lks. dist., mkd. T 36 N R 12 W S 11 B T

A cedar, 12 ins. diam., bears S. 65° E., 249 lks. dist., mkd. T 36 N R 12 W S 14 B T

A cedar, 8 ins. diam., bears S. 65° W., 297 lks. dist., mkd. T 36 N R 12 W S 15 B T

Land, mountainous,
Soil, rocky 4th. rate.
Timber, pinon and cedar.
Undergrowth, sage and caeti.

East, on a random line, bet. secs. 11 and 14.

40.00 Set temp. 1/4 sec. cor.

80.08 Intersect the cor. of secs. 11, 12, 13, and 14.

Thence,

West, on true line, bet. secs. 11 and 14.

Over mountainous land, through scattering timber and undergrowth.

Desc. 50 ft. over W. slope.

5.10 Shallow draw, 30 lks. wide, course N.E. Asc. 78 ft. over N.E. slope.

15.00 Spur, bears N. Desc. 23 ft. over N.W. slope.

19.30 Shallow draw, 15 lks. wide, course N.E. Asc. 81 ft. over N.E. slope.

28.00 Spur, bears N.W. Desc. gradually along W. slope.

31.00 Shallow draw, 40 lks. wide, course N.W. Asc. gradual N.E. slope.

Chains

37.00 Spur, bears N.W. Desc. gradual S.W. slope.

40.04 Set an iron post 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, with a stone 3x3x2 ins. mkd. with cross X deposited at base, in a mound of stone to top for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ $\frac{S 11}{S 14}$

1932

No bearing trees available.

Desc. 137 ft. over gradual S.W. slope.

57.80 Road, bears N. and S.

58.60 Shallow draw, 50 lks. wide, course N. Asc. 136 ft. over gradual E. slope.

72.50 Spur, bears N. Desc. 69 ft. over S.W. slope.

80.08 Intersect the cor. of secs. 10, 11, 14, and 15.

Land, mountainous.
Soil, rocky 4th. rate.
Timber, pinon and cedar.
Undergrowth, sagebrush and cacti.

N.0° 01' W., on true line, bet. secs. 10 and 11.

Over mountainous land; through scattering timber and undergrowth.

Asc. slight S.W. slope.

5.00 Spur, bears N.W. Desc. 23 ft. over N.W. slope.

25.00 Shallow draw, 1 ch. wide, course N.E. Over rolling land.

31.90 Wash, 10 lks. wide, 8 ft. deep, course N.E.

36.90 Same wash, course N.W.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S 10 | S 11

1932

from which,

A cedar, 10 ins. diam., bears N. 67° E., 376 lks. dist., mkd. $\frac{1}{4}$ S 11 B T

No other tree available; raise a mound of stone 4 ft. base, 2 ft. high N. of cor.

41.00 Shallow draw, course N.W., across washed land.

48.80 Road, bears N.W. and S.E.

Chains

- 48.80 Leave washed land, course W., asc. 95 ft. over S.W. slope.
 58.50 Spur, bears W. Desc. 30 ft. over N.W. slope.
 60.40 Wash, 30 lks. wide, course S.W. Asc. gradual S.W. slope.
 66.50 Spur, bears W. Asc. gradual S.W. slope.
 80.00 Set an iron post 3 ft. long, 2 ins. diam., 10 ins. in the ground to bedrock, with stone 4x4x2 ins. deposited at base, in a mound of stone to top, for cor. of secs. 2, 3, 10, and 11, with brass cap mkd.

| | |
|--------|--------|
| T 36 N | R 12 W |
| S 3 | S 2 |
| S 10 | S 11 |

1932.

No suitable bearing trees available.

Land, rolling and mountainous.
 Soil, stony 3rd. and 4th. rate.
 Timber, pinon and cedar.
 Undergrowth, sagebrush and cacti.

 East, on a random line, bet. secs. 2 and 11.

- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.02 Intersect N. and S. line at 7 lks. S. of the cor. of secs. 1, 2, 11, and 12.
 Thence,
 S. 89° 57' W., on true line, bet. secs. 2 and 11.
 Over rolling land, through scattering timber and undergrowth.
 Desc. gradual W. slope.
 2.00 Wash, 30 lks. wide, course N.E. Asc. 28 ft. over N.E. slope.
 8.00 Spur, bears N. Desc. 29 ft. over W. slope.
 17.00 Wash, 50 lks. wide, course N. Asc. 35 ft. over S.E. slope.
 23.50 Spur, bears N. Desc. 46 ft. over W. slope.
 32.40 Road, bears N.E. and S.W.
 32.70 Shallow draw, 50 lks. wide, course N.E. Asc. 23 ft. over S.E. slope.
 40.01 Set an iron post 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, with stone 3x3x2 ins. mkd. with X deposited at base, in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

Chains

$\frac{1}{4}$ $\frac{S 2}{S 11}$
1932

from which,

A cedar, 8 ins. diam., bears N. 45° E., 107 lks. dist.,
mkd. $\frac{1}{4}$ S 2 B T.

A cedar, 20 ins. diam., bears S. 58° W., 98 lks. dist.,
mkd. $\frac{1}{4}$ S 11 B T

Asc. 46 ft. over S.E. slope.

47.00 Spur, bears N. Desc. 48 ft. over S.W. slope.

52.80 Shallow draw, 50 lks. wide, course N.W. Asc. 29 ft. over
N.E. slope.

61.00 Spur, bears N. Desc. 32 ft. over N.W. slope.

70.20 Shallow draw, 50 lks. wide, course N. Asc. 29 ft. over
S.E. slope.

80.02 The cor. of secs. 2, 3, 10, and 11.

Land, mountainous.
Soil, stony, 3rd. and 4th. rate.
Timber, pinon and cedar.
Undergrowth, sagebrush and cacti.

N.0° 02' W., on true line, bet. secs. 2 and 3.

Over mountainous land, through scattering timber and
undergrowth. Along level E. slope.

6.00 Spur, bears E. Desc. 46 ft. over N. slope.

13.00 Wash, 30 lks. wide, course E. Asc. 57 ft. over S.E.
slope.

32.50 Spur, bears N.E. Desc. gradual N.W. slope.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the
ground for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S 3 | S 2
1932

from which,

A cedar, 20 ins. diam., bears S. 21° W., 196 lks.
dist., mkd. $\frac{1}{4}$ S 3 B T

A cedar, 14 ins. diam., bears S. 2° E., 155 lks.
dist., mkd. $\frac{1}{4}$ S 2 B T

Desc. 41 ft. over slight N. slope.

50.30 Shallow draw, 30 lks. wide, course E. Asc. gradual
S. slope.

55.00 Spur, bears N. Desc. 63 ft. over N. slope.

SUBDIVISION of T. 36 N., R. 12 W.

30

Chains

65.00 Shallow draw, 2 chs. wide, course N.W. Asc. 34 ft. over S.W. slope.

75.00 Spur, bears N.W. Desc. 29 ft. over N.W. slope.

83.92 Intersect the 9th. Stan. Par. N., at 17.55 chs. W. of the standard 1/4 sec. cor. of sec. 35, which is an iron post 1 in. diam., firmly set and projecting 12 ins. above ground and mound of stone, with brass cap properly mkd. and witnessed by a mound of stone N. of cor.

At point for cor.

Set an iron post 3 ft. long; 2 ins. diam., 26 ins. in the ground, for closing cor. of secs. 2 and 3, with brass cap mkd.

T 37 N R 12 W
S 35
S 3 | S 2
T 36 N R 12 W
C C
1932

No suitable bearing trees available; raise a mound of stone 3 ft. base, 1 1/2 ft. high S. of cor.

Land, mountainous.
Soil, rocky 4th. rate.
Timber, pinon and cedar.
Undergrowth, sagebrush and cacti.

From the cor. of secs. 3, 4, 33, and 34, on the S. bdy. of Tp., hereinbefore described:

N. 0° 02' W.; on true line, bet. secs. 33 and 34.

Over mountainous land, through scattering timber and undergrowth.

Desc. gradual N.W. slope.

1.50 Shallow draw, 1 ch. wide, course N.E. Asc. 34 ft. over S.E. slope.

10.00 Spur, bears N.E. Desc. 52 ft. over N.E. slope.

23.15 Shallow draw, 30 lks. wide, course S.E. Asc. 52 ft. over S.E. slope.

27.85 Road, bears E. and W.

37.00 Spur, bears E. Desc. gradual N.E. slope.

40.00 Set an iron post 3 ft. long, 1 in. diam.; 26 ins. in the ground for the 1/4 sec. cor., with brass cap mkd.

1/4
S 33 | S 34
1932

from which,

A cedar, 16 ins. diam., bears East, 3 lks. dist.,

SUBDIVISION of T. 36 N., R. 12 W.

Chains

mkd. 1/4 S 34 B T

A cedar, 20 ins. diam., bears S. 81° W., 25 lks. dist., mkd. 1/4 S 33 B T

Thence over rolling land.

45.00 Shallow draw, 30 lks. wide, course S.E.

52.50 Shallow draw, 10 lks. wide, course E. Asc. 52 ft. over S.E. slope.

68.00 Ridge, bears E. and W. Desc. gradual N. slope.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 26 ins. in the ground for the cor. of secs. 27, 28, 33, and 34, with brass cap mkd.

| | |
|--------|--------|
| T 36 N | R 12 W |
| S 28 | S 27 |
| S 33 | S 34 |

1932

from which,

A cedar, 24 ins. diam., bears N. 28° W., 150 lks. dist., mkd. T 36 N R 12 W S 28 B T

A cedar, 24 ins. diam., bears N. 44° E., 146 lks. dist., mkd. T 36 N R 12 W S 27 B T

A cedar, 18 ins. diam., bears S. 44 1/2° E., 179 lks. dist., mkd. T 36 N R 12 W S 34 B T

A cedar, 8 ins. diam., bears S. 49° W., 72 lks. dist., mkd. T 36 N R 12 W S 33 B T

Land, mountainous.
Soil, rocky 4th. rate.
Timber, pinon and cedar.
Undergrowth, sagebrush and cacti.

N. 89° 55' E., on a random line, bet. secs. 27 and 34.

40.00 Set temp. 1/4 sec. cor.

79.94 Intersect N. and S. line at 12 lks. N. of the cor. of secs. 26, 27, 34, and 35.

Thence,

West, on true line, bet. secs. 27 and 34.

Over mountainous land, through scattering timber and undergrowth.

Desc. gradual N.W. slope.

4.40 Shallow draw, 30 lks. wide, course N.E. Asc. 57 ft. over gradual S.E. slope.

20.00 Spur, bears N. Desc. 46 ft. over N.W. slope.

25.00 Shallow draw, course N.W. Across flat land.

30.50 Leave flat, asc. 23 ft. over S.E. slope.

SUBDIVISION of T. 36 N., R. 12 W.

52

Chains

- 37.00 Spur, bears N.E. Desc. 29 ft. over N.W. slope.
- 39.97 Set an iron post 3 ft. long, 1 in. diam., 15 ins. in the ground to bedrock, in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\frac{1}{4} \text{ S } 27$$

$$\text{S } 34$$

1932

from which,

A cedar, 6 ins. diam., bears N. 78° E., 71 lks. dist., mkd. $\frac{1}{4}$ S 27 B T

A cedar, 14 ins. diam., bears S. 10° E., 76 lks. dist., mkd; $\frac{1}{4}$ S 34 B T

Desc. gradual W. slope.
- 41.40 Wash, 30 lks. wide, course N. Asc. 20 ft. over N.E. slope.
- 53.00 Spur, bears N. Desc. 55 ft. over N.W. slope.
- 58.75 Wash, 30 lks. wide, course N. Asc. 46 ft. over N.E. slope.
- 60.30 Road, bears N. and S.
- 67.00 Spur, bears N. Desc. 29 ft. over N.W. slope.
- 73.70 Shallow wash, 30 lks. wide, course N. Asc. gradual N.E. slope.
- 79.94 The cor. of secs. 27, 28, 33, and 34.

Land, mountainous.
 Soil, rocky 4th. rate.
 Timber, cedar and pinon.
 Undergrowth, sagebrush and cacti.

N.0° 02' W., on true line, bet. secs. 27 and 28.
 Over mountainous land, through scattering timber and undergrowth.
 Desc. gradually over N. slope 29 ft.
- 31.00 Shallow draw, 50 lks. wide, course N.E. Asc. 17 ft. over gradual S. slope.
- 40.00 Set an iron post 3 ft. long, 1 in. diam., 8 ins. in the ground to bedrock, in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\frac{1}{4}$$

S. 28 | S. 27

1932

from which,

A cedar, 8 ins. diam., bears N. 88° E., 116 lks. dist., mkd. $\frac{1}{4}$ S 27 B T

SUBDIVISION of T. 36 N., R. 12 W.

Chains

A cedar, 15 ins. diam., bears N. 65° W., 140 lks. dist., mkd. 1/4 S 28 B T

43.00 Spur, bears W. Desc. 34 ft. over N.E. slope.

47.00 Head of draw, course W.


54.40 Head of draw, course W. Asc. 24 ft. over gradual S.W. slope.

61.50 Spur, bears W. Desc. gradual N.E. slope.

64.00 Shallow draw, 30 lks. wide, course W. Asc. 40 ft. over S.W. slope.

66.50 West edge of sink, about 2 chs. in diam. Desc. 29 ft. over N.W. slope.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 26 ins. in the ground for the cor. of secs. 21, 22, 27, and 28, with brass cap mkd.



1932

from which,

A cedar, 24 ins. diam., bears N. 2° E., 408 lks. dist., mkd. T 36 N R 12 W S 22 B T

A cedar, 8 ins. diam., bears N. 36° W., 79 lks. dist., mkd. T 36 N R 12 W S 21 B T

A cedar, 10 ins. diam., bears S. 20 1/2° E., 121 lks. dist., mkd. T 36 N R 12 W S 27 B T

A pinon, 14 ins. diam., bears S. 37° W., 67 lks. dist., mkd. T 36 N R 12 W S 28 B T

Land, mountainous.
Soil, rocky 4th. rate.
Timber, cedar and pinon.
Undergrowth, sagebrush and cacti.

East, on a random line, bet. secs. 22 and 27.

40.00 Set temp. 1/4 sec. cor.

79.94 Intersect the cor. of secs. 22, 23, 26, and 27.

Thence,

West, on true line, bet. secs. 22 and 27.

Over mountainous land, through scattering timber and undergrowth.

Asc. gradual E. slope.

1.00 Spur, bears N.E. Desc. 23 ft. over N.W. slope.

25.00 Shallow draw, course N.E. Across rolling land.

29.10 Shallow draw, 2 chs. wide, course N.E.


SUBDIVISION of T. 36 N., R. 12 W.

34

Chains

32.50 Road, bears N.E. and S.W.

39.97 Set an iron post 3 ft. long, 1 in. diam., .15 ins. in the ground to bedrock, in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.



1932

from which,

A cedar, 30 ins. diam., bears N. 57° E., 139 lks. dist., mkd. $\frac{1}{4}$ S 22 B T

A cedar, 36 ins. diam., bears S. 70° E., 20 lks. dist., mkd. $\frac{1}{4}$ S 27 B T

Asc. 29 ft. over S.E. slope.

60.00 Spur, bears N.E. Desc. 23 ft. over N.E. slope.

67.60 Shallow draw, 50 lks. wide, course N.E. Asc. gradual N.E. slope.

71.00 Spur, bears N. Desc. 34 ft. over N.W. slope.

79.94 The cor. of secs. 21, 22, 27, and 28.

Land, mountainous and rolling.
Soil, rocky 4th. rate.
Timber, cedar and pinon.
Undergrowth, sagebrush and cacti.

N. 0° 02' W., on true line, bet. secs. 21. and 22.


Over rolling land, through scattering timber and undergrowth.

Desc. 34 ft. over N.E. slope..

4.10 Shallow draw, 2 chs. wide, course N.E.

7.00 Old road, bears N.E. and S.W.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.



1932

from which,

A cedar, 10 ins. diam., bears N. 74° W., 460 lks. dist., mkd. $\frac{1}{4}$ S 21 B T

A cedar, 10 ins. diam., bears S. 44° E., 290 lks. dist., mkd. $\frac{1}{4}$ S 22 B T

57.80 Road, bears N.W. and S.E.

65.00 Shallow draw, 50 lks. wide, course N.W.

Chains

80.00 Set an iron post 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, with stone 3x3x2 ins., mkd. with X, deposited at base, in a mound of stone to top, for cor. of secs. 15, 16, 21, and 22, with brass cap mkd.

| | |
|--------|--------|
| T 36 N | R 12 W |
| S 16 | S 15 |
| S 21 | S 22 |

1932

from which,

A cedar, 8 ins. diam., bears N. 87° E., 200 lks. dist., mkd. T 36 N R 12 W S 15 B T

No other suitable bearing tree available.

Land, rolling.
Soil, stony 4th. rate.
Timber, cedar and pinon.
Undergrowth, sagebrush and cacti.

East, on a random line, bet. secs. 15 and 22.

40.00 Set temp. 1/4 sec. cor.

79.88 Intersect the cor. of secs. 14, 15, 22, and 23.

Thence,

West, on true line, bet. secs. 15 and 22.

Over mountainous land, through scattering timber and undergrowth.

Desc. slight N.W. slope.

2.50 Shallow draw, 2 chs. wide, course N.E. Asc. 55 ft. over S.E. slope.

3.00 Road, bears N.E. and S.W.

15.00 Spur, bears N.E. Desc. 23 ft. over N.W. slope.

20.30 Shallow draw, 50 lks. wide, course N. Asc. 115 ft. over N.E. slope.

39.94 Spur, bears N. and S. Set an iron post 3 ft. long, 1 in. diam., 8 ins. in the ground to bedrock, in a mound of stone to top, for 1/4 sec. cor., with brass cap mkd.

| |
|----------|
| 1/4 S 15 |
| S 22 |

1932

from which,

A cedar, 18 ins. diam., bears N. 16° E., 39 lks. dist., mkd. 1/4 S 15 B T

A pinon, 12 ins. diam., bears S. 16° W., 42 lks. dist., mkd. 1/4 S 22 B T

SUBDIVISION of T. 36 N., R. 12 W.

36

Chains


- Asc. gradual E. slope.
- 45.00 Desc. 118 ft. over W. slope.
- 67.20 Shallow draw, 50 lks. wide, course N.W. Asc. gradual E. slope.
- 68.00 Road, bears N.W. and S.E.
- 75.00 Spur, bears N. Desc. 40 ft. over N.W. slope.
- 79.88 The cor. of secs. 15, 16, 21, and 22.

Land, rolling and mountainous.
Soil, stony 3rd. and 4th. rate.
Timber, cedar and pinon.
Undergrowth, sagebrush and cacti.

N. 0° 02' W., on true line, bet. secs. 15 and 16.

Over rolling land, through scattering timber and undergrowth.

- 12.20 Shallow draw, 40 lks. wide, course N.W.
- 13.30 Old road, bears N.W. and S.E. Asc. 68 ft. over S. slope.
- 25.00 Spur, bears N.W. Desc. gradual N.E. slope.
- 32.10 Shallow draw, 30 lks. wide, course N.W. Asc. gradual S.W. slope.
- 40.00 Set an iron post 3 ft. long, 1 in. diam., 10 ins. in the ground to bedrock, in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.



1932

from which,

A cedar, 10 ins. diam., bears N. 25 $\frac{1}{2}$ ° W., 333 lks. dist., mkd. $\frac{1}{4}$ S 16 B T

A cedar, 18 ins. diam., bears S. 22° E., 120 lks. dist., mkd. $\frac{1}{4}$ S 15 B T

- 40.20 Spur, bears W. Desc. 23 ft. over N.E. slope.
- 49.00 Shallow draw, 10 lks. wide, course W. Asc. gradual S. slope.
- 55.00 Spur, bears W. Desc. gradual N. slope.
- 59.50 Shallow draw, 30 lks. wide, course N.W. Asc. 28 ft. over S.W. slope.
- 62.00 Desc. gradual N.W. slope.
- 62.50 Shallow draw, 30 lks. wide, course S.W. Asc. 34 ft. over S.E. slope.
- 80.00 Set an iron post 3 ft. long, 2 ins. diam., 2 ins. in the ground to bedrock, in a mound of stone to top, for cor. of secs. 9, 10, 15, and 16, with brass cap mkd.

Chains

| | |
|--------|--------|
| T 36 N | R 12 W |
| S 9 | S 10 |
| S 16 | S 15 |

1932

from which,

A cedar, 20 ins. diam., bears N. 1° W., 170 lks. dist., mkd. T 36 N R 12 W S 9 B T

A cedar, 20 ins. diam., bears N. 8° E., 162 lks. dist., mkd. T 36 N R 12 W S 10 B T.

A cedar, 15 ins. diam., bears S. 85° E., 108 lks. dist., mkd. T 36 N R 12 W S 15 B T

A cedar, 8 ins. diam., bears S. 23° W., 72 lks. dist., mkd. T 36 N R 12 W S 16 B T

Land, mountainous.
Soil, rocky 4th. rate.
Timber, pinon and cedar.
Undergrowth, sagebrush and cacti.

East, on a random line, bet. secs. 10 and 15.

40.00 Set temp. 1/4 sec. cor.

80.04 Intersect the cor. of secs. 10, 11, 14, and 15.

Thence,

West, on true line, bet. secs. 10 and 15.

Over mountainous land, through scattering timber and undergrowth.

Asc. gradual N.E. slope.

5.00 Spur end, from S. Desc. 23 ft. over N.W. slope.

9.50 Shallow draw, 50 lks. wide, course N. Asc. 29 ft. over S.E. slope.

16.00 Toe of spur, slopes N. Desc. gradual N.W. slope.

19.00 Draw, 30 lks. wide, course N.E. Asc. gradual E. slope, along S. edge of same draw.

35.00 Same draw, from S.W. Asc. 34 ft. over S.E. slope.

40.02 Set an iron post 3 ft. long, 1 in. diam., on bedrock, in a mound of stone to top, for 1/4 sec. cor., with brass cap mkd.

| |
|----------|
| 1/4 S 10 |
| S 15 |

1932

from which,

A cedar, 24 ins. diam., bears N. 4° E., 130 lks. dist., mkd. 1/4 S 10 B T

A cedar, 20 ins. diam., bears S. 67° W., 177 lks. dist., mkd. 1/4 S 15 B T

SUBDIVISION of T: 36 N., R. 12 W.

| Chains | |
|--------|--|
| | Asc. 64 ft. over S.E. slope. |
| 47.00 | Spur, bears S. Desc. 21 ft. over S.W. slope. |
| 53.00 | Small wash, course N.W. Asc. 16 ft. over N.W. slope. |
| 60.00 | Spur, bears N.W. Desc. 29 ft. over S.W. slope. |
| 69.80 | Small wash, course N.W. Asc. gradual E. slope. |
| 80.04 | The cor. of secs. 9, 10, 15, and 16. |
| | Land, mountainous. Soil, rocky 4th. rate. Timber, cedar and pinon. Undergrowth, sagebrush and cacti. |
| ----- | |
| | N. 0° 02' W., on true line, bet. secs. 9 and 10. |
| | Over mountainous land, through scattering timber and undergrowth. |
| | Asc. 14 ft. over S.E. slope. |
| 2.00 | Spur, bears N.E. Desc. 34 ft. over N.E. slope. |
| 8.30 | Shallow draw, 50 lks. wide, course N.W. Asc. gradual S.W. slope. |
| 15.00 | Toe of spur, bears W. Desc. 23 ft. over N.W. slope. |
| 22.00 | Shallow draw, 30 lks. wide, course N.W. Asc. 93 ft. over S.E. slope. |
| 30.00 | Spur, bears W. Desc. 75 ft. over N.E. slope. |
| 40.00 | Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., with brass cap mkd. |
| | <p style="text-align: center;">S 9 S 10 1932</p> |
| | from which, |
| | A cedar, 30 ins. diam., bears N. 5° E., 57 lks. dist. mkd. $\frac{1}{4}$ S 10 B T |
| | A cedar, 8 ins. diam., bears N. 56° W., 63 lks. dist. mkd. $\frac{1}{4}$ S 9 B T |
| | Desc. gradual N.E. slope. |
| 40.70 | Wash, 30 lks. wide, course N. W. Asc. gradual S.W. slope. |
| 45.00 | Toe of spur, bears W. Desc. gradual N.W. slope. |
| 48.30 | Shallow draw, 50 lks. wide, course W. Asc. 28 ft. over S.W. slope. |
| 53.00 | Spur, bears W. Desc. 29 ft. over N.W. slope. |
| 61.50 | Shallow draw, 30 lks. wide, course W. Asc. gradual S.W. slope. |
| 64.00 | Toe of spur, bears W. Desc. gradual N.W. slope. |

Chains

- 72.70 Shallow draw, 20 lks. wide, course W. Asc. 34 ft. over S.W. slope.
- 75.00 Spur, bears W. Desc. 23 ft. over N.W. slope.
- 79.00 Shallow draw, 30 lks. wide, course W. Asc. gradual S.W. slope.
- 80.00 Set an iron post 3 ft. long, 2 ins. diam., 10 ins. in the ground to bedrock, with stone mkd. X deposited at base, in a mound of stone to top, for cor. of secs. 3, 4, 9, and 10, with brass cap mkd.

| | |
|--------|--------|
| T 36 N | R 12 W |
| S 4 | S 3 |
| S 9 | S 10 |

1932

from which,

A cedar, 8 ins. diam., bears N. 85° W., 50 lks. dist., mkd. T 36 N R 12 W S 4 B T

A cedar, 10 ins. diam., bears S. 42° E., 76 lks. dist., mkd. T 36 N R 12 W S 10 B T

No other trees available.

From cor., Englestead house bears S. 45° W., Reservoir, bears S. 24° W.

Land, mountainous.
Soil, rocky 4th. rate.
Timber, cedar and pinon.
Undergrowth, sagebrush and cacti.

- 40.00 East, on a random line, bet. secs. 3 and 10.
Set temp. 1/4 sec. cor.
- 79.94 Intersect the cor. of secs. 2, 3, 10, and 11.
Thence,
West, on true line bet. secs. 3 and 10.
Over mountainous land, through scattering timber and undergrowth.
Desc. 32 ft. over N.W. slope.
- 8.60 Wash, 20 lks. wide, course S.W. Asc. 29 ft. over S.E. slope.
- 15.00 Spur, bears S. Desc. 92 ft. over S.W. slope.
- 22.00 Road, bears N.W. and S.E.
- 23.00 Shallow draw, 1 1/2 chs. wide, course N.W. Over rolling land.
- 39.97 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for 1/4 sec. cor., with brass cap mkd.

SUBDIVISION of T. 36 N., R. 12 W.

40

Chains

$\frac{1}{4}$ S 3
S 10

1932

from which,

A cedar, 15 ins. diam., bears N. 29° E., 328 lks. dist., mkd. $\frac{1}{4}$ S 3 B T

A cedar, 30 ins. diam., bears S. 33° E., 22 lks. dist., mkd. $\frac{1}{4}$ S 10 B T

- 43.00 Shallow draw, 20 lks. wide, course N.E. Asc. 109 ft. over gradual S.E. slope.
- 60.00 Desc. gradual S.W. slope.
- 69.20 Shallow draw, 30 lks. wide, course S.E. Asc. 50 ft. over N.E. slope.
- 79.00 Spur, bears S. Desc. 52 ft. over W. slope.
- 79.94 The cor. of secs. 3, 4, 9, and 10.

Land, rolling.
Soil, stony 3rd. and 4th. rate.
Timber, cedar and pinon.
Undergrowth, sagebrush and cacti.

N.0° 02' W., on true line, bet. secs. 3 and 4.

Over mountainous land, through scattering timber and undergrowth.

Asc. 40 ft. over S.W. slope.

- 7.00 Spur, bears W. Desc. 41 ft. over N.W. slope.
- 18.50 Spur, bears W. Desc. gradual N. slope.
- 21.00 Shallow draw, 20 lks. wide, course W. Asc. gradual S.W. slope.
- 29.00 Spur, bears N.W. Desc. 49 ft. over N.E. slope.
- 40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S 4 | S 3

1932

No suitable bearing trees available; raise a mound of stone 4 ft. base, 2 ft. high W. of corner.

- 45.00 Shallow draw, 2 chs. wide, course N.E.
- 47.00 Road, bears N.E. and S.W.
- 67.50 Shallow draw, 30 lks. wide, course S.E. Asc. 80 ft. over gradual S.W. slope.


Chains

84.16

Intersect the 9th. Stan. Par. N., at 17.35 chs. West of the Standard 1/4 sec. cor. of sec. 34, which is an iron post 1 in. diam., firmly set and projecting 12 ins. above ground, properly marked and witnessed by a mound of stone N. of cor.

At point for corner.

Set an iron post 3 ft. long, 2 ins. diam., 6 ins. in the ground to bedrock, in a mound of stone to top, for closing cor. of secs. 3 and 4, with brass cap mkd.



from which,

A cedar, 10 ins. diam., bears S. 89° E., 66 lks. dist., mkd. C C T 36 N R 12 W S 3 B T

A cedar, 10 ins. diam., bears S. 8° W., 109 lks. dist., mkd. C C T 36 N R 12 W S 4 B T

Land, mountainous and rolling.
Soil, rocky 4th. rate.
Timber, cedar and pinon.
Undergrowth, sagebrush and cacti.

From the cor. of secs. 4, 5, 32, and 33, on the S. bdy. of Tp., hereinbefore described.

N.0° 03' W., on true line, bet. secs. 32 and 33.

Over mountainous land, through scattering timber and undergrowth.

Over level land.

1.50

Ridge, bears E. and W. Divide bears W. about 2.00 chs. distant, bears N. and S.

Desc. gradual N. slope.

15.00


Shallow draw, 20 lks. wide, course N.W.

30.00

Shallow draw, 1 ch. wide, course N.E. Asc. slight S.E. slope.

40.00

Set an iron post 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, in a mound of stone to top, for 1/4 sec. cor., with brass cap mkd.



from which,

A cedar, 26 ins. diam., bears S. 58° E., 99 lks. dist., mkd. 1/4 S 33 B T

SUBDIVISION of T. 36 N., R. 12 W.

142

Chains

- A cedar, 14 ins. diam., bears S. 30° W., 74 lks. dist., mkd. $\frac{1}{4}$ S 32 B T
- Desc. 23 ft. over N.E. slope.
- 52.10 Shallow draw, 30 lks. wide, course S.E. Asc. 40 ft. over S. slope.
- 62.00 Spur, bears E. Desc. 46 ft. over N.W. slope.
- 79.00 Road, bears N.W. and S.E.
- 80.00 Set an iron post 3 ft. long, 2 ins. diam., 20 ins. in the ground to bedrock, in a mound of stone to top, for cor. of secs. 28, 29, 32, and 33, with brass cap mkd.

| | |
|---------------|------|
| T 36 N R 12 W | |
| S 29 | S 28 |
| S 32 | S 33 |

1932

from which,

- A cedar, 14 ins. diam., bears N. 15 $\frac{1}{2}$ ° E., 334 lks. dist., mkd. T 36 N R 12 W S 28 B T
- A cedar, 14 ins. diam., bears S. 10 $\frac{1}{2}$ ° E., 302 lks. dist., mkd. T 36 N R 12 W S 33 B T
- A cedar, 24 ins. diam., bears S. 54° W., 387 lks. dist., mkd. T 36 N R 12 W S 32 B T
- A cedar, 14 ins. diam., bears N. 7° W., 476 lks. dist., mkd. T 36 N R 12 W S 29 B T

Land, mountainous.
Soil, rocky 4th. rate.
Timber, pinon and cedar.
Undergrowth, sagebrush and cacti.

- N. 89° 55' E., on a random line, bet. secs. 28 and 33.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.00 Intersect N. and S. line at 12 lks. N. of the cor. of secs. 27, 28, 33, and 34.
- Thence,
- West, on true line, bet. secs. 28 and 33.
- Over mountainous land, through scattering timber and undergrowth.
- Desc. gradual N.W. slope.
- 1.30 Shallow draw, 1 ch. wide, course N. Asc. 29 ft. over N.E. slope.
- 15.00 Spur, bears N.W. Desc. 29 ft. over W. slope.
- 26.00 Draw, 20 lks. wide, course N. Asc. gradual E. slope.
- 35.20 Old road, bears N. and S. Desc. gradual N.W. slope 29 ft.

Chains

40.00 Set an iron post 3 ft. long, 1 in. diam., 15 ins. in the ground to bedrock, in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 28
S 33

1932

from which,

A cedar, 12 ins. diam., bears N. 13° W., 445 lks. dist., mkd. $\frac{1}{4}$ S 28 B T

A cedar, 18 ins. diam., bears S. 20° E., 500 lks. dist., mkd. $\frac{1}{4}$ S 33 B T

Across level draw, drains N.E.

48.00 Leave draw; asc. slight S.E. slope.

55.00 Toe of spur, bears S. Desc. gradual S.W. slope.

58.40 Draw, 30 lks. wide, course S.E. Asc. gradual N.E. slope.

63.00 Spur, bears S. Desc. 23 ft. over S.W. slope.

75.00 Shallow draw, 50 lks. wide, course S.E. Across level bottom land.

80.00 The cor. of secs. 28, 29, 32, and 33.

Land, mountainous and level.

Soil, on slopes stony 4th. rate; in draw bottoms, sandy loam, 2nd. rate.

Timber, pinon and cedar.

N. 0° 03' W., on true line, bet. secs. 28 and 29.

Over mountainous land, through scattering timber and undergrowth. Across level bottom land, drains S.E.

5.00 Asc. 34 ft. over S. slope.

10.00 Desc. slight N. slope.

27.60 Shallow draw, course S.E. Asc. 40 ft. over S. slope.

37.00 Ridge, bears N.E. and S.W. Desc. 17 ft. over N. slope.

40.00 Set an iron post 3 ft. long, 1 in. diam., 15 ins. in the ground to bedrock, in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S 29 | S 28

1932

from which,

A pinon, 10 ins. diam., bears N. 23 $\frac{1}{2}$ ° W., 34 lks. dist., mkd. $\frac{1}{4}$ S 29 B T

SUBDIVISION of T. 36 N., R. 12 W.

44

Chains

A cedar, 18 ins. diam., bears S. 82° E., 12 lks. dist., mkd. ¼ S 28 B T

42.50 Desc. 98 ft. over N. slope. Shallow draw, 10 lks. wide, course N.E.

Continue on descent over rolling N. slope of 98 ft.

62.00 Shallow draw, 50 lks. wide, course N.W. Thence along east side of level draw bottom, draining N.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 20, 21, 28, and 29, with brass cap mkd.

| | | |
|------|--------|---|
| T 36 | N R 12 | W |
| S 20 | S 21 | |
| S 29 | S 28 | |

1932

from which,

A cedar, 10 ins. diam., bears N. 42¼° E., 280 lks. dist., mkd. T 36 N R 12 W S 21 B T

A cedar, 15 ins. diam., bears S. 40½° E., 545 lks. dist., mkd. T 36 N R 12 W S 28 B T

A cedar, 15 ins. diam., bears S. 86¼° W., 502 lks. dist., mkd. T 36 N R 12 W S 29 B T

A cedar, 8 ins. diam., bears N. 72¾° W., 491 lks. dist., mkd. T 36 N R 12 W S 20 B T

Land, mountainous.

Soil, stony 4th. rate on slopes; in draws black loam, 2nd. rate.

Timber, pinon and cedar.

Undergrowth, sagebrush and cacti.



10

East, on a random line, bet. secs. 21 and 28.

40.00 Set temp. ¼ sec. cor.

80.02 Intersect the cor. of secs. 21, 22, 27, and 28.

Thence,

West, on true line, bet. secs. 21 and 28.

Desc. 29 ft. over N.W. slope.

3.50 Shallow draw, 2 chs. wide, course N.E. Asc. 36 ft. over N.E. slope.

19.00 Shallow draw, 10 lks. wide, course N.E. Asc. gradual N.E. slope.

21.00 Spur, bears N. Desc. gradual N.W. slope.


24.30 Shallow draw, 30 lks. wide, course N.E. Asc. 109 ft. over S.E. slope.

35.00 Spur, bears S. Desc. 29 ft. over S.W. slope.

39.90 Shallow draw, course S.E. Asc. slight N.E. slope.

Chains

40.01 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.



from which, A cedar, 24 ins. diam., bears N. 10° W., 10 lks. dist. mkd. 1/4 S 21 B T

A cedar, 24 ins. diam., bears S. 50° E., 37 lks. dist. mkd. 1/4 S 28 B T

Asc. 46 ft. over N.E. slope.

44.00 Spur, bears N. Desc. gradual N.W. slope.

49.70 Head of draw, course N.E. Asc. 29 ft. over N.E. slope.

62.00 Spur, bears N.W. Desc. 110 ft. over S.W. slope.

72.30 Wash, 20 lks. wide, course N.W. Thence over nearly level draw bottom, draining N.W. to

80.02 The cor. of secs. 20, 21, 28, and 29.


Land, mountainous. Soil, stony 4th. rate on slopes; in draw bottoms, black loam 2nd. rate. Timber, pinon and cedar. Undergrowth, sagebrush and cacti.

N. 0° 03' W., on true line, bet. secs. 20 and 21. Over rolling land, through thick timber and undergrowth.

18.70 Shallw draw, 20 lks. wide, course N.W. Asc. 23 ft. over S.W. slope.

37.00 Spur, bears N.W. Desc. gradual N. slope.

40.00 Set an iron post 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, in a mound of stone to top, for 1/4 sec. cor., with brass cap mkd.



from which,

A cedar, 8 ins. diam., bears N. 25° E., 108 lks. dist., mkd. 1/4 S 21 B T

A cedar, 8 ins. diam., bears N. 76° W., 120 lks. dist., mkd. 1/4 S 20 B T

Asc. gradual S.W. slope.

48.00 Spur, bears N.W. Desc. 76 ft. over N.E. slope.

59.80 Wire fence, bears N.E. and S.W. Across pasture.

70.00 Center of reservoir, about 3 chs. sq. A corral bears E. about 1 ch. dist. (Nutters Reservoir.)

Chains

- 71.30 Road, bears N.E. and S.W.
- 77.50 Shallow draw, course E. Asc. gradual S. slope.
- 80.00 Set an iron post 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 16, 17, 20, and 21, with brass cap mkd.

| | |
|--------|--------|
| T 36 N | R 12 W |
| S 17 | S 16 |
| S 20 | S 21 |

1932

from which,

A cedar, 18 ins. diam., bears N. 28° E., 105 lks. dist., mkd. T 36 N R 12 W S 16 B T

A cedar, 10 ins. diam., bears S. 6° E., 159 lks. dist., mkd. T 36 N R 12 W S 21 B T

A cedar, 8 ins. diam., bears S. 10° W., 203 lks. dist., mkd. T 36 N R 12 W S 20 B T

A cedar, 24 ins. diam., bears N. 74° W., 193 lks. dist., mkd. T 36 N R 12 W S 17 B T

Land, rolling.
 Soil, rocky 4th. rate.
 Timber, cedar and pinon.
 Undergrowth, sagebrush and cacti.

East, on a random line, bet. secs. 16 and 21.

- 40.00 Set temp. 1/4 sec. cor.

- 80.00 Intersect the cor. of secs. 15, 16, 21, and 22.

Thence;

West, on true line, bet. secs. 16 and 21.

Over rolling land, through scattering timber and undergrowth.

Across open draw.

- 16.20 Wash, 20 lks. wide, 3 ft. deep, course N.E. Asc. gradual E. slope 62 ft.

- 17.10 Road, bears N.E. and S.W.

- 37.00 Spur, bears S. Desc. 51 ft. over W. slope.

- 40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.

| |
|----------|
| 1/4 S 16 |
| S 21 |

1932

from which,

A cedar, 14 ins. diam., bears N. 18° W., 77 lks. dist., mkd. 1/4 S 16 B T

Chains

A cedar, 12 ins. diam., bears S. 78° E., 182 lks. dist., mkd. 1/4 S 21 B T

Thence over nearly level land, on N. edge of draw.

42.90 Road, bears N.W. and S.E.

57.00 Center of draw, course S.E. and from S.W.

69.60 Same road, bears N.E. and S.W.

75.70 Shallow wash, course S.E.

77.70 Wire fence, bears N.W. and S.E.

80.00 The cor. of secs. 16, 17, 20, and 21.

Land, rolling.

Soil, sandy, stony 4th. rate on slopes; in draw bottoms, black loam 2nd. rate.

Timber, pinon and cedar.

Undergrowth, sagebrush and cacti.

N. 0° 03' W., on true line, bet. secs. 16 and 17.

Over rolling land, through scattering timber and undergrowth.

11.50 Wire fence, bears N.W. and S.E.

3.50 Shallow draw, 20 lks. wide, course S.E.

6.00 Shallow draw, 50 lks. wide, course S.E. Asc. 23 ft. over S.W. slope.

13.20 Wash, 10 lks. wide, course S.W. Asc. 69 ft. over S.W. slope.


20.00 Spur, bears E. Desc. gradual N.E. slope.

31.00 Wash, 30 lks. wide, course S.E. Asc. gradual S.W. slope.

35.00 Spur, bears E. Desc. 29 ft. over N.W. slope.

38.30 Wash, 15 lks. wide, course N.E. Asc. gradual S.E. slope.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.



from which,

A cedar, 8 ins. diam., bears N. 56° E., 87 lks. dist., mkd. 1/4 S 16 B T

A cedar, 8 ins. diam., bears N. 63° W., 103 lks. dist., mkd. 1/4 S 17 B T

Asc. 49 ft. over S.E. slope.

47.00 Spur, bears N.E. Desc. 126 ft. over N.W. slope.

73.40 Shallow draw, 50 lks. wide, course N.E.

SUBDIVISION of T. 36 N., R. 12 W.

48

Chains

- 74.00 Road, bears N.E. and S.W.
- 80.00 Set an iron post 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 8, 9, 16, and 17, with brass cap mkd.

| | |
|--------|--------|
| T 36 N | R 12 W |
| S 8 | S 9 |
| S 17 | S 16 |

1932

from which,

A cedar, 18 ins. diam., bears N. 18° E., 129 lks.
dist., mkd. T 36 N R 12 W S 9 B T

A cedar, 4 ins. diam., bears S. 58° E., 18 lks.
dist., mkd. B T

A cedar, 24 ins. diam., bears S. 73° W., 128 lks.
dist., mkd. T 36 N R 12 W S 17 B T

A cedar, 24 ins. diam., bears N. 59° W., 72 lks.
dist. mkd. T 36 N R 12 W S 8 B T

Land, rolling and mountainous. 80
Soil, rocky 4th. rate.
Timber, pinon and cedar.
Undergrowth, sagebrush and cacti.

East, on a random line, bet. secs. 9 and 16.

- 40.00 Set temp. $\frac{1}{4}$ sec. cor.

- 80.12 Intersect the cor. of secs. 9, 10, 15, and 16.

Thence,

West, on true line, bet. secs. 9 and 16.

Over mountainous land, through scattering timber and undergrowth.

Desc. 139 ft. over S.W. slope.

- 21.00 Road, bears N. and S.

- 21.50 Shallow draw, $1\frac{1}{2}$ chs. wide, course N. Asc. 86 ft. over gradual E. slope.

- 40.06 Set an iron post 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

| | |
|---------------|-----|
| $\frac{1}{4}$ | S 9 |
| S 16 | |

1932

from which,

A cedar, 18 ins. diam., bears N. 55° W., 151 lks.
dist., mkd. $\frac{1}{4}$ S 9 B T

A cedar, 8 ins. diam., bears S. 44° E., 85 lks.
dist., mkd. $\frac{1}{4}$ S 16 B T

Asc. gradual E. slope.

.SUBDIVISION of T. 36 N., R. 12 W.

Chains


- 40.50 Spur, bears N. Desc. gradual N.W. slope.
- 58.50 Line of fence posts, bears N. and S.
- 70.50 Road, bears N.E. and S.W.
- 80.12 The cor. of secs. 8, 9, 16, and 17.

Land, rolling and mountainous.
 Soil, rocky 4th. rate.
 Timber, cedar and pinon.
 Undergrowth, sagebrush and cacti.

N.0° 03' W., on true line, bet. secs. 8 and 9.

Over mountainous land, through scattering timber and undergrowth. Asc. 90 ft. over S.E. slope.

- 11.50 Spur, bears N.E. Desc. 46 ft, over N.W. slope.
- 14.00 Asc. gradual S.E. slope.
- 15.00 Spur, bears N.E. Desc. gradual N.W. slope.
- 40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for the $\frac{1}{4}$ sec. cor., with brass cap mkd.




from which,

A cedar, 14 ins. diam., bears N. 42° W., 15 lks. dist., mkd. $\frac{1}{4}$ S 8 B T

A cedar, 8 ins. diam., bears S. 77° E., 47 lks. dist., mkd. $\frac{1}{4}$ S 9 B T

Asc. gradual S.W. slope.

- 45.00 Desc. gradual N.W. slope.
- 61.00 Shallow draw, 30 lks. wide, course N.E. Asc. gradual S.E. slope.
- 69.00 Wash, 30 lks. wide, course S.E. Asc. 37 ft. over S.E. slope.
- 80.00 Set an iron post 3 ft. long, 2 ins. diam., 24 ins. in the ground for cor. of secs. 4, 5, 8, and 9, with brass cap mkd.



1932

from which,

A cedar, 10 ins. diam., bears N. 57° E., 79 lks. dist., mkd. T 36 N R 12 W S 4 B T

·SUBDIVISION of T. 36 N., R. 12 W.

50

Chains

A cedar, 8 ins. diam., bears S. 75° E., 63 lks. dist., mkd. T 36 N R 12 W S 9 B T

A cedar, 30 ins. diam., bears S. 63° W., 102 lks. dist., mkd. T 36 N R 12 W S 8 B T

A cedar, 24 ins. diam., bears N. 56° W., 83 lks.. dist., mkd. T 36 N R 12 W S 5 B T

Land, mountainous.
Soil, rocky 4th. rate.
Timber, cedar and pinon.
Undergrowth, sagebrush and cacti.

East, on a random line, bet. secs. 4 and 9.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.00 Intersect N. and S. line at 12 lks. S. of the cor. of secs. 3, 4, 9, and 10.

Thence,

S. 89° 55' W., on true line, bet. secs. 4 and 9.

Over mountainous land, through scattering timber and undergrowth.

Desc. 68 ft. over W. slope.

10.00 Foot of desc., road, bears N. and S.

10.20 Wire fence, bears N. and S. Reservoir bears S. 15° W. about $\frac{3}{4}$ mile distant. House west of reservoir about 5 chs. distant.

12.20 Wash, 30 lks. wide, course N. Asc. 111 ft. over S.E. slope.

29.00 Spur, bears N. Desc. 20 ft. over N.W. slope.

40.00 Set an iron post 3 ft. long, 1 in. diam., 18 ins. in the ground for bedrock, in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ $\frac{S 4}{S 9}$

1932

from which,

A cedar, 8 ins. diam., bears N. 14° W., 110 lks. dist., mkd. $\frac{1}{4}$ S 4 B T

A cedar, 10 ins. diam., bears S. 67° E., 211 lks. dist., mkd. $\frac{1}{4}$ S 9 B T

Desc. 29 ft. over N.W. slope.

52.40 Road, bears N.W. and S.E.

53.60 Shallow draw, $1\frac{1}{2}$ chs. wide, course N.W.

54.40 Wire fence, bears N. 9° E. and S. 9° W.

Chains

Asc. 29 ft. over S.E. slope.

80.00 The cor. of secs. 4, 5, 8, and 9.

Land, mountainous.
Soil, rocky 4th. rate on slopes, in draws, black loam,
2nd. and 3rd. rate.
Timber, pinon and cedar.
Undergrowth, sagebrush and cacti.

N.0° 03' W., on true line, bet. secs. 4 and 5.

Over mountainous land, through scattering timber and undergrowth.

Desc. gradual N. slope.

1.00 Shallow draw, course N.E. Desc. gradual N.E. slope.

6.80 Shallow draw, 30 lks. wide, course N.E.


18.30 Road, bears N.W. and S.E.

19.90 Shallow draw, 50 lks. wide, course N.E. Asc. 108 ft. over S.E. slope.

30.00 Spur, bears E. Desc. gradual N.E. slope.

33.00 Shallow draw, 20 lks. wide, course S.E. Asc. gradual S.W. slope.

40.00 Set an iron post 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, with stone 3x3x2 ins. mkd. with cross X deposited at base for 1/4 sec. cor., with brass cap mkd.



1932

No suitable bearing trees available.

Asc. gradual S.W. slope.

45.00 Spur, bears N.E. Desc. gradual N.W. slope.

54.10 Shallow draw, 50 lks. wide, course N.E. Asc. 97 ft. over S. slope.

65.00 Spur, bears E. Desc. 34 ft. over N.W. slope.

72.20 Wash, 10 lks. wide, course N.E. Asc. gradual S.E. slope.


75.00 Spur, bears E. Desc. 58 ft. over N.W. slope.

84.25 Intersect the 9th. Stan. Par. N., at 17.25 chs. West of the standard 1/4 sec. cor. of sec. 33, which is an iron post 1 in. diam., firmly set and projecting 17 ins. above ground and mound of stone, with brass cap properly mkd.

At point for cor.

Set an iron post 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, in a mound of stone to top, for closing cor. of secs. 4 and 5, with brass cap mkd.

Chains



from which,

A cedar, 8 ins. diam., bears S. $64\frac{1}{2}^\circ$ E., 100 lks. dist., mkd. C C T 36 N R 12 W S 4 B T

A cedar, 24 ins. diam., bears S. 37° W., 102 lks. dist., mkd. C C T 36 N R 12 W S 5 B T

Land, mountainous.
Soil, rocky 4th. rate.
Timber, pinon and cedar.
Undergrowth, sagebrush and cacti.

N. $0^\circ 03'$ W., on true line., bet. secs. 31 and 32.


Over mountainous land, through scattering timber and undergrowth. Asc. 86 ft. along S.E. slope.

13.00 Spur, bears S. 20° W. Desc. 12 ft. over N.E. slope.

18.00 Shallow draw, 1 ch. wide, course E. Asc. 52 ft. over S.E. slope.

26.00 Divide, bears E. and W. Desc. gradual N.W. slope.

40.00 Set an iron post 3 ft. long, 1 in. diam., 17 ins. in the ground to bedrock, in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.



from which,

A cedar, 18 ins. diam., bears N. 31° W., 78 lks. dist., mkd. $\frac{1}{4}$ S 31 B T

A pinon, 14 ins. diam., bears S. $79\frac{1}{2}^\circ$ E., 94 lks. dist., mkd. $\frac{1}{4}$ S 32 B T

Asc. gradually along E. slope of divide.

50.00 Draw, 20 lks. wide, course N.E.

57.90 Draw, 10 lks. wide, course N.E.

66.00 Road, bears N.W. and S.E. Desc. 23 ft. over N. slope.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 14 ins. in the ground to bedrock, in a mound of stone to top, for cor. of secs. 29, 30, 31, and 32, with brass cap mkd.

Chains

| | |
|--------|--------|
| T 36 N | R 12 W |
| S 30 | S 29 |
| S 31 | S 32 |

1932

from which,

A cedar, 26 ins. diam., bears N. 59½° E., 303 lks. dist., mkd. T 36 N R 12 W S 29 B T

A cedar, 26 ins. diam., bears S. 33½° E., 66 lks. dist., mkd. T 36 N R 12 W S 32 B T

A cedar, 8 ins. diam., bears S. 24½° W., 80 lks. dist., mkd. T 36 N R 12 W S 31 B T

A cedar, 16 ins. diam., bears N. 17½° W., 223 lks. dist., mkd. T 36 N R 12 W S 30 B T

Land, mountainous.
Soil, rocky 4th. rate.
Timber, cedar and pinon.
Undergrowth, sagebrush and cacti.

N. 89° 55' E., on a random line, bet. secs. 29 and 32.

40.00 Set temp. ¼ sec. cor.

80.06 Intersect the cor. of secs. 28, 29, 32, and 33.

Thence,

S. 89° 55' W., on true line, bet. secs. 29 and 32.

Over mountainous land, through scattering timber and undergrowth. Asc. gradually up wide, shallow draw, drains Easterly.

10.00 Road is to south at this point about 10 lks., bears E, and W.

28.60 Same road, bears N.W. and S.E.

34.30 Wash, 10 lks. wide, course N.E. Asc. gradually over E. slope.

35.95 Same road, bears N.E. and S.W., in draw, 50 lks. wide, course N.E.

40.03 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground, for ¼ sec. cor., with brass cap mkd.

| |
|--------|
| ¼ S 29 |
| S 32 |

1932

from which,

A cedar, 15 ins. diam., bears N. 55° W., 193 lks. dist., mkd. ¼ S 29 B T

A cedar, 18 ins. diam., bears S. 47° E., 133 lks. dist., mkd. ¼ S 32 B T

SUBDIVISION of T. 36 N., R. 12 W.

54

Chains

Asc. 52 ft. over E. slope.

58.00 Ridge, bears N.E. and S.W. Desc. gradual N.W. slope.

80.06 The cor. of secs. 29, 30, 31, and 32.

Land, mountainous.

Soil; rocky 4th. rate on slopes; in draws, soil is black loam, 2nd. and 3rd. rate.

Timber, cedar and pinon.

Undergrowth, sagebrush and cacti.

S. 89° 55' W., on random line, bet. secs. 30 and 31.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

78.30 Intersect W. bdy. of Tp., at 2 lks. N. of the cor. of secs. 25, 30, 31, and 36; which is an iron post 2 ins. diam., firmly set, projecting 14 ins. above ground, with brass cap properly marked and witnessed by mound of stone W. of cor.

Thence,

N. 89° 54' E., on true line, bet. secs. 30 and 31.

Over mountainous land, through scattering timber and undergrowth.

Asc. 27 ft. over S.W. slope.

2.00 Spur, bears S.E. Desc. 263 ft. over N.E. slope.

17.80 Wash, 50 lks. wide, course S.E. Asc. 20 ft. over S.W. slope.

22.00 Toe of spur, bears S. Desc. 27 ft. over S.E. slope.

23.00 Wash; 50 lks. wide, course S.W. Asc. 249 ft. over steep N.W. slope.

37.50 Spur, bears S. Desc. 10 ft. over S.E. slope.

38.30 Set an iron post 3 ft. long, 1 in. diam., 14 ins. in the ground to bedrock, with stone 3x3x2 ins. mkd. with cross (X) deposited at base, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\frac{1}{4} \text{ S } 30$$

$$\text{S } 31$$

1932

from which,

A cedar, 10 ins. diam., bears N. 34° E., 150 lks. dist., mkd. $\frac{1}{4}$ S 30 B T

No other suitable bearing tree available.

Desc. 40 ft. over S.E. slope.

42.20 Road, bears N.E. and S.W.

49.80 Gulch, near head, 20 lks. wide, course S. Asc. gradual W. slope.

52.30 Road, bears

Chains

58.60 Divide, bears N.W. and S.E. Road at this point bears N.W. and S.E.

Desc. gradual E. slope.

64.90 Wash, 50 lks. wide, course N.E. Asc. gradually along N.W. slope.

78.30 The cor. of secs. 29, 30, 31, and 32.

Land, mountainous.
Soil, rocky 4th. rate.
Timber, cedar and pinon.
Undergrowth, sagebrush and cacti.


N.0° 03' W., on true line, bet. secs. 29 and 30.

Over mountainous land, through scattering timber and undergrowth.

Desc. gradual N.E. slope.

19.80 Road, bears N.E. and S.W., in center of level draw, drains N.E. Asc. gradual S.E. slope.

40.00 Set an iron post 3 ft. long, 1 in. diam., 24 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.



from which,

A cedar, 18 ins. diam., bears S. 7° E., 211 lks. dist., mkd. 1/4 S 29 B T

A cedar, 18 ins. diam., bears S. 12° W., 260 lks. dist., mkd. 1/4 S 30 B T

Desc. gradual N. slope.

42.85 Shallow draw, 30 lks. wide, course S.E. Asc. 60 ft. over S. slope.

50.00 Desc. gradual N.E. slope.

55.00 Head of draw, course S.E. Asc. 20 ft. over S. slope.

56.50 Spur, bears S.E. Desc. gradual N.E. slope.

63.30 Shallow draw, course E. Thence over rolling E. slope.

71.40 Shallow draw, 30 lks. wide, course E. Asc. 9 ft. over S.E. slope.

72.00 Spur, bears S. Desc. 28 ft. over N.E. slope.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 22 ins. in the ground to bedrock, in a mound of stone to top, for cor. of secs. 19, 20, 29, and 30, with brass cap mkd.

SUBDIVISION of T. 36 N., R. 12 W.

56

Chains

| | |
|--------|---------|
| T 36 N | R 12 W. |
| S 19 | S 20 |
| S 30 | S 29 |

1932

from which,

A cedar, 10 ins. diam., bears N. 42° E., 81 lks. dist.,
mkd. T 36 N R 12 W S 20 B T

A cedar, 8 ins. diam., bears S. 78½° E., 69 lks. dist.,
mkd. T 36 N R 12 W S 29 B T

A cedar, 14 ins. diam., bears S. 66½° W., 18 lks. dist.,
mkd. T 36 N R 12 W S 30 B T

A cedar, 8 ins. diam., bears N. 47° W., 31 lks. dist.,
mkd. T 36 N R 12 W S 19 B T

Land, mountainous.
Soil, rocky 4th. rate.
Timber, cedar and pinon.
Undergrowth, sagebrush, buckbrush and cacti.

N. 89° 55' E., on a random line, bet. secs. 20 and 29.

40.00 Set temp. ¼ sec. cor.

80.02 Intersect N. and S. line at 12 lks. S. of the cor. of
secs. 20, 21, 28, and 29.

Thence,

S. 89° 50' W., on true line, bet. secs. 20 and 29.

Over mountainous land, through scattering timber and
undergrowth.

Across draw bottom, drains N.

2.00 Wash, 20 lks. wide, 5 ft. deep, course N.

4.00 Road, bears N. and S. Asc. gradual N.E. slope.

12.00 Toe of spur, bears N.E. Desc. gradual N.W. slope.

15.75 Wash, 15 lks. wide, course N.E. Over rolling land.

29.60 Wash, 10 lks. wide, course N.E.

30.60 Wash, 20 lks. wide, course N.E.

40.01 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the
ground for the ¼ sec. cor., with brass cap mkd.

| |
|--------|
| ¼ S 20 |
| S 29 |

1932

from which,

A cedar, 8 ins. diam., bears N. 42° W., 29 lks. dist.,
mkd. ¼ S 20 B T

Chains

A cedar, 12 ins. diam., bears S. 60° W., 46 lks. dist.,
 mkd. $\frac{1}{4}$ S 29 B T

Asc. 57 ft. over S.E. slope.

50.00 Desc. gradual N.W. slope.

55.00 Wash, 30 lks. wide, course N.E. Asc. 37 ft. over E. slope.

65.00 Spur, bears N. and S. Desc. 32 ft. over S.W. slope.

71.30 Wash, 20 lks. wide, course N.E. Asc. gradual E. slope.

80.02 The cor. of secs. 19, 20, 29, and 30.

Land, mountainous.
 Soil, rocky 4th. rate.
 Timber, cedar and pinon.
 Undergrowth, sage, cliff, and buck brush, cacti.

S. 89° 54' W., on a random line, bet. secs. 19 and 30.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

77.97 Intersect. W. bdy. of Tp. at 14 lks. S. of the cor. of
 secs. 19, 24, 25, and 30, which is an iron post 2 ins.
 diam., firmly set and projecting 14 ins. above ground
 and mound of stone, with brass cap properly mkd. and
 witnessed by bearing trees N.E., N.W., S.E. and S.W.
 of cor.

Thence,
 East, on true line, bet. secs. 19 and 30.
 Over mountainous land, through scattering timber and under-
 growth.

Desc. gradual N.E. slope.

9.00 Wash, 50 lks. wide, course N. Asc. gradual N.W. slope.

14.50 Wash, 20 lks. wide, course N.W.

25.80 Shallow draw, 40 lks. wide, course N.W. Asc. 29 ft. over
 S.W. slope.

28.00 Spur, bears N.W. Desc. gradual E. slope.

37.97 Set an iron post 3 ft. long, 1 in. diam., 12 ins. in the
 ground to bedrock, in a mound of stone to top, for
 $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 19.
 S 30

1932

from which,

A cedar, 14 ins. diam., bears N. 54° E., 75 lks. dist.,
 mkd. $\frac{1}{4}$ S 19 B T

A cedar, 20 ins. diam., bears S. 59° W., 46 lks. dist.,
 mkd. $\frac{1}{4}$ S 30 B T

SUBDIVISION of T. 36 N., R. 12 W.

58

Chains

- Desc. gradual E. slope.
- 43.00 Shallow draw, 50 lks. wide, course S. Asc. 80 ft. over W. slope.
- 55.30 Spur, bears N.E. Thence along rolling S. slope.
- 63.00 Spur, bears S. Desc. 75 ft. over gradual S.E. slope.
- 72.00 Shallow draw, 50 lks. wide, course N.E. Asc. 18 ft. over N.W. slope.
- 77.97 The cor. of secs. 19, 20, 29, and 30.
- Land, mountainous.
Soil, rocky 4th. rate.
Timber, cedar and pinon.
Undergrowth, sage, buck and cliff brush, cacti.
-
- N. $0^{\circ} 03'$ W., on true line, bet. secs. 19 and 20.
- Over mountainous land, through scattering timber and undergrowth.
- Desc. 46 ft. over N.E. slope.
- 6.00 Shallow draw, 50 lks. wide, course N.E. Asc. 48 ft. over S.E. slope.
- 13.00 Spur, bears E. Desc. 40 ft. over N.W. slope.
- 19.00 Shallow draw, 30 lks. wide, course N.E. Asc. 29 ft. over S.E. slope.
- 27.50 Spur, bears S.E. Desc. 93 ft. over N.W. slope.
- 40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., with brass cap mkd.
- $\frac{1}{4}$
- S 19 S 20
- 1932
- from which,
- A cedar, 8 ins. diam., bears S. 46° W., 30 lks. dist. mkd. $\frac{1}{4}$ S 19 B T
- A cedar, 12 ins. diam., bears S. 57° E., 50 lks. dist., mkd. $\frac{1}{4}$ S 20 B T
- Asc. 88 ft. over rolling S.E. slope.
- 42.60 Shallow draw, 1 ch. wide, course N.E.
- 58.60 Shallow draw, 20 lks. wide, course S.E.
- 80.00 Set an iron post 3 ft. long, 2 ins. diam., 15 ins. in the ground to bedrock, in a mound of stone to top, for cor. of secs. 17, 18, 19, and 20, with brass cap mkd.

Chains

| | |
|--------|--------|
| T 36 N | R 12 W |
| S 18 | S 17 |
| S 19 | S 20 |

1932

from which,

A cedar, 14 ins. diam., bears N. 37½° W., 248 lks. dist., mkd. T 36 N R 12 W S 18 B T

A cedar, 8 ins. diam., bears N. 38½° E., 190 lks. dist., mkd. T 36 N R 12 W S 17 B T

A cedar, 20 ins. diam., bears S. 53° E., 95 lks. dist., mkd. T 36 N R 12 W S 20 B T

A cedar, 20 ins. in diam., bears S. 50° W., 110 lks. dist., mkd. T 36 N R 12 W S 19 B T

Land, mountainous.
Soil, rocky 4th. rate.
Timber, pinon and cedar.
Undergrowth, sage, buck and cliff brush, cacti.

N. 89° 50' E., on a random line, bet. secs. 17 and 20.

40.00 Set temp. ¼ sec. cor.

80.00 Intersect N. and S. line at 23 lks. N. of the cor. of secs. 16, 17, 20; and 21.

Thence,

West, on true line, bet. secs. 17 and 20.

Over mountainous land, through scattering timber and undergrowth.

Asc. 80 ft. over gradual E. slope.

8.40 Wire fence, bears N.E. and S.W.

15.00 Spur, bears N. Desc. 61 ft. over S.W. slope.

32.00 Wash, 50 lks. wide, course N.W. Asc. gradual S.E. slope.

40.00 Set an iron post 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, in a mound of stone to top, for ¼ sec. cor., with brass cap mkd.

| |
|--------|
| ¼ S 17 |
| S 20 |

1932

from which,

A cedar, 8 ins. diam., bears N. 14° E., 35 lks. dist., mkd. ¼ S 17 B T

A cedar, 18 ins. diam., bears S. 41° W., 46 lks. dist., mkd. ¼ S 20 B T

Desc. gradual N.W. slope.

45.00 Shallow draw, 50 lks. wide, course N.E. Asc. 29 ft. over E. slope.

Chains

- 60.00 Asc. 56 ft. over E. slope.
- 69.00 Spur, bears N. Desc. 18 ft. over N.W. slope.
- 74.50 Wash, 30 lks. wide, course N. Asc. gradual N.E. slope.
- 78.50 Spur, bears N. Desc. 13 ft. over S.W. slope.
- 80.00 The cor. of secs. 17, 18, 19, and 20.
- Land, mountainous.
Soil, rocky 4th. rate.
Timber, cedar and pinon.
Undergrowth, sage, buck, cliff brush and cacti.
-
- West, on a random line, bet. secs. 18 and 19.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 77.90 Intersect the West bdy. of Tp. at the cor. of secs. 13, 18, 19, and 24, which is an iron post 2 ins. diam., firmly set, projecting 20 ins. above ground and mound of stone, with brass cap mkd. properly and witnessed by four bearing trees, one each N.W., N.E., S.E. and S.W. of cor.
- Thence,
- East, on true line bet. secs. 18 and 19.
- Over mountainous land, through scattering timber and undergrowth.
- Desc. slight N.E. slope.
- .30 Wash, 30 lks. wide, course S.E. Asc. gradual S.W. slope.
- 4.90 Spur, bears S. Desc. 17 ft. over gradual E. slope.
- 15.40 Wash, 30 lks. wide, course S.E.
- 17.00 Wash, 1 ch. wide, course S.E. Asc. 17 ft. over S.W. slope.
- 27.90 Spur, bears S. Desc. gradual S.E. slope.
- 35.20 Old road, bears N.E. and S.W.
- 36.20 Shallow draw, 20 lks. wide, course N.E.
- Asc. 52 ft. over N.W. slope.
- 37.90 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
- $\frac{1}{4}$ S 18
S. 19
- 1932 from which,
- A cedar, 8 ins. diam., bears N. 85° E., 277 lks. dist.,
mkd. $\frac{1}{4}$ S 18 B T
- A cedar, 8 ins. diam., bears S. $52\frac{1}{2}^{\circ}$ E., 275 lks. dist.,
mkd. $\frac{1}{4}$ S 19 B T

Chains

Desc. gradually over S.W. slope.

44.50 Wash, 50 lks. wide, course N.E. Asc. gradual N.W. slope.

60.60 Wash, 30 lks. wide, course N. Desc. gradual N.E. slope.

68.50 Wash, 20 lks. wide, course N. Asc. gradual S.W. slope.

77.90 The cor. of secs. 17, 18, 19, and 20.

Land, mountainous.

Soil, rocky 4th. rate.

Timber, pinon and cedar.

Undergrowth, sage, buck and cliff brush, cacti.

N. 0° 03' W., on true line, bet. secs. 17 and 18.

Over mountainous land, through scattering timber and undergrowth.


Desc. 58 ft. over N.W. slope.

26.90 Wash, 50 lks. wide, 5 ft. deep, course N.E. Across level bottom land.

28.00 Road, bears N.E. and S.W. Asc. 29 ft. over S.E. slope.

37.00 Spur, bears E. Desc. 21 ft. over N.W. slope.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.



1932

from which,

A cedar, 8 ins. diam., bears N. 55° E., 50 lks. dist., mkd. $\frac{1}{4}$ S 17 B T

A cedar, 14 ins. diam., bears N. 80° W., 63 lks. dist., mkd. $\frac{1}{4}$ S 18 B T


Desc. gradual N.E. slope.

48.70 Wash, 30 lks. wide, course S.E. Asc. 103 ft. over S.W. slope.

62.00 Spur, bears E. Desc. 61 ft. over N.E. slope.

76.80 Wash, 1 ch. wide, course N.E. Across level bottom land.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 7, 8, 17, and 18, with brass cap mkd.



1932

from which,

.SUBDIVISION of T. 36 N., R. 12 W.

62

Chains

A cedar, 8 ins. diam., bears N. 27° W., 105 lks. dist.,
mkd. T 36 N R 12 W S 7 B T

A cedar, 24 ins. diam., bears N. 25° E., 275 lks. dist.,
mkd. T 36 N R 12 W S 8 B T

A cedar, 14 ins. diam., bears S. 52½° E., 435 lks. dist.,
mkd. T 36 N R 12 W S 17 B T

A cedar, 8 ins. diam., bears S. 68° W., 4 lks. dist.,
mkd. T 36 N R 12 W S 18 B T

Land, mountainous.

Soil, rocky 4th. rate.

Timber, cedar and pinon.

Undergrowth, sage, buck, cliffbrush and cacti.

East, on a random line, bet. secs. 8 and 17.

40.00 Set temp. ¼ sec. cor.

80.02 Intersect the cor. of secs. 8, 9, 16, and 17.

Thence,

West, on true line, bet. secs. 8 and 17.

Over mountainous land, through scattering timber and
undergrowth.

Asc. 103 ft. over gradual S.E. slope.

30.00 Spur, bears N.E. Desc. 15 ft. over N.W. slope.

40.01 Set an iron post 3 ft. long, 1 in. diam., 14 ins. in the
ground to bedrock, in a mound of stone to top, for
¼ sec. cor., with brass cap mkd.

$$\frac{1}{4} \frac{S 8}{S 17}$$

1932

from which,

A cedar, 24 ins. diam., bears N. 61° E., 36 lks.
dist., mkd. ¼ S 8 B T

A cedar, 8 ins. diam., bears S. 37° E., 47 lks.
dist., mkd. ¼ S 17 B T

Desc., gradual N.W. slope.

41.00 Shallow draw, 50 lks. wide, course N. Asc. slight N.E.
slope.

45.00 Spur, bears N. Desc. gradual N.W. slope.

52.90 Wash, 50 lks. wide, course N.E. Asc. 14 ft. over gradual
S.E. slope.

60.00 Desc. slight S.W. slope.

77.30 Shallow draw, 1½ chs. wide, course N.E.

Chains

80.02 The cor. of secs. 7, 8, 17, and 18.
 Land, mountainous.
 Soil, rocky 4th. rate.
 Timber, pinon and cedar.
 Undergrowth, sage, buck and cliff brush, cacti.

West, on a random line, bet. secs. 7 and 18.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

77.81 Intersect the W. bdy. of Tp. at the cor. of secs. 7, 12, 13, and 18, which is an iron post 2 ins. diam., firmly set and projecting 14 ins. above ground and mound of stone, with brass cap properly mkd. and witnessed by four bearing trees, one each N.W., N.E., S.E., and S.W. of cor.

Thence,

East, on true line, bet. secs. 7 and 18.

Over mountainous land, through scattering timber and undergrowth.

Asc. 74 ft. over N.W. slope.

2.00 Spur, bears N. Desc. 46 ft. over N.E. slope.


9.70 Wash, 20 lks. wide, course N.E. Asc. 32 ft. over N.W. slope.

10.80 Divide, bears N. and S. Desc. 17 ft. over S.E. slope.

18.80 Wash, 30 lks. wide, course N. Asc. gradual N.W. slope.

19.80 Spur, bears N. Desc. 40 ft. over S.E. slope.

37.81 Set an iron post 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.



1932

No bearing trees available.

Desc. 29 ft. over S.E. slope.

45.00 Shallow draw, 50 lks. wide, course N.E. Asc. 75 ft. over N.W. slope.

57.80 Spur, bears N.E. Desc. 144 ft. over E. slope.

77.81 The cor. of secs. 7, 8, 17, and 18.

Land, mountainous.
 Soil, rocky 4th. rate.
 Timber, cedar and pinon.
 Undergrowth, sage, cliff and buck brush, cacti.

N.0° 03' W., on true line, bet. secs. 7 and 8.

Over mountainous land, through scattering timber and

SUBDIVISION of T. 36 N., R. 12 W.

64

Chains

Over mountainous land, through scattering timber and undergrowth.

Asc. 34 ft. over S. slope, to spur.

4.60 Wash, 20 lks. wide, 4 ft. deep, course S.E.

10.00 Spur, bears N.E. Desc. 40-ft. over N.W. slope.

26.65 Wash, 20 lks. wide, course N.E. Desc. gradual N. slope.

38.20 Shallow wash, 1 ch. wide, course N.E. Asc. gradual S.E. slope.

40.00 Set an iron post 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., with brass cap mkd.

| | |
|-----|-----|
| S 7 | S 8 |
|-----|-----|

1932

from which,

A cedar, 18 ins. diam., bears N. 38° E., 144 lks. dist., mkd. $\frac{1}{4}$ S 8 B T

A cedar, 10 ins. diam., bears S. $84\frac{1}{2}^\circ$ W., 54 lks. dist., mkd. $\frac{1}{4}$ S 7 B T

Asc. gradual S.E. slope.

42.80 Wash, 20 lks. wide, course E. Asc. gradual S. slope.

55.00 Spur, bears E. Desc. gradual N.E. slope.

62.60 Wash, 10 lks. wide, course N.E. Over rolling E. slope.

72.70 Road, bears E. and W.

73.40 Wash, 1 ch. wide, course E. Asc. 14 ft. over S. slope.

80.00 Set an iron post 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, in a mound of stone to top for cor. of secs. 5, 6, 7, and 8, with brass cap mkd.

T 36 N R 12 W

| | |
|-----|-----|
| S 6 | S 5 |
| S 7 | S 8 |

1932

from which,

A cedar, 18 ins. diam., bears N. 34° W., 170 lks. dist., mkd. T 36 N R 12 W S 6 B T

A cedar, 8 ins. diam., bears N. 51° E., 74 lks. dist., mkd. T 36 N R 12 W S 5 B T

A cedar, 12 ins. diam., bears S. 16° E., 100 lks. dist., mkd. T 36 N R 12 W S 8 B T

A cedar, 10 ins. diam., bears S. 13° W., 117 lks. dist., mkd. T 36 N R 12 W S 7 B T

SUBDIVISION OF T.36 N.,R.12 N.

BOOK 3987

Chains Land, mountainous.
Soil, rocky, 4th. rate.
Timber, pinyon and cedar.
Undergrowth, sagebrush, cliff and buck brush and cacti.

East, on a random line bet. secs. 5 and 8.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.06 Intersect N. and S. line 32 lks. S. of the cor. of secs. 4, 5, 8, and 9.

Thence

S.89°46'W., on a true line bet. secs. 5 and 8.

Over mountainous land, through scattering timber and undergrowth.

Asc. 74 ft. over E. slope.

7.50 Spur, slopes S. Desc. over gradual SW. slope.

10.00 Head of draw, course S. Asc. gradual SW. slope.

15.00 Spur, bears S. Desc. gradual SW. slope.

35.00 Shallow draw, 30 lks. wide, course NE. Across rolling N. slope.

40.03 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, with a stone marked X, at base of post, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked

S 5
 $\frac{1}{4}$ ---
S 8
1932

Continue over mountainous land.

44.70 Shallow draw, 30 lks. wide, course NE.

45.60 Road, bears NE. and SW. Asc. 79 ft. over SE. slope.

70.00 Spur, bears S. Desc. gradual SW. slope.

78.00 Wash, 20 lks. wide, course S. Asc. slight SE. slopr.

80.06 The cor. of secs. 5, 6, 7, and 8.

Land, mountainous.
Soil, rocky, 4th. rate.
Timber, pinyon and cedar.
Undergrowth, sagebrush, cliff and buck brush and cacti.

West, on a random line bet. secs. 6 and 7.

40.00 Set temp. $\frac{1}{4}$ sec. cor.


77.84 Intersect the W. bdy. of Tp., at the cor. of secs. 1, 6, 7, and 12, which is an iron post, 2 ins. diam., firmly set and projecting 20 ins. above ground and mound of stone, with brass cap properly marked, and witnessed by four bearing trees, one each NE., SE., SW., and NW. of cor.

Thence

SUBDIVISION OF T.36 N., R.12 E.

| | |
|--------|---|
| Chains | East, on a true line bet. secs. 6 and 7. |
| | Over mountainous land, through scattering timber and undergrowth. |
| | Desc. gradual SE. slope. |
| 12.85 | Shallow draw, 1 ch. wide, course N. Asc. 79 ft. over SW. slope. |
| 22.85 | Spur, bears N. Desc. 23 ft. over NE. slope. |
| 26.85 | Wash, 10 lks. wide, near head, course NE. Asc. gradual NW. slope. |
| 32.85 | Spur, bears N. Desc. 46 ft. over NE. slope. |
| 37.84 | Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked |
| | S 6 $\frac{1}{4}$ --- S 7 |
| | 1932 |
| | from which |
| | A cedar, 26 ins. diam., bears North, 113 lks. dist. marked $\frac{1}{4}$ S 6 B T |
| | A cedar, 8 ins. diam., bears S. 27° E., 29 lks. dist. marked $\frac{1}{4}$ S 7 B T |
| | Desc. 29 ft. over gradual SE. slope. |
| 57.36 | Wash, 1 ch. wide, course SE. Asc. 29 ft. over gradual SW. slope. |
| 57.85 | Road, bears NW. and SE. |
| 77.84 | The cor. of secs. 5, 6, 7, and 8. |
| | Land, mountainous, Soil, rocky, 4th. rate. Timber, pinyon, and cedar. Undergrowth, sage, cliff and buck brush and cacti. |
| ----- | |
| | N. 0° 03' W., on a true line bet. secs. 5 and 6. |
| | Over mountainous land, through scattering timber and undergrowth. |
| | Asc. 21 ft. over S. slope. |
| 8.00 | Spur, bears E. Desc. 12 ft. over NE. slope. |
| 14.40 | Wash, 25 lks. wide, course E. Asc. gradual SE. slope. |
| 16.00 | Spur, bears SE. Desc. 29 ft. over NE. slope. |
| 21.50 | Wash, 20 lks. wide, course E. Asc. 23 ft. over SW. slope. |
| 25.00 | Desc. 21 ft. over NW. slope. |
| 35.00 | Wash, 20 lks. wide, course NE. Asc. 12 ft. over SE. slope |
| 40.00 | Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor., with brass cap marked |

Chains



from which,

A cedar, 14 ins. diam., bears N. 68° E., 65 lks. dist., mkd. $\frac{1}{4}$ S 5 B T

A cedar, 10 ins. diam., bears S. 51 $\frac{1}{2}$ ° W., 38 lks. dist., mkd. $\frac{1}{4}$ S 6 B T

Desc. 24 ft. over N.W. slope.

54.50 Wash, 1 ch. wide, course N.W. Asc. 58 ft. over S. slope.


72.50 Spur, bears N.W. Desc. 63 ft. over N.E. slope.

76.70 Wash, 20 lks. wide, course N.W. Asc. gradual S.W. slope.

84.62 Intersect 9th. Stan. Par. N., at 17.26 chs. West of the Standard $\frac{1}{4}$ sec. cor. of section 32, which is an iron post 1 in. diam., firmly set and projecting 14 ins. above ground and mound of stone, with brass cap properly mkd. and witnessed by two bearing trees one each N. and S. of cor.

At point for cor.

Set an iron post 3 ft. long, 2 ins. diam., 6 ins. in the ground to bedrock, in a mound of stone to top, for closing cor. of secs. 5 and 6, with brass cap mkd.



from which,

A cedar, 10 ins. diam., bears S. 6° E., 77 lks. dist., mkd. C C T 36 N R 12 W S 5 B T

A cedar, 10 ins. diam., bears S. 34° W., 74 lks. dist., mkd. C C T 36 N R 12 W S 6 B T

Land, mountainous.

Soil, rocky 4th. rate.

Timber, cedar and pinon.

Undergrowth, sage, cliff and buck brush, cacti.

Final Test of Buff No. 16,724.

October, 6, 1932, at same station as described on page 1 hereof, examine the adjustments of the transit and find no errors; then test the workings of the solar apparatus as follows:

A 9h. 00m., a.m., app. t., set off 36° 31' N., 5° 11 $\frac{1}{2}$ ' S. on the lat. arc, on decl. arc, determine a meridian with the solar which agrees with the true meridian.

SUBDIVISION of T: 36 N., R. 12 W.

68

Chains

At 12h. 00m., app. noon, with latitude arc unchanged, observed the sun on the meridian; the resultant reading of the declination arc is $5^{\circ} 15'$ S., which agrees with the computed declination of the sun.

At 3h. 00m., p.m., with lat. arc unchanged, set off $5^{\circ} 15\frac{1}{2}'$ S. on the decl. arc and determine a meridian with the solar which agrees with the true meridian.

As all of the observations, taken during the usual hours of solar work agree within 1 minute of the true meridian, conclude that the adjustments of the instrument have been maintained during the surveys described in the foregoing notes.

GENERAL DESCRIPTION.

The lands embraced within the township are rolling and broken in character, ranging from an elevation above sea level from 800 to 1500 ft., the lower lands being located in the extreme southwestern corner, in Hidden Canyon. The drainage of most of the township is easterly, with narrow western stretches draining westerly into Hidden Canyon.

The soil on the slopes is of a poor 3rd. and 4th. rate quality with an average depth of one foot to bedrock. The soil in the larger draw bottoms is a sandy, black loam of 3rd. rate quality and usually has a depth of several feet to bedrock.

The timber consists of cedar and pinon with a merchantable value as wood and fence posts only.

No evidence of mineral was noted.

A small spring of water was noted in section 31, this being the only living water found. In sec. 31 is located a pumping plant owned by Preston Nutter but not in operation at the time of survey. Constructed reservoirs were found in secs. 20 and 9, in the latter section is a house belonging to the applicant for survey E. Englestead.

No other settlers reside in the township.

The lands are especially adapted to grazing and are being so used.

The roads within the township are in poor shape but are being used for automobile travel, the main road from Wolfhole, Arizona to settlements to the south crossing the township from N. to S.

4-680
(August, 1926)

FIELD ASSISTANTS.

| NAMES. | CAPACITY. |
|-----------------|------------------|
| Howard Osborn | First Chainman |
| J. B. Chumbley | Second Chainman. |
| Elliott Pearson | Flagman. |
| Richard Andrus | Moundsman. |
| L. K. Woods | axman |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

BOOK 8911

CERTIFICATE OF UNITED STATES SURVEYOR

I, Benjamin J. Kinsey, U.S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the District Cadastral Engineer for Arizona bearing date of the 30th day of June, 1931, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed the South boundary and subdivisional lines of Township 36 North, Range 12 West,

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the District Cadastral Engineer for and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Benjamin J. Kinsey
U.S. Surveyor
Phoenix, Ariz. Sept. 11, 1934.

APPROVAL

OFFICE OF U. S. SUPERVISOR OF SURVEYS,
Denver, Colorado, September 10, 1934.

The foregoing field notes of the survey of the South boundary and subdivisional lines of Township 36 North, Range 12 West, of the Gila and Salt River Meridian, in the State of Arizona,

executed by Benjamin J. Kinsey, U.S. Surveyor, under his special instructions dated June 30, 1931, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

[Signature]
U. S. Supervisor of Surveys.

I certify that the foregoing transcript of the field notes of the above-described surveys in has been correctly copied from the original notes on file in this office.

U. S. Supervisor of Surveys.