

FIELD NOTES

of the

survey of the North and East boundaries

and

subdivisional lines of Township 37 North, Range 10 West,

3988

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Benjamin J. Kinsey, U.S. Surveyor

3988

In the capacity of U. S. Surveyor, under Special Instructions dated June 30, 1931, issued by the District Cadastral Engineer to govern surveys included in Group No. 169, Arizona, which were approved by the Commissioner of the General Land Office, Sept. 21, 1931, and Assignment Instructions dated July 27, 1932

Survey commenced October 9, 1932

Survey completed October 28, 1932

BOOK 3988

INDEX DIAGRAM.

Township 37 North, Range 10 West
6 6 7 8 8 9

6 49	49 ⁵ 48	39 ⁴ 38	32 ³ 31	23 ² 23	16 ¹ 15	5
7 47	47 ⁸ 46	38 ⁹ 37	30 ¹⁰ 30	22 ¹¹ 22	15 ¹² 14	4
18 45	45 ¹⁷ 44	36 ¹⁶ 36	29 ¹⁵ 28	21 ¹⁴ 20	13 ¹³ 12	4
19 43	43 ²⁰ 42	35 ²¹ 35	27 ²² 27	20 ²³ 19	12 ²⁴ 11	3
30 41	42 ²⁹ 41	34 ²⁸ 33	26 ²⁷ 25	18 ²⁶ 17	11 ²⁵ 10	2
31 40	40 ³² 39	32 ³¹ 31	24 ³⁰ 23	17 ²⁹ 16	9 ²⁸ 8	2

The survey of T.37 N., R.10 W., was commenced on October 9, 1932, and executed with Buff light mountain solar transit No. 16724, constructed in accordance with the standard specifications of the General Land Office. The horizontal circle has a diameter of $4\frac{1}{2}$ ins., with two double opposite verniers reading to single minutes; the vertical circle has a diameter of 4 ins., with one double vernier reading to single minutes; the telescope has fixed stadia wires, ratio 1:132, with a focal constant of 1.2 lks. The instrument is equipped with the improved Smith solar attachment; radius of latitude arc $2\frac{1}{2}$ ins., and of the declination arc $3\frac{1}{2}$ ins., each with verniers reading to single minutes. The instrument was in good condition and having been placed in satisfactory adjustment prior to beginning the survey, and tested and found free from appreciable error, was approved by the district cadastral engineer on July 27, 1932. I examined all the instrumental adjustments before making the field tests hereinafter described.

The directions of the lines were determined by solar transit method. The measurements were made with a Lallie steel tape, 5 chs. in length, graduated every link for the first 100 lks., and the balance at intervals of 10 lks. The tape was tested by comparison with a Lufkin standard steel tape and found correct. The measurements were made on the slope, and the vertical angle of each interval was ascertained by a clinometer in good adjustment; the horizontal equivalent is entered in the field note record.

The data furnished with the special instructions gives the geographic position for the SE. cor. of the Tp., as follows: latitude $36^{\circ}33'16''$ N., longitude $113^{\circ}19'39''$ W.

Oct. 9, 1932: In camp near the $\frac{1}{4}$ sec. cor. of secs. 22 and 27, T.37 N., R.10 W., G. & S.R.B. & M., I test the meridional indications of the solar attachment as follows:

At 9h 00m a.m., app.t., I set off $36^{\circ}35'$ N. on the lat. arc, $6^{\circ}21\frac{1}{2}'$ S. on the declination arc and determine a meridian with the solar, and mark a point thereon by a nail in a stake, driven firmly in the ground 5 chs. N.

At 12h 00m noon, app.t., with the latitude arc unchanged, I observe the sun on the meridian, the resultant reading of the declination arc is $6^{\circ}24\frac{1}{2}'$ S. which agrees with the computed declination of the sun.

At 3h 00m p.m., app.t., with the latitude arc still unchanged, I set off $6^{\circ}27'$ S. on the declination arc and determine a meridian with the solar which agrees with the a.m. observation.

At 6h 28m p.m., l.m.t., I make an observation on Polaris two sights each with telescope in direct and reversed positions, the star being at eastern elongation, and measure the deflection angle from the meridian established by the solar. The measured deflection angle is $1^{\circ}19'$ to the east which agrees with the azimuth of Polaris.

As all of the solar observations taken during the usual hours of solar work produce meridional lines within 1' of the meridian determined from Polaris, I conclude that the adjustment of the instrument is satisfactory.

For verification of the latitude, reference is made to the preliminary field tests given in the field notes of T.36 N., R.12 W., surveyed under this group.

Chains The standard cor. of Ts.37 N.,Rs. 9 and 10 W. is an iron post, 3 ins. diam., 12 ins. above ground, marked and witnessed as described in the official record.

Thence

North, bet. secs. 31 and 36.

Over mountainous land, asc. slight SE. slope.

5.00 Spur, slopes NE. Desc. 270 ft. over NE. slope.

24.93 Draw, 30 lks. wide, course NE. Asc. SE. slope 17 ft. to

34.00 Spur, slopes E. Desc. NW. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bed rock, with a stone marked cross (+) deposited at base and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 36 \mid \text{S } 31 \\ 1932 \end{array}$$

Thence over nearly level land.

41.00 Draw, 20 lks. wide, course NE. Asc. SE. slope.

46.00 Spur, slopes E. Desc. 80 ft. over NE. slope to

61.40 Wash, 1ch. wide, course NW. Desc. over gradual NW. slope.

68.95 Old road, bears NW. and SE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, with stone marked cross (+) deposited at base for cor. of secs. 25, 30, 31 and 36, with brass cap mkd.

$$\begin{array}{c} \text{T37N} \\ \text{R10W R9W} \\ \text{S } 25 \mid \text{S } 30 \\ \text{S } 36 \mid \text{S } 31 \\ 1932 \end{array}$$

$2\frac{1}{2}$ ft. base, 2 ft. high W. of cor. raise a mound of stone,

A house, bears N.51°10'W.
A small dam, bears N.56 $\frac{1}{2}$ °W.

Land, mountainous and level.
Soil, rocky, 4th. rate.
Timber, none. Undergrowth, greasewood, sage and cacti.

North, bet. secs. 25 and 30.

Desc. gradual N. slope over nearly level land.

39.50 Old road, bears SE. and NW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap marked

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 25 \mid \text{S } 30 \\ 1932 \end{array}$$

- Chains Dig pits, 18 x 18 x 12 ins. on line N. and S. of cor.
3 ft. dist.
- A house, bears S. $72\frac{1}{2}^{\circ}$ W.
Cor. of fence, bears S. $47\frac{1}{4}^{\circ}$ W.
- Continue descent over gentle N. slope.
- 52.20 Old road, bears NE. and SW.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the
ground to bed rock, with a piece of glass deposited at
base, and in a mound of stone to top for cor. of secs.
19, 24, 25 and 30, with brass cap marked
- | | |
|-------|------|
| T37N | |
| R10W | R9W |
| S 24 | S 19 |
| ----- | |
| S 25 | S.30 |
| 1932 | |
- Land, nearly level.
Soil, rocky, 4th. rate.
Undergrowth, greasebush, sage and cacti.
-
- North, bet. secs. 19 and 24.
- Over level land.
- 11.00 Old road, bears SE. and NW. Asc. slight SE. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the
ground to bed rock, with a stone marked cross (+) depos-
ited at base and supported in a mound of stone for $\frac{1}{4}$
sec. cor. with brass cap marked
- | | |
|---------------|------|
| $\frac{1}{4}$ | |
| S 24 | S 19 |
| ----- | |
| 1932 | |
- 51.80 Draw, 30 lks. wide, course W. Enter mountainous land, asc.
50 ft. over SW. slope.
- 59.00 Spur, slopes W. Desc. slight NW. slope.
- 60.40 Draw, 50 lks. wide, course SW. Asc. 27 ft.
- 62.50 Spur, slopes SW. Desc. 20 ft.
- 65.50 Draw, 30 lks. wide, course SW. Asc. 70 ft. over SE. slope.
- 70.00 Spur, slopes SW. Desc. 60 ft. over NW. slope.
- 73.30 Draw, 30 lks. wide, course SW. Asc. 30 ft.
- 79.00 Spur, slopes SW. Desc. slight NW. slope.
- 80.00 Mark a cross (+) on solid bed rock and over same, set an
iron post, 3 ft. long, 2 ins. diam., supported in a
mound of stone for cor. of secs. 13, 18, 19 and 24, with
brass cap marked

T37N	
R10W	R9W
S 13	S 18

S 24	S 19
1932	

Chains	<p>Land, level and mountainous. Soil, rocky, 4th. rate. Undergrowth, sage and cacti.</p> <hr/> <p>North, bet. secs. 13 and 18.</p> <p>Over mountainous land.</p> <p>.50 Small draw, course SW. Asc. slight SW. slope.</p> <p>13.50 Small spur, slopes NW. Desc. slight NE. slope.</p> <p>19.00 Draw, 30 lks. wide, course SW. Asc. 47 ft. over SE. slope.</p> <p>22.80 Head of draw, course SW.</p> <p>24.00 Small spur, slopes W. Desc. 76 ft. over NW. slope.</p> <p>30.00 Over rolling NE. slope.</p> <p>40.00 Set an iron post, 3 ft. long, 1 in. diam., 14 ins. the ground, over a cross (+) marked on bed rock, and supported in a mound of stone to top for $\frac{1}{4}$ sec. cor. with brass cap marked</p> <div style="text-align: center;"> $\frac{1}{4}$ S 13 S 18 1932 </div> <p>Desc. gentle NE. slope.</p> <p>51.00 Draw, 30 lks. wide, course NE. Asc. SE. slope.</p> <p>55.00 Desc. NW. slope.</p> <p>63.00 Draw, course NE. Asc.</p> <p>65.00 Small spur, NE.</p> <p>70.00 Small draw, course NE.</p> <p>73.50 Small spur, slopes W.</p> <p>80.00 Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in the ground to bed rock, with a stone marked cross (+) deposited at base and supported in a mound of stone for cor. of secs. 7, 12, 13 and 18, with brass cap marked</p> <div style="text-align: center;"> T37N R10W R9W S 12 S 7 S 13 S 18 1932 </div> <p>Land, rolling mountainous. Soil, rocky, 4th. rate. Undergrowth, cacti</p> <hr/> <p>North, bet. secs. 7 and 12.</p> <p>Over rolling land.</p> <p>3.00 Draw, 50 lks. wide, course NE. Desc. gradual NE. slope.</p> <p>25.00 Draw, course NW.</p> <p>40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the</p>
--------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

E. bdy. of T.37 N.,R.10 W.

LCC: 8088

Chains	<p>ground for $\frac{1}{4}$ sec. cor. with brass cap marked</p> <p style="text-align: center;">$\frac{1}{4}$</p> <p style="text-align: center;">S 12 S 7</p> <p style="text-align: center;">1932</p> <p>ins. on line N. and S. of cor. $\frac{1}{4}$ sec. cor. dig pits, 18 x 18 x 12 3 ft. dist.</p> <p>Desc. gradual NE. slope.</p> <p>45.00 Shallow draw, course NW.</p> <p>51.10 Road, bears SE. and NW.</p> <p>74.50 Flat draw, course W. Asc. slight SW. slope.</p> <p>80.00 Set an iron post, 3 ft. long, 3 ins. diam., 20 ins. in the ground to bed rock, supported in a mound of stone, for cor. of secs. 1, 6, 7 and 12, with brass cap marked</p> <p style="text-align: center;">T37N R10W R9W S 1 S 6 S 12 S 7 1932</p> <p>Land, rolling. Soil, rocky, 3rd. rate. Undergrowth, none.</p> <hr/> <p>North, bet. secs. 1 and 6.</p> <p>Over rolling land.</p> <p>25.00 Asc. gentle S. slope.</p> <p>34.90 Old road, bears SE. and NW.</p> <p>40.00 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, with a stone marked cross (+) deposited at base and supported in a mound of stone for $\frac{1}{4}$ sec. cor. with brass cap marked</p> <p style="text-align: center;">$\frac{1}{4}$</p> <p style="text-align: center;">S 1 S 6</p> <p style="text-align: center;">1932</p> <p>Asc. gentle SW. slope.</p> <p>55.00 Spur, slopes NW.</p> <p>84.10 A point due east of the cor. of Ts. 37 and 38 N.,Rs.10 and 11 W.</p> <p>Set an iron post, 3 ft. long, 3 ins. diam., 20 ins. in the ground to bed rock, with a stone marked cross (+) deposited at base and in a mound of stone to top, for cor. of Ts.37 and 38 N.,Rs.9 and 10 W., with brass cap marked</p> <p style="text-align: center;">T38N R10W R9W S 36 S 31 S 1 S 6 T37N 1932</p>
--------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Chains

Land, rolling.
Soil, rocky, 3rd. and 4th. rates.
No undergrowth.

N. bdy. of T.37 N.,R.10 W.

From the cor. of Ts.37 and 38 N.,Rs. 10 and 11 W.,

East, on a random line on N. bdy. of T.37 N.,R.10 W., setting temp. 1/4 sec. and sec. cors. at regular intervals after allowing for the convergency in the first half mile and at

479.60 Intersect E. bdy. of Tp. and set cor. as hereinbefore described.

I return to the cor. of Ts. 37 and 38 N.,Rs.10 and 11 W.

Thence

East, on a true line bet. secs. 6 and 31.

Over mountainous land. Asc. NW. slope.

5.00 Spur, slopes NE. Desc. 108 ft. over SE. slope.

10.00 Draw, 50 lks. wide, course N. Asc. 86 ft. over NW. slope.

39.60 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bed rock, with a stone marked cross (+) deposited at base and supported in a mound of stone for 1/4 sec. cor. with brass cap marked

1/4 S 31

S 6
1932

Desc. gentle SE. slope.

46.90 Small draw, course NE.

58.60 Draw, course N.

70.53 Road, bears NE. and SW. Desc. gentle NE. slope.

79.60 Set an iron post, 3 ft. long, 3 ins. diam., 10 ins. in the ground to bed rock, with a stone marked cross (+) deposited at base and supported in a mound of stone for cor. of secs. 5, 6, 31 and 32, with brass cap marked

T38N R10W
S 31 | S 32

S 6 | S 5
T37N
1932

Land, mountainous.
Soil, rocky, 3rd. rate.
Timber, scattering cedar.

East, on a true line bet. secs. 5 and 32.

Over rolling land. Desc. gradual NE. slope.

19.00 Flat draw, course NE. Asc. slight NW. slope.

28.00 Small spur, slopes N.

N. bdy. of T.37 N., R.10 W.

1000 2088

Chains 40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bed rock, deposit a stone marked cross (+) at base and raise a mound of stone around post to top for $\frac{1}{4}$ sec. cor. with brass cap marked</p> <p style="text-align: center;">S 32 $\frac{1}{4}$ ---- S 5 1932</p> <p>Desc. gentle SE. slope.</p>
70.00	Head of draw, course SE. Asc. slight SW. slope.
80.00	<p>Set an iron post, 3 ft. long, 3 ins. diam., 18 ins. in the ground to bed rock, with a stone marked cross (+) deposited at base and in a mound of stone to top for cor. of secs. 4, 5, 32 and 33, with brass cap marked</p> <p style="text-align: center;">T38N R10W S 32 S 33 ----- S 5 S 4 T37N 1932</p> <p>Land, mountainous and rolling. Soil, rocky, 3rd. and 4th. rates. No timber.</p>
	<p>East, on a true line bet. secs. 4 and 33.</p> <p>Over mountainous land. Desc. 50 ft. over SE. slope to</p>
16.10	Draw, 20 lks. wide, course S. Asc. 64 ft. over W. slope.
25.00	Spur, slopes SW.
30.00	Draw, course NE. Asc. gradual NW. slope.
40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 15 ins. in the ground to bed rock, with a stone marked cross (+) deposited at base and in a mound of stone for $\frac{1}{4}$ sec. cor. with brass cap marked</p> <p style="text-align: center;">S 33 $\frac{1}{4}$ ---- S 4 1932</p> <p>Asc. over NW. slope 74 ft. to</p>
50.00	Spur, slopes NE.
65.00	Spur, slopes NE. Desc. 166 ft. over E. slope.
78.40	Draw, 50 lks. wide, course SE.
80.00	<p>Set an iron post, 3 ft. long, 3 ins. diam., 12 ins. in the ground to bed rock, with a stone marked cross (+) deposited at base and in a mound of stone to top for cor. of secs. 3, 4, 33 and 34, with brass cap marked</p> <p style="text-align: center;">T38N R10W S 33 S 34 ----- S 4 S 3 T37N 1932</p> <p>Land, mountainous. Soil, rocky, 3rd. rate. No timber.</p>

N. bdy. of T.37 N., R.10 W.

Chains	East, on a true line bet. secs. 3 and 34. Over mountainous land. Desc. 90 ft. over NE. slope.
9.00	Wash, 50 lks. wide, course NE.
9.90	Road, bears NE. and S. Asc. 180 ft. over W. slope.
20.00	Spur, slopes N. Desc. 100 ft. over steep NE. slope.
26.00	Draw, 50 lks. wide, course NW. Asc. 170 ft. over SW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., on bed rock, with a stone marked cross (+) deposited at base and in a mound of stone, for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$ S 34 ----- S 3 1932
	Asc. gradual NW. slope.
70.00	Desc. 200 ft. over steep NE. slope.
80.00	Set an iron post, 3 ft. long, 3 ins. diam., 12 ins. in the ground to bed rock, with a stone marked cross (+) deposited at base and in a mound of stone for cor. of secs. 2, 3, 34 and 35, with brass cap marked
	T38N R10W S 34 S 35 ----- S 3 S 2 T37N 1932
	Land, mountainous. Soil, rocky, 3rd. rate. No timber.
	East, on a true line bet. secs. 2 and 35. Over rolling land. Desc. 60 ft. over SE. slope.
5.00	Draw, 30 lks. wide, course NE. Asc. 30 ft.
6.50	Spur, slopes N. Desc. 70 ft. over NE. slope.
17.20	Road, bears NE. and SW. Thence over gently rolling land.
28.60	Shallow draw, course N.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bed rock, with a stone marked cross (+) deposited at base and in a mound of stone to top for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$ S 35 ----- S 2 1932
46.70	Old road, bears NE. and SW.
50.72	Road, bears N. and S.
52.42	Fence, bears SE. and NW.
66.00	Wash, 50 lks. wide, course NW.

N. bdy. of T.37 N.,R.10 W.

BOOK 3988

Chains
80.00

Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground for cor. of secs. 1, 2, 35 and 36, with brass cap marked

T38N R10W	
S 35	S 36
S 2	S 1
T37N	
1932	

raise a mound of stone,
3 ft. base, 2 ft. high W. of cor.

Land, rolling.
Soil, rocky, 3rd. rate.
No timber.

East, on a true line bet. secs. 1 and 36.

Over mountainous land.

- 3.60 Fence, bears SE. and NW. Asc. 100 ft. over W. slope.
- 15.00 Spur, slopes N. Desc. over gradual NE. slope.
- 35.00 Draw, course NW.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap marked
- | |
|--------------------|
| S 36 |
| $\frac{1}{4}$ ---- |
| S 1 |
| 1932 |
- raise a mound of stone,
3 ft. base, 2 ft. high N. of cor.
- 46.30 Road, bears SE. and NW. Flat draw, course NW. Asc. 80 ft. over SW. slope.
- 62.30 Small draw, course SW.
- 65.00 Top of ascent. Desc. slightly.
- 80.00 The cor. of Ts.37 and 38 N.,Rs.9 and 10 W.
- Land, mountainous.
Soil, rocky, 3rd. and 4th. rates.
No timber.

Subdivision of T.37 N.,R.10 W.

The standard cor. of secs. 35 and 36, on S. bdy. of Tp. is an iron post, 3 ins. diam., 16 ins. above ground, marked and witnessed as described in the official record

Thence

N.0°01'W., bet. secs. 35 and 36.

Over mountainous land, through scattering timber and thick grass and weeds. Asc. 134 ft. over SW. slope.

- 13.00 Spur, slopes W. Desc. 735 ft. over broken W. and NW. slope.
- 34.06 Draw, 50 lks. wide, course NW. Continue descent.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the

Subdivision of T.37 N., R.10 W.

Chains ground, to bed rock, with stone marked cross (+) deposited at base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked

 $\frac{1}{4}$

S 35 | S 36

1932

41.30 Wash, 50 lks. wide, course NW.
Asc. 114 ft. over SW. slope.

56.00 Spur, slopes NW. Desc. 130 ft. over NE. slope.

72.00 Spur, slopes NE. Desc. 160 ft. over NW. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground to bed rock, with a stone marked cross (+) deposited at base and in a mound of stone to top for cor. of secs. 25, 26, 35 and 36, with brass cap marked

T37N R10W

S 26 | S 25

S 35 | S 36

1932

Land, mountainous.
Soil, rocky, 4th. rate.
No timber.

S.89°43'E., on a random line bet. secs. 25 and 36.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.20 Intersect the E. bdy. of Tp. 9 lks. S. of the cor. of secs. 25, 30, 31 and 36, hereinbefore described.

Thence

N.89°47'W., on a true line bet. secs. 25 and 36.

Over rolling land. Desc. gradually.

23.00 Draw, 20 lks. wide, course NW. Old road, bears SE. and NW. Asc. gentle NE. slope.

40.10 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap marked

S 25

 $\frac{1}{4}$

S 36

1932

3 ft. base, 2 ft. high N. of cor. raise a mound of stone,

45.40 Shallow draw, course N. Asc.

58.70 Small draw, course NE. Asc. 110 ft. over SE. slope.

66.20 Spur, slopes N. Continue ascent.

77.00 Small spur, slopes N. Desc. slight NW. slope.

80.20 The cor. of secs. 25, 26, 35 and 36.

Land, rolling.
Soil, rocky, 4th. rate.

Subdivision of T.37 N., R.10 W.

Chains	N.0°01'W., bet. secs. 25 and 26. Over rolling mountainous land, through thick grass and weeds. Desc. NW. slope.
3.00	Draw, 20 lks. wide, course NE.
7.00	Small spur, slopes E.
23.00	Small spur, slopes NE. Desc. 85 ft. over NE. slope.
30.60	Old road, bears NE. and SW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, with a stone marked cross (+) deposited at base and in a mound of stone to top for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$ S 26 S 25 1932
	Asc. gentle SE. slope.
60.20	Fence, bears NE. and SW. Desc. gentle NE. slope.
74.00	Wash, 4 chs. wide, course NE.
79.00	Small spur, slopes SE.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bed rock, with a stone marked cross (+) deposited at base and supported in a mound of stone to top for cor. of secs. 23, 24, 25 and 26, with brass cap marked
	T37N R10W S 23 S 24 S 26 S 25 1932
	Land, rolling mountainous. Soil, rocky, 4th. rate. No timber.
	S.89°47'E., on a random line bet. secs. 24 and 25.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.10	Intersect E. bdy. of Tp. 7 lks. S. of the cor. of secs. 19, 24, 25 and 30, hereinbefore described.
	Thence
	N.89°50'W., on a true line bet. secs. 24 and 25.
	Over nearly level land.
10.30	Old road, bears SE. and NW.
18.00	Old road, bears N. and S.
18.10	Fence, bears N. and S.
34.10	SE. cor. of reservoir, bears N. 150 lks. dist.
40.05	Set an iron post, 3 ft. long, 1 in. diam., 3 ins. in the ground to bed rock, with a stone marked cross (+) de-

Subdivision of T.37 N., R.10 W.

Chains	<p>posited at base and supported in a mound of stone to top for $\frac{1}{4}$ sec. cor. with brass cap marked</p> <p style="text-align: center;">$\frac{1}{4}$</p> <p style="text-align: center;">S 24 ----- S 25 1932</p> <p>Asc. gentle NE. slope.</p> <p>76.00 Wash, 4 chs. wide, course NE.</p> <p>80.10 The cor. of secs. 23, 24, 25 and 26.</p> <p>Land, slightly rolling. Soil, rocky, 4th. rate. Undergrowth, cactus, weeds and grass.</p>
	<p>N.0°01'W. bet. secs. 23 and 24.</p> <p>Over rolling land, through scattering cactus and weeds.</p> <p>30.00 Small spur, slopes NE.</p> <p>35.00 Wash, 2 chs. wide, course NE. Asc. 40 ft.</p> <p>40.00 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bed rock, with a stone marked cross (+) deposited at base and in a mound of stone to top for $\frac{1}{4}$ sec. cor. with brass cap marked</p> <p style="text-align: center;">$\frac{1}{4}$</p> <p style="text-align: center;">S 23 S 24 ----- 1932</p> <p>Asc. slightly.</p> <p>43.20 Spur, slopes E. Old road, bears SE. and NW.</p> <p>50.00 Old road, bears SE. and NW.</p> <p>55.00 Spur, slopes NE.</p> <p>61.00 Small draw, course NE. Asc. 50 ft. over SE. slope.</p> <p>80.00 Set an iron post, 3 ft. long, 2 ins. diam., 4 ins. in the ground, over a cross (+) marked on bed rock and supported in a mound of stone to top, for cor. of secs. 13, 14, 23 and 24, with brass cap marked</p> <p style="text-align: center;">T37N R10W S 14 S 13 ----- S 23 S 24 ----- 1932</p> <p>Land, rolling. Soil, rocky, 4th. rate. Undergrowth, cactus.</p>
	<p>S.89°50'E., on a random line bet. secs. 13 and 24.</p> <p>40.00 Set temp. $\frac{1}{4}$ sec. cor.</p> <p>80.20 Intersect E. bdy. of T., 5 lks. S. of the cor. of secs. 13, 18, 19 and 24, hereinbefore described:</p>

Subdivision of T.37 N., R.10 W.

BOOK 3188

Chains	Thence
	N.89°52'W., on a true line bet. secs. 13 and 24. Over rolling land, desc. slight NW. slope.
.95	Draw, 40 lks. wide, course SW.
4.60	Spur, slopes SW. Desc. 200 ft. over NW. slope.
19.00	Foot of descent.
25.00	Old road, bears SW. and NE.
30.00	Wash, 4 chs. wide, course NE.
40.10	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, with a stone marked cross (+) deposited at base and in a mound of stone to top for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$ S 13 ----- S 24 1932
46.00	Old road, bears NE. and SW. Asc. 100 ft. over gradual SE. slope.
73.00	Spur, slopes N. Continue gradual ascent.
80.20	The cor. of secs. 13, 14, 23 and 24. Land, rolling. Soil, rocky, 4th. rate. No timber.
	N.0°01'W., bet. secs. 13 and 14. Over rolling land. Desc. 90 ft. over NW. slope.
11.35	Flat draw, 2 chs. wide, course NE.
25.00	Flat draw, 1.50 chs. wide, course NW.
30.00	Asc. 46 ft. over SW. slope to
39.00	Spur, slopes NW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground to bed rock, with a stone marked cross (+) deposited at base and in a mound of stone to top for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$ S 14 S 13 1932
	Desc. gradual NW. slope.
60.00	Flat draw, 3 chs. wide, course NE.
70.00	Asc. 113 ft. over SE. slope.
77.00	Spur, slopes SE.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the

Chains ground to bed rock, with a stone marked cross (+) deposited at base and in a mound of stone to top, for cor. of secs. 11, 12, 13 and 14, with brass cap marked

T37N R10W	
S 11	S 12

S 14	S 13
1932	

Land, rolling.
Soil, rocky, 3rd. rate.
No timber.

6

S.89°52'E., on a random line bet. secs. 12 and 13.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.18 Intersect E. bdy. of Tp., 7 lks. S. of the cor. of secs. 7, 12, 13 and 18, hereinbefore described.

Thence

v N.89°55'W., on a true line bet. secs. 12 and 13.

Over rolling land. Desc. 60 ft. over NW. slope.

13.00 Draw, course N.

18.20 Spur, slopes N.

22.40 Head of draw, course NW.

28.20 Spur, slopes NW. Desc. 160 ft. over W. slope.

39.40 Old road, bears SE. and NW.

40.09 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bed rock, with a stone marked cross (+) deposited at base and in a mound of stone for $\frac{1}{4}$ sec. cor. with brass cap marked

S 12
$\frac{1}{4}$ ----
S 13
1932

43.65 Enter Pierce wash.

45.00 Leave Pierce wash.

52.60 Sink, 1 ch. wide.

55.04 Road, bears NE. and SW. Asc. 86 ft. over SE. slope.

62.20 Small spur, slopes NE. Desc.

68.00 Head of draw, course N. Asc. 78 ft. over NE. slope.

80.18 The cor. of secs. 11, 12, 13 and 14.

Land, rolling.
Soil, 3rd. rate.
No timber.

Subdivision of T.37 N., R.10 W.

BOOK 2388

Chains	N.0°01'W., bet. secs. 11 and 12. Over rolling land.
2.30	Draw, 50 lks. wide, course NE.
7.00	Spur, slopes E.
16.00	Spur, slopes NE. Desc. 120 ft. over NW. slope.
33.30	Draw, 1 ch. wide, course NE.
36.00	Spur, slopes E. Desc. 55 ft. over NE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, with a stone marked cross (+) deposited at base and in a mound of stone, for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$ S 11 S 12 1932
	Asc. 30 ft. to
41.50	Small spur. Desc. 150 ft. over NW. slope.
51.00	Draw, course E.
56.00	Desc. 140 ft. over N. slope.
67.00	Draw, 20 lks. wide, course E.
70.00	Toe of spur, bears E. Desc. 60 ft. over gradual NE. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground to bed rock, with a stone marked cross (+) deposited at base and in a mound of stone for cor. of secs. 1, 2, 11 and 12, with brass cap marked
	T37N R10W S 2 S 1 ----- S 11 S 12 1932
	Land, rolling. Soil, rocky, 3rd. and 4th. rates. Undergrowth, cactus.
	S.89°55'E., on a random line bet. secs. 1 and 12.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.10	Intersect E. bdy. of Tp., 12 lks. N. of the cor. of secs. 1, 6, 7 and 12, hereinbefore described.
	Thence
	N.89°50'W., on a true line bet. secs. 1 and 12.
	Over rolling land. Desc. gradual SW. slope.
12.70	Old road, bears SE. and NW.
15.00	Draw, 2 chs. wide, course NW. Asc. slight NE. slope.
28.00	Old road, bears SE. and NW.

Subdivision of T.37 N., R.10 W.

Chains	
29.00	Wash, 2 chs. wide, course NW.
40.05	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap, marked
	$\frac{1}{4}$ S 1 ----- S 12 1932
	dig pits, 18 x 18 x 12 ins. on line E. and W. of cor. 3 ft. dist.
44.40	Enter Pierce wash, 25 ft. deep.
47.00	Leave Pierce wash.
62.00	Old road, bears N. and S.
80.10	The cor. of secs. 1, 2, 11 and 12.
	Land, rolling. Soil, gravelly, 3rd. rate. No timber.
	N.0°01'W., on a random line bet. secs. 1 and 2.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
83.96	Intersect N. bdy. of Tp., at the cor. of secs. 1, 2, 35 and 36, hereinbefore described.
	Thence
✓	S.0°01'E., on a true line bet. secs. 1 and 2.
	Over slightly rolling land.
17.96	Fence, bears E. and W.
27.86	Wash, 2 chs. wide, course NW.
36.26	Same wash, course NE. from SE.
43.96	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, with a stone marked cross (+) deposited at base and in a mound of stone to top for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$ S 2 S 1 ----- 1932
47.56	Old road, bears SE. and NW.
58.22	Ditch, 30 lks. wide, bears SE. and NW.
83.96	The cor. of secs. 1, 2, 11 and 12.
	Land, slightly rolling. Soil, gravelly, 3rd. rate. No timber.

Subdivision of T.37 N., R.10 W.

Chains	<p>The standard cor. of secs. 34 and 35 on S. bdy. of Tp., is an iron post, 3 ins. diam., 6 ins. above ground, mkd. and witnessed as described in the official record.</p> <p>Thence</p> <p>N.0°01'W., bet. secs. 34 and 35.</p> <p>Over rolling land, through scattering cedar.</p> <p>5.60 Draw, 30 lks. wide, course NW. Desc. gentle NW. slope.</p> <p>27.20 Wash, 1.50 chs. wide, course E. Asc. gentle S. slope.</p> <p>40.00 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, in mound of stone to top for $\frac{1}{4}$ sec. cor. with brass cap marked</p> <p style="text-align: center;">$\frac{1}{4}$</p> <p style="text-align: center;">S 34 S 35</p> <p style="text-align: center;">1932</p> <p style="text-align: right;">from which</p> <p>A cedar, 6 ins. diam., bears N.62$\frac{1}{2}$°W., 318 lks. dist. marked $\frac{1}{4}$ S 34 B T</p> <p>40.20 Old road, bears NE. and SW.</p> <p>44.90 Wash, 30 lks. wide, course NE. Asc. 40 ft.</p> <p>45.78 Road, bears NE. and SW.</p> <p>49.00 Spur, slopes SE. Desc. 43 ft.</p> <p>65.00 Asc. slightly.</p> <p>71.50 Small knoll.</p> <p>80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 26, 27, 34 and 35, with brass cap marked</p> <p style="text-align: center;">T37N R10W</p> <p style="text-align: center;">S 27 S 26</p> <p style="text-align: center;">S 34 S 35</p> <p style="text-align: center;">1932</p> <p style="text-align: right;">from which,</p> <p>A cedar, 8 ins. diam., bears S.67$\frac{1}{2}$°W., 307 lks. dist. marked T 37 N R 10 W S 34 B T</p> <p>A cedar, 8 ins. diam., bears N.38°W., 140 lks. dist. marked T 37 N R 10 W S 27 B T</p> <p>Raise a mound of stone, 2$\frac{1}{2}$ ft. base, 2 ft. high W. of cor.</p> <p>Land; rolling. Soil, gravelly, 3rd. rate. Timber, a few cedar.</p>
40.00	S.89°45'E., on a random line bet. secs. 26 and 35.
80.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Fall 8 lks. N. of the cor. of secs. 25, 26, 35 and 36.
	Thence
✓	N.89°42'W., on a true line bet. secs. 26 and 35.

Subdivision of T. 37 N., R. 10 W.

Chains	Over mountainous land, through scattering timber and undergrowth. Asc. 105 ft. over NE. slope.
1.38	Draw, 30 lks. wide, course N.
1.63	Fence, bears SE. and NW.
10.00	Spur, slopes N. Desc. 140 ft. over W. slope.
25.00	Foot of steep descent.
31.50	Draw, 50 lks. wide, course NW.
37.00	Head of draw, course NW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bed rock, with a stone marked X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked
	S 26 $\frac{1}{4}$ --- S 35 1932
	Desc. over slight NW. slope.
43.93	Draw, 50 lks. wide, course NW.
45.00	Spur, slopes NE. Desc. slight NW. slope.
48.00	Foot of descent.
54.00	Wash, 150 lks. wide, 10 ft. deep, course NE.
61.66	Road, bears NE. and SW. Asc. over E. slope.
66.00	Top of ascent. Desc. slight SW. slope.
70.00	Asc. 44 ft. to
76.50	Small spur, slopes N.
80.00	The cor. of secs. 26, 27, 34 and 35.
	Land, rolling. Soil, gravelly, 3rd. rate. Undergrowth, sagebrush and cactus.
	N.0°01'W., bet. secs. 26 and 27.
	Over rolling land, through scattering timber and undergrowth. Desc. slight NE. slope.
4.80	Draw, 20 lks. wide, course E. Asc. 40 ft. over S. slope.
10.00	Spur, slopes SE. Desc. 40 ft. over NW. slope.
15.00	Draw, 150 lks. wide, course E. Asc. 195 ft. over SW. slope.
31.00	Spur, slopes SE.
37.50	Desc. slight NE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap marked

Subdivision of T.37 N., R.10 W.

B.C. 1938

Chains	
	$\frac{1}{4}$ S 27 S 26 1932 raise a mound of stone, 3 ft. base, 2 ft. high W. of cor.
	Desc. 150 ft. over NE. slope to
53.20	Draw, 1 ch. wide, course NE.
55.00	Desc. over gradual N. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 22, 23, 26 and 27, with brass cap marked
	T37N R10W S 22 S 23 S 27 S 26 1932 raise a mound of stone, 3 ft. base, 2 ft. high W. of cor.
	Land, rolling. Soil, rocky, 4th. rate. Timber, cedar and pinyon. Undergrowth, greasebrush and sage.
	S.89°42'E., on a random line bet. secs. 23 and 26.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Fall 2 lks. S. of the cor. of secs. 23, 24, 25 and 26. Thence
	✓ N.89°43'W., on a true line bet. secs. 23 and 26. Over slightly rolling land. Asc. slight NE. slope.
1.50	Small spur, slopes SE.
6.73	Road, bears NE. and SW.
19.00	Old road, bears N. and S.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$ S 23 ----- S 26 1932 raise a mound of stone, 3 ft. base, 2 ft. high N. of cor.
44.00	Old road, bears NE. and SW.
78.30	Road, bears N. and SW.
80.00	The cor. of secs. 22, 23, 26 and 27. Land, slightly rolling. Soil, rocky, 4th. rate. Timber, none. Undergrowth, greasebush, sage, and cacti.

Subdivision of T.37 N., R.10 W.

Chains	N.0°01'W., bet. secs. 22 and 23. Over rolling land.
14.40	Old road, bears SE. and NW.
18.00	Wash, 1 ch. wide, course E. Asc. gentle SE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$ S 22 S 23 1932
	Asc. 34 ft. over SW. slope.
50.00	Spur, slopes E. Desc. 30 ft. to
51.90	Gulch, 30 lks. wide, course SE. Asc. slight SW. slope.
65.00	Small spur, slopes SE. Desc.
74.00	Small draw, course SE. Asc. 34 ft. over SE. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for cor. of secs. 14, 15, 22, and 23, with brass cap marked
	T37N R10W S 15 S 14 S 22 S 23 1932
	Land, rolling. Soil, rocky, 3rd. rate. Undergrowth, cacti. No timber.
	S.89°43'E., on a random line bet. secs. 14 and 23.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.04	Fall 2 lks. S. of the cor. of secs. 13, 14, 23 and 24. Thence
	N.89°44'W., on a true line bet. secs. 14 and 23. Over rolling land, through scattering timber and undergrowth.
2.00	Old road, bears SW. and NE. Desc. 34 ft. to
8.60	Draw, 1 ch. wide, course NE NE. Asc. 43 ft. over SE. slope.
25.00	Desc. 60 ft. to
30.00	Draw, 50 lks. wide, course NW. Asc. 75 ft. over NE. slope.
39.00	Small spur, slopes E.
40.02	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground, over a cross (+) marked on bed rock, and in a

Subdivision of T. 37 N., R. 10 W.

D. 100 10088

Chains	<p>mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked</p> <p style="text-align: center;">$\frac{1}{4}$ S 14 ----- S 23 1932</p>
45.00	Asc. 65 ft. over NE. slope.
63.00	Spur, slopes NE. Desc. slight SW. slope.
68.60	Old road, bears NW. and SE.
80.04	The cor. of secs. 14, 15, 22 and 23.
	<p>Land, rolling. Soil, rocky, 4th. rate. Timber, cedar and pinyon. Undergrowth, grease bush, sage and cacti.</p>
	<p>N.0°01'W., bet. secs. 14 and 15. Over rolling land. Asc. slight SW. slope.</p>
7.76	Road, bears SE. and NW.
11.00	Desc. 95 ft. over N. slope.
17.50	Draw, 2 chs. wide, course E. Asc. 113 ft. over SE. slope.
29.00	Spur, slopes E. Desc. 150 ft. over NE. slope.
38.60	Draw, 3 chs. wide, course E.
40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked</p> <p style="text-align: center;">$\frac{1}{4}$ S 15 S 14 1932</p>
	Asc. 75 ft. over SE. slope.
53.50	Spur, slopes E. Desc. 40 ft. over NE. slope.
56.80	Draw, course E. Asc. 90 ft. over SE. slope.
67.00	Top of flat spur.
80.00	<p>Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for cor. of secs. 10, 11, 14 and 15, with brass cap marked</p> <p style="text-align: center;">T37N R10W S 10 S 11 ----- S 15 S 14 1932</p>
	<p>Land, rolling and mountainous. Soil, rocky, 3rd. rate. Undergrowth, cacti. No timber.</p>

Chains	S.89°44'E., on a random line bet. secs. 11 and 14.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.02	Fall 2 lks. S. of the cor. of secs. 11, 12, 13 and 14. Thence
	✓ N.89°45'W., on a true line bet. secs. 11 and 14. Over rolling land.
10.00	Small spur, slopes SE. Desc. 50 ft. over SW. slope.
15.50	Head of draw, course SE. Asc. 60 ft. over SE. slope.
20.00	Spur, slopes S. Desc. 80 ft. over W. slope.
30.00	Foot of descent.
40.01	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$ S 11 ----- S 14 1932
48.00	Flat draw, 2 chs. wide, course NE. Asc. 70 ft. over SE. slope.
55.50	Spur, slopes NE. Desc. 50 ft. over NW. slope.
62.00	Draw, 2 chs. wide, course NE. Asc. 114 ft. over E. slope.
65.00	Spur, slopes NE. Desc. slightly.
69.10	Draw, 30 lks. wide, course NE. Asc. gentle NE. slope.
80.02	The cor. of secs. 10, 11, 14 and 15. Land, rolling. Soil, rocky, 4th. rate. Undergrowth, cacti. No timber.
	N.0°01'W., bet. secs. 10 and 11. Over rolling land.
10.00	Desc. 175 ft. over NW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$ S 10 S 11 1932 raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high W. of cor.
41.30	New road to St. George, bears NE. and SW.
45.00	Old road, bears NE. and SW.
60.00	Over a series of small draws, course E.

Subdivision of T.37 N., R.10 W.

BOOK 807

Chains	
75.00	Small draw, course E. Asc. 80 ft. over SE. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for cor. of secs. 2, 3, 10, and 11, with brass cap mkd.
	T37N R10W S 3 S 2 ----- S 10 S 11 1932
	Land, rolling. Soil, gravelly, 3rd. rate. No timber or undergrowth. Good grazing.
	S.89°45'E., on a random line bet. secs. 2 and 11.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.04	Intersect the cor. of secs. 1, 2, 11, and 12.
	Thence
	N.89°45'W., on a true line bet. secs. 2 and 11.
	Over rolling land. Asc. 23 ft. over NE. slope.
11.00	Small spur, slopes N. Desc. slightly.
14.00	Draw, 50 lks. wide, course NE. Asc. SE. slope.
29.00	Spur, slopes N. Desc. gentle W. slope.
32.30	Draw, 25 lks. wide, course NE. Asc. 24 ft. to
39.00	Spur, slopes N.
40.02	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked
	S 2 ----- $\frac{1}{4}$ S 11 1932
	Desc. 174 ft. over SW. slope.
48.30	Small draw, course SW.
56.50	Wash, 50 lks. wide, course NE.
57.20	New road to St. George, bears SE. and NW. Asc. 143 ft. over SE. slope.
77.10	Draw, course SE.
80.04	The cor. of secs. 2, 3, 10 and 11.
	Land, rolling. Soil, gravelly and rocky, 4th. rate. Good grazing.
	N.0°01'W., on a random line bet. secs. 2 and 3.

Chains	
40.00	Set temp. $\frac{1}{4}$ sec. cor.
83.62	Intersect N. bdy. of the Tp., 19 lks. E. of the cor. of secs. 2, 3, 34 and 35, hereinbefore described.
	Thence
	✓ S.0°09'E., on a true line bet. secs. 2 and 3.
	Over rolling land.
2.80	Draw, 30 lks. wide, course NE. Asc. 136 ft. over N. slope.
13.60	Saddle of spur, sloping E. Desc. 210 ft. over SE. slope.
39.10	Draw, 50 lks. wide, course NE. Asc. 90 ft. over N. slope.
43.62	Set an iron post, 3 ft. long, 1 in. diam., on bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$ S 3 S 2 1932
	Asc. 18 ft. over N. slope.
44.60	Spur, slopes NE. Desc. 60 ft. over SE. slope.
54.10	Draw, 15 lks. wide, course E. Asc. gradually.
63.60	Draw, 2 chs. wide, course NW.
78.50	Same draw, course NE.
81.60	Spur, slopes NE. Desc. 50 ft. over SE. slope.
83.62	The cor. of secs. 2, 3, 10 and 11.
	Land, rolling and mountainous. Soil, rocky, 4th. rate. Undergrowth, cacti. Good grazing.
	From the standard cor. of secs. 33 and 34, on S. bdy. of Tp., which is an iron post, 3 ins. diam., 12 ins. above ground, marked and witnessed as described in the official record,
	N.0°02'W., bet. secs. 33 and 34.
	Over mountainous land, through scattering timber and undergrowth.
2.20	Head of wash, course E. Asc. SE. slope.
7.00	Spur, slopes E. Desc. NE. slope.
10.00	Draw, 40 lks. wide, course SE. Asc. 200 ft. over SW. slope.
13.00	Top of ledge, 20 ft. high, bears SE. and NW. Continue ascent.
20.00	Asc. 90 ft. over S. slope.
27.50	Spur, slopes SE.

Subdivision of T.37 N., R.10 W.

BOOK 3038

Chains	
31.80	Draw, 20,lks. wide, course SE. Asc. 180 ft. over SE.slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bed rock, in mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$
	S 33 S 34
	1932
	No accessories available.
	Asc. 70 ft. over SE. slope.
44.00	Spur, slopes SE. Desc. 46 ft. over NE. slope.
49.20	Draw, 50 lks. wide, course SE. Asc. 190 ft. over SE.slope.
57.50	Spur, slopes E. Desc. 117 ft. over broken NE. slope.
64.20	Spur, slopes NE. Desc. 200 ft. over cliff, facing N.
70.25	Draw, 1 ch. wide, course NE. Asc. slight SE. slope.
73.50	Spur, slopes E. Desc. 22 ft.
79.30	Draw, 50 lks. wide, course SE. Asc. 54 ft. over SE.slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground to bed rock, in mound of stone to top, for cor. of secs. 27, 28, 33 and 34, with brass cap marked
	T37N R10W
	S 28 S 27
	S 33 S 34
	1932
	No accessories available.
	Land, mountainous.
	Soil, rocky, 4th. rate.
	Timber, cedar and pinyon.
	Undergrowth, greasebrush and sage.
	S.89°41'E., on a random line bet. secs. 27 and 34.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Fall 33 lks. S. of the cor. of secs. 26, 27, 34 and 35.
	Thence
	N.89°55'W., on a true line bet. secs. 27 and 34.
	Over mountainous land, through scattering timber and undergrowth. Asc. 40 ft. over SE. slope.
6.00	Branch spur, slopes S. Desc. 30 ft. over SW. slope.
10.00	Draw, 2 chs. wide, course SE. Asc. 50 ft. over SE. slope.
12.50	Small knoll on line. Asc. 276 ft. over NE. slope.
21.50	Ledge, bears SE. and NW.
26.00	Spur, slopes SE. Continue ascent.

Chains	
29.15	Desc. 80 ft. over SW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone for $\frac{1}{4}$ sec. cor. with brass cap marked
	S 27 $\frac{1}{4}$ ---- S 34 1932
	Desc. 40 ft. over N. slope.
45.00	Asc. 35 ft. over SE. slope.
57.20	Desc. slightly.
62.00	Draw, 50 lks. wide, course SE. Asc. 254 ft. over SE. slope.
76.20	Draw, 20 lks. wide, course SE. Continue ascent.
80.00	The cor. of secs. 27, 28, 33 and 34.
	Land, mountainous. Soil, rocky, 4th. rate. Timber, juniper and pinyon. Undergrowth, sage brush and cacti.
	N.0°02'W., bet. secs. 27 and 28.
	Over mountainous land, through scattering timber and undergrowth. Asc. 137 ft. over SE. slope.
4.00	Draw, 35 lks. wide, course SE.
7.50	Spur, slopes E. Desc. 165 ft. over NE. slope.
17.50	Spur, slopes NE. Continue descent.
23.50	Flat sink, 5 chs. square.
25.50	Small draw, course NW. Asc. slight SW. slope.
27.00	Small spur, slopes NW. Desc. 87 ft. over NW. slope.
30.00	Draw, 75 lks. wide, course N. Thence along same.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$ S 28 S 27 1932
	Desc. 100 ft. over NW. slope.
49.10	Same draw, 30 lks. wide, course NE. Asc. slight SE. slope.
53.50	Small spur, slopes NE. Desc. 108 ft. over NW. slope.
58.00	Leave mountainous land and desc. gradually.
65.00	Slope changes to NE.

Subdivision of T.37 N., R.10 W.

BOOK 1188

Chains 80.00	<p>Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 21, 22, 27 and 28, with brass cap marked</p> <table style="margin-left: auto; margin-right: auto;"> <tr><td colspan="2">T37N, R10W</td></tr> <tr><td>S 21</td><td>S 22</td></tr> <tr><td colspan="2"><hr/></td></tr> <tr><td>S 28</td><td>S 27</td></tr> <tr><td colspan="2">1932</td></tr> </table> <p style="text-align: right;">raise a mound of stone 3 ft. base, 2 ft. high W. of cor.</p> <p>Land, mountainous and rolling. Soil, rocky, 4th. rate. Timber, juniper and pinyon. Undergrowth, sage brush and cacti.</p>	T37N, R10W		S 21	S 22	<hr/>		S 28	S 27	1932	
T37N, R10W											
S 21	S 22										
<hr/>											
S 28	S 27										
1932											
40.00	<p>S.89°55'E., on a random line bet. secs. 22 and 27. Set temp. $\frac{1}{4}$ sec. cor.</p>										
80.04	<p>Fall 12 lks. N. of the cor. of secs. 22, 23, 26 and 27. Thence ✓ N.89°50'W., on a true line bet. secs. 22 and 27. Over level land.</p>										
30.00	<p>Asc. gentle SE. slope.</p>										
40.02	<p>Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked</p> <table style="margin-left: auto; margin-right: auto;"> <tr><td>S 22</td></tr> <tr><td>$\frac{1}{4}$ ----</td></tr> <tr><td>S 27</td></tr> <tr><td>1932</td></tr> </table>	S 22	$\frac{1}{4}$ ----	S 27	1932						
S 22											
$\frac{1}{4}$ ----											
S 27											
1932											
50.10	<p>Road, bears SE. and NW. Desc. slight NW. slope.</p>										
55.00	<p>Draw, 30 lks. wide, course NE. Asc. slight NE. slope.</p>										
60.00	<p>Desc. over gentle NW. slope.</p>										
80.04	<p>The cor. of secs. 21, 22, 27 and 28. Land, level and slightly rolling. Soil, gravelly and rocky, 3rd. rate. Undergrowth, sage brush and cacti.</p>										
	<p>N.0°02'W., bet. secs. 21 and 22. Over level land.</p>										
1.30	<p>Draw, 20 lks. wide, course NE.</p>										
2.00	<p>Enter rolling land. Asc. gentle S. slope.</p>										
8.50	<p>Spur, slopes E. Desc. NE. slope over rim rock.</p>										
11.00	<p>Draw, 2 chs. wide, course SE. Asc. 40 ft. over SW. slope.</p>										
18.00	<p>Desc. NW. slope.</p>										

Subdivision of T.37 N., R.10 W.

Chains	
23.00	Wash, 20 lks. wide, course SE. Asc. slightly over SE. slope.
27.00	Small spur, slopes E. Desc. slight NE. slope.
32.00	Head of small draw, course SE. Asc. slight SW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$ S 21 S 22 1932
43.00	Flat spur, slopes SE.
56.00	Flat draw, course SE. Asc. over gentle SE. slope.
80.00.	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 15, 16, 21 and 22, with brass cap marked
	T37N R10W S 16 S 15 S 21 S 22 1932
	raise a mound of stone, 3 ft. base, 2 ft. high W. of cor.
	Land, rolling. Soil, rocky, 4th. rate. Timber, cedar and pinyon. Undergrowth, grease bush, sage, and cacti.
	S.89°50'E., on a random line bet. secs. 15 and 22.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.08	Fall 2 lks. S. of the cor. of secs. 14, 15, 22 and 23.
	Thence
	N.89°51'W., on a true line bet. secs. 15 and 22.
	Over rolling land.
.90	Small drain, course SE. Asc. slight SE. slope.
12.00	Flat spur, slopes SE. Desc. 44 ft. over SW. slope.
19.75	Draw, 30 lks. wide, course SE. Asc. slight SE. slope.
40.04	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$ S 15 ---- S 22 1932
	Continue over slightly rolling land, draining SE.

Subdivision of T.37 N., R.10 W.

Chains 80.08	<p>The cor. of secs. 15, 16, 21 and 22.</p> <p>Land, gently rolling. Soil, gravelly and rocky, 4th. rate. Timber, cedar and pinyon. Undergrowth, grease bush, sage, and cacti.</p>
	<p>N.0°02'W., bet. secs. 15 and 16.</p> <p>Over rolling land.</p>
6.20	Road, bears NE. and SW.
10.00	Flat spur, slopes NE. Desc. gentle NE. slope.
15.00	Road to St. George, bears NE. and SW.
23.10	Head of draw, course NE.
24.50	Same road, bears SE. and NW.
29.00	Small spur, slopes W. Also same road NE. and SW.
29.50	Draw, 50 lks. wide, course NE. Asc. 70 ft. over SE. slope.
39.00	Spur, slopes NE. Desc. NW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$ S. 16 S 15 1932
	Desc. 80 ft. over NW. slope.
44.50	Draw, 50 lks. wide, course NE. Asc. 74 ft. over SE. slope.
53.50	Spur, slopes NE. Desc. 74 ft. over NW. slope.
58.00	Draw, 2 chs. wide, course NE. Asc. slight SE. slope.
67.50	Spur, slopes NE. Desc. 50 ft. over NW. slope.
71.00	Draw, course NE. Asc. 100 ft. over SE. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for cor. of secs. 9, 10, 15 and 16, with brass cap marked
	T37N R10W S 9 S 10 S 16 S 15 1932
	<p>Land, rolling. Soil, gravelly and rocky, 3rd. rate. Good grazing.</p>

Chains S.89°51'E., on a random line bet. secs. 10 and 15.

40.00 Set temp, $\frac{1}{4}$ sec. cor.

79.90 Intersect the cor. of secs. 10, 11, 14 and 15.

Thence

✓ N.89°51'W., on a true line bet. secs. 10 and 15.

Over rolling land. Desc. gentle NW. slope.

8.30 Draw, 30 lks. wide, course NE. Asc. over SE. slope.

11.00 Spur, slopes NE. Desc. 64 ft. over NW. slope.

14.60 Draw, 50 lks. wide, course NE. Asc. 100 ft. over SE. slope.

25.00 Spur, slopes NE. Desc. slight NW. slope.

32.20 Head of draw, course NW. Asc. slight SE. slope.

39.95 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone for $\frac{1}{4}$ sec. cor. with brass cap marked

$\frac{1}{4}$ S 10

S 15
1932

Desc. slight NW. slope.

44.40 Head of draw, course N. Asc. slight NE. slope.

48.00 Spur, slopes W. Desc. 144 ft. over NW. slope.

60.60 New road, to St. George, bears NE. and SW., in flat draw 3 chs. wide, course NE. Asc. 140 ft. over SE. slope.

79.80 Draw, 30 lks. wide, course SE.

79.90 The cor. of secs. 9, 10, 15 and 16.

Land, rolling.
Soil, gravelly and rocky, 3rd. rate.
Good grazing.

N.0°02'W., bet. secs. 9 and 10.

Over mountainous land. Desc. 130 ft. over NW. slope.

5.00 Draw, course NE. Asc. 85 ft. over SE. slope.

11.00 Spur, slopes NE. Desc. 107 ft. over NE. slope.

18.00 Flat draw, 2 chs. wide, course NE.

24.30 Draw, 20 lks. wide, course SE. Asc. 128 ft. over SE. slope.

32.40 Old road, bears SE. and NW. Top of ascent.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap marked

$\frac{1}{4}$
S 9 | S 10
1932

Subdivision of T.37 N., R.10 W.

B. 10. 10. 10.

Chains	Desc. gentle N. slope.										
52.60	Head of draw, course NE. Asc. over SE. slope.										
59.00	Spur, slopes NE. Desc. 50 ft. over NW. slope.										
69.20	Draw, 50 lks. wide, course NE. Asc. 40 ft. over SE. slope.										
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top for cor. of secs. 3, 4, 9 and 10, with brass cap marked										
	<table style="margin-left: auto; margin-right: auto;"> <tr><td colspan="2">T37N R10W</td></tr> <tr><td>S 4</td><td>S 3</td></tr> <tr><td colspan="2"><hr/></td></tr> <tr><td>S 9</td><td>S 10</td></tr> <tr><td colspan="2">1932</td></tr> </table>	T37N R10W		S 4	S 3	<hr/>		S 9	S 10	1932	
T37N R10W											
S 4	S 3										
<hr/>											
S 9	S 10										
1932											
	Land, mountainous and rolling. Soil, rocky, 4th. rate. Undergrowth, cactus and weeds. Good grazing.										
	S.89°51'E., on a random line bet. secs. 3 and 10.										
40.00	Set temp. $\frac{1}{4}$ sec. cor.										
80.04	Fall 9 lks. N. of the cor. of secs. 2, 3, 10 and 11. Thence										
	✓ N.89°47'W., on a true line bet. secs. 3 and 10. Over mountainous land. Asc. 30 ft. over SE. slope.										
3.50	Spur, slopes NE. Desc. 45 ft. over NW. slope.										
6.70	Draw, course NE. Asc. 30 ft. over NE. slope.										
10.00	Spur, slopes NE. Desc. 50 ft. over W. slope.										
15.00	Flat draw, 2 chs. wide, course NE. Asc. 50 ft. over NE. slope.										
18.00	Top of ascent. Desc. 36 ft. over W. slope.										
40.02	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap marked										
	<table style="margin-left: auto; margin-right: auto;"> <tr><td colspan="2">S 3</td></tr> <tr><td>$\frac{1}{4}$</td><td>----</td></tr> <tr><td colspan="2">S 10</td></tr> <tr><td colspan="2">1932</td></tr> </table>	S 3		$\frac{1}{4}$	----	S 10		1932			
S 3											
$\frac{1}{4}$	----										
S 10											
1932											
	raise a mound of stone, 3 ft. base, 2 ft. high N. of cor.										
	Desc. 50 ft. over NW. slope.										
45.00	Wash, 30 lks. wide, course N. Asc. 135 ft. over E. slope.										
60.00	Spur, slopes NE. Desc. 40 ft. over W. slope.										
64.50	Draw, 30 lks. wide, course N. Asc. 25 ft.										
68.00	Small spur, slopes NE. Desc. 27 ft.										
73.60	Draw, 30 lks. wide, course NE. Asc. 53 ft. over E. slope.										
80.04	The cor. of secs. 3, 4, 9 and 10.										

Chains	Land, rolling and mountainous. . Soil, rocky and gravelly, 3rd. rate. Good grazing.
	N.0°10'W., on a random line bet. secs. 3 and 4.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
83.35	Intersect N. bdy. of Tp., 2 lks. E. of the cor. of secs. 3, 4, 33, and 34, hereinbefore described.
	Thence
	✓ S.0°11'E., on a true line bet. secs. 3 and 4.
	Over mountainous land.
.35	Draw, 50 lks. wide, course SE. Asc. 100 ft. over N. slope.
8.50	Spur, slopes E. Desc. 180 ft. over Steep S. slope.
16.15	Road, bears E. and W., in wash, 50 lks. wide, course NE. Asc. 117 ft. over NE. slope.
26.30	Small spur, slopes E. Desc. slightly.
27.75	Draw, 30 lks. wide, course NE. Asc. 193 ft. over NW. slope.
38.35	Top of ascent. Desc. SE. slope.
43.35	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bed rock, with a stone marked cross (+) de- posited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$
	S 4 S 3
	1932
	Desc. 80 ft. over SE. slope.
57.85	Old road, bears NE. and SW., in draw, 1 ch. wide, course E.
67.57	Old road, bears SE. and NW., in draw, course SE. Asc. 70 ft. over NE. slope.
83.35	The cor. of secs. 3, 4, 9 and 10.
	Land, mountainous and rolling. Soil, rocky and gravelly, 3rd. rate. Good grazing.
	From the standard cor. of secs. 32 and 33, on S. bdy. of Tp., which is an iron post, 3 ins. diam., 12 ins. above ground, marked and witnessed as described in the offi- cial record,
	✓ N.0°03'W., bet. secs. 32 and 33.
	Over rolling land. Asc. over gentle SW. slope.
27.00	Spur, slopes SE. Continue ascent over gradual SE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, with a stone marked cross (+) de-

Subdivision of T.37 N., R.10 W.

B.M. 333

Chains positioned at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked

$\frac{1}{4}$
S 32 | S 33
1932

Asc. 100 ft. over SE. slope.

48.00 Spur, slopes SW. Desc. 163 ft. over N. slope.

56.90 Draw, 1 ch. wide, course SW.

60.00 Draw, 50 lks. wide, course SW. Asc. 60 ft. over SE. slope.

75.00 Spur, 3 chs. wide, slopes SW. Desc. 30 ft. to

78.50 Draw, 20 lks. wide, course W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for cor. of secs. 28, 29, 32 and 33, with brass cap marked

T37N R10W
S 29 | S 28

S 32 | S 33
1932

Land, rolling and mountainous.
Soil, rocky, 4th. rate.
Undergrowth, cactus and weeds.
Good grazing.

S.89°46'E., on a random line bet. secs. 28 and 33.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.14 Fall 2 lks. N. of the cor. of secs. 27, 28, 33 and 34.

Thence

✓ N.89°45'W., on a true line bet. secs. 28 and 33.

Over mountainous land, through scattering timber and undergrowth. Asc. SE. slope.

1.50 Desc. 28 ft.

5.00 Asc. 850 ft. over broken SE. slope, to $\frac{1}{4}$ cor.

9.12 Head of draw, course E. Continue ascent over NE. slope.

18.06 Spur, slopes NE. Continue ascent. Enter dense timber and undergrowth.

30.00 Enter ground covered with big boulders.

40.07 Set an iron post, 3 ft. long, 1 in. diam., in crack of rocks, mounded in with stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked

S 28
 $\frac{1}{4}$ ----
S 33
1932

from which,

A pinyon, 50 ins. diam., bears N.63°E., 61 lks. dist.
marked $\frac{1}{4}$ S 28 B T

Subdivision of T.37 N., R.10 W.

Chains	<p>A cedar, 24 ins. diam., bears S.65°W., 140 lks. dist. marked $\frac{1}{4}$ S 33 B T</p> <p>Desc. 40 ft. over W. slope to</p> <p>45.00 Desc. 840 ft. over steep NW. slope to cor.</p> <p>55.00 Draw, course NW.</p> <p>70.00 Small draw, course SW.</p> <p>80.14 The cor. of secs. 28, 29, 32 and 33.</p> <p>Land, mountainous. Soil, rocky, 4th. rate. Timber, cedar and pinyon. Undergrowth, grease bush, sage, and cacti.</p>
	<p>N.0°03'W., bet. secs. 28 and 29.</p> <p>Over mountainous land. Desc. slightly.</p> <p>5.00 Draw, 1 ch. wide, course W. Asc. 54 ft. over SW. slope.</p> <p>11.00 Spur, slopes W. Desc. 160 ft. over NW. slope.</p> <p>24.00 Draw, course NW. Asc. slight SW. slope.</p> <p>35.00 Spur, slopes W. Desc. slight W. slope.</p> <p>40.00 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked</p> <p style="text-align: center;">$\frac{1}{4}$</p> <p style="text-align: center;">S 29 S 28 1932</p> <p>Asc. slight SW. slope.</p> <p>45.00 Spur, slopes W. Desc. 150 ft. over NW. slope.</p> <p>65.00 Draw, course NE.</p> <p>69.80 Road, bears NE. and SW.</p> <p>71.00 Draw, 2 chs. wide, course NE.</p> <p>80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 20, 21, 28 and 29, with brass cap marked</p> <p style="text-align: center;">T37N R10W S 20 S 21 S 29 S 28 1932</p> <p style="text-align: right;">raise a mound of stone,</p> <p>3 ft. base, 2 ft. high W. of cor.</p> <p>Land, mountainous. Soil, rocky, 4th. rate. Timber, a few cedar. Good grazing.</p>

Subdivision of T.37 N., R.10 W.

B. 1116

Chains	S.89°45'E., on a random line bet. secs. 21 and 28.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Intersect the cor. of secs. 21, 22, 27, and 28.
	Thence,
✓	N.89°45'W., on a true line bet. secs. 21 and 28.
	Over rolling land.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$
	S 21 ----- S 28 1932
	raise a mound of stone, 3 ft. base, 2 ft. high N. of cor.
	Cor. in draw, 1 ch. wide, course NE. Asc. slight SE. slope.
57.30	Draw, 20 lks. wide, course NE. Old dam, bears N. 1 ch.
69.10	Small draw, course SE. Asc. gentle NE. slope.
80.00	The cor. of secs. 20, 21, 28 and 29.
	Land, rolling. Soil, rocky, 4th. rate. Good grazing.
	N.0°03'W., bet. secs. 20 and 21.
	Over rolling land. Asc. slight SW. slope.
10.00	Desc. gentle NE. slope.
30.00	Slope changes to NW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 25 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$
	S 20 S 21 1932
	raise a mound of stone, 3 ft. base, 2 ft. high W. of cor.
41.30	Draw, 1 ch. wide, course NE.
45.00	Road, bears NE. and SW. Asc. gentle SE. slope.
53.00	Spur, slopes E. Desc. NE. slope.
59.20	Draw, 1 ch. wide, course SE. Asc. 75 ft. over SE. slope.
66.20	Old road, bears E. and W.
70.00	Small spur, slopes E. Desc. slight NW. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top,

Subdivision of T.37 N., R.10 W.

Chains for cor. of secs. 16, 17, 20 and 21, with brass cap marked

T37N R10W	
S 17	S 16
<hr/>	
S 20	S 21
1932	

Land, rolling.
Soil, gravelly and rocky, 3rd. rate.
Good grazing.

S.89°45'E., on a random line bet. secs. 16 and 21.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.02 Intersect the cor. of secs. 15, 16, 21 and 22.

Thence

✓ N.89°45'W., on a true line bet. secs. 16 and 21.

Over rolling land.

19.80 Old road, bears NE. and SW.

23.50 New road to St. George, bears NE. and SW.

30.00 Draw, 1 ch. wide, course SW. Asc. SE. slope.

35.00 Toe of spur, slopes NE.

40.01 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked

$\frac{1}{4}$	S 16

	S 21
	1932

Desc. NW. slope.

42.80 Draw, 50 lks. wide, course NE. Asc. 85 ft. over SE. slope.

55.00 Spur, slopes NE. Asc. gradual NE. slope.

80.02 The cor. of secs. 16, 17, 20 and 21.

Land, rolling.
Soil, rocky and gravel, 3rd. rate.
Good grazing.

N.0°03'W., bet. secs. 16 and 17.

Over rolling land.

5.00 Head of draw, course NE.

9.00 Small spur, slopes NE.

11.70 Head of draw, course NE.

30.00 Spur, slopes NE. Desc. 114 ft. over NE. slope.

Subdivision of T.37 N., R.10 W.

37

E. 1/4 Sec. 16

Chains 40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap marked $\frac{1}{4}$ S 17 S 16 1932 raise a mound of stone, 3 ft. base, 2 ft. high W. of cor.
41.40	Draw, 3 chs. wide, course NE. Asc. 100 ft. over SE. slope.
61.50	Spur, slopes NE.
67.50	Draw, course NE.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for cor. of secs. 8, 9, 16 and 17, with brass cap marked T37N R10W S 8 S 9 S 17 S 16 1932 Land, rolling. Soil, gravelly, 2nd. and 3rd. rates. Good grazing.
	S.89°45'E., on a random line bet. secs. 9 and 16.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.06	Intersect the cor. of secs. 9, 10, 15 and 16. Thence ✓ N.89°45'W., on a true line bet. secs. 9 and 16. Over mountainous land. Desc. 46 ft. over NW. slope.
5.00	Draw, 20 lks. wide, course NE. Asc. 74 ft. over SE. slope.
15.00	Broad spur, slopes NE.
18.30	Road, bears SE. and NW. Desc. 100 ft. over SW. slope.
31.00	Draw, 1 ch. wide, course NW.
40.03	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap marked $\frac{1}{4}$ S 9 ----- S 16 1932 raise a mound of stone, 3 ft. base, 2 ft. high N. of cor.
41.90	Draw, 3 chs. wide, course NE. Asc. 150 ft. over SE. slope.
56.50	Spur, slopes NE. Desc. over W. slope.
61.40	Head of draw, course NE. Asc. SE. slope.
67.50	Spur, slopes NE. Desc. 40 ft. over W. slope.

Chains	
70.00	Draw, 50 lks. wide, course NE. Asc. 50 ft.
80.06	The cor. of secs. 8, 9, 16 and 17. Land, mountainous and rolling. Soil, rocky and gravel, 3rd. rate. Good grazing.
	N.0°03'W., bet. secs. 8 and 9. Over rolling land.
7.10	Head of draw, course NE.
27.10	Draw, course W. Asc. gradual SW. slope.
35.00	Spur, slopes NE. Desc. 65 ft. over NE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked $\begin{array}{c} \frac{1}{4} \\ \text{S } 8 \text{ S } 9 \\ 1932 \end{array}$
41.50	Draw, 30 lks. wide, course NW. Asc. 30 ft. to
49.00	Spur, slopes W. Desc. 90 ft. over NW. slope.
57.30	Draw, course NW.
62.00	Spur, slopes NW. Desc. 50 ft. over NE. slope.
72.00	Draw, course NE.
75.00	Spur, slopes SW.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground for cor. of secs. 4, 5, 8 and 9, with brass cap marked $\begin{array}{c} \text{T37N R10W} \\ \text{S } 5 \text{ S } 4 \\ \hline \text{S } 8 \text{ S } 9 \\ 1932 \end{array}$ raise a mound of stone, 3 ft. base, 2 ft. high W. of cor. Land, rolling and mountainous. Soil, rocky, 3rd. and 4th. rates. Good grazing.
	S.89°45'E., on a random line bet. secs. 4 and 9.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.90	Intersect the cor. of secs. 3, 4, 9 and 10. Thence N.89°45'W., on a true line bet. secs. 4 and 9.

Subdivision of T.37 N., R.10 W.

1932

Chains	Over rolling land. Asc. slight E. slope.
10.00	Desc. 125 ft. over W. slope.
20.80	Small draw, course NW.
25.40	Draw, 50 lks. wide, course NW. Asc. slightly.
39.95	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$ S 4 --- S 9 1932
	Continue over rolling land. Desc. 46 ft. to
43.30	Wash, course S.
52.90	Small spur, slopes N.
58.00	Small draw, course N.
63.00	Spur, slopes N. Desc. 66 ft. over SW. slope.
71.10	Draw, 1 ch. wide, course NE. Asc. 40 ft. over SE. slope.
77.00	Spur, slopes NE. Desc. 40 ft. over W. slope.
79.90	The cor. of secs. 4, 5, 8 and 9.
	Land, rolling. Soil, rocky, 3rd. rate. Good grazing.
	N.0°11'W., on a random line bet. secs. 4 and 5.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
83.19	Intersect the N. bdy. of Tp., 24 lks. W. of the cor. of secs. 4, 5, 32 and 33, hereinbefore described.
	Thence
✓	S.0°01'E., on a true line bet. secs. 4 and 5.
	Over rolling land. Desc. gradual SE. slope.
13.00	Desc. 60 ft. over SE. slope.
21.10	Draw, course SE.
28.30	Small spur, slopes E.
31.10	Draw, course E. Asc. 60 ft. over NW. slope.
39.80	Small spur, slopes W.
43.19	Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$ S 5 S 4 1932

Subdivision of T.37 N., R.10 W.

Chains
 45.70 Head of draw, course NW. Asc. 34 ft. to
 58.30 Spur, slopes NE. Desc. 40 ft.
 69.30 Draw, 30 lks. wide, course E.
 73.30 Spur, slopes E. Desc. 85 ft. over SE. slope.
 80.20 Draw, course NE.
 81.40 Old road, bears NE. and SW.
 83.19 The cor. of secs. 4, 5, 8 and 9.

Land, rolling.
 Soil, rocky, 3rd. rate.
 Good grazing.

From the standard cor. of secs. 31 and 32, on S. bdy. of
 Tp., which is an iron post, 3 ins. diam., 16 ins. above
 ground, marked and witnessed as described in the offic-
 ial record,

N.0°03'W., bet. secs. 31 and 32.

Over gently rolling land.

5.65 Road, bears SE. and NW.
 15.70 Small ditch, bears NE. and SW.
 26.60 Draw, course NW.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
 ground for $\frac{1}{4}$ sec. cor. with brass cap marked

$\frac{1}{4}$
 S 31 | S 32
 1932

from which.

A cedar, 14 ins. diam., bears N.5°E., 321 lks. dist.
 marked $\frac{1}{4}$ S 32 B T

A cedar, 10 ins. diam., bears N.87°W., 722 lks. dist.
 marked $\frac{1}{4}$ S 31 B T

54.30 Head of draw, course NW.
 60.00 Small spur, slopes NW. Desc. gradual N. slope.
 74.00 Draw, course NW. Asc. slightly.
 80.00 Set an iron post, 3 ft. long, 3 ins. diam., 20 ins. in
 the ground to bed rock, with a stone marked cross (+)
 deposited at the base, and in a mound of stone to top
 for cor. of secs. 29, 30, 31 and 32, with brass cap
 marked

T37N R10W
 S 30 | S 29
 S 31 | S 32
 1932

Land, rolling.
 Soil, rocky, 3rd. rate.
 Good grazing.

Subdivision of T.37 N., R.10 W.

BOOK 3883

Chains	S.89°43'E., on a random line bet. secs. 29 and 32.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.06	Intersect the cor. of secs. 28, 29, 32 and 33.
	Thence
✓	N.89°43'W., on a true line bet. secs. 29 and 32.
	Over rolling land. Desc. 120 ft. over SW. slope.
22.50	Draw, course SW. Asc. slight E. slope.
25.00	Spur, slopes SE. Desc. 60 ft. over NW. slope.
40.03	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked
	S 29 $\frac{1}{4}$ ---- S 32 1932
	Continue descent over gradual NW. slope.
48.10	Road, bears S. and NE.
62.20	Road, bears SE. and NW.
63.00	Draw, course NW.
80.06	The cor. of secs. 29, 30, 31, and 32.
	Land, rolling. Soil, rocky, 3rd. rate. Good grazing.
	N.89°46'W., on a random line bet. secs. 30 and 31.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.94	Intersect W. bdy. of Tp., 7 lks. N. of the cor. of secs. 25, 30, 31, and 36, which is an iron post, 2 ins. diam., 15 ins. above ground, marked and witnessed as described in the official record.
	Thence
✓	S.89°49'E., on a true line bet. secs. 30 and 31.
	Over rolling land. Desc. 100 ft. over NE. slope.
8.00	Draw, course N. Asc. 40 ft. over NW. slope.
16.00	Spur, slopes NE. Desc. 60 ft. over NE. slope.
27.00	Wash, 20 lks. wide, course NW.
35.53	Fence, bears NE. and SW.
39.94	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap marked
	S 30 $\frac{1}{4}$ ---- S 31 1932

Subdivision of T.37 N., R.10 W.

Chains Raise a mound of stone, 3 ft. base, 2 ft. high N. of cor.

Asc. slightly.

50.00 Spur, slopes N.

59.10 Draw, course N.

62.40 Small spur, slopes N.

70.00 Draw, course NW. Asc. slight SW. slope.

79.94 The cor. of secs. 29, 30, 31 and 32.

Land, rolling.

Soil, rocky, 4th. rate.

Good grazing.

N.0°03'W., bet. secs. 29 and 30.

Over rolling land, draining SW.

9.30 Small draw, course W.

15.00 Desc. over gentle N. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked

$\frac{1}{4}$

S 30 | S 29

1932

Continue over gently rolling land.

58.00 Main road, bears SE. and NW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 17 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for cor. of secs. 19, 20, 29, and 30, with brass cap marked

T37N R10 W

S 19 | S 20

S 30 | S 29

1932

Land, gently rolling.

Soil, gravelly and rocky, 3rd. rate.

Good grazing.

S.89°43'E., on a random line bet. secs. 20 and 29.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.02 Fall 16 lks. S. of the cor. of secs. 20, 21, 28 and 29.

Thence

N.89°50'W., on a true line bet. secs. 20 and 29.

Over rolling land.

Subdivision of T.37 N., R.10 W.

Chains	Asc. 70 ft. over NE. slope.
10.00	Spur, slopes S. Desc. slight SW. slope.
20.00	Road, bears N. and SE. Asc. slight NE. slope.
37.00	Small spur, slopes S.
40.01	Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bed rock, with a stone mound around post to top, for $\frac{1}{4}$ sec. cor. with brass cap marked
	S 20 $\frac{1}{4}$ ---- S 29 1932
	Desc. 100 ft. over SW. slope.
57.20	Old road, bears SE. and NW.
57.40	Draw, course NW. Foot of descent.
69.60	Old road, bears SE. and NW.
80.02	The cor. of secs. 19, 20, 29 and 30.
	Land, rolling. Soil, rocky and gravelly, 3rd. rate. Good grazing.
	N.89°49'W., on a random line bet. secs. 19 and 30.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.92	Intersect the W. bdy. of Tp., 2 lks. N. of the cor. of secs. 19, 24, 25 and 30, which is an iron post, 2 ins. diam., 6 ins. above ground, marked and witnessed as described in the official record.
	Thence
	S.89°50'E., on a true line bet. secs. 19 and 30.
	Over gently rolling land.
.62	Road, bears NE. and SW.
39.92	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap marked
	S 19 $\frac{1}{4}$ ---- S 30 1932
	raise a mound of stone 3 ft. base, 2 ft. high N. of cor.
49.44	Road, bears SE. and NW.
72.52	Main road, bears SE. and NW.
79.92	The cor. of secs. 19, 20, 29 and 30.
	Land, gently rolling. Soil, rocky and gravelly, 3rd. rate. Good grazing.

Subdivision of T.37 N., R.10 W.

Chains	N.0°03'W., bet. secs. 19 and 20. Over gently rolling land.
25.00	Low spur, slopes W. Desc. slight N. slope.
35.00	Flat draw, course W. Asc. gentle S. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$ S 19 S 20 1932 raise a mound of stone, 3 ft. base, 2 ft. high W. of cor.
	Asc. over gentle SW. slope.
55.00	Spur, slopes W. Desc. 46 ft. over NW. slope.
63.70	Road, bears NE. and SW., in draw, course SW. Asc. 45 ft. over SE. slope.
70.00	Broad spur, slopes SW.
80.00	Set an iron post, 3 ft. long, 3 ins. diam., 12 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone for cor. of secs. 17, 18, 19 and 20, with brass cap marked
	T37N R10W S 18 S 17 S 19 S 20 1932
	Land, rolling. Soil, 2nd. rate. Good grazing.
	S.89°50'E., on a random line bet. secs. 17 and 20.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.98	Fall 12 lks. N. of the cor. of secs. 16, 17, 20 and 21. Thence
	N.89°45'W., on a true line bet. secs. 17 and 20. Over rolling land.
25.00	Desc. 40 ft. over SW. slope.
30.00	Draw, 50 lks. wide, course NE.
33.00	Draw, 50 lks. wide, course NE. Asc. 70 ft. over SE. slope.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$ S 17 ----- S 20 1932

Subdivision of T.37 N., R.10 W.

1932

Chains	Asc. slight SE. slope.
41.60	Old road, bears N. and S.
45.00	Spur, slopes SW. Desc. 126 ft. over W. slope.
56.30	Draw, 1 ch. wide, course N. Road, bears N. and S. Asc. 55 ft. over E. slope.
61.00	Desc. slight W. slope.
65.00	Head of draw, course N. Asc. slightly.
70.00	Small spur, slopes NE. Desc. slight NW. slope.
75.00	Draw, course NE. Asc. 30 ft. over SE. slope.
79.98	The cor. of secs. 17, 18, 19 and 20.
	Land, rolling. Soil, rocky, 4th. rate. Good grazing.
	N.89°50'W., on a random line bet. secs. 18 and 19.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.90	Intersect the W. bdy. of Tp., 12 lks. S. of the cor. of secs. 13, 18, 19 and 24, which is an iron post, 2 ins. diam., 6 ins. above ground, marked and witnessed as described in the official record.
	Thence
	S.89°45'E., on a true line bet. secs. 18 and 19.
	Over rolling land.
18.70	Road, bears SE. and NW.
39.90	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground for $\frac{1}{4}$ sec. cor. with brass cap marked
	S 18 $\frac{1}{4}$ ---- S 19 1932
	raise a mound of stone, 3 ft. base, 2 ft. high N. of cor.
49.60	Main road, bears SE. and NW. Asc. 73 ft. over W. slope.
59.90	Spur, slopes SW. Desc. slightly.
79.90	The cor. of secs. 17, 18, 19 and 20.
	Land, slightly rolling. Soil, gravelly, 3rd. rate. Good grazing.
	N.0°03'W., bet. secs. 17 and 18.
	Over rolling land.
2.00	Spur, slopes NE. Desc. slight NE. slope.
9.10	Flat draw, course NE.
10.00	Small spur, slopes E. Desc. gentle NE. slope.

Subdivision of T.37 N., R.10 W.

Chains	
26.00	Draw, 1 ch. wide, course NW. Asc. slightly.
30.00	Rocky spur, slopes W. Desc. 34 ft.
35.00	Draw, 2 chs. wide, course NE.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$
	S 18 S 17
	1932
	Desc. over gentle NE. slope.
49.40	Same draw, course NW. Asc. 20 ft. over SW. slope.
55.00	Spur, slopes NW. Desc. NW. slope.
59.30	Same draw, course NE. Asc. slightly.
70.00	Desc. 34 ft. over NE. slope.
80.00	Set an iron post, 3 ft. long, 3 ins. diam., 20 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for cor. of secs. 7, 8, 17, and 18, with brass cap mkd.
	T37N R10W
	S 7 S 8
	S 18 S 17
	1932
	Land, rolling. Soil, rocky, 4th. rate. Good grazing.
	S.89°45'E., on a random line bet. secs. 8 and 17.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.10	Intersect the cor. of secs. 8, 9, 16 and 17.
	Thence
	N.89°45'W., on a true line bet. secs. 8 and 17.
	Over rolling land. Asc. 24 ft. over SE. slope.
5.00	Spur, slopes NE. Desc. 100 ft. over SW. slope.
15.00	Foot of descent. Head of draw, course NW.
33.00	Desc. 23 ft. over SW. slope.
35.00	Shallow draw, course NW. Asc. 17 ft.
40.05	Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked
	S 8
	$\frac{1}{4}$ ----
	S 17
	1932

Subdivision of T.37 N., R.10 W.

BOOK 8988

Chains	Asc. 23 ft. over NE. slope.
45.00	Spur, slopes N. Desc. 57 ft. over NW. slope.
53.60	Road, bears N. and S.
53.90	Draw, 1 ch. wide, course NE.
77.10	Flat draw, 2 chs. wide, course NE.
80.10	The cor. of secs. 7, 8, 17 and 18.
	Land, rolling. Soil, rocky, 4th. rate. Good grazing.
	N.89°45'W., on a random line bet. secs. 7 and 18.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.87	Intersect the W. bdy. of Tp., at the cor. of secs. 7, 12, 13, and 18, which is an iron post, 2 ins. diam., marked and witnessed as described in the official record.
	Thence
	S.89°45'E., on a true line bet. secs. 7 and 18.
	Over mountainous land. Desc. 137 ft. over SE. slope.
15.90	Draw, course NE. Desc. 64 ft. over NE. slope.
30.00	Draw, 2 chs. wide, course NE.
39.87	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked
	S 7 --- S 18 1932
	Asc. 40 ft. over NW. slope.
45.00	Spur, slopes N. Desc. 86 ft. over NE. slope.
54.90	Old road, bears N. and S.
55.30	Flat draw, 1 ch. wide, course N. Asc. 40 ft. over NW. slope.
60.00	Spur, slopes N. Desc. 53 ft. over NE. slope.
75.00	Small spur, slopes NE. Desc. slight SE. slope.
79.87	The cor. of secs. 7, 8, 17 and 18.
	Land, mountainous and rolling. Soil, rocky, 4th. rate. Good grazing.
	N.0°03'W., bet. secs. 7 and 8.
	Over rolling land.
15.00	Flat draw, course E. Asc. 34 ft.

Chains	
16.30	Road, bears E. and W.
25.00	Low spur, slopes E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, in mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$ S 7 S 8 1932
50.00	Draw, course E. Asc. slight S. slope.
57.50	Spur, slopes W. Desc. 55 ft. over N. slope.
67.00	Draw, 2 chs. wide, course NE. Asc. 30 ft. over SW. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for cor. of secs. 5, 6, 7, and 8, with brass cap marked
	T37N R10W S 6 S 5 S 7 S 8 1932
	Land, rolling. Soil, rocky, 4th. rate. Good grazing.
	S.89°45'E., on a random line bet. secs. 5 and 8.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.10	Intersect the cor. of secs. 4, 5, 8 and 9.
	Thence
	✓ N.89°45'W., on a true line bet. secs. 5 and 8.
	Over rolling land.
3.20	Road, bears SE. and NW.
4.30	Shallow draw, course NE. Asc. 140 ft. over SE. slope.
20.00	Top of ascent. Thence over bench.
30.00	Desc. 46 ft. over SW. slope.
34.70	Draw, 50 lks. wide, course S. Asc. 40 ft. over NE. slope.
37.00	Small spur, slopes S. Desc. SW. slope.
40.05	Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$ S 5 ----- S 8 1932

Subdivision of T.37 N., R.10 W.

DOK 3588

Chains	Desc. slight SW. slope.
44.30	Draw, 30 lks. wide, course SE. Asc. 70 ft. over NW. slope.
55.00	Desc. 70 ft. to
66.80	Shallow draw, course SE. Asc. gradually.
80.10	The cor. of secs. 5, 6, 7, and 8.
	Land, rolling. Soil, rocky, 4th. rate. Good grazing.
	N.89°45'W., on a random line bet. secs. 6 and 7.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.92	Intersect the W. bdy. of Tp., at the cor. of secs. 1, 6, 7 and 12, which is an iron post, 2 ins. diam., marked and witnessed as described in the official record.
	Thence
	S.89°45'E., on a true line bet. secs. 6 and 7.
	Over rolling land. Desc. 40 ft. over E. slope.
5.00	Draw, 50 lks. wide, course SE.
5.90	Road, bears N. and S.
30.00	Head of draw, course NE.
39.92	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked
	S 6 --- S 7 1932
60.00	Head of draw, course N. Desc. 200 ft. over E. slope.
79.92	The cor. of secs. 5, 6, 7, and 8.
	Land, rolling and mountainous. Soil, rocky, 4th. rate. Good grazing.
	N.0°01'W., on a random line bet. secs. 5 and 6.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
82.72	Intersect N. bdy. of Tp., 2 lks. W. of the cor. of secs. 5, 6, 31 and 32, hereinbefore described.
	Thence
	South, on a true line bet. secs. 5 and 6.
	Over rolling land. Asc. over gentle NW. slope.

Subdivision of T.37 N., R.10 W.

Chains	
13.00	Spur, slopes W. Desc. 90 ft. over S. slope.
18.50	Draw, 50 lks. wide, course E. Asc. 100 ft. over broken N. slope.
34.20	Small spur, slopes NE.
42.72	Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground to bed rock, with a stone marked cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap marked
	$\frac{1}{4}$ S 6 S 5 1932
47.70	Draw, course NE. Asc. 50 ft. over NW. slope.
57.70	Spur, slopes NE. Desc. 137 ft. over SE. slope.
72.70	Draw, 2 chs. wide, course E. Asc. gentle NW. slope.
82.72	The cor. of secs. 5, 6, 7, and 8.
	Land, rolling mountainous. Soil, rocky, 4th. rate. Good grazing.

Final test of solar

Oct. 28, 1932: on the meridian established on Oct. 9th as hereinbefore described, at 9h 00m a.m. and again at 3h 00m p.m. app. t., I make the proper settings on the latitude and declination arcs and determine meridians with the solar attachment which fall within 1' of the true meridian. Other tests of the solar apparatus made frequently throughout the progress of the survey also gave meridional indications within the required limit of 1'30" from the true meridian, I conclude that the instrument has remained in adjustment.

Chains

GENERAL DESCRIPTION.

The lands embraced within the township are rolling and broken in character, ranging from an elevation above sea level from 5,000 to 5,500 feet, the lower lands being located in the northern portion of the township. Diamond Butte, with elevation of approximately 5500 ft., conspicuously commands a position in the south central part of the Tp. The drainage is chiefly northerly.

The soil on the slopes is of a poor 3rd. and 4th. rate quality with an average depth of one foot to bedrock; in the valley of the large wash draining northerly through the eastern part of the Tp., the soil is of a sandy, 2nd. rate quality about two feet to hard pan.

The timber consists of cedar and pinon, growing thickly on Diamond Butte and adjacent ridges; elsewhere the timber is either scant or none.

No evidence of mineral was noted.

Earthen dams were found in sections 21 and 24. In sec. 26, lives the applicant for survey, Frank Childress, with improvements consisting of house, outhouses, barns, sheds, corrals and fences.

The main road from Mt. Trumbull to St. George crosses the southwestern part of Tp. The new road to St. George branches from the above road in the S.W. cor. of Tp. and leaves through the North central part.

No living springs of water were found in the Township; the large wash in the eastern part of Tp. carries an intermittent stream of water of poor quality.

BOOK 3988

CERTIFICATE OF UNITED STATES SURVEYOR

I, Benjamin J. Kinsey, U.S. Surveyor, hereby certify upon honor that, in pursuance of special instructions received from the District Cadastral Engineer for Arizona bearing date of the 30th. day of June, 1931, I have well, faithfully, and truly in my own proper person, and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, surveyed the North and East boundaries and subdivisional lines of Township 37 North, Range 10 West,

_____ of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me, and under my direction; and that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the District Cadastral Engineer for Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of such survey.

Benjamin J. Kinsey
 U.S. Surveyor
 Phoenix, Ariz. Sept. 1, 1934.

APPROVAL

OFFICE OF U. S. SUPERVISOR OF SURVEYS,
 Denver, Colorado, September 10, 1934

The foregoing field notes of the survey of the North and East boundaries and sub- divisional lines of Township 37 North, Range 10 West, of the Gila and Salt River Meridian, in the State of Arizona,

executed by Benjamin J. Kinsey, U.S. Surveyor, under his special instructions dated June 30, 1931, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Samuel J. Johnson
 U. S. Supervisor of Surveys.

~~I certify that the foregoing transcript of the field notes of the above-described surveys in _____, has been correctly copied from the original notes on file in this office.~~

U. S. Supervisor of Surveys.