

Book E.

BOOK 4047

FIELD NOTES

OF THE

Dependent Resurvey of the East Boundary and a

Portion of the South Boundary;

Survey of a Portion of the South Boundary and a

Portion of the West Boundary;

Dependent Resurvey of a Portion, and Survey

of a Portion of the Subdivisional Lines,

Completing the Subdivision of

Township 18 North, Range 6 West.

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Theodore Vander Meer, U. S. Transitman,
and

Benjamin J. Mollette, U. S. Transitman,

In the capacity of U. S. Surveyor^s, under Special Instructions dated September 12., 1933, issued by the District Cadastral Engineer to govern surveys included in Group No. 184, which were approved by the Commissioner of the General Land

Office, October 13, 1933, and Assignment Instructions dated December 24, 1933.

Survey commenced December 28, 1933.

Survey completed March 14, 1934.

4047

4047

INDEX DIAGRAM.

Township _____, Range _____

6	5	4	3	2	1
7	8	9	10	11	12
13	17	16	15	14	13
19	20	21	22	23	24
29	29	28	27	26	25
31	32	33	34	35	36

INDEX DIAGRAM

TOWNSHIP 18 NORTH, RANGE 6 WEST.

BOOK 4047

6		5		4		3		2		1		8
												45
20	7	71	8	49	9	52	10	55	11	46	12	7
70		70		50		53		56				47
19	18	69	17	48	16	51	15	54	14	57	13	6
68		67		26		29		32				33
18	19	66	20	21	21	25	22	28	23	31	24	5
65		64		23		27		30				37
17	30	63	29	60	28	44	27	41	26	36	25	3
62		62		59		43		40				35
16	31	61	32	58	33	42	34	39	35	34	36	2
14		14		12		11		10				9

Resurvey of the East Boundary of T. 18 N., R. 6 W.

chains

The surveys and resurveys of exterior and subdivisional lines of Township 18 North, Range 6 West were executed with light-mountain solar transits made by the Buff & Buff Co., Serial Nos. 9977 and 9223, used respectively by Theodore Vander Meer and Benjamin J. Mollette, U.S. Transitmen, constructed in accordance with the standard specifications of the General Land Office. The horizontal circles have diameters of $4\frac{1}{2}$ ins., with two double verniers placed opposite each other reading to single minutes; the vertical circles have diameters of 4 ins., with one double vernier reading to single minutes; the telescopes have fixed stadia wires, ratio 1:132, with a focal constant of 1.2 lks. The instruments are equipped with Smith solar attachments, radius of latitude arcs $3\frac{1}{2}$ ins., and of declination arcs 3 ins., each with verniers reading to single minutes. The instruments were in good condition and having been placed in satisfactory adjustment prior to beginning the survey, were approved by the district cadastral engineer on December 4, 1933. All the instrumental adjustments were examined before making the field tests hereinafter recorded.

The directions of the lines were determined by solar transit method, occasionally checked by direct solars, which are not recorded. The measurements were made with Lallie steel tapes, 5 chs. in length, graduated every link for the first 100 lks. and thereafter at intervals of 10 lks. The tapes were tested by comparison with a Lufkin standard and found correct. The measurements were made on the slope and the vertical angle of each interval was ascertained with a clinometer in good adjustment; the horizontal equivalents are entered in the field note record.

The data furnished with the special instructions gives the geographic position for the SE. cor. of the township as follows: latitude $34^{\circ}53'44''$ N., and longitude $112^{\circ}50'08''$ W.

December 27, 1933, in camp near the NE. cor. of sec. 25, T. 18 N., R. 6 W., latitude $34^{\circ}55.5'$ N., longitude $112^{\circ}50'08''$ W., using instrument No. 9977, we observe Polaris at western elongation, at 1h15m a.m., l.m.t., making two observations each with the telescope in direct and reversed positions, and mark the mean point with a tack in a stake about 6 chs. N. After daylight we turn off the azimuth of Polaris, $1^{\circ}16.5'$ to the east, and make a meridian mark on a second stake driven firmly in the ground, 6 chs. N.

Every 30 minutes from 8 to 10:30 a.m. and from 1:30 to 4 p.m., we make proper settings on the arcs of the solar attachments and ascertain that the resulting orientation of the instrument, when compared with the meridian established by Polaris observation, has a maximum error of less than $1^{\circ}30''$.

We repeat the tests of the arcs daily by noon observation, and verify the meridional indications at frequent intervals thruout the survey.

The mean observed magnetic declination is $14^{\circ}55'E$.

Resurvey of the East Boundary of T. 18 N., R. 6 W.

chains

The east boundary of Township 18 North, Range 6 West, was surveyed in 1872 by O.H. Case, U.S. Deputy Surveyor. No retracements or resurveys are of record. The following notes describe a dependent resurvey of this line.

Beginning at the cor. of Ts. 18 and 19 N., Rs. 5 and 6 W.

South, on a random line bet. secs. 1 and 6.

40.88 A point 12 lks. W. of the $\frac{1}{4}$ sec. cor.

81.48 A point 129 lks. W. of the cor. of secs. 1, 6, 7 and 12.

Thence from cor.

South, on a random line bet. secs. 7 and 12.

40.00 Find no trace of $\frac{1}{4}$ sec. cor.; set temp. cor.

82.08 A point 3.08 chs. E. of the cor. of secs. 7, 12, 13 and 18.

Thence, from cor.

South, on a random line bet. Rs. 5 and 6 W., thru the balance of T. 18 N., making careful but futile search at record intervals for original $\frac{1}{4}$ sec. and sec. cors., and setting temp. cors. at such record distances.

325.36 A point 1.77 chs. E. of the cor. of Ts. 17 and 18 N., Rs. 5 and 6 W., a decayed cedar post, 6 ins. sq., 3 ft. long, with partly legible marks, set in a mound of stone.

As this cor. now refers to Ts. 18 N., Rs. 5 and 6 W., only, in place of the original post, which is set alongside,

Set an iron post, 3 ft. long 3 ins. diam., 14 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of Ts. 18 N., Rs. 5 and 6 W., with brass cap mkd.

T18N
R6W | R5W
S36 | S31

1934

from which

The old bearing tree:

A cedar limb, 6 ins. diam., bears S. $27\frac{1}{2}^{\circ}$ W., 48 lks. dist., marks illegible.

The new bearing trees:

A scrub cedar, 6 ins. diam., bears N. $41\frac{1}{2}^{\circ}$ E., 76 lks. dist., mkd. T 18 N R 5 W S 31 B T.

A scrub cedar, 6 ins. diam., bears N. 48° W., 61 lks. dist., mkd. T 18 N R 6 W S 36 B T.

Thence, N. $0^{\circ}19'$ E., on true line bet. secs. 31 and 36.

Over rolling land, thru heavy cedar, pinon and juniper, and scattering undergrowth.

Descend 109 ft. over NE. slope.

10.40 Wire fence, bears NE. and SW.

16.50 Corral bears E., 3 chs. dist.

18.50 Over washed bottom land, walnut timber on same.

20.90 Leave wash, course NW.; ascend 46 ft. over SW. slope.

Resurvey of the East Boundary of T. 18 N., R. 6 W.

chains	
26.20	Short spur, slopes W.; desc. 36 ft. over N. slope.
28.90	Short ravine, course SW.; asc. 65 ft. over SW. slope.
35.10	Spur, slopes W.; descend 85 ft. over N. slope.
40.10	Short ravine, course NW.; asc. 15 ft. over SW. slope.
40.67	Proportional distance, Set an iron post, 3 ft. long 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\begin{array}{c} \frac{1}{4} \\ S36 S31 \\ 1934 \end{array}$ from which A juniper, 8 ins. diam., bears S. $43\frac{1}{2}^{\circ}$ E., 97 lks. dist., mkd. $\frac{1}{4}$ S 31 B T. A scrub cedar, 14 ins. diam., bears S. $36\frac{1}{2}^{\circ}$ W., 107 lks. dist., mkd. $\frac{1}{4}$ S 36 B T. Asc. 68 ft. over SW. slope.
45.60	Spur, slopes W.; desc. 130 ft. over N. slope.
57.40	Leave timber and undergrowth; over gentle NW. slope.
59.86	Wire fence, bears S. 25° E. and N. 25° W.
63.36	Same fence, bears N. 25° E. and S. 25° W.
70.16	Road, bears SE. to H. Irving and NW. to Ranger Station.
71.86	Wire fence, bears NW. and SE.; enter field.
81.34	Proportional distance, Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground, for cor. of secs. 25, 30, 31 and 36, with brass cap mkd. $\begin{array}{c} T18N \\ R6W R5W \\ S25 S30 \\ S36 S31 \\ 1934 \end{array}$ raise a mound of stone, 3 ft. base, 2 ft. high, SW. of cor. H. Irving's house bears N. $41\frac{1}{2}^{\circ}$ E.; barn bears N. $38\frac{1}{2}^{\circ}$ E. Land, rolling. Soil, adobe, 2d rate; rocky, 3d rate. Timber, scrub cedar, juniper, pinon, pine, walnut, willow. Undergrowth, oak, manzanita, sage. ----- N. $0^{\circ} 19'$ E., on true line bet. secs. 25 and 30.
.10	Wire fence, bears NE. and SW.; leave cultivated field
.15	Enter wash, 1 ch. wide, from SW.; course N.
17.50	Leave wash, course NE.; continue over flat.
21.00	Enter scattering oak, pine, cedar and juniper timber.

Resurvey of the East Boundary of T. 18 N., R. 6 W.

chains

25.00 Enter dense undergrowth; ascend 75 ft. over S. slope.

35.70 Hill, bears E. and W.; desc. 25 ft. over N. slope.

36.18 Wire fence, bears S.70°E. and N.70°W.

40.67 Proportional distance,

Set an iron post, 3 ft. long 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ | \\ S25 \quad | \quad S30 \end{array}$$

1934

from which

A scrub cedar, 14 ins. diam., bears S.30°E., 56 lks. dist., mkd. $\frac{1}{4}$ S30 B TAn oak, 6 ins. diam., bears S.70°W., 47 lks. dist., mkd. $\frac{1}{4}$ S25 B T.

Ascend 47 ft. over gentle S. slope.

47.40 Hill, bears E. and W.; desc. 15 ft. over N. slope.

51.00 Head of ravine, course SE.; asc. 52 ft. over S. slope.

58.50 Pass, in long spur, slopes E.; mound of old Indian ruins bears W., 2 chs. dist.; desc. 230 ft. over N. slope.

62.40 Telephone line, bears N.24°W. and S.24°E.

73.40 Wire fence, bears E. and W.

73.50 Enter Walnut Creek wash, dry, course E.

76.00 E. end of CCC dyke, bears NE. and SW.

78.80 Wire fence, bears NE. and SW.

81.20 Leave wash, course NE.

81.25 Wire fence, bears NE. and SW.; continue thru field.

81.34 Proportional distance

Set an iron post, 3 ft. long 2 ins. diam., 28 ins. in the ground, for cor. of secs. 19, 24, 25 and 30, with brass cap mkd.

$$\begin{array}{c} T18N \\ R6W \quad | \quad R5W \\ \hline S24 \quad | \quad S19 \\ S25 \quad | \quad S30 \end{array}$$

1934

from which

A walnut, 10 ins. diam., bears N.44 $\frac{1}{2}$ °E., 245 lks. dist., mkd. T 18 N R 5 W S 19 B T.

A willow, 12 ins. diam., bears S.11°E., 258 lks. dist., mkd. T 18 N R 5 W S 30 B T.

A willow, 14 ins. diam., bears S.5°45'W., 276 lks. dist., mkd. T 18 N R 6 W S 25 B T.

A walnut, 10 ins. diam., bears N.1°07'W., 430 lks. dist., mkd. T 18 N R 6 W S 24 B T.

Resurvey of the East Boundary of T. 18 N., R. 6 W.

chains

Land, rolling.
Soil, adobe, sand and gravel, 2d and 3d rate.
Timber, pine, oak, scrub cedar, juniper, walnut, willow.
Undergrowth, oak, manzanita, catclaw, cactus, sage.

N.0°19'E., on true line bet. secs. 19 and 24.

Thru field.

- 4.60 Leave field; wire fence, bears N.60°W. and S.60°E.; continue over mouth of wash, deltas to SE.
- 7.00 Leave wash; enter moderate growth of scrub cedar and undergrowth; asc. 26 ft. over S. slope.
- 9.50 Continue over bench land, slopes S.
- 11.50 Wire fence, bears NE. and SW.
- 16.30 Road, bears SW. to Walnut Creek Ranger Station and E. to Prescott; asc. 66 ft. over gentle S. slope.
- 30.40 Drain, 20 lks. wide, 4 ft. deep, course SE.
- 40.67 Set an iron post, 3 ft. long 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
- $\frac{1}{4}$
S24 | S19
1934
- from which
- A scrub cedar, 20 ins. diam., bears S.49°E., 59 lks. dist. mkd.
 $\frac{1}{4}$ S 19 B T.
- A scrub cedar, 4 ins. diam., bears N.19°W., 61 lks. dist., mkd.
 $\frac{1}{4}$ S24 B T.
- Asc. 18 ft. over S. slope.
- 44.00 Flat spur, slopes SE.; desc. 60 ft. over NE. slope.
- 54.30 Wash, 30 lks. wide, course SE.; continue over broken land.
- 63.00 Head of wash, course SE.
- 67.60 Small wash, course SE.
- 73.70 Spur, slopes SE.
- 74.30 Wash, 20 lks. wide, course S.20°E.; continue along same.
- 80.00 Leave wash, course south, from N.20°W.
- 81.34 Proportional distance,
- Set an iron post, 3 ft. long 2 ins. diam., 16 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 13, 18, 19 and 24, with brass cap mkd.

T18N
R6W | R5W
S13 | S18
S24 | S19

1934

from which

Resurvey of the East Boundary of T. 18 N., R. 6 W.

chains

A scrub cedar, 16 ins. diam., bears N. $34\frac{1}{2}^{\circ}$ E., 59 lks. dist.,
mkd. T 18 N R 5 W S 18 B T.

A scrub cedar, 10 ins. diam., bears S. $16\frac{1}{2}^{\circ}$ E., 32 lks. dist.,
mkd. T 18 N R 5 W S 19 B T.

A scrub cedar, 10 ins. diam., bears S. $86\frac{1}{2}^{\circ}$ W., 99 lks. dist.,
mkd. T 18 N R 6 W S 24 B T

A scrub cedar, 16 ins. diam., bears N. 19° W., 110 lks. dist.,
mkd. T 18 N R 6 W S 13 B T.

Land, rolling and broken.
Soil, adobe, 2d rate; rocky, 3d rate.
Timber, scrub cedar, pinon, juniper, walnut.
Undergrowth, manzanita, oak, sage.

N. $0^{\circ}19'E.$, on true line bet. secs. 13 and 18.

Over rolling land, thru scattering scrub cedar, pinon and
dense undergrowth.

Ascend 80 ft. up channel of wash, 20 lks. wide, general
course S.

17.00 Leave wash, course S., from NW.; ascend 110 ft. over SW.
slope.

22.60 Spur, slopes SE.; desc. 10 ft.

26.20 Wash, near head, course S. 70° E.; asc. 100 ft. over S. slope.

32.00 Spur, slopes E.; desc. 30 ft. over NE. slope.

34.30 Short ravine, course E.; asc. 35 ft. over SE. slope.

38.30 Spur-ridge, slopes E.; desc. 35 ft. over NE. slope.

40.67 Set an iron post, 3 ft. long 1 in. diam., 10 ins. in the
ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$
sec. cor. sec. 18, only, with brass cap mkd.

$\frac{1}{4}$
S18

1934

from which

A pinon, 12 ins. diam., bears S. 76° E., 294 lks. dist.,
mkd. $\frac{1}{4}$ S 18 B T.

No other suitable trees in sec. 18.

41.34 A point 40.00 chs. S. of the NE. cor. of sec. 13.

Set an iron post, 3 ft. long 1 in. diam., 6 ins. in the
ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$
sec. cor. sec. 13, only, with brass cap mkd.

$\frac{1}{4}$
S13

1934

from which

A juniper, 14 ins. diam., bears S. $61\frac{1}{4}^{\circ}$ W., 203 lks. dist.,
mkd. $\frac{1}{4}$ S 13 B T.

Mark a cross (X) on boulder, 1/2 lk. W. of cor. point.

Asc. 20 ft. over SE. slope.

Resurvey of the East Boundary of T. 18 N., R. 6 W.

chains

42.80 Short rocky spur, slopes E.; desc. 110 ft. over N. slope.

58.30 Wash, 10 lks. wide, course E.; over rocky basin land.

61.00 Shallow wash, 50 lks. wide, course S.70°E.

64.00 Drain, 15 lks. wide, 3 ft. deep, course S.60°E.

70.00 Small wash, course SE.

71.70 Small wash, course SE.

80.85 Wire fence, bears E. and W.

81.34 The cor. of secs. 7, 12, 13 and 18; an unmarked symmetrical stone in an old mound of stone.

At point for cor.

Set an iron post, 3 ft. long 2 ins. diam., 24 ins. in the ground, for cor. of secs. 7, 12, 13 and 18, with brass cap mkd.

T18N	
R6W	R5W
S12	S7
S13	S18

1934

from which

The old bearing trees:

A scrub cedar, 8 ins. diam., bears N.37°E., 15 lks. dist., mkd. TXVIII RVE

A scrub cedar, 8 ins. diam., bears S.47°W., 12 lks. dist., mkd. TXVIII RVIE SXIII

The new bearing trees:

A scrub cedar, 10 ins. diam., bears N.78½°E., 40 lks. dist., mkd. T 18 N R 5 E S 7 B T.

A scrub cedar, 8 ins. diam., bears S.21°E., 41 lks. dist., mkd. T 18 N R 5 E S 18 B T.

A pinon, 10 ins. diam., bears N.76°W., 12 lks. dist., mkd. T 18 N R 6 W S 12 B T.

Land, rolling and broken.

Soil, rocky adobe, 3d rate.

Timber, scrub cedar, pinon, juniper.

Undergrowth, manzanita, oakbrush, sage, catclaw, cactus.

N.2°09'E., on true line bet. secs. 7 and 12.

Over broken basin land, thru moderate scrub cedar and pinon timber, and scattering undergrowth.

6.60 Wash, 10 lks. wide, course SE.

19.40 Wash, 20 lks. wide, 3 ft. deep, course SE.; asc. 165 ft. over general S. slope.

41.07 Set an iron post, 3 ft. long 1 in. diam., 22 ins. in the ground to bedrock, and in a mound of stone to top, for ¼ sec. cor., with brass cap mkd.

¼	
S12	S7

1934

from which

Resurvey of the East Boundary of T. 18 N., R. 6 W.

chains

A scrub cedar, 6 ins. diam., bears N.41°E., 83 lks. dist.,
mkd. $\frac{1}{4}$ S 7 B T.

A scrub cedar, 6 ins. diam., bears S.4°W., 63 lks. dist.,
mkd. $\frac{1}{4}$ S 12 B T.

Asc. 175 ft. over rolling SE. slope.

77.00 Change to gentle NE. slope; desc. 4 ft.

82.14 The cor. of secs. 1, 6, 7 and 12; a flat boulder, 8x6x1 ft.
above ground, marked with 5 grooves on S. and 1 groove on
N. side, and a cross (X) on center of top; from which

The old bearing trees:

A scrub cedar, 15 ins. diam., bears S.37 $\frac{1}{2}$ °W., 26 lks. dist.,
mkd., but marks not legible.

The new bearing trees:

A pinon, 7 ins. diam., bears N.82°E., 114 lks. dist.,
mkd. T 18 N R 5 W S 6 B T.

A scrub cedar, 8 ins. diam., bears S.58 $\frac{1}{2}$ °E., 96 lks.
dist., mkd. T 18 N R 5 W S 7 B T

A scrub cedar, 8 ins. diam., bears S.9 $\frac{1}{2}$ °W., 112 lks. dist.,
mkd. T 18 N R 6 W S 12 B T.

A pinon, 6 ins. diam., bears N.36°W., 48 lks. dist.,
mkd. T 18 N R 6 W S 1 B T.

Land, rolling.

Soil, adobe and gravel, 3d rate.

Timber, scrub cedar, pinon, juniper.

Undergrowth, manzanita, catclaw, cactus, scrub oak.

N.1°39'W., on true line bet. secs. 1 and 6.

Over rolling land, thru scrub cedar and pinon, and moder-
ate undergrowth.

Descend 140 ft. over NE. slope.

6.20 Old brush fence, bears NW. and SE.

18.60 Wash, 30 lks. wide, course SE.; asc. 29 ft. over SW. slope.

21.40 Short spur, slopes S.15°E.; desc. 20 ft. over NE. slope.

24.10 Drain, course S.20°E.; asc. 170 ft. over SW. slope.

28.17 Trail, bears NW. and SE.

38.80 Spur, slopes W.; desc. 15 ft. over NW. slope.

40.62 The $\frac{1}{4}$ sec. cor.; a stone, 14x12x8 ins., loosely set, mkd.
 $\frac{1}{4}$ on N. face and witnessed by a small mound of stone, N.

At point for cor.

Set an iron post, 3 ft. long 1 in. diam., 28 ins. in the
ground, with the original stone cor. set alongside, for
 $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$

S1 | S6

1934

from which

Resurvey of the East Boundary of T. 18 N., R. 6 W.

chains

The old bearing tree:

A scrub cedar, 16 ins. diam., bears N.20 $\frac{1}{2}$ °E., 66 lks. dist.,
mkd. $\frac{1}{4}$ S VI

The new bearing tree:

A scrub cedar, 8 ins. diam., bears S.80°45'W., 87 lks.
dist., mkd. $\frac{1}{4}$ S 1 B T.

N.0°10'W., on true line bet. secs. 1 and 6.

Desc. 127 ft. over NW. slope.

- 7.60 Wire fence, bears E. and SW.
- 9.10 Wash, 20 lks. wide, course NE.
- 10.10 Mesh fence, bears E. and W.; enter field.
- 15.20 Road, bears W. to Cienega Ranch and E. to Seligman.
- 20.80 Mesh fence, bears NE. and SW.; leave field; asc. 46 ft.
- 28.00 Spur, slopes E.; desc. 44 ft.
- 34.50 Corner of fences, bear W. and S.
- 36.30 Drain, 60 lks. wide, course N.60°E.; asc. 44 ft. over SE.
slope.
- 40.88 The cor. of Ts. 18 and 19 N., Rs. 5 and 6 W.; an iron post
3 ins. diam., firmly set in a mound of stone, with brass
cap properly mkd., and witnessed as described in the
official record.
- Land, rolling and field.
Soil, adobe, gravel, 3d rate.
Timber, scrub cedar, pinon, juniper, walnut.
Undergrowth, manzanita, scrub oak, quinine, mahogany.
-
- Resurvey of a Portion of the South Boundary of
T. 18 N., R. 6 W.
-
- The east 3 miles of the south boundary of Township 18
North, Range 6 West, were surveyed in 1872 by O.H. Case,
U.S. Deputy Surveyor. No resurveys or retracements are
of record.
- The following notes describe a dependent resurvey of the
line after a retracement failed to disclose any evidence
of the original line or corners. Thereafter the survey
of the remainder of the S. bdy. of T.18 N., R.6 W., is
described.
- Beginning at the cor. of Ts.18 N., Rs.5 and 6 W., hereto-
fore described.
- West, on true line on S. bdy. of sec. 36.
- Over rolling land, thru medium growth of scrub cedar and
pinon, and undergrowth.
- Asc. 51 ft. over gentle NE. slope.
- 11.00 Flat spur, slopes N.; desc. 170 ft. over rocky W. slope.
- 18.00 Wire fence, bears NE. and SW.
- 33.80 Wash, 30 lks. wide, course N.; asc. 15 ft. over NE. slope.

Resurvey of a Portion of the South Boundary of
T. 18 N., R. 6 W.

chains	
36.60	Wire fence, bears NW. and SE.
40.00	Record dist.;
	Set an iron post, 3 ft. long 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. sec. 36, only, with brass cap mkd.
	<u>$\frac{1}{4}$ S36</u>
	1934 from which
	A juniper, 18 ins. diam., bears N. $74\frac{1}{2}^{\circ}$ E., 122 lks. dist., mkd. $\frac{1}{4}$ S 36 B T.
	A juniper, 26 ins. diam., bears N. 68° W., 112 lks. dist., mkd. $\frac{1}{4}$ S 36 B T.
	Asc. 56 ft. over NE. slope.
49.20	Short spur, slopes N.; continue over N. slope.
52.90	Drain, course N.
62.30	Ravine, water in pools, course N. 75° E.; asc. 60 ft. over rolling SE. slope.
80.00	Record distance,
	Set an iron post, 3 ft. long 2 ins. diam., 10 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 35 and 36, only, with brass cap mkd.
	T18N R6W <u>S35 S36</u>
	1934 from which
	A black oak, 6 ins. diam., bears N. 34° E., 54 lks. dist., mkd. T 18 N R 6 W S 36 BT.
	A pinon, 12 ins. diam., bears N. $39\frac{1}{2}^{\circ}$ W., 66 lks. dist., mkd. T 18 N R 6 W S 35 BT.
	Land, rolling. Soil, adobe, gravel, 3d rate. Timber, scrub cedar, pinon, juniper, oak, pine, walnut. Undergrowth, oak, manzanita, mahogany, catclaw, quinine, cactus, etc.

	West, on true line on S. bdy. sec. 35.
	Over rolling land, thru medium scrub cedar and pinon, and undergrowth.
	Asc. 50 ft. over SE. slope.
1.30	Wire fence, bears N. and S.
4.50	Spur, slopes N.; desc. 40 ft. over NW. slope.
11.00	Wash, 25 lks. dist, course SE.
15.70	Top of knoll, 30 ft. high.
21.70	Small wash, course N. 80° E.; continue over gently rolling land.
30.50	Wash, 10 lks. wide, course SE.
33.70	Wash, 15 lks. wide, 2 ft. deep, course S. 65° E.

Resurvey of a Portion of the South Boundary of
T. 18 N., R. 6 W.

chains

- 36.60 Same wash, course N.80°E.
- 37.60 Same wash, course S.80°E.
- 40.00 Record distance,
Set an iron post, 3 ft. long 1 in. diam., 27 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. sec. 35, only, with brass cap mkd.
- $\frac{1}{4}$ S 35
1934 from which
- A black oak, 10 ins. diam., bears N.9°E., 76 lks. dist., mkd. $\frac{1}{4}$ S 35 B T.
- A juniper, 36x60 ins. diam., bears N.30°W., 22 lks. dist., mkd. $\frac{1}{4}$ S 35 B T.
- Asc. 43 ft. over E. slope.
- 45.40 Ridge, bears N. and S.; desc. 15 ft.
- 49.20 Ravine, course N.75°E.; asc. 116 ft. over SE. slope.
- 63.70 Spur, slopes SE.; desc. 225 ft. over NW. slope.
- 76.50 Ravine, course N.; asc. 60 ft. over NE. slope.
- 80.00 Record distance,
Set an iron post, 3 ft. long 2 ins. diam., 24 ins. in the ground, and in a mound of stone to top, for cor. of secs. 34 and 35, only, with brass cap mkd.
- T18N R6W
S34 | S35
1934 from which
- A black oak, 6 ins. diam., bears N.73°E., 44 lks. dist., mkd. T 18 N R 6 W S 35 B T.
- A black oak, 8 ins. diam., bears N.38°45'W., 115 lks. dist., mkd. T 18 N R 6 W S 34 B T.
- Land, rolling.
Soil, adobe and gravel, 3d rate.
Timber, scrub cedar, pinon, oak, juniper, pine.
Undergrowth, scrub oak, manzanita, mahogany, quinine, catclaw and cactus.
-
- West, on true line on S. bdy. of sec. 34.
- Over rolling and broken land, thru medium pine, scrub cedar, pinon, and undergrowth.
- Desc. 100 ft. over N. and NW. slopes.
- 24.00 Apache Creek wash, dry, 80 lks. wide, course NE.; asc. 110 ft. over SE. slope.
- 26.90 Spur, slopes SE.; desc. 50 ft. over broken S. slope.
- 40.00 Record distance,
True point for $\frac{1}{4}$ sec. cor. sec. 34, only, falls on round slope of large boulder.

Resurvey of a Portion of the South Boundary of
T. 18 N., R. 6 W.

chains

41.00 Wash, 15 lks. wide, course S.70°E.; continue on S. slope.

42.00 Set an iron post, 3 ft. long 1 in. diam., 30 ins. in the ground, for witness $\frac{1}{4}$ sec. cor. sec. 34, only, with brass cap mkd. $\frac{1}{4}$ S 34 WC

1934

from which

A yellow pine, 50 ins. diam., bears N.7 $\frac{1}{2}$ °E., 36 lks. dist., mkd. W C $\frac{1}{4}$ S 34 B T.A yellow pine, 24 ins. diam., bears N.62 $\frac{1}{2}$ °W., 60 lks. dist., mkd. W C $\frac{1}{4}$ S 34 B T.

48.00 Low spur, slopes NE.

54.30 Enter bend of Apache Creek wash, dry, 80 lks. wide, course S.65°E.

55.30 Leave wash, course NE.; asc. 90 ft. over NE. slope.

60.00 Spur, slopes SE.; desc. 35 ft. over SW. slope.

67.60 Ravine, seep of water, course SE.; asc. 55 ft. over NE. slope.

75.00 Flat spur, slopes SE.; desc. 55 ft. over SW. slope.

80.00 Record distance,

Set an iron post, 3 ft. long 2 ins. diam., on cross (X) marked on exposed bedrock, and in a mound of stone to top, for cor. of secs. 33 and 34, only, with brass cap mkd.

T18N R6W

S33 | S34

1934

from which

A pinon, 4 ins. diam., bears N.58°E., 95 lks. dist., mkd. B T.

A juniper, 16 ins. diam., bears N.36 $\frac{1}{2}$ °W., 115 lks. dist., mkd. T 18 N R 6 W S 33 B T.

Land, rolling and broken.

Soil, adobe and granite loam, 3d rate.

Timber, pine, pinon, scrub cedar, juniper, walnut.

Undergrowth, mahogany, manzanita, sage, quinine.

Survey of a Portion of the South Boundary of
T. 18 N., R. 6 W.

From the cor. of secs. 33 and 34, only,

West, on S. bdy. of sec. 33.

Over rolling and broken land, thru scattering scrub cedar and pinon, and medium undergrowth.

Desc. 20 ft. over SW. slope.

4.20 Ravine, trace of water, course S.; asc. 43 ft. over SE. slope.

8.50 A broken spur, slopes S.; desc. 20 ft. over SW. slope.

Survey of a Portion of the South Boundary of
T. 18 N., R. 6 W.

chains

- 9.82 A point 80.00 chs. E. of the SW. cor. of sec. 33, hereinafter described.
- Set an iron post, 3 ft. long 1 in. diam., 15 ins. in the ground to bedrock, with a stone, mkd. X, deposited at the base, and in a mound of stone to top, for cor. of lots 7 and 8 of sec. 33, with brass cap mkd.
- S33
718
1934
- 11.50 Gully, course SE.; asc. 63 ft. over NE. slope.
- 14.60 Low divide, bears N. and SW.; desc. 26 ft. over W. slope.
- 18.10 Gully, course SE.; asc. 71 ft. over boulders on SE. slope.
- 38.30 Low spur, slopes NE.; desc. 12 ft. over NW. slope.
- 46.30 Small drain, course N.; asc. 100 ft. over E. slope.
- 49.82 A point 40.00 chs. E. of the SW. cor. of sec. 33,
- Set an iron post, 3 ft. long 1 in. diam., 15 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. sec. 33, only, with brass cap mkd.
- $\frac{1}{4}$ S33
1934
- raise a mound
- of stone 3 ft. base, 2 ft. high, N. of cor.
- No suitable trees available.
- Asc. 145 ft. over E. and SE. slopes.
- 60.00 Spur, slopes S.; continue over gentle SW. slope.
- 70.80 Ridge, bears NE. and SW.
- 79.00 Change to NW. slope; desc. 36 ft.
- 85.10 Ravine, course NE.; asc. 55 ft. over SE. slope.
- 89.82 A point which is south of the SW. cor. of sec. 21, hereinafter described.
- Set an iron post, 3 ft. long 2 ins. diam., 14 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 32 and 33, only, with brass cap mkd.
- T18N R6W
S32|S33
1934
- from which
- A pinon, 10 ins. diam., bears N.48°E., 24 lks. dist., mkd.
T 18 N R 6 W S 33 B T.
- A juniper, 8 ins. diam., bears N.62°W., 38 lks. dist., mkd.
T 18 N R 6 W S 32 B T.
- Land, rolling and broken.
Soil, adobe and loam, rocky, 3d and 4th rate.
Timber, scrub cedar, juniper, pinon, oak.
Undergrowth, scrub oak, manzanita, mahogany, quinine.

14.

Survey of a Portion of the South Boundary of
T. 18 N., R. 6 W.

chains	
	West, on S. bdy. of sec. 32.
	Over rolling and broken land, thru scattering scrub cedar, pinon and oak, and medium undergrowth.
	Asc. 22 ft. over SE. slope.
3.80	Spur, slopes NE.; descend 77 ft. over SW. slope.
8.20	Head of ravine, course NW.; asc. 30 ft. over NE. slope.
13.20	Spur, slopes N.; desc. 116 ft. over NW. slope.
18.20	Wash, 20 lks. wide, course N.25°E., asc. 112 ft. over SE. slope.
40.00	Set an iron post, 3 ft. long 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. sec. 32, only, with brass cap mkd.
	<u>$\frac{1}{4}$ S 32</u>
	1934 from which
	A double juniper, 18 ins. diam., bears N.6 $\frac{1}{2}$ °E., 10 $\frac{1}{4}$ lks. dist., mkd. $\frac{1}{4}$ S 32 B T.
	A juniper, 24 ins. diam., bears N.41°W., 118 lks. dist., mkd. $\frac{1}{4}$ S 32 B T.
	Asc. 260 ft. over SE. slope.
64.00	Over flat top of ridge, bears NE. and SW.
66.10	Blazed trail, bears NE. and SW.
69.40	Change to NE. slope; asc. 77 ft.
79.90	Spur, slopes N.20°W.
80.00	Set an iron post, 3 ft. long 2 ins. diam., 28 ins. in the ground, for cor. of secs. 31 and 32, only, with brass cap mkd.
	T18N R6W <u>S31 S32</u>
	1934 from which
	A pinon, 10 ins. diam., bears N.43°E., 96 lks. dist., mkd. T 18 N R 6 W S 32 B T.
	A white oak, 10 ins. diam., bears N.16 $\frac{1}{2}$ °W., 7 $\frac{1}{4}$ lks. dist., mkd. T 18 N R 6 W S 31 B T.
	Land, rolling and broken. Soil, rocky adobe, 3d rate. Timber, oak, pinon, scrub cedar, juniper. Undergrowth, oakbrush, manzanita, mahogany.

	West, on S. bdy. of sec. 31.
	Over rolling and mountainous land, thru scattering timber and medium undergrowth.
	Desc. 44 ft. over NW. slope.
4.90	Head of ravine, course SW.; continue over S. slope.
8.80	Change to SW. slope; desc. 205 ft.
20.50	Ravine, course NW.; asc. 17 ft. over NE. slope.

Survey of a Portion of the South Boundary of
T. 18 N., R. 6 W.

chains	
21.20	Spur, slopes N.; desc. 17 ft.
22.40	Ravine, course NW.; asc. 143 ft. over N. and NE. slopes.
24.30	Trail, bears N. and S.
40.00	Set an iron post, 3 ft. long 1 in. diam., 14 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. sec. 31, only, with brass cap mkd.
	<u>$\frac{1}{4}$ S31</u>
	1934
	from which
	A pinon, 8 ins. diam., bears N.67°E., 38 lks. dist., mkd. $\frac{1}{4}$ S 31 B T.
	A pinon, 10 ins. diam., bears N.32°W., 19 lks. dist., mkd. $\frac{1}{4}$ S 31 B T.
40.90	Drain, course NE.; asc. 212 ft. over NE. slope.
49.90	Spur, slopes N.; continue over N. slope.
58.20	Change to NW. slope; desc. 50 ft.
60.30	Ravine, course NE.; asc. 490 ft. over E. and NE. slopes.
77.70	Rocky spur, slopes N.; desc. 30 ft. over NW. slope.
80.00	Set an iron post, 3 ft. long 1 in. diam., 10 ins. in the ground to bedrock, with a stone, mkd. X, deposited at the base, and in a mound of stone to top, for cor. of lots 7 and 8 of sec. 31, only, with brass cap mkd.
	S31 <u>718</u>
	1934
	Desc. 47 ft. over NW. slope.
82.00	Head of ravine, course NE.; asc. 195 ft. over NE. slope.
92.50	A point which is south of the SW. cor. of sec. 6, hereinafter described.
	Set an iron post, 3 ft. long 3 ins. diam., 27 ins. in the ground, for cor. of Ts. 18 N., Rs. 6 and 7 W., only, with brass cap mkd.
	T18N R7W R6W <u>S36 S31</u>
	1934
	raise a mound
	of stone 3 ft. base, 3 ft. high, N. of cor.
	No suitable trees available.
	Land, rolling and mountainous.
	Soil, rocky adobe, 3d rate.
	Timber, scrub cedar, pinon, juniper, oak.
	Undergrowth, scrub oak, manzanita, mahogany.

Survey of a Portion of the West Boundary of
T. 18 N., R. 6 W.

chains

The west boundary of sec. 6, T.18 N., R.6 W., was surveyed in 1920, by O. Ross, U.S. Surveyor. The following notes describe the completion of the W. bdy. of this Tp.

From the cor. of Ts.18 N., Rs.6 and 7 W.

North, bet. secs. 31 and 36.

Over mountainous land, thru scattering timber and medium undergrowth.

Desc. 720 ft. over general NE. slope.

36.50 Change to NW. slope; desc. 35 ft.

40.00 Set an iron post, 3 ft. long 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ S36 | S31 \end{array}$$

1934

from which

A yellow pine, 16 ins. diam., bears S.76°E., 11 lks. dist., mkd. $\frac{1}{4}$ S 31 B T.

A yellow pine, 12 ins. diam., bears N.20°W., 10 lks. dist., mkd. $\frac{1}{4}$ S 36 B T.

Desc. 108 ft. over NW. slope.

48.80 Old road, bears N.70°E. and S.70°W.

49.70 Canyon, seep of water, course N.70°E.; asc. 178 ft. over S. slope.

80.00 Set an iron post, 3 ft. long 2 ins. diam., 27 ins. in the ground, for cor. of secs. 25, 30, 31 and 36, with brass cap mkd.

$$\begin{array}{c} T18N \\ R7W | R6W \\ S25 | S30 \\ S36 | S31 \end{array}$$

1934

from which

An alligator juniper, 40 ins. diam., bears N.45°E., 10 lks. dist., mkd. T 18 N R 6 W S 30 B T.

A juniper, 4 ins. diam., bears S.39°E., 83 lks. dist., mkd. B T.

An alligator juniper, 36 ins. diam., bears S.2 $\frac{1}{2}$ °W., 97 lks. dist., mkd. T 18 N R 7 W S 36 B T.

A juniper, 10 ins. diam., bears N.18 $\frac{1}{2}$ °W., 150 lks. dist., mkd. T 18 N R 7 W S 25 B T.

Land, mountainous.

Soil, rocky adobe, 3d rate.

Timber, pine, pinon, juniper, oak, locust, scrub cedar.

Undergrowth, scrub oak, manzanita, locust, mahogany.

Survey of a Portion of the West Boundary of
T. 18 N., R. 6 W.

chains

North, bet. secs. 25 and 30.

Over mountainous land, thru scattering timber and medium undergrowth.

Asc. 10 ft. over SW. slope.

1.50 Spur, slopes E.; desc. 80 ft. over NE. slope.

5.00 Ravine, course SE.; asc. 125 ft. over SW. slope.

11.90 Low spur, slopes SW.; continue over NW. slope.

19.60 Spur, slopes SE.; desc. 78 ft. over NE. slope.

27.50 Ravine, course SE.; asc. 98 ft. over SW. slope.

34.80 Top of ascent; continue over flat spur, slopes SE.

40.00 Set an iron post, 3 ft. long 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ \hline S25 | S30 \end{array}$$

1934

from which

An alligator juniper, 28 ins. diam., bears S.88°E., 102 lks. dist., mkd. $\frac{1}{4}$ S 30 B T.An alligator juniper, 32 ins. diam., bears N.26°W., 69 lks. dist., mkd. $\frac{1}{4}$ S 25 B T.

45.00 Leave flat; desc. 37 ft. over NE. slope.

48.50 Ravine, course SE.; asc. 220 ft. over SW. slope.

57.30 Spur, slopes SE.; desc. 160 ft. over NE. slope.

65.50 Gulch, 20 lks. wide, course SE.; asc. 34 ft. over SW. slope.

67.10 Spur, slopes SE.; desc. 15 ft.

70.30 Head of ravine, course NW.; asc. 72 ft. over SW. slope.

73.50 Rocky spur, slopes SE.; desc. 30 ft.

75.30 Head of short drain, course W.; asc. 110 ft. over S. slope.

80.00 Set an iron post, 3 ft. long 2 ins. diam., 28 ins. in the ground, for cor. of secs. 19, 24, 25 and 30, with brass cap mkd.

$$\begin{array}{c} T18N \\ R7W | R6W \\ S24 | S19 \\ S25 | S30 \end{array}$$

1934

raise a mound

of stone 3 ft. base, 2 ft. high, W. of cor.

No suitable trees available.

Land, mountainous.

Soil, rocky adobe, 3d rate.

Timber, oak, pinon, scrub cedar, locust, pine.

Undergrowth, scrub oak, manzanita, mahogany, locust.

Survey of a Portion of the West Boundary of
T. 18 N., R. 6 W.

chains

North, bet. secs. 19 and 24.

Over mountainous land, thru scattering timber and medium undergrowth.

Asc. 106 ft. over SE. slope.

3.70 Spur, slopes SE.; desc. 188 ft. over NE. slope.

10.80 Ravine, course NE.; asc. 332 ft. over SE. slope.

26.80 Spur, slopes N.75°E.; desc. 203 ft. over NE. slope.

36.20 Ravine, course NE.; asc. 72 ft. over S. slope.

40.00 Set an iron post, 3 ft. long 1 in. diam., 20 ins. in the ground to bedrock, with a stone, mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ \hline S24 | S19 \\ | \\ 1934 \end{array}$$

from which

An alligator juniper, 24 ins. diam., bears S.21 $\frac{1}{2}$ °W., 23 lks. dist., mkd. $\frac{1}{4}$ S 24 B T.

No other suitable trees available.

Asc. 160 ft. over S. slope.

44.70 Spur, slopes SE.; change to SE. slope.

49.20 Head of ravine, course E.

56.70 Spur, slopes NE.; desc. 490 ft. over broken NE. slope.

80.00 Set an iron post, 3 ft. long 2 ins. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 13, 18, 19 and 24, with brass cap mkd.

$$\begin{array}{c} T18N \\ R7W | R6W \\ S13 | S18 \\ S24 | S19 \\ \hline 1934 \end{array}$$

from which

A white oak, 8 ins. diam., bears N.62°E., 85 lks. dist., mkd. T 18 N R 6 W S 18 B T.

A white oak, 8 ins. diam., bears S.37 $\frac{1}{2}$ °E., 85 lks. dist., mkd. T 18 N R 6 W S 19 B T.A yellow pine, 20 ins. diam., bears S.11 $\frac{1}{2}$ °W., 43 lks. dist., mkd. T 18 N R 7 W S 24 B T.

A white oak, 8 ins. diam., bears N.62°W., 13 lks. dist., mkd. T 18 N R 7 W S 13 B T.

Land, mountainous.

Soil, rocky adobe, 3d and 4th rate.

Timber, oak, pinon, pine, juniper, locust.

Undergrowth, mahogany, catclaw, cactus, manzanita, oak.

BOOK 4047

Survey of a Portion of the West Boundary of
T. 18 N., R. 6 W.

chains	
	North, bet. secs. 13 and 18.
	Over rolling and mountainous land, thru scattering timber and medium undergrowth.
	Desc. 29 ft. over NE. slope.
3.50	Head of ravine, course SE.; asc. 16 ft.
6.90	Short spur, slopes SE.; desc. 33 ft. over N. slope.
9.40	Ravine, course SE.; asc. 10 ft.
11.90	Change to NE. slope; desc. 30 ft.
16.80	Ravine, course SE.; asc. 55 ft. over SW. slope.
18.20	Old road, bears E. and W.
20.70	Short spur, slopes SE.; desc. 40 ft. over NE. slope.
25.70	Ravine, course SE.; asc. 173 ft. over SW. slope.
27.65	Fence, bears N.75°W. and S.75°E.
40.00	Set an iron post, 3 ft. long 1 in. diam., 15 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S13 S18 1934
	from which
	A pine, 8 ins. diam., bears S.60°E.; 84 lks. dist., mkd. $\frac{1}{4}$ S 18 B T.
	A white oak, 8 ins. diam., bears N.74°W.; 63 lks. dist., mkd. $\frac{1}{4}$ S 13 B T.
	Asc. 174 ft. over SW. slope.
51.80	Change to W. slope; desc. 40 ft.
69.00	Bend in ravine from NW. to SW.; asc. 51 ft. over SW. slope.
80.00	Set an iron post, 3 ft. long 2 ins. diam., 16 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 7, 12, 13 and 18, with brass cap mkd.
	T18N R7W R6W S12 S7 S13 S18 1934
	from which
	A white oak, 8 ins. diam., bears N.82°E.; 29 lks. dist., mkd. T 18 N R 6 W S 7 B T.
	A white oak, 8 ins. diam., bears S.51°E.; 42 lks. dist., mkd. T 18 N R 6 W S 18 B T.
	A juniper, 22 ins. diam., bears S.85 $\frac{1}{2}$ °W.; 75 lks. dist., mkd. T 18 N R 7 W S 13 B T.
	A juniper, 26 ins. diam., bears N.45°W.; 107 lks. dist., mkd. T 18 N R 7 W S 12 B T.
	Land, mountainous and rolling.
	Soil, rocky adobe, 3d rate.
	Timber, oak, pine, juniper, locust.
	Undergrowth, scrub oak, manzanita, mahogany.

Survey of a Portion of the West Boundary of
T. 18 N., R. 6 W.

chains	
	North, bet. secs. 7 and 12.
	Over mountainous land; thru scattering timber and medium undergrowth.
	Asc. 120 ft. over SW. slope.
9.00	Short spur, slopes W.
28.50	Ravine, course NE.; trail, bears NE. and SW.; asc. 190 ft. over rolling S. slope.
32.10	Trail, bears NE. and SW.
40.00	Set an iron post, 3 ft. long 1 in. diam., 14 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S12 S7 1934
	from which
	A pinon, 6 ins. diam., bears N.55°E., 25 lks. dist., mkd. $\frac{1}{4}$ S 7 B T.
	A pinon, 8 ins. diam., bears S.72 $\frac{1}{2}$ °W., 57 lks. dist., mkd. $\frac{1}{4}$ S 12 B T.
	Asc. 317 ft. over S. slope.
51.70	Over flat top of Juniper Mtn.; bears E. and W.
62.00	Leave same; desc. 36 ft. over NW. slope.
69.20	Head of draw, course NE.; asc. 63 ft. over SW. slope.
80.00	Set an iron post, 3 ft. long 1 in. diam., 12 ins. in the ground to bedrock, with a stone, mkd. X, deposited at the base, and in a mound of stone to top, for cor. of lots 5 and 6 of sec. 7, lots 1 and 4 of sec. 12, with brass cap mkd.
	S12 $\frac{1}{4}$ $\frac{5}{6}$ S7 1934
81.50	Over flat, bears NE. and SW.
86.72	Intersect the cor. of secs. 6 and 7, only; an iron post 2 ins. diam., 10 ins. above ground, firmly set, mkd. on brass cap and witnessed as described in the official record.
	Land, mountainous and rolling. Soil, rocky adobe, 3d rate. Timber, oak, juniper, pine, locust, pinon. Undergrowth, oakbrush, manzanita, mahogany, catclaw.

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains	
	<p>Of the subdivisions of T.18 N., R.6 W., secs. 21 to 27, inclusive, and secs. 34 to 36, inclusive, were surveyed in 1872, by O.H. Case, U.S. Deputy Surveyor.</p> <p>Sec. 1 was surveyed in 1882, by C.B. Foster, U.S. Deputy Surveyor, and its S. and W. bdy. were resurveyed in 1920 by O. Ross, U.S. Surveyor.</p> <p>Secs. 2 to 6, inclusive, were surveyed in 1920 by O. Ross, U.S. Surveyor.</p> <p>The NE. $\frac{1}{4}$ of sec. 12 was designated as surveyed by protraction with the 1882 survey of sec. 1.</p> <p>The following notes describe the dependent resurvey of all the lines run by O.H. Case; a retracement of the line bet. secs. 1 and 12; and the survey of the remainder of the township.</p> <p style="text-align: center;">-----</p> <p>Beginning at the cor. of secs. 13, 18, 19 and 24, on E. bdy. of Tp.; heretofore described.</p> <p>West, on a random line along the N. bdy. of secs. 24, 23, 22 and 21; setting temp. cors. at record intervals and making diligent but futile search for original cors.</p>
320.10	<p>Find no trace of the cor. of secs. 16, 17, 20 and 21; set temp. cor.</p> <p>South, on a random line bet. secs. 20 and 21.</p>
38.18	<p>A point 10.22 chs. E. of the $\frac{1}{4}$ sec. cor.</p>
78.20	<p>A point 10.60 chs. E. of the cor. of secs. 20, 21, 28 and 29; a sandstone, 12x6x6 ins. above ground, mkd. with 2 notches on S. and 4 notches on E. face. As this cor. now refers to secs. 21 and 28, only,</p> <p>At point for cor.</p> <p>Set an iron post, 3 ft. long 2 ins. diam., 22 ins. in the ground to bedrock, with the original stone cor. set alongside, and in a mound of stone to top, for cor. of secs. 21 and 28, only, with brass cap mkd.</p> <p style="text-align: center;">T18N R6W S21 S28 1934</p> <p style="text-align: right;">from which</p> <p>A pinon, 8 ins. diam., bears N.49°E., 113 lks. dist., mkd. T 18 N R 6 W S 21 B T.</p> <p>A scrub cedar, 12 ins. diam., bears S.60°E., 64 lks. dist., mkd. T 18 N R 6 W S 28 B T.</p> <p>Cor. is 18 lks. E. of N. and S. fence.</p> <p>Thence, N.0°33'E., on true line on W. bdy. of sec. 21.</p> <p>Over flat; thru medium timber and scattering undergrowth.</p>
3.40	<p>Change to NE. slope; desc. 67 ft.</p>
10.20	<p>Corner of fences bearing SW. and N. bears W., 20 lks. dist.</p>
13.00	<p>Fence, bears E. and W.</p>
16.60	<p>N. fork of Walnut Creek, dry wash, 60 lks. wide, 3 ft. deep, course E.; asc. 1105 ft. over SW. slope.</p>
30.80	<p>Spur, slopes S.70°E.; desc. 20 ft. over NE. slope.</p>
33.77	<p>A point 40.00 chs. in latitude from the SE. cor. of sec. 20, hereinafter described.</p>

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains

Set an iron post, 3 ft. long 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. sec. 20, only, with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ \text{S20} \end{array}$$

1934

from which

An alligator juniper, 14 ins. diam., bears N.89°W., 72 lks. dist., mkd. $\frac{1}{4}$ S 20 B T.

An alligator juniper, 46 ins. diam., bears N.6°W., 46 lks. dist., mkd. $\frac{1}{4}$ S 20 B T.

Desc. 20 ft. over NE. slope.

40.02 The $\frac{1}{4}$ sec. cor.; a sandstone, 12x10x8 ins., with dim marks, set in a mound of stone.

As this cor. now refers to sec. 21, only, in place of the stone, which is set alongside,

Set an iron post, 3 ft. long 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. sec. 21, only, with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ \text{S21} \end{array}$$

1934

from which

A pinon, 10 ins. diam., bears N.42°45'E., 103 lks. dist., mkd. $\frac{1}{4}$ S 21 B T.

A double juniper, 38 ins. diam., bears S.89°E., 95 lks. dist., mkd. $\frac{1}{4}$ S 21 B T.

Note: Unusual distortion of the W. bdy. of sec. 21 would accompany a dependent reestablishment of the NW. cor. of the sec.; therefore an exception to the dependent method of resurvey is made and the NW. cor. of sec. 21 is instead relocated at record course and distance from the S.

North, on true line on W. bdy. of sec. 21.

Asc. 8 ft. over SE. slope.

1.20 Low spur, slopes E.; desc. 28 ft. over NE. slope.

3.30 Drain, course SE.

9.30 Wash, 10 lks. wide, course SE.; asc. 260 ft. over gradual SW. slope.

33.75 A point 80.00 chs. in latitude from the SE. cor. of sec. 20, hereinafter described.

Set an iron post, 3 ft. long 2 ins. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 17 and 20, only, with brass cap mkd.

$$\begin{array}{c} \text{T18N R6W} \\ \text{S17} \\ | \\ \text{S20} \end{array}$$

1934

from which

A pinon, 14 ins. diam., bears S.74°W., 60 lks. dist., mkd. T 18 N R 6 W S 20 B T.

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains

A pinon, 10 ins. diam., bears N.23°W., 27 lks. dist.,
mkd. T 18 N R 6 W S 17 B T.

Ascend 70 ft. over SE. slope.

40.00 Record distance,

Set an iron post, 3 ft. long 2 ins. diam., 20 ins. in the
ground, to bedrock, with a stone, mkd. X, deposited at the
base, and in a mound of stone to top, for cor. of secs.
16 and 21, only, with brass cap mkd.

T18N R6W

S16
S21

1934

from which

A pinon, 8 ins. diam., bears N.9°E., 107 lks. dist.,
mkd. T 18 N R 6 W S 16 B T.

No other suitable trees available.

Land, rolling,

Soil, rocky adobe, 3d rate.

Timber, scrub cedar, pinon, juniper, pine, willow, walnut.

Undergrowth, scrub oak, manzanita, chaparral, cherry.

From the cor. of secs. 21 and 28, only,

East, on random line bet. secs. 21 and 28.

40.00 Find no trace of $\frac{1}{4}$ sec. cor.; set temp. cor.

81.03 A point $5\frac{1}{4}$ lks. S. of the cor. of secs. 21, 22, 27 and 28;
a stone, 14x12x12 ins. above ground, set in a mound of
stone and marked with 2 notches on S. and 3 notches on E.
face.

At point for cor.

Set an iron post, 3 ft. long 2 ins. diam., 24 ins. in the
ground, with the original stone cor. set alongside, and
in a mound of stone to top, for cor. of secs. 21, 22, 27
and 28, with brass cap mkd.

T18N R6W

S21 S22
S28 S27

1934

from which

The old bearing tree:

An alligator juniper, 30 ins. diam., bears S.60 $\frac{1}{2}$ °W., 50
lks. dist., with visible marks XXVIII

The new bearing trees:

A scrub cedar, 8 ins. diam., bears N.4°E., 69 lks. dist.,
mkd. T 18 N R 6 W S 22 B T.

A walnut, 18 ins. diam., bears S.42°E., 99 lks. dist.,
mkd. T 18 N R 6 W S 27 B T.

A double juniper, 28 ins. diam., bears S.19 $\frac{1}{2}$ °W., 141 lks.
dist., mkd. T 18 N R 6 W S 28 B T.

A juniper, 20 ins. diam., bears N.77°W., 214 lks. dist.,
mkd. T 18 N R 6 W S 21 B T.

Thence, S.89°37'W., on true line bet. secs. 21 and 28.

BOOK 4047

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains	
	Over bottom land, thru medium growth of timber and undergrowth.
2.80	Fence, bears NW. and SE.
10.00	N. bank of Walnut Creek, 10 ft. high, bears SE. and NW.
11.00	Walnut Creek, 6 lks. wide, course SE.; continue over bed of same.
16.60	Same creek, course N.65°E.
20.00	Same creek, course S.65°E.; asc. 27 ft. over NE. slope.
24.70	Fence, bears S. and N., soon NW.
27.60	Fence, bears NW. and SE.; asc. 63 ft. over rolling NE. slope.
40.52	Set an iron post, 3 ft. long 1 in. diam., 22 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. sec. 21, only, with brass cap mkd. $\frac{1}{4}$ S21 1934 from which A juniper, 6 ins. diam., bears N.44°E., 48 lks. dist., mkd. $\frac{1}{4}$ S 21 B T. A white oak, 4 ins. diam., bears N.63°W., 64 lks. dist., mkd. $\frac{1}{4}$ S 21 B T.
41.03	A point 40.00 chs. in departure from the NW. cor. of sec. 28. Set an iron post, 3 ft. long 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. sec. 28, only, with brass cap mkd. $\frac{1}{4}$ S28 1934 from which A white oak, 4 ins. diam., bears S.65°W., 8 lks. dist., mkd. $\frac{1}{4}$ S 28 B T. No other suitable tree available. A U.S.G.S. bench-mark, marked 5495, bears N.59°15'W., 19.04 chs. dist. Asc. 25 ft. over NE. slope.
46.00	Drain, course N.
52.60	Short spur, slopes N.; desc. 31 ft. over NW. slope.
59.80	Fence, bears NE. and SW.
63.90	Walnut Creek, water 5 lks. wide, course NE.
68.60	Fence, bears SW. and NE.
68.90	Road, bears SW. and NE.; asc. 116 ft. over SE. slope.
74.00	Spur, slopes NE.; over top of same.
81.03	The cor. of secs. 21 and 28, only, heretofore described.

BOOK 4047

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains

Land, rolling and bottom.
Soil, adobe and gravel, 2d rate.
Timber; scrub cedar, pinon, pine, walnut, willow, juniper.
Undergrowth, scrub oak, willow, arrow-weed, manzanita,
mahogany.

From the cor. of secs. 21,22,27 and 28.

North, on a random line bet. secs. 21 and 22.

40.00 Find no trace of $\frac{1}{4}$ sec. cor.; set temp. cor.

80.00 Find no trace of cor. of secs. 15,16,21 and 22. The temp. cor. established from the E. bears S.72°16'E., 7.84 chs. dist. This cor. will be re-established at record distance in latitude from the S. and proportional distance in departure bet. the NE. cor. of sec. 24 and the re-established NW. cor. of sec. 21, for secs. to the S., only.

Return to the cor. of secs. 21,22,27 and 28.

N.1°23'E., on true line bet. secs. 21 and 22.

Over rolling land, thru medium growth of timber and undergrowth.

.15 Road, bears E. and W.; asc. 270 ft. over S. slope.

21.00 Spur, slopes S.60°W.; desc. 12 ft.

22.60 Head of ravine, course SW.

23.00 A rocky point, projects W.; desc. 151 ft. over NE. slope.

33.10 Draw, 10 lks. wide, course S.75°E.; asc. 6 ft.

40.01 Set an iron post, 3 ft. long 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S21 | S22
1934

from which

A pinon, 6 ins. diam., bears N.28°E., 44 lks. dist.,
mkd. $\frac{1}{4}$ S 22 B T.

A pinon, 6 ins. diam., bears N.89°W., 20 lks. dist.,
mkd. $\frac{1}{4}$ S 21 B T.

43.00 A long wash, 10 lks. wide, course SE.; asc. 680 ft. over S. slope.

75.00 Base of sandstone cliffs, face S.; asc. 200 ft. over same.

80.02 Set an iron post, 3 ft. long 2 ins. diam., 9 ins. in the ground to bedrock, with a stone, mkd. X, deposited at the base, and in a mound of stone to top, for cor. of secs. 21 and 22, only, with brass cap mkd.

T18N R 6 W
S15
S21 | S22
1934

No suitable trees available.

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains

Land, rolling and mountainous.
Soil, adobe and gravel, 3d rate.
Timber, scrub cedar, pinon, juniper, oak.
Undergrowth, scrub oak, manzanita, mahogany, quinine.

S.89°36'W., on true line on N. bdy. of sec. 21.

Over top of bench, drains S.; thru scattering timber and medium undergrowth.

5.00 Sandstone rim, 30 ft. high, bears NW. and SE.; desc. 520 ft. over SW. slope.

38.80 Ravine, course SE.; asc. 9 ft. over E. slope.

41.28 Set an iron post, 3 ft. long 1 in. diam., 10 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. sec. 21, only, with brass cap mkd.

$\frac{1}{4}$ S 21

1934

from which

An alligator juniper, 24 ins. diam., bears S.43 $\frac{1}{2}$ °E., 31 lks. dist., mkd. $\frac{1}{4}$ S 21 B T.

A pinon, 10 ins. diam., bears S.83°W., 8 lks. dist., mkd. $\frac{1}{4}$ S 21 B T.

42.56 A point midway bet. the SE. and SW. cors. of sec. 16,

Set an iron post, 3 ft. long 1 in. diam., 12 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. sec. 16, only, with brass cap mkd.

$\frac{1}{4}$ S 16

1934

from which

A pinon, 8 ins. diam., bears N.39°E., 76 lks. dist., mkd. $\frac{1}{4}$ S 16 B T.

A pinon, 8 ins. diam., bears N.15°W., 15 lks. dist., mkd. $\frac{1}{4}$ S 16 B T.

Asc. 13 ft. over SE. slope.

53.70 Change to SW. slope; desc. 52 ft.

59.60 Draw, course S.; asc. 47 ft. over SE. slope.

70.00 Change to SW. slope; desc. 35 ft.

75.00 Draw, course S.; continue along S. slope.

76.30 Draw, course SE.; asc. 75 ft. over E. slope.

82.56 The cor. of secs. 16 and 21, only, heretofore described.

Land, rolling and mountainous.
Soil, rocky adobe, 3d rate.
Timber, scrub cedar, pinon, juniper.
Undergrowth, scrub oak, manzanita, mahogany, quinine.

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains

From the cor. of secs. 21,22,27 and 28.

East, on random line bet. secs. 22 and 27.

41.73 A point 112 lks. N. of true point for $\frac{1}{4}$ sec. cor.

83.55 A point 296 lks. N. of the cor. of secs. 22,23,26 and 27;
a stone, 12x10x6 ins. above ground, marked with 2 notches
on S. face. No evidence remains of old bearing trees.

At point for cor.

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the
ground, with the original stone cor. set alongside, for
cor. of secs. 22,23,26 and 27, with brass cap mkd.

T18N R6W
S22|S23
S27|S26

1934

from which

A juniper, 12 ins. diam., bears N.72 $\frac{1}{2}$ °E., 62 lks. dist.,
mkd. T 18 N R 6 W S 23 B T.

A juniper, 10 ins. diam., bears S.51 $\frac{1}{2}$ °E., 127 lks. dist.,
mkd. T 18 N R 6 W S 26 B T.

A juniper, 6 ins. diam., bears S.23°W., 89 lks. dist.,
mkd. T 18 N R 6 W S 27 B T.

A scrub cedar, 10 ins. diam., bears N.50 $\frac{1}{2}$ °W., 33 lks.
dist., mkd. T 18 N R 6 W S 22 B T.

Thence

N.87°29'W., on true line bet. secs. 22 and 27.

Desc. 38 ft. over gentle SW. slope; thru medium timber and
scattering undergrowth.

10.70 Small wash, course S.; desc. 8 ft.

13.00 Sandy wash, 30 lks. wide, course S.; asc. 41 ft.

30.30 Road, bears NW. and SE.

30.70 Fence, bears NW. and SE.; desc. 19 ft.

33.00 Walnut Creek, 12 lks. wide, 4 ins. deep, course SE.

38.20 Same creek, course NE.; asc. 12 ft.

41.86 True point for $\frac{1}{4}$ sec. cor.; determined from old NE. bear-
ing tree.

At point for cor.

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S22
S27

1934

from which

The old bearing tree:

A cherry, 4 ins. diam., bears N.89°E., 30 lks. dist.,
mkd. $\frac{1}{4}$ S

The new bearing trees:

BOOK 407

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains

A scrub cedar, 3 ins. diam., bears S.72°W., 140 lks. dist., mkd. $\frac{1}{4}$ S 27 B T.

A juniper, 5 ins. diam., bears N.65°W., 25 lks. dist., mkd. $\frac{1}{4}$ S 22 B T.

Thence

N.88°28'W., on true line bet. secs. 22 and 27.

1.10 Draw, 6 ft. deep, course S.; continue over rolling S. slope.

5.70 Fence, bears E. and SW.

8.00 Road, bears NE. and SW.

15.00 Spur, slopes SE.

26.00 Spur, slopes S.

34.90 Same road, bears SE. and NW.

41.75 The cor. of secs. 21, 22, 27 and 28, heretofore described.

Land, rolling and bottom.

Soil, adobe and loam, 2d and 3d rate.

Timber, scrub cedar, pinon, juniper, oak, walnut, willow.

Undergrowth, scrub oak, manzanita, willow.

From the cor. of secs. 22, 23, 26 and 27,

North, on a random line bet. secs. 22 and 23.

40.00 Find no trace of $\frac{1}{4}$ sec. cor.; set temp. cor.

80.00 Find no trace of the cor. of secs. 14, 15, 22 and 23; the temp. cor., established from the E., bears N.85°45'E., 5.12 chs. dist.

Return to the cor. of secs. 22, 23, 26 and 27, heretofore described.

N.0°30'E., on true line bet. secs. 22 and 23.

Asc. 25 ft. over gentle SW. slope; thru medium timber and scattering undergrowth.

15.00 Change to gentle NE. slope; desc. 36 ft.

26.00 Drain, 10 lks. wide, trace of water, course S.75°E.; asc. 70 ft. over S. slope.

40.00 Set an iron post, 3 ft. long 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\frac{1}{4}$$

$$S22 \mid S23$$

1934

from which

A pinon, 12 ins. diam., bears N.1°E., 20 lks. dist., mkd. $\frac{1}{4}$ S 23 B T.

A pinon, 10 ins. diam., bears N.55°W., 36 lks. dist., mkd. $\frac{1}{4}$ S 22 B T.

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains	
	Asc. 30 ft. over top of spur, slopes SE.
46.80	Drain, course SE.
52.70	Change to NE. slope; desc. 15 ft.
54.30	Small wash, course SE.; asc. 84 ft. over rocky SE. slope.
58.20	Spur, slopes SW.; desc. 36 ft. over NW. slope.
60.80	Wash, 10 lks. wide, trace of water, course SW.; asc. 107 ft. over SE. slope.
71.50	Same wash, course SE.; asc. 85 ft. over SW. slope.
80.00	A point which is record distance in latitude from the cor. of secs. 22, 23, 26 and 27, and proportional distance in departure bet. the NE. cor. of sec. 24 and the NW. cor. of sec. 21. Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 22 and 23, only, with brass cap mkd. <div style="text-align: center;"> T18N R6W <u>S14</u> S22 S23 1934 </div> <p style="text-align: right;">from which</p> <p>A pinon, 10 ins. diam., bears S. $66\frac{1}{2}^{\circ}$ E., 88 lks. dist., mkd. T 18 N R 6 W S 23 B T.</p> <p>A pinon, 10 ins. diam., bears S. 39° W., 85 lks. dist., mkd. T 18 N R 6 W S 22 B T.</p> <p>Land, rolling. Soil, rocky adobe, 2d and 3d rate. Timber, scrub cedar, pinon, juniper. Undergrowth, scrub oak, manzanita, quinine.</p> <hr style="border-top: 1px dashed black;"/> <p>N. $88^{\circ}05'$ W., on true line on N. bdy. of sec. 22. Over rolling land, thru heavy growth of timber and scattering undergrowth.</p>
1.70	Small drain, course SW.
8.80	Drain, course S.
14.70	Drain, course SE.; asc. 100 ft. over E. slope.
31.10	Spur, slopes S.; continue over S. slope.
41.00	Drain, course S.
41.40	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, with a stone, mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. sec. 22, only, with brass cap mkd. <div style="text-align: center;"> $\frac{1}{4}$ S22 1934 </div> <p>No suitable trees available.</p>
45.36	A point midway bet. the SE. and SW. cors. of sec. 15,

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains

Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bedrock, with a stone, mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. sec. 15, only, with brass cap mkd.

 $\frac{1}{4}$ S15

1934

No suitable trees available.

Asc. 670 ft. over SW. slope.

79.00 Sandstone cliff, 80 ft. high, faces SE.; continue over bench.

82.80 The cor. of secs. 21 and 22, only, heretofore described.

Land, rolling and mountainous.

Soil, adobe, 3d rate.

Timber, scrub cedar, pinon, juniper.

Undergrowth, scrub oak, manzanita, quinine, catclaw.

From the cor. of secs. 22, 23, 26 and 27.

East, on a random line bet. secs. 23 and 26.

40.00 Find no trace of $\frac{1}{4}$ sec. cor.; set temp. cor.

82.43 A point 151 lks. N. of the true point for cor. of secs. 23, 24, 25 and 26, determined from old SW. bearing tree.

At point for cor.

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 23, 24, 25 and 26, with brass cap mkd.

T18N R6W

S23 | S24S26 | S25

1934

from which

The old bearing tree:

A scrub cedar, 10 ins. diam., bears S.82°W., 60 lks. dist., mkd. TXVIIIIN RVIW SXXVI

The new bearing trees:

A scrub cedar, 6 ins. diam., bears N.7 $\frac{1}{2}$ °E., 83 lks. dist., mkd. T 18 N R 6 W S 24 B T.

A scrub cedar, 10 ins. diam., bears S.68°E., 31 lks. dist., mkd. T 18 N R 6 W S 25 B T.

A pinon, 6 ins. diam., bears S.55°W., 83 lks. dist., mkd. T 18 N R 6 W S 26 B T.

A pinon, 12 ins. diam., bears N.62°W., 102 lks. dist., mkd. T 18 N R 6 W S 23 B T.

Thence

N.88°57'W., on true line bet. secs. 23 and 26.

Over rolling land, thru medium growth of timber and scattering undergrowth.

Asc. 173 ft. over NE. slope.

17.40 Spur, slopes S.; desc. 116 ft. over W. slope.

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains	
26.80	Wash, 5 lks. wide, course S.; asc. 62 ft. over E. slope.
32.10	Over flat top of spur, slopes S.
40.00	Spur, slopes S. 30° E.; desc. 7 ft.
41.22	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} S23 \\ \hline \frac{1}{4} S26 \\ \hline 1934 \end{array}$
	from which
	A juniper, 6 ins. diam., bears N. 58 $\frac{1}{4}$ ° E., 107 lks. dist., mkd. $\frac{1}{4}$ S 23 B T.
	A pinon, 6 ins. diam., bears S. 32° E., 69 lks. dist., mkd. $\frac{1}{4}$ S 26 B T.
	Desc. 47 ft. over SW. slope.
49.20	Small ravine, course SE.; asc. 60 ft. over SE. slope.
60.00	Change to gentle SW. slope; desc. 20 ft.
82.44	The cor. of secs. 22, 23, 26 and 27.
	Land, rolling. Soil, adobe and gravel, 2d rate. Timber, scrub cedar, pinon, juniper. Undergrowth, scrub oak, quinine, manzanita.

	From the cor. of secs. 23, 24, 25 and 26.
	North, on a random line bet. secs. 23 and 24.
40.00	Find no trace of $\frac{1}{4}$ sec. cor.; set temp. cor.
80.00	Find no trace of cor. of secs. 13, 14, 23 and 24; the temp. cor., established from the E., bears N. 40° 16' E., 3.34 chs. dist.
	Return to the cor. of secs. 23, 24, 25 and 26.
	N. 0° 56' E., on true line bet. secs. 23 and 24.
	Over rolling land, thru medium growth of timber and scattering undergrowth.
	Desc. 10 ft. over NE. slope.
.40	Gulch, 60 lks. wide, course SE.; asc. 80 ft. over SW. slope
9.00	Spur, slopes SE.; desc. 60 ft. along E. slope.
26.00	Shallow wash, 15 lks. wide, course SE., from N. 20° E.; continue over gently rolling land.
36.80	Same wash, 10 lks. wide, course SE.
40.01	Set an iron post, 3 ft. long 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} \\ S23 S24 \\ \hline 1934 \end{array}$
	from which

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains	
	A juniper, 8 ins. diam., bears N.70 $\frac{1}{2}$ °E., 26 lks. dist., mkd. $\frac{1}{4}$ S 24 B T.
	A juniper, 8 ins. diam., bears N.47°W., 88 lks. dist., mkd. $\frac{1}{4}$ S 23 B T.
47.50	Drain, course SE.; asc. 100 ft. over gradual S. slope.
80.01	Record distance in latitude from the cor. of secs. 23, 24, 25 and 26; and proportional distance in departure bet. the NE. cor. of sec. 24 and the NW. cor. of sec. 21. Set an iron post, 3 ft. long 2 ins. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 23 and 24, only, with brass cap mkd. T18N R6W S13 <u>S23 S24</u> 1934 from which
	A juniper, 14 ins. diam., bears S.33°E., 150 lks. dist., mkd. T 18 N R 6 W S 24 B T.
	A black oak, 6 ins. diam., bears S.24°45'W., 182 lks. dist., mkd. T 18 N R 6 W S 23 B T.
	Land, rolling. Soil, adobe and gravel, 2d rate. Timber, scrub oak, juniper, scrub cedar, pinon. Undergrowth, scrub oak, manzanita, quinine, mahogany.
	N.88°46'W., on true line on N. bdy. of sec. 23. Over rolling S. slope, thru medium timber and scattering undergrowth.
4.40	Drain, course S.
14.80	Wash, 10 lks. wide, course S.
18.40	Wash, 5 lks. wide, 3 ft. deep, course S.
28.60	Draw, 20 lks. wide, course SE.; asc. 109 ft. over SE. slope.
34.00	Spur, slopes SE.; asc. 70 ft. over NE. slope.
41.29	Set an iron post, 3 ft. long 1 in. diam., 15 ins. in the ground to bedrock, with a stone, mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. sec. 23, only, with brass cap mkd. $\frac{1}{4}$ S23 1934
	No suitable trees available. Asc. 56 ft. over NE. slope.
43.40	Large boulders, on spur, slopes SE.; desc. 30 ft.
47.83	A point midway bet. the SE. and SW. cors. of sec. 14. Set an iron post, 3 ft. long 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. sec. 14, only, with brass cap mkd. $\frac{1}{4}$ S14 1934 raise a mound

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains	
	of stone 3 ft. base and 2 ft. high, N. of cor. No suitable trees available.
49.40	Draw, course SE.; desc. 20 ft. over SW. slope.
58.00	Draw, course S.; asc. 72 ft. over SE. slope.
66.00	Slope change to SW.; desc. 11 ft.
69.20	Small ravine, course SE.; continue over rolling S. slope.
82.58	The cor. of secs. 22 and 23, only. Land, rolling. Soil, adobe and gravel, 3d rate. Timber, scrub cedar, pinon, juniper. Undergrowth, scrub oak, manzanita, catclaw, mahogany.
	----- From the cor. of secs. 23 and 24, only. N. 88° 30' E., on true line bet. secs. 13 and 24. Desc. 10 ft. over rolling S. slope; thru medium timber and scattering undergrowth.
1.40	Drain, course SE.; asc. 32 ft. over SW. slope.
4.80	Spur, slopes SE.; desc. 121 ft. over SE. and NE. slopes.
20.96	Wire fence, bears N. and S.
32.28	A point 40.00 chs. in departure from the SW. cor. of sec. 13. Set an iron post, 3 ft. long 1 in. diam., 18 ins. in the ground to bedrock, with a stone, mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. sec. 13, only, with brass cap mkd. <u>$\frac{1}{4}$ S13</u> 1934
	No suitable trees available.
33.80	Wash, 10 lks. wide, course SE.; asc. 20 ft.
34.80	Continue over gentle S. slope.
41.24	Set an iron post, 3 ft. long 1 in. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. sec. 24, only, with brass cap mkd. <u>$\frac{1}{4}$ S24</u> 1934 raise a mound
	of stone 3 ft. base and 2 ft. high, S. of cor. No suitable trees available.
42.10	Drain, course S.; asc. 53 ft. over W. slope.
48.40	Short spur, slopes S.; desc. 60 ft. over SE. slope.
52.60	Draw, course SE.; asc. 13 ft.
55.80	Tip of spur, slopes S.; desc. 40 ft. along SE. slope.

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains	
65.40	Shallow wash, course SE.
66.90	Draw, course SE.; asc. 40 ft. over W. slope.
70.80	Spur, slopes S.; desc. 43 ft. over SE. slope.
72.29	A point 80.00 chs. in departure from the SW. cor. of sec. 13. Set an iron post, 3 ft. long 1 in. diam., 16 ins. in the ground to bedrock, with a stone, mkd. X, deposited at the base, and in a mound of stone to top, for cor. of lots 10 and 11 of sec. 13, only, with brass cap mkd. S13 <u>10 11</u> 1934
78.00	Spur, slopes S.; desc. 25 ft. over E. slope.
82.10	Wash, 15 lks. wide, course S.
82.48	The cor. of secs. 13, 18, 19 and 24, on E. bdy. of Tp.; heretofore described. Land, rolling. Soil, adobe and gravel, 3d rate. Timber, scrub cedar, pinon, juniper, oak. Undergrowth, scrub oak, manzanita, mahogany, quinine. -----
42.86	From the cor. of secs. 25, 30, 31 and 36, on E. bdy. of Tp. West, on a random line bet. secs. 25 and 36. A point 4 lks. S. of the $\frac{1}{4}$ sec. cor.
83.97	A point 125 lks. N. of the cor. of secs. 25, 26, 35 and 36. ----- Thence from cor. S.2°30'E., on a random line bet. secs. 35 and 36.
40.00	Find no trace of $\frac{1}{4}$ sec. cor.; set temp. cor.
80.26	A point 2 lks. E. of the cor. of secs. 35 and 36, only, on S. bdy. of Tp.; heretofore described. Thence, N.2°29'W., on true line bet. secs. 35 and 36. Asc. 85 ft. over rocky, broken SE. slope, thru scattering timber and undergrowth.
8.50	Top of hill; desc. 110 ft. over general N. slope.
31.50	Wash, 15 lks. wide, course E.; asc. 40 ft. over SW. slope.
32.00	Dim road, bears NE. and SW.
39.00	Short rocky spur, slopes NW.
40.13	Set an iron post, 3 ft. long 1 in. diam., 15 ins. in the ground to bedrock, with a stone, mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4}$ S35 S36 1934

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains	
	No suitable trees available.
	Desc. 76 ft. over rocky NE. slope.
49.60	Wash, 10 lks. wide, course NW.; continue on broken W. slope.
57.70	Fence, bears E. and W.
57.80	Ravine, course N.70°W.; asc. 153 ft. over SW. slope.
72.30	Change to NW. slope; desc. 35 ft.
76.50	Small ravine, course W.; asc. 44 ft. on SW. slope.
80.26	The cor. of secs. 25, 26, 35 and 36; a stone, 1 1/4 x 12 x 10 ins. above ground, mkd. with one groove on S. face.
	In place of the stone,
	Set an iron post, 3 ft. long, 2 ins. diam., 22 ins. in the ground to bedrock, with the original stone cor. set alongside, and in a mound of stone to top, for cor. of secs. 25, 26, 35 and 36, with brass cap mkd.
	T18N R6W S26 S25 S35 S36 1934
	from which
	The old bearing tree: A cedar, 8 ins. diam., bears S.10°W., 96 lks. dist., mkd., but marks illegible.
	The new bearing trees: A juniper, 10 ins. diam., bears N.43°E., 15 lks. dist., mkd. T 18 N R 6 W S 25 B T.
	A juniper, 1 1/4 ins. diam., bears S.12°E., 50 lks. dist., mkd. T 18 N R 6 W S 36 B T.
	A pinon, 6 ins. diam., bears S.46°W., 57 lks. dist., mkd. T 18 N R 6 W S 35 B T.
	A juniper, 8 ins. diam., bears N.27°W., 45 lks. dist., mkd. T 18 N R 6 W S 26 B T.
	Land, broken and rolling. Soil, adobe, rocky, 3d rate. Timber, scrub cedar, pinon, oak, pine, juniper. Undergrowth, scrub oak, manzanita, mahogany, cherry.

	N.88°12'E., on true line bet. secs. 25 and 36.
	Asc. 48 ft. over SW. slope, thru medium timber and undergrowth.
8.80	Over top of flat ridge, bears N. and S.
18.00	Leave same; desc. 21 1/4 ft. over SE. slope.
40.05	Fence, bears irregularly N. and S.
41.13	The 1/4 sec. cor.; a pinon, 1 1/4 ins. diam., with illegible scribe marks on N. side.
	Alongside of tree,
	Set an iron post, 3 ft. long 1 in. diam., 12 ins. in the ground to bedrock, and in a mound of stone to top, for 1/4 sec. cor., with brass cap mkd.

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains

$$\frac{1}{4} \frac{S25}{S36}$$

1934

from which

The new bearing trees:

A pinon, 10 ins. diam., bears S.54°W., 67 lks. dist.,
mkd. $\frac{1}{4}$ S 36 B T.

A scrub cedar, 10 ins. diam., bears N.84°W., 88 lks.
dist., mkd. $\frac{1}{4}$ S 25 B T.

Thence

S.89°57'E., on true line bet. secs. 25 and 36.

Desc. 20 ft. over large boulders on NE. slope.

- 1.60 Wash, course SE.; in channel 20 ft. deep.
- 3.00 Leave boulders; desc. 46 ft.
- 9.20 Shallow wash, course NE.; asc. 15 ft. over NW. slope.
- 16.50 Low ridge, bears N. and S.; desc. gently.
- 36.40 Road, bears N. and S.
- 37.00 Enter wash, course NE.
- 42.60 Leave same.
- 42.77 Wire fence, bears NE. and SW.; enter field.
- 42.86 The cor. of secs. 25, 30, 31 and 36, on E. bdy. of Tp.; heretofore described.
- Land, rolling.
Soil, adobe and gravel, 3d rate.
Timber, scrub cedar, oak, pinon, pine, juniper.
Undergrowth, scrub oak, manzanita, cherry, quinine, blue brush, mahogany.
-
- From the cor. of secs. 19, 24, 25 and 30, on E. bdy. of Tp. West, on a random line bet. secs. 24 and 25.
- 42.74 A point 14 lks. S. of the $\frac{1}{4}$ sec. cor.
- 83.35 A point 92 lks. N. of the cor. of secs. 23, 24, 25 and 26.
-
- Thence
- South, on a random line bet. secs. 25 and 26.
- 40.93 A point 46 lks. W. of the $\frac{1}{4}$ sec. cor.
- 81.78 A point 72 lks. E. of the cor. of secs. 25, 26, 35 and 36.
- Thence
- N.1°39'E., on true line bet. secs. 25 and 26.
- Asc. 32 ft. over SW. slope; thru scattering timber and undergrowth.
- 14.40 Spur, slopes NW.; desc. 315 ft. over N. slope.
- 24.60 Leave timber and undergrowth; a fence, bears E. and W.
- 26.90 Right bank of Apache Creek, bears NE. and SW.

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains	
30.20	Apache Creek, 8 lks. wide, course NE.
32.00	Ditch 2 lks. wide, course NE.
32.30	Left bank of Apache Creek; asc. 44 ft. over SW. slope.
32.75	Fence, bears SW. and NE.
40.87	The $\frac{1}{4}$ sec. cor.; perpetuated by local residents with corner of fences bearing N., S. and E. No other evidence of the original monument. At fence cor. Set an iron post, 3 ft. long 1 in. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4}$ S26 S25 1934 No suitable trees available. Thence N.0°39'W., on true line bet. secs. 25 and 26. Asc. gently over open S. slope.
8.50	Spur, slopes N.70°E.; desc. 64 ft. over N. slope.
17.20	Walnut Creek, 6 lks. wide, in channel, 60 lks. wide, 12 ft. deep, course E.
18.70	Fence, bears E. and W.; enter cultivated land.
31.30	Corner of fences bearing E., W. and S.; leave field, enter scattering timber and undergrowth; asc. 93 ft. over SE. slope.
31.90	Road, bears NE. and W.
33.30	Telephone line, bears NE. and SW.
40.00	Spur, slopes SE.; desc. 10 ft.
40.93	The cor. of secs. 23, 24, 25 and 26. Land, rolling. Soil, adobe and gravel, 2d rate. Timber, scrub cedar, pinon, juniper, oak, walnut, pine. Undergrowth, scrub oak, manzanita, mahogany, willow, arrow-weed, etc.
	----- N.88°30'E., on true line bet. secs. 24 and 25. Desc. 12 ft. over NE. slope, thru scattering timber and undergrowth.
.60	Gulch, course SE.
15.00	Reservoir and swimming pool bears S., 3 chs. dist.
21.00	Wash, 50 lks. wide, 8 ft. deep, course S.

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains	
26.00	Ranch house bears S., about 12 chs. dist.; continue along fence and telephone line, bears irregularly E. and W., over flat.
40.62	The $\frac{1}{4}$ sec. cor.; a decayed stake with illegible scribe marks, set in a mound of stone. At point of the decayed stake in center of stone mound, Set an iron post, 3 ft. long 1 in. diam., 2 $\frac{1}{4}$ ins. in the ground, and in the mound of stone, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4} \frac{S24}{S25}$ 193 $\frac{1}{4}$ from which The old bearing tree: A scrub cedar, 36 ins. diam., bears N.6°E., 101 lks. dist., mkd. $\frac{1}{4}$ S. The new bearing trees: A scrub cedar, 10 ins. diam., bears N.12°E., 112 lks. dist., mkd. $\frac{1}{4}$ S 2 $\frac{1}{4}$ B T. A scrub cedar, 10 ins. diam., bears S.51 $\frac{1}{2}$ °E., 105 lks. dist., mkd. $\frac{1}{4}$ S 25 B T. Cor. at cor. of fences, N.S. and W., and under telephone line bearing SE. and W. Thence S.89°48'E., on true line bet. secs. 24 and 25.
1.20	Road, bears NE. and SW.
15.00	Leave flat, bears N. and S.; desc. 30 ft.
18.10	Wash, 20 lks. wide, course SE.
19.90	Road, bears N. and S.
22.00	Wash, course SE.; asc. 20 ft.
23.50	School house bears S., 2 $\frac{1}{2}$ chs. dist.
27.00	Short spur, slopes SE.; desc. 27 ft.
30.20	Road, bears NE. and SW.
31.00	Fence, bears NE. and SW.; enter fields and yard of Ranger Station.
33.00	House of Walnut Creek Ranger Station, on line.
42.74	The cor. of secs. 19, 24, 25 and 30, on E. bdy. of Tp.; heretofore described. Land, rolling and flat. Soil, adobe and gravel, 1st and 2d rate. Timber, scrub cedar, pinon, juniper, walnut, willow. Undergrowth, scrub oak, manzanita, quinine. ----- From the cor. of secs. 25, 26, 35 and 36. West, on a random line bet. secs. 26 and 35.
40.05	Find no trace of $\frac{1}{4}$ sec. cor.; set temp. cor.
80.10	Find no trace of cor. of secs. 26, 27, 34 and 35; set temp. cor.

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains	
	Continue line and measurement bet. secs. 27 and 34.
120.25	Find no trace of $\frac{1}{4}$ sec. cor.; set temp. cor.
160.40	Find no trace of cor. of secs. 27, 28, 33 and 34; set temp. cor.
	+-----
	From the cor. of secs. 22, 23, 26 and 27.
	South, on a random line bet. secs. 26 and 27.
40.74	Intersect true point for $\frac{1}{4}$ sec. cor.
83.29	A point 175 lks. W. of the temp. cor. of secs. 26, 27, 34 and 35.

	Thence, from temp. cor.
	S. 2° 30' E., on a random line bet. secs. 34 and 35.
40.04	Find no trace of $\frac{1}{4}$ sec. cor.; set temp. cor.
80.22	A point 12 lks. N. 87 $\frac{1}{2}$ ° E. of the cor. of secs. 34 and 35, only, on S. bdy. of Tp.; heretofore described.
	Thence
	N. 2° 22' W., on true line bet. secs. 34 and 35.
	Desc. 105 ft. over N. slope, thru scattering timber and undergrowth.
5.00	Over bottom land, with walnut and pine timber.
13.00	Apache Creek bed, seep of water, 80 lks. wide, course NE.
38.00	Same creek bed, 70 lks. wide, course NW.
40.94	Set an iron post, 3 ft. long 1 in. diam., 30 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$
	S34 S35
	1934
	from which
	A triple juniper, 16 ins. diam., bears N. 72° E., 23 lks. dist., mkd. $\frac{1}{4}$ S 35 B T.
	A walnut, 16 ins. diam., bears S. 52 $\frac{1}{2}$ ° W., 129 lks. dist., mkd. $\frac{1}{4}$ S 34 B T.
50.00	Same creek bed, 70 lks. wide, water 5 lks. wide, course NE.
56.00	Sandy wash, 10 lks. wide, course E.
58.80	Short spur, slopes E.
62.00	Ravine, course E.; asc. 220 ft. over SE. slope.
75.00	Spur, slopes E.; desc. 60 ft. over NE. slope.
81.87	A point record distance in departure from the SE. cor. of sec. 26, and proportional distance in latitude bet the $\frac{1}{4}$ sec. cor. of secs. 26 and 27 and the SW. cor. of sec. 35.

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains

Set an iron post, 3 ft. long 2 ins. diam., 14 ins. in the ground to bedrock, with a stone, mkd. X, deposited at the base, and in a mound of stone to top, for cor. of secs. 26, 27, 34 and 35, with brass cap mkd.

T18N R6W
S27|S26
S34|S35
1934

No suitable trees available.

Land, rolling and bottom.

Soil, adobe and gravel, 2d rate.

Timber, scrub cedar, juniper, pinon, walnut, willow, pine.

Undergrowth, scrub oak, manzanita, mahogany, willow.

S.88°49'E., on true line bet. secs. 26 and 35.

Desc. 160 ft. over NE. slope, thru scattering timber and undergrowth.

13.60 Enter bed of Apache Creek, course NE.

18.10 Apache Creek, 5 lks. wide, course N.

19.70 Leave creek bed, bank 10 ft. high, bears N. and S.; asc. 162 ft. over W. slope.

28.10 Short spur, slopes N.; desc. 80 ft. over NE. slope.

33.10 Small ravine, course N.; asc. 31 ft. over SW. slope.

35.80 Short spur, slopes N.; desc. 47 ft. over NE. slope.

38.60 Drain, course NW.

40.06 Set an iron post, 3 ft. long 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S26
S35

1934

raise a mound

of stone 3 ft. base and 2 ft. high, N. of cor.

No suitable trees available.

Asc. 45 ft. over SW. slope.

41.30 Short spur, slopes N.

43.60 Drain, course NW.; asc. 94 ft. over W. slope.

48.80 Spur, slopes N.; desc. 135 ft. over SE. slope.

56.10 Drain, course NE.; asc. 110 ft. over NW. slope.

61.80 Spur, slopes N.; desc. 97 ft. over NE. slope.

68.20 Fence, bears N. and S.

70.20 Drain, course NW.; asc. 217 ft. over SW. slope.

80.12 The cor. of secs. 25, 26, 35 and 36.

Land, rolling and mountainous.

Soil, adobe, rocky, 3d rate.

Timber, scrub cedar, pinon, oak, juniper, pine, walnut.

Undergrowth, scrub oak, manzanita, mahogany, willow.

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains	
	From the cor. of secs. 26, 27, 34 and 35.
	N. 2° 27' W., on true line bet. secs. 26 and 27.
	Desc. 96 ft. over NW. slope; thru scattering timber and undergrowth.
5.50	Ravine, course NE.; asc. 60 ft. over SE. slope.
9.60	Spur, slopes SE.; desc. 8 ft. over NE. slope.
11.10	Head of ravine, course E.; asc. 96 ft. over SE. slope.
16.60	Spur, slopes SE.
18.40	Short ravine, course N. 75° E.
24.00	Spur, slopes NE.; desc. 157 ft. over NW. slope.
39.40	Enter shallow wash, course NE.
40.94	True point for $\frac{1}{4}$ sec. cor.; determined from original bearing tree.
	At point for cor. thus determined,
	Set an iron post, 3 ft. long 1 in. diam., 26 ins. in the ground, and in a small mound of stone, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$
	S27 S26
	1934
	from which
	The old bearing tree:
	A walnut, 20 ins. diam., bears East, 20 lks. dist., mkd. $\frac{1}{4}$ S
	The new bearing trees:
	A walnut, 10 ins. diam., bears N. 55° E., 62 lks. dist., mkd. $\frac{1}{4}$ S 26 B T.
	A walnut, 8 ins. diam., bears S. 63 $\frac{1}{2}$ ° E., 95 lks. dist., mkd. $\frac{1}{4}$ S 26 B T.
	No suitable trees to west of line.
	Thence
	North, on true line bet. secs. 26 and 27.
.70	Leave wash, course NE.; asc. 30 ft. over SE. slope.
10.70	Spur, slopes NE.; desc. 50 ft. over brushy NE. slope.
14.70	Ditch, 3 lks. wide, course SE.
22.40	Walnut Creek, water 2 lks. wide, in wash, 60 lks. wide and 10 ft. deep, course E.; asc. 83 ft. over SE. slope.
25.70	The west corner of a house.
34.60	Fence, bears SW. and NE.
35.30	Road, bears SW. and NE.
35.86	U.S. G.S. bench mark, on line.
40.74	The cor. of secs. 22, 23, 26 and 27.

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains

Land, rolling.
Soil, adobe, rocky, 3d rate.
Timber, scrub cedar, pinon, walnut, pine, juniper, willow.
Undergrowth, scrub oak, mahogany, manzanita, willow.

From the cor. of secs. 21, 22, 27 and 28.

South, on a random line bet. secs. 27 and 28.

40.00 Find no trace of $\frac{1}{4}$ sec. cor.; set temp. cor.

86.26 A point 485 lks. west of the temp. cor. of secs. 27, 28, 33 and 34.

Thence, from temp. cor.

South, on a random line bet. secs. 33 and 34.

40.00 Find no trace of $\frac{1}{4}$ sec. cor.; set temp. cor.

80.26 A point 3.29 chs. W. of the cor. of secs. 33 and 34, only, on S. bdy. of Tp.; heretofore described.

Thence

N.2°16'W., on true line on W. bdy. of sec. 34.

Over rolling and broken land, thru scattering timber and undergrowth.

Desc. 50 ft. over boulders, on NE. slope.

6.10 Ravine, trace of water, course SE.; asc. 101 ft. over SW. slope.

19.00 Rocky spur, slopes E.; desc. 56 ft.

22.40 Shallow wash, course E.

25.60 Wash, 10 lks. wide, course SE.; asc. 70 ft. on S. slope.

38.30 Drain, course SE.; asc. 70 ft. over S. slope.

40.03 A point midway bet. the SE. and NE. cors. of sec. 33.

Set an iron post, 3 ft. long 1 in. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. sec. 33, only, with brass cap mkd.

$\frac{1}{4}$
S33

1934

from which

A juniper, 30 ins. diam., bears S.28°W., 125 lks. dist., mkd.
 $\frac{1}{4}$ S 33 B T.

No other suitable tree available.

Raise a mound of stone 3 ft. base, 2 ft. high, W. of cor.

41.66 Set an iron post, 3 ft. long 1 in. diam., 12 ins. in the ground to bedrock, with a stone, mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. sec. 34, only, with brass cap mkd.

$\frac{1}{4}$
S34

1934

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains	
	No suitable trees available.
46.80	Low spur, slopes E.; desc. 62 ft. over N. slope.
51.80	Ravine, course E.; asc. 380 ft. over S. slope.
75.00	Spur, slopes S. 70° E.; desc. 175 ft. over NE. slope.
83.32	A point record distance in departure from the SE. cor. of sec. 26, and proportional distance in latitude bet. the SW. cor. of sec. 34 and the NW. cor. of sec. 27. Set an iron post, 3 ft. long 2 ins. diam., 28 ins. in the ground, for cor. of secs. 27 and 34, only, with brass cap mkd. <div style="text-align: center;"> T18N R6W S27 S34 1934 </div> <div style="text-align: right;">raise a mound</div> of stone 3 ft. base and 2 ft. high, east of cor. No suitable trees available. Land, rolling and broken. Soil, adobe, rocky, 3d rate. Timber, scrub cedar, pinon, juniper, oak. Undergrowth, scrub oak, manzanita, mahogany, cherry. ----- S. 89° 02' E., on true line bet. secs. 27 and 34. Desc. 270 ft. over rolling NE. slope; thru scattering timber and undergrowth.
26.80	Ravine, course N.; continue over N. slope.
32.80	Ravine, course NW.; asc. 180 ft. over SW. slope.
40.16	Set an iron post, 3 ft. long 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. <div style="text-align: center;"> $\frac{1}{4}$ S27 $\frac{1}{4}$ S34 1934 </div> <div style="text-align: right;">from which</div> A juniper, 48 ins. diam., bears N. 68° E., 93 lks. dist., mkd. $\frac{1}{4}$ S 27 B T. A pinon, 6 ins. diam., bears S. 12 $\frac{1}{2}$ ° W., 98 lks. dist., mkd. $\frac{1}{4}$ S 34 B T. Asc. 75 ft. over SW. slope.
42.00	Spur, slopes N.; desc. 341 ft. over SE. slope.
61.50	Ravine, course NE.; asc. 94 ft. over NW. slope.
67.50	Spur, slopes NE.; desc. 85 ft. over E. slope.
71.50	Short ravine, course NE.; asc. 45 ft. over NW. slope.
74.60	Spur, slopes NE.; desc. 40 ft. over NE. slope.
80.31	The cor. of secs. 26, 27, 34 and 35. Land, rolling and mountainous. Soil, rocky adobe, 3d rate. Undergrowth, scrub oak, manzanita, mahogany, quinine. Timber, scrub cedar, pinon, juniper, oak. -----

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains	
	From the cor. of secs. 27 and 34, only.
	N.3°20'W., on true line on W. bdy. of sec. 27.
	Over mountainous land, thru scattering timber and undergrowth.
1.00	Ravine, course N.70°E.; asc. 120 ft. over S. slope.
8.30	Spur, slopes NE.; desc. 478 ft. over NW. slope.
36.51	Set an iron post, 3 ft. long 1 in. diam., 28 ins. in the ground, for witness $\frac{1}{4}$ sec. cor. sec. 28, only, with brass cap mkd.
	$\begin{array}{c} \text{WC} \\ \\ \frac{1}{4} \\ \\ \text{S28} \\ \\ 1934 \end{array}$
	from which
	A yellow pine, 20 ins. diam., bears N.37°W., 116 lks. dist., mkd. WC $\frac{1}{4}$ S 28 B T.
	A walnut, 10 ins. diam., bears N.76°W., 114 lks. dist., mkd. WC $\frac{1}{4}$ S 28 B T.
36.81	A point midway in departure bet. the NE. and SE. cors. of sec. 28, hereinafter described.
	True point for $\frac{1}{4}$ sec. cor. sec. 28, only, falls in dry creek bed, 30 lks. wide, course E. for a short distance, then NE.
	Over gentle E. slope.
41.70	Set an iron post 3 ft. long 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. sec. 27, only, with brass cap mkd.
	$\begin{array}{c} \\ \frac{1}{4} \\ \\ \text{S27} \\ \\ 1934 \end{array}$
	from which
	A cherry, 12 ins. diam., bears N.25°E., 70 lks. dist., mkd. $\frac{1}{4}$ S 27 B T.
	A yellow pine, 6 ins. diam., bears S.34°W., 37 lks. dist., mkd. $\frac{1}{4}$ S 27 B T.
	Asc. 144 ft. over S. slope.
63.00	Spur, slopes SE.; desc. 200 ft. over NE. slope.
76.88	A point 80.00 chs. in latitude from the SE. cor. of sec. 28.
	Set an iron post, 3 ft. long 1 in. diam., 28 ins. in the ground, for cor. of lots 1 and 8 of sec. 28, only, with brass cap mkd.
	$\begin{array}{c} \text{S28} \\ \\ \frac{1}{8} \\ \\ 1934 \end{array}$
	raise a mound
	of stone, 3 ft. base and 2 ft. high, west of cor.
80.70	Walnut Creek, 8 lks. wide, in channel 1 ch. wide, course E.
82.80	Left bank of creek, 15 lks. high; continue over flat.

Resurvey of a Portion of the Subdivisions of
T. 18 N., R. 6 W.

chains

- 83.40 The cor. of secs. 21,22,27 and 28.
Land, mountainous and rolling.
Soil, adobe, rocky, 3d rate.
Timber, scrub cedar, juniper, walnut, pine, oak, pinon.
Undergrowth, scrub oak, maznanita, mahogany, willow.

From the cor. of secs. 1,6,7 and 12, on E. bdy. of Tp.,
heretofore described.
S.89°51'W., on random and true line bet. secs. 1 and 12.
- 40.43 The $\frac{1}{4}$ sec. cor. sec. 1, only; an iron post, 1 in. diam.,
12 ins. above ground, with a stone, mkd. $\frac{1}{4}$ on N. face,
alongside, firmly set, marked and witnessed as described
in the official record.
As this $\frac{1}{4}$ sec. cor. refers to secs. 1 and 12, additionally
mark the brass cap for secs. 1 and 12, to read as follows:
$$\begin{array}{c} \frac{1}{4} \\ \hline S \ 1 \\ \hline S12 \\ 1920 \end{array}$$

Thence, S.86°01'W., on random line bet. secs. 1 and 12.
- 38.91 A point $1\frac{1}{4}$ lks. S.3°59'E. of the cor. of secs. 1 and 2;
an iron post, 2 ins. diam., 12 ins. above ground, with a
stone properly grooved alongside, firmly set and marked
and witnessed as described in the official record.
As this cor. now refers to secs. 1,2,11 and 12; addition-
ally mark the brass cap for secs. 1,2,11 and 12, to read
as follows:
$$\begin{array}{c} T18N \ R6E \\ \hline S2 \ | \ S1 \\ \hline S11 \ | \ S12 \\ 1934 \\ 1920 \end{array}$$

Destroy the old mound of stone to the north.
Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
The true course and distance of this half mile is there-
fore: S.88°09'W., 38.94 chs. dist.

Survey of a portion of the Subdivisions
of T. 18 N., R. 6 E.
Thence
South, on a random line bet. secs. 11 and 12.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.57 A point 76.24 chs. W. of the cor. of secs. 7,12,13 and 18,
on E. bdy. of Tp.
Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the
ground to bedrock, and in a mound of stone to top, for cor.
of secs. 11 and 12, only, with brass cap mkd.
$$\begin{array}{c} T18N \ R6W \\ \hline S11 \ | \ S12 \\ \hline S13 \\ 1934 \end{array} \quad \text{from which}$$

Subdivisions of T. 18 N., R. 6 W.

chains

A scrub cedar, 4 ins. diam., bears N. $89\frac{1}{2}^{\circ}$ E., 82 lks. dist., mkd. T 18 N R 6 W S 12 B T.

A scrub cedar, 6 ins. diam., bears N. 50° W., 54 lks. dist., mkd. T 18 N R 6 W S 11 B T.

Thence

North, on true line bet. secs. 11 and 12.

Over rolling land, thru scattering timber and undergrowth.

Over bench, drains NE.

21.00 Change to steeper NE. slope; desc. 40 ft.

32.10 Head of ravine, course E.; asc. 185 ft. over SE. slope.

40.00 Set an iron post, 3 ft. long 1 in. diam., $1\frac{1}{4}$ ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. sec. 11, only, with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ | \\ S11 \end{array}$$

1934

from which

A pinon, $1\frac{1}{4}$ ins. diam., bears S. $36^{\circ}45'$ W., 139 lks. dist., mkd. $\frac{1}{4}$ S 11 B T.

A pinon, 6 ins. diam., bears N. 42° W., 49 lks. dist., mkd. $\frac{1}{4}$ S 11 B T.

Asc. 9 ft. over S. slope.

40.57 A point 40.00 chs. S. of the cor. of secs. 1, 2, 11 and 12.

Set an iron post, 3 ft. long 1 in. diam., $1\frac{1}{4}$ ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. sec. 12, only, with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ S12 \end{array}$$

1934

from which,

A pinon, 12 ins. diam., bears N. $29\frac{1}{2}^{\circ}$ E., 83 lks. dist., mkd. $\frac{1}{4}$ S 12 B T.

A pinon, 10 ins. diam., bears S. 65° E., 15 lks. dist., mkd. $\frac{1}{4}$ S 12 B T.

40.70 Top of limestone ridge, bears NE. and SW., slopes SW.; desc. 358 ft. over NW. slope, thru locust thicket.

58.70 Wash, 20 lks. wide, course NE.; continue along E. slope; enter dense undergrowth and scattering timber.

67.00 Change to NE. slope; desc. 116 ft.

80.57 The cor. of secs. 1, 2, 11 and 12.

Land, rolling.

Soil, adobe and clay, rocky, 3d rate.

Timber, scrub cedar, pinon, juniper, locust.

Undergrowth, scrub oak, manzanita, mahogany, locust.

Subdivisions of T. 18 N., R. 6 W.

chains	
	From the cor. of secs. 11 and 12, only.
	East, on true line bet. secs. 12 and 13.
	Desc. 230 ft. over E. slope; thru medium timber and undergrowth.
13.00	Head of ravine, course NE.; asc. 20 ft. along N. slope.
16.60	Change to NE. slope; desc. 160 ft.
25.49	A point 40.00 chs. E. of the NW. cor. of sec. 13, hereinafter described.
	Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. sec. 13, only, with brass cap mkd.
	<u>$\frac{1}{4}$ S 13</u>
	1934
	from which
	A pinon, 12 ins. diam., bears S. $31\frac{1}{2}^{\circ}$ E., 77 lks. dist., mkd. $\frac{1}{4}$ S 13 B T.
	This tree is on E. and W. fence line, and on a spur, sloping E.
	A double pinon, 8 ins. diam., bears S. 86° W., 48 lks. dist., mkd. $\frac{1}{4}$ S 13 B T.
	Desc. 248 ft. over E. and NE. slope.
36.24	A point 40.00 chs. W. of the cor. of secs. 7, 12, 13 and 18, on E. bdy. of Tp.
	Set an iron post, 3 ft. long 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. sec. 12, only, with brass cap mkd.
	<u>$\frac{1}{4}$ S 12</u>
	1934
	from which
	A scrub cedar branch, 10 ins. diam., bears N. 49° E., 145 lks. dist., mkd. $\frac{1}{4}$ S 12 B T.
	A pinon, 3 ins. diam., bears N. 20° W., 119 lks. dist., mkd. B T.
	Over top of spur, slopes E.
42.50	Change to SE. slope; desc. 80 ft.
50.30	Wash, 10 lks. wide, course NE.
52.00	Wash, 20 lks. wide, course S. 60° E.; asc. 20 ft.
55.00	Rocky hill, bears 6 chs. N.; desc. 64 ft. over SE. slope.
61.00	Drain, course N. 60° E.; asc. gently over NW. slope.
65.49	A point 80.00 chs. E. of the NW. cor. of sec. 13.
	Set an iron post, 3 ft. long 1 in. diam., 20 ins. in the ground to bedrock, with a stone, mkd. X, deposited at the base, and in a mound of stone to top, for cor. of lots 1 and 2 of sec. 13, only, with brass cap mkd.

Subdivision of T. 18 N., R. 6 W.

chains

	$\begin{array}{r} \overline{21} \\ S13 \\ 1934 \end{array}$
72.00	Flat spur, slopes SE.; desc. 18 ft. over gentle NE. slope.
76.24	The cor. of secs. 7, 12, 13 and 18, on E. bdy. of Tp.; heretofore described. Land, rolling and broken. Soil, adobe, gravel, rocky, 3d rate. Timber, scrub cedar, pinon, juniper. Undergrowth, scrub oak, manzanita, mahogany, quinine.

	From the cor. of secs. 11 and 12, only, West, on a random line, setting temp. cors. at 40.00 ch. intervals, to
254.51	A point which is 80.29 chs. N. of the cor. of secs. 16 and 21. Set an iron post, 3 ft. long 2 ins. diam., 8 ins. in the ground to bedrock, with a stone, mkd. X, deposited at the base, and in a mound of stone to top, for cor. of secs. 9 and 16, only, with brass cap mkd.
	$\begin{array}{r} T18N R6W \\ \overline{S9} \\ S16 \\ 1934 \end{array}$
	Thence South, on true line on W. bdy. of sec. 16. Over flat, thru scattering timber and undergrowth.
6.54	A point 80.00 chs. N. of the cor. of secs. 17 and 20, only hereinafter described. Set an iron post, 3 ft. long 2 ins. diam., 10 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 8 and 17, only, with brass cap mkd.
	$\begin{array}{r} T18N R6W \\ \overline{S8} \\ S17 \\ 1934 \end{array}$
	from which A pinon, 6 ins. diam., bears S. 32° W., 46 lks. dist., mkd. T 18 N R 6 W S 17 B T. A pinon, 12 ins. diam., bears N. 28° W., 65 lks. dist., mkd. T 18 N R 6 W S 8 B T.
16.70	Draw, 15 ft. deep, course N. 20° E.; asc. 20 1/4 ft. over S. slope.
30.00	Ridge, Juniper Mtn., bears E. and W.; desc. 37 1/4 ft. over S. slope.
40.00	Set an iron post, 3 ft. long 1 in. diam., 12 ins. in the ground to bedrock, with a stone, mkd. X, deposited at the base, and in a mound of stone to top, for 1/4 sec. cor. sec. 16, only, with brass cap mkd.

Subdivisions of T. 18 N., R. 6 W.

chains

	$\begin{array}{c} \frac{1}{4} \\ \\ S16 \\ 1934 \end{array}$
	Desc. 160 ft. over S. slope.
46.54	A point 40.00 chs. N. of the cor. of secs. 17 and 20, only, hereinafter described.
	Set an iron post, 3 ft. long 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. sec. 17, only, with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ \\ S17 \\ 1934 \end{array}$
	from which:
	A pinon, 6 ins. diam., bears S.85°W., 8 lks. dist., mkd. $\frac{1}{4}$ S 17 B T.
	A pinon, 6 ins. diam., bears N.35°W., 26 lks. dist., mkd. $\frac{1}{4}$ S 17 B T.
	Desc. 640 ft. over general S. slope.
59.00	Top of red cliff, 40 ft. high, faces SE.
62.20	Rocky drain, course SE.
76.70	Drain, course SE.; asc. 10 ft. over short NE. slope.
78.20	Change to SE. slope.
80.29	The cor. of secs. 16 and 21, only.
	Land, flat and mountainous. Soil, adobe and gravel, 3d rate. Timber, scrub cedar, pinon, juniper. Undergrowth, scrub oak, mahogany, quinine, manzanita.

	From the cor. of secs. 9 and 16, only, North, bet. secs. 8 and 9.
	Asc. 5 ft. along SE. slope; thru scattering timber and undergrowth.
1.00	Change to NE. slope; desc. 70 ft.
8.30	Spur, slopes NE.; desc. 180 ft. over NW. slope.
15.40	Canyon, course NE.; asc. 225 ft. over SE. slope.
33.46	A point 40.00 chs. N. of the SE. cor. of sec. 8.
	Set an iron post, 3 ft. long 1 in. diam., 18 ins. in the ground to bedrock, with a stone, mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. sec. 8, only, with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ \\ S8 \\ 1934 \end{array}$
39.10	Change to NE. slope; desc. 6 ft.
40.00	Set an iron post, 3 ft. long 1 in. diam., 8 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. sec. 9, only, with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ \\ S9 \\ 1934 \end{array}$
	from which

Subdivision of T. 18 S., R. 6 W.

chains

A pinon, 6 ins. diam., bears N.28°E., 41 lks. dist.,
mkd. $\frac{1}{4}$ S 9 B T.

A juniper, 8 ins. diam., bears S.73°E., 45 lks. dist.,
mkd. $\frac{1}{4}$ S 9 B T.

Desc. 348 ft. over NE. slope.

55.40 Trail, bears NE. and SW.

55.70 Canyon, course NE.; asc. 304 ft. over SW. slope.

73.20 Spur, slopes SE.; continue over E. slope.

73.46 A point 80.00 chs. N. of the SE. cor. of sec. 8.

Set an iron post, 3 ft. long 1 in. diam., 15 ins. in the
ground to bedrock, with a stone, mkd. X, deposited at the
base, and in a mound of stone to top, for cor. of lots 1
and 8 of sec. 8, only, with brass cap mkd.

S8 $\frac{1}{8}$ |

1934

80.29 Intersect the S. bdy. of sec. 5.

Set an iron post, 3 ft. long 2 ins. diam., 15 ins. in the
ground to bedrock, and in a mound of stone to top, for
closing cor. of secs. 8 and 9, with brass cap mkd.

T18N R6W

S5
— S8 | S9
C C

1934

from which

A juniper, 20 ins. diam., bears S.23°E., 18 lks. dist.,
mkd. T 18 N R 6 W S 9 C C B T.

A pinon, 12 ins. diam., bears S.45°W., 36 lks. dist.,
mkd. T 18 N R 6 W S 8 C C B T.

From point of intersection, the cor. of secs. 4 and 5,
only, bears E., 12.07 chs. dist., an iron post, 2 ins.
diam., firmly set, marked and witnessed as described in
the official record.

Land, rolling and mountainous.
Soil, adobe and gravel, 2d rate.
Timber, scrub cedar, pinon, juniper, pine, locust.
Undergrowth, scrub oak, manzanita, quinine, mahogany.

From the cor. of secs. 9 and 16, only,

East, on true line bet. secs. 9 and 16.

Over mountainous land, thru medium timber and undergrowth.

Desc. 156 ft. over E. slope.

4.80 Ravine, course N.; asc. 255 ft. over W. slope.

15.00 Spur, slopes N.; desc. 121 ft. over NE. slope.

21.60 Ravine, course N.; asc. 18 ft.

23.50 Sharp spur, slopes N.; desc. 82 ft. over E. slope.

27.70 Ravine, course N.; asc. 240 ft. over W. slope.

Subdivision of T. 18 N., R. 6 W.

chains

40.00 Set an iron post, 3 ft. long 1 in. diam., 22 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\frac{1}{4} \begin{array}{l} S9 \\ S16 \end{array}$$

1934

from which

A pinon, 12 ins. diam., bears S.2°W., 25 lks. dist., mkd. $\frac{1}{4}$ S 16 B T.

A pinon, 10 ins. diam., bears N.11°W., 27 lks. dist., mkd. $\frac{1}{4}$ S 9 B T.

Over flat top of spur, slopes N.

66.00 Leave same; desc. 277 ft. over NE. slope.

79.90 Ravine, course N.

80.00 Set an iron post, 3 ft. long 2 ins. diam., 12 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 9, 10, 15 and 16, with brass cap mkd.

$$\begin{array}{l} T18N R6W \\ S9 S10 \\ S16 S15 \end{array}$$

1934

from which

A yellow pine, 18 ins. diam., bears N.51 $\frac{1}{2}$ °E., 37 lks. dist., mkd. T 18 N R 6 W S 10 B T.

A yellow pine, 14 ins. diam., bears S.38°E., 74 lks. dist., mkd. T 18 N R 6 W S 15 B T.

A yellow pine, 10 ins. diam., bears S.77 $\frac{1}{2}$ °W., 44 lks. dist., mkd. T 18 N R 6 W S 16 B T.

A yellow pine, 10 ins. diam., bears N.59°W., 87 lks. dist., mkd. T 18 N R 6 W S 9 B T.

Land, rolling, flat and mountainous.

Soil, adobe, rocky, 3d rate.

Timber, scrub cedar, pinon, juniper, pine, locust.

Undergrowth, locust, manzanita, scrub oak, mahogany.

S.0°01'E., on true line bet. secs. 15 and 16.

Over rolling and mountainous land, thru medium timber and undergrowth.

.20 Ravine, course N.20°W.; asc. 20 ft.

2.90 Change to SE. slope; desc. 12 ft.

5.90 Same ravine, course N.30°E.; asc. 235 ft. on NW. slope.

19.00 Flat spur, slopes W.; desc. 31 ft. over SW. slope.

25.80 Ravine, course NW.; asc. 170 ft. over NE. slope.

40.00 Set an iron post, 3 ft. long 1 in. diam., 22 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

Subdivision of T. 18 N., R. 6 W.

chains

$$\frac{1}{4}$$

S16	S15
-----	-----

1934

from which

A double alligator juniper, 10 ins. diam., bears S. $36\frac{1}{2}^{\circ}$ E., 67 lks. dist., mkd. $\frac{1}{4}$ S 15 B T.

An alligator juniper, 10 ins. diam., bears S. $54\frac{1}{2}^{\circ}$ W., 43 lks. dist., mkd. $\frac{1}{4}$ S 16 B T.

40.40 Ridge, bears E. and W.; desc. 560 ft. on S. and SW. slopes.

41.20 Wire fence, bears NE. and irregularly SW.

70.00 Over flat top of spur, slopes S.

79.55 Intersect the N. bdy. of sec. 21, and at intersection,

Set an iron post, 3 ft. long 2 ins. diam., 15 ins. in the ground to bedrock, and in a mound of stone to top, for closing cor. of secs. 15 and 16, with brass cap mkd.

T18N R6W

C S16	C S15
S21	

1934

from which

A pinon, 6 ins. diam., bears N. 29° E., 178 lks. dist., mkd. T 18 N R 6 W S 15 C C B T.

A pinon, 8 ins. diam., bears N. $40\frac{1}{2}^{\circ}$ W., 72 lks. dist., mkd. T 18 N R 6 W S 16 C C B T..

From point of intersection the cor. of secs. 21 and 22, only, bears N. $89^{\circ}36'$ E., 2.57 chs. dist.

Land, rolling and mountainous.

Soil, adobe and gravel, 3d rate.

Timber, scrub cedar, pinon, pine, juniper, locust.

Undergrowth, scrub oak, locust, mahogany, manzanita.

From the cor. of secs. 9, 10, 15 and 16,

N. $0^{\circ}01'$ E., on true line bet. secs. 9 and 10.

Along ravine, course N.; thru medium timber and undergrowth.

2.10 Leave ravine, course N. 20° E.; desc. 48 ft. along E. slope.

16.40 Ravine, course E. a short distance, then N.; asc. 180 ft. over SE. slope.

31.80 Change to N. slope; desc. 168 ft.

38.20 Ravine, course E.; asc. 14 ft. over S. slope.

40.00 Set an iron post, 3 ft. long 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\frac{1}{4}$$

S9	S10
----	-----

1934

from which

Subdivision of T. 18 N., R. 6 W.

chains

- A pinon, 12 ins. diam., bears N.75°E., 62 lks. dist., mkd. $\frac{1}{4}$ S 10 B T.
- A pinon, 8 ins. diam., bears S.60°W., 39 lks. dist., mkd. $\frac{1}{4}$ S 9 B T.
- Asc. 161 ft. over S. slope.
- 45.40 A long spur, slopes E.; desc. 260 ft. over N. slope.
- 59.00 Ravine, course NE.; asc. 15 ft. over SE. slope.
- 61.50 Change to NE. slope; desc. 125 ft.
- 66.00 Same ravine, course N.5°W.; continue descent, 195 ft. over NW. slope.
- 77.40 Ravine, course NE.; continue over gantle N. slope.
- 80.24 Intersect the S. bdy. of sec. 4.
- Set an iron post, 3 ft. long 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for closing cor. of secs. 9 and 10, with brass cap mkd.
- T18N R6W
S 4
39 S 10
C C
1934
- from which
- A pine, 8 ins. diam., bears S.41 $\frac{1}{2}$ °E., 60 lks. dist., mkd. T 18 N R 6 W S 10 C C B T.
- A pine, 14 ins. diam., bears S.58°W., 39 lks. dist., mkd. T 18 N R 6 W S 9 C C B T.
- From point of intersection the cor. of secs. 3 and 4, only, bears E., 12.09 chs. dist.; an iron post, 2 ins. diam., firmly set, marked and witnessed as described in the official record.
- Land, rolling and mountainous.
Soil, adobe, gravel, 3d rate.
Timber, scrub cedar, pinon, juniper, pine, locust.
Undergrowth, scrub oak, manzanita, mahogany, locust.
-
- From the cor. of secs. 9, 10, 15 and 16,
East, on true line bet. secs. 10 and 15.
- Asc. 120 ft. over W. slope; thru medium timber and undergrowth.
- 5.70 Spur, slopes N.; desc. 87 ft. over NE. slope.
- 6.56 Wire fence, bears N. and S.
- 11.40 Ravine, course NW.; asc. 250 ft. over SW. slope.
- 23.30 Spur, slopes N.25°W.; desc. 47 ft. over NE. slope.
- 30.50 Head of ravine, course NW.; asc. 10 ft.
- 34.70 Spur, slopes N.; desc. 75 ft. over E. slope.
- 40.00 Set an iron post, 3 ft. long 1 in. diam., 12 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

Subdivision of T. 18 N., R. 6 W.

chains

$$\frac{1}{4} \frac{S10}{S15}$$

1934

from which

A pinon, 10 ins. diam., bears N.48°E., 21 lks. dist.,
mkd. $\frac{1}{4}$ S 10 B T.

A pinon, 10 ins. diam., bears S.26 $\frac{1}{2}$ °E., 21 lks. dist.,
mkd. $\frac{1}{4}$ S 15 B T.

Desc. 270 ft. over E. slope.

51.40 Ravine, course N.; asc. 254 ft. over W. slope.

64.70 Spur, slopes N.; desc. 30 ft. over gentle E. slope.

80.00 Set an iron post, 3 ft. long 2 ins. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 10, 11, 14 and 15, with brass cap mkd.

T18N R6W

$$\frac{S10}{S15} \frac{S11}{S14}$$

1934

from which

A scrub cedar, 24 ins. diam., bears N.50 $\frac{1}{2}$ °E., 52 lks.
dist., mkd. T 18 N R 6 W S 11 B T.

A locust, 6 ins. diam., bears S.36 $\frac{1}{2}$ °E., 69 lks. dist.,
mkd. T 18 N R 6 W S 14 B T.

A locust, 5 ins. diam., bears S.23 $\frac{1}{4}$ °W., 56 lks. dist.,
mkd. T 18 N R 6 W S 15 B T.

An alligator juniper, 20 ins. diam., bears N.17°W., 18
lks. dist., mkd. T 18 N R 6 W S 10 B T.

Land, rolling and mountainous.

Soil, adobe, gravel, 3d rate:

Timber, scrub cedar, pinon, juniper, locust, pine.

Undergrowth, scrub oak, manzanita, quinine, mahogany,
locust.-----
S.0°01'E., on true line bet. secs. 14 and 15.Asc. 15 ft. over NE. slope; thru medium timber and under-
growth.

2.30 Change to SE. slope; desc. 87 ft.

14.00 Ravine, course SE.; asc. 308 ft. over NE. slope.

32.90 Ridge, bears E. and W.; desc. 262 ft. over S. slope.

40.00 Set an iron post, 3 ft. long 1 in. diam., 8 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\frac{1}{4} \frac{S15}{S14}$$

1934

from which

A pinon, 8 ins. diam., bears N.38°E., 24 lks. dist.,
mkd. $\frac{1}{4}$ S 14 B T.

A pinon, 6 ins. diam., bears N.68°W., 14 lks. dist.,
mkd. $\frac{1}{4}$ S 15 B T.

Subdivision of T. 18 N., R. 6 W.

BOOK 4047

Chains	Descend 975 ft. over general S. slope.										
81:94	Intersect the N. bdy. of sec. 22, and at intersection, Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to bedrock, and in a mound of stone to top, for closing cor. of secs. 14 and 15, with brass cap mkd.										
	<table style="margin-left: auto; margin-right: auto;"> <tr><td colspan="2">T18N R6W</td></tr> <tr><td style="text-align: center;">C</td><td style="text-align: center;">C</td></tr> <tr><td style="text-align: center;">S15</td><td style="text-align: center;">S14</td></tr> <tr><td colspan="2" style="text-align: center;">S22</td></tr> <tr><td colspan="2" style="text-align: center;">1934</td></tr> </table>	T18N R6W		C	C	S15	S14	S22		1934	
T18N R6W											
C	C										
S15	S14										
S22											
1934											
	from which,										
	A pinon, 5 ins. diam., bears N.37 $^{\circ}$ E., 63 lks. dist., mkd. T 18 N R 6 W S14 C C B T.										
	A pinon, 5 ins. diam., bears N.22 $^{\circ}$ W., 48 lks. dist., mkd. T 18 N R 6 W S 15 C C B T.										
	From the closing cor., the cor. of secs. 22 and 23, only, bears S.88 $^{\circ}$ 05'E., 5.35 chs. dist.; heretofore described.										
	Land, rolling and mountainous. Soil, adobe and gravel, 3rd rate. Timber, scrub cedar, pinon, juniper and locust. Undergrowth, scrub oak, manzanita, locust and mahogany.										
	From the cor. of secs. 10, 11, 14 and 15, N.0 $^{\circ}$ 01'E., on true line bet. secs. 10 and 11. Over rolling and mountainous land, through scattering timber and undergrowth. Descend 300 ft. over NE. slope.										
17:00	Canyon, course NW.; asc. 270 ft. over SW. slope.										
21:60	Change to W. slope.										
26:60	Change to NE. slope, descend 120 ft.										
40:00	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.										
	<table style="margin-left: auto; margin-right: auto;"> <tr><td style="text-align: center;">S10</td><td style="text-align: center;">S11</td></tr> <tr><td colspan="2" style="text-align: center;">1934</td></tr> </table>	S10	S11	1934							
S10	S11										
1934											
	from which,										
	A white oak, 4 ins. diam., bears N.31 $^{\circ}$ E., 41 lks. dist., mkd. $\frac{1}{4}$ S 11 B T.										
	A scrub cedar, 18 ins. diam., bears N.20 $^{\circ}$ W., 31 lks. dist., mkd. $\frac{1}{4}$ S 10 B T.										
	Descend 81 ft. over N. slope.										
43:10	Ravine, course N.70 $^{\circ}$ W., asc. 130 ft. over SE. slope.										
49:00	Spur, slopes NW., desc. 123 ft. over N. slope.										
60:00	Head of ravine, course E., asc. 92 ft. over SE. slope.										
75:20	Ridge, bears NE. and SW., slopes SW., desc. 76 ft. over steep W. slope.										
80:60	Intersect the S. bdy. of sec. 3, and at intersection,										

Subdivision of T. 18 N., R. 6 W.

Chains Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for cor. closing cor. of secs. 10 and 11, with brass cap mkd,

$$\begin{array}{r} \text{S } 3 \\ \hline \text{S10 | S11} \\ \text{C | C} \\ \text{T18N R6W} \\ 1934 \end{array}$$

from which,

A scrub cedar, 14 ins. diam., bears S.6°E., 32 lks. dist., mkd. T 18 N R 6 W S 11 C C B T.

A pinon, 4 ins. diam., bears S.51°W., 18 lks. dist., mkd. T 18 N R 6 W S 10 C C B T.

From the closing cor., the cor. of secs. 2 and 3, only, bears E., 12.24 chs. dist.; an iron post, 2 ins. diam., firmly set, marked and witnessed as described in the official record.

Land, rolling and mountainous.
Soil, adobe and gravel, 3rd rate.
Timber, scrub cedar, pinon, juniper, locust, pine and oak.
Undergrowth, scrub oak, manzanita, locust, mahogany, quinine and catclaw.

From the cor. of secs. 10, 11, 14 and 15,

East, on true line bet. secs. 11 and 14.

Over rolling and mountainous land, through medium timber and undergrowth.

Desc. 200 ft. over E. slope.

13.00 Ravine, course N.20°W., ascend 180 ft. over W. slope.

25.00 Over flat top of spur, slopes N.

36.00 Leave same, desc. 25 ft. over NE. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{2}$ sec. cor., with brass cap mkd.

$$\begin{array}{r} \frac{1}{2} \text{ S } 11 \\ \hline \frac{1}{2} \text{ S } 14 \\ 1934 \end{array}$$

from which

A yellow pine, 24 ins. diam., bears S.44°E., 46 lks. dist., mkd. $\frac{1}{2}$ S 14 B T.

A yellow pine, 10 ins. diam., bears N.55 $\frac{1}{2}$ °W., 45 lks. dist., mkd. $\frac{1}{2}$ S 11 B T.

Descend 60 ft. over NE. slope.

44.00 Ravine, course N., asc. 135 ft. over W. slope.

51.70 Spur, slopes N., desc. 102 ft. over E. slope.

60.10 Ravine, near head, course N., asc. 100 ft. over W. slope.

64.80 Ridge, bears N.20°E., and SW., desc. 390 ft. over general E. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, with a stone, mkd. X, deposited at the base, and in a mound of stone to top, for cor. of secs. 13 and 14, only, and for cor. of lots 10 and 11 in sec. 11.

Subdivision of T. 18 N., R. 6 W.

chains

with brass cap mkd.

	S11	
	10	11
S14		S13
T18N		R6W
	1934	

from which,

A pinon, 4 ins. diam., bears S.4°E., 240 lks. dist.,
mkd. B T.

A pinon, 15 ins. diam., bears S.½°W., 357 lks. dist.,
mkd. T 18 N R 6 W S 14 B T.

Continue line and measurement bet. secs. 11 and 13.

Desc. 305 ft. over E. slope.

94.51 Intersect the cor. of secs. 11 and 12, only, heretofore described.

Land, rolling and mountainous.
Soil, adobe and gravel, 3d rate.
Timber, scrub cedar, pinon, locust, juniper, pine.
Undergrowth, scrub oak, mahogany, quinine, cherry, locust.

From the cor. of secs. 13 and 14, only.

S.0°02'E., on true line bet. secs. 13 and 14.

Over mountainous land; thru scattering timber and dense undergrowth.

Asc. 18 ft. over steep NE. slope.

8.50 Change to SE. slope; desc. 142 ft.

10.90 Head of ravine, course E.; continue descent.

29.60 Fence, bears NW. and SE., at cor. of a fence, bears SW.; continue over flat base of spur, slopes SE.

31.00 Desc. 290 ft. over SW. slope.

40.00 Set an iron post, 3 ft. long 1 in. diam., 6 ins. in the ground to bedrock, and in a mound of stone to top, for ¼ sec. cor., with brass cap mkd.

	¼	
S14		S13
	1934	

from which,

A pinon, 8 ins. diam., bears S.45°E., 73 lks. dist.,
mkd. ¼ S 13 B T.

A pinon, 6 ins. diam., bears N.54°W., 29 lks. dist.,
mkd. ¼ S 14 B T.

Cor. is on sandstone rim, bears NE. and SW.

Desc. 615 ft. over general S. slope, to cor.

60.40 Drain, course S.20°E.

66.00 Head of drain, course S.10°E.

75.00 Wash, 20 lks. wide, 2 ft. deep, course S.15°E.

Subdivision of T. 18 N., R. 6 W.

chains

83.67 Intersect the N. bdy. of sec. 23, and at intersection,
Set an iron post, 3 ft. long 2 ins. diam., 18 ins. in the
ground to bedrock, and in a mound of stone to top, for
closing cor. of secs. 13 and 14, with brass cap mkd.

T18N R6W

C C

S14 | S13

S23

1934

from which

A scrub cedar, 4 ins. diam., bears N. 74° E., 80 lks.
dist., mkd. T 18 N R 6 W S 13 C C B T.

A scrub cedar, 6 ins. diam., bears N. 61½° W., 95 lks.
dist., mkd. T 18 N R 6 W S 14 C C B T.

From point of intersection the cor. of secs. 23 and 24,
only, bears S. 88° 46' E., 7.73 chs. dist.

Land, mountainous and rolling.

Soil, adobe and gravel, rocky, 3d rate.

Timber, scrub cedar, pinon, juniper.

Undergrowth, scrub oak, manzanita, mahogany, quinine.

From the cor. of secs. 32 and 33, only, on S. bdy. of Tp.;
heretofore described.

North, on true line bet. secs. 32 and 33.

Over mountainous land, thru scattering timber and under-
growth.

3.20 Short spur, slopes NE.; desc. NW. slope.

26.20 Ravine, course NE.

38.70 Short spur, slopes E.

40.00 Set an iron post, 3 ft. long 1 in. diam., 18 ins. in the
ground to bedrock, with a stone, mkd. X, deposited at the
base, and in a mound of stone to top, for ¼ sec. cor.,
with brass cap mkd.

¼

S32 | S33

1934

No suitable trees available.

Desc. 238 ft. over N. slope.

49.70 Short ravine, course E.; asc. 212 ft. over S. slope.

63.00 Spur, slopes S. 75° E.; desc. 178 ft. over NE. slope.

73.80 Ravine, course E.; asc. 140 ft. over general SE. slope.

80.00 Set an iron post, 3 ft. long 2 ins. diam., 14 ins. in the
ground to bedrock, with a stone, mkd. X, deposited at the
base, and in a mound of stone to top, for cor. of secs.
28, 29, 32 and 33, with brass cap mkd.

Subdivision of T. 18 N., R. 6 W.

chains

T18N R6W
 S29|S28
 S32|S33
 1934

No suitable trees available.

Land, mountainous.
 Soil, adobe, rocky, 3d rate.
 Timber, scrub cedar, pinon, juniper.
 Undergrowth, scrub oak, manzanita, mahogany, quinine.

 East, on true line bet. secs. 28 and 33.

Over mountainous land; thru scattering timber and undergrowth.

Desc. 360 ft. over SE. slope.

29.00 Ravine, course NE.; asc. 190 ft. over NW. slope.

40.00 Set an iron post, 3 ft. long 1 in. diam., 12 ins. in the ground to bedrock, with a stone, mkd. X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S28
 S33
 1934

No suitable trees available.

Continue over general NW. slope.

66.00 Spur, slopes NE.; desc. 205 ft. over E. slope.

80.00 Set an iron post, 3 ft. long 1 in. diam., 22 ins. in the ground to bedrock, with a stone, mkd. X, deposited at the base, and in a mound of stone to top, for cor. of lots 1 and 2 of sec. 33, only, with brass cap mkd.

211
 S33
 1934

86.40 Intersect the W. bdy. of sec. 34.

Set an iron post, 3 ft. long 2 ins. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for closing cor. of secs. 28 and 33, with brass cap mkd.

T18N R6W
 S28|S34
 CC S33
 1934

from which,

A pinon, 8 ins. diam., bears S.68°W., 67 lks. dist., mkd. T 18 N R 6 W S 33 C C B T.

A scrub cedar, 8 ins. diam., bears N.56 $\frac{1}{2}$ °W., 93 lks. dist., mkd. T 18 N R 6 W S 28 C C B T.

From point of intersection the cor. of secs. 27 and 34, only, bears N.2°16'W., 3.26 chs. dist.

Subdivision of T. 18 N., R. 6 W.

chains

Land, rolling and mountainous.
Soil, adobe and gravel, 3d rate.
Timber, scrub cedar, pinon, juniper, oak.
Undergrowth, scruboak, manzanita, mahogany, locust,
quinine.

From the cor. of secs. 28, 29, 32 and 33.

North, on true line bet. secs. 28 and 29.

Over rolling and mountainous land; thru scattering timber
and undergrowth.

Asc. 240 ft. over SE. slope.

15.50 Spur, slopes SE.; desc. 363 ft. over NW. slope.

30.60 Ravine, course NE.; asc. 50 ft. over SE. slope.

40.00 Set an iron post, 3 ft. long 1 in. diam., 12 ins. in the
ground to bedrock, with a stone, mkd. X, deposited at the
base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor.,
with brass cap mkd.

$\frac{1}{4}$
S29 | S28
1934

No suitable trees available.

Asc. 97 ft. over SE. slope.

52.40 Spur, slopes NE.; desc. 393 ft. over NW. slope.

73.90 Road, bears NE. and SW.

79.60 Walnut Creek, water 5 lks. wide, in wash, 50 lks. wide,
course N. 75° E.

80.00 Set an iron post, 3 ft. long 2 ins. diam., 14 ins. in the
ground to bedrock, and in a mound of stone to top, for
cor. of secs. 20 and 29, only, and for cor. of lots 4 and
5 of sec. 28, with brass cap mkd.

T18N R6W
S20 | 4
S29 | 5 S28
1934

from which ,

A yellow pine, 12 ins. diam., bears S. 41° W., 131 lks.
dist., mkd. T 18 N R 6 W S 29 B T.

A yellow pine, 16 ins. diam., bears N. 14° W., 51 lks.
dist., mkd. T 18 N R 6 W S 20 B T.

Continue line and measurement bet. secs. 20 and 28.

Asc. 66 ft. over S. slope.

86.23 The cor. of secs. 21 and 28, only.

Land, rolling and mountainous.
Soil, adobe and gravel, 3d rate.
Timber, scrub cedar, pinon, juniper, pine, walnut, willow.
Undergrowth, scrub oak, manzanita, mahogany, quinine.

Subdivision of T. 18 N., R. 6 W.

chains

From the cor. of secs. 31 and 32, only, on S. bdy. of Tp.; heretofore described.

North, bet. secs. 31 and 32.

Over rolling and broken land, thru medium timber and undergrowth.

Desc. 80 ft. over N. slope.

- 4.80 Head of drain, course NE.; desc. 47 ft. over NE. slope.
 18.10 Ravine, course E.; asc. 83 ft. over SE. slope.
 22.70 Spur, slopes NE.; desc. 222 ft. over NW. slope.
 33.50 Trail, bears SW. and NE.
 34.60 Ravine, course NE.; asc. 52 ft. over SE. slope.
 40.00 Set an iron post, 3 ft. long 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\frac{1}{4}$$

$$S31 | S32$$

1934

from which,

A scrub cedar, 6 ins. diam., bears N.60°E., 53 lks. dist., mkd. $\frac{1}{4}$ S 32 B T.

An alligator juniper, 50 ins. diam., bears S.1°W., 160 lks. dist., mkd. $\frac{1}{4}$ S 31 B T.

Asc. 107 ft. over SE. slope.

- 50.50 Long spur, from SW., slopes N.; cross flat top of same.
 61.70 End of flat part of spur; desc. 284 ft. along top.
 76.00 Spur slopes to NW.
 80.00 Set an iron post, 3 ft. long 2 ins. diam., 28 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, with brass cap mkd.

$$T18N R6W$$

$$S30 | S29$$

$$S31 | S32$$

1934

from which,

An oak, 6 ins. diam., bears N.12°E., 89 lks. dist., mkd. T 18 N R 6 W S 29 B T.

An oak, 6 ins. diam., bears S.4°E., 15 lks. dist., mkd. T 18 N R 6 W S 32 B T.

An oak, 10 ins. diam., bears S.23°W., 17 lks. dist., mkd. T 18 N R 6 W S 31 B T.

A pine, 18 ins. diam., bears N.32°W., 84 lks. dist., mkd. T 18 N R 6 W S 30 B T.

Land, rolling and broken.

Soil, adobe and gravel, 3d rate.

Timber, scrubcedar, pinon, juniper, oak, pine.

Undergrowth, scrub cedar, manzanita, mahogany, scrub oak, quinine.

Subdivision of T. 18 N., R. 6 W.

chains	East, on a random line bet. secs. 29 and 32.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.08	Intersect the cor. of secs. 28, 29, 32 and 33.
	Thence
	West, on true line bet. secs. 29 and 32.
	Asc. 413 ft. over E. slope, thru scattering timber and undergrowth.
28.40	Ridge, bears N. and S.; desc. 213 ft. over NW. slope.
40.04	Set an iron post, 3 ft. long 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \frac{S29}{S32}$
	1934 from which,
	A juniper, 5 ins. diam., bears N. 61° E., 80 lks. dist., mkd. $\frac{1}{4}$ S 29 B T.
	A juniper, 5 ins. diam., bears S. 35 $\frac{1}{2}$ ° W., 75 lks. dist., mkd. $\frac{1}{4}$ S 32 B T.
	Desc. 15 ft. over NW. slope.
40.80	Ravine, course SW.; asc. 23 ft. over SE. slope.
46.60	Spur, slopes SW.; desc. 310 ft. over general W. slope.
73.00	Ravine, course N.; asc. 84 ft. over NE. slope.
80.08	The cor. of secs. 29, 30, 31 and 32.
	Land, rolling and broken. Soil, adobe and gravel, 3d rate. Undergrowth, scrub oak, manzanita, mahogany, quinine. Timber, scrub cedar, pinon, juniper, pine.

	West, on a random line bet. secs. 30 and 31.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Set temp. cor.
92.46	A point 5 lks. S. of the cor. of secs. 25, 30, 31 and 36, on W. bdy. of Tp.; heretofore described.
	Thence
	S. 89° 58' E., on true line bet. secs. 30 and 31.
	Over rolling and broken land; thru medium timber and undergrowth.
	Asc. 15 ft. over SW. slope.
2.70	Spur, slopes SE.; desc. 130 ft. over NE. slope.
9.60	Dry creek bed, 30 lks. wide, course S. a short distance, then SE.; asc. 25 ft. over W. slope.
12.46	Set an iron post, 3 ft. long 1 in. diam., 20 ins. in the ground to bedrock, with a stone, mkd. X, deposited at the base, and in a mound of stone to top, for cor. of lots

Subdivision of T. 18 N., R. 6 W.

chains

1,2,7 and 8, of secs. 30 and 31, with brass cap mkd.

$$\begin{array}{r} S30 \\ 7|8 \\ \hline 2|1 \\ S31 \\ 1934 \end{array}$$

Asc. 62 ft. over SW. slope.

28.00 Drain, course SW.; asc. 61 ft. over NW. slope.

35.00 Over top of spur, slopes SE.

50.00 Leave same; desc. 35 ft. over E. slope.

52.46 Set an iron post, 3 ft. long 1 in. diam., 10 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\frac{1}{4} \begin{array}{r} S30 \\ S31 \end{array}$$

1934

from which

A yellow pine, 16 ins. diam., bears N.41°E., 137 lks. dist., mkd. $\frac{1}{4}$ S 30 B T.An alligator juniper, 50 ins. diam., bears S.24°E., 59 lks. dist., mkd. $\frac{1}{4}$ S 31 B T.Desc. 29 $\frac{1}{4}$ ft. over E. slope.

74.30 Enter valley, bears NE. and SW.

78.00 Dry bed of Walnut Creek, 30 lks. wide, course NE.

79.70 Road, little used, bears NE. and SW.

82.00 Leave valley, bears NE. and SW.; asc. 158 ft. over NW. slope.

90.00 Spur, slopes N.; desc. 36 ft. over NE. slope.

92.46 The cor. of secs. 29,30,31 and 32.

Land, rolling and broken.
Soil, adobe, rocky, 3d rate.
Timber, scrub cedar, pinon, juniper, pine, oak.
Undergrowth, scrub oak, manzanita, mahogany, quinine.

North, bet. secs. 29 and 30.

Over rolling and broken land; thru medium timber and undergrowth.

Desc. 98 ft. over N. slope.

5.90 Saddle in spur, bears NE. and SW.; asc. 20 ft.

7.70 Change to NW. slope; desc. 53 ft.

11.90 Little used road, bears NE. and SW.

14.30 Dry bed of Walnut Creek, 30 lks. wide, course NE.

21.50 Top of left bank of same, 20 ft. high, bears NE. and S.15°W.; asc. 32 ft.

33.40 Low spur, slopes SE.; desc. 25 ft. over NE. slope.

Subdivision of T. 18 N., R. 6 W.

chains

40.00 Set an iron post, 3 ft. long 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ \hline S30 | S29 \end{array}$$

1934

from which,

A yellow pine, 12 ins. diam., bears S.74°E., 30 lks. dist., mkd. $\frac{1}{4}$ S 29 B T.

A yellow pine, 24 ins. diam., bears N.1 $\frac{1}{2}$ °W., 85 lks. dist., mkd. $\frac{1}{4}$ S 30 B T.

Desc. 33 ft. over NE. slope.

43.60 Ravine, course SE.; asc. 317 ft. over S. slope.

63.30 Spur, slopes E.; desc. 231 ft. over NE. slope.

78.70 Ravine, course SE.; asc. 27 ft. over SW. slope.

80.00 Set an iron post, 3 ft. long 2 ins. diam., 22 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 19, 20, 29 and 30, with brass cap mkd.

T18N R6W

$$\begin{array}{c} S19 | S20 \\ \hline S30 | S29 \end{array}$$

$$\begin{array}{c} S19 | S20 \\ \hline S30 | S29 \end{array}$$

1934

from which

A juniper, 5 ins. diam., bears N.8 $\frac{1}{2}$ °E., 63 lks. dist., mkd. B T.

A scrub cedar, 20 ins. diam., bears S.65°E., 74 lks. dist., mkd. T 18 N R 6 W S 29 B T.

A scrub cedar, 14 ins. diam., bears S.13°W., 61 lks. dist., mkd. T 18 N R 6 W S 30 B T.

A juniper, 12 ins. diam., bears N.29°W., 60 lks. dist., mkd. T 18 N R 6 W S 19 B T.

Land, rolling and broken.

Soil, adobe, rocky, 3d rate.

Timber, scrub cedar, pinon, juniper, pine, oak, willow.

Undergrowth, scrub oak, manzanita, mahogany, bluebrush, quinine, prickly pear, buckthorn, willow, cactus.

East, on a random line bet. secs. 20 and 29.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.98 Intersect the cor. of secs. 20 and 29, only.

Thence, West, on true line bet. secs. 20 and 29.

Over dry bed of Walnut Creek.

2.50 Left bank of same, bears NE. and SW.; asc. 80 ft. over gentle SE. slope; thru medium timber and undergrowth.

23.50 Drain, 15 ft. deep, course SW.; asc. 31 ft. over SE. slope.

27.80 Spur, slopes S.; desc. 26 ft. over SW. slope.

35.00 Wash, 15 lks. wide, course SE.; asc. 68 ft. on NE. slope.

Subdivision of T. 18 N., R. 6 W.

chains	
39.99	Set an iron post, 3 ft. long 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4} \frac{S20}{S29}$ <p style="text-align: center;">1934</p> <p style="text-align: right;">from which</p> <p>A yellow pine, 18 ins. diam., bears N.8°E., 79 lks. dist., mkd. $\frac{1}{4}$ S 20 B T. A juniper, 6 ins. diam., bears S.45°W., 32 lks. dist., mkd. $\frac{1}{4}$ S 29 B T. Asc. 226 ft. over NE. slope,</p>
54.70	Sharp spur, slopes N.; desc. 40 ft.
61.00	Spur, slopes SE.; desc. 105 ft. over SW. slope.
79.98	The cor. of secs. 19,20,29 and 30. Land, rolling. Soil, adobe, rocky, 3d rate. Timber, scrub cedar, pinon, juniper, pine, willow. Undergrowth, scrub oak, chaparral, buckthorn, cactus, etc. ----- N.89°58'W., on random line bet. secs. 19 and 30.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Set temp. cor.
92.48	A point 8 lks. N. of the cor. of secs. 19,24,25 and 30, on W. bdy. of Tp.; heretofore described. Thence N.89°59'E., on true line bet. secs. 19 and 30. Asc. 40 ft. along S. slope; thru medium timber and undergrowth.
12.48	Set an iron post, 3 ft. long 1 in. diam., 10 ins. in the ground to bedrock, with a stone, mkd. X, deposited at the base, and in a mound of stone to top, for cor. of lots 1,2,7 and 8 of secs. 19 and 30, with brass cap mkd. $\frac{S19}{7 8}$ $\frac{2 1}{S30}$ <p style="text-align: center;">1934</p>
40.00	Flat spur, from N.88°W., slopes S.75°E.; desc. 36 ft. on NE. slope.
52.48	Set an iron post, 3 ft. long 1 in. diam., 16 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4} \frac{S19}{S30}$ <p style="text-align: center;">1934</p> <p style="text-align: right;">from which</p> <p>A juniper, 5 ins. diam., bears N.18°E., 20 lks. dist., mkd. $\frac{1}{4}$ S 19 B T.</p>

Subdivision of T. 18 N., R. 6 W.

chains

An alligator juniper, 50 ins. diam., bears S.82°W., 117 lks. dist., mkd. $\frac{1}{4}$ S 30 B T.

Desc. 251 ft. over NE. slope.

66.30 Head of ravine, course NE.; asc. 10 ft. over NW. slope.

69.50 Spur, slopes NE.; desc. 129 ft. over NE. slope.

76.40 Drain, course NE.; asc. 13 ft.

80.30 Change to SE. slope; desc. 103 ft.

89.20 Ravine, course SE.; asc. 31 ft. over SW. slope.

92.48 The cor. of secs. 19, 20, 29 and 30.

Land, rolling and broken.

Soil, adobe, rocky, 3d rate.

Timber, scrub cedar, pinon, juniper, pine, oak.

Undergrowth, scrub oak, manzanita, mahogany, quinine.

North, bet. secs. 19 and 20.

Over rolling and broken land; thru medium timber and undergrowth.

Asc. 101 ft. over SW. slope.

7.80 Spur, slopes SE.; desc. 105 ft. over NE. slope.

17.50 Ravine, course NE. a short distance, then SE.; asc. 206 ft. over SE. slope.

30.10 Spur, slopes E.; desc. 40 ft. along NE. slope.

40.00 Set an iron post, 3 ft. long 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S19 | S20
1934

from which

A juniper, 8 ins. diam., bears S.75°E., 14 lks. dist., mkd. $\frac{1}{4}$ S 20 B T.

A scrub cedar, 10 ins. diam., bears S.50°W., 33 lks. dist., mkd. $\frac{1}{4}$ S 19 B T.

Desc. 87 ft. over NE. slope.

45.10 Drain, course NE.

46.60 Drain, course SE.; asc. 114 ft. over SW. slope.

53.20 Spur, slopes SE.; desc. 296 ft. over NE. slope.

67.20 Dim road or trail, bears NW. and SE.

69.00 Creek bed, water in pools, course SE.; asc. 109 ft. over SW. and S. slopes.

80.00 Set an iron post, 3 ft. long 2 ins. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 17, 18, 19 and 20, with brass cap mkd.

Subdivision of T. 18 N., R. 6 W.

chains

T18N R6W
S18|S17
S19|S20

1934

from which

A pinon, 6 ins. diam., bears N.21 $\frac{1}{2}$ °E., 6 lks. dist.,
mkd. T 18 N R 6 W S 17 B T.

A juniper, 24 ins. diam., bears S.22 $\frac{1}{2}$ °E., 65 lks. dist.,
mkd. T 18 N R 6 W S 20 B T.

A pinon, 16 ins. diam., bears S.12°W., 40 lks. dist.,
mkd. T 18 N R 6 W S 19 B T.

A juniper, 26 ins. diam., bears N.60°45'W., 94 lks.
dist., mkd. T 18 N R 6 W S 18 B T.

Land, rolling and broken.
Soil, adobe, rocky, 3d rate.
Timber, scrub cedar, pinon, juniper.
Undergrowth, scrub oak, manzanita, mahogany, quinine.

East, on a random line bet. secs. 17 and 20.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.36 Intersect the cor. of secs. 17 and 20, only.

Thence

West, on true line bet. secs. 17 and 20.

Over rolling land; thru scattering timber and medium
undergrowth.

Asc. 14 ft. over SE. slope.

5.40 Spur, slopes S.; desc. 17 ft. over SW. slope.

13.40 Wash, 5 lks. wide, course S.; asc. 65 ft. over SE. slope.

30.70 Change to SW. slope; desc. 18 ft.

33.00 Ravine, course S.; asc. 18 ft.

38.70 Fence, bears N. and S. on spur, slopes S.; desc. 8 ft.

40.18 Set an iron post, 3 ft. long 1 in. diam., 27 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S17
S20

1934

raise a mound

of stone 3 ft. base and 2 ft. high, N. of cor.

No suitable trees available.

Desc. 74 ft. over SW. slope.

47.10 Drain, course S.; asc. 42 ft. over E. slope.

53.30 Low spur, slopes S.; desc. 13 ft.

54.20 Ravine, course SE.; asc. 35 ft.

57.10 Low spur, slopes SE.; desc. 70 ft. over SW. slope.

71.10 Rocky wash, 10 lks. wide, course SE.; asc. 96 ft. over
SE. slope.

Subdivision of T. 18 N., R. 6 W.

chains	
77.70	Short spur, slopes S.; desc. 24 ft. over SW. slope.
80.36	The cor. of secs. 17, 18, 19 and 20. Land, rolling. Soil, adobe, rocky, 3d rate. Timber, scrub cedar, pinon, juniper. Undergrowth, scrub oak, manzanita, mahogany, quinine.

	S. 89° 59' W., on a random line bet. secs. 18 and 19.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Set temp. cor.
92.60	A point 3 lks. S. of the cor. of secs. 13, 18, 19 and 24, on W. bdy. of Tp.; heretofore described. Thence West, on true line bet. secs. 18 and 19. Over rolling land; thru medium timber and undergrowth. Along a N. slope.
12.60	Set an iron post, 3 ft. long 1 in. diam., 27 ins. in the ground, for cor. of lots, 1, 2, 7 and 8 of secs. 18 and 19, with brass cap mkd. <div style="text-align: center;"> S18 7 8 2 1 S19 1934 </div> <div style="text-align: right;">raise a mound</div> of stone 3 ft. base and 2 ft. high, N. of cor.
17.10	Dry creek bed, 30 lks. wide, course S. 70° E.; asc. 80 ft. over S. slope.
28.50	Trail, old Hardyville road, bears SE. and NW.
52.60	Set an iron post, 3 ft. long 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. <div style="text-align: center;"> $\frac{1}{4}$ S18 $\frac{1}{4}$ S19 1934 </div> <div style="text-align: right;">from which</div> A yellow pine, 20 ins. diam., bears S. 23 $\frac{1}{2}$ ° E., 94 lks. dist., mkd. $\frac{1}{4}$ S 19 B T. A juniper, 32 ins. diam., bears N. 52° W., 72 lks. dist., mkd. $\frac{1}{4}$ S 18 B T.
53.50	Drain, course SE.; asc. 76 ft. over gradual SW. slope.
66.80	Change to S. slope.
80.00	Change to SE. slope; desc. 76 ft.
88.30	Drain, course S. 30° W.; asc. 36 ft. over SW. slope.
92.60	The cor. of secs. 17, 18, 19 and 20.

Subdivision of T. 18 N., R. 6 W.

chains

Land, rolling.
Soil, adobe, rocky, 3d rate.
Timber, scrub cedar, pinon, juniper, pine.
Undergrowth, scrub oak, manzanita, mahogany, quinine.

North, bet. secs. 17 and 18.

Over rolling and mountainous land; thru medium timber and undergrowth.

Asc. 26 ft. over SW. slope.

2.80 Spur, slopes SE.; asc. 175 ft. over SE. slope.

19.50 Change to NE. slope; desc. 30 ft.

23.30 Ravine, course SE.; asc. 427 ft. over S. slope, to cor.

30.20 Top of sandstone ledge, bears NE. and SW.

33.60 Fence, bears E. and W.

40.00 Set an iron post, 3 ft. long 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$

S18 | S17

1934

from which

A pinon, 8 ins. diam., bears S. $37\frac{1}{2}^{\circ}$ E., 23 lks. dist., mkd. $\frac{1}{4}$ S 17 B T.

A pinon, 10 ins. diam., bears N. 69° W., 39 lks. dist., mkd. $\frac{1}{4}$ S 18 B T.

Asc. 638 ft. over S. and SE. slopes.

71.80 Fence, bears SE. and NW.

72.00 Ridge, Juniper Mtn, bears E. and W.; desc. 119 ft. over NW. slope.

80.00 Set an iron post, 3 ft. long 2 ins. diam., 16 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 7, 8, 17 and 18, with brass cap mkd.

T18N R6W

S7 | S8
S18 | S17

1934

from which

An oak, 8 ins. diam., bears N. $41\frac{1}{2}^{\circ}$ E., 167 lks. dist., mkd. T 18 N R 6 W S 8 B T.

An oak, 4 ins. diam., bears S. 46° E., 82 lks. dist., mkd. B T.

An oak, 8 ins. diam., bears S. $12\frac{1}{2}^{\circ}$ W., 105 lks. dist., mkd. T 18 N R 6 W S 18 B T.

A pinon, 16 ins. diam., bears N. $15\frac{1}{2}^{\circ}$ W., 103 lks. dist., mkd. T 18 N R 6 W S 7 B T.

Land, mountainous and rolling.
Soil, adobe, rocky, 3d rate.
Timber, scrub cedar, pinon, oak, locust, pine, juniper.
Undergrowth, scrub oak, manzanita, quinine, mahogany.

Subdivision of T. 18 N., R. 6 W.

chains	
	East, on a random line bet. secs. 8 and 17.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.30	A point 23 lks. S. of the cor. of secs. 8 and 17, only. Thence, S. $89^{\circ}50'W.$, on true line bet. secs. 8 and 17. Over rolling and mountainous land; thru medium timber and undergrowth. Asc. 63 ft. over NE. slope.
4.10	Spur, slopes N.; desc. 134 ft. over W. slope.
8.70	Ravine, course N.; asc. 180 ft. over SE. slope.
20.00	Flat spur, slopes N.; desc. 29 ft. over NW. slope.
25.90	Head of ravine, course NW.; asc. 32 ft. over NE. slope.
29.80	Over flat top of spur, slopes N.
40.15	Set an iron post, 3 ft. long 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \frac{S8}{S17}$
	1934
	from which
	A pinon, 10 ins. diam., bears N. $38^{\circ}W.$, 12 lks. dist., mkd. $\frac{1}{4} S 8 B T.$
	A pinon, 12 ins. diam., bears S. $23^{\circ}E.$, 81 lks. dist., mkd. $\frac{1}{4} S 17 B T.$
	Desc. 170 ft. over gradual W. slope.
51.20	Ravine, course N.; asc. 150 ft. over NE. slope.
62.00	Spur, slopes NW.; desc. 135 ft. over W. slope.
70.70	Head of ravine, course NW.; asc. 78 ft. over NE. slope.
76.50	Spur, slopes N.; desc. 27 ft. over NW. slope.
80.30	The cor. of secs. 7, 8, 17 and 18. Land, rolling and mountainous. Soil, adobe and gravel, 3d rate. Timber, pinon, scrub cedar, locust, juniper, pine. Undergrowth, scrub oak, bayonet, manzanita, mahogany.

	West, on a random line bet. secs. 7 and 18.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Set temp. lot. cor.
92.55	A point 27 lks. S. of the cor. of secs. 7, 12, 13 and 18, on W. bdy. of Tp.; heretofore described. Thence, S. $89^{\circ}50'E.$, on true line bet. secs. 7 and 18. Over rolling land; thru medium timber and undergrowth. Asc. 391 ft. over SW. slope.

Subdivision of T. 18 N., R. 6 W.

chains	
2.00	Trail, bears NW. and SE.
12.55	Set an iron post, 3 ft. long 1 in. diam., 28 ins. in the ground, for cor. of lots 1, 2, 15 and 16 of secs. 7 and 18, with brass cap mkd.
	$\begin{array}{r} S\ 7 \\ 15\ 16 \\ \hline 2\ 1 \\ S\ 18 \\ 19\ 34 \end{array}$
	raise a mound
	of stone 3 ft. base and 2 ft. high, N. of cor.
29.60	Spur, slopes S.; continue along a S. slope.
52.55	Set an iron post, 3 ft. long 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \begin{array}{r} S\ 7 \\ S\ 18 \end{array}$
	1934 from which
	A scrub cedar, 8 ins. diam., bears S. 26° E., 17 lks. dist., mkd. $\frac{1}{4}$ S 18 B T.
	A pinon, 6 ins. diam., bears N. 2° W., 14 lks. dist., mkd. $\frac{1}{4}$ S 7 B T.
	Asc. 385 ft. over steep SW. slope.
71.50	Over top of ridge, bears NW. and SE.
74.50	Leave same; desc. 60 ft. over NE. slope.
78.60	Change to SW. slope; asc. 80 ft.
81.50	Fence, bears NW. and SE.
82.30	Change to SE. slope; desc. 15 ft.
82.90	Ravine, course NE.; asc. 94 ft. over NW. slope.
92.55	The cor. of secs. 7, 8, 17 and 18.
	Land, rolling to mountainous. Soil, adobe and gravel, 3d rate. Timber, scrub cedar, pinon, juniper, locust. Undergrowth, scrub oak, manzanita, mahogany, locust.

	North, bet. secs. 7 and 8.
	Over rolling and mountainous land; thru medium timber and undergrowth.
	Desc. 168 ft. over NW. slope.
8.30	Ravine, course NE.; asc. 208 ft. over SE. slope.
20.30	Spur, slopes SE.; desc. 135 ft. over NE. slope.
24.60	Small ravine, course SE.; asc. 208 ft. over SE. slope.
35.50	Over top of mesa, bears E. and W.
40.00	Set an iron post, 3 ft. long 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$

Subdivision of T. 18 N., R. 6 W.

chains

sec. cor., with brass cap mkd.

 $\frac{1}{4}$

S7|S8

1934

from which

A juniper, 8 ins. diam., bears N.42°E., 42 lks. dist.,
mkd. $\frac{1}{4}$ S 8 B T.

A juniper, 10 ins. diam., bears N.42°W., 45 lks. dist.,
mkd. $\frac{1}{4}$ S 7 B T.

44.40 E. edge of small dry lake, 1 ch. diam., enclosed by fence.

65.50 Leave mesa; desc. 90 ft. over NE. slope.

78.30 Change to E. slope.

80.00 Set an iron post, 3 ft. long 1 in. diam., 16 ins. in the
ground to bedrock, with a stone, mkd. X, deposited at the
base, and in a mound of stone to top, for cor. of lots
1, 4, 5 and 10 of secs. 7 and 8, with brass cap mkd.

S7 $\frac{1}{10}$ | $\frac{4}{5}$ S8

1934

86.87 Intersect the S. bdy. of sec. 6.

Set an iron post, 3 ft. long 2 ins. diam., 18 ins. in the
ground to bedrock, and in a mound of stone to top, for
closing cor. of secs. 7 and 8, with brass cap mkd.

T18N R6W

S 6

S7|S8

C C

1934

from which

An oak, 12 ins. diam., bears S.64°E., 44 lks. dist.,
mkd. T 18 N R 6 W S 8 C C B T.

A yellow pine, 12 ins. diam., bears S.56°W., 81 lks.
dist., mkd. T 18 N R 6 W S 7 C C B T.

From point of intersection the cor. of secs. 5 and 6,
only, bears E., 12.40 chs. dist.; an iron post, 2 ins.
diam., firmly set, marked and witnessed as described in
the official record.

Land, flat to mountainous.

Soil, adobe and gravel, 3d rate.

Timber, scrub cedar, juniper, pinon, oak, pine, locust.

Undergrowth, scrub oak, manzanita, mahogany, yucca.

T. 18 N., R. 6 W.

chains

FINAL TEST OF SOLAR ATTACHMENTS.

April 1, 1934: On the meridian heretofore described, at 8h 0m a.m., app.t., we set off $34^{\circ}55'$ N. on the latitude arcs, $4^{\circ}27\frac{1}{2}'$ N. on the declination arcs, and orient the instruments with the solar attachments; the resulting lines of sight agree with the meridian established by Polaris observation.

At 4h 0m p.m., app. t., with latitude arcs unchanged we set off $4^{\circ}35'$ N. on the declination arcs and orient the instruments with the solar attachments; the lines of sight agree with the meridian established by Polaris observation.

April 1, 1934.

GENERAL DESCRIPTION

The township lies about 45 miles NW. of Prescott, Ariz., from which it is reached by an excellent road. It is also reached from Seligman, Ariz., about 35 miles Northerly.

The township is divided easterly and westerly by a limestone ridge known as Juniper Mtn., from which drainage channels develop gradually to the N., while to the south the descent is rapid from a limestone escarpment at the top. At a distance of $\frac{1}{4}$ to $\frac{1}{2}$ mile below the limestone rim and an elevation of about 700 ft. lower is a sandstone rim, always defined but in some places eroded nearly to the angle of repose.

The drainage of the south part of the township is easterly by Walnut Creek and its branches; of the N. central and NW. parts by Pine Wash and its branches, the general direction being NE.

The elevation is from 5000 to 7000 ft. above sea level.

Timber and undergrowth are somewhat heavier than the average of Arizona at this latitude. Varieties are: scrub cedar, pinon, juniper, yellow pine, walnut, willow, locust, and white and live oak timber; scrub oak, manzanita, mahogany, yucca, bayonet, catclaw, cactus, willow, locust, quinine, cherry, etc., of undergrowth.

There is, in ordinary seasons, water for considerable irrigation in the branches of Walnut Creek, tho frequently below the surface on account of the wide and porous nature of the channels.

The Walnut Creek Ranger Station is located in the NE. cor. of secs. 25. Other residents of the part of the Tp. covered by the foregoing notes are: Ainsworth, Crozier and Hunt.

Industry is ranching, with a moderate amount of fences, ditches, reservoirs constructed in connection.

Evidence of mineral was observed only in secs. 13 and 24. No development has been done.

207
13A

BOOK 4047

4-680
(August, 1926)

FIELD ASSISTANTS.

NAMES.	CAPACITY.
Raymond S. Davis	1st Chainman
Claude A. Mulkey	2nd Chainman
Robert R. Riesgo	Moundsman
David C. Bryant	Flagman
L.W. Ross	Axman
Shamus O'Brien	Axman
Stanley S. Palmer	1st Chainman
Clifton A. Lewis	2nd Chainman
Glen Greenhaw	Flagman
Claude Burk	Moundsman
Walter Harbold	2nd Chainman
Orland Parks	Axman

74

208
BOOK 4047

CERTIFICATE OF UNITED STATES SURVEYOR

We, Theodore Vander Meer, and Benjamin J. Mollette, U.S. Transitmen, hereby certify upon honor that, in pursuance of special instructions received from the District Cadastral Engineer for Arizona

bearing date of the 12th day of September, 1933. We have well, faithfully, and truly ^{our} in ~~my~~ own proper person/^s and in strict conformity with said instructions, the Manual of Surveying Instructions, and the laws of the United States, ~~resurveyed~~ the east boundary and a portion of the south boundary; surveyed a portion of the south boundary and a portion of the west boundary; ~~resurveyed~~ a portion, and surveyed a portion of the subdivisional lines, completing the subdivision of Township 18 North, Range 6 West,

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by ~~me~~^{us}, and under ~~my~~^{our} direction; and that all the corners of ~~the~~^{our} and resurvey said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the District Cadastral Engineer for Arizona and in the specific manner described in the field notes, and that the foregoing are the original field notes of

such survey and resurvey.
Benjamin J. Mollette
U.S. Transitman
Phoenix, Arizona,
Apr. 10th. 1935.

Theodore Vander Meer
U.S. Transitman
Glendale, California.
August 19, 1934.

APPROVAL

OFFICE OF U. S. SUPERVISOR OF SURVEYS,
Denver, Colorado, May 1, 1935.

The foregoing field notes of the ~~dependent~~ resurvey of the east boundary and a portion of the south boundary.; survey of a portion of the south boundary and a portion of the west boundary; dependent resurvey of a portion, and survey of a portion of the subdivisional lines, completing the subdivision of Township 18 North, Range 6 West, of the Gila and Salt River Meridian, in the State of Arizona,

executed by Theodore Vander Meer and Benjamin J. Mollette, U.S. Transitmen, under ~~his~~^{their} special instructions dated September 12, 1933, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys ~~and resurveys~~ they describe, are hereby approved.

Walter H. Pinson
U. S. Supervisor of Surveys.

I certify that the foregoing transcript of the field notes of the above described surveys in _____, has been correctly copied from the original notes on file in this office.

U. S. Supervisor of Surveys.