

Orig.

4102

4-679
(April 1933)

BOOK 4102

Book B.

FIELD NOTES

Of the Dependent Resurvey of the Second Standard Parallel

North, along the South Boundary of Township 9 North,

Through a Portion of Ranges 25 and 26 East,

The West Boundary of Township 8 North, Range 27 East,

A Portion of the Boundary of the

Fort Apache Indian Reservation,

And the Survey of

The South and West Boundaries and Subdivisional Lines of

Fractional Township 8 North, Range 26 East,

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Theodore Vander Meer, U. S. Transitman.

Under special instructions dated March 28, 1935, which provided for the surveys included under Group No. 192, bearing the approval of the Commissioner of the General Land Office under date of May 22, 1935 and assignment instructions dated June 22, 1935.

Resurvey and Survey commenced July 3, 1935.

Resurvey and Survey completed August 4, 1935.


4102

4102

1A 2

BOOK 4102

INDEX DIAGRAM.



T.8 N., R.26 E.

The resurvey of the boundaries and the survey of that part of the subdivision lines of T.8 N., R.26 E., lying outside of the Fort Apache Indian Reservation, was executed with a light-mountain solar transit made by the Buff & Buff Co., constructed in accordance with the standard specifications of the General Land Office. The horizontal circle has a diameter of $4\frac{1}{2}$ ins., with two double verniers reading to single minutes; the vertical circle has a diameter of 4 ins., with one double vernier reading to single minutes. The telescope has fixed stadia wires, ratio 1:100, with a focal constant of 1.2 lks. The instrument is equipped with the improved Smith solar attachment; radius of latitude arc $2\frac{1}{2}$ ins., and of declination arc $3\frac{1}{2}$ ins., each with verniers reading to single minutes. The instrument was in good condition, and having been placed in satisfactory adjustment prior to beginning the resurvey and survey, and tested and found free from appreciable error, was approved by the district cadastral engineer on May 22, 1935.

The directions of the lines were determined by solar transit method. The measurements were made on the slope with a Lallie steel tape, 5 chs. in length, graduated every link for the first 100 lks. and the balance at intervals of 10 lks. The tape was tested by comparison with a Lufkin standard and found correct. The vertical angle of each slope measurement was ascertained with a clinometer in good adjustment or by transit; distances shown in the following notes are the horizontal equivalents.

The data furnished with the special instructions gives the geographic position of the SE. cor. of T.8 N., R.26 E., as follows: latitude $34^{\circ}02'N.$ and longitude $109^{\circ}32'W.$

July 2, 1935, in camp near Cheese Springs, near the $\frac{1}{4}$ sec. cor. of secs. 27 and 28, T.8 N., R.27 E., I make an altitude observation upon the sun for azimuth, making four observations, two each with the telescope in direct and reversed positions, observing opposite limbs of the sun.

Mean watch time of observation, 9^h28^m a.m.
 Mean horizontal angle from sun N. to point, $21^{\circ}40'00''$
 Mean observed vertical angle, $49^{\circ}30'00''$
 Reduced true bearing of point----- $N.71^{\circ}55'E.$

At apparent noon on July 2, I make an altitude observation on the sun for latitude, making two observations each with the telescope in direct and reversed positions alternately on the upper and lower limbs of the sun.

Mean observed altitude----- $79^{\circ}00'45''$
 Reduced latitude----- $34^{\circ}04'03''N.$

Every 30 minutes from 1:30 to 4:30 p.m., and from 7:00 to 10:30 a.m. on July 4, I make proper settings on the arcs of the solar attachment and ascertain that the resulting orientation of the instrument, when compared with the meridian established by direct observation on the sun, has a maximum error of less than $1'30''$.

I repeat the tests of the arcs frequently by noon observation and verify the meridional indications at frequent intervals throughout the period of the survey.

The normal magnetic variation is $14^{\circ}55'E.$; local attraction from 12° to 19° was observed.

Resurvey of Part of 2nd Stan. Par., N.,
S. Bdy. of T.9 N., R.26 E.

Chains

The 2nd Stan. Par., N., through R.26 E., was surveyed in 1882 by A.P. Johnson, U.S.D.S. No resurveys are of record. The following notes describe the resurvey of the W. $5\frac{1}{2}$ miles of the line; description of $\frac{1}{4}$ sec. cors. for sections S. of the line are included.

From the stan. cor. of Tps. 9 N., Rs. 25 and 26 E.,
East, on random line, on S. bdy. of sec. 31.

40.35 A point 4 lks. S. of the stan. $\frac{1}{2}$ sec. cor.

✓ 80.82 A point 38 lks. N. of the stan. cor. of secs. 31 and 32.
true point for
^

Thence, from cor point

East, on random line, on S. bdy. of sec. 32.

40.47 A point 25 lks. N. of the stan. $\frac{1}{4}$ sec. cor.

✓ 80.89 A point 58 lks. N. of the stan. cor. of secs. 32 and 33.

Thence, from cor.

East, on random line, on S. bdy. of sec. 33.

40.24 A point 140 lks. S. of the stan. $\frac{1}{2}$ sec. cor.

✓ 80.78 A point 142 lks. S. of the stan. cor. of secs. 33 and 34.
true point for
^

Thence, from cor. point

East, on random line, on S. bdy. of sec. 34.

40.00 A point 140 lks. N. of old blazed line.

✓ 80.00 A point 66 lks. N. of the stan. cor. of secs. 34 and 35.
true point for
^

Thence, from cor. point

East, on random line, on S. bdy. of sec. 35.

40.43 A point 33 lks. N. of the stan. $\frac{1}{4}$ sec. cor.

✓ 80.80 A point 91 lks. N. of the stan. cor. of secs. 35 and 36.
true point for
^

Thence, from cor. point

East, on random line, on S. bdy. of sec. 36.

✓ 39.90 A point 20 lks. N. of the stan. $\frac{1}{2}$ sec. cor. of sec. 36, which is a volcanic stone, projecting 8 x 8 x 5 ins. above a small mound of stone, firmly set, mkd. $\frac{1}{2}$ on N. face, from which

The old bearing trees:

Resurvey of Part of 2nd Stan. Par., N.,
S. Bdy. of T.9 S., R.26 E.

BOOK 4102

Chains	
9.00	Wash, 4 lks. wide, course N.
20.00	Timber becomes heavy, with considerable 2nd growth; asc. 94 ft. over E. slope.
36.90	Spur, slopes N.; desc. 15 ft. over gentle W. slope.
✓40.42	The stan. $\frac{1}{4}$ sec. cor., a dead fir, 14 ins. diam., mkd. $\frac{1}{4}$ S. Adjoining the W. side of the tree, Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, and in a mound of stone to top, for stan. $\frac{1}{4}$ sec. cor., with brass cap mkd. <div style="text-align: center;"> S C $\frac{1}{4}$ S32 <hr/> 1935 from which The old bearing tree: A spruce, 8 ins. diam., bears N.75°W., 33 lks. dist., marks partly grown over; tree is nearly dead. New bearing trees: A spruce 6 ins. diam., bears N.70°E., 22 lks. dist., mkd. $\frac{1}{4}$ S32 SC BT. A spruce, 12 ins. diam., bears N.11$\frac{1}{2}$°W., 27 lks. dist., mkd. $\frac{1}{4}$ S32 BT. Thence, N.89°39'W., on true line, on S. bdy. of sec. 32. Over gentle NW. slope. ✓1.52 The closing cor. of secs. 4 and 5, set at this point, hereinafter described. Desc. 70 ft. over gentle NW. slope. 34.80 A secondary road, bears NE. and SW.; timber becomes scattering. 40.45 Wire fence, bears N.55°E. and S.55°W. ✓40.47 True point for the stan. cor. of secs. 31 and 32, determined from the original bearing trees. At the true point Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for stan. cor. of secs. 31 and 32, with brass cap mkd. <div style="text-align: center;"> T9N R26E S C S31 S32 <hr/> 1935 from which The old bearing trees: A yellow pine, 18 ins. diam., bears N.30$\frac{1}{2}$°E., 78 lks. </div> </div>

Resurvey of Part of 2nd Stan. Par., N.,
S. Bdy. of T.9 N., R.26 E.

Chains

dist., mkd. T9N R26E S32 SC BT.

A yellow pine, 18 ins. diam., bears N.44 $\frac{1}{2}$ °W., 62 lks. dist., marks nearly all burned off.

New bearing tree:

A yellow pine, 12 ins. diam., bears N.78 $\frac{1}{2}$ °W., 80 lks. dist., mkd. T9N R26E S31 SC BT.

Land, gently rolling.

Soil, volcanic loam, 2nd rate.

Timber, fir, pine, spruce and aspen; undergrowth, same.

N.89°24'W., on true line, on S. bdy. of sec. 31.

Over gentle S. slope; through medium growth of open pine and fir timber.

1.07 Mid-point in departure on N. bdy. of sec. 5.

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 5, only, with brass cap mkd.

$\frac{1}{4}$ S5
1935

from which

A yellow pine, 24 ins. diam., bears S.52°E., 54 lks. dist., mkd. $\frac{1}{4}$ S5 BT.

A fir, 24 ins. diam., bears S.60°W., 93 lks. dist., mkd. $\frac{1}{4}$ S5 BT.

Desc. 196 ft. over gentle SW. slope.

6.00 Enter heavy pine, fir and aspen timber with some 2nd growth.

31.00 Change to NW. slope.

✓40.47 The stan. $\frac{1}{4}$ sec. cor.; a small mound of stone, none mkd.

In the mound,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for stan. $\frac{1}{4}$ sec. cor., with brass cap mkd.

S C
 $\frac{1}{4}$ S31

1935

from which

The old bearing trees:

A fir, 36 ins. diam., bears N.69°E., 31 lks. dist., mkd. $\frac{1}{4}$ S SC BT.

A fir, 34 ins. diam., bears N.55°W., 19 lks. dist., mkd. $\frac{1}{4}$ S SC BT.

Thence,

S.89°57'W., on true line, on S. bdy. of sec. 31.

Resurvey of Part of 2nd Sta. Par., N.,
S. Bdy. of T.9 N., R.26 E.

BOOK 4102

Chains

- Through heavy pine, fir, spruce and aspen.
- ✓ 0.62 The closing cor. of secs. 5 and 6, set at this point, hereinafter described.
Desc. 12 ft. over NW. slope.
- 5.50 Head of swale, drains N., soon NW.; asc. 12 ft. over NE. slope.
- 8.50 Spur, slopes NW.
- 16.00 Same spur; slopes S.70°E.; desc. 83 ft. over NW. slope
- 34.00 Leave timber, bears NE. and SW.; over grass land.
- ✓ 40.35 The stan. cor. of Tps. 9 N., Rs. 25 and 26 E., an iron post, 3 ins. diam., projecting 12 ins. above ground, firmly set beside original rock cor., dated 1915; mkd. on brass cap and witnessed as described in the official record.
Land, rolling and gently rolling.
Soil, volcanic loam, 2nd and 3rd rates.
Timber, pine, fir, spruce and aspen; undergrowth, same.
-
- RESURVEY OF PART OF 2ND STAN. PAR., N.,
S. BDY. OF T. 9 N., R.25 E.
- From the stan. $\frac{1}{4}$ sec. cor. of sec. 36,
East, on random line, on S. bdy. of sec. 36.
- 40.02 A point 8 lks. S. of the stan. cor. of Tps, 9 N., Rs. 25 and 26 E., hereinbefore described.
Thence,
S.89°53'W., on true line, on S. bdy. of sec. 36.
Over grass land, slopes NW.
- ✓ 0.27 40.00 chs. in departure from the closing cor. of secs. 5 and 6,
Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 6, only, with brass cap mkd.
 $\frac{1}{4}$ S6
1935
from which
A yellow pine, 18 ins. diam., bears S.1°45'E., 296 lks. dist., mkd. $\frac{1}{4}$ S6 BT.
An aspen, 12 ins. diam., bears S.4 $\frac{1}{2}$ °W., 261 lks. dist., mkd. $\frac{1}{4}$ S6 BT.
- 0.90 Dim road, bears NE. and SW., unused.
- 1.20 Short swale, drains SW.
- 3.70 Creek, 4 lks. wide, course N.; asc. gently.
- 8.00 Enter scattering timber, bears N. and S.

12

Resurvey of Part of 2nd Stan. Par., N.,
S. Bdy. of T.9 N., R.25 E.

- Chains
- 12.00 Change to NW. slope; desc. 20 ft.
- 17.00 Leave timber, bears NE. and S.
- 21.70 Enter "CC Flat", bears N.20°E. and S.20°W.
- 24.90 Telephone line, bears NW. and SE.
- ✓ 38.08 Closing cor. of Tps. 8 N., Rs. 25 and 26 E., set at this point, hereinafter described.
- ✓ 40.02 The stan. $\frac{1}{4}$ sec. cor. of sec. 36, an iron post, 1 in. diam., projecting 12 ins. above ground, firmly set, mkd. on brass cap and witnessed as described in the official record.

Land, gently rolling.
Soil, volcanic loam, 2nd and 3rd rate.
Timber, pine, fir and aspen; no undergrowth; heavy bunch grass.

RESURVEY OF W. BDY. OF T.8 N., R.27 E.

The west boundary of T.8 N., R.27 E., was surveyed by A.E. Shoemaker, U.S.D.S., in 1883. No resurveys are of record.

The following notes describe a resurvey of the whole of the line, and include the establishment of a second set of corner monuments for T.8 N., R.26 E., only, on the N. $4\frac{1}{2}$ miles of the line.

From the cor. of Ts. 7 and 8 N., Rs. 26 and 27 E.,

North, on random line, bet. secs. 31 and 36.

- 40.00 Fail to find $\frac{1}{4}$ sec. cor. Set temp. $\frac{1}{4}$ sec. cor.
- 80.00 Fail to find cor. of secs. 25,30,31 and 36. Set temp. cor.
- 120.00 Fail to find $\frac{1}{4}$ sec. cor. Set temp. $\frac{1}{4}$ sec. cor.
- ✓ 160.54 A point 19' lks. E. of the original cor. of secs. 19,24,25 and 30.

Thence, *from cor.*

North, on random line, on W. bdy. of sec. 19.

- ✓ 40.12 A point 16' lks. E. of the original $\frac{1}{4}$ sec. cor.
- ✓ 80.35 A point 23' lks. E. of the original cor. of secs. 13,18,19 and 24.

Thence, *from cor.*

North, on random line, on W. bdy. of secs. 18 and 1.

- 40.17 A point 49 lks. E. of the original $\frac{1}{4}$ sec. cor.
- 80.17 Fail to find cor. of secs. 7,12,13 and 18. Set temp. cor.
- 120.17 Fail to find $\frac{1}{4}$ sec. cor. Set temp. cor.

RESURVEY OF W. BDY. OF T.8 N., R.27 E.

BOOK 4102

Chains ✓ 161.01	A point 109 lks. E. of the original cor. of secs. 1,6,7 and 12.

	Thence; <i>from cor.</i>
	North, on random line, on W. bdy. of sec. 6.
39.42	A point 5 lks. E. of the original $\frac{1}{4}$ sec. cor.
78.05	Intersect the 2nd stan. par., N.
78.77	A point 40 lks. E. of the original closing cor. of Tps. 8 N., Rs. 26 and 27 E.

	The cor. of Tps. 7 and 8 N., Rs. 26 and 27 E., is a lava stone, 20 x 12 x 12 ins., unmarked, set in a mound of stone. To verify the identification retracements were made 2 miles to the E. and 2 miles to the S. No corners were found to the E. The nearest corner found to the S. was the cor. of secs. 7,12,13 and 18, the tie to which is S.0°15'E. 160.58 chs. dist.
	In place of the lava stone, with the stone alongside,
	Set an iron post, 3 ft. long, 3 ins. diam., 15 ins. in the ground, with stone mkd. With cross (X) deposited at base, and in a mound of stone, 5 ft. base, to top, for cor. of Tps. 7 and 8 N., Rs. 26 and 27 E., with brass cap mkd.
	<div style="text-align: center;"> <p>T8N R26E R27E S36 S31 ----- S 1 S 6 ----- T7E 1935</p> </div> <p style="text-align: right;">from which</p>
	A prominent clump of 14 fir trees, isolated $\frac{1}{2}$ mile from other timber, bears S.6°E., 36 chs. dist.
	Thence,
✓	N.0°04'W., on true line, bet. secs. 31 and 36.
	Over gently rolling prairie land, drains W. and NW.; thru heavy bunch grass.
8.50	E. edge of water hole, 40 lks. in diam.
✓ 40.14	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for re-established $\frac{1}{4}$ sec. cor., with brass cap mkd.
	<div style="text-align: center;"> <p>$\frac{1}{4}$ S36 S31 ----- 1935</p> </div>
	and raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
40.20	Old, unused road, bears E. and W.
54.60	Wire fence, bears SE. and NW.
59.00	Begin descent of 30 ft. over N. slope.
70.30	"24" draw, water, 2 lks. wide, course E., soon NE.; asc. 45 ft. over S. slope.

RESURVEY OF W. BDY. OF T.8 N., R.27 E.

Chains

78.20 Board snow drift fence, bears 5 chs. each NW. and SE.

✓80.27 Proportional distance.

Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the ground, with a stone, 5 x 5 x 2 ins., mkd. with cross (X), deposited at base, and in a mound of stone, 5 ft. base, to top, for re-established cor. of secs. 25, 30, 31 and 36, with brass cap mkd.

T 8 N	
R26E	R27E
S25	S30
S36	S31
1935	

Land, gently rolling and rolling.
Soil, volcanic loam, 2nd and 3rd rates.
No timber or undergrowth; heavy bunch grass.

N.0°04'W., on true line, on W. bdy. of sec. 30.

Over gently rolling prairie land.

2.10 Highway, bears SE. to Springerville and NW. to McNary.

13.50 Swale, 3 chs. wide, in draw, 15 ft. deep, course SE.; asc. 30 ft. over gentle SE. slope.

✓40.13 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, and in a mound of stone, 5 ft. base, to top, for re-established $\frac{1}{4}$ sec. cor., with brass cap mkd.

↑	
S25	S30
1935	

from which

A yellow pine, 16 ins. diam., bears N.14°45'E., 189 lks. dist., mkd. $\frac{1}{4}$ S30 BT.

A yellow pine, 12 ins. diam., bears N.15 $\frac{1}{4}$ °W., 227 lks. dist., mkd. $\frac{1}{4}$ S25 BT.

42.00 Enter medium growth of pine, aspen and fir timber, bears E. and W.; change to gentle NE. slope.

42.60 1-wire telephone line, bears irregularly SE. and NW.

49.30 Road, bears NE. to Green's Peak and SW.

56.70 Wire fence, bears SE. and NW.

66.20 Same road, bears NW. and SE.

73.00 Seep of water, 1 lk. wide, course SE.; asc. 40 ft. over S. slope.

✓80.00 Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground, and in a mound of stone, 5 ft. base, to top, for cor. of secs. 24 and 25, only, with brass cap mkd.

T 8 N	
R26E	R27E
S24	S30
S25	S30
1935	

RESURVEY OF W. BDY. OF T.8 N., R.27 E. BOOK 4102

Chains

from which

A yellow pine, 18 ins. diam., bears S.47°W., 41 lks. dist., mkd. T8N R26E S25 BT.

A yellow pine, 20 ins. diam., bears N.76°45'W., 16 lks. dist., mkd. T8N R26E S24 BT.

Asc. 8 ft. over S. slope.

80.27 The original cor. of secs. 19, 24, 25 and 30, a lava stone, 18 x 16 x 6 ins., unmarked, set in a small mound of stone. As this cor. now refers to secs. 19 and 30, only,

In place of the stone, with the stone alongside,

Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground, and in a mound of stone, 5 ft. base, to top, for cor. of secs. 19 and 30, only, with brass cap mkd.

T 8 N
R26E R27E
S24 S19
S30
1935

from which

The old bearing tree:

A yellow pine, 18 ins. diam., bears S.27½°W., 9 lks. dist., proper old marks, which I remove.

And new bearing trees:

A yellow pine, 18 ins. diam., bears N.64½°E., 33 lks. dist., mkd. T8N R27E S19 BT.

An aspen, 6 ins. diam., bears S.77°E., 42 lks. dist., mkd. T8N R27E S30 BT.

Land, gently rolling.

Soil, volcanic loam, 3rd rate.

Timber, fir, pine and aspen; no undergrowth.

✓ N.0°14'W., on true line, on W. bdy. of sec. 19.

Asc. 12 ft. over gentle S. slope; through heavy pine, fir and aspen timber with some patches of 2nd growth of same.

2.60 Flat spur, slopes SE.; desc. 30 ft. over NE. slope.

8.10 Draw, course SE.; asc. 60 ft. over S. and SE. slopes.

20.00 Leave timber, bears E. and W.; over grass land, slopes S.

39.73 40.00 chs. in latitude from the SE. cor. of sec. 24,

Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, with a stone, 12 x 12 x 6 ins., mkd. with cross (X), deposited beside, and in a mound of stone to top, for ¼ sec. cor. of sec. 24, only, with brass cap mkd.

¼
S24
1935

RESURVEY OF W. BDY. OF T.8 N., R.27 E.

Chains

40.12 The $\frac{1}{4}$ sec. cor., a lava stone, 16 x 12 x 8 ins., mkd. 4/1 on S. face, set in a small mound of stone. As this $\frac{1}{4}$ sec. cor. now refers to sec. 19, only,

In place of the mkd. stone, with the stone alongside,

Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. of sec. 19, only, with brass cap mkd.

$\frac{1}{4}$
S19
1935

Thence,

N.0°06'W., on true line, on W. bdy. of sec. 19.

23.20 Dim road, bears NW. and SE.

39.61 80.00 chs. in latitude from the SE. cor. of sec. 24,

Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground, with a lava stone, 12 x 12 x 4 ins., mkd. with cross (X) deposited beside, and in a mound of stone to top, for cor. of secs. 13 and 24, only, with brass cap mkd.

T 8 N
R26E R27E
S13
----- S19
S24

1935

40.23 The original cor. of secs. 13, 18, 19 and 24, a sandstone, 16 x 12 x 4 ins., unmarked, set in a small mound of stone. As this cor. now refers to secs. 18 and 19, only,

In place of the stone, with the stone alongside,

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 18 and 19, only, with brass cap mkd.

T 8 N
R26E R27E
S13
----- S18
S13
----- S19

1935

and raise a mound of stone, 3 ft. base, 2 ft. high, E. of cor.

Land, gently rolling.

Soil, volcanic loam and adobe, 2nd and 3rd rates.

Timber, pine, fir and aspen; no undergrowth; heavy grass on untimbered land.

N.0°42'W., on true line, on W. bdy. of sec. 18.

Over gently rolling prairie land.

8.00 Swale, drains SE.

24.40 Enter medium growth of pine, fir and aspen timber, bears E. and W.

RESURVEY OF W. BDY. OF T.8 N., R.27 E. BOOK 4102

Chains ✓ 39.38	40.00 chs. in latitude from the SE. cor. of sec. 13, Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 13, only, with brass cap mkd. $\frac{1}{4}$ S13 1935 from which A fir, 8 ins. diam., bears S.50°W., 52 lks. dist., mkd. $\frac{1}{4}$ S13 BT. A fir, 16 ins. diam., bears N.77°W., 36 lks. dist., mkd. $\frac{1}{4}$ S13 BT.
✓ 40.17	The $\frac{1}{4}$ sec. cor., a lava stone, 16 x 16 x 8 ins., unmarked, As this $\frac{1}{4}$ sec. cor. now refers to sec. 18, only, In place of the stone, with the stone alongside, Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. of sec. 18, only, with brass cap mkd. $\frac{1}{4}$ S18 1935 from which The old bearing tree: A fir, 16 ins. diam., bears N.45°E., 9 lks. dist., mkd. $\frac{1}{4}$ S BT. And new bearing tree: A fir, 14 ins. diam., bears S.42°E., 94 lks. dist., mkd. $\frac{1}{4}$ S18 BT. Thence, N.0°17'W., on true line, on W. bdy. of sec. 18. 0.20 Leave timber, bears irregularly E. and W.; over prairie land. 9.00 Enter timber, bears NW. and SE. 10.83 Wire fence, bears S.32 $\frac{1}{2}$ °W. and N.32 $\frac{1}{2}$ °E. 20.00 Change to gentle N. slope; desc. 51 ft.
✓ 39.21	80.00 chs. in latitude from the SE. cor. of sec. 13, Set an iron post, 3 ft. long, 2 ins. diam., 2 ins. in the ground, and in a mound of stone to top, for cor. of secs. 12 and 13, only, with brass cap mkd. T 8 N R26E R27E S12 S13 S18 1935 from which

RESURVEY OF W. BDY. OF T.8 N., R.27 E.

Chains

A yellow pine, 24 ins. diam., bears S.59°45'W., 10 lks. dist., mkd. T8N R26E S13 BT.

A spruce, 10 ins. diam., bears N.50 $\frac{1}{4}$ °W., 72 lks. dist., mkd. T8N R26E S12 BT.

✓40.28 Proportional distance,

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for re-established cor. of secs. 7 and 18, only, with brass cap mkd.

T 8 N	
R26E R27E	
S12	S 7
	S18
1935	

from which

New bearing trees:

A yellow pine, 42 ins. diam., bears N.46°E., 32 lks. dist., mkd. T8N R27E S7 BT.

A fir, 10 ins. diam., bears S.88°45'E., 64 lks. dist., mkd. T8N R27E S18 BT.

Land, gently rolling.

Soil, volcanic loam, 2nd and 3rd rates.

Timber, fir, pine, aspen and spruce; no undergrowth.

N.0°17'W., on true line, on W. bdy. of sec. 7.

Desc. 37 ft. over N. slope; through heavy pine, fir, aspen and spruce timber.

9.50 Leave timber, bears E. and W.; over prairie land, on gentle SW. slope.

21.00 Edge of timber, bears NE. and SE., with one small clump of trees to W.; change to NE. slope; desc. 20 ft.

37.10 Old unused road, bears SW. and E.

✓38.93 40.00 chs. in latitude from the SE. cor. of sec. 12,

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 12, only, with brass cap mkd.

$\frac{1}{4}$
S12
1935

and raise a mound
of stone, 3 ft. base, 2 ft. high, W. of cor.

✓40.28 Proportional distance,

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for re-established $\frac{1}{4}$ sec. cor. of sec. 7, only, with brass cap mkd.

$\frac{1}{4}$
S7
1935

and raise a mound
of stone, 3 ft. base, 2 ft. high, E. of cor.

Chains

- 45.00 Swale, drains SE.; over gentle SW. slope.
- 63.00 Enter pine, fir and aspen timber, thin at first, bears E. and W.
- 65.00 Change to SE. slope; asc. 56 ft.
- 68.60 Top of large lava boulders, bear NE. and SW.
- 78.00 Top of ascent; over gently rolling land.
- 78.93 80.00 chs. in latitude from the SE. cor. of sec. 12,

Set an iron post, 3 ft. long, 2 ins. diam., 25 ins. in the ground, for cor. of secs. 1 and 12, only, with brass cap mkd.

T 8 N
R26E R27E
S 1
S12 S7
1935

from which

A fir, 6 ins. diam., bears S.65 $\frac{1}{4}$ °W., 56 lks. dist., mkd. T8N R26E S12 BT.

A yellow pine, 10 ins. diam., bears N.64 $\frac{1}{2}$ °W., 50 lks. dist., mkd. T8N R26E S1 BT.

Desc. 8 ft. over NW. slope.

- 80.56 The original cor. of secs. 1,6,7 and 12, a yellow pine, 32 ins. diam., with marks grown over, opened only enough to expose a small portion of scribe marks. As this cor. now refers to secs. 6 and 7, only,

Adjoining the W. side of the tree,

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 6 and 7, only, with brass cap mkd.

T 8 N
R26E R27E
S 1
S 6
S 7
1935

from which(tree)

A yellow pine, 6 ins. diam., bears N.69°E., 67 lks. dist., mkd. T8N R27E S6 BT.

A fir, 12 ins. diam., bears S.71°E., 66 lks. dist., mkd. T8N R27E S7 BT.

Land, gently rolling.

Soil, volcanic loam, 2nd and 3rd rates.

Timber, pine, fir, aspen and spruce; no undergrowth.

N.0°04'W., on true line, on W. bdy. of sec. 6.

Desc. 25 ft. over general NE. slope; through heavy pine, fir, spruce and aspen timber.

- 6.00 Drain, course SE.; asc. 69 ft. over SW. slope.


RESURVEY OF W. BDY. OF T.8 N., R.26 E.

Chains

29.00 Spur, slopes SE.; desc. 60 ft. over NE. slope.

✓ 38.37 40.00 chs. in latitude from the SE. cor. of sec. 1,

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 1, only, with brass cap mkd.



from which

A fir, 5 ins. diam., bears N.5°W., 9 lks. dist., mkd. $\frac{1}{4}$ S1 BT.

A yellow pine, 8 ins. diam., bears N.85°W., 8 lks. dist., mkd. $\frac{1}{4}$ S1 BT.

✓ 39.42 The original $\frac{1}{4}$ sec. cor., an aspen, 8 ins. diam., mkd. $\frac{1}{4}$ S on each of four sides. This $\frac{1}{4}$ sec. cor. does not agree with the record, but is undoubtedly a corner of the original survey. No identifiable evidence of the bearing tree of record was found. This $\frac{1}{4}$ sec. cor. will henceforth refer to areas in sec. 6, only, no alteration in marks being made for the reduced reference.

from the tree

New bearing trees:

A fir, 30 ins. diam., bears S.51°E., 34 lks. dist., mkd. $\frac{1}{4}$ S6 BT.

A yellow pine, 30 ins. diam., bears N.69°E., 28 lks. dist., mkd. $\frac{1}{4}$ S6 BT.

Thence,

N.0°30'W., on true line, on W. bdy. of sec. 6.

Desc. 20 ft. over NE. slope.

2.30 Swale, drains SE.; asc. 7 ft.

8.60 Spur, slopes SE.; asc. 7 ft.

16.00 Ridge, bears NE. and SW.; desc. 165 ft. over NW. slope.

38.62 Intersect the 2nd standard parallel, N.

At intersection

Set an iron post, 3 ft. long, 3 ins. diam., 28 ins. in the ground, for closing cor. of Tps. 8 N., Rs. 26 and 27 E., with brass cap mkd.

T9N R26E

S 36

S 1 | S 6

C | C

R26E | R27E

T8N

1935

from which

A spruce, 8 ins. diam., bears S.9°E., 77 lks. dist., mkd. T8N R27E S6 CC BT.

RESURVEY OF W. BDY. OF T.8 N., R. 27 E.

BOOK 4102

Chains

A fir, 10 ins. diam.; bears S.36 $\frac{1}{2}$ °W., 94 lks. dist.,
mkd. T8N R26E S1 CC BT.

✓ From point of intersection the standard $\frac{1}{4}$ sec. cor. of sec.
36 bears S.89°43'E., 5.53 chs. dist., hereinbefore described.
From the same point the standard cor. of secs. 35 and 36
bears N.89°43'W., 34.37 chs. dist., hereinbefore described.

39.35 The original closing cor. of Tps. 8 N., Rs. 26 and 27 E.,
a sandstone, 18 x 18 x 15 ins., unmarked, with one fir
bearing tree located as of record. I remove the marks from
the bearing tree and move the stone to the new closing cor.

Land, rolling and gently rolling.
Soil, volcanic gravel and loam, 2nd and 3rd rates.
Timber, fir, pine, spruce and aspen; undergrowth, scatter-
patches of 2nd growth.

RESURVEY OF PART OF BOUNDARY OF FORT APACHE INDIAN
RESERVATION

The boundary of the Fort Apache Indian Reservation was
resurveyed in 1906 by J.B. Wright, U.S.D.S., there being
no record of a preceding original survey.

No retracement or further resurvey of the portion of the
bdy. bet. the 16 and 25-mile corners is of record.

The following notes describe a resurvey of most of that
portion of the bdy. adjoining fractional T.8 N., R.26 E.
The work is preliminary to the establishment of corners at
the intersection of sec. and mid-sec. lines of T.8N., R.26
E., with the reservation bdy., the corners being herein-
after described in the notes of the subdivision of that
township. The angle points of the reservation bdy. are
not re-monumented.

Beginning at AP 108 of FAIR Bdy., an aspen, 8 ins. diam.,
with bark scribe marks illegible and almost unrecognizable,
located 25 lks. west of the bdy. fence,

N.25°35'W.

Desc. 123 ft. over NE. slope; through heavy pine, fir and
aspen timber.

6.74 Closing cor. of secs. 2 and 35, set at this point, herein-
after described.

Desc. 178 ft. over N. slope.

17.82 The 16 $\frac{1}{2}$ -mile cor., a lava stone, 14 x 12 x 8 ins., mkd.
NB WMIR 16 $\frac{1}{2}$ M, witnessed by a mound of stone to east and
3 aspen bearing trees, as per record.

Thence,

N.23°48'W.,

Desc. 52 ft. over decreasing N. slope.

6.60 Cross to W. side of bdy. fence.

12.20 Cross to E. side of bdy. fence; leave aspen timber; over
gentle E. slope.

27.20 Cross to W. side of bdy. fence.

30.60 Leave timber, bears E. and W.; coarse bunch grass.

RESURVEY OF PART OF BOUNDARY OF FORT APACHE INDIAN RESERVATION

Chains

- 32.94 The $\frac{1}{4}$ sec. cor. on E.-W. center line of sec. 35, set at this point, hereinafter described.
- 39.70 Cross to E. side of bdy. fence.
- 40.60 The 17-mile cor., a lava stone, 24 x 18 x 12 ins., loosely set in a small mound of stone, mkd. BMFR on NE. and WMIR NB 17M on W. faces, unwitnessed.
-
- N.27°00'W., on 18th mile of F A I R Bdy.
- Over gently rolling prairie land; along NE. side of wire fence, approximately on line.
- 6.80 Cross to SW. side of fence.
- 11.82 AP 109, a dead pine snag, 36 ins. diam., by 30 ft. high, mkd. BMFR on NE. and AP NB WMIR 109 on SW. This tree is corner of fences along bdy. and to NE.
- Thence,
- N.63°00'W.
- Along SW. side of fence, about 3 lks. dist.
- 4.40 Enter scattering pine and aspen timber; begin ascent of 50 ft. over S. slope.
- 8.04 AP 110, an aspen, 18 ins. diam., dead and fallen, with illegible bark marks.
- Thence,
- N.61°06'W.
- 0.70 Spur, slopes N.; leave timber, bears N. and S.; desc. 50 ft. over W. slope.
- 6.38 The $\frac{1}{4}$ sec. cor. on N.-S. center line of sec. 35, set at this point, hereinafter described.
- 8.00 Change to gentle W. slope.
- 10.00 Shallow marshy swale, drains SW.
- 20.65 The 17 $\frac{1}{2}$ mile cor., a lava stone, 18 x 18 x 4 ins., with illegible marks, witnessed by a mound of stone to NE., located under wire fence.
- Thence,
- N.59°00'W.
- 0.90 Cross to SW. side of bdy. fence.
- 6.90 Side fence branches to SW.
- 7.74 Highway, bears NE. to Springerville and SW. to McNary; cattle guard bears 50 lks. E.; change to gentle NW. slope.
- 17.09 Closing cor. of secs. 26 and 35, set at this point, hereinafter described.
- Over gentle SE. slope.
- 21.06 AP 111, an aspen, 20 ins. diam., fallen and rotten, located 3 lks. SW. of fence.

RESURVEY OF PART OF BOUNDARY OF FORT APACHE INDIAN RESERVATION

BOOK 4102

Chains

- Thence,
 N.69°30'W.
 Through medium growth of pine, fir and aspen timber; asc. 72 ft. over SE. slope.
- 0.50 Cross to N. side of bdy. fence.
- 10.03 Closing cor. of secs. 26 and 27, set at this point, hereinafter described.
- 14.69 AP 112, an aspen, 10 ins. diam., mkd. AP 112 NB WMIR BMFR.
- Thence,
 N.53°00'W.,
 Asc. 48 ft. over S. slope.
- 4.66 The 18 mile cor., a stone, 24 x 18 x 12 ins., dim marks, witnessed by a mound of stone to SW. and 4 aspen bearing trees, as per record. Cor. stands under bdy. fence with branch fence to NE.
- Thence,
 N.44°23'W., on 19th mile of F A I R Bdy.
 Over gentle S. slope.
- 0.50 Cross to NE. of fence.
- 8.50 Drain, course SW.; asc. 52 ft. over SE. slope.
- 16.70 Cross to SW. of bdy. fence.
- 17.47 AP 114, a dead yellow pine, 16 ins. diam., mkd. as described in the official record.
- Thence,
 N.21°35'W.
 Asc. 70 ft. over S. slope.
- 3.20 Cross to NE. of bdy. fence.
- 12.10 AP 115, a yellow pine, 16 ins. diam., marks nearly grown over.
- Thence,
 N.37°50'W.
- 7.54 The $\frac{1}{4}$ sec. cor. on E.-W. center line of sec. 27, set at this point, hereinafter described.
- 11.06 The $18\frac{1}{2}$ mile cor., a lava stone, 18 x 8 x 8 ins., mkd. BMFR on NE. and NB WMIR $18\frac{1}{2}$ M on SW. faces, from which
 A yellow pine, 24 ins. diam., bears N.20°E., 94 lks. dist., mkd. NB WMIR $18\frac{1}{2}$ M BT.
 A fir, 18 ins. diam., bears N.18 $\frac{1}{2}$ °E., 84 lks. dist., mkd. NB WMIR $18\frac{1}{2}$ M BT.
 Other old bearing trees gone.
- Thence,

RESURVEY OF PART OF BOUNDARY OF FORT APACHE INDIAN RESERVATION

Chains	
	N.26°30'W.
1.31	AP 116, a dead fir, 18 ins. diam., mkd. and witnessed as described in the official record.
	Thence,
	N.23°03'W.
	Desc. 146 ft. over NW. slope.
3.60	Cross to NE. side of bdy. fence.
9.50	Leave timber, bears E. and W.; desc. gently over grass land.
16.60	Old road, in swale, drains W.; over rolling S. slope.
20.55	The $\frac{1}{4}$ sec. cor. on N.-S. center line of sec. 27, set at this point, hereinafter described.
	Asc. 80 ft. over S. slope.
39.15	The closing cor. of secs. 22 and 27, set at this point, hereinafter described.
39.75	The 19 mile cor., a lava boulder, 3 x 2 x 1 ft. above ground, unmarked, with small mound of stone to SE.

	N.23°30'W., on 20th mile of F A I R Bdy.
	Asc. 46 ft. over rolling S. slope; grass land.
40.22	The 19 $\frac{1}{2}$ mile cor., a lava stone, 16 x 12 x 4 ins., set in a small mound of stone, mkd. WMIR 19 $\frac{1}{2}$ M on SW. face, unwitnessed.
	Thence,
	N.18°55'W.
2.64	The $\frac{1}{4}$ sec. cor. on E.W. center line of sec. 22, set at this point, hereinafter described.
11.44	AP 117, a lava stone, 16 x 10 x 8 ins., mkd. and witnessed as described in the official record, located at cor. of boundary fence.
	Thence,
	N.45°00'W.
	Over gentle NW. slope; along NE. side of bdy. fence.
18.40	Closing cor. of secs. 21 and 22, set at this point, hereinafter described.
28.91	The 20 mile cor., a lava stone, 16 x 12 x 6 ins., illegible marks, set in a small mound of stone, witnessed by a small mound of stone to NE.

	N.45°00'W., on 21st mile of F A I R Bdy.
	Over grass land, slopes gently to NW.
5.50	Swale, drains SW.; asc. 83 ft. over SE. slope.

RESURVEY OF PART OF BOUNDARY OF FORT APACHE INDIAN RESERVATION

Chains	
13.00	Enter open pine, fir and aspen timber, bears N. and S.
15.78	Closing cor. of secs. 16 and 21, set at this point, hereinafter described. Over top of spur, slopes E.
17.20	Cross to SW. of bdy. fence.
18.02	AP 118, a fir, 16 ins. diam., marks grown over, unwitnessed. Thence, N. 5°45' W. Desc. 58 ft. over N. slope.
6.60	Change to gentle W. slope; leave timber, bears E. and W.
11.30	Cross to E. of bdy. fence.
21.99	The 20½ mile cor., a lava stone, 12 x 12 x 8 ins. above ground, unmarked, witnessed by a mound of stone to E., with two of the four recorded aspen bearing trees still identifiable, with the bark markings distorted into illegibility. This cor. stands at the E. end of a point of aspen timber, 4 lks. E. of bdy. fence. Thence, N. 4°48' W. Over gently rolling prairie land.
16.52	The ¼ sec. cor. on the E.-W. center line of sec. 16, set at this point, hereinafter described.
24.33	AP 119, a lava stone, 14 x 14 x 12 ins. above ground, with dim illegible marks, witnessed by a mound of stone to NE. Thence, N. 34°34' W., Over gentle NW. slope.
15.00	Enter heavy aspen timber, with some pine and fir.
15.97	The 21 mile cor., a lava stone, 16 x 10 x 6 ins., with illegible marks, witnessed by a mound of stone to NE. and 4 aspen bearing trees, as per record. ----- N. 40°15' W., on 22nd mile of F A I R Bdy. Over gentle SW. slope.
10.40	The ¼ sec. cor. on N.-S. center line of sec. 16, set at this point, hereinafter described. Asc. 106 ft. over S. slope.
24.91	The closing cor. of secs. 9 and 16, set at this point, hereinafter described.
25.91	AP 121, the stump of an aspen, 3 ins. above ground, about 6 ins. diam., witnessed by 2 bearing trees as per record. -----

RESURVEY OF PART OF BOUNDARY OF FORT APACHE INDIAN RESERVATION

Chains	From the 22 mile cor., which is a lava stone, 14 x 12 x 10 ins. above ground, with illegible marks, with the NW. bearing tree, located as of record; the SW. bearing tree dead and others unidentifiable. Cor. stands about 35 lks. NW. of the wire bdy. fence.
	Thence,
	S.53°05'W., on 23rd mile of F A I R Bdy.
	Desc. 84 ft. over SW. slope; through heavy pine, fir and aspen timber.
4.65	Cross to SE. of bdy. fence.
8.28	The closing cor. of secs. 8 and 9, set at this point, hereinafter described.
12.11	AP 131, the hole left by corner tree, witnessed by the two bearing trees of record, the SW. tree being dead.
	Thence,
	N.86°50'W.
	Desc. 63 ft. over W. slope.
4.75	Cross to N. of bdy. fence.
11.59	AP 132, an aspen, 14 ins. diam., with partly legible marks.
	Thence,
	N.62°50'W.
	Over nearly level land.
9.38	AP 133, an aspen, 14 ins. diam., dead and fallen.
	Thence,
	N.86°40'W.
1.20	Cross to N. of bdy. fence.
7.30	The 22½ mile cor., a lava stone, 14 x 10 x 8 ins., mkd. NB WMIR 22½M, witnessed by 4 bearing trees as per record.
	Thence,
	N.87°30'W.
9.78	The ¼ sec. cor. on N.-S. center line of sec. 8, set at this point, hereinafter described.
16.11	AP 134, an aspen, 14 ins. diam., mkd. NB WMIR 134.
	Thence,
	S.69°15'W.
0.85	Cross to S. of bdy. fence.
11.57	AP 135, an aspen, 12 ins. diam., dead and fallen, with illegible marks.
	Thence,
	S.88°21'W.
2.20	Cross to N. of bdy. fence.

RESURVEY OF PART OF BOUNDARY OF FORT APACHE INDIAN RESERVATION

BOOK 4102

Chains	
7.80	Cross to S. of bdy. fence.
8.62	True point for re-establishment of AP No. 136, which could not be found. Set temp. cor. Thence, S.86°50'W.
4.00	Cross to N. of bdy. fence.
4.09	The 23 mile cor., a lava stone, 10 x 8 x 8 ins. above ground, firmly set, with illegible marks, witnessed by 4 aspen bearing trees as described in the official record, all with partly legible bark marks. ----- S.75°10'W., on 24th mile of F A I R Bdy. Over gentle W. slope; through heavy pine, fir and aspen timber.
0.20	Cross to S. of bdy. fence.
1.75	Old road, bears N. and S.; gate in fence bears 30 lks. N.
9.51	AP 137, an aspen, 12 ins. diam., mkd. NB WMIR 137 on bark. Thence, N.76°00'W.
1.00	The closing cor. of secs. 7 and 8, set at this point, hereinafter described.
11.10	Cross to N. of bdy. fence.
14.32	AP 138, a dead pine snag, 30 ins. diam., mkd. AP NB WMIR 138 on S. and BMFR on N. sides. Thence, N.85°18'W.
11.00	Cross to S. of bdy. fence. Enter scattering timber.
16.73	The 23½ mile cor., a lava stone, 26 x 20 x 8 ins., set in a mound of stone, with illegible marks, witnessed by four bearing trees as described in the official record. Thence, N.80°40'W.
3.00	Cross to N. of bdy. fence. Leave timber.
4.40	Cross to S. of bdy. fence; begin ascent of 20 ft. over E. slope.
9.17	AP 139, a boulder, 4 x 3 x 3 ft. above ground, unmarked. Thence, N.65°30'W.
1.00	Enter medium growth of pine, fir and aspen timber, bears N. and S.
1.49	The ¼ sec. cor. on mid-section line of sec. 7, set at this point, hereinafter described.

RESURVEY OF PART OF BOUNDARY OF FORT APACHE INDIAN RESERVATION

Chains	
	Asc. 35 ft. over E. slope.
8.41	AP 140, a pine, 14 ins. diam., unmarked, grown over blazes, located under bdy. fence, on top of hill.
	Thence,
	S. 61° 32' W.
	Desc. 30 ft. over SW. slope.
5.00	Change to SE. slope; asc. 17 ft.
6.20	Cross to N. of bdy. fence; spur, slopes S.; desc. 33 ft. over W. slope.
13.42	AP 141, a dead yellow pine, 36 ins. diam., with partly legible marks, located under bdy. fence.
	Thence,
	N. 78° 35' W.
	Desc. 55 ft. over W. slope.
2.00	Leave timber, bears E. and W.
7.00	Swale, drains S.; asc. 15 ft. over E. slope.
8.80	The 24 mile cor., a lava stone, 24 x 8 x 8 ins., mkd. NB WMIR 24M, witnessed by a small mound of stone to N., located 40 lks. S. of bdy. fence.

	N. 78° 30' W., on 25th mile of F A I R Bdy.
	Over gentle E. slope; heavy grass.
11.90	The closing cor. of Tps. 8 N., Rs. 25 and 26 E., set at this point, hereinafter described.
33.50	Old road, bears NE. and SW.; gate in bdy. fence bears 150 lks. NE.; over gentle W. slope.
35.80	Enter heavy growth of aspen timber, bears NE. and SW.
40.47	The 24½ mile cor., a lava stone, 24 x 18 x 6 ins., with dim illegible marks, witnessed by four bearing trees as described in the official record; the SW. tree is dead.
	SOUTH BOUNDARY OF T. 8 N., R. 26 E.
	From the cor. of Tps. 7 and 8 N., Rs. 26 and 27 E., hereinafter described.
	West, on true line, bet. secs. 1 and 36.
	Over gently rolling grass land, drains NW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground, with a lava stone, 12 x 8 x 6 ins., mkd. with cross (X), deposited at base, and in a mound of stone to top, for ¼ sec. cor., with brass cap mkd.

SOUTH BOUNDARY OF T.8 N., R.26 E.

Chains

S 36
1/4 S 1

1935

- 45.82 Old road, bears NW. and SE.
- 48.00 Change to NE. slope; asc. 206 ft.
- 48.50 Enter open pine, fir and aspen timber, bears NW. and SE.
- 79.00 Change to N. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 1,2,35 and 36, with brass cap mkd.

T8N R26E
 S35 | S36
 S2 | S1
 T7N
 1935

from which

A fir, 12 ins. diam., bears N.10 1/2°E., 28 lks. dist., mkd. T8N R26E S36 BT.

A fir, 6 ins. diam., bears S.64 1/2°E., 18 lks. dist., mkd. T7N R26E S1 BT.

A fir, 6 ins. diam., bears S.45°W., 12 lks. dist., mkd. T7N R26E S2 BT.

A fir, 10 ins. diam., bears N.52°W., 47 lks. dist., mkd. T8N R26E S35 BT.

Land, rolling and gently rolling.
Soil, volcanic loam, 2nd and 2rd rates.
Timber, pine, fir and aspen; no undergrowth.

West, bet. secs. 2 and 35.

Along steep N. slope; through heavy fir, spruce and aspen timber.

- 0.77 Intersect the boundary of the Fort Apache Indian Reservation.

Set an iron post, 3 ft. long, 3 ins. diam., 26 ins. in the ground, for closing cor. of Tps. 7 and 8 N., R. 26 E., with brass cap mkd.

T8N R26E
 F S35
 A S2 CC
 I S2
 R T7N
 1935

from which

A fir, 8 ins. diam., bears N.64 1/4°E., 36 lks. dist., mkd. T8N R26E S35 CC BT.

A spruce, 6 ins. diam., bears S.86°45'E., 20 lks. dist., mkd. T7N R26E S2 CC BT.

SOUTH BOUNDARY OF T.8 N., R.26 E.

Chains

Cor. stands 5 lks. W. of wire boundary fence.

From point of intersection Angle Point No. 108 of the Fort Apache Indian Reservation boundary bears S.25°35'E., 6.74 chs. dist., hereinbefore described.

From same point the 16½ mile cor. of the same bdy. bears N. 25°35'W., 11.08 chs. dist., hereinbefore described.

Land, mountainous.

Soil, volcanic loam and leaf mold, 3rd rate.

Timber, fir, spruce and aspen; no undergrowth.

WEST BOUNDARY OF T.8 N., R.26 E.

At a point 78.12 chs. due West from the cor. of secs. 5, 6, 7 and 8 of T.8 N., R. 26 E., hereinafter described.

Set an iron post, 3 ft. long, 2 ins. diam., 4 ins. in the ground to solid rock, with a lava stone, 8 x 6 x 6 ins., mkd. with cross (X), deposited at base, and in a mound of stone, 6 ft. base, to top, for cor. of secs. 1, 6, 7 and 12, with brass cap mkd.

T8N	
R25E	R26E
S 1	S 6
S12	S 7
1935	

Thence,

South, on true line, bet. secs. 7 and 12.

Over rocky grass land, slopes S.

9.80 Wide swale, course NW., from NE.; over gentle N. slope; less grass and no rocks.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for ¼ sec. cor., with brass cap mkd.

↑	
S12 S7	
↓	
1935	

18 x 18 x 12 ins., N. and S. of post, 3 ft. dist. and dig pits,

44.35 Old road, bears NE. and SW.

50.00 Change to gentle N. slope.

59.30 Wire fence, parallels reservation bdy.

60.16 Intersect bdy. of Fort Apache Indian Reservation.

Set an iron post, 3 ft. long, 3 ins. diam., 27 ins. in the ground, for closing cor. of Tps. 8 N., Rs. 25 and 26 E., with brass cap mkd.

T8N	
R25E	R26E
C C	
S12 S7	
FAIR	
1935	

of stone, 3 ft. base, 3 ft. high, N. of cor. and raise a mound

Chains

From C.C. the 24 mile cor. brs. S. 78°31'E, 11.90 chs. and the 24 1/2 mile cor., brs. N. 78°30'W., 28.57 chs.

Land, gently rolling. Soil, volcanic loam and adobe, 2nd and 3rd rates. No timber or undergrowth; heavy bunch grass.


From the cor. of secs. 1, 6, 7 and 12, on W. bdy. of T.8 N., R.26 E.,

North, bet. secs. 1 and 6.

Over gently rolling grass land, slopes SW.

32.30 Wire fence, bears E. and W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.




and raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

65.00 Change to N. slope; desc. 25 ft.

71.00 Over bottom land, bears E. and W.

81.04 Intersect the 2nd stan. parallel, N.

Set an iron post, 3 ft. long, 3 ins. diam., 27 ins. in the ground, for closing cor. of Tps. 8 N., Rs. 25 and 26 E., with brass cap mkd.



and raise a mound of stone, 3 ft. base, 2 ft. high, S. of cor.

From point of intersection the stan. 1/4 sec. cor. of sec. 36 bears S. 89°53'W., 1.94 chs. dist., hereinbefore described. From same point the stan. cor. of Tps. 9 N., Rs. 25 and 26 E. bears N. 89°53'E., 38.08 chs. dist., hereinbefore described.

Land, gently rolling. Soil, volcanic loam and adobe, 2nd and 3rd rates. No timber or undergrowth; heavy bunch grass.

SUBDIVISIONS OF T.8 N., R.26 E.

From the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of the Tp., hereinbefore described,

N. 0°06'W., bet. secs. 35 and 36.

Desc. 214 ft. over decreasing N. slope; through heavy fir, pine and aspen timber and 2nd growth of same.

SUBDIVISIONS OF T.8 N., R.26 E.

Chains	
26.00	Leave timber, bears NW. and SE.; over gentle N. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, with a stone, mkd. with cross (X) deposited at base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S35 S36 1935
40.70	Old road, bears NW. and SE.
49.00	Dim old road, bears NW. and SE.
56.00	Swale, with several seeps of water, course S.70°E.; asc. 25 ft. over S. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, with brass cap mkd.
	T8N R26E S26 S25 S35 S36 1935
	and raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.
	Land, gently rolling. Soil, volcanic adobe, 2nd and 3rd rates. Timber, fir, pine and aspen; heavy grass on untimbered land.

	East, on random line, bet. secs. 25 and 36.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.98	A point 23 lks. S. of the cor. of secs. 25, 30, 31 and 36, on the E. bdy. of the Tp., hereinbefore described.
	Thence, S.89°50'W., on true line, bet. secs. 25 and 36. Desc. 26 ft. over grass land, slopes SW.
1.83	Board drift fence, bears NW. and SE.
35.83	Wire fence, bears NW. and SE.
39.80	Spring branch, 3 lks. wide, course SE.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 25 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 25 S 36 1935
	and raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.
	A highway maintenance camp, consisting of a house, shed and barn, bears 12 chs. N.10°W.; a log cabin bears 3 chs. W. of the camp.
	Asc. 15 ft. over SE. slope.

SUBDIVISIONS OF T.8 N., R.26 E.

BOOK 4102

Chains

- 44.40 Wire fence, bears NW. and SE.
- 45.00 Short spur, slopes S.; desc. 7 ft.
- 55.20 Spring branch, 2 lks. wide, course S.; spring bears 5 chs. N.
- 58.60 Spring branch, course SE.; asc. 50 ft. along S. slope.
- 70.00 Board drift fence, bears NW. and SE.
- 79.98 The cor. of secs. 25, 26, 35 and 36.

Land, gently rolling.

Soil, volcanic adobe, 2nd and 3rd rates.

No timber or undergrowth on line; heavy bunch grass.

West, on true line, bet. secs. 26 and 35.

Desc. 80 ft. over SW. slope; over grass land.

- 20.60 Wire fence, bears NE. and SW.
- 28.00 Over marshy land, bears NW. and SE.
- 31.00 Leave same, from Sheep Springs, about 3 chs. to N.
- 31.50 Old road, bears NW. and SE.; asc. 30 ft. over NE. slope.
- 32.70 Enter gravel pit, about 2 chs. diam.
- 34.50 Leave same.
- 35.00 Spur, slopes N.; desc. 18 ft. over NW. slope.
- 35.30 Enter fir and spruce timber, bears N. and S.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{r} S\ 26 \\ \frac{1}{4} S\ 35 \end{array}$$

1935

from which

A spruce, 12 ins. diam., bears S.58°E., 94 lks. dist., mkd. $\frac{1}{4}$ S35 BT.A spruce, 12 ins. diam., bears N.52°45'E., 90 lks. dist., mkd. $\frac{1}{4}$ S26 BT.

A small leanto shed bears N.50°E., 150 lks. dist.

Desc. 18 ft. over NW. slope.

- 42.00 Leave timber, bears NE. and SW.; over grass land.
- 48.50 Slough, 1 ch. wide by 10 chs. long NE. and SW.; this point is approximately on a divide, bears NW. and SE.; asc. gently.
- 52.15 Highway, bears NE. to Springerville and SW. to McNary; over gentle NW. slope.
- 66.00 Wire fence of reservation bdy. bears S.55°E. and N.55°W.

SUBDIVISIONS OF T.8 N., R.26 E.

Chains
67.07

Intersect the bdy. of the Fort Apache Indian Reservation.

At intersection,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for closing cor. of secs. 26 and 35, with brass cap mkd.

T8N R26E
F A S26
I S35 CC
R
1935

from which

A yellow pine, 12 ins. diam., bears N.12 $\frac{1}{4}$ °E., 184 lks. dist., mkd. T8N R26E S26 CC BT.A yellow pine, 12 ins. diam., bears N.14 $\frac{1}{4}$ °W., 234 lks. dist., mkd. T8N R26E S26 CC BT.

No trees in sec. 35.

From point of intersection Angle Point No. 111 bears N.59°00'W., 3.97 chs. dist., hereinbefore described.
From same point the 17 $\frac{1}{2}$ mile cor. of the bdy. bears S.59°00'E., 17.09 chs. dist., hereinbefore described.

Land, gently rolling.

Soil, gravel and volcanic loam, 2nd and 3rd rates.

Timber, pine, fir and spruce. Heavy grass.

At a point on the reservation bdy. due west of the $\frac{1}{4}$ sec. cor. of secs. 35 and 36, which is in sight,

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for center line $\frac{1}{4}$ sec. cor. of sec. 35, with brass cap mkd.

F A $\frac{1}{4}$ S35
I C-----C
R
1935

from which

An aspen, 12 ins. diam., bears S.27 $\frac{1}{4}$ °E., 357 lks. dist., mkd. $\frac{1}{4}$ S35 BT.A fir, 8 ins. diam., bears S.29 $\frac{1}{2}$ °E., 403 lks. dist., mkd. $\frac{1}{4}$ S35 BT.

✓ From the $\frac{1}{4}$ sec. cor., the 16 $\frac{1}{2}$ mile cor. of reservation bdy. bears S.23°48'E., 32.94 chs. dist., hereinbefore described.

✓ From same cor. the 17 mile cor. of same bdy. bears N.23°48'W., 7.66 chs. dist.

At a point S.0°06'E., from the $\frac{1}{4}$ sec. cor. of secs. 26 and 35, by computation; intersection of the mid-section line with reservation bdy.,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. on N.-S. center line of sec. 35, with brass cap mkd.

SUBDIVISIONS OF T.8 N., R.26 E.

Chains



and raise a mound of stone, 3 ft. base, 3 ft. high, NE. of cor.

From the 1/4 sec. cor., AP No.110 bears S.61°06'E., 6.38 chs. dist., hereinbefore described.

From same cor., the 17 1/2 mile cor. of reservation bdy. bears N.61°06'W., 14.27 chs. dist., hereinbefore described:

From the cor. of secs. 25,26,35 and 36,

N.0°06'W., bet. secs. 25 and 26.

Over grass land, on gentle SW. slope.

3.80 Wire fence, bears E. and W.


5.50 Highway, bears E. to Springerville and W. to McNary.

10.00 Enter medium growth of pine, fir and aspen timber, bears SE. and NW.

17.65 Line tree, a yellow pine, 42 ins. diam.

39.70 Leave timber, bears NE. and SW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.



from which


A spruce, 14 ins. diam., bears S.27°E., 129 lks. dist., mkd. 1/4 S25 BT.

A spruce, 12 ins. diam., bears S.32 1/2°E., 62 lks. dist., mkd. 1/4 S25 BT.

47.00 Enter heavy pine, fir and spruce timber, bears NE. and SW.; asc. 80 ft. over gentle S. slope.

65.00 Change to gentle W. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 23,24,25, and 26, with brass cap mkd.



from which

A fir, 6 ins. diam., bears N.39°E., 11 lks. dist., mkd. T8N R26E S24 BT.

A fir, 54 ins. diam., bears S.25°E., 42 lks. dist., mkd. T8N R26E S25 BT.

A yellow pine, 42 ins. diam., bears S.81 1/8°W., 31 lks. dist., mkd. T8N R26E S26 BT.

SUBDIVISIONS OF T.8 N., R.26 E.

Chains

A fir, 24 ins. diam., bears N.59°W., 42 lks. dist.,
mkd. T8N R26E S23 BT.

Land, gently rolling.
Soil, volcanic loam, 2nd and 3rd rates.
Timber, pine, fir, spruce and aspen; no undergrowth.

N.89°50'E., on random line, bet. secs. 24 and 25.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.82 A point 2 lks. N. of the cor. of secs. 24 and 25, only, on
the E. bdy. of the Tp., hereinbefore described.

Thence,

S.89°51'W., on true line, bet. secs. 24 and 25.

Desc. 17 ft. along S. slope; through medium growth of open
pine, fir and aspen timber.

9.40 Seep of water, 2 lks. wide, course SE.; asc. 30 ft. over
SE. slope.

13.10 Road, bears NW. to Green's Peak and SE.

20.00 Change to gentle N. slope.

32.40 Wire fence, bears SE. and NW.; asc. 46 ft. along N. slope.

39.91 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the
ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor.,
with brass cap mkd.

$\frac{1}{4}$ S 24
 $\frac{1}{4}$ S 25

1935

from which

A fir, 18 ins. diam., bears S.20 $\frac{1}{4}$ °E., 66 lks. dist.,
mkd. $\frac{1}{4}$ S25 BT.

A yellow pine, 16 ins. diam., bears N.12 $\frac{1}{4}$ °W., 25 lks.
dist., mkd. $\frac{1}{4}$ S24 BT.

Asc. 40 ft. along N. slope; through same timber with
considerable 2nd growth.

46.20 Over flat top of ridge, bears SE. and NW.; a hill bears
about 20 chs. SE.

56.00 Change to gentle E. slope; asc. 45 ft.

73.30 Low divide, bears SE. and NW.; desc. 15 ft. over gentle
SW. slope.

79.82 The cor. of secs. 23, 24, 25 and 26.

Land, gently rolling.
Soil, volcanic loam, 2nd and 3rd rates.
Timber, fir, pine, aspen and spruce; no undergrowth.

N.0°06'W., bet. secs. 23 and 24.

Asc. 141 ft. over SW. slope; through heavy pine, fir,
aspen and spruce timber and scattering undergrowth.

SUBDIVISIONS OF T.8 N., R.26 E.


BOOK 4102

Chains
24.80 Spur, slopes W.; top of hill bears 3.50 chs. E.; desc. 208 ft. over NW. slope.

32.46 Wire fence, bears NE. and SW.

36.40 Change to rolling E. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.



from which

A fir, 12 ins. diam., bears S.56 $\frac{1}{2}$ °E., 26 lks. dist., mkd. $\frac{1}{4}$ S24 BT.

A fir, 6 ins. diam., bears S.42°W., 13 lks. dist., mkd. $\frac{1}{4}$ S23 BT.

40.80 Drain, near head, course E., soon NE.; asc. 30 ft. over SE. slope.

41.52 Line tree, a fir, 48 ins. diam.

47.10 Over flat ridge, bears NW. and SE.


51.80 Leave same; desc. 96 ft. over NE. slope.

68.30 Leave timber, bears NW. and SE.; over prairie land.

74.35 Old unused road, bears NW. and SE.

78.60 Seep of water, 1 lk. wide, course SE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 13, 14, 23 and 24, with brass cap mkd.



and raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

Land, rolling.
Soil, volcanic loam, 2nd and 3rd rates.
Timber, fir, spruce, aspen and pine; undergrowth, gooseberry and manzanita.

N.89°51'E., on random line, bet. secs. 13 and 24.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.80 A point ~~39~~ lks. N. of the cor. of secs. 13 and 24, only, on the E. bdy. of the Tp., hereinbefore described.

Thence,

✓ N.89°52'W., on true line, bet. secs. 13 and 24.

Over gently rolling prairie land.

SUBDIVISIONS OF T.8 N., R.26 E.

Chains
 12.70 Old road, bears NW. and SE.
 24.85 Road, bears N. and S.
 34.00 Enter medium growth of open pine, fir, spruce and aspen timber, bears N. and S.
 34.10 Wire fence, bears NE. and SW.
 39.90 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S13
 $\frac{1}{4}$ S24
 1935

from which

A spruce, 12 ins. diam., bears N. $25\frac{1}{2}^{\circ}$ E., 57 lks. dist., mkd. $\frac{1}{4}$ S13 BT.

A yellow pine, 18 ins. diam., bears S. $65\frac{1}{2}^{\circ}$ W., 83 lks. dist., mkd. $\frac{1}{4}$ S24 BT.

Asc. 163 ft. over SE. slope.

56.50 Spur, slopes S.; desc. 130 ft. over SW. slope.
 68.80 Leave timber, bears N. and S.
 73.80 A bend in creek from NE. to SE. bears 50 lks. S.; asc. 10 ft. over SE. slope.
 76.10 Road, bears NW. and SE.
 79.80 The cor. of secs. 13, 14, 23 and 24.

Land, rolling and gently rolling.
 Soil, volcanic loam, rocky, 2nd and 3rd rates.
 Timber, pine, fir, spruce and aspen; no undergrowth.

N. $0^{\circ}06'$ W., bet. secs. 13 and 14.

Over gently rolling prairie land, slopes S.

9.70 Road, bears NW. and SE.
 25.00 Begin ascent of 85 ft. over increasing SE. slope.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
 S14 | S13
 1935

from which

A yellow pine, 16 ins. diam., bears N. $64\frac{1}{4}^{\circ}$ E., 338 lks. dist., mkd. $\frac{1}{4}$ S13 BT.

A yellow pine, 16 ins. diam., bears N. 37° W., 180 lks. dist., mkd. $\frac{1}{4}$ S14 BT.

Asc. 105 ft. over SE. slope.

41.00 Enter very scattering yellow pine timber.
 49.35 Spur, slopes SE.; desc. 16 ft. along E. slope.

SUBDIVISIONS OF T.8 N., R.26 E.

BOOK 4102

Chains							
52.80	Drain, course SE.; asc. 182 ft. over S. slope.						
67.30	Spur, slopes SE.; desc. 12 ft.						
70.00	Spur, slopes NE.; desc. 212 ft. over N. slope; enter heavy fir and small aspen timber.						
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 11,12,13 and 14, with brass cap mkd.						
	<table border="1"> <tr> <td>T8N</td> <td>R26E</td> </tr> <tr> <td>S11</td> <td>S12</td> </tr> <tr> <td>S14</td> <td>S13</td> </tr> </table>	T8N	R26E	S11	S12	S14	S13
T8N	R26E						
S11	S12						
S14	S13						
	1935						
	from which						
	A fir, 6 ins. diam., bears N.24½°E., 29 lks. dist., mkd. T8N R26E S12 BT.						
	An aspen, 10 ins. diam., bears S.45°E., 9 lks. dist., mkd. T8N R26E S13 BT.						
	A fir, 8 ins. diam., bears S.62°W., 9 lks. dist., mkd. T8N R26E S14 BT.						
	A fir, 6 ins. diam., bears N.7½°W., 19 lks. dist., mkd. T8N R26E S11 BT.						
	Land, gently rolling to mountainous. Soil, volcanic loam, 2nd and 3rd rates. Timber, pine, fir and aspen; heavy grass on untimbered land.						

	S.89°52'E., on random line, bet. secs. 12 and 13.						
40.00	Set temp. ¼ sec. cor.						
79.20	A point 9 lks. N. of the cor. of secs. 12 and 13, only, on the E. bdy. of the Tp., hereinbefore described.						
	Thence,						
	N.89°48'W., on true line, bet. secs. 12 and 13.						
	Over gently rolling N. slope; through heavy pine, fir, spruce and aspen timber.						
22.00	Timber becomes less dense.						
24.50	Road, bears N. and S.; over NE. slope.						
38.00	Change to gentle NW. slope.						
39.20	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for ¼ sec. cor., with brass cap mkd.						
	<table border="1"> <tr> <td>¼</td> <td>S12</td> </tr> <tr> <td></td> <td>S13</td> </tr> </table>	¼	S12		S13		
¼	S12						
	S13						
	1935						
	from which						
	A spruce, 24 ins. diam., bears S.25¼°W., 152 lks. dist., mkd. ¼ S13 BT.						
	An aspen, 12 ins. diam., bears N.59½°W., 52 lks. dist., mkd. ¼ S12 BT.						

SUBDIVISIONS OF T.8 N., R.26 E.

Chains

- 41.00 Begin ascent of 384 ft. over increasing E. slope.
 68.20 Short spur, slopes NE.; desc. 76 ft. over NW. slope.
 75.70 Drain, course N.; asc. 26 ft. over NE. slope.
 79.20 The cor. of secs. 11,12,13 and 14.

Land, gently rolling and mountainous.
 Soil, volcanic loam, 2nd and 3rd rates.
 Timber, pine, fir, aspen and spruce.

 N.0°06'W., bet. secs. 11 and 12.

Desc. 265 ft. over N. and NE. slopes; through heavy pine, fir and aspen timber and dense 2nd growth.

- 29.10 Drain, course NE.; asc. 51 ft. over SE. slope.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
 S11 | S12
 1935

from which

A yellow pine, 18 ins. diam., bears S.19 $\frac{1}{2}$ °E., 61 lks. dist., mkd. $\frac{1}{4}$ S12 BT.

A yellow pine, 10 ins. diam., bears S.66°W., 15 lks. dist., mkd. $\frac{1}{4}$ S11 BT.

Over E. slope; through open timber, medium growth.

- 42.50 Spur, slopes E.; desc. 80 ft. over NE. slope.
 60.40 Timber becomes scattering.
 63.10 Drain, course SE.; over gentle SW. slope.
 76.60 Leave timber, bears NE. and SW.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 1,2,11 and 12, with brass cap mkd.

T8N | R26E
 S2 | S1
 S11 | S12
 1935

from which

A double aspen, 22 ins. diam., bears N.89°E., 328 lks. dist., mkd. T8N R26E S1 BT.

A double aspen, 18 ins. diam., bears S.40 $\frac{1}{2}$ °E., 174 lks. dist., mkd. T8N R26E S12 BT.

An aspen, 12 ins. diam., bears S.3°45'W., 407 lks. dist., mkd. T8N R26E S11 BT.

And raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, rolling and gently rolling.
 Soil, volcanic loam, 2nd and 3rd rates.
 Timber, fir, pine, aspen and spruce; heavy grass.

Resurvey of Part of 2nd Stan. Par., N.

3

S. Bdy. of T.9 N., R.26 E.

BOOK 4102

Chains

A spruce, 10 ins. diam., bears N.37°E., 37 lks. dist.,
mkd. $\frac{1}{4}$ S SC BT.

A spruce, 18 ins. diam., bears N.35°W., 17 lks. dist.,
mkd. $\frac{1}{4}$ S s BT on bark.

New bearing tree:

A spruce, 24 ins. diam., bears N.64°W., 31 lks. dist.,
mkd. $\frac{1}{4}$ S36 SC BT.

Thence,

✓ N.89°43'W., on true line, on S. bdy. of sec. 36.

Over gentle NE. slope; through heavy spruce, aspen and fir
timber and 2nd growth of same.

✓ 5.53 The original closing cor. of Tps. 8 N., Rs. 26 and 27 E.,
bears N.0°30'W., 72 lks. dist.; new closing cor. for same
established at this point hereinafter described.

Asc. 35 ft. over NE. slope.

12.60 Change to N. slope; desc. 12 ft. and asc. 12 ft.

31.10 Spur, slopes N.; desc. 28 ft. over SW. slope.

33.80 Change to gentle NE. slope; asc. 13 ft.

✓ 39.90 True point for stan. cor. of secs. 35 and 36, determined
from the original bearing trees.

At the true point,

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the
ground, for stan. cor. of secs. 35 and 36, with brass cap
mkd.

T9N R26E	
S	C
S35	S36

1935

from which

The old bearing trees:

A double fir, each 16 ins. diam., bears N.59°E., 76
lks. dist., marks partly grown over.

A fir, 18 ins. diam., bears N.48 $\frac{1}{2}$ °W., 104 lks. dist.,
marks partly grown over.

Land, rolling.

Soil, volcanic loam, 2nd and 3rd rates.

Timber, spruce, aspen, fir and pine; undergrowth, same.

✓ N.89°11'W., on true line, on S. bdy. of sec. 35.

Asc. 8 ft. over gentle NE. slope; through heavy aspen,
fir, spruce and pine timber.

✓ 4.21 40.00 chs. in departure from the closing cor. of secs. 1
and 2,

Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the

Resurvey of Part of 2nd Sta. Par., N.,
S. Bdy. of T.9 N., R.26 E.

Chains

ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. of sec. 1; only, with brass cap mkd.

$\frac{1}{4}$ S1
1935

from which

A yellow pine, 14 ins. diam., bears S.49°E., 31 lks. dist., mkd. $\frac{1}{4}$ S1 BT.

A yellow pine, 18 ins. diam., bears S.50°W., 111 lks. dist., mkd. $\frac{1}{4}$ S1 BT.

- 6.00 Low spur, slopes N.; asc. 30 ft. over NE. slope.
15.30 Spur, slopes NW.; desc. 141 ft. over SW. slope.
31.80 Drain, course NW.; asc. 41 ft. over NE. slope.
36.40 Spur, slopes NW.; desc. gently.
✓ 40.37 The stan. $\frac{1}{4}$ sec. cor. of sec. 35, a small mound of stone.

In the mound,

Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, for standard $\frac{1}{4}$ sec. cor., with brass cap mkd.

S C
 $\frac{1}{4}$ S35

1935

from which

The original bearing trees:

A yellow pine, 24 ins. diam., bears N.68°E., 50 lks. dist., marks partly grown over.

A yellow pine, 24 ins. diam., bears N.28°W., 34 lks. dist., marks partly grown over.

Thence,

N.89°32'W., on true line, on S. bdy. of sec. 35.

- 0.90 Wire fence, bears N.10°W. and S.10°E.; over swale, drains N.; through heavy growth of aspen.
✓ 3.84 The closing cor. of secs. 1 and 2, set at this point, hereinafter described.
Asc. 40 ft. over NE. slope; through medium growth of pine, fir and aspen timber; no undergrowth.
11.00 Spur, slopes N.; desc. 40 ft. along N. slope.
15.00 Enter heavy growth of young aspen, in old burn.
31.00 Leave same; through open fir, pine and aspen timber.
35.00 Timber becomes scattering; through heavy coarse grass.
35.90 Old route of road, bears NE. and SW.
36.20 1-wire telephone line, bears N. and S.

Resurvey of Part of 2nd Stan. Par., N.,
S. Bay. of T.9 N., R.26 E.

BOOK 4102

Chains

36.60 Old route of road, bears NE. and SW.; change to gentle E. slope.

38.00 Road, bears N. and S.

✓ 40.43 True point for stan. cor. of secs. 34 and 35, determined from the original bearing trees.

At the true point,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for stan. cor. of secs. 34 and 35, with brass cap mkd.

T9N R26E

S C

✓ S34 | S35

1935

from which

The old bearing trees:

Hole of burned out tree bears N.72°E., 33 lks. dist.

A fir, 24 ins. diam., dead and fallen and burned, bears N.12°W., 10 lks. dist., marks nearly all burned off.

New bearing trees:

A fir, 20 ins. diam., bears N.52°E., 71 lks. dist., mkd. T9N R26E S35 SC BT.

A fir, 14 ins. diam., bears N.15°W., 66 lks. dist., mkd. T9N R26E S34 SC BT.

Land, rolling.

Soil, volcanic loam, 2nd rate.

Timber, fir, pine, aspen, spruce; undergrowth, same.

S.88°57'W., on true line, on S. bdy. of sec. 34.

Asc. 24 ft. over NE. slope; through medium growth of pine, fir and aspen timber and 2nd growth of same.

✓ 3.23 Mid-point in departure on the N. bdy. of sec. 2,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 2, only, with brass cap mkd.

$\frac{1}{4}$ S2

1935

from which

A yellow pine, 20 ins. diam., bears S.54 $\frac{1}{2}$ °E., 82 lks. dist., mkd. $\frac{1}{4}$ S2 BT.

A yellow pine, 24 ins. diam., bears S.46°45'W., 101 lks. dist., mkd. $\frac{1}{4}$ S2 BT.

Over gentle N. slope; through heavy young aspen in old burn.

21.00 Low spur, slopes N.; desc. 42 ft. over W. slope.

Resurvey of Part of 2nd Stan. Par., N.,
S. Bdy. of T.9 N., R.26 E.

Chains

28.30 Rocky wash, 20 lks. wide, course N.; asc. 132 ft. over NE. slope.

31.00 Enter scattering pine and fir and aspen timber.

36.00 Low spur, slopes N.; desc. 14 ft. along N. slope.

39.00 Slope changes; asc. 12 ft. along N. slope; all timber except aspen dead from old fire.

✓ 40.01 Mid-point in departure bet. stan. corners $\frac{1}{2}$ mile to E. and W., and on line of old blazes, 12 of which were found in a distance of 2 chs. on each side of the point.

At the mid-point

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for re-established stan. $\frac{1}{4}$ sec. cor., with brass cap mkd.

S C
 $\frac{1}{4}$ S34

1935

from which

An aspen, 6 ins. diam., bears N.43°45'E., 55 lks. dist., mkd. $\frac{1}{4}$ S34 SC BT.

An aspen, 5 ins. diam., bears N.64°W., 19 lks. dist., mkd. $\frac{1}{4}$ S34 SC BT.

Thence,

✓ N.88°00'W., on true line, on S. bdy. of sec. 34.

Asc. 43 ft. over NE. slope.

3.03 The closing cor. of secs. 2 and 3, set at this point, hereinafter described.

Asc. 18 ft. over NE. slope.

4.20 Spur, slopes N.25°W.; desc. 132 ft. over W. slope.

12.50 Drain, slopes rapidly to N.20°E.; asc. 42 ft. over NE. slope; re-enter pine, fir and aspen timber.

25.00 Change to gentle NW. slope; desc. 50 ft.

✓ 40.02 True point for stan. cor. of secs. 33 and 34, determined from the old bearing trees.

At the true point

Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the ground, for stan. cor. of secs. 33 and 34, with brass cap mkd.

T9N R26E
S C
S33 | S34

1935

from which

The original bearing trees:

An aspen, 10 ins. diam., dead, bears N.76°E., 27 lks.

Resurvey of Part of 2nd Stan. Par., N.,
S. Bdy. of T.9 N., R.26 E.

BOOK 4102

Chains

dist., marks partly legible.

An aspen, 14 ins. diam., bears N.32 $\frac{1}{2}$ °W., 34 lks. dist.,
marks grown over.

New bearing trees:

A fir, 14 ins. diam., bears N.45 $\frac{1}{2}$ °E., 33 lks. dist.,
mkd. T9N R26E S34 SC BT.

A spruce, 10 ins. diam., bears N.22°W., 36 lks. dist.,
mkd. T9N R26E S33 SC BT.

Land, rolling.

Soil, volcanic loam, 2nd and 3rd rates.

Timber, aspen, fir, spruce, pine; undergrowth, same.

✓ S.89°58'W., on true line, on S. bdy. of sec. 33.

Over nearly level land; through heavy spruce, aspen and
pine timber and 2nd growth of same.

✓ 2.94 Mid-point in departure on the N. bdy. of sec. 3,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the
ground, for $\frac{1}{4}$ sec. cor. of sec. 3, only, with brass cap
mkd.

$\frac{1}{4}$ S3

1935

from which

An aspen, 8 ins. diam., bears S.78 $\frac{1}{2}$ °E., 65 lks. dist.,
mkd. $\frac{1}{4}$ S3 BT.

A spruce, 18 ins. diam., bears S.74°W., 35 lks. dist.,
mkd. $\frac{1}{4}$ S3 BT.

30.20 Leave timber, bears NE. and SW.; over prairie land.

✓ 40.54 The stan. $\frac{1}{4}$ sec. cor., a small mound of stone.

In the mound

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the
ground, for stan. $\frac{1}{4}$ sec. cor., with brass cap mkd.

S C

$\frac{1}{4}$ S33

1935

from which

The old bearing tree:

A yellow pine, 18 ins. diam., bears N.3 $\frac{1}{2}$ °E., 173 lks.
dist., mkd. $\frac{1}{4}$ S SC BT.

New bearing tree:

A yellow pine, 22 ins. diam., bears N.68°W., 110 lks.
dist., mkd. $\frac{1}{4}$ S33 SC BT. This was an old bearing tree
with very dim marks.

Thence,

Resurvey of Part of 2nd Sta. Par., N.,
S. Bdy. of T.9 N., R.26 E.

Chains

S.88°01'W., on true line, on S. bdy. of sec. 33.

Over nearly level grass land, drains NW.

2.00 Enter medium growth of pine, fir and aspen timber, bears NE. and SW.

✓ 2.32 The closing cor. of secs. 3 and 4, set at this point, hereinafter described.

15.00 Change to steeper NW. slope; desc. 92 ft.

25.00 Foot of slope; over bottom land.

39.00 A shallow lake, $1\frac{1}{2}$ chs. diam., bears $1\frac{1}{2}$ chs. S.

✓ 40.26 The stan. cor. of secs. 32 and 33, an aspen, 10 ins. diam. with partly legible bark marks.

Beside the aspen,

Set an iron post, 3 ft. long, 2 ins. diam., 23 ins. in the ground, for stan. cor. of secs. 32 and 33, with brass cap mkd.

T9N	R26E
S	C
S32	S33

1935

from which

The old bearing trees:

A yellow pine, 18 ins. diam., bears N.71°E., 36 lks. dist., marks partly grown over.

An aspen, 12 ins. diam., bears N.52°W., 26 lks. dist., mkd. on bark: T9N R26E S32 SC BT.

Land, flat and gently rolling.

Soil, volcanic loam, 2nd rate.

Timber, fir, pine, spruce, aspen; undergrowth, same.

N.89°32'W., on true line, on S. bdy. of sec. 32.

Over nearly level land; through medium growth of fir, pine, spruce and aspen timber with little 2nd growth.

✓ 2.00 Mid-point in departure on the N. bdy. of sec. 4,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 4, only, with brass cap mkd.

$\frac{1}{4}$ S4

1935

from which

A spruce, 12 ins. diam., bears S.16°E., 24 lks. dist., mkd. $\frac{1}{4}$ S4 BT.

A spruce, 14 ins. diam., bears S.73°W., 49 lks. dist., mkd. $\frac{1}{4}$ S4 BT.

SUBDIVISIONS OF T.8 N., R.26 E.

41
BOOK 4102

Chains	
	S.89°48'E., on random line, bet. secs. 1 and 12.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
78.92	A point 7 lks. N. of the cor. of secs. 1 and 12, only, on the E. bdy. of the Tp., hereinbefore described.
	Thence,
	N.89°45'W., on true line, bet. secs. 1 and 12.
	Over gently rolling SE. slope; through heavy pine, fir, spruce and aspen timber, with scattering 2nd growth.
29.50	Spur, slopes S.; over gentle SW. slope.
38.92	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{S\ 1}{\frac{1}{4}\ S12}$
	1935
	from which
	A yellow pine, 12 ins. diam., bears S.23 $\frac{1}{4}$ °E., 153 lks. dist., mkd. $\frac{1}{4}$ S12 BT.
	A yellow pine, 12 ins. diam., bears N.20°45'W., 85 lks. dist., mkd. $\frac{1}{4}$ S1 BT.
	Desc. 25 ft. over SW. slope.
47.40	Leave timber, bears NW. and SE.
48.90	Wash, 10 lks. wide, trace of water, course SE.; asc. 15 ft.
61.30	Clump of aspen trees, extends 2 chs. N.; 50 lks. S.; over gentle E. slope.
68.00	Road, bears NW. and SE.
75.50	The NE. end of clump of aspen timber.
78.92	The cor. of secs. 1, 2, 11 and 12.
	Land, gently rolling. Soil, volcanic loam, 2nd and 3rd rates. Timber, pine, fir, spruce and aspen; heavy bunch grass.
	N.0°06'W., on true line, bet. secs. 1 and 2.
	Over gentle SE. slope; through heavy bunch grass.
25.00	Change to gentle NW. slope.
30.00	Enter heavy pine, fir, aspen and spruce timber, bears E. and W.
37.20	Desc. 27 ft. over NW. slope.
39.50	Wire fence, bears S.35°W. and N.35°E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$
	S2 S1
	1935

SUBDIVISIONS OF T.8 N., R.26 E.

Chains

from which

A fir, 30 ins. diam., bears N.58°E.; 21 lks. dist.,
mkd. $\frac{1}{4}$ S1 BT.

A yellow pine, 6 ins. diam., bears S.66°W., 16 lks.
dist., mkd. $\frac{1}{4}$ S2 BT.

Desc. 26 ft. over NW. slope.

42.00 Leave timber, bears NE. and SW.

44.20 Dim old road, bears NE. and SW.

44.30 Drain, near head; course NE.; asc. 12 ft. over SE. slope.

46.00 Enter timber, bears NE. and SW.

61.00 Short spur, slopes E.; desc. 73 ft. over NE. slope.

65.60 Drain, course NE.; asc. 8 ft.

68.50 Spur, slopes E.; desc. 110 ft. over NE. slope.

80.24 Intersect the 2nd standard parallel N.

Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in the
ground, for closing cor. of secs. 1 and 2, with brass cap
mkd.

T9N R26E	
S35	
S 2	S 1
C	C
T8N R26E	
1935	

from which

A fir, 30 ins. diam., bears S.16 $\frac{1}{2}$ °E., 117 lks. dist.,
mkd. T8N R26E S1 CC BT.

A fir, 28 ins. diam., bears S.4°W., 72 lks. dist.,
mkd. T8N R26E S2 CC BT.

From point of intersection the stan. $\frac{1}{4}$ sec. cor. of sec.
35 bears S.89°32'E., 3.84 chs. dist., hereinbefore de-
scribed.

From same point the stan. cor. of secs. 34 and 35 bears
N.89°32'W., 36.59 chs. dist., hereinbefore described.

Land, rolling and gently rolling.
Soil, volcanic loam, 2nd and 3rd rates.
Timber, pine, fir, aspen and spruce; heavy bunch grass
on untimbered land.

From the cor. of secs. 23, 24, 25 and 26,

West, on auxiliary base line, bet. secs. 23 and 26.

Desc. 53 ft. over W. slope; through heavy pine, fir, aspen
and spruce timber.

9.30 Leave timber, bears NE. and SW.

14.00 Center of swale, drains SW.; asc. 62 ft. over SE. slope.

15.10 Wire fence, bears NE. and SW.

SUBDIVISIONS OF T.8 N., R.26 E.

BOOK 4102

Chains

- 15.80 Re-enter timber, bears NE. and SW.
- 28.40 Over large lava boulders, bear NE. and SW.
- 30.60 Leave same, bear NE. and SW.; over S. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} S23 \\ \frac{1}{4}S26 \\ 1935 \end{array}$$

from which

A spruce, 18 ins. diam., bears N.55°E., 34 lks. dist., mkd. $\frac{1}{4}$ S23 BT.

A spruce, 24 ins. diam., bears S.3 $\frac{1}{2}$ °W., 34 lks. dist., mkd. $\frac{1}{4}$ S26 BT.

- 59.50 Flat spur, slopes S.; desc. 48 ft. over SW. slopes.
- 63.00 Leave heavy timber; through aspen thickets.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, with brass cap mkd.

$$\begin{array}{c} T8N R26E \\ S22 | S23 \\ S27 | S26 \\ 1935 \end{array}$$

from which

An aspen, 6 ins. diam., bears N.47°E., 21 lks. dist., mkd. T8N R26E S23 BT.

An aspen, 24 ins. diam., bears S.18 $\frac{1}{2}$ °E., 27 lks. dist., mkd. T8N R26E S26 BT.

An aspen, 6 ins. diam., bears S.56 $\frac{1}{2}$ °W., 23 lks. dist., mkd. T8N R26E S27 BT.

An aspen, 6 ins. diam., bears N.52 $\frac{1}{2}$ °W., 30 lks. dist., mkd. T8N R26E S22 BT.

Land, gently rolling.

Soil, volcanic loam, 2nd to 4th rates.

Timber, fir, pine, spruce and aspen; heavy bunch grass.

S.0°06'E., bet. secs. 26 and 27.

Desc. 178 ft. over SW. slope; through aspen thickets with some pine and fir timber.

- 39.80 Leave timber, bears SE. and NW.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ S27 | S26 \\ 1935 \end{array}$$

from which

SUBDIVISIONS OF T.8 N., R.26 E.

Chains

A yellow pine, 36 ins. diam., bears N.22°E., 33 lks. dist., mkd. 1/4 S26 BT.

A spruce, 14 ins. diam., bears N.67°W., 35 lks. dist., mkd. 1/4 S27 BT.

40.20 Shallow wash, 15 lks. wide, course SE.; over gently rolling NE. slope.

41.80 Old road, bears NW. and SE.


57.50 Short spur, slopes E.; enter medium growth of timber.

59.90 Wire fence, bears NE. and SW.

66.00 Low ridge, bears E. and W.; desc. 51 ft. over S. slope.

74.16 Intersect the bdy. of the Fort Apache Indian Reservation.

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for closing cor. of secs. 26 and 27, with brass cap mkd.



from which

A fir, 36 ins. diam., bears S.81°E., 64 lks. dist., mkd. T8N R26E S26 CC BT.

A fir, 12 ins. diam., bears N.31°45'W., 50 lks. dist., mkd. T8N R26E S27 CC BT.

From point of intersection Angle Point No. 111 bears S.69°30'E., 10.03 chs. dist., hereinbefore described.

From same point Angle Point No. 112 bears N.69°30'W., 4.66 chs. dist., hereinbefore described.

Land, gently rolling.

Soil, volcanic loam, 3rd rate.

Timber, fir, pine, spruce and aspen; heavy bunch grass on untimbered areas.

From the cor. of secs. 22, 23, 26 and 27,

N.0°06'W., bet. secs. 22 and 23.

Over gently rolling SW. slope; through heavy aspen timber.


8.70 Leave timber, bears E. and W.

16.00 Enter aspen timber, bears NE. and SW.

23.80 Leave timber, bears NW. and SE.

35.00 Change to gentle NW. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.



from which

SUBDIVISIONS OF T.8 N., R.26 E.

45

BOOK 4102

Chains

An aspen, 16 ins. diam., bears S.14 $\frac{1}{2}$ °W., 330 lks. dist., mkd. $\frac{1}{4}$ S22 BT.

A double aspen, 16 ins. diam., bears S.62°45'W., 357 lks. dist., mkd. $\frac{1}{4}$ S22 BT.

A small earthen dam and tank bear N.81°45'W., about 18 chs. dist.

Desc. slightly along gentle W. slope.

65.00 Low rocky spur, slopes W.; over gentle NW. slope.

77.90 Dim road or trail, bears NE. and SW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 14,15,22 and 23, with brass cap mkd.

T8N	R26E
S15	S14
S22	S23
1935	

and raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

Cor. stands in a swale, drains SW.

Land, gently rolling.

Soil, volcanic loam, 3rd rate.

Timber, aspen; heavy bunch grass on untimbered areas.

East, on random line, bet. secs. 14 and 23.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.84 A point 7 lks. S. of the cor. of secs. 13,14,23 and 24.

Thence,

S.89°57'W., on true line, bet. secs. 14 and 23.

Over prairie land, slopes SW.

2.80 Stream, 1 lk. wide, 2 ins. deep, in channel same size, course SE.; over gentle NE. slope.

7.15 Dim road, bears SE. and NW.

8.80 Dim road, bears SE. and NW.

10.70 Dim road, bears NE. and SW.

14.00 Enter scattering pine, fir and aspen timber, bears NW. and SE.

25.00 Drain, course NE.; asc. 61 ft. over E. slope.

39.92 Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S14
$\frac{1}{4}$ S23
1935

from which

A spruce, 16 ins. diam., bears S.41°W., 89 lks. dist.,

SUBDIVISIONS OF T.8 N., R.26 E.

Chains

mkd. $\frac{1}{4}$ S23 BT.

A spruce 12 ins. diam., bears N.30 $\frac{1}{2}$ °W., 45 lks. dist.,
mkd. $\frac{1}{4}$ S14 BT.

Asc. 12 ft. over gentle E. slope.

43.00 Leave timber, bears NE. and SW.

44.00 Low ridge, bears NE. and SW.; asc. 20 ft. along N. slope.

63.40 Change to NW. slope; desc. 41 ft.

72.40 A small natural tank bears 20 lks. N.; over flat.

77.50 A series of four small natural tanks extend N.45°E. at intervals of about 4 chs.

79.84 The cor. of secs. 14, 15, 22 and 23.

Land, gently rolling.

Soil, volcanic loam, 3rd rate.

Timber, fir, pine, spruce and aspen; heavy bunch grass.

N.0°06'W., bet. secs. 14 and 15.

Asc. 67 ft. over SE. slope; over prairie land.

23.00 Change to E. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S15 | S14
1935

and raise a mound
of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

54.00 A natural tank, 2 chs. diam., bears about 10 chs. E.

55.00 Change to N. and NW. slopes; desc. 35 ft.

65.30 Enter aspen timber, bears NE. and SW.

71.00 Leave same, bears NW. and SE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, with brass cap mkd.

T8N R26E
S10 | S11
S15 | S14
1935

and raise a mound
of stone, 3 ft. base, 3 ft. high, W. of cor.

Land, gently rolling.

Soil, volcanic loam, 3rd rate.

Timber, aspen; no undergrowth; heavy bunch grass.

SUBDIVISIONS OF T.8 N., R.26 E.

BOOK 4102

Chains	
	N.89°57'E., on random line, bet. secs. 11 and 14.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.08	A point 14 lks. N. of the cor. of secs. 11,12,13 and 14. Thence, N.89°57'W., on true line, bet. secs. 11 and 14. Asc. 333 ft. over N. and NE. slopes; through heavy fir, spruce and aspen timber.
20.50	Short spur, slopes NE.
25.20	Steep spur slopes N.; desc. 96 ft. over NW. slope.
30.00	Leave timber, bears N. and S.
37.20	Enter heavy pine, fir and aspen timber, bears NE. and SW.
40.04	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	<u>1/4</u> S11 4 S14 1935
	from which
A	A fir, 12 ins. diam., bears S.77 $\frac{1}{2}$ °W., 55 lks. dist., mkd. $\frac{1}{4}$ S14 BT. An aspen, 6 ins. diam., bears N.34 $\frac{1}{2}$ °W., 38 lks. dist., mkd. $\frac{1}{4}$ S11 BT.
	Desc. 242 ft. over W. slope.
60.00	Change to gentle W. slope.
62.80	Leave timber, bears N. and S.; over heavy grass land.
67.40	Graded road, bears NW. to Green's Peak and SE.
69.10	Old road, bears NW.; connects at 5 chs. SE.
80.08	The cor. of secs. 10,11,14 and 15. Land; gently rolling to mountainous. Soil, volcanic loam, 2nd and 3rd rates. Timber, fir, pine, spruce and aspen; undergrowth, a few gooseberries and aspen, etc.
	N.0°06'W., bet. secs. 10 and 11. Over gently rolling prairie land; slopes NW.
18.85	Old road, bears NW. and SE.
22.00	Begin ascent of 56 ft. over increasing S. slope.
23.90	Graded road, bears NW. and SE.
26.00	Dim old road, bears E. and W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

SUBDIVISIONS OF T.8 N., R.26 E.

Chains

S10	S11
1935	

and raise a mound
of stone; 3 ft. base, 3 ft. high; W. of cor.

Asc. 470 ft. over S. slope.

- 47.60 Wire fence, bears E. and W.
- 59.02 Road, bears E. to top of Green's Peak and W.
- 65.00 Spur, slopes N.70°W.; desc. 90 ft. over NW. slope.
- 66.00 Enter heavy fir and aspen timber, bears E. and W.
- 73.00 Head of drain, course NW.; along W. slope.
- 77.25 Small drain, course S.70°W.; asc. 27 ft. over SE. slope.
- 79.60 Leave timber, bears N.70°E. and S.70°W.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, with brass cap mkd.

T8N R26E	
S3	S2
S10	S11
1935	

from which

A yellow pine, 16 ins. diam., bears N.3°45'E., 150 lks. dist., mkd. T8N R26E S2 BT.

An aspen, 6 ins. diam., bears S.1°E., 37 lks. dist., mkd. T8N R26E S11 BT.

An aspen, 5 ins. diam., bears S.51½°W., 48 lks. dist., mkd. T8N R26E S10 BT.

A yellow pine, 24 ins. diam., bears N.67°W., 140 lks. dist., mkd. T8N R26E S3 BT.

Land, flat to mountainous.

Soil, volcanic loam, 3rd rate.

Timber, fir, pine, spruce and aspen; no undergrowth.

S.89°57'E., on random line, bet. secs. 2 and 11.

- 40.00 Set temp. ¼ sec. cor.

- 79.88 A point 14 lks. S. of the cor. of secs. 1, 2, 11 and 12.

Thence,

S.89°57'W., on true line, bet. secs. 2 and 11.

Over level land, through heavy bunch grass.

- 9.40 Road, bears NE. to Whiting's sawmill and SW.
- 12.00 Enter aspen timber, bears NE. and SW.
- 15.00 Begin ascent of 240 ft. over general E. slope.
- 29.10 Wire fence, bears NE. and SW.

SUBDIVISIONS OF T.8 N., R.26 E.

BOOK 4102

Chains

- 35.00 Enter fir, pine and spruce timber, with less aspen.
- 39.94 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
- $\frac{1}{4}$ S 2
 $\frac{1}{4}$ S11
 1935
- from which
- A fir, 10 ins. diam., bears N.6°E., 28 lks. dist., mkd. $\frac{1}{4}$ S2 BT.
- A fir, 6 ins. diam., bears S.5°E., 32 lks. dist., mkd. $\frac{1}{4}$ S11 BT.
- Asc. 566 ft. over SE. and NE. slopes.
- 50.00 Timber becomes scattering.
- 53.00 Drain, course S.70°E.
- 63.80 Road, bears SE.; ends 2 chs. NW.
- 64.20 Wire fence, bears N. and S.
- 64.00 Ridge, bears N. and S.; desc. 160 ft. over SW. slope.
- 64.70 Cabin bears 180 lks. N.
- 65.04 U.S. Triangulation Station of C. & G.S., located under steel lookout tower, bears North, 245 lks. dist.; a brass tablet set in concrete.
- 72.00 Leave timber, bears S.70°W. and N.70°E.
- 74.10 Wire fence, bears N. and S.
- 79.88 The cor. of secs. 2, 3, 10 and 11.
- Land, flat to mountainous.
Soil, volcanic loam, 2nd and 3rd rates.
Timber, fir, pine, spruce and aspen.
-
- N.0°06'W., on true line, bet. secs. 2 and 3.
- Asc. 54 ft. over SW. slope; over grass land.
- 1.40 Enter heavy pine, aspen and fir timber, bears E. and W.
- 2.60 One-wire telephone line, bears NE. and SW.
- 3.50 Spur, slopes N.70°W.; desc. 450 ft. over N. slope.
- 24.30 Short drain, course NE.
- 29.10 Short spur, slopes NE.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
- $\frac{1}{4}$
 S3 | S2
 1935
- from which

SUBDIVISIONS OF T.8 N., R.26 E.

Chains

A fir, 24 ins. diam., bears S.89°E., 43 lks. dist.,
mkd. $\frac{1}{4}$ S2 BT.

A fir, 4 ins. diam., bears S.26°W., 80 lks. dist.,
mkd. BT.

Desc. 42 ft. over gentle NE. slope.

54.00 Change to SE. slope; asc. 25 ft.

62.50 Spur, slopes NE.; desc. 90 ft. over NW. slope.

79.20 Same spur, slopes NW.; over NE. slope.

80.03 Intersect the 2nd Stan. Par., N.

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the
ground, for closing cor. of secs. 2 and 3, with brass cap
mkd.

T9N R26E	
S34	
<hr/>	
S3	S2
C	C
T8N R26E	
1935	

from which

A fir, 8 ins. diam., bears S.87 $\frac{1}{4}$ °E., 57 lks. dist.,
mkd. T8N R26E S2 CC BT.

An aspen, 6 ins. diam., bears S.38 $\frac{1}{2}$ °W., 28 lks. dist.,
mkd. T8N R26E S3 CC BT.

From point of intersection the standard $\frac{1}{4}$ sec. cor. of
sec. 34 bears S.88°00'E., 3.03 chs. dist., hereinbefore
described.

From same point the standard cor. of secs. 33 and 34 bears
N.88°00'W., 36.99 chs. dist., hereinbefore described.

Land, rolling and mountainous.

Soil, volcanic loam, 3rd rate.

Timber, fir, pine, spruce and aspen; no undergrowth.

From the cor. of secs. 22, 23, 26 and 27,

West, on true line, bet. secs. 22 and 27.

Desc. 72 ft. over general SW. slope; through thickets of
aspen timber.

15.90 Leave timber, bears N. and S.; over grass land.

18.50 Old unused road, bears N. and S.

21.80 Shallow wash, 15 lks. wide, course S.; asc. slightly
along S. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the
ground; for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S22	
<hr/>	
$\frac{1}{4}$	S27
1935	

and raise a mound
of stone, 3 ft. base, 3 ft. high, N. of cor.


SUBDIVISIONS OF T.8 N., R.26 E.

BOOK 4102

Chains
47.20

Intersect the bdy. of the Fort Apache Indian Reservation.

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for closing cor. of secs. 22 and 27, with brass cap mkd.



and raise a mound of stone, 3 ft. base, 3 ft. high, E. of cor.

From point of intersection the 19-mile cor. of the Fort Apache Indian Reservation bears N.23°03'W., 60 lks. dist., hereinbefore described.

From same point Angle Point No. 116 of the bdy. bears S.23°03'E., 39.15 chs. dist., hereinbefore described.

The Reservation bdy. fence bears 3.50 chs. West.


Land, gently rolling.

Soil, volcanic loam and adobe, 3rd rate.

Timber, aspen; heavy bunch grass.

At a point S.0°07'E. from the $\frac{1}{4}$ sec. cor. of secs. 22 and 27, by computation, intersection of the meridional mid-section-line with the reservation bdy.,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. on N.-S. center line of sec. 27, with brass cap mkd.




and raise a mound of stone, 3 ft. base, 3 ft. high, NE. of cor.

From the $\frac{1}{4}$ sec. cor., AP No. 116 bears S.23°03'E., 20.55 chs. dist., hereinbefore described.

From same cor. the 19-mile cor. of reservation bdy. bears N.23°03'W., 19.20 chs. dist., hereinbefore described.

At a point West of the $\frac{1}{4}$ sec. cor. of secs. 26 and 27, by computation, intersection of the latitudinal mid-section line with the reservation bdy.,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. on E.-W. center line of sec. 27, with brass cap mkd.



from which

A yellow pine, 8 ins. diam., bears N.47°E., 140 lks. dist., mkd. $\frac{1}{4}$ S27 BT.

SUBDIVISIONS OF T.8 N., R.26 E.

Chains

A fir, 24 ins. diam., bears N.83°E., 175 lks. dist., mkd. 1/2 S27 BT.

From the 1/4 sec. cor. AP No. 115 bears S.37°50'E., 7.54 chs. dist., hereinbefore described.

From same cor. the 18 1/2 mile cor. of the reservation bdy. bears N.37°50'W., 3.52 chs. dist., hereinbefore described.

From the cor. of secs. 14, 15, 22 and 23,

West, on auxiliary base line, bet. secs. 15 and 22.

Asc. 40 ft. over SE. slope; through heavy bunch grass.

25.00 Change to gentle SW. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 25 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.

S15
S22
1935

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, N. of cor.

Desc. 65 ft. over gentle W. slope.

55.00 Swale, drains SW.; over gentle SE. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, and in a mound of stone to top, for cor. of secs. 15, 16, 21 and 22, with brass cap mkd.

T8N R26E
S16 | S15
S21 | S22
1935

and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land gently rolling.

Soil, volcanic loam and rocky adobe, 3rd rate.

No timber or undergrowth; heavy bunch grass.

S.0°07'E., bet. secs. 21 and 22.

Over gently rolling prairie land.

6.00 Change to S. slope; desc. 40 ft.

18.57 Intersect the bdy. of the Fort Apache Indian Reservation.

Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground, with a lava stone, mkd. with cross (X), deposited at base, and in a mound of stone to top, for closing cor. of secs. 21 and 22, with brass cap mkd.

T8N R26E
C | C
S21 | S22
F A I R
1935

✓

SUBDIVISIONS OF T.8 N., R.26 E.

BOOK 4102

Chains

From point of intersection Angle Point No. 117 of the Fort Apache Indian Reservation bears S.45°00'E., 18.40 chs. dist., hereinbefore described.

From same point the 20-mile cor. of the bdy. bears N.45°00'W., 10.51 chs. dist., hereinbefore described.

Land, gently rolling.

Soil, rocky adobe, 3rd rate.

Timber; none; heavy bunch grass.

At a point West, of the $\frac{1}{4}$ sec. cor. of secs. 22 and 23 by computation, intersection of the latitudinal mid-section line of sec. 22 with the reservation bdy.,

Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground, with a lava stone, mkd. with cross (X), deposited at base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. on E.-W. center line of sec. 27, with brass cap mkd.

F
A $\frac{1}{4}$ S22
C — C
I
R
1935

From the $\frac{1}{4}$ sec. cor. the 19 $\frac{1}{2}$ mile cor. of the reservation bdy. bears S.18°55'E., 2.64 chs. dist., hereinbefore described.

From same cor. Angle Point No. 117 of the reservation bdy. bears N.18°55'W., 8.80 chs. dist., hereinbefore described.

From the cor. of secs. 15, 16, 21 and 22,

N.0°07'W., bet. secs. 15 and 16.

Over gently rolling prairie land.

36.90 Enter grove of aspens, bears E. and W.

39.00 Leave same, bears E. and W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S16 | S15
1935

from which

An aspen, 12 ins. diam., bears S.33°E., 87 lks. dist., mkd. $\frac{1}{4}$ S15 BT.

An aspen, 12 ins. diam., bears S.51°W., 101 lks. dist., mkd. $\frac{1}{4}$ S16 BT.

75.90 Enter heavy aspen and fir timber, bears E. and W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 9, 10, 15 and 16, with brass cap mkd.

T8N R26E
S 9 | S10
S16 | S15
1935

SUBDIVISIONS OF T. 8 N., R. 26 E.

Chains

from which

A fir, 30 ins. diam., bears N.86°E., 62 lks. dist.,
mkd. T8N R26E S10 BT.

A fir, 30 ins. diam., bears S.29°E., 125 lks. dist.,
mkd. T8N R26E S15 BT.

A fir, 30 ins. diam., bears S.46½°W., 66 lks. dist.,
mkd. T8N R26E S16 BT.

An aspen, 16 ins. diam., bears N.5°45'W., 28 lks.
dist., mkd. T8N R26E S9 BT.

Land, gently rolling.

Soil, volcanic loam, 2nd and 3rd rates.

Timber, aspen and fir; undergrowth, none; heavy bunch
grass.

East, on random line, bet. secs. 10 and 15.

40.00 Set temp. ¼ sec. cor.

79.88 A point 2 lks. N. of the cor. of secs. 10,11,14 and 15.

Thence,

N.89°59'W., on true line, bet. secs. 10 and 15.

Over gently rolling prairie land, slopes W.

6.50 Enter heavy fir, aspen and spruce timber, bears N. and SE.

25.00 Begin descent of 64 ft. over W. slope.

39.94 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the
ground, for ¼ sec. cor., with brass cap mkd.

S10
¼ S15

1935

from which

A spruce, 10 ins. diam., bears N.41½°E., 54 lks.
dist., mkd. ¼ S10 BT.

A spruce, 10 ins. diam., bears S.17½°W., 55 lks.
dist., mkd. ¼ S15 BT.

Desc. 30 ft. over decreasing W. slope.

55.00 Change to gentle N. slope.

60.00 Leave timber, bears N. and S.

74.60 Enter heavy aspen and fir timber, bears N. and SW.

79.88 The cor. of secs. 9,10,15 and 16.

Land, gently rolling.

Soil, volcanic loam, rocky, 2nd and 3rd rates.

Timber, aspen, fir and spruce; heavy bunch grass.

SUBDIVISIONS OF T.8 N., R.26 E.

BOOK 4102

Chains	
	N.0°07'W., bet. secs. 9 and 10.
	Desc. 35 ft. over gentle N. slope; through heavy aspen and fir timber.
12.50	Leave timber, bears NW. and SE.; over grass land.
17.00	Swale, drains W.; asc. 25 ft. over S. slope.
26.00	Change to gentle N. slope; desc. 20 ft.
32.00	Swale, drains N.75°W.; asc. 42 ft. over SE. slope.
33.00	Wire fence, bears N.80°E. and S.80°W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S9 S10 1935
	from which
	A double yellow pine, 30 ins. diam., bears N.5 $\frac{1}{2}$ °E., 344 lks. dist., mkd. $\frac{1}{4}$ S10 BT.
	A yellow pine, 42 ins. diam., bears N.22°W., 102 lks. dist., mkd. $\frac{1}{4}$ S9 BT.
	Asc. 86 ft. over SE. slope.
41.00	Enter scattering pine, fir and aspen timber.
49.00	Change to E. and NE. slopes; desc. 110 ft.
50.00	Enter heavy fir, spruce, pine and aspen timber.
78.00	Road, bears W. to "CC" Ranger Station and connects E.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 3,4,9 and 10, with brass cap mkd.
	T8N R26E S4 S3 S9 S10 1935
	from which
	An aspen, 10 ins. diam., bears N.47°E., 63 lks. dist., mkd. T8N R26E S3 BT.
	A fir, 8 ins. diam., bears S.82 $\frac{1}{2}$ °E., 27 lks. dist., mkd. T8N R26E S10 BT.
	A fir, 5 ins. diam., bears S.48°W., 46 lks. dist., mkd. T8N R26E S9 BT.
	A spruce, 30 ins. diam., bears N.27°W., 9 lks. dist., mkd. T8N R26E S4 BT.
	Land, gently rolling.
	Soil, volcanic loam, 2nd and 3rd rates.
	Timber, fir, pine, spruce and aspen; no undergrowth.

SUBDIVISIONS OF T.8 N., R.26 E.

Chains	
	S.89°59'E., on random line, bet. secs. 3 and 10.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.66	A point 14 lks. N. of the cor. of secs. 2,3,10 and 11.
	Thence,
	N.89°53'W:.., on true line, bet. secs. 3 and 10.
	Desc. 480 ft. over SW. and W. slopes, to $\frac{1}{4}$ sec. cor.; over grass land.
2.50	Enter medium growth of pine, fir and aspen timber, bears N. and S.
10.00	Spur, slopes N.70°W.
24.10	Leave timber, bears N. and S.
36.00	Enter very scattering pine timber.
38.50	Leave same, bears NE. and SW.
39.83	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}S\ 3$ $\frac{1}{4}S10$ 1935
	from which
	A yellow pine, 24 ins. diam., bears N. 17 $\frac{1}{4}$ °E., 163 lks. dist., mkd. $\frac{1}{4}$ S3BT.
	A yellow pine, 18 ins. diam., bears S. 73 $\frac{1}{2}$ °E., 224 lks. dist., mkd. $\frac{1}{4}$ S10 BT.
	Desc. 210 ft. over general W. slope.
56.20	Enter heavy pine, fir, spruce and aspen timber, bears NE. and S.
79.66	The cor. of secs. 3,4,9 and 10.
	Land, gently rolling to mountainous. Soil, volcanic loam, cinders, 3rd rate. Timber, pine, fir, aspen and spruce; heavy bunch grass on open areas.
	N.0°07'W., on true line, bet. secs. 3 and 4.
	Over gentle W. slope; through heavy pine, fir, spruce and aspen timber.
8.10	Blazed trail, bears NE. and SW.
8.35	One-wire telephone line, bears NE. and SW.
13.40	Leave timber, bears NE. and SW.
20.00	Enter very scattering aspen timber.
28.00	Leave same.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

SUBDIVISIONS OF T.8 N., R.26 E.

57
BOOK 4102

Chains

 $\frac{1}{4}$

S4 | S3

1935

from which

A yellow pine, 12 ins. diam., bears N.65°E., 185 lks. dist., mkd. $\frac{1}{4}$ S3 BT.

An aspen, 14 ins. diam., bears S.49 $\frac{1}{2}$ °E., 114 lks. dist., mkd. $\frac{1}{4}$ S3 BT.

Over gently rolling grass land, drains W.

80.20 Enter scattering pine and fir timber, bears NE. and SW.

81.48 Intersect the 2nd standard parallel N.

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for closing cor. of secs. 3 and 4, with brass cap mkd.

T9N R26E

S33

S4 | S3

C | C

T8N R26E

1935

from which

A yellow pine, 36 ins. diam., bears S.32 $\frac{1}{2}$ °E., 56 lks. dist., mkd. T8N R26E S3 CC BT.

A yellow pine, 16 ins. diam., bears S.44°W., 118 lks. dist., mkd. T8N R26E S4 CC BT.

From point of intersection the stan. $\frac{1}{4}$ sec. cor. of sec. 33 bears N.88°01'E., 2.32 chs. dist., hereinbefore described.

From same point the stan. cor. of secs. 32 and 33 bears S.88°01'W., 37.94 chs. dist., hereinbefore described.

Land, gently rolling.

Soil, volcanic loam, 3rd rate.

Timber, fir, pine, aspen and spruce; heavy bunch grass.

From the cor. of secs. 15,16,21 and 22,

West, on true line, bet. secs. 16 and 21.

Over gently rolling prairie land, on top of flat ridge, bears E. and W.; desc. 23 ft. over W. slope.

10.00 Head of swale, drains SW.; asc. 55 ft. over NE. slope.

15.50 Enter medium growth of pine, fir and aspen timber, bears N. and S.

18.54 Intersect the bdy. of the Fort Apache Indian Reservation.

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for closing cor. of secs. 16 and 21, with brass cap mkd.

SUBDIVISIONS OF T.8 N., R.26 E.

Chains

~~T8N R26E
A S16
I S21
R
1935~~

from which

A fir, 30 ins. diam., bears N.7°45'E., 88 lks. dist.,
mkd. T8N R26E S16 CC BT.

An aspen, 8 ins. diam., bears S.67½°E., 36 lks. dist.,
mkd. T8N R26E S21 CC BT.

From point of intersection the 20-mile cor. of the bdy. of
the Fort Apache Indian Reservation bears S.45°00'E., 15.78
chs. dist., hereinbefore described.

From same point Angle Point No. 118 of the bdy bears N.45°
00'W., 2.24 chs. dist., hereinbefore described.

Land, rolling and gently rolling.
Soil, volcanic loam, 3rd rate.
Timber, fir, aspen and pine. No undergrowth.

From the cor. of secs. 9,10,15 and 16,

West, on true line, bet. secs. 9 and 16.

Over gentle NW. slope; through heavy aspen, fir and spruce
timber.

- 6.90 Leave timber, bears N. and SE.; over grass land.
20.50 Enter heavy aspen, fir and pine timber, bears N. and S.;
desc. 20 ft. over W. slope.
25.30 Swale, drains N.; asc. 145 ft. over NE. slope.
40.00 Set an iron post, 3-ft. long, 1 in. diam., 24 ins. in the
ground, for ¼ sec. cor., with brass cap mkd.

~~1/4 S 9
1/4 S16
1935~~

from which

An aspen, 6 ins. diam., bears N.29°E., 79 lks. dist.,
mkd. ¼ S9 BT.

A yellow pine, 16 ins. diam., bears S.4¼°E., 57 lks.
dist., mkd. ¼ S16 BT.

Cor stands on short spur, slopes SE.

Along S. slope.

- 49.25 Reservation bdy. wire fence, bears N. and S.
49.53 Intersect the bdy. of the Fort Apache Indian Reservation.

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the
ground, for closing cor. of secs. 9 and 16, with brass cap
mkd.

~~T8N R26E
A S 9
I S16
R
1935~~

SUBDIVISIONS OF T.8 N., R.26 E.

BOOK 4102

Chains

from which

A yellow pine, 36 ins. diam., bears N.17°E., 72 lks. dist., mkd. T8N R26E S9 CC BT.

A yellow pine, 30 ins. diam., bears S.65½°E., 40 lks. dist., mkd. T8N R26E S16 CC BT.

From point of intersection the 21-mile cor. of the Fort Apache Indian Reservation bears S.40°15'E., 24.91 chs. dist., hereinbefore described.

From same point Angle Point No. 121 of the bdy. bears N.40°15'W., 1.00 ch. dist., hereinbefore described.

Land, rolling and gently rolling.
Soil, volcanic loam, 3rd rate.
Timber, fir, pine, aspen and spruce.

At a point due West of the ¼ sec. cor. of secs. 15 and 16, by computation, intersection of the latitudinal mid-section line with the reservation bdy.,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for ¼ sec. cor. on E.-W. center line of sec. 16, with brass cap mkd.

F
A
I
R
1935

1/4 S16
C—C

and raise a mound of stone, 3 ft. base, 3 ft. high, E. of cor.

Cor. stands 5 lks. NE. of bdy. fence, on NE. edge of a grove of aspen trees.

From the ¼ sec. cor., the 20½-mile cor. of the bdy. of the Fort Apache Indian Reservation bears S.4°48'E., 16.52 chs. dist., hereinbefore described.

From same cor. Angle Point No. 119 of the bdy. bears N.4°48'W., 7.81 chs. dist., hereinbefore described.

At a point S.0°07'E. of the ¼ sec. cor. of secs. 9 and 16, by computation, intersection of the meridional mid-section line with the reservation bdy.,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for ¼ sec. cor. on N.-S. center line of sec. 16, with brass cap mkd.

F
A
I
R
1935

C
1/4 S16
C

from which

An aspen, 6 ins. diam., bears S.50½°E., 125 lks. dist., mkd. ¼ S16 BT.

An aspen, 12 ins. diam., bears N.17°45'W., 78 lks. dist., mkd. ¼ S16 BT.

From the ¼ sec. cor., the 21-mile cor. of the bdy. of the

SUBDIVISIONS OF T.8 N., R.26 E.

Chains

Fort Apache Indian Reservation bears S.40°15'E., 10.40 chs. dist., hereinbefore described.

From same cor. the Angle Point No.121 of the bdy. bears N.40°15'W., 15.51 chs. dist., hereinbefore described.

From the cor. of secs. 3,4,9 and 10,

West, on auxiliary base line, bet. secs. 4 and 9.

Desc. 64 ft. over gentle W. slope; through heavy fir, pine, spruce and aspen timber.

- 2.00 Line tree, a fir, 60 ins. diam.
- 6.15 Road, bears NW. to "CC" Ranger Station and SE.
- 15.20 Leave timber, bears NE. and SW.; over grass land.
- 30.00 Swale, drains N.; asc. 24 ft. over gentle SE. slope.
- 33.10 Road, bears SW. to "CC" Ranger Station and NE.
- 33.30 A pond, natural, 1 ch. diam., bears 1.50 chs. S.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{r} \frac{1}{4} S 4 \\ \frac{1}{4} S 9 \end{array}$$

1935

and raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.

Asc. 30 ft. over gentle SE. slope.

- 49.00 Enter aspen timber, increasing in density, bears NE. and SW.
- 54.30 A pole corral bears about 2 chs. S.
- 55.00 Change to gentle S. slope; enter fir and pine timber.
- 57.00 Ridge, bears N. and S.; pass bears 2 chs. S.
- 68.30 One-wire telephone line, bears NE. and SW.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 4,5,8 and 9, with brass cap mkd.

$$\begin{array}{c} T8N R26E \\ \hline S 5 | S 4 \\ \hline S 8 | S 9 \\ \hline 1935 \end{array}$$

1935

from which

A yellow pine, 18 ins. diam., bears N.42 $\frac{1}{4}$ °E., 77 lks. dist., mkd. T8N R26E S4 BT.

A yellow pine, 22 ins. diam., bears S.26 $\frac{1}{2}$ °E., 81 lks. dist., mkd. T8N R26E S9 BT.

A yellow pine, 10 ins. diam., bears S.13°W., 38 lks. dist., mkd. T8N R26E S8 BT.

A fir, 12 ins. diam., bears N.20°W., 110 lks. dist., mkd. T8N R26E S5 BT.

SUBDIVISIONS OF T.8 N., R.26 E.

BOOK 4102

Chains

Land, gently rolling.
Soil, volcanic loam, 2nd and 3rd rates.
Timber, fir, pine, spruce and aspen; heavy bunch grass.

S.0°07'E., on true line, bet. secs. 8 and 9.

Desc. 66 ft. over S. slope; through heavy fir, pine and aspen timber and very scattering undergrowth.

- 5.05 Telephone line, bears E. and W.; enter open area, bears E. and W.
- 6.70 Road, bears W. to "CC" Ranger Station and E.
- 7.00 Change to NW. slope; asc. 106 ft.
- 8.50 Enter heavy timber of same varieties, bears E. and W.
- 16.50 Spur, slopes W.; desc. 137 ft. over SW. slope.
- 37.00 Change to NW. slope; asc. slightly.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
 S8 | S9
 1935

from which

A fir, 12 ins. diam., bears S.25°E., 16 lks. dist., mkd. $\frac{1}{4}$ S9 BT.

A fir, 24 ins. diam., bears S.48°W., 38 lks. dist., mkd. $\frac{1}{4}$ S8 BT.

Asc. 152 ft. over NW. slope.

- 49.40 Short spur, slopes SW.; desc. 95 ft. over S. and SW. slopes.
- 63.86 Wire fence, bears NE. and SW.
- 64.18 Intersect bdy. of the Fort Apache Indian Reservation.

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for closing cor. of secs. 8 and 9, with brass cap mkd.

T8N R26E

C | C
S8 | S9

F A I R

1935

from which

A yellow pine, 36 ins. diam., bears N.11 $\frac{1}{2}$ °E., 68 lks. dist., mkd. T8N R26E S9 CC BT.

A yellow pine, 30 ins. diam., bears N.65°W., 92 lks. dist., mkd. T8N R26E S8 CC BT.

From point of intersection the 22-mile cor. of the bdy. of the Fort Apache Indian Reservation bears N.53°05'E., 8.28 chs. dist., hereinbefore described.

From same point Angle point No.131 of the bdy. bears S.53°05'W., 3.83 chs. dist., hereinbefore described.

SUBDIVISIONS OF T.8 N., R.26 E.

Chains

Land, rolling.
Soil, volcanic loam, 2nd and 3rd rates.
Timber, fir, pine, spruce and aspen; undergrowth, a few
cherry, gooseberry, etc.

From the cor. of secs. 4, 5, 8 and 9,

N.0°07'W., on true line, bet. secs. 4 and 5,

Asc. 48 ft. over gentle SW. slope; through heavy fir, pine,
spruce and aspen timber.

18.00 Change to gentle W. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
 S5 | S4
 1935

from which

A yellow pine, 12 ins. diam., bears N.53°45'E., 97
lks. dist., mkd. $\frac{1}{4}$ S4 BT.

A fir, 14 ins. diam., bears N.42°45'W., 59 lks. dist.,
mkd. $\frac{1}{4}$ S5 BT.

Desc. slightly over gently rolling W. slope.

80.44 Intersect the 2nd Stan. Parallel N.

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the
ground, for closing cor. of secs. 4 and 5, with brass cap
mkd.

T9N R26E
 S32

 S5 | S4
 C | C
 T8N R26E
 1935

from which

A fir, 24 ins. diam., bears S.47°E., 46 lks. dist.,
mkd. T8N R26E S4 CC BT.

A spruce, 10 ins. diam., bears S.62 $\frac{1}{4}$ °W., 35 lks.
dist., mkd. T8N R26E S5 CC BT.

From point of intersection the stan. $\frac{1}{4}$ sec. cor. of sec.
32 bears S.89°39'E., 1.52 chs. dist., hereinbefore de-
scribed.

From same point the stan. cor. of secs. 31 and 32 bears
N.89°39'W., 38.95 chs. dist., hereinbefore described.

Land, gently rolling.
Soil, volcanic loam and adobe, 2nd rate.
Timber, fir, pine, spruce and aspen.

SUBDIVISIONS OF T.8 N., R.26 E.

Chains

From the cor. of secs. 4,5,8 and 9,

West, on auxiliary base line, bet. secs. 5 and 8.

Over gentle S. slope; through heavy pine, fir and aspen timber.

10.00 Change to SW. slope; desc. 155 ft.

37.40 One-wire telephone line, bears NW. and SE.

39.90 Road, bears NW. to "CC" Ranger Station and SE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{r} S 5 \\ \frac{1}{4} S 8 \end{array}$$

1935

from which

An aspen, 10 ins. diam., bears N.44 $\frac{1}{2}$ °E., 32 lks. dist., mkd. $\frac{1}{4}$ S5 BT.

A yellow pine, 14 ins. diam., bears S.24°45'E., 87 lks. dist., mkd. $\frac{1}{4}$ S8 BT.

Over semi-swampy land, drains NW.; through heavy aspen.

55.00 Leave same; through scattering pine, fir and aspen timber.

65.00 Change to gentle E. slope; asc. 12 ft.

70.05 Old road, bears N. to "CC" Ranger Station and S.

73.00 Change to gentle NW. slope; through heavy timber, bears N. and S.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 5,6,7 and 8, with brass cap mkd.

$$\begin{array}{r} T8N R26E \\ S 6 | S 5 \\ S 7 | S 8 \end{array}$$

$$\begin{array}{r} S 6 | S 5 \\ S 7 | S 8 \end{array}$$

1935

from which

An aspen, 12 ins. diam., bears N.69 $\frac{1}{2}$ °E., 56 lks. dist., mkd. T8N R26E S5 BT.

A pine, 30 ins. diam., bears S.57°45'E., 132 lks. dist., mkd. T8N R26E S8 BT.

A pine, 14 ins. diam., bears S.29°45'W., 91 lks. dist., mkd. T8N R26E S7 BT.

An aspen, 12 ins. diam., bears N.72 $\frac{1}{2}$ °W., 63 lks. dist., mkd. T8N R26E S6 BT.

Land, gently rolling.

Soil, volcanic loam and gravel, 2nd and 3rd rates.

Timber, pine, fir and aspen; no undergrowth.

SUBDIVISIONS OF T.8 N., R.26 E.

Chains	
	S.0°08'E., on true line, bet. secs. 7 and 8. Asc. 15 ft. over gentle NW. slope; through medium growth of open pine, fir and aspen timber.
5.00	Low spur, slopes W.; desc. 30 ft. over SW. slope.
11.00	Leave timber, bears E. and W.
12.00	Old road, bears E. and W.
13.00	Over semi-swampy land, drains W.
38.00	Leave same; enter medium growth of aspen and pine timber, bears E. and W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. <div style="text-align: center;"> $\frac{1}{4}$ S7 S8 1935 </div> <div style="text-align: right;">from which</div> An aspen, 14 ins. diam., bears N.60°E., 26 lks. dist., mkd. $\frac{1}{4}$ S8 BT. An aspen, 14 ins. diam., bears S.15°W., 12 lks. dist., mkd. $\frac{1}{4}$ S7 BT. Over gentle SW. slope.
66.20	Wire fence, parallels reservation bdy.
67.30	Intersect the bdy. of the Fort Apache Indian Reservation Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for closing cor. of secs. 7 and 8, with brass cap mkd. <div style="text-align: center;"> T8N R26E. C C S7 S8 F A I R 1935 </div> <div style="text-align: right;">from which</div> An aspen, 14 ins. diam., bears N.24 $\frac{1}{2}$ °E., 88 lks. dist., mkd. T8N R26E S8 CC BT. A yellow pine, 12 ins. diam., bears N.45°45'W., 86 lks. dist., mkd. T8N R26E S7 CC BT. From point of intersection Angle Point No. 137 of the Fort Apache Indian Reservation bears S.76°00'E., 1.00 ch. dist., hereinbefore described. From same point Angle Point No. 138 of the bdy. bears N.76°00'W., 13.32 chs. dist., hereinbefore described. Land, flat and gently rolling. Soil, volcanic loam, 2nd and 3rd rates. Timber, yellow pine, fir and aspen; undergrowth, a few oak; heavy bunch grass on open areas.


SUBDIVISIONS OF T.8 N., R.26 E.

BOOK 4102

Chains

At a point $S.0^{\circ}08'E.$ of the $\frac{1}{4}$ sec. cor. of secs. 5 and 8, by computation, intersection of the N.-S. mid-section line of sec. 8 with the bdy of the Fort Apache Indian Reservation,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. on N.-S. center line of sec. 8, with brass cap mkd.



FAIR

1935

from which

An aspen, 6 ins. diam., bears $N.81\frac{1}{2}^{\circ}E.$, 47 lks. dist., mkd. $\frac{1}{4}$ S8 BT.


An aspen, 6 ins. diam., bears $N.45\frac{1}{2}^{\circ}W.$, 107 lks. dist., mkd. $\frac{1}{4}$ S8 BT.

From the $\frac{1}{4}$ sec. cor. the $22\frac{1}{2}$ -mile cor. of the bdy. of the Fort Apache Indian Reservation bears $S.87^{\circ}30'E.$, 9.78 chs. dist., hereinbefore described.

From same cor. Angle Point No. 134 of the bdy. bears $N.87^{\circ}30'W.$, 6.33 chs. dist., hereinbefore described.

At a point $S.0^{\circ}08'E.$ of the $\frac{1}{4}$ sec. cor. of secs. 6 and 7, by computation, intersection of the N.-S. mid-section line of sec. 7 with the bdy. of the Fort Apache Indian Reservation,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. on N.-S. center line of sec. 7, with brass cap mkd.



FAIR

1935

from which

An aspen, 6 ins. diam., bears $N.10\frac{1}{2}^{\circ}E.$, 113 lks. dist., mkd. $\frac{1}{4}$ S7 BT.

A yellow pine, 14 ins. diam., bears $N.49^{\circ}W.$, 8 lks. dist., mkd. $\frac{1}{4}$ S7 BT.

From the $\frac{1}{4}$ sec. cor. Angle Point No. 139 of the Fort Apache Indian Reservation bears $S.65^{\circ}30'E.$, 1.49 chs. dist., hereinbefore described.

From same cor. Angle Point No. 140 of the bdy. bears $N.65^{\circ}30'W.$, 6.92 chs. dist., hereinbefore described.

From the cor. of secs. 5, 6, 7 and 8,

West, on auxiliary base line, bet. secs. 6 and 7.

Over gently rolling land; through medium growth of pine, fir and aspen timber.

SUBDIVISIONS OF T.8 N., R.26 E.

Chains	
6.00	Leave timber, bears N. and S.; over grass land.
17.40	Old road, bears NW. and SE.
30.00	Swale, drains NW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} S 6 \\ \frac{1}{4} S 7 \\ \hline 1935 \end{array}$
	and raise a mound
	of stone, 3 ft. base, 2 ft. high, N. of cor.
48.60	Old road, bears N. and S.
65.50	Same swale, drains SW.; over S. slope.
78.12	The cor. of secs. 1,6,7 and 12, set at this point, hereinbefore described.
	Land, gently rolling.
	Soil, volcanic loam and adobe, rocky, 3rd rate.
	Timber, pine, aspen and fir; heavy bunch grass.

	From the cor. of secs. 5,6,7 and 8,
	N.0°08'W., on true line, bet. secs. 5 and 6.
	Desc. 23 ft. over gentle N. slope; through heavy pine, aspen, fir and spruce timber.
4.70	Wire fence, bears E. and W.
13.00	The "CC" guard cabin bears about 12 chs. E.
18.00	Creek, 2 lks. wide, course W.; over gentle S. slope.
25.10	One-wire phone line, bears SE. and NW.
25.50	Enter open area, bears E. and W.
27.30	Seep of water, course W.
32.00	Enter heavy timber, bears E. and W.
32.90	Old road, bears NW. and SE.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} \\ S6 S5 \\ \hline 1935 \end{array}$
	from which
	An aspen, 12 ins. diam., bears S.86°E., 65 lks. dist., mkd. $\frac{1}{4}$ S5 BT.
	A yellow pine, 22 ins. diam., bears S.40°W., 38 lks. dist., mkd. $\frac{1}{4}$ S6 BT.
49.00	Wire fence, bears E. and W.
56.30	Seep of water, course W.

SUBDIVISIONS OF T.8 N., R.26 E.

BOOK 4102

Chains

- 63.80 A spring bears 10 lks. E., drains W.
 65.00 Over marsh land, bears E. and W., untimbered.
 67.50 Leave same, bears E. and W.; through heavy timber.
 78.00 Low spur, slopes W.; desc. 13 ft. over NW. slope.
 81.27 Intersect the 2nd stan. parallel, N.

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, and in a mound of stone to top, for closing cor. of secs. 5 and 6, with brass cap mkd.

T9N R26E

S31

S6 | S5

C | C

T8N R26E

1935

from which

A fir, 18 ins. diam., bears S.75°E., 44 lks. dist., mkd. T8N R26E S5 CC BT.

A fir, 16 ins. diam., bears S.8¼°W., 33 lks. dist., mkd. T8N R26E S6 CC BT.

From point of intersection the stan. ¼ sec. cor. of sec. 31 bears N.89°57'E., 62 lks. dist., hereinbefore described. From same point the stan. cor. of Tps. 9 N., Rs. 25 and 26 E., bears S.89°57'W., 39.73 chs. dist., hereinbefore described.

Land, gently rolling.

Soil, volcanic loam and adobe, 2nd and 3rd rates.

Timber, pine, fir, aspen and spruce; no undergrowth.

FINAL TEST OF SOLAR ATTACHMENT

Aug. 4, 1935; on the meridian described on page 1, hereof, I set off 34°04' on the lat. arc; 17°24'N. on the decl. arc; and at 8^h00^m a.m., app.t., orient the instrument with the solar; the line of sight agrees with the meridian established by direct observation on the sun.

At 4^h00^m p.m., app.t., with the same lat. setting, I set off 17°19'N. on the decl. arc; and repeat the test of the solar; the line of sight agrees within 1' with the meridian established by direct observation on the sun.

GENERAL DESCRIPTION

Fractional T.8 N., R.26 E., lies about midway between the towns of McNary and Springerville, Ariz. It is about 20 miles from each place on the excellent highway running through the south part of the township.

A little-improved road branches from the highway in sec. 25 and runs north-westerly to the top of Green's Peak in sec. 2, and to the "CC" Ranger Station in sec. 5. Other branch roads reach other parts of the township.

The boundary of the Fort Apache Indian Reservation runs north-westerly through the township, following approximately the divide between the Colorado River and Salt River drainage systems. The portion of the township

Township 8 North, Range 26 E.

surveyed at this time lies on the Colorado River side of that boundary.

The lowest sea-level elevation in the township is about 8,800 in sec. 6, and the highest is Green's Peak, elevation about 10,100, in sec. 2. The land is everywhere rolling in character, except in the vicinity of Green's Peak. A triangulation station, bench-mark and Forest Service lookout tower on the top of that peak are noted in the foregoing notes of the line bet. secs. 2 and 11.

Soil is of volcanic origin, varying from a coarse sand to loam to a light adobe. It is nearly everywhere rather rocky.

The land is about evenly divided between open areas and heavily timbered areas, generally with a sharp dividing line between the two types. There is no readily discernible condition, such as water, soil or topographical, to account for the position of the timbered areas.

The open areas are everywhere covered with a heavy growth of bunch grass, which affords, during the summer months, grazing for a very large number of sheep and cattle.

Water is sufficient for stock-raising purposes, there being several each of small streams, springs and natural ponds or tanks. The supply is well maintained by the heavy snows of winter and almost daily showers of summer.

There are considerable quantities of merchantable pine, fir and spruce timber. It was noted that the timber had been marked by cruisers in secs. 5 and 8, presumably for cutting in the near future for the large sawmill at the town of McNary.

A road-maintenance camp of 3 buildings is located about 6 chs. northerly from the $\frac{1}{4}$ sec. cor. of secs. 25 and 36.

Cabins and stables for fire guards are located in secs. 2 and 5, ordinarily used only during the month of June and part of the months of May or July. The road camp is used periodically during both summer and winter.

The high altitude and cool summer climate give the area possibilities as a summer resort. The alternating grass lands and heavily timbered areas are likely to seem attractive to most people.

There is no mineral.

72

710

BOCK 4102

CERTIFICATE OF UNITED STATES SURVEYOR

I, Theodore Vander Meer, U.S. Transitman, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 28th day of March, 1935, received from the district cadastral engineer for Arizona, with assignment instructions dated June 22, 1935, I have resurveyed the Second Standard Parallel North, along the south boundary of Township 9 North, through a portion of Ranges 25 and 26 East, the west boundary of Township 8 North, Range 27 East, a portion of the boundary of the Fort Apache Indian Reservation, and surveyed the south and west boundaries and subdivisional lines of fractional Township 8 North, Range 26 East,

of the G. & S.R. Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said resurvey and survey has been made in strict conformity with said instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing field notes.

Glendale, Calif.

April 3, 1935

Theodore Vander Meer
Theodore Vander Meer
U.S. Transitman

CERTIFICATE OF APPROVAL

OFFICE OF U.S. SUPERVISOR OF SURVEYS,

Denver, Colorado, June 19, 1936.

The foregoing field notes of the dependent resurvey of the Second Standard Parallel North, along the south boundary of Township 9 North, through a portion of Ranges 25 and 26 East, the west boundary of Township 8 North, Range 27 East, a portion of the boundary of the Fort Apache Indian Reservation, and the survey of the south and west boundaries of fractional Township 8 North, Range 26 East, of the Gila and Salt River Meridian, in the State of Arizona,

executed by Theodore Vander Meer, U.S. Transitman, under special instructions dated March 28, 1935, and assignment instructions dated June 22, 1935, having been critically examined, and the necessary corrections made prior to their certification by the engineer, the said field notes, and the survey therein described, are hereby approved.

Quantrell Simon
Quantrell Simon
U.S. Supervisor of Surveys.

~~CERTIFICATE OF TRANSCRIPT~~

~~I certify that the foregoing transcript of the field notes of the above described surveys in _____, is a true copy of the original field notes on file in the public survey office.~~

~~U.S. Supervisor of Surveys.~~