

4-679
(April 1933)

Book "I"

BOOK 4130

FIELD NOTES

4130

of the SURVEY of the

WEST BOUNDARY, NORTH BOUNDARY and the
SUBDIVISION LINES

of

TOWNSHIP 41 NORTH, RANGE 4 EAST

Of the Gila and Salt River Base and Meridian,

In the State of ARIZONA

EXECUTED BY

Daniel M. Wier,

James C. Norman, and

Albert Greene

U. S. Transitmen

Under special instructions dated July 30th, 1936, which provided
for the surveys included under Group No. 207, bearing the approval of the
Commissioner of the General Land Office under date of August 12, 1936
and assignment instructions dated Aug. 12, 21 & Sept. 1, 1936


Survey commenced October 22, 1936

Survey completed December 1, 1936

4130

BOOK 4130

INDEX DIAGRAM.



- Accepted surveys.
- Surveyed under this group
- Surveyed under current group No. 181.
- ▭ Areas surveyed under current group No. 181.

Survey: West Boundary T. 41 N., R. 4 E.

~~3.~~ 3.

Chains

The survey of the subdivisions of T. 41 N., R. 4 E. was executed with Young & Son's transits, Nos. 8540, 8541 and 8570. For description and tests of instruments, description of other equipment and method of survey, see field notes of T. 41 N., R. 2 E., surveyed under this group.

Beginning at the standard cor. of T. 41 N., Rs. 3 and 4 E., which is an iron post, 3 ins. diam., projecting 12 ins. above the ground, firmly set, properly mkd. on brass cap and witnessed by 2 properly mkd. cedar trees; bearing,
 N.45½°E., 207 lks. dist.
 N.60°W., 280 lks. dist.

Thence

North, bet. secs. 31 and 36.


Over rolling sand hills, thru scattering timber and undergrowth.

Ascend 52 ft. over SW. slope.

14.00 Rocky spur, slopes W., desc. 69 ft. over N. slope.

23.90 Swale, course W., asc. 76 ft. over SW. slope to

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for ¼ sec. cor., with brass cap mkd.



from which

A pinyon, 24 ins. diam., brs. S.60°E., 221 lks. dist., mkd. ¼ S 31 BT

A pinyon, 8 ins. diam., brs. S.43°W., 100 lks. dist., mkd. ¼ S 36 BT

Gentle asc. over SW. slope.


47.00 Spur, slopes NW., desc. 40 ft. over NE. slope.

64.20 Old road, brs. E. and W.

64.50 Swale, course SW., gentle asc. over S. slope.

78.50 Spur, slopes NW., gentle desc. over N. slope to

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for the cor. of secs. 25, 30, 31 and 36; with brass cap mkd.



from which

A juniper, 24 ins. diam., brs. N.67°E., 253 lks. dist., mkd. T41N R4E S 30 BT

A pinyon, 10 ins. diam., brs. S.11°E., 333 lks. dist., mkd. T41N R4E S 31 BT

A juniper, 10 ins. diam., brs. S.37°W., 268 lks. dist., mkd. T41N R3E S 36 BT

A juniper, 5 ins. diam., brs. N.47°W., 191 lks. dist., mkd. T41N R3E S 25 BT

Survey: West Boundary, T. 41 N., R. 4 E.

4

4.

Land, rolling sand hills and sandstone out croppings.
 Soil, sandy, 3rd and 4th rate.
 Timber, juniper and pinyon.
 Undergrowth, sagebrush and cacti.
 Grass, fair.

North, bet. secs. 25 and 30.

Over rolling sand hills, thru scattering timber and undergrowth.

Desc. 71 ft. over N. slope.

37.50 Small basin, 50 lks. diam., asc. 44 ft. over SW. slope to

40.00 true point for $\frac{1}{4}$ sec. cor., unable to monument cor. on account of sandstone pinnacle.

42.00 Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground, to bedrock, and in a md. of stone to top, for witness cor. to $\frac{1}{4}$ sec. cor. with brass cap mkd.

$\frac{1}{4}$
 S 25 | S 30
 W | C
 1936

from which

A juniper, 6 ins. diam., brs. S. 63° E., 162 lks. dist., mkd. WC $\frac{1}{4}$ S 30 BT

A sandstone pinnacle, brs. N. 73° W., 93 lks. dist., mkd. + on face toward WC at a point 3 ft. above base. W C B R

Asc. 73 ft. over broken SW. slope.

56.50 Asc. 68 ft. over S. face of sandstone pinnacle.

60.50 Top of pinnacle, brs. E., 2 chs. dist., 45 ft. high, desc. 63 ft. over NW. slope.

65.40 Saddle bet. two pinnacles, asc. 14 ft. along E. slope of pinnacle.

67.40 Top of asc., desc. 120 ft. over steep N. slope of pinnacle.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 19, 24, 25 and 30, with brass cap mkd.

T41N
 R 3E | R 4E
 S 24 | S 19
 S 25 | S 30
 1936

from which

A juniper, 10 ins. diam., brs. N. 46° E., 101 lks. dist., mkd. T41N R4E S 19 BT

A juniper, 6 ins. diam., brs. S. 22° E., 208 lks. dist., mkd. T41N R4E S 30 BT

chains

A juniper, 8 ins. diam., brs. S.6°W., 300 lks. dist.,
mkd. T41N R3E S 25 BT

A juniper, 8 ins. diam., brs. N.65°W., 193 lks. dist.,
mkd. T41N R3E S 24 BT

Land, rolling sand hills and sandstone out croppings.
Soil, sandy, 4th rate.
Timber, juniper and pinyon.
Undergrowth, sagebrush and cacti.
Grass, fair.

North, bet. secs. 19 and 24.

Over mountainous land, thru scattering timber and
undergrowth.

Gentle desc. along NW. slope.

5.00 Swale, course SW., asc. 47 ft. over SW. slope.

36.00 Spur, slopes W., desc. 47 ft. over N. slope.

38.50 Wash, 20 lks. wide, course W., asc. 19 ft. over S. slope to

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the
ground, for 1/4 sec. cor., with brass cap mkd.

1/4
S 24 | S 19
1936

from which

A juniper, 10 ins. diam., brs. S.83°E., 152 lks. dist.,
mkd. 1/4 S 19 BT

A juniper, 8 ins. diam., brs. N.51°W., 100 lks. dist.,
mkd. 1/4 S 24 BT

Asc. 86 ft. over S. slope.

49.90 Spur, slopes W., desc. 185 ft. over N. slope.

59.60 Wash, 15 lks. wide, course W., asc. 366 ft. over steep,
rocky, SW. slope to

80.00 Spur, slopes N.60°W.
Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in
the ground, for cor. of secs. 13, 18, 19 and 24, with
brass cap mkd.

T41N
R 3E R 4E
S 13 | S 18
S 24 | S 19

1936

from which

A juniper, 16 ins. diam., brs. N.66°E., 62 lks. dist.,
mkd. T41N R4E S 18 BT

A juniper, 6 ins. diam., brs. S.42°E., 86 lks. dist.,
mkd. T41N R4E S 19 BT

chains											
	A juniper, 10 ins. diam., brs. S. 68° W., 90 lks. dist., mkd. T41N R3E S 24 BT										
	A juniper, 8 ins. diam., brs. N. 36° W., 137 lks. dist., mkd. T41N R3E S 13 BT										
	Land, mountainous. Soil, sandy and rocky, 3rd and 4th rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, poor.										
	North, bet. secs. 13 and 18.										
	Over mountainous land, thru scattering timber and undergrowth.										
	Desc. 233 ft. over steep NE. slope.										
6.10	Head of wash, drains NW., asc. 84 ft. over SW. slope.										
7.80	Top of asc. and rocky point, desc. 116 ft. along steep, broken W. slope to										
40.00	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground, over a mkd. cross on bed rock, and in a md. of stone to top, with brass cap mkd.										
	$\frac{1}{4}$ <table style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 0 10px;">S 13</td> <td style="border-left: 1px solid black; padding: 0 5px;">S 18</td> </tr> <tr> <td colspan="2" style="text-align: center;">1936</td> </tr> </table>	S 13	S 18	1936							
S 13	S 18										
1936											
	from which										
	A juniper, 6 ins. diam., brs. S. 80° W., 56 lks. dist., mkd. $\frac{1}{4}$ S 13 BT										
	No other bearing tree within limits.										
	Desc. 76 ft. along broken W. slope.										
50.20	Wash, 5 lks. wide, course W., asc. 71 ft. over S. slope.										
55.70	Spur, slopes W., desc. 197 ft. over broken N. slope.										
65.50	Wash, 15 lks. wide, course W., asc. 69 ft. over broken S. slope.										
74.60	Spur, slopes W., desc. 40 ft. over N. slope to										
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground, and in a md. of stone to top, for cor. of secs. 7, 12, 13 and 18, with brass cap mkd.										
	<table style="margin-left: auto; margin-right: auto;"> <tr> <td colspan="2" style="text-align: center;">T41N</td> </tr> <tr> <td style="padding: 0 10px;">R 3E</td> <td style="padding: 0 10px;">R 4E</td> </tr> <tr> <td style="padding: 0 10px;">S 12</td> <td style="border-left: 1px solid black; padding: 0 5px;">S 7</td> </tr> <tr> <td style="padding: 0 10px;">S 13</td> <td style="border-left: 1px solid black; padding: 0 5px;">S 18</td> </tr> <tr> <td colspan="2" style="text-align: center;">1936</td> </tr> </table>	T41N		R 3E	R 4E	S 12	S 7	S 13	S 18	1936	
T41N											
R 3E	R 4E										
S 12	S 7										
S 13	S 18										
1936											
	from which										
	A pinyon, 6 ins. diam., brs. N. 61 $\frac{1}{2}$ ° E., 46 lks. dist., mkd. T41N R4E S 7 BT										
	A pinyon, 10 ins. diam., brs. S. 16 $\frac{1}{2}$ ° E., 61 lks. dist., mkd. T41N R4E S 18 BT										

Survey: West Boundary, T. 41 N., R. 4 E.

chains

A pinyon, 10 ins. diam., brs. S. 43 $\frac{1}{2}$ ° W., 45 lks. dist.,
mkd. T41N R4E S13 BT

A pinyon, 12 ins. diam., brs. N. 45 $\frac{1}{2}$ ° W., 171 lks. dist.,
mkd. T41N R3E S12 BT

Land, mountainous.
Soil, sandy and rocky, 3rd and 4th rate.
Timber, pinyon and juniper.
Undergrowth, sagebrush, cliffrose, manzanita and oak.
Grass, fair.

North, bet. secs. 7 and 12.

Over mountainous land, thru scattering timber and under-
growth.

Desc. 64 ft. over broken N. slope.

4.40 Wash, 10 lks. wide, course NW., asc. 50 ft. over SW. slope.

17.40 Spur, slopes NW., desc. 82 ft. over broken NE. slope.

34.00 Wash, 10 lks. wide, course SW., asc. 49 ft. over S. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
 S 12 | S 7
 1936

from which

A juniper, 8 ins. diam., brs. N. 63° E., 47 lks. dist.,
mkd. $\frac{1}{4}$ S 7 BT

A pinyon, 10 ins. diam., brs. S. 51° W., 122 lks. dist.,
mkd. $\frac{1}{4}$ S 12 BT

Desc. 14 ft. over NW. slope.

42.00 Wash, 10 lks. wide, course SW., asc. 135 ft. over
. broken SW. slope.

65.00 Base of perpendicular cliff, 135 ft. high, brs. E. and W.

68.40 Top of same cliff, asc. 154 ft. over SW. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in
the ground, for cor. of secs. 1, 6, 7 and 12, with brass
cap mkd.

T41N
 R 3E R 4E
 S
 S 1 | S 6
 S 12 | S 7
 1936

from which

A juniper, 10 ins. diam., brs. N. 73° E., 62 lks. dist.,
mkd. T41N R4E S 6 BT

A juniper, 12 ins. diam., brs. S. 60° E., 11 lks. dist.,
mkd. BT only

A juniper, 12 ins. diam., brs. S. 50° W., 75 lks. dist.,
mkd. T41N R3E S 12 BT

A juniper, 8 ins. diam., brs. N. 58° W., 75 lks. dist.,
mkd. T41N R3E S 1 BT

chains	<p>Land, mountainous. Soil, sandy and rocky, 3rd and 4th rate. Timber, juniper and pinyon. Undergrowth, sagebrush, cliffrose, manzinita and oak. Grass, fair.</p>
	<p>----- North, bet. sec. 1 and 6. Over mountainous land, thru scattering timber and undergrowth.</p>
	<p>Asc. 188 ft. over SW. slope.</p>
16.80	<p>Saddle, E. and W., in a ridge with a general SE. and NW. bearing; a rocky butte brs. W., 5.00 chs. dist., 85 ft. high, desc. 316 ft. over broken and rocky NE. slope to</p>
40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., over a mkd. cross (+) on exposed bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p>
	<p style="text-align: center;"> $\frac{1}{4}$ S 1 S 6 1936 </p>
	<p style="text-align: right;">from which</p> <p>A juniper, 10 ins. diam., brs. S.2°E., 93 lks. dist., mkd. $\frac{1}{4}$ S 6 BT</p> <p>A juniper, 6 ins. diam., brs. N.30°W., 99 lks. dist., mkd. $\frac{1}{4}$ S 1 BT</p>
	<p>From $\frac{1}{4}$ sec. cor. Sand Spring, brs. S.79$\frac{1}{2}$°E., 28.30 chs. dist., which is a stream of fresh running water, 5 ft. wide, 8 ins. deep, course N., 15.00 chs. dist., then enters a small grove of large yellow pine trees, where other pools of water lay; from spring asc. 275 ft. to $\frac{1}{4}$ cor.</p>
	<p>Desc. 342 ft. along broken, and rocky E. slope.</p>
69.10	<p>Draw, 8 lks. wide, course NE., asc. 149 ft. along broken E. slope to</p>
80.00	<p>Crevice in perpendicular cliff, 150 ft. high, 8.00 chs. long, facing E. Set a brass tablet, 3 ins. diam., 3 in. stem in cement on W side of crevice, 10 ft. above base of cliff, for cor. of Tps. 41 and 42 N., Rs. 3 and 4 E., mkd.</p>
	<p style="text-align: center;"> T42N R 3E R 4E S 36 S 31 S 1 S 6 T41N 1936 </p>
	<p>No suitable accessory</p>
	<p>Land, mountainous. Soil, sandy and rocky, 3rd and 4th rate: Timber, juniper and pinyon. Undergrowth, sagebrush, manzinitz, oak and cacti. Grass, fair.</p>

Survey: North Boundary, T. 41 N., R. 4 E.

BOOK 4180

9

chains

From the cor. of Tps. 41 and 42 N., Rs. 4 and 5 E., West on random line, setting temp. cors. at intervals of 40.00 chs., and at 479.64 chs. intersect N. and S. line 14 lks. S. of the cor. of Tps. 41 and 42 N., Rs. 3 and 4 E., hereinbefore described.

Thence

S.89°59'E., on true line bet. secs. 6 and 31.

Over mountainous land, thru scattering timber and undergrowth, across large basin, bearing N. and S.

Desc. 427 ft. over steep, broken E. slope.

17.35 Wash, 30 lks. wide, in bottom of basin, course N., asc. 598 ft. over steep W. slope.

34.65 East rim of large basin, brs. N. and S., continue asc. 29 ft. over broken SW. slope to

39.64 Set an iron post, 3 ft. long, over a cross (+) mkd. on bed rock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\frac{1}{4} \begin{array}{r} S 31 \\ S 6 \\ \hline 1936 \end{array}$$

from which

A sandstone rock, 16 x 8 x 8 ft., brs. N.26 $\frac{1}{2}$ °W., 67 lks. dist., mkd. X $\frac{1}{4}$ S 31 BO

A sandstone rock, 20 x 10 x 4 ft., brs. S.70°E., 19 lks. dist., mkd. X $\frac{1}{4}$ S 6 BO

Asc. 107 ft. over broken SW. slope.

50.90 Spur, slopes SE., desc. over steep E. slope.

55.30 Small seep spring, brs. S., 10.00 chs. dist., course SE.

69.00 Foot of steep desc., leave mountainous and enter rolling land, brs. N. and S., continue desc. 31 ft. over E. slope to

79.64 Set a brass tablet, 3 ins. diam., 3 in. stem cemented in bed rock, for cor. of secs. 5, 6, 31 and 32, mkd.

$$\begin{array}{r} T42N R4E \\ S 31 S 32 \\ S 6 S 5 \\ T41N \\ 1936 \end{array}$$

from which

A juniper, 10 ins. diam., brs. S.13 $\frac{1}{2}$ °E., 40 lks. dist., mkd. T41N R4E S 5 BT

A sandstone rock, brs. West, 100 lks. dist., mkd. X BO

A sandstone rock, brs. N.75°W., 142 lks. dist., mkd. cross X BO

Raise a mound of stone, 4 ft. base, and 3 ft. high W. of cor.

No other suitable bearing trees within limits.

chains

Land, mountainous and rolling,
Soil, sandy and rocky, 3rd and 4th rate.
Timber, juniper and pinyon.
Undergrowth, sagebrush and buckbrush.
Grass, fair.

S.89°59'E., on true line bet. secs. 5 and 32..

Over rolling land, thru scattering timber and undergrowth.

Asc. 200 ft. over NW. slope to 1/4 sec. cor.

30.25 West edge of sandstone out cropping, 10 ft. high, on
which mkd. a 2 ft. cross (+)

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in
the ground, for 1/4 sec. cor., with brass cap mkd.

1/4 S 32
S 5

1936

from which

A sandstone rock, 15 x 8 x 7 ft. high, brs. S.73 1/2°W.,
125 lks. dist., mkd. 4 ft. above base, X 1/4 S 5 BO

Raise a mound of stone, 3 ft. base, 3 ft. high W. of cor.

No suitable bearing trees within limits.

40.80 East edge of large sandstone out croppings, consisting of
a group of 15 pinnacles from 75 to 100 ft. high.

Desc. 76 ft. over gentle NE. slope to

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in
the ground, for cor. of secs. 4, 5, 32 and 33, with
brass cap mkd.

T42N R4E
S 32 | S 33
S 5 | S 4
T41N

1936

from which

A juniper, 12 ins. diam., brs. N.21 1/2°E., 117 lks. dist.,
mkd. T42N R4E S 33 BT

A juniper, 10 ins. diam., brs. S.49 3/4°E., 342 lks. dist.,
mkd. T41N R4E S 4 BT

A juniper, 18 ins. diam., brs. S.76°W., 190 lks. dist.,
mkd. T41N R4E S 5 BT

No other bearing tree within limits.

Land, rolling sand hills, and sandstone out croppings.
Soil, sandy and rocky, 3rd and 4th rate.
Timber, juniper and pinyon.
Undergrowth, sagebrush and buckbrush
Grass, fair.

Survey: North Boundary, T. 41 N., R. 4 E.

11

chains

S. 89° 59' E., on true line bet. secs. 4 and 33.

Over rolling land, thru scattering timber and undergrowth.

Asc. 105 ft. to $\frac{1}{4}$ sec. cor.

20.10 West edge of large sandstone out cropping.

29.65 East edge of same sandstone out cropping.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, over a mkd. cross (+) on bed rock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\frac{1}{4} \begin{array}{r} S 33 \\ S 4 \end{array}$$

1936

from which

A juniper, 8 ins. diam., brs. N. 64 $\frac{1}{2}$ ° W., 131 lks. dist., mkd. $\frac{1}{4}$ S 33 BTA juniper, 9 ins. diam., brs. S. 9 $\frac{1}{2}$ ° W., 52 lks. dist., mkd. $\frac{1}{4}$ S 4 BT

Asc. 60 ft. over rolling land to

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 3, 4, 33 and 34, with brass cap mkd.

$$\begin{array}{r} T42N R4E \\ S 33 | S 34 \\ S 4 | S 3 \\ T41N \end{array}$$

1936

from which

A juniper, 30 ins. diam., brs. N. 19° E., 211 lks. dist., mkd. T42N R4E S 34 BT

A juniper, 15 ins. diam., brs. S. 57° E., 277 lks. dist., mkd. T41N R4E S 3 BT

A juniper, 10 ins. diam., brs. S. 65 $\frac{1}{2}$ ° W., 250 lks. dist., mkd. T41N R4E S 4 BTA juniper, 14 ins. diam., brs. N. 36 $\frac{3}{4}$ ° W., 337 lks. dist., mkd. T42N R4E S 33 BT

Land, rolling sand hills and sandstone out croppings.

Soil, sandy and rocky, 3rd and 4th rate.

Timber, juniper and pinyon.

Undergrowth, sagebrush, buckbrush and cacti.

Grass, fair.

S. 89° 59' E., on true line bet. secs. 3 and 34.

Over gentle rolling land, thru scattering timber, and undergrowth.

13.45 West edge of sandstone out cropping

28.00 East edge of same out cropping, brs. N. and S., 15 chs. in length.

chains

40.00

Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bed rock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\frac{1}{4} \begin{array}{l} S 34 \\ S 3 \end{array}$$

1936

from which

A juniper, 8 ins. diam., brs. N.48 $\frac{1}{2}$ °E., 60 lks. dist., mkd. $\frac{1}{4}$ S 34 BT

A juniper, 10 ins. diam., brs. S.4 $\frac{1}{2}$ °E., 167 lks. dist., mkd. $\frac{1}{4}$ S 3 BT

Asc. 40 ft. over gently rolling land to

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 2, 3, 34 and 35, with brass cap mkd.

$$\begin{array}{l} T42N R4E \\ S 34 | S 35 \\ S 3 | S 2 \end{array}$$

T41N

1936

from which

A juniper, 10 ins. diam., brs. N.57 $\frac{3}{4}$ °E., 199 lks. dist., mkd. T42N R4E S 35 BT

A juniper, 24 ins. diam., brs. S.82°E., 106 lks. dist., mkd. T41N R4E S 2 BT

A juniper, 16 ins. diam., brs. S.77 $\frac{1}{4}$ °W., 251 lks. dist., mkd. T41N R4E S 3 BT

A juniper, 20 ins. diam., brs. N.49°W., 149 lks. dist., mkd. T42N R4E S 34 BT

Land, rolling and sandstone out croppings.

Soil, sandy, 3rd rate.

Timber, juniper and pinyon.

Undergrowth, sagebrush and cacti.

Grass, fair:

S.89°59'E., on true line bet. secs. 2 and 35.

Over rolling land, thru scattering timber and undergrowth.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\frac{1}{4} \begin{array}{l} S 35 \\ S 2 \end{array}$$

1936

from which

A juniper, 10 ins. diam., brs. N.22°E., 194 lks. dist., mkd. $\frac{1}{4}$ S 35 BT

A juniper, 24 ins. diam., brs. S.62°W., 154 lks. dist., mkd. $\frac{1}{4}$ S 2 BT

Continue over rolling land.

Survey: North Boundary, T. 42 N., R. 4 E.

13

chains

52.65 Wash, 20 lks. wide, course N., continue overrolling land

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 1, 2, 35 and 36, with brass cap mkd.

T42N	R4E
S	35 S 36
S	2 S 1
T41N	

1936

from which

A juniper, 18 ins. diam., brs. N.79 $\frac{1}{4}$ °E., 84 lks. dist., mkd. T42N R4E S 36 BTA juniper, 20 ins. diam., brs. S.52 $\frac{1}{4}$ °E., 190 lks. dist., mkd. T41N R4E S 1 BTA juniper, 20 ins. diam., brs. S.40 $\frac{1}{2}$ °W., 343 lks. dist., mkd. T41N R4E S 2 BTA juniper, 24 ins. diam., brs. N.70 $\frac{1}{2}$ °W., 223 lks. dist., mkd. T42N R4E S 35 BT

Land, rolling sand hills and sandstone out croppings.
Soil, sandy, 3rd rate.
Timber, juniper and pinyon.
Undergrowth, sagebrush and cacti.
Grass, fair.

S.89°59'E., on true line bet. secs. 1 and 36.

Over rolling land, thru scattering timber and undergrowth.

14.60 Sandstone ledge, brs. N. and S.

31.75 Sandstone ledge, brs. N. and S.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 23 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$	S 36
	S 1

1936

from which

A juniper, 22 ins. diam., brs. N.36 $\frac{1}{2}$ °E., 155 lks. dist., mkd. $\frac{1}{4}$ S 36 BTA juniper, 12 ins. diam., brs. S.37°W., 63 lks. dist., mkd. $\frac{1}{4}$ S 1 BT

Gentle asc. over rolling land to

80.00 The cor. of Tps. 41 and 42 N., Rs. 4 and 5 E., established under current Group No. 181 and described in notes of survey of the W. bdy. of T. 41 N. R. 5 E.

Land, rolling sand hills and sandstone out croppings.
Soil, sandy, 3rd rate.
Timber, juniper and pinyon.
Undergrowth, sagebrush and cacti.
Grass, fair.

chains


Commence the subdivisional survey at the standard cor. of secs. 35 and 36, on the S. bdy. of the Tp., (10th Stand. Par. N.) which is an iron post, 2 ins. diam., projecting 12 ins. above the ground, firmly set, properly mkd. on brass cap and witnessed by 2 properly mkd. cedar trees, bearing as follows;
N.45°W., 174 lks. dist.; N.35°E., 99 lks. dist.

Thence

N.0°01'W., bet. secs. 35 and 36.

Over rolling land, thru scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.




from which

A juniper, 12 ins. diam., brs. S.59 $\frac{3}{4}$ °E., 94 lks. dist., mkd. $\frac{1}{4}$ S 36 BT

A juniper, 18 ins. diam., brs. S.56 $\frac{1}{4}$ °W., 49 lks. dist., mkd. $\frac{1}{4}$ S 35 BT

Continue over rolling land.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, with brass cap mkd.



from which

A juniper, 10 ins. diam., brs. N.7 $\frac{1}{2}$ °E., 158 lks. dist., mkd. T41N R4E S 25 BT

A juniper, 6 ins. diam., brs. S.62 $\frac{1}{2}$ °E., 108 lks. dist., mkd. T41N R4E S 36 BT

A juniper, 5 ins. diam., brs. S.62°W., 68 lks. dist., mkd. T41N R4E S 35 BT

A juniper, 10 ins. diam., brs. N.22°W., 337 lks. dist., mkd. T41N R4E S 26 BT

Land, rolling sand hills
Soil, sandy, 3rd rate.
Timber, juniper and pinyon.
Undergrowth, Sagebrush and cacti.
Grass, fair.

East, on random line bet. secs. 25 and 36..

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.28 Intersect E. bdy. of the Tp., 9 lks. S. of cor. of secs. 25, 30, 31 and 36, established under current Group No. 181

chains	
	<p>and described in notes of survey of the W. bdy. of T. 41 N., R. 5 E.</p> <p>Thence</p> <p>S.89°56'W., on true line bet. secs. 25 and 36.</p> <p>Over gently rolling land, thru scattering timber and undergrowth.</p>
40.14	<p>Set an iron post, 3 ft. long, 1 in. diam., 23 ins. in the ground, to bed rock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p> <p style="text-align: center;"> $\frac{1}{4}$ S 25 $\frac{1}{4}$ S 36 1936 </p> <p style="text-align: right;">from which</p> <p>A juniper, 12 ins. diam., brs. N.57$\frac{1}{4}$°E., 91 lks. dist., mkd. $\frac{1}{4}$ S 25 BT</p> <p>A juniper limb, 8 ins. diam., brs. S.13°E., 112 lks. dist., mkd. $\frac{1}{4}$ S 36 BT</p> <p>Continue over gently rolling land.</p>
80.28	<p>The cor. of secs. 25, 26, 35 and 36.</p> <p>Land, rolling sand hills and sandstone out croppings. Soil, sandy, 3rd rate. Timber; juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.</p> <hr style="border-top: 1px dashed black;"/> <p>N.0°01'W., bet. secs. 25 and 26.</p> <p>Over gently rolling land, thru scattering timber and undergrowth.</p> <p>Desc. 70 ft. over NW. slope to $\frac{1}{4}$ sec. cor.</p>
14.50	<p>Rocky point, 20 ft. high, brs. E., 1 ch. dist.</p>
40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p> <p style="text-align: center;"> $\frac{1}{4}$ S 26 S 25 1936 </p> <p style="text-align: right;">from which</p> <p>A juniper, 5 ins. diam., brs. N.10$\frac{3}{4}$°W., 86 lks. dist., mkd. $\frac{1}{4}$ S 26 BT</p> <p>A juniper, 8 ins. diam., brs. S.81$\frac{1}{4}$°E., 95 lks. dist., mkd. $\frac{1}{4}$ S 25 BT</p>
80.00	<p>Desc. 112 ft. over NW. slope to</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in ground, for cor. of secs. 23, 24, 25 and 26, with brass cap mkd.</p>

chains

T41N R4E .

S 23 | S 24

S 26 | S 25

1936

from which

A juniper, 18 ins. diam., brs. N.77 $\frac{3}{4}$ °E., 151 lks. dist.,
mkd. T41N R4E S24 BT

A juniper, 8 ins. diam., brs. S.48 $\frac{3}{4}$ °E., 284 lks. dist.,
mkd. T41N.R4E S 25 BT

A juniper limb, 10 ins. diam., brs. S.55 $\frac{3}{4}$ °W., 197 lks.
dist., mkd. T41N R4E S 26 BT

A juniper limb, 12 ins. diam., brs. N.83°W., 115 lks.
dist., mkd. T41N R4E S 23 BT

Land, rolling sand hills and sandstone out croppings.

Soil, sandy, 3rd rate.

Timber, juniper.

Undergrowth, sagebrush and rabbitweed.

Grass, fair.

S.89°56'E., on random line bet. secs. 24 and 25.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.16 Intersect E. bdy. of the Tp. 7 lks. S. of the cor. of
secs. 19, 24, 25 and 30, established under current Group
No. 181 and described in notes of survey of the W. bdy.
of T. 41 N., R. 5 E.

Thence

N.89°59'W., on true line bet. secs. 24 and 25.

Over rolling land, thru scattering timber and undergrowth.

Asc. 110 ft. along gentel N. slope to $\frac{1}{4}$ sec. cor.

10.80 Sandstone ledge, 15 ft. wide, brs. N. and S.

40.08 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in
the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ $\frac{S 24}{S 25}$

1936

from which

A juniper, 16 ins. diam., brs. N.21 $\frac{1}{2}$ °W., 111 lks. dist.,
mkd. $\frac{1}{4}$ S 24 BT

A juniper, 14 ins. diam., brs. S.38 $\frac{1}{4}$ °W., 108 lks. dist.,
mkd. $\frac{1}{4}$ S 25 BT

Asc. 98 ft. along gentel N. slope to

80.16 The cor. of secs. 23, 24, 25 and 26.

Land, rolling sand hills and sandstone out croppings.

Soil, sandy, 3rd rate.

Timber, juniper

Undergrowth, sagebrush and cacti.

Grass, fair.

chains	N.0°01'W., bet. secs. 23 and 24. Over gently rolling land, thru scattering timber, and undergrowth.
24.00	Old road, brs. E. and W.
25.00	Sandstone out-cropping, brs. E., 5 chs. dist., several names and dates inscribed on S. face.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. <div style="text-align: center;"> $\frac{1}{4}$ S 23 S 24 1936 </div> from which A juniper, 22 ins. diam., brs. N.36 $\frac{3}{4}$ °E., 70 lks. dist., mkd. $\frac{1}{4}$ S 24 BT A juniper, 8 ins. diam., brs. S.49°W., 97 lks. dist., mkd. $\frac{1}{4}$ S 23 BT
80.00	Desc. 44 ft. over gently rolling land to Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground, over a mkd. cross (+) on bed rock, and in a mound of stone to top, for cor of secs. 13, 14, 23 and 24, with brass cap mkd. <div style="text-align: center;"> T41N R4E S 14 S 13 S 23 S 24 1936 </div> from which A juniper, 18 ins. diam., brs. N.49 $\frac{1}{2}$ °E., 157 lks. dist., mkd. T41N R4E S 13 BT A juniper, 30 ins. diam., brs. S.65°E., 249 lks. dist., mkd. T41N.R4E S 24 BT A juniper, .10 ins. diam., brs. N.54 $\frac{1}{2}$ °W., 367 lks. dist., mkd. T41N R4E S 14 BT No other suitable bearing tree within limits. Land, rolling sand hills and sand stone out croppings. Soil, sandy, 3rd rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.
40.00	S.89°59'E., on random line, bet. secs. 13 and 24. Set temp. $\frac{1}{4}$ sec. cor.
80.16	Intersect E. bdy. of the Tp. 2 lks. S. of cor. of secs. 13, 18, 19 and 24, established under current Group No. 181 and described in notes of survey of the W. bdy. of T. 41 N., R. 5 E. Thence

chains

West, on true line, bet. secs. 13 and 24.

Over rolling land, thru scattering timber, and undergrowth.

15.15 Sandstone out cropping, 20 ft. base, 18 ft. high.

40.08 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ $\frac{S\ 13}{S\ 24}$
 1936

from which

A juniper, 8 ins. diam., brs. N.3°W., 243 lks. dist., mkd. $\frac{1}{4}$ S 13 BT

A juniper limb, 12 ins. diam., brs. S.6 $\frac{1}{4}$ °E., 238 lks. dist., mkd. $\frac{1}{4}$ S 24 BT

Asc. 36 ft. over rolling land to

80.16 The cor. of secs. 13, 14, 23 and 24.

Land, rolling sand hills and sandstone out croppings.
 Soil, sandy, 3rd rate.
 Timber, juniper.
 Undergrowth, sagebrush and cacti.
 Grass, fair.

N.0°01'W., bet. secs. 13 and 14.

Over rolling land, thru scattering timber and undergrowth.

Desc. 86 ft. over gentel N. slope to

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
 $S\ 14\ | \ S\ 13$
 1936

from which

A juniper, 8 ins. diam., brs. S.31 $\frac{3}{4}$ °E., 184 lks. dist., mkd. $\frac{1}{4}$ S 13 BT

A juniper, 10 ins. diam., brs. N.80 $\frac{1}{4}$ °W., 179 lks. dist., mkd. $\frac{1}{4}$ S 14 BT

Desc. 90 ft. over gentel N. slope to

76.55 S. edge of sandstone ledge brs. N.10°E. and S.10°W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 4 ins. in the ground, over a mkd. cross (+) on bed rock, and in a mound of stone to top, with brass cap mkd.

T41N R4E
 $S\ 11\ | \ S\ 12$
 $S\ 14\ | \ S\ 13$
 1936

from which

chains	
	<p>A juniper, 7 ins. diam., brs. N.75°E., 34 lks. dist., mkd. T41N R4E S 12 BT</p> <p>A pinyon, 10 ins. diam., brs. S.45°E., 211 kls. dist., mkd. T41N R4E S 13 BT</p> <p>No other bearing trees within limits.</p> <p>Land, rolling sand hills and sandstone out croppings. Soil, sandy, 3rd rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.</p>

	East, on random line, bet. secs. 12 and 13.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.12	Intersect E. bdy. of the Tp. 7 lks. N. of the cor. of secs. 7, 12, 13 and 18, established under current Group No. 181 and described in notes of survey of the W. bdy. of T. 41 N., R. 5 E.
	Thence
	N.89°57'W., on true line, bet. secs. 12 and 13
	Over rolling land, thru scattering timber and undergrowth.
	Gentle desc. along N. slope to $\frac{1}{4}$ sec. cor.
40.06	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \begin{array}{l} S 12 \\ S 13 \end{array}$
	.1936 .
	from which
	A juniper, 10 ins. diam., brs. N.2 $\frac{1}{2}$ °W., 116 lks. dist., mkd. $\frac{1}{4}$ S 12 BT
	A juniper, 20 ins. diam., brs. S.20 $\frac{3}{4}$ °E., 165 lks. dist., mkd. $\frac{1}{4}$ S 13 BT
	Gentle desc. along N. slope to sec. cor.
48.50	Sandstone ledge, brs. N. and S.
80.12	The cor. of secs. 11, 12, 13 and 14.
	Land, rolling sand hills and sandstone out croppings. Soil, sandy, 3rd rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti Grass, fair.

	N.0°01'W., bet. secs. 11 and 12.
	Over gentle rolling land, thru scattering timber and undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the

chains

ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\frac{1}{4}$$

S 11	S 12
1936	

from which

A juniper, 8 ins. diam., brs. N.78°E., 216 lks. dist.,
mkd. $\frac{1}{4}$ S 12 BTA juniper, 24 ins. diam., brs. N.63 $\frac{3}{4}$ °W., 221 lks. dist.,
mkd. $\frac{1}{4}$ S 11 BT

Continue over gently rolling land.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in
the ground, for cor. of secs. 1, 2, 11 and 12, with brass
cap mkd.

T41N R4E	
S 2	S 1
S 11	S 12
1936	

from which

A juniper, 10 ins. diam., brs. N.50°E., 345 lks. dist.,
mkd. T41N R4E S 1 BTA juniper, 12 ins. diam., brs. S.60 $\frac{1}{2}$ °E., 294 lks. dist.,
mkd. T41N R4E S 12 BTA juniper, 16 ins. diam., brs. S.9 $\frac{3}{4}$ °W., 154 lks. dist.,
mkd. T41N R4E S 11 BTA juniper, 12 ins. diam., brs. N.63 $\frac{1}{2}$ °W., 334 lks. dist.,
mkd. T41N R4E S 2 BT

Land, gently rolling.

Soil, sandy, 3rd rate.

Timber, juniper and pinyon.

Undergrowth, sagebrush and cacti.

Grass, fair.

S.89°57'E., on random line, bet. secs. 1 and 12.40.00 Set temp. $\frac{1}{4}$ sec. cor.80.08 Intersect E. bdy. of the Tp. 2 lks. S. of the cor. of
secs. 1, 6, 7 and 12, established under current Group No.
181, and described in notes of survey of the W. bdy.
of T. 41 N., R. 5 E.

Thence

N.89°58'W., on true line, bet. secs. 1 and 12.

Over rolling land, thru scattering timber and undergrowth.

27.22 Sandstone ledge, 50 ft. wide, brs. N. and S.

29.20 Sandstone point, 40 ft. base, 20 ft. high, another sand-
stone point, 30 ft. base, 20 ft. high, brs. S.45°E.,
50 lks. dist.

32.90 Sandstone ledge, brs. N. and S.

Survey: Subdivision lines, T. 41 N., R. 4 E.

chains

40.04 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\frac{1}{4} \frac{S 1}{S 12}$$

1936

from which

A juniper, .22 ins. diam., brs. N.41°E., 147 lks. dist., mkd. $\frac{1}{4}$ S 1 BT

A juniper, .18 ins. diam., brs. S.17°W., 198 lks. dist., mkd. $\frac{1}{4}$ S 12 BT

Gradual asc. 58 ft. along N. slope to

80.08 The cor. of secs. 1, 2, 11. and 12.

Land, rolling sand hills and sandstone out croppings.

Soil, sandy, 3rd rate.

Timber, juniper and pinyon.

Undergrowth, sagebrush and cacti.

Grass, fair.

N.0°01'W., on random line, bet. secs. 1 and 2.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.84 Intersect the cor. of secs. 1, 2, 35 and 36, on the N. bdy. of the Tp. hereinbefore described.

Thence

S.0°01'E., on true line, bet. secs. 1 and 2.

Over rolling land, thru scattering timber and undergrowth.

Asc. 112 ft. over gentle N. slope to

39.84 Center of flat sandstone ledge, 100 ft. x 100 ft. x 10 ft. high,

Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in exposed sandstone bed-rock, over a cross (+) mkd. on same, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\frac{1}{4} \frac{S 2 | S 1}{1936}$$

1936

from which

A juniper, 24 ins. diam., brs. N.35°E., 106 lks. dist., mkd. $\frac{1}{4}$ S 1 BT

A juniper, 18 ins. diam., brs. N.13°W., 93 lks. dist., mkd. $\frac{1}{4}$ S 2 BT

Continue over rolling land.

48.05 Offset point, north face of sandstone point, 150 ft. base, 40 ft. high; discontinue chaining on sec. line at this point owing to sandstone pinnacles, and offset as follows

East 0.50 chs. thence

S.0°01'E. 2.69 chs. thence

West 0.50 chs return to sec. line.

chains
50.74

Offset point, south face of same sandstone point, on which mkd. a 2 ft. cross (+), resume chaining on sec. line, continuing measurement from sec. cor., continue over rolling land.

79.84

The cor. of secs. 1, 2, 11 and 12.

Land, rolling sand hills and sandstone out croppings.
Soil, sandy, 3rd rate.
Timber, juniper and pinyon.
Undergrowth, sagebrush and cacti.
Grass, fair.

From the standard cor. of secs. 34 and 35, on S. bdy. of the Tp., (10th Stan. Par. N.) which is an iron post, 2 ins. diam., projecting 12 ins. above the ground, firmly set, properly mkd. on brass cap and witnessed by 2 properly mkd. cedar trees, bearing as follows; N.30°W., 62 lks. dist.; N.44°E., 211 lks. dist.

Thence


N.0°01'W., bet. secs. 34 and 35.

Over gently rolling land, thru scattering timber and undergrowth.

Desc. 121 ft. over NW. slope to

40.00

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.



from which


A juniper, 10 ins. diam., brs. N.22 $\frac{1}{4}$ °E., 145 lks. dist., mkd. $\frac{1}{4}$ S 35 BT

A juniper, 8 ins. diam., brs. N.59°W., 217 lks. dist., mkd. $\frac{1}{4}$ S 34 BT

Desc. 100 ft. over rolling NW. slope to

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 26, 27, 34 and 35, with brass cap mkd.



from which

A juniper, 12 ins. diam., brs. N.56 $\frac{1}{4}$ °E., 210 lks. dist., mkd. T41N R4E S 26 BT

A juniper, 6 ins. diam., brs. S.53 $\frac{3}{4}$ °E., 142 lks. dist., mkd. T41N R4E S 35 BT

A juniper, 10 ins. diam., brs. S.73 $\frac{3}{4}$ °W., 145 lks. dist., mkd. T41N R4E S 34 BT

A juniper, 8 ins. diam., brs. N.22 $\frac{1}{8}$ °W., 232 lks. dist., mkd. T41N R4E S 27 BT

chains	<p>Land, rolling sand hills and sandstone outcroppings. sandy, 3rd rate. Timber, juniper and pinyon. Undergrowth, sagebrush, sarsviceberry and cacti. Grass, fair.</p>
	<p>-----</p> <p>East, on random line, bet. secs. 26 and 35.</p>
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.98	Intersect N. and S. line, 7 lks. S. of the cor. of secs. 25, 26, 35 and 36.
	<p>Thence</p> <p>S. $89^{\circ}57'W.$ on true line bet. secs. 26 and 35.</p>
	Over rolling land, thru scattering timber and undergrowth.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \begin{array}{l} S. 26 \\ S. 35 \\ 1936 \end{array}$
	from which
	A juniper, 8 ins. diam., brs. N. $44\frac{1}{2}^{\circ}E.$, 185 lks. dist., mkd. $\frac{1}{4}$ S. 26 BT.
	A juniper, 8 ins. diam., brs. S. $50\frac{1}{4}^{\circ}E.$, 247 lks. dist., mkd. $\frac{1}{4}$ S. 35 BT.
	Desc. 110 ft. over rolling NW. slope to
79.98	The cor. of secs. 26, 27, 34 and 35.
	<p>Land, rolling sand hills and sandstone outcroppings. Soil, sandy, 3rd rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.</p>
	<p>-----</p> <p>N. $0^{\circ}01'W.$, bet. secs. 26 and 27.</p>
	Over rolling land, thru scattering timber and undergrowth.
37.00	S. end of sandstone ledge, 30 ft. wide, 12 ft. high, 3 chs. long, brs. N. $5^{\circ}W.$
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \begin{array}{l} S. 27 S. 26 \\ 1936 \end{array}$
	from which
	A juniper, 16 ins. diam., brs. N. $54^{\circ}E.$, 121 lks. dist., mkd. $\frac{1}{4}$ S. 26 BT.
	A juniper, 14 ins. diam., brs. S. $77^{\circ}W.$, 67 lks. dist., mkd. $\frac{1}{4}$ S. 27 BT.

chains	Desc. 95 ft. over rolling N. slope to sec. cor.
51.20	Sandstone pinnacle, 60 ft. base, 25 ft. high, brs. E., 30 lks. dist.
60.00	Sandstone pinnacle, 25 ft. base, 20 ft. high, brs. E., 3 chs. dist.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, with brass cap mkd.
	T41N R4E S 22 S 23 S 27 S 26 1936.
	from which
	A juniper, 13 ins. diam., brs. N. 69 $\frac{3}{4}$ ° E., 160 lks. dist., mkd. T41N R4E S 23 BT
	A juniper, 16 ins. diam., brs. S. 85 $\frac{3}{4}$ ° E., 126 lks. dist., mkd. T41N R4E S 26 BT
	A juniper, 22 ins. diam., brs. S. 53° W., 114 lks. dist., mkd. T41N R4E S 27 BT
	A juniper, 12 ins. diam., brs. N. 44 $\frac{1}{2}$ ° W., 175 lks. dist., mkd. T41N R4E S 22 BT
	Land, rolling sand hills and sandstone out croppings. Soil, sandy, 3rd rate. Timber, juniper and pinyon. Undergrowth, sagebrush and cacti. Grass, fair.

	N. 89° 57' E., on random line, bet. secs. 23 and 26.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Intersect N. and S. line, 7 lks. N. of the cor. of secs. 23, 24, 25 and 26.
	Thence
	West, on true line, bet. secs. 23 and 26.
	Over rolling land, thru scattering timber and undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ $\frac{S 23}{S 26}$ 1936
	from which
	A juniper, 18 ins. diam., brs. N. 52 $\frac{3}{4}$ ° W., 167 lks. dist., mkd. $\frac{1}{4}$ S 23 BT
	A juniper, 6 ins. diam., brs. S. 2° E., 52 lks. dist., mkd. $\frac{1}{4}$ S 26 BT
	Continue over rolling land.

chains

80.00

The cor. of secs. 22, 23, 26 and 27.

Land, rolling sand hills and sandstone out croppings.
Soil, sandy, 3rd rate.
Timber, juniper and pinyon.
Undergrowth, sagebrush
Grass, fair.

N.0°01'W., bet. secs. 22 and 23.

Over nearly level land, thru scattering timber and undergrowth.

6.40

Old road, brs. N.60°E. and S.60°W.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bed rock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S 22 | S 23

1936

from which

A juniper, 8 ins. diam., brs. S.65°E., 208 lks. dist., mkd. $\frac{1}{4}$ S. 23 BT

A juniper, 10 ins. diam., brs. N.69°W., 201 lks. dist., mkd. $\frac{1}{4}$ S 22 BT

A sandstone pinnacle, 40 x 50 ft. base, 12 ft. high, brs. West, 650 lks. dist.

Continue over nearly level land.

Desc. 34 ft. to

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 14, 15, 22 and 23, with brass cap mkd.

T41N R4E
S 15 | S 14
S 22 | S 23

1936

from which

A juniper, 8 ins. diam., brs. N.58 $\frac{1}{2}$ °E., 231 lks. dist., mkd. T41N R4E S 14 BT

A juniper, 8 ins. diam., brs. S.31 $\frac{1}{2}$ °E., 206 lks. dist., mkd. T41N R4E S 23 BT

A juniper, 18 ins. diam., brs. S.63 $\frac{1}{2}$ °W., 361 lks. dist., mkd. T41N R4E S 22 BT

A juniper, 20 ins. diam., brs. N.82 $\frac{3}{4}$ °W., 479 lks. dist., mkd. T41N R4E S 15 BT

Land, rolling sand hills and sandstone out croppings.
Soil, sandy, 3rd rate.
Timber, juniper
Undergrowth, sagebrush and cacti.
Grass, fair.

chains

East, on random line, bet. secs. 14 and 23.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.04 Intersect the cor. of secs. 13, 14, 23 and 24.

Thence

West, on true line, bet. secs. 14 and 23.

Over rolling land, thru scattering timber and undergrowth.

Desc. 112 ft. over broken NW. slope to

40.02 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 14
S 23
1936

from which

A juniper, 8 ins. diam., brs. N. 45 $\frac{1}{2}$ ° W., 70 lks. dist., mkd. $\frac{1}{4}$ S 14 BT

A juniper, 24 ins. diam., brs. S. 4° W., 63 lks. dist., mkd. $\frac{1}{4}$ S 23 BT

Continue over rolling land.

45.60 Wash, 10 lks. wide, course N., asc. 47 ft. over NE. slope.

58.05 Sandstone ledge, brs. N. and S., desc. 43 ft. over NW. slope to

80.04 The cor. of secs. 14, 15, 22 and 23.

Land, rolling sand hills and sandstone outcroppings. Soil, sandy, 3rd rate.

Timber, juniper

Undergrowth, sagebrush and cacti.

Grass, fair.

N. 0° 01' W., bet. secs. 14 and 15.

Over rolling land, thru scattering timber and undergrowth.

Desc. 47 ft. over NW. slope to

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S 15 | S 14
1936

from which

A juniper, 16 ins. diam., brs. N. 74 $\frac{1}{2}$ ° E., 14 lks. dist., mkd. $\frac{1}{4}$ S 14 BT

A juniper, 20 ins. diam., brs. S. 84° W., 247 lks. dist., mkd. $\frac{1}{4}$ S 15 BT

Continue desc. 18 ft. over rolling land to

Survey: Subdivision lines; T. 41 N., R. 4 E.

chains	
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, over a mkd. cross (+) on bed rock, and in a mound of stone to top, for cor. of secs. 10, 11, 14 and 15, with brass cap mkd. T41N R4E S 10 S 11 S 15 S 14 1936 from which A juniper, 8 ins. diam., brs. N.38°E., 277 lks. dist., mkd. T41N R4E S 11 BT A juniper, 12 ins. diam., brs. S.35½°W., 93 lks. dist., mkd. T41N R4E S 15 BT A juniper, 14 ins. diam., brs. N.80°W., 215 lks. dist., mkd. T41N R4E S 10 BT No other suitable bearing tree within limits. Land, rolling sand hills and sandstone outcroppings. Soil, sandy, 3rd rate. Timber, juniper Undergrowth, sagebrush Grass, fair.

	East, on random line, bet. secs. 11 and 14:
40.00	Set temp. ¼ sec. cor.
80.00	Intersect N. and S. line, 5 lks. N. of cor. of secs. 11, 12, 13 and 14. Thence N.89°58'W., on true line bet. secs. 11 and 14, Over gently rolling land, thru scattering timber and undergrowth.

	Desc. 64 ft. to
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for ¼ sec. cor., with brass cap mkd. S 11 ¼ S 14 1936 from which A juniper, 6 ins. diam., brs. N.16°W., 158 lks. dist., mkd. ¼ S 11 BT A juniper, 7 ins. diam., brs. S.21°E., 317 lks. dist., mkd. ¼ S 14 BT Asc. 52 ft. over rolling land to
80.00	The cor. of secs. 10, 11, 14 and 15. Land, rolling sand hills and sandstone outcroppings. Soil, sandy, 3rd rate. Timber, juniper. Undergrowth, sagebrush.

chains

N.0°01'W., bet. secs. 10 and 11.

Over rolling land, thru scattering timber and undergrowth.

Desc. 47 ft. to

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.

1/4
S 10 | S 11
1936

from which

A juniper, 10 ins. diam., brs. S.64 1/4°E., 70 lks. dist., mkd. 1/4 S 11 BT

A juniper, 7 ins. diam., brs. S.25°W., 129 lks. dist., mkd. 1/4 S 10 BT

Desc. 115 ft. over rolling land to sec. cor.

67.45 Sandstone ledge, 100 ft. wide, 10 ft. high, brs. E. and W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, with brass cap mkd.

T41N R4E
S-3 | S-2
S 10 | S 11
1936

from which

A juniper, 16 ins. diam., brs. N.29 1/2°E., 154 lks. dist., mkd. T41N R4E S 2 BT

A juniper, 12 ins. diam., brs. S.5 1/2°E., 65 lks. dist., mkd. T41N R4E S 11 BT

A juniper, 23 ins. diam., brs. S.75°W., 38 lks. dist., mkd. T41N R4E S 10 BT

A juniper, 10 ins. diam., brs. N.7 1/2°W., 83 lks. dist., mkd. T41N R4E S 3 BT

Land, rolling sand hills and sandstone outcroppings.
Soil, sandy, 3rd rate.
Timber, juniper and pinyon.
Undergrowth, sagebrush and cacti.
Grass, fair.

S.89°58'E., on random line, bet. secs. 2 and 11.

40.00 Set temp. 1/4 sec. cor.

80.10 Intersect N. and S. line, 2 lks. S. of cor. of secs. 1, 2, 11 and 12.

Thence

N.89°59'W., on true line, bet. secs. 2 and 11.

Over rolling land, thru scattering timber and undergrowth.

Survey: Subdivision lines, T41 N., R. 4 E.

chains

16.50 Group of four sandstone pinnacles, brs. N.32°W., 11.00 chs. dist.

32.30 S. end of rock ledge, 1.50 chs. wide, brs. N.

40.05 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S 2
—
 $\frac{1}{4}$ S 11

1936

from which

A juniper, 12 ins. diam., brs. N.7 $\frac{1}{2}$ °E., 276 lks. dist., mkd. $\frac{1}{4}$ S 2 BT

A juniper, 18 ins. diam., brs. S.3 $\frac{1}{2}$ °W., 92 lks. dist., mkd. $\frac{1}{4}$ S 11 BT

Over nearly level land to

80.10 The cor. of secs. 2, 3, 10 and 11.

Land, rolling sand hills, and sandstone outcroppings.
Soil, sandy, 3rd rate.
Timber, juniper.
Undergrowth, sagebrush.
Grass, fair.

N.0°01'W., on random line, bet. secs. 2 and 3.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.93 Intersect N. bdy. of the Tp., 5 lks. E. of the cor. of secs. 2, 3, 34 and 35, hereinbefore described.

Thence..

S.0°03'E., on true line, bet. secs. 2 and 3.

Over rolling land, thru scattering timber and undergrowth.

Asc. 132 ft. to $\frac{1}{4}$ sec. cor..

5.00 Sandstone out cropping, approx. 150 ft. base, 20 ft. high.

39.93 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$

S 3 | S 2

1936

from which

A juniper, 12 ins. diam., brs. N.87 $\frac{1}{2}$ °E., 363 lks. dist., mkd. $\frac{1}{4}$ S 2 BT

A juniper, 5 ins. diam., brs. S.66 $\frac{3}{4}$ °W., 48 lks. dist., mkd. BT only

Continue over rolling land,

Asc. 66 ft. to

chains

79.93 The cor. of secs. 2, 3, 10 and 11.

Land, rolling sand hills and sandstone out croppings.
Soil, sandy, 3rd rate.
Timber, juniper.
Undergrowth, sagebrush and cacti.
Grass, fair.

From the standard cor. of secs. 33 and 34, on S. bdy. of the Tp., (10th Stan. Par. N.) which is an iron post, 2 ins. diam., projecting 12 ins. above the ground, firmly set, properly mkd. on brass cap and witnessed by 2 properly mkd. bearing trees, as follows;
a cedar, brs. N.46°W., 155 lks. dist.
a pinyon, brs. N.55½°E., 139 lks. dist.

Thence

N.0°02'W., bet. secs. 33 and 34.

Over rolling land, thru scattering timber and undergrowth.

8.50 Desc. 70. ft. gentle N. slope to

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for ¼ sec. cor., with brass cap mkd.

S 33 | S 34

1936

from which

A juniper, 24 ins. diam., brs. S.77½°E., 155 lks. dist., mkd. ¼ S 34 BT

A juniper, 24 ins. diam., brs. N.83½°W., 200 lks. dist., mkd. ¼ S 33 BT

Continue over rolling land.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, with brass cap mkd.

T41N R4E

S 28 | S 27

S 33 | S 34

1936

from which

A juniper, 10 ins. diam., brs. N.56°W., 54 lks. dist., mkd. T41N R4E S 27 BT

A juniper limb, 8 ins. brs. S.54° E., 139 lks. dist., mkd. T41N R4E S 34 BT

A juniper 10 ins. diam., brs. S. 56° W., 147 lks. dist., mkd. T41N R4E S 33 BT

A juniper, 12 ins. diam.; brs: N: 49° W, 411 lks. dist., mkd. T41N R4E S 28 BT

Land, rolling sand hills and sandstone out croppings.
Soil, sandy, 3rd rate.
Timber, juniper,
Undergrowth, sagebrush and cacti.

Survey: Subdivision lines, T. 41 N., R. 4 E.

chains	East, on random line, bet. secs. 27 and 34.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.90	Intersect N. and S. line 6 lks. S. of the cor. of secs. 26, 27, 34 and 35.
	Thence
	S. $89^{\circ}57'W.$, on true line, bet. secs. 27 and 34.
	Over rolling land, thru scattering timber and undergrowth.
39.95	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} \\ \hline S\ 27 \\ \hline S\ 34 \end{array}$
	1936
	from which
	A juniper, 14 ins. diam., brs. N. $59\frac{1}{2}^{\circ}E.$, 188 lks. dist., mkd. $\frac{1}{4}$ S 27 BT
	A juniper, 5 ins. diam., brs. S. $10^{\circ}W.$, 183 lks. dist., mkd. $\frac{1}{4}$ S 34 BT
	Continue over rolling land.
79.90	The cor. of secs. 27, 28, 33 and 34.
	Land, rolling sand hills and sandstone out croppings. Soil, sandy, 3 rd rate. Timber, juniper. Undergrowth, sagebrush. Grass, fair.
	N. $0^{\circ}02'W.$, bet. secs. 27 and 28.
	Over rolling land, thru scattering timber and undergrowth.
	Gradual desc. 50 ft. over N. slope to
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} \\ \hline S\ 28 \mid S\ 27 \end{array}$
	1936
	from which
	A juniper, 5 ins. diam., brs. S. $9\frac{1}{2}^{\circ}E.$, 161 lks. dist., mkd. $\frac{1}{4}$ S 27 BT
	A juniper, 8 ins. diam., brs. N. $83\frac{3}{4}^{\circ}W.$, 143 lks. dist., mkd. $\frac{1}{4}$ S 28 BT
	Continue over rolling land.
57.40	Old road brs. N. $75^{\circ}E.$ and S. $75^{\circ}W.$
80.00	Set an iron post, 3 ft. long, 2 in. diam., 18 ins. in the ground, over a mkd. cross (+) on bed rock, and in a mound of stone to top, for cor. of secs. 21, 22, 27 and 28,

chains

with brass cap mkd. IS

T41N R4E
S 21 | S 22
S 28 | S 27

1936

from which

A juniper, 12 ins. diam., brs. S.14 $\frac{1}{4}$ °E., 273 lks. dist.,
mkd. T41N R4E S 27 BT

A juniper limb, 10 ins. diam., brs. S.22 $\frac{3}{4}$ °W., 202 lks.
dist., mkd. T41N R4E S 28 BT

No other bearing trees within limits.

Land, rolling sand hills and sandstone out croppings.
Soil, sandy, 3rd rate.
Timber, juniper.
Undergrowth, sagebrush and cacti.
Grass, fair.

N.89°57'E., on random line, bet. secs. 22 and 27.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.80 Intersect N. and S. line, 7 lks. N. of the cor. of secs.
22, 23, 26 and 27.

Thence

West, on true line, bet. secs. 22 and 27.

Over rolling land, thru scattering timber and undergrowth.

Asc. 145 ft. over NE. slope to $\frac{1}{4}$ sec. cor.

9.90 Old road, brs. NE. and SW.

39.90 Set an iron post, 3 ft. long, 1 in. diam., 13 ins. in the
ground, over a mkd. cross (+) on bed rock, and in a
mound of stone to top, with brass cap mkd.

S 22
 $\frac{1}{4}$ S 27
1936

from which

A juniper, 20 ins. diam., brs. N.19 $\frac{3}{4}$ °E., 65 lks. dist.,
mkd. $\frac{1}{4}$ S 22 BT

A juniper, 14 ins. diam., brs. S.51°W., 93 lks. dist.,
mkd. $\frac{1}{4}$ S 27 BT

Desc. 92 ft. over gently rolling land.

79.80 The cor. of secs. 21, 22, 27 and 28.

Land, rolling sand hills and sandstone out croppings.
Soil, sandy, 3rd rate.
Timber, juniper.
Undergrowth, sagebrush and cacti.
Grass, fair.


Survey: Subdivision lines; T41 N., R. 4 E.

chains

N.0°02'W., bet. secs. 21 and 22.

Over gently rolling land, thru scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.



1936


from which

A juniper, 18 ins. diam., brs. S.33 1/2°E., 325 lks. dist., mkd. 1/4 S 22 BT

A juniper, 24 ins. diam., brs. S.21 1/2°W., 217 lks. dist., mkd. 1/4 S 21 BT

Continue over gently rolling land.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, deposit a sandstone rock, 8 x 5 x 2 ins. mkd. with a cross (+) at base of post, for cor. of secs. 15, 16, 21 and 22, with brass cap mkd.



1936

No bearing trees available.

Land, rolling sand hills.
Soil, sandy, 3rd rate.
Timber, juniper.
Undergrowth, sagebrush
Grass, fair.

East, on random line, bet secs. 15 and 22.

40.00 Set temp. 1/4 sec. cor.


79.98 Intersect cor. of secs. 14, 15, 22 and 23.

Thence

West, on true line, bet. secs. 15 and 22.

Over gently rolling land, thru scattering timber and undergrowth.

39.99 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 1/4 cor. of secs., with brass cap mkd.



1936

from which

A juniper, 18 ins. diam., brs. N.50 1/4°W., 93 lks. dist., mkd. 1/4 S 15 BT

A juniper, 20 ins. diam., brs. S.8 1/2°W., 210 lks. dist., mkd. 1/4 S 22 BT

chains

Continue over gently rolling land.

79.98

The cor. of secs. 15, 16, 21, and 22.

Land, rolling sand hills.
Soil, sandy, 3rd rate.
Timber, juniper,
Undergrowth, sagebrush and cacti.
Grass, fair.

N.0°02'W., bet. secs. 15 and 16.

Over gently rolling land, thru scattering timber and undergrowth.

Gradual desc. 112 ft. to

40.00

Set an iron post, 3 ft. long, 1 in. diam., 25 ins. in the ground, over a mkd. cross (+) on bed rock, and in a mound of stone to top, for 1/4 sec. cor., with brass cap mkd.

S 16 | S 15

1936

from which

A juniper, 12 ins. diam., brs. S.59 1/2°E., 165 lks. dist., mkd. 1/4 S 15 BT

A juniper, 8 ins. diam., brs. S.33 1/2°W., 72 lks. dist., mkd. 1/4 S 16 BT

Continue over gently rolling land.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 9, 10, 15 and 16, with brass cap mkd.

T41N R4E

S 9 | S 10

S 16 | S 15

1936

from which

A juniper, 8 ins. diam., brs. N.60°E., 287 lks. dist., mkd. T41N R4E S 10 BT

A juniper, 16 ins. diam., brs. S.22°W., 164 lks. dist., mkd. T41N R4E S 16 BT

A juniper, 18 ins. diam., brs. N.57 1/2°W., 256 lks. dist., mkd. T41N R4E S 9 BT

No other bearing tree within limits.

Land, rolling sand hills.
Soil, sandy, 3rd rate.
Timber, juniper.
Undergrowth, sagebrush and cacti.
Grass, fair.

East, on random line, bet. secs. 15 and 16.

chains	East, on random line, bet. secs. 10 and 15.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.14	Intersect N. and S. line, 12 lks. N. of cor. of secs. 10, 11, 14 and 15.
	Thence
	N. $89^{\circ}55'W.$, on true line, bet. secs. 10 and 15.
	Over gently rolling land, thru scattering timber and undergrowth.
40.07	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} S-10 \\ \frac{1}{4} \\ \hline S-15 \\ 1936 \end{array}$
	from which
	A juniper limb, 8 ins. diam., brs. N. $26\frac{1}{4}^{\circ}W.$, 103 lks. dist., mkd. $\frac{1}{4}$ S 10 BT
	A juniper limb, 8 ins. diam., brs. S, $46\frac{1}{2}^{\circ}E.$, 172 lks. dist., mkd. $\frac{1}{4}$ S 15 BT
	Gradual asc. 66 ft. to
80.14	The cor. of secs. 9, 10, 15 and 16.
	Land, rolling sand hills. Soil, sandy, 3rd rate. Timber, juniper, Undergrowth, sagebrush and cacti. Grass, fair.
	N. $0^{\circ}02'W.$, bet. secs. 9 and 10.
	Over gently rolling land, thru scattering timber and undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} \\ S-9 \mid S-10 \\ 1936 \end{array}$
	from which
	A juniper, 12 ins. diam., brs. N. $85\frac{3}{4}^{\circ}E.$, 97 lks. dist., mkd. $\frac{1}{4}$ S 10 BT
	A juniper, 24 ins. diam., brs. N. $37\frac{1}{2}^{\circ}W.$, 230 lks. dist., mkd. $\frac{1}{4}$ S 9 BT
	Gradual desc. 79 ft. to
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 3, 4, 9 and 10, with brass cap mkd.

Survey: Subdivision lines, T. 41 N., R. 4 E.

chains

T41N R4E

S 4	S 3
S 9	S 10

1936

from which

A juniper, 14 ins. diam., brs. N.86°E., 234 lks. dist., mkd. T41N R4E S 3 BT

A juniper, 5 ins. diam., brs. S.64 $\frac{3}{4}$ °E., 156 lks. dist., mkd. BT only

A juniper, 24 ins. diam., brs. S.55 $\frac{1}{2}$ °W., 411 lks. dist., mkd. T41N R4E S 9 BT

No bearing tree within limits.

Land, rolling sand hills.

Soil, sandy, 3rd rate.

Timber, juniper.

Undergrowth, sagebrush and cacti.

Grass, fair.

S.89°55'E., on random line, bet. secs. 3 and 10.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.12 Intersect N. and S. line, 9 lks. S. of cor. of secs. 2, 3, 10 and 11.

Thence

S.89°59'W., on true line, bet. secs. 3 and 10.

Over gently rolling land, thru scattering timber and undergrowth.

40.06 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 3
S 10

1936

from which

A juniper, 12 ins. diam., brs. N.10 $\frac{3}{4}$ °W., 52 lks. dist., mkd. $\frac{1}{4}$ S 3 BT

A juniper, 18 ins. diam., brs. S.29 $\frac{1}{2}$ °W., 58 lks. dist., mkd. $\frac{1}{4}$ S 10 BT

Continue over gently rolling land

80.12 The cor. of secs. 3, 4, 9 and 10.

Land, rolling sand hills.

Soil, sandy, 3rd rate.

Timber, juniper.

Undergrowth, sagebrush and cacti.

Grass, fair.

Survey: Subdivision lines, T. 41 N., R. 4 E.

chains

N.0°03'W., on random line, bet. secs. 3 and 4.

40.00

Set temp. 1/4 sec. cor.

79.84

Intersect N. bdy. of the Tp., 2 lks. W. of cor. of secs. 3,4,33 and 34, hereinbefore described.

Thence

S.0°02'E., on true line, bet. secs. 3 and 4.

Over gently rolling land, thru scattering timber and undergrowth.

39.84

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.

S 4 | S 3

1936

from which

A juniper, 10 ins. diam., brs. N.72 1/4°E., 123 lks. dist., mkd. 1/4 S 3 BT

A juniper, 8 ins. diam., brs. N.74 1/2°W., 139 lks. dist., mkd. 1/4 S 4 BT

Continue over gently rolling land.

79.84

The cor. of secs. 3,4,9 and 10.

Land, rolling sand hills.

Soil, sandy, 3rd rate.

Timber juniper.

Undergrowth, sagebrush and cacti.

Grass, fair.

From the standard cor. of secs. 32 and 33, on S. bdy. of the Tp., (10th Stan. Par. N.) which is an iron post, 2 ins. diam., projecting 12 ins. above the ground, firmly set, properly mkd. on brass cap and witnessed by 2 properly mkd. cedar trees, bearing as follows; N.48°W., 208 lks. dist.; N.12°E., 118 lks. dist.

Thence

N.0°03'W., bet. secs. 32 and 33.

Over rolling land, thru scattering timber and undergrowth.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.

S 32 | S 33

1936

from which

A juniper, 16 ins. diam., brs. S.39 1/4°E., 155 lks. dist., mkd. 1/4 S 33 BT

A pinyon, 14 ins. diam., brs. N.86 3/4°W., 302 lks. dist., mkd. 1/4 S 32 BT

chains

Continue over rolling land.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 17 ins. in the ground, to bed rock, and in a mound of stone to top, for cor. of secs. 28, 29, 32 and 33, with brass cap mkd.

T41N R4E
S 29 | S 28
S 32 | S 33

1936

from which

A juniper, 24 ins. diam., brs. S. 33 1/4° E., 286 lks. dist., mkd. T41N R4E S 33 BT

A pinyon, 16 ins. diam., brs. S. 78 1/2° W., 231 lks. dist., mkd. T41N R4E S 32 BT

A juniper, 12 ins. diam., brs. N. 55° W., 175 lks. dist., mkd. T41N R4E S 29 BT

No other bearing tree within limits.

Land, rolling sand hills and sandstone out croppings.

Soil, sandy, 3rd rate.

Timber, juniper and pinyon.

Undergrowth, sagebrush and cacti.

Grass, fair.

East, on random line, bet. secs. 28 and 33.

40.00 Set temp. 1/4 sec. cor.

79.92 Intersect N. and S. line, 9 lks. S. of the cor. of secs. 27, 28, 33 and 34.

Thence

S. 89° 56' W., on true line, bet. secs. 28 and 33.

Over rolling land, thru scattering timber and undergrowth.

39.96 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.

1/4 S 28

1/4 S 33

1936

from which

A juniper, 12 ins. diam., brs. N. 51 1/2° W., 217 lks. dist., mkd. 1/4 S 28 BT

A juniper, 10 ins. diam., brs. S. 31 1/4° W., 373 lks. dist., mkd. 1/4 S 33 BT

Continue over rolling land.

58.00 Sandstone ledge, 5 chs. wide, 20 ft. high, brs. N. and S.

79.92 The cor. of secs. 28, 29, 32 and 33.

Land, rolling sand hills and sandstone out croppings.

Soil, sandy, 3rd rate.

Timber, juniper and pinyon.

Undergrowth, sagebrush and cacti.

Grass, fair.

Survey: Subdivision lines, T.41 N., R. 4 E.

chains		
	N.0°03'W., bet. secs. 28 and 29	
	Over rolling land, thru scattering timber and undergrowth.	
10.00	Old road, brs. E. and W.	
13.80	E. edge of rocky point, 30 x 40 ft. base, 20 ft. high.	
15.00	Rocky ledge, brs. E. and W.	
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.	
	$\begin{array}{c} \frac{1}{4} \\ \hline S\ 29\ \ S\ 28 \end{array}$	
	1936	
	from which	
	A juniper, 24 ins. diam., brs. S.32 $\frac{1}{2}$ °E., 237 lks. dist., mkd. $\frac{1}{4}$ S 28 BT	
	A juniper, 18 ins. diam., brs. S.45 $\frac{1}{2}$ °W., 323 lks. dist., mkd. $\frac{1}{4}$ S 29 BT	
	Gradual asc. 68 ft. over rolling land to	
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 20, 21, 28 and 29, with brass cap mkd.	
	$\begin{array}{c} T41N\ R4E \\ \hline S\ 20\ \ S\ 21 \\ \hline S\ 29\ \ S\ 28 \end{array}$	
	1936	
	from which	
	A juniper, 14 ins. diam., brs. N.33 $\frac{3}{4}$ °E., 163 lks. dist., mkd. T41N R4E S 21 BT	
	A juniper, 5 ins. diam., brs. S.80 $\frac{1}{2}$ °E., 58 lks. dist., mkd. BT only.	
	A juniper, 16 ins. diam., brs. S.64 $\frac{1}{2}$ °W., 82 lks. dist., mkd. T41N R4E S 29 BT	
	A juniper, 12 ins. diam., brs. N.34°W., 191 lks. dist., mkd. T41N R4E S 20 BT	
	Land, rolling sand hills and sandstone out croppings.	
	Soil, sandy, 3rd and 4th rate.	
	Timber, juniper.	
	Undergrowth, sagebrush, and cacti.	
	Grass; fair.	

	N.89°56'E., on random line, bet. 21 and 28.	
40.00	Set temp. $\frac{1}{4}$ sec. cor.	
80.04	Intersect N. and S. line, 16 lks. N. of cor. of secs. 21, 22, 27 and 28.	
	Thence	


chains

N.89°57'W., on true line, bet. secs. 21 and 28.

Over rolling land, thru scattering timber and undergrowth.

Asc. 75 ft. to

40.02 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground, over a mkd. cross (+) on bed rock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.



1936

from which

A juniper, 12 ins. diam., brs. N.52 $\frac{1}{2}$ °W., 93 lks. dist., mkd. $\frac{1}{4}$ S 21 BT

No other bearing tree within limits.

Gradual asc. 167 ft. Over NE. slope to sec. cor.

41.70 Sandstone point, 30 x 50 ft. base, 18 ft. high, on line.

50.15 Sandstone ledge, brs. N. and S.

80.04 The cor. of secs. 20, 21, 28 and 29.

Land, rolling sand hills and sandstone out croppings.

Soil, 3rd rate, sandy.

Timber, juniper.

Undergrowth, sagebrush and cacti.


Grass, fair.

N.0°03'W., bet. secs. 20 and 21.

Over rolling land, thru scattering timber and undergrowth.

Gradual desc. 88 ft. to

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.



1936

from which

A juniper, 14 ins. diam., brs. N.82 $\frac{1}{2}$ °E., 245 lks. dist., mkd. $\frac{1}{4}$ S 21 BT

A juniper, 14 ins. diam., brs. S.30°W., 44 lks. dist., mkd. $\frac{1}{4}$ S 20 BT

Gradual desc. 177 ft. over NE. slope to

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 16, 17, 20 and 21, with brass cap mkd.

Survey: Subdivision lines; T. 41 N., R. 4 E.

chains

T41N R4E	
S 17	S 16
S 20	S 21

1936

from which

A juniper limb, 10 ins. diam., brs. N.94°E., 317 lks. dist., mkd. T41N R4E S 16 BT

A juniper, 12 ins. diam., brs. S.38°E., 272 lks. dist., mkd. T41N R4E S 21 BT

A juniper, 24 ins. diam., brs. S.76°W., 439 lks. dist., mkd. T41N R4E S 20 BT

A juniper, 16 ins. diam., brs. N.80½°W., 240 lks. dist., mkd. T41N R4E S 17 BT

Land rolling sand hills and sandstone out croppings.

Soil, sandy, 3rd rate.

Timber, juniper.

Undergrowth, sagebrush.

Grass, fair.

S.89°57'E., on random line, bet. secs. 16 and 21.

40.00 Set temp. ¼ sec. cor.

80.00 Intersect the cor. of secs. 15, 16, 21 and 22.

Thence

N.89°57'W., on true line, bet. secs. 16 and 21.

Over rolling land, thru scattering timber and undergrowth.

Desc. 53 ft. to

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for ¼ sec. cor., with brass cap mkd.

¼	S 16
¼	S 21

1936

from which

A juniper, 10 ins. diam. brs. N.75°E., 365 lks. dist., mkd. ¼ S 16 BT

A juniper, 10 ins. diam., brs. S.63°E., 421 lks. dist., mkd. ¼ S 21 BT

Gradual asc. 83 ft. to

80.00 The cor. of secs. 16, 17, 20 and 21.

Land, rolling sand hills.

Soil, sandy, 3rd rate.

Timber, juniper.

Undergrowth, sagebrush and cacti.

Grass, fair.

Survey: Subdivision lines, T. 41 N., R. 4 E.

chains

N.0°03'W., bet. secs. 16 and 17.

Over rolling land, thru scattering timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.

S 17 | S 16

1936

from which

A juniper, 18 ins. diam., brs. N.71°E., 154 lks. dist., mkd. 1/4 S 16 BT

A juniper, 12 ins. diam., brs. West, 27 lks. dist., mkd. 1/4 S 17 BT

Flat topped sandstone out cropping, 400 ft. base, 40 ft. high, brs. West, 13.00 chs. dist.

Gradual desc. 125 ft. over N. slope to sec. cor.

68.50 A large of sandstone pinnacles, brs. East, 12.00 chs. dist.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 8, 9, 16 and 17, with brass cap mkd.

T41N R4E

S 8 | S 9

S 17 | S 16

1936

from which

A juniper, 12 ins. diam., brs. N.10 3/4°E., 119 lks. dist., mkd. T41N R4E S 9 BT

A juniper, 7 ins. diam., brs. S.52°W., 277 lks. dist., mkd. BT only

No other trees within limits.

Land, rolling sand hills and sandstone out croppings.

Soil, sandy, 3rd rate.

Timber, juniper.

Undergrowth, sagebrush and cacti.

Grass, fair.

S.89°57'E., on random line, bet. secs. 9 and 16.

40.00 Set temp. 1/4 sec. cor.

79.90 Intersect N. and S. line, 2 lks. S. of cor. of secs. 9, 10, 15 and 16.

Thence

N.89°58'W., on true line, bet. sec. 9 and 16.

Over rolling land, thru scattering timber and undergrowth.

Asc. 78 ft. over gentle NE. slope.

20.00 Ridge; brs. NE. and SW.

25.00 Desc. gently over NW. slope to

Survey: Subdivision lines, T. 41 N., R. 4 E.

<p>chains</p> <p>79.90</p> <p>40.00</p> <p>80.00</p>	<p>1936</p> <p>from which</p> <p>A juniper, 10 ins. diam., brs. N.54°W., 140 lks. dist., mkd. $\frac{1}{4}$ S 9 BT</p> <p>A juniper, 24 ins. diam., brs. S.39$\frac{1}{2}$°E., 113 lks. dist., mkd. $\frac{1}{4}$ S 16 BT</p> <p>Gradual desc. 137 ft. over NW. slope to</p> <p>The cor. of secs. 8, 9, 16 and 17.</p> <p>Land, rolling sand hills and sandstone out croppings. Soil, sandy, 3rd rate. Timber, juniper. Undergrowth, sagebrush and cacti. Grass, fair.</p> <hr/> <p>N.0°03'W., bet. secs. 8 and 9.</p> <p>Over rolling land, thru scattering timber and undergrowth.</p> <p>Gradual desc. 105 ft. over N. slope to</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p> <p>$\frac{1}{4}$</p> <p>S 8 S 9</p> <p>1936</p> <p>from which</p> <p>A juniper, 6 ins. diam., brs. N.54$\frac{1}{4}$°E., 195 lks. dist., mkd. $\frac{1}{4}$ S 9 BT</p> <p>A juniper, 14 ins. diam., brs. N.81$\frac{3}{4}$°W., 149 lks. dist., mkd. $\frac{1}{4}$ S 8 BT</p> <p>Gradual desc. 144 ft. over N. slope to</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 4, 5, 8 and 9, with brass cap mkd.</p> <p>T41N R4E</p> <p>S 5 S 4</p> <p>S 8 S 9</p> <p>1936</p> <p>from which</p> <p>A juniper, 14 ins. diam., brs. N.27$\frac{3}{4}$°E., 116 lks. dist., mkd. T41N R4E S 4 BT</p> <p>A juniper, 10 ins. diam., brs. S.40$\frac{1}{2}$°W., 124 lks. dist., mkd. T41N R4E S 8 BT</p> <p>A juniper, 10 ins. diam., brs. N.32$\frac{3}{4}$°W., 59 lks. dist., mkd. T41N R4E S 5 BT</p> <p>No other trees within limits. Land, rolling sand hills and sandstone out croppings. Soil, sandy, 3rd rate. Timber, juniper. Undergrowth, sagebrush and cacti.</p>
--	---

Survey: Subdivision Lines; T. 41 N., R. 4 E.

45

chains	S.89°58'E., on random line, bet. secs. 4 and 9.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.92	Intersect N. and S. line, 2 lks. N. of cor. of secs. 3, 4, 9 and 10.
	Thence
	N.89°57'W., on true line, bet. secs. 4 and 9.
	Over rolling land, thru scattering timber and undergrowth.
	Gradual asc. 80 ft. to
39.96	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \begin{array}{l} S 4 \\ S 9 \end{array}$ 1936
	from which
	A juniper, 12 ins. diam., brs. N.64 $\frac{1}{2}$ °W., 233 lks. dist., mkd. $\frac{1}{4}$ S 4 BT
	A juniper, 20 ins. diam., brs. S.63 $\frac{1}{2}$ °W., 114 lks. dist., mkd. $\frac{1}{4}$ S 9 BT
	Continue over rolling land.
79.92	The cor. of secs. 4, 5, 8 and 9.
	Land, rolling sand hills and sandstone out croppings.
	Soil, sandy, 3rd rate.
	Timber, juniper.
	Undergrowth, sagebrush and cacti.
	Grass, fair.
	N.0°02'W., on random line, bet. secs. 4 and 5.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.79	Intersect N. bdy. of the Tp., 9 lks. E. of the cor. of secs. 4, 5, 32 and 33, hereinbefore described.
	Thence
	S.10°06'E., on true line, bet. secs. 4 and 5.
	Over rolling land, thru scattering timber and undergrowth.
	Gradual asc. 109 ft. over N. slope to $\frac{1}{4}$ sec. cor.
21.80	Center of group of 3 sandstone pinnacles, each with 40 ft. base, 20 ft. high.
30.20	Sandstone pinnacle, 65 ft. base, 30 ft. high.
39.79	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

chains

arife do

S. 5 | S 4

1936 from which

A juniper, 16 ins. diam., brs. N.85°E., 115 lks. dist., mkd. 1/4 S 4 BT

A juniper, 22 ins. diam., brs. N.76 1/2°W., 215 lks. dist., mkd. 1/4 S 5 BT

Asc. 100 ft. over gentle N. slope to

79.79 The cor. of secs. 4, 5, 8 and 9, ... Land, rolling sand hills and sandstone out croppings. Soil, sandy, 3rd and 4th rate. Timber, juniper. Undergrowth, sagebrush and cacti. Grass, fair.

From the standard cor. of secs. 31 and 32, on S. bdy. of the Tp., (10th Stan. Par. N.) which is an iron post, 2 ins. diam., projecting 12 ins. above the ground, firmly set, properly mkd. on brass cap and witnessed by 2 properly mkd. cedar trees, bearing as follows; N.36°W., 24 lks. dist.; N.18°E., 17 1/2 lks. dist.

Thence

N.0°03'W., bet. secs. 31 and 32. Over rolling land, thru scattering timber and undergrowth. Gradual desc. 66 ft. over N. slope to

40.00 Set an iron post, 3 ft. long, 1 in. diam., over a mkd. cross (+) on exposed bed-rock, and in a mound of stone to top, for cor. with brass cap mkd.

S 31 | S 32 1936 from which

A pinyon, 12 ins. diam., brs. N.85 3/4°E., 27 lks. dist., mkd. 1/4 S 32 BT

A pinyon, 12 ins. diam., brs. S.83 1/4°W., 82 lks. dist., mkd. 1/4 S 31 BT

Desc. 63 ft. over NE. slope to sec. core

71.07 Old road, brs. E. and W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, with brass cap mkd.

Survey: Subdivision lines, T. 41 N., R. 4 E.

47

chains

T41N R4E

S 30 | S 29

S 31 | S 32

from which

A juniper, 6 ins. diam., brs. N.50 $\frac{1}{2}$ °E., 290 lks. dist.,
mkd. T41N R4E S 29 BT

A juniper, 16 ins. diam., brs. S.3 $\frac{1}{4}$ °E., 207 lks. dist.,
mkd. T41N R4E S 32 BT

No other suitable bearing trees within limits.

Land, rolling sand hills and sandstone out croppings.

Soil, sandy, 3rd rate.

Timber, juniper and pinyon.

Undergrowth, sagebrush, sarvice-berry and cacti.

Grass, fair.

East, on random line bet. secs. 29 and 32.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.02 Intersect N. and S. line, 14 lks. S. of the cor. of secs.
28, 29, 32 and 33.

Thence

S.89°54'W., on true line bet. secs. 29 and 32.

Over rolling land, thru scattering timber and undergrowth.

40.01 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ $\frac{S 29}{S 32}$

1936

from which

A juniper, 12 ins. diam., brs. N.49°E., 358 lks. dist.,
mkd. $\frac{1}{4}$ S 29 BT

A juniper, 12 ins. diam., brs. S.66 $\frac{3}{4}$ °E., 236 lks. dist.,
mkd. $\frac{1}{4}$ S 32 BT

Continue over rolling land.

80.02 The cor. of secs. 29, 30, 31 and 32.

Land, rolling sand hills and sandstone out croppings.

Soil, sandy, 3rd rate.

Timber, juniper and pinyon.

Undergrowth, sagebrush and cacti.

Grass, fair.

West, on random line bet. secs. 30 and 31.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.81 Intersect W. bdy. of the Tp. 2 lks. N. of the cor. of secs.
25, 30, 31 and 36, hereinbefore described.

Thence

<p>chains</p> <p>39.81</p>	<p>N.89°59'E., on true line bet. secs. 30 and 31.</p> <p>Over gently rolling land, thru scattering timber and undergrowth.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p> <p style="text-align: center;"> $\begin{array}{r} S\ 30 \\ \hline S\ 31 \end{array}$ </p> <p style="text-align: center;">1936</p> <p style="text-align: right;">from which</p> <p>A juniper, 12 ins. diam., brs. N.37$\frac{1}{2}$°W., 45 lks. dist., mkd. $\frac{1}{4}$ S 30 BT</p> <p>A juniper, 14 ins. diam., brs. S.53$\frac{1}{2}$°E., 111 lks. dist., mkd. $\frac{1}{4}$ S 31 BT</p>
<p>76.20</p> <p>79.81</p>	<p>Continue over gently rolling land.</p> <p>Road N.70°E. and S.70°W.</p> <p>The cor. of secs. 29,30,31 and 32.</p> <p>Land, rolling sand hills and sandstone out croppings. Soil, sandy, 3rd rate.</p> <p>Timber, juniper and pinyon.</p> <p>Undergrowth, sagebrush and cacti.</p> <p>Grass, fair.</p>
<p>1.30</p> <p>40.00</p>	<p>N.0°03'W., bet. secs. 29 and 30.</p> <p>Over rolling land, thru scattering timber and undergrowth.</p> <p>Old road, brs. N.65°E. and S.65°W.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, over a mkd. cross (+) on bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p> <p style="text-align: center;"> $\begin{array}{r} \frac{1}{4} \\ S\ 30\ \ S\ 29 \end{array}$ </p> <p style="text-align: center;">1936</p> <p style="text-align: right;">from which</p> <p>A juniper, 10 ins. diam., brs. S.4$\frac{3}{4}$°E., 110 lks. dist., mkd. $\frac{1}{4}$ S 29 BT</p> <p>A juniper, 28 ins. diam., brs. S.57$\frac{1}{2}$°W., 54 lks. dist., mkd. $\frac{1}{4}$ S 30 BT</p> <p>Continue over rolling land.</p> <p>80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 19,20,29 and 30, with brass cap mkd.</p>
	<p style="text-align: center;"> $\begin{array}{r} T41N\ R4E \\ S\ 19\ \ S\ 20 \\ \hline S\ 30\ \ S\ 29 \end{array}$ </p> <p style="text-align: center;">1936</p> <p style="text-align: right;">from which</p>

Survey: Subdivision lines, T. 41 N., R. 4 E.

chains

recon A juniper, 8 ins. diam., brs. N. 93° E., 232 lks. dist.,
mkd. T41N R4E S 20 BT

A juniper, 8 ins. diam., brs. N. 75 1/4° W., 102 lks. dist.,
mkd. T41N R4E S 19 BT

No other suitable bearing trees within limits.

Land, rolling sand hills and sandstone out croppings.

Soil, 3rd rate, sandy.

Timber, juniper.

Undergrowth, sagebrush and cacti.

Grass, fair.

N. 89° 54' E., on random line bet. secs. 20 and 29.

40.00 Set temp. 1/4 sec. cor.

79.92 Intersect N. and S. line, 21 lks. N. of cor. of secs.
20, 21, 28 and 29.

Thence

N. 89° 57' W., on true line bet. secs. 20 and 29.

Over rolling land, thru scattering timber and undergrowth.

Gradual asc. 74 ft. to

39.96 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the
ground, to bedrock, and in a mound of stone to top, for
1/4 sec. cor., with brass cap mkd.

1/4 S. 20
S 29

1936

from which

A juniper, .12 ins. diam., brs. N. 16 1/2° W., 129 lks. dist.,
mkd. 1/4 S 20 BT

A juniper, 10 ins. diam., brs. S. 57 1/2° E., 71 lks. dist.,
mkd. 1/4 S 29 BT

Gradual desc. 174 ft. to

79.92 The cor. of secs. 19, 20, 29 and 30.

Land, rolling sand hills and sandstone out croppings.

Soil, sandy, 3rd rate.

Timber, juniper.

Undergrowth and cacti.

Grass, fair.

S. 89° 59' W., on random line bet. secs. 19 and 30.

40.00 Set temp. 1/4 sec. cor.

79.98 Intersect W. bdy. of the Tp., 2 lks. S. of the cor. of
19, 24, 25 and 30, hereinbefore described.

Thence

East, on true line bet. secs. 19 and 30.

chains	Over mountainous land, thru scattering timber and undergrowth.
	Asc. 192 ft. over W. slope.
21.60	Ridge, brs. N. and S., desc. 7 ft. over E. slope to
35.90	Top of sandstone ledge, 50 ft. high, brs. N. and S., desc. 100 ft. over E. slope to
39.98	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	S 19
	+-----+ S 30
	1936
	of stone, 3 ft. base, 2 ft. high, N. of cor. raise a mound
	No suitable bearing trees within limits.
	Leave mountainous, enter rolling land, brs. N. and S., desc. 74 ft. over E. slope to
79.98	The cor. of secs. 19, 20, 29 and 30.
	Land, mountainous and rolling.
	Soil, sandy and rocky, 3rd and 4th rate.
	Timber, juniper.
	Undergrowth, sagebrush and cacti.
	Grass, fair.
	N.0°03'W., bet. secs. 19 and 20.
	Over rolling land, thru scattering timber and undergrowth.
	Gradual desc. 71 ft. to
40.00	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, to bedrock, deposit a sandstone rock, 4 x 4 x 3 ins. mkd. with a cross (+) at of post, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 19 S 20
	1936
	No suitable bearing trees within limits.
	Gradual asc. 113 ft. to
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 17, 18, 19 and 20, with brass cap mkd.
	T41N R4E S 18 S 17
	S 19 S 20
	1936
	from which
	A juniper, 26 ins. diam., brs. N.42°E., 29 lks. dist., mkd. T41N R4E S 17 BT

chains

A juniper, 20 ins. diam., brs. S.46 $\frac{3}{4}$ °E., 256 lks. dist., mkd. T41N R4E S 20 BT

A pinyon limb, 10 ins. diam., brs. S.86 $\frac{3}{4}$ °W., 103 lks. dist., mkd. T41N R4E S 19 BT

No suitable bearing tree within limits.

Land, rolling sand hills and sandstone out croppings.
Soil, sandy, 3rd rate.
Timber, juniper and pinyon.
Undergrowth, sagebrush and cacti.
Grass, fair.

S.89°57'E., on random line bet. secs. 17 and 20.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.14 Intersect N. and S. line, 14 lks. S. of the cor. of secs. 16, 17, 20 and 21.

Thence

S.89°57'W., on true line bet. secs. 17 and 20.

Over gently rolling land, thru scattering timber and undergrowth.

40.07 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\frac{1}{4} \frac{S. 17}{S. 20}$$

1936

from which

A juniper, 7 ins. diam., brs. N.30°E., 221 lks. dist., mkd. $\frac{1}{4}$ S 17 BT

A juniper, 8 ins. diam., brs. S.60 $\frac{3}{4}$ °W., 154 lks. dist., mkd. $\frac{1}{4}$ S 20 BT

Asc. 180 ft. over rolling NE. slope to

80.14 The cor. of secs. 17, 18, 19 and 20.

Land, rolling sand hills and sandstone out croppings.
Soil, 3rd rate, sandy.
Timber, juniper and pinyon.
Undergrowth, sagebrush and cacti.
Grass, fair.

West, on random line bet. secs. 18 and 19.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.88 Intersect W. bdy. of the Tp. 10 lks. S. of cor. of secs. 13, 18, 19 and 24, hereinbefore described.

Thence

S.89°56'E., on true line bet. secs. 18 and 19.

Over mountainous land, thru scattering timber and undergrowth.

chains	Over mountainous land, thru scattering timber and undergrowth.
	Asc. 356 ft. along steep N. slope.
10.90	Spur, slopes NW., continue asc. 100 ft. over steep, broken, W. slope.
26.00	Rocky ridge, brs. N. and S., desc. 59 ft. over E. slope.
39.88	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \begin{array}{l} S 18 \\ \hline S 19 \end{array}$
	1936
	from which
	A juniper, 12 ins. diam., brs. N. $58\frac{1}{2}^{\circ}$ E., 126 lks. dist., mkd. $\frac{1}{4}$ S 18 BT
	A juniper, 7 ins. diam., brs. S. $45\frac{1}{2}^{\circ}$ W., 203 lks. dist., mkd. $\frac{1}{4}$ S 19 BT
	Leave mountainous, enter rolling land, brs. N. and S., desc. 170 ft. over SE. slope.
79.88	The cor. of secs. 17, 18, 19 and 20.
	Land, mountainous and rolling sand hills. Soil, sandy and rocky, 3rd and 4th rate. Timber, juniper and pinyon. Undergrowth, sagebrush. Grass, fair.

	N. $0^{\circ}03'$ W., bet. secs. 17 and 18.
	Over rolling land, thru scattering timber and undergrowth.
	Asc. 64 ft. over SE. slope.
13.00	Top of asc., desc. 34 ft. along E. slope.
19.20	Spur, slopes NE., desc. 284 ft. over NW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., over a mkd. cross (+) on exposed bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. with brass cap mkd.
	$S 18 \quad S 17$
	1936
	from which
	A juniper, 14 ins. diam., brs. S. $27\frac{3}{4}^{\circ}$ E., 71 lks. dist., mkd. $\frac{1}{4}$ S 17 BT
	No other suitable bearing tree within limits.
	Desc. 347 ft. over N. slope.
65.40	Wash, 20 lks. wide, course N. 25° E., continue desc. 8 ft. over rolling land.

chains

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 7, 8, 17 and 18, with brass cap mkd.

T41N R4E
S 7 | S 8
S 18 | S 17

1936

from which

A juniper, 20 ins. diam., brs. N. 34° W., 253 lks. dist., mkd. T41N R4E S 7 BT

Raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.

No other bearing trees within limits.

Land, rolling sand hills and sandstone outcroppings.

Soil, sandy and rocky, 3rd and 4th rate.

Timber, juniper.

Undergrowth, sagebrush and cacti.

Grass, fair.

N. 89° 57' E., on random line bet. secs. 8 and 17.

40.00 Set temp. ¼ sec. cor.

80.02 Intersect N. and S. line, 7 lks. N. of cor. of secs. 8, 9, 16 and 17.

Thence

West, on true line bet. secs. 8 and 17.

Over rolling land, thru scattering timber and undergrowth.

Asc. 154 ft. over gentle NE. slope.

29.00 Base of steep asc., brs. N. and S., asc. 81 ft. over E. slope of sandstone ledge.

32.45 Top of sandstone ledge, on spur, slopes N., desc. 60 ft. over NW. slope to

40.01 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for ¼ sec. cor., with brass cap mkd.

¼ S 8
S 17

1936

raise a mound

of stone, 3 ft. base, 2 ft. high, N. of cor.

No bearing trees available.

Desc. 118 ft. over NW. slope.

51.44 Small seep spring, brs. N., 130 lks. dist.

56.50 Bottom of desc., brs. N. and S., asc. 43 ft. along N. slope.

62.70 Top of asc. and W. edge of sandstone bluff, brs. N. and S., desc. 506 ft. over steep W. slope to

80.02 The cor. of secs. 7, 8, 17 and 18.

Land, rolling sand hills and sandstone outcroppings.

Soil, sandy and rocky, 3rd and 4th rate.

Timber, juniper.

Undergrowth, sagebrush and cacti.

Grass, fair.

chains	N.89°56'W., on random line bet. secs. 7 and 18.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.62	Intersect W. bdy. of the Tp. 12 lks. N. of cor. of secs. 7, 12, 13 and 18, hereinbefore described.
	Thence
	N.89°59'E., on true line bet. secs. 7 and 18.
	Over mountainous land, thru scattering timber and undergrowth.
	Asc. 124. ft. along broken N. slope.
21.00	Bottom of steep asc. brs. N. and S., asc. 607 ft. over steep W. slope.
32.60	Top of sharp, rocky ridge, brs. N. and S., desc. 146 ft. over steep E. slope to
39.22	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for witness cor. to $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{S\ 7}{S\ 18.}\ WC$
	1936
	raise a mound
	of stone, $3\frac{1}{2}$ ft. base, 2 ft. high, N. of cor.
39.62	True point for $\frac{1}{4}$ sec. cor. falls on precipitous slope where it is impracticable to monument the cor., therefore establish witness cor. at 40 lks. S.89°59'W., as hereinbefore described.
	Desc. 271 ft. over steep broken E. slope.
50.00	Bottom of steep desc., leave mountainous, enter rolling land, brs. N. and S., desc. 156 ft. over gentle E. slope.
76.70	Wash, 20 lks. wide, course NE., asc. 48 ft. over rolling land to
79.62	The cor. of secs. 7, 8, 17 and 18.
	Land, mountainous and rolling.
	Soil, sandy and rocky, 3rd and 4th rate.
	Timber, juniper.
	Undergrowth, sagebrush and cacti.
	Grass, fair.

	N.0°03'W., bet. secs. 7 and 8.
	Over rolling land, thru scattering timber and undergrowth.
	Desc. 10 ft. over NW. slope.
2.20	Wash, 20 lks. wide, course NE., asc. 58 ft. over rolling land to $\frac{1}{4}$ sec. cor.
28.30	Sandstone out-cropping, 150 ft. base, 30 ft. high.
36.58	Offset point, south face of sandstone pinnacle, 200 ft. base, 80 ft. high; discontinue chaining on sec. line

Survey: Subdivision lines, T. 41 N., R. 4 E.


chains

at this point, owing to sandstone pinnacle, and offset as follows;

East, 1.00 chs. thence
 N.0°03'W., 1.63 chs. thence
 West, 1.00 chs. return to sec. line.

38.21 Offset point, north face of same sandstone pinnacle, resume chaining on sec. line, continuing measurement from sec. cor., continue over rolling land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground, over a mkd. cross (+) on bedrock, and in a mound of stone to top, for 1/4 sec. cor., with brass cap mkd.




1936

A bearing rock, brs. S.65°W., 35 lks. dist., from which mkd. 1/4 S.7 B.O. +.

No other accessory available.

Gradual desc. 186 ft. to

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, with brass cap mkd.



1936

raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

No bearing trees available.

Land, rolling sand hills and sandstone outcroppings. Soil, sandy and rocky; 3rd and 4th rate. Timber, juniper. Undergrowth, sagebrush and cacti. Grass, fair.

East, on random line bet: secs: 5 and 8.

40.00 Set temp. 1/4 sec. cor.

80.00 Intersect N. and S. line, 5 lks. S. of cor. of secs. 4, 5, 8 and 9.


Thence

S.89°58'W., on true line bet. secs. 5 and 8.

Over rolling land, thru scattering timber and undergrowth.

Asc. 33 ft. to 1/4 sec. cor.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.



1936

from which

Survey: Subdivision lines, T. 41 N., R. 4 E.

chains	<p>A juniper, 16 ins. diam., brs. S. 45$\frac{3}{4}$° W., 146 lks. dist., mkd. $\frac{1}{4}$ S 8 BT</p>
	<p>No other bearing tree within limits.</p>
	<p>Gradual asc. 103 ft. to sec. corner.</p>
54.00	<p>Old abandoned fence, brs. N. and S.</p>
80.00	<p>The cor. of secs. 5, 6, 7 and 8.</p>
	<p>Land, rolling sand hills and sandstone outcroppings. Soil, sandy, 3rd rate. Timber, juniper. Undergrowth, sagebrush and cacti. Grass, fair.</p>
	<p>----- S. 89° 59' W., on random line bet. secs. 6 and 7.</p>
40.00	<p>Set temp. $\frac{1}{4}$ sec. cor.</p>
79.78	<p>Intersect W. bdy. of the Tp. + 2 lks. S. of cor. of secs. 1, 6, 7 and 12, hereinbefore described.</p>
	<p>Thence</p>
	<p>East, on true line bet. secs. 6 and 7.</p>
	<p>Over mountainous land, thru scattering timber and undergrowth.</p>
	<p>Asc. 287 ft. over steep SW. slope.</p>
8.40	<p>Low spur, 2 chs. wide, slopes S. (4 chs. to toe),</p>
8.80	<p>Pocket, bet. ridge and spur, 75 ft. deep, asc. 118 ft. over steep W. slope.</p>
13.80	<p>Ridge, brs. N. and S., desc. 616 ft. over steep, E. slope</p>
39.78	<p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p>
	<p>$\frac{1}{4} \frac{S 6}{S 7}$</p>
	<p>1936</p>
	<p>----- of stone, 3 ft. base, 2 ft. high, N. of cor. raise a mound</p>
	<p>No bearing trees within limits.</p>
	<p>Desc. 171 ft. over E. slope to</p>
48.00	<p>Leave mountainous, enter rolling land, brs. N. and S., gradual desc. 100 ft. over E. slope to</p>
79.78	<p>The cor. of secs. 5, 6, 7 and 8.</p>
	<p>Land, mountainous and rolling. Soil, sandy and rocky, 3rd and 4th rate. Timber, juniper. Undergrowth, sagebrush. Grass, fair.</p>
	<p>-----</p>

chains

N.0°06'W., on random line bet. secs. 5 and 6.

40.00 Set temp. $\frac{1}{4}$ sec. cor.79.83 Intersect N. ^{bdy.} of the Tp. 9 lks. W. of cor. of secs. 5, 6, 31 and 32, hereinbefore described.

Thence

S.0°02'E., on true line bet. secs. 5 and 6.

Over rolling land, thru scattering timber and undergrowth.

18.70 Asc. 276 ft. to $\frac{1}{4}$ sec. cor.

18.70 Sandstone pinnacle, 80 ft. base, 45 ft. high, on line.

39.83 Set an iron post, 3 ft. long, 1 in. diam. 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ \hline S\ 6\ | \ S\ 5 \\ 1936 \end{array}$$

from which

N. face of rock outcrop brs., S.81°W., 151 lks. dist., mkd. X B0

Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

No other accessory available.

Continue over rolling land

39.95 Offset point, discontinued chaining on sec. line at this point, owing to sandstone outcropping and offset as follows;

West,	1.50 chs. thence
S.0°02'E.,	4.86 chs. thence
East,	1.50 chs. return to sec. line

44.81 Offset point, south face of same sandstone outcropping, resume chaining on sec. line, continuing measurement from sec. cor.

Gentle descent to

62.10 Wash, 20 lks. wide, course N.70°E., over rolling to

79.83 The cor. of secs. 5, 6, 7 and 8.

Land, rolling sand hills and sandstone outcroppings

Soil, sandy, 3rd and 4th rate.

Timber, juniper.

Undergrowth, sagebrush.

Grass, fair.

FINAL TESTS OF INSTRUMENTS.

For final test of transit No. 8541, see field notes of T. 40 N., R. 3 E., surveyed under this group.

Nov. 1, 1936; At camp in sec. 28, T. 41 N., R. 4 E. at 9h 0m a.m. app. t., set off 36° 55' N. on the lat. arc of transit No. 8570, 14° 29½' S. on the decl. arc, and orient the instrument with the solar; the line of sight agrees

with the meridian determined by Polaris observation.

At 3h 0m p.m. app. t., with the lat. arc unchanged, set off $14^{\circ} 34\frac{1}{2}'$ S. on the decl. arc, and repeat the test of the instrument; the line of sight agrees with the meridian determined by Polaris observation.

Dec. 13, 1936; At camp in sec. 28, set off $36^{\circ} 55'$ N., on the lat. arc of transit No. 8540, $23^{\circ} 7\frac{3}{4}'$ S. on the decl. arc; and orient the instrument with the solar; the line of sight agrees with the meridian determined by Polaris observation.

At 3h 0m p.m. app. t. with the lat. arc unchanged, set off $23^{\circ} 8\frac{3}{4}'$ S. on the decl. arc and repeat the test of the instrument; the line of sight agrees with the meridian determined by Polaris observation.

GENERAL DESCRIPTION

The features of this Tp. are rolling sand hills and mountainous land.

All of the Tp. with exception of the extreme west portion of secs. 7, 18 and 19 lies on top of the Paria Plateau. The west portion of secs. 7, 18 and 19 has a westerly drainage into Coyote Wash, which drains into the Paria River. The south one-half of the Tp. has no definite drainage as all the water that falls on the ground, either rain or snow, is absorbed by the soil. The north one-half has a general northerly drainage into the Paria River, which flows south-easterly and empties into the Colorado River at Lee's Ferry.

The soil is very sandy and the land is broken by out-cropping sandstone ledges, rocks and pinnacles.

The Tp. has a general elevation of 6000 ft. above sea level.

Coyote Mt. lies in the extreme SW. cor. of sec. 6 and has an approx. elevation of 7000 ft.

White Pocket rock is noted on the E. Bdy. of sec. 13.

There is a scattering growth of juniper timber and a very few pinyon trees, a heavy growth of sage and other native brush covering all of the Tp.

There is no running water in the Tp. A spring of fresh water is noted and tied into the $\frac{1}{4}$ cor. between secs. 1 and 6. A small seep spring is noted near the S. Bdy. of Sec. 8, which would require considerable development to make the spring valuable for water supply.

There are no settler's or ranch improvements noted within the Tp., except for an abandoned fence across the line between secs. 5 and 8.

One road traverses across the S. half of the Tp. The road has NE. and SW. bearing, is not a main road between settlements and is used only by stockmen.

The nearest Post Office in Arizona is Jacob's Lake, 18 miles in south-westerly direction from the Tp.

There are no indications of valuable mineral deposits noted within the Tp.

4-680
(Revised May 1934)

FIELD ASSISTANTS

NAMES	CAPACITY
Donald Gifford	Principal Assistant
Dawson Cooley	"
William P. Carver	"
James M. Hughes	Chairman
Edmond R. Brenizer	"
Francis S. Gebby	"
Robert Holt	Flagman
Arthur Munger	"
Mather Willis	"
James D. King	Cornerman
Loral Leavitt	Arman and cornerman
Fred Reed	" " "

CERTIFICATE OF UNITED STATES SURVEYOR

We, Daniel M. Wier, James C. Norman and Albert Greene, U.S. Transitmen, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 30th day of July, 1936, received from the district cadastral engineer for Arizona, with assignment instructions dated August 12, August 21 and September 1, 1936 we have surveyed the North and West boundaries and the subdivisional lines of Township 41 North, Range 4 East,

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by Benjamin J. Kinsey, U.S. Surveyor; and under my direction, and that said survey has been made in strict conformity with said instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing field notes.

Phoenix-Arizona, May 17, 1937.
Phoenix-Ariz., May 17, 1937.
Phoenix, Ariz., May 17, 1937

Daniel M. Wier U.S. Transitman
James C. Norman U.S. Transitman
Albert Greene U.S. Transitman

CERTIFICATE OF APPROVAL

OFFICE OF U.S. SUPERVISOR OF SURVEYS,

Denver, Colorado, June 21, 1937.

The foregoing field notes of the survey of the North and West boundaries and the subdivisional lines of Township 41 North, Range 4 East, of the Gila and Salt River Meridian, in the State of Arizona,

executed by Daniel M. Wier, James C. Norman and Albert Greene, U.S. Transitmen, under special instructions dated July 30, 1936, and assignment instructions dated August 12, August 21 and September 1, 1936, having been critically examined, and the necessary corrections made prior to their certification by the engineer, the said field notes, and the survey therein described, are hereby approved.

Signature of U.S. Supervisor of Surveys

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of the field notes of the above described surveys in is a true copy of the original field notes on file in the public survey office.

U.S. Supervisor of Surveys