

4-879
(April 1933)

BOOK 4142

Book C.

FIELD NOTES

of the

survey of the East boundary; survey and resurvey of the West bound-
ary; and survey of the subdivisional lines of Township 17 North,
Range 6 West.

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Roger F. Wilson Surveyor

and

F. Wayne Forrest Public Land Surveyor

General Land Office,

Under special instructions dated July 19, 1937, which provided
for the surveys included under Group No. 220, bearing the approval of the
Commissioner of the General Land Office under date of July 30, 1937,
and assignment instructions dated July 26, 1937.

Survey commenced August 10, 1937.

Survey completed September 25, 1937.

4142

4142

BOOK 4142 BOOK 4142

INDEX DIAGRAM.

		Township 17 N.			Range 6 W.				
15	cc 84	cc 84	cc 67	54	41	28	7		
	8	82 5	65 4	52 3	39 2	27 1			
	81	81	64	51	39	26			
14	7	79 8	63 9	50 10	37 11	25 12	6		
	78	77	62	50	36	24			
13	13	76 17	61 16	48 15	35 14	23 13	5		
	76	75	60	48	34	22			
12	19	74 20	59 21	46 22	33 23	21 24	4		
	73	72	58	46	32	20			
11	30	71 29	57 28	44 27	31 26	19 25	2		
	70	69	56	43	30	18			
9	31	67 32	55 33	42 34	29 35	17 36	1		

Chains

Test of Instrument.

This survey was executed with Buff solar transits Nos. 23,829 and 18,002, models of 1935 and 1926 respectively. Each instrument is equipped with a full vertical circle and a Smith solar attachment, and they were approved by the District Cadastral Engineer, on July 26, 1937, conditional upon satisfactory field tests. All of the instrumental adjustments were examined before the field tests, hereinafter described, were made.

The directions of the lines were determined by the solar transit method. The measurements were made with Lallie steel tapes, 5 chs. in length, graduated every link for the first 100 lks., and the balance at intervals of 10 lks. The tapes were tested by comparison with a Lufkin Standard and found correct. The measurements were made on the slope, and the vertical angle of each interval was ascertained by clinometers in good adjustment; the horizontal equivalents are entered in the field note record.

The data given with the special instructions gives the geographic position for the NE. cor. of T. 17 N., R. 6 W., as follows: latitude $34^{\circ} 53\frac{1}{2}' N.$, longitude $112^{\circ} 50' 22'' W.$

The solar attachments were tested at the beginning of the survey on a meridian established by an hour angle observation of Polaris. The data for the establishment of this meridian is given in the field notes of the fourth standard parallel north, thru ranges 5 and 6 W., resurveyed under this group.

August 10, 1937: Every 30 min. during the usual hours of solar work, the proper settings were made on the arcs of the solar attachments. The resulting orientation of the instruments, when compared with the meridian established by Polaris observation had a maximum error of less than $1' 30''$.

The tests of the solars were repeated at frequent intervals, and the transits maintained in good adjustment throughout the survey.

East Boundary of T. 17 N., R. 6 W.

Beginning at the standard corner of Tps. 17 N., Rs. 5 and 6 W., described in the field notes of the fourth standard parallel north thru ranges 5 and 6 W., resurveyed under this group.

North, bet. secs. 31 and 36.

Asc. 310 ft. over a broken SE. slope, thru scattering timber and undergrowth.

18.90 Long spur, slopes E.; desc. 24 ft. over a NE. slope.

23.35 Rocky wash, 10 ft. wide, course SE.; asc. 145 ft. over a broken S. slope.

East Boundary of T. 17 N., R. 6 W.

Chains

- 39.45 End of marked ascent; over rolling land.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 36 \text{ | S } 31 \\ 1937 \end{array}$$

raise a mound

of stone, 3 ft. base, 2 ft. high, W. of cor.

Asc. 70 ft. over rolling land.

- 60.45 Divide bet. Pine Creek and Pole Creek Wash, bears E. and SW.; desc. 280 ft. over a NW. slope.
- 78.30 Toe of spur, slopes NE.; desc. 34 ft. over a NE. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 25, 30, 31 and 36, with brass cap mkd.

$$\begin{array}{c} \text{T17N} \\ \text{R6W } \text{R5W} \\ \text{S25 | S30} \\ \hline \text{S36 | S31} \\ 1937 \end{array}$$

from which

A juniper fork, 8 ins. diam., bears S. $8\frac{3}{4}^{\circ}$ E., 15 lks. dist., mkd. T 17 N R 5 W S 31 B T.

A juniper fork, 12 ins. diam., bears N. $50\frac{1}{4}^{\circ}$ W., 88 lks. dist., mkd. T 17 N R 6 W S 25 B T.

Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, rolling and rough mountainous.
Soil, sandy loam and rocky, 3d rate.
Timber, scattering pinon, juniper and oak; undergrowth, scrub oak and manzanita.

North, bet. secs. 25 and 30.

Desc. 6 ft. over a NE. slope, thru scattering timber and undergrowth.

- 1.10 Wash, 6 ft. wide, course NW.; asc. 13 ft. over a SW. slope.
- 1.50 Toe of spur, slopes W.; desc. 7 ft. over a NW. slope.
- 4.30 Wash, 8 ft. wide, course W.; asc. 70 ft. over a SW. slope.
- 7.95 A small spring of good water in a wash, bears W., 9.50 chs. dist.
- 10.00 Spur, slopes W.; desc. 180 ft. over a N. slope.

East. Boundary of T. 17 N., R. 6 W.

4142


Chains

15.50 Wash, 15 ft. wide, course NW.; asc. 60 ft. over a SW. slope.

18.75 Spur, slopes NW.; desc. 230 ft. over a N. slope.

37.10 Wash, 15 ft. wide, course N. 20° E.; desc. 8 ft. over rolling land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for ¼ sec. cor., with brass cap mkd.



from which

A yellow pine, 36 ins. diam., bears S. 64° E., 140 lks. dist., mkd. ¼ S 30 B T.

A juniper, 16 ins. diam., bears N. 1¼° W., 154 lks. dist., mkd. ¼ S 25 B T.

Asc. 17 ft. over a SE. slope.

43.50 Toe of spur, slopes E.; desc. 27 ft. over a NE. slope.

46.15 Wash, 15 ft. wide, course NW.; asc. 7 ft. over a SW. slope.

47.30 Toe of small spur, slopes W.; desc. 26 ft. over a NW. slope.

48.80 Wash, 8 ft. wide, course NE.; asc. 90 ft. over a SE. slope.

52.20 Toe of rocky spur, slopes E.; desc. 135 ft. over a NE. slope.


58.20 Wash, 10 ft. wide, course NW.; continue descent.

66.35 Pine Creek, 1 ch. wide, course E.; water emerges from sandy bottom at occasional intervals; asc. 280 ft. over a S. slope.

70.10 A four strand barb wire fence, bears N. 60° E. and S. 60° W.

77.80 Slope changes to SW.; continue descent.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground to bedrock, and in a mound of stone, 5 ft. base, 2½ ft. high, for cor. of secs. 19, 24, 25 and 30, with brass cap mkd.



from which

East Boundary of T. 17 N., R. 6 W.

Chains

A juniper fork, 10 ins. diam., bears S. $5\frac{1}{2}^{\circ}$ E., 116 lks. dist., mkd. T 17 N R 5 W S 30 B T.

A juniper, 4 ins. diam., bears S. $46\frac{1}{4}^{\circ}$ W., 139 lks. dist., mkd. T 17 N R 6 W S 25 B T.


No other available bearing trees.

Land, rough mountainous.
Soil, sandy loam and rocky, 3d to 4th rate.
Timber, scattering juniper and oak; undergrowth, scrub oak, manzanita and mountain laurel.

North, bet. secs. 19 and 24.

Asc. 4 ft. over a SW. slope, thru scattering timber and undergrowth.

- 3.80 Spur, slopes SW.; desc. 100 ft. over a NW. slope.
- 14.20 Side hill wash, 10 ft. wide, course SW.; asc. 100 ft. over a SW. slope.
- 25.20 End of marked ascent; over nearly level ridgetop.
- 28.90 Divide bet. Hyde and Pine Creeks, bears E. and W.
- 33.60 Desc. 240 ft. over a N. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, 2 ft. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.



from which

A juniper, 10 ins. diam., bears S. $71\frac{1}{2}^{\circ}$ E., 106 lks. dist., mkd. $\frac{1}{4}$ S 19 B T.

A juniper, 10 ins. diam., bears S. $89\frac{1}{2}^{\circ}$ W., 92 lks. dist., mkd. $\frac{1}{4}$ S 24 B T.

- 48.30 Wash, 6 ft. wide, course NW.; continue descent.
- 55.90 Traveled road, bears NE. to Walnut Creek and SW. to Camp Wood.
- 62.80 Slope changes to NW.; continue descent.
- 64.30 Rocky wash, 10 ft. wide, course NE.; asc. 17 ft. over a SE. slope.
- 79.80 Low spur, slopes NE.; desc. 10 ft. over a N. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, $1\frac{1}{2}$ ft. high, for cor. of secs. 13, 18, 19 and 24, with brass cap mkd.

East Boundary of T. 17 N., R. 6 W.

4142

Chains

T17N	
R6W	R5W
S13	S18
S24	S19
1937	

from which

A juniper, 4 ins. diam., bears N. $74\frac{3}{4}^{\circ}$ E., 105 lks. dist., mkd. T 17 N R 5 W S 18 B T.

A juniper, 4 ins. diam., bears S. 47° E., 163 lks. dist., mkd. T 17 N R 5 W S 19 B T.

A juniper, 10 ins. diam., bears S. $3\frac{1}{4}^{\circ}$ W., 99 lks. dist., mkd. T 17 N R 6 W S 24 B T.

A juniper fork, 6 ins. diam., bears N. $66\frac{1}{2}^{\circ}$ W., 129 lks. dist., mkd. T 17 N R 6 W S 13 B T.

Land, rough and rolling mountainous.
Soil, sandy loam and rocky, 3d rate.
Timber, juniper, oak and walnut; undergrowth, scrub oak, manzanita and mountain laurel.

North, bet. secs. 13 and 18.

Desc. 10 ft. over a SW. slope, thru scattering timber and undergrowth.

- 7.00 Small wash, course NE.; asc. 45 ft. over a SW. slope.
- 14.00 Spur, slopes W.; desc. 60 ft. over a NE. slope.
- 18.20 Wash, 10 ft. wide, course NE.; asc. 50 ft. over a rocky SE. slope.
- 23.10 Slope changes to NE.; desc. 150 ft.
- 31.60 Slope changes to NW., continue descent.
- 37.00 Wash, 8 ft. wide, asc. 70 ft. over a SE. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$	
S 13	S 18
1937	

from which

A juniper, 3 ins. diam., bears N. 22° E., 61 lks. dist., mkd. B T.

A juniper fork, 4 ins. diam., bears N. $49\frac{1}{2}^{\circ}$ W., 121 lks. dist., mkd. $\frac{1}{4}$ S 13 B T.

- 41.00 Spur, slopes N. 70° W.; desc. 80 ft. over a NW. slope.
- 48.10 Hyde Creek, dry, 80 lks. wide, course S. 70° E.; asc. 35 ft. over a S. slope.

East Boundary of T. 17 N., R. 6 W.

Chains

- 53.90 Toe of spur, slopes SE.; desc. 50 ft. over a N. slope.
- 57.50 Enter wash, 6 ft. wide, course SE.
- 59.90 Leave wash, course S., from NE.; asc. 180 ft. over a SW. slope.
- 75.20 Wash, 5 ft. wide, course SW.; asc. 95 ft. over a SW. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 7, 12, 13 and 18, with brass cap mkd.

T17N	
R6W	R5W
S12	S 7
S13	S18
1937	

from which

A pinon, 3 ins. diam., bears N. 55° E., 77 lks. dist., mkd. B T.

A juniper, 4 ins. diam., bears S. 80½° E., 20 lks. dist., mkd. B T.

A juniper fork, 4 ins. diam., bears S. 45° W., 108 lks. dist., mkd. T 17 N R 6 W S 13 B T.

A juniper, 3 ins. diam., bears N. 22¼° W., 42 lks. dist., mkd. B T.

Land, rolling and rough mountainous.
Soil, sandy loam and rocky, 3d to 4th rate.
Timber, scattering juniper, oak and walnut; undergrowth scrub oak, manzanita and mountain laurel.

North, bet. secs. 7 and 12.

Asc. 60 ft. over a SW. slope, thru scattering timber, and dense undergrowth.

- 2.75 Ridge, bears W. and SE.; desc. 190 ft. over a N. slope, thru juniper timber and undergrowth.
- 22.50 Wash, 5 ft. wide, course NW.; asc. 12 ft. over a S. slope.
- 25.20 Slope changes to N.; desc. 80 ft.
- 30.90 Wash, 8 ft. wide, course NW.; asc. 12 ft. over a S. slope.
- 33.80 Low spur, course NW.; desc. 33 ft. over a N. slope.
- 38.20 Round Valley Wash, 35 ft. wide, course SE.; asc. 110 ft. over a SW. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for ¼ sec. cor., with brass cap mkd.

¼	
S 7	S 12
1937	

East Boundary of T. 17 N., R. 6 W.

4142

Chains

from which

An oak, 6 ins. diam., bears N. $74\frac{1}{4}^{\circ}$ W., 90 lks. dist., mkd. $\frac{1}{4}$ S 12 B T.

A juniper, 6 ins. diam., bears S. 87° E., 110 lks. dist., mkd. $\frac{1}{4}$ S 7 B T.

- 49.80 Toe of spur, slopes W.; along W. slope.
- 52.70 Wash, 10 ft. wide, course SW.; asc. 240 ft. over a SW. slope.
- 56.50 Slope changes to S.; continue ascent.
- 65.00 Ridge, bears E. and W.; desc. 105 ft. over a N. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, 2 ft. high, for cor. of secs. 1, 6, 7 and 12, with brass cap mkd.

T17N	
R6W	R5W
S 1	S 6
S12	S 7
1937	

from which

A juniper, 3 ins. diam., bears N. 82° W., 30 lks. dist., mkd. B T.

A juniper, 6 ins. diam., bears S. 52° E., 72 lks. dist., mkd. T 17 N R 5 W S 7 B T.

A juniper, 6 ins. diam., bears S. 31° W., 86 lks. dist., mkd. T 17 N R 6 W S 12 B T.

A juniper, 4 ins. diam., bears N. 29° W., 90 lks. dist., mkd. T 17 N R 6 W S 1 B T.

Land, rolling and rough mountainous.
Soil, sandy loam and rocky, 3d to 4th rate.
Timber, juniper, oak, walnut and scattering small yellow pine; undergrowth, scrub oak, manzanita and mountain laurel.

North, bet. secs. 1 and 6.

Desc. 170 ft. over a N. slope, thru small juniper timber and undergrowth.

- 29.00 Wash, 20 ft. wide, 1 ft. deep, course E.; asc. 20 ft. over a S. slope.
- 37.70 End of marked ascent; thence over rolling land.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$	
S 1	S 6
1937	

East Boundary of T. 17 N., R. 6 W.

Chains

from which

A juniper, 4 ins. diam., bears S. $48\frac{1}{4}^{\circ}$ E., 19 lks.
dist., mkd. $\frac{1}{4}$ S 6 B T.

A juniper, 20 ins. diam., bears N. 55° W., 9 lks.
dist., mkd. $\frac{1}{4}$ S 1 B T.

50.30 Wash, 6 ft. wide, course S. 70° E.; asc. 75 ft. over a
S. slope.

66.80 End of marked ascent; thence over rolling land.

80.00 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in
the ground to bedrock, and in a mound of stone, 3 ft.
base, 28 ins. high, for cor. of lots 1 and 8 of sec. 1
and lots 4 and 5 of sec. 6, with brass cap mkd.

S	1	4	S 6
	8	5	
	1937		

from which

A pinon, 4 ins. diam., bears N. $54\frac{3}{4}^{\circ}$ E., 33 lks.
dist., mkd. L 4 S 6 B T.

A juniper, 6 ins. diam., bears S. $48\frac{1}{2}^{\circ}$ E., 108 lks.
dist., mkd. L 5 S 6 B T.

A juniper, 16 ins. diam., bears S. $45\frac{3}{4}^{\circ}$ W., 48 lks.
dist., mkd. L 8 S 1 B T.

A juniper, 4 ins. diam., bears N. 66° W., 35 lks.
dist., mkd. L 1 S 1 B T.

81.80 Desc. 15 ft. over a rocky NE. slope.

86.32 The cor. of Tps. 18 N., Rs. 5 and 6 W., which is an iron
post, 3 ins. diam., 22 ins. above ground, and in a mound
of stone to top, with brass cap mkd.

T18N	
R6W	R5W
S36	S31

1934

As this cor. now also refers to T. 17 N., I additionally
mark the brass cap to read as follows:

T18N	
R6W	R5W
S36	S31

S 1	S 6
T17N	
1934	

from which

Original bearing trees:

A cedar limb, 6 ins. diam., bears S. $27\frac{1}{2}^{\circ}$ W., 48 lks.
dist., marks illegible.

A scrub oak, 6 ins. diam., bears N. $41\frac{1}{2}^{\circ}$ E., 76 lks.
dist., mkd. T 18 N R 5 W S 31 B T.

East Boundary of T. 17 N., R. 6 W.

Chains

A scrub cedar, 6 ins. diam., bears N. 48° W., 61 lks. dist., mkd. T 18 N R 6 W S 36 B T.

New bearing trees:

A juniper, 4 ins. diam., bears S. $62\frac{1}{2}^{\circ}$ E., 55 lks. dist., mkd. T 17 N R 5 W S 6 B T.

A juniper fork, 6 ins. diam., bears S. $27\frac{1}{2}^{\circ}$ W., 51 lks. dist., mkd. T 17 N R 6 W S 1 B T.

Land, rolling mountainous.

Soil, sandy loam and rocky, 2nd to 3d rate.

Timber, juniper and scattering yellow pine, oak and pinon; undergrowth, scrub oak and manzanita.

Resurvey of a Portion of the W. Bdy. of T. 17 N., R. 6 W.

The S. $\frac{1}{2}$ of the W. bdy. of T. 17 N., R. 6 W., was surveyed by A. B. Mader, U. S. Deputy Surveyor, in 1905, no resurveys are of record.

From the standard corner of Tps. 17 N., Rs. 6 and 7 W., on the fourth standard parallel north.

North, on a random line bet. secs. 31 and 36, 25 and 30, and 19 and 24.

- 39.93 A point 4 lks. E. of the $\frac{1}{4}$ sec. cor.
- 80.01 A point 13 lks. E. of the cor. of secs. 25, 30, 31 and 36.
- 120.00 A point 17 lks. E. of the $\frac{1}{4}$ sec. cor.
- 160.08 A point 22 lks. E. of the cor. of secs. 19, 24, 25 and 30.
- 200.03 A point 18 lks. E. of the $\frac{1}{4}$ sec. cor.
- 239.99 A point 19 lks. E. of the cor. of secs. 13, 18, 19 and 24.

Return to the standard cor. of Tps. 17 N., Rs. 6 and 7 W., described in the field notes of the fourth standard parallel north, thru ranges 5 and 6 west, resurveyed under this group.

✓ N. $0^{\circ} 03'$ W., on true line bet. secs. 31 and 36.

Asc. 85 ft. over a S. slope, thru yellow pine and oak timber and undergrowth; a four strand barb wire fence, winding N. and S. is W. from 5 to 20 lks. dist.

- 11.60 Small spur, slopes W.; desc. 90 ft. over a N. slope.
- 17.90 Traveled road, bears E. to Prescott, and W. to Hill's ranch.
- 26.20 Wash, 10 ft. wide, course E.; cross to W. side of fence; asc. 60 ft. over a rocky S. slope.
- 33.80 Rocky spur, at saddle, slopes SW.; desc. 40 ft. over a broken N. slope.

Resurvey of a Portion of the W. Bdy. of T. 17 N., R. 6 W.

Chains

39.93 The $\frac{1}{4}$ sec. cor., which is a granite stone in place, 24x18 ins., 2 ins. above ground, mkd. with a cross (+) on top, and $\frac{1}{4}$ on W.

At point for cor., on top of cross on rock.

Set an iron post, 3 ft. long, 1 in. diam., in a mound of stone, 6 ft. base, 3 ft. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ S\ 36\ | S\ 31 \\ | \\ 1937 \end{array}$$

from which

Original bearing trees:

A juniper, 40 ins. diam., bears N. $72\frac{1}{4}^{\circ}$ E., 176 lks. dist., mkd. $\frac{1}{4}$ S 31 B T.

A juniper, 20 ins. diam., bears N. $44\frac{1}{2}^{\circ}$ W., 67 lks. dist., mkd. $\frac{1}{4}$ S 36 B T.

N. $0^{\circ} 08'$ W., on true line bet. secs. 31 and 36.

Over rocky, broken land, sloping generally SW.; fence bears irregularly N. and S. along line.

2.00 Wash, 8 ft. wide, course SW.; asc. 85 ft. over a SE. slope.

12.20 Rocky spur, slopes W.; desc. 16 ft. over a broken NW. slope.

31.80 Rocky wash, 15 ft. wide, course SW.; asc. 30 ft. over a general S. slope.

40.08 The cor. of secs. 25, 30, 31 and 36, which is a malpais stone, 12x5 ins., 6 ins. above ground, and in a mound of stone to top, mkd. with 5 notches on the N. and 1 notch on the S. faces.

At point for cor., with the original stone set alongside.

Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 25, 30, 31 and 36, with brass cap mkd.

$$\begin{array}{c} T17N \\ R7W\ R6W \\ S25\ | S30 \\ | \\ S36\ | S31 \\ | \\ 1937 \end{array}$$

from which

Original bearing trees:

A juniper, 20 ins. diam., bears N. $25\frac{1}{2}^{\circ}$ E., 125 lks. dist., mkd. T 17 N R 6 W S 30 B T.

A juniper, 20 ins. diam., bears S. 82° E., 232 lks. dist., markings overgrown, I remark this tree T 17 N R 6 W S 31 B T.

Resurvey of a Portion of the W. Bdy. of T. 17 N., R. 6 W.

Chains

A juniper, 24 ins. diam., bears S. $64\frac{1}{2}^{\circ}$ W., 312 lks. dist., markings overgrown, I remark this tree T 17 N R 7 W S 36 B T.

A juniper, 24 ins. diam., bears N. $55\frac{3}{4}^{\circ}$ W., 298 lks. dist., markings overgrown, I remark this tree T 17 N R 7 W S 25 B T.

Land, rough to rolling mountainous.
Soil, sandy loam and very rocky, 3d to 4th rate.
Timber, yellow pine, pinon, juniper and oak; undergrowth, dense scrub oak.

N. $0^{\circ} 03'$ W., on true line bet. secs. 25 and 30.

Asc. 10 ft. over a general S. slope, thru scattering timber and undergrowth.

35.00 Slope changes to N.; desc. 6 ft.

39.99 The $\frac{1}{4}$ sec. cor., which is a granite stone, 12x4 ins., 4 ins. above ground, mkd. $\frac{1}{4}$ on W. face.

At point for cor., with the original stone set alongside.

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 25 \text{ | } \text{S } 30 \\ 1937 \end{array}$$

from which

Original bearing trees:

A juniper, 30 ins. diam., bears N. 42° E., 179 lks. dist., mkd. $\frac{1}{4}$ S 30 B T.

An oak, 10 ins. diam., bears N. 58° W., 148 lks. dist., markings overgrown, I remark this tree $\frac{1}{4}$ S 25 B T.

N. $0^{\circ} 04'$ W., on true line bet. secs. 25 and 30.

Desc. 58 ft. over a N. slope.

23.30 Wash, 12 ft. wide, course SW.; asc. 17 ft. along a W. slope.

32.50 Slope changes to NW.; desc. 40 ft.

37.40 Wash, 15 ft. wide, course SW.; asc. 26 ft. over a S. slope.

40.07 Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for witness cor. of secs. 19, 24, 25 and 30, with brass cap mkd.

$$\begin{array}{c} \text{WC} \\ \text{T17N} \\ \text{R7W } \text{R6W} \\ \text{S24 } \text{S19} \\ \text{S25 } \text{S } 30 \\ 1937 \end{array}$$

Resurvey of a Portion of the W. Bdy. of T. 17 N., R. 6 W.

Chains	
40.08	<p>The cor. of secs. 19, 24, 25 and 30, which is a granite boulder in place, 4x3 ft., 2 ft. above ground, mkd. with a cross on the sloping S. face, and four notches on the N. and two notches on the S. faces.</p> <p style="text-align: right;">from which</p> <p>Original bearing trees:</p> <p>A juniper, 30 ins. diam., bears N. 36° E., 32 lks. dist., mkd. T 17 N R 6 W S 19 B T.</p> <p>A juniper, 26 ins. diam., bears S. 28$\frac{1}{2}$° E., 152 lks. dist., mkd. T 17 N R 6 W S 30 B T.</p> <p>A yellow pine, 12 ins. diam., bears S. 28° W., 87 lks. dist., mkd. T 17 N R 7 W S 25 B T.</p> <p>An oak, 8 ins. diam., bears N. 41$\frac{3}{4}$° W., 180 lks. dist., mkd. T 17 N R 7 W S 24 B T.</p> <p>Land, rolling mountainous. Soil, sandy loam and rocky, 3d rate. Timber, juniper, oak and scattering yellow pine; undergrowth, scrub oak.</p>
	<p>N. 0° 03' E., on true line bet. secs. 19 and 24.</p>
	<p>Asc. 105 ft. over a rocky S. slope, thru juniper, oak, and yellow pine timber and undergrowth.</p>
4.10	<p>Small, rocky spur, slopes W.; desc. 75 ft. over a NW. slope.</p>
8.90	<p>Wash, 10 ft. wide, course SW.; asc. 17 ft. along a SW. slope.</p>
13.00	<p>Slope changes to N.; desc. 60 ft.</p>
25.25	<p>Wash, 8 ft. wide, course SW.; asc. 60 ft. over a grassy S. slope.</p>
39.95	<p>The $\frac{1}{4}$ sec. cor., which is a malpais stone, 16x8x6 ins., lying in a small mound of stone, mkd. $\frac{1}{4}$ on W. face.</p> <p>At point for cor., with the original stone set alongside.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p>
	<p style="text-align: center;"> $\frac{1}{4}$ S 24 S 19 1937 </p>
	<p style="text-align: right;">from which</p> <p>A juniper, 4 ins. diam., bears S. 83° E., 46 lks. dist., mkd. $\frac{1}{2}$ S 19 B T.</p> <p>A juniper, 4 ins. diam., bears S. 63$\frac{3}{4}$° W., 55 lks. dist., mkd. $\frac{1}{4}$ S 24 B T.</p>

13442

Resurvey of a Portion of the W. Bdy. of T. 17 N., R. 6 W.

Chains

N. 0° 01' W., on true line bet. secs. 19 and 24.

Asc. 80 ft. over a grassy SW. slope, thru small juniper timber.

15.00 End of ascent; desc. 35 ft. over a NW. slope.

21.00 Wash, 10 ft. wide, course W.; enter scattering yellow pine timber and undergrowth.

39.96 The cor. of secs. 13, 18, 19 and 24, which is a malpais stone, 40x20x8 ins., placed on the top of the ground, with edges in cardinal directions, mkd. with a cross (+), and three notches on the N. and S. faces.

At point for cor., with the original stone set alongside.

Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, 1½ ft. high, for cor. of secs. 13, 18, 19 and 24, with brass cap mkd.

T17N	
R7W	R6W
S13	S18
S24	S19
1937	

from which

An original accessory:

A cross (+), chisled on the vertical face of a rock ledge, 15 ft. high, and facing W., bears S. 53° E., 37 lks. dist., mkd. B R S 19, below the cross.

Original bearing trees:

A yellow pine, 10 ins. diam., bears N. 29¾° E., 85 lks. dist., mkd. T 17 N R 6 W S 18 B T.

A juniper fork, 12 ins. diam., bears N. 30¼° W., 76 lks. dist., mkd. T 17 N R 7 W S 13 B T.

A new bearing tree:

An oak, 5 ins. diam., bears S. 36¼° W., 53 lks. dist., mkd. T 17 N R 7 W S 24 B T.

Land, rolling to rough mountainous.

Soil, sandy loam and very rocky, 3d to 4th rate.

Timber, yellow pine, juniper and oak; undergrowth, scrub oak.

Survey of a Portion of the W. Bdy. of T. 17 N., R. 6 W.

North, bet. secs. 13 and 18.

Asc. 9 ft. over a rocky W. to SW. slope, thru scattering timber and undergrowth.

11.50 Asc. 190 ft. over a vertical rock ledge.

Survey of a Portion of the W. Bdy. of T. 17 N., R. 6 W.

Chains	
25.70	Slope changes to nearly W.; asc. 18 ft.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, $1\frac{1}{2}$ ft. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ \text{S } 13 \mid \text{S } 18 \\ \hline 1937 \end{array}$
	from which
	A juniper fork, 10 ins. diam., bears N. $44\frac{1}{2}^{\circ}$ E., 80 lks. dist., mkd. $\frac{1}{4}$ S 18 B T.
	A yellow pine, 12 ins. diam., bears N. $18\frac{1}{4}^{\circ}$ W., 107 lks. dist., mkd. $\frac{1}{4}$ S 13 B T.
	Desc. 180 ft. over a N. slope; timber becomes more dense.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 7, 12, 13 and 18, with brass cap mkd.
	$\begin{array}{c} \text{T17N} \\ \text{R7W } \text{R6W} \\ \text{S12 } \mid \text{S } 7 \\ \hline \text{S13 } \mid \text{S18} \\ 1937 \end{array}$
	from which
	A juniper, 10 ins. diam., bears N. $84\frac{3}{4}^{\circ}$ E., 21 lks. dist., mkd. T 17 N R 6 W S 7 B T.
	A juniper, 14 ins. diam., bears S. $11\frac{1}{2}^{\circ}$ E., 257 lks. dist., mkd. T. 17 N R 6 W S 18 B T.
	An oak fork, 10 ins. diam., bears S. $36\frac{1}{2}^{\circ}$ W., 181 lks. dist., mkd. T 17 N R 7 W S 13 B T.
	An oak fork, 6 ins. diam., bears N. $53\frac{3}{4}^{\circ}$ W., 75 lks. dist., mkd. T 17 N R 7 W S 12 B T.
	Land, rolling mountainous. Soil, sandy loam and rocky, 3d rate. Timber, juniper, oak and yellow pine; undergrowth, scattering scrub oak.
	North, bet. secs. 7 and 12.
	Desc. 18 ft. over nearly level land.
6.00	A four strand barb wire fence, bears S. 80° E., and N. 60° W.
15.00	Thence along a W. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

Survey of a Portion of the W. Bdy. of T. 17 N., R. 6 W.

Chains

$$\begin{array}{c} \frac{1}{4} \\ | \\ \text{S } 12 \text{ | S } 7 \\ | \\ 1937 \end{array}$$

from which

A juniper, 6 ins. diam., bears N. $49\frac{1}{4}^{\circ}$ E., 108 lks. dist., mkd. $\frac{1}{4}$ S 7 B T.

A juniper fork, 18 ins. diam., bears S. $87\frac{1}{4}^{\circ}$ W., 100 lks. dist., mkd. $\frac{1}{4}$ S 12 B T.

55.00 Slope changes to NW., desc. 120 ft.

58.70 A four strand barb wire fence, bears N. 10° E. and S. 10° W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 1, 6, 7 and 12, with brass cap mkd.

$$\begin{array}{c} \text{T17N} \\ \text{R7W } \text{R6W} \\ \text{S } 1 \text{ | S } 6 \\ \hline \text{S12 | S } 7 \\ 1937 \end{array}$$

from which

A juniper, 36 ins. diam., bears N. $82\frac{1}{2}^{\circ}$ E., 42 lks. dist., mkd. T 17 N R 6 W S 6 B T.

A juniper fork, 12 ins. diam., bears S. $53\frac{3}{4}^{\circ}$ E.; 227 lks. dist., mkd. T 17 N R 6 W S 7 B T.

A juniper, 36 ins. diam., bears S. $27\frac{3}{4}^{\circ}$ W., 45 lks. dist., mkd. T 17 N R 7 W S 12 B T.

A juniper, 38 ins. diam., bears N. $76\frac{1}{4}^{\circ}$ W., 214 lks. dist., mkd. T 17 N R 7 W S 1 B T.

Land, rolling mountainous.
Soil, sandy loam and rocky, 3d rate.
Timber, juniper, oak and yellow pine; undergrowth, scattering scrub oak.

North, bet. secs. 1 and 6.

Desc. 30 ft. over a NW. slope, thru scattering timber.

5.00 Rocky wash, 10 ft. wide, course SW.; asc. 540 ft. over a S. slope, thru scattering timber and dense undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ \text{S } 1 \text{ | S } 6 \\ | \\ 1937 \end{array}$$

from which

Survey of a Portion of the W. Bdy. of T. 17 N., R. 6 W.

Chains

A juniper, 16 ins. diam., bears S. $0\frac{3}{4}^{\circ}$ E., 133 lks. dist., mkd. $\frac{1}{4}$ S 6 B T.

A pinon, 4 ins. diam., bears S. 66° W., 37 lks. dist., mkd. $\frac{1}{4}$ S 1 B T.

40.80 A four strand barb wire fence, bears N. 30° W., and S. 30° E.

52.40 Point of bench, bears SW. and NW.; desc 605 ft. over a NE. slope.

75.90 Slope changes to NW.; continue descent.

79.10 Small wash, course NE.; desc. 50 ft. along a broken E. slope.

80.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for cor. of lots 4 and 5 of sec. 6, and lots 1 and 7 of sec. 1, with brass cap mkd.

$$\begin{array}{c} \text{S } 1\frac{1}{7} | 4\frac{1}{5} \text{ S } 6 \\ \hline 1937 \end{array}$$

from which

An oak, 4 ins. diam., bears N. $63\frac{3}{4}^{\circ}$ E., 36 lks. dist., mkd. L 4 S 6 B T.

An oak, 4 ins. diam., bears S. $65\frac{3}{4}^{\circ}$ E., 20 lks. dist., mkd. L 5 S 6 B T.

85.40 Intersect the S. bdy. of sec. 31, T. 18 N., R. 6 W.

Set an iron post, 3 ft. long, 3 ins. diam., 28 ins. in the ground, for closing cor. of Tps. 17 N., Rs. 6 and 7 W., with brass cap mkd.

$$\begin{array}{c} \text{T18N R6W} \\ \text{S 31} \\ \hline \text{S 1 | S 6} \\ \text{R7W R6W} \\ \text{T17N} \\ \text{CC} \\ 1937 \end{array}$$

from which

A yellow pine, 14 ins. diam., bears S. $21\frac{1}{2}^{\circ}$ E., 132 lks. dist., mkd. T 17 N R 6 W S 6 C C B T.

An oak, 8 ins. diam., bears S. $52\frac{1}{2}^{\circ}$ W., 50 lks. dist., mkd. T 17 N R 7 W S 1 C C B T.

From point of intersection the $\frac{1}{4}$ sec. cor. on the S. bdy. of sec. 31, T. 18 N., R. 6 W., bears E., 24.92 chs. dist.; an iron post, 1 in. diam., set, mkd. and witnessed as described in the official record.

From the same point the cor. of lots 7 and 8 on the S. bdy. of sec. 31, T. 18 N., R. 6 W., bears W. 15.08 chs. dist.; an iron post, 1 in. diam., set mkd. and witnessed as described in the official record.

Land, rough mountainous.

Soil, sandy loam and rocky, 3d rate.

Timber, scattering yellow pine, juniper and oak; undergrowth, scrub oak.

Subdivisions of T. 17 N., R. 6 W.

Chains

Beginning at the standard cor. of secs. 35 and 36, described in the field notes of the fourth standard parallel north, thru ranges 5 and 6 west, resurveyed under this group:

N. 0° 01' W., bet. secs. 35 and 36.

Desc: 120 ft. along a broken NE. slope, thru juniper and scattering yellow pine timber and undergrowth.

21.40 Wash; 6 ft. wide, 2 ft. deep, course N. 20° W.; asc. 9 ft. over a SW. slope.

23.30 Short spur, slopes NW.; desc. 30 ft. over a NW. slope.

26.40 Same wash, course N. 10° E.

28.15 Same wash, course N. 40° W., wash enters from SE.; asc. 80 ft. over a SW. slope.

33.75 Slope changes to broken W.; desc. 13 ft.

37.55 Spur, slopes N. 15° W.; desc. 130 ft. over a NE. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, 16 ins. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ S\ 35\ | S\ 36 \\ | \\ 1937 \end{array}$$

from which

A juniper fork, 14 ins. diam., bears N. 32° E., 53 lks. dist., mkd. $\frac{1}{4}$ S 36 B T.

A juniper fork, 10 ins. diam., bears N. 5 $\frac{1}{2}$ ° W., 116 lks. dist., mkd. $\frac{1}{4}$ S 35 B T.

53.10 Wash, 8 ft. wide, 2 ft. deep, course NW.; asc. 60 ft. over a SW. slope.

56.95 A four strand barb wire fence, bears N. 60° E. and S. 60° W.

57.65 Spur, slopes N. 20° W.; desc. 120 ft. over a NE. slope.

67.70 Rocky wash, 15 lks. wide, 3 ft. deep, course W.; asc. 50 ft. over a broken SW. slope

74.85 Wash, 30 ft. wide, course NW. from SW.; asc. 50 ft. over a SW. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, 1 $\frac{1}{2}$ ft. high, for cor. of secs. 25, 26, 35 and 36, with brass cap mkd.

$$\begin{array}{c} T17N\ R6W \\ .S26\ | S25 \\ \hline S35\ | S36 \\ 1937 \end{array}$$

from which

Subdivisions of T. 17 N., R. 6 W.

Chains	
	<p>A white oak, 8 ins. diam., bears N. 35° E., 43 lks. dist., mkd. T 17 N R 6 W S 25 B T.</p> <p>A yellow pine, 10 ins. diam., bears S. 17° E., 81 lks. dist., mkd. T 17 N R 6 W S 36 B T.</p> <p>A yellow pine, 14 ins. diam., bears S. 69½° W., 67 lks. dist., mkd. T 17 N R 6 W S 35 B T.</p> <p>A yellow pine, 16 ins. diam., bears N. 8½° W., 79 lks. dist., mkd. T 17 N R 6 W S 26 B T.</p> <p>Land, rolling mountainous. Soil, sandy loam and rocky, 3d to 4th rate. Timber, juniper, yellow pine and white oak; undergrowth, scrub oak and manzanita.</p>
	<p>N. 89° 58' E., on a random line bet. secs. 25 and 36.</p>
40.00	Set temp. ¼ sec. cor.
80.00	A point 2 lks. N. of the cor. of secs. 25, 30, 31 and 36, on the East bdy. of the Tp., previously described.
	Thence
	S. 89° 59' W., on true line bet. secs. 25 and 36.
	Asc. 140 ft. over a NE. slope.
19.30	Spur, slopes N., desc. 170 ft. over a NW. slope.
28.40	Wash, 6 ft. wide, course NE.; asc. 120 ft. over a NE. slope.
39.00	Spur, slopes N., desc. 5 ft. over a SW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., on cross (+) on solid rock, in a mound of stone, 6 ft. base, 3 ft. high, for ¼ sec. cor., with brass cap mkd.
	$\begin{array}{r} S\ 25 \\ \hline S\ 36 \\ 1937 \end{array}$
	No available bearing trees.
	Desc. 130 ft. over a NW. slope.
44.15	A four strand barb wire fence, bears N. 35° E., and S. 35° W.
55.00	Wash, 10 ft. wide, course NE.; asc. 90 ft. over a NE. slope.
59.30	Toe of spur, slopes N.; desc. 90 ft. over a W. slope.
68.00	Small rocky wash, course NW.; asc. 26 ft. over a NE. slope.
77.40	Spur, slopes NW.; desc. 43 ft. over a W. slope.
80.00	The cor. of secs. 25, 26, 35 and 36.
✓	

Subdivisions of T. 17 N., R. 6 W.

Chains

Land, rolling mountainous.
Soil, sandy loam and rocky, 3d to 4th rate.
Timber, scattering yellow pine and juniper; undergrowth,
manzanita, scrub oak and mountain laurel.

N. 0° 01' W., bet. secs. 25 and 26.

Desc. 80 ft. over a NW. slope, thru scattering yellow pine
and juniper timber and undergrowth.

- 9.70 Small wash, course W. for 0.50 chs. to larger wash,
course NW., from S. 20° W.; asc. 60 ft. over a SW. slope.
- 18.00 Toe of spur, slopes W., desc. 50 ft. over a NW. slope.
- 22.10 Rocky wash, 10 ft. wide, course S. 70° W.; asc. 110 ft.
over a S. slope.
- 29.50 End of ascent; descend 3 ft. along a broken W. slope.
- 37.20 Slope changes to NW.; desc. 70 ft.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S 26 | S 25
1937

from which

A juniper fork, 10 ins. diam., bears S. 4 $\frac{1}{2}$ ° E., 22
lks. dist., mkd. $\frac{1}{4}$ S 25 B T.

A juniper, 22 ins. diam., bears N. 40 $\frac{1}{2}$ ° W., 96 lks.
dist., mkd. $\frac{1}{4}$ S 26 B T.

- 41.80 Rocky wash, 6 ft. wide, course SW.; asc. 90 ft. over a
S. slope.
- 46.70 Spur, slopes NW.; desc. 140 ft. over a NW. slope.
- 54.50 Sandy wash, 6 ft. wide, course NE.; asc. 8 ft. over a SE.
slope.
- 56.80 Slope changes to E.
- 59.30 Desc. 130 ft. over a steep NE. slope.
- 63.90 Rocky wash, 8 ft. wide, course NW.; continue descent.
- 68.50 Pine Creek, 2 chs. wide, course E., water emerges from
sandy bottom at intervals; asc. 135 ft. over a S. slope,
thru dense undergrowth.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in
the ground, for cor. of secs. 23, 24, 25 and 26 with brass
cap mkd.

T17N R6W
S23 | S24
S26 | S25
1937

Subdivisions of T. 17 N., R. 6 W.

Chains	from which
	<p>A juniper, 12 ins. diam., bears S. $47\frac{1}{2}^{\circ}$ W., 250 lks. dist., mkd. T 17 N R 6 W S 26 B T.</p> <p>A juniper fork, 16 ins. diam., bears N. $71\frac{3}{4}^{\circ}$ W., 325 lks. dist., mkd. T 17 N R 6 W S 23 B T.</p> <p>Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.</p> <p>Land, rolling mountainous. Soil, sandy loam and rocky, 3d rate. Timber, scattering yellow pine and juniper; undergrowth, scrub oak and manzanita.</p>
	N. $89^{\circ} 59'$ E., on a random line bet. secs. 24 and 25.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.98	A point 5 lks. S. of the cor. of secs. 19, 24, 25 and 30, on the E. bdy. of the Tp., previously described.
	Thence
	✓ S. $89^{\circ} 57'$ W., on true line bet. secs. 24 and 25.
	Desc. 160 ft. over a W. slope, thru scattering juniper timber and undergrowth.
10.60	Rocky wash, 10 ft. wide, course SW.; asc. 70 ft. over a SE. slope.
32.40	Slope changes to SW.; desc. 35 ft.
36.40	Rocky wash, 8 ft. wide, course S.; asc. 30 ft. over a SE. slope.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \text{S } 24 \\ \frac{1}{4} \\ \hline \text{S } 25 \\ 1937 \end{array}$
	from which
	<p>A pinon, 4 ins. diam., bears S. $42\frac{1}{2}^{\circ}$ E., 81 lks. dist., mkd. $\frac{1}{4}$ S 25 B T.</p> <p>A juniper, 4 ins. diam., bears N. $65\frac{3}{4}^{\circ}$ W., 168 lks. dist., mkd. $\frac{1}{4}$ S 24 B T.</p>
42.40	A four strand barb wire fence, bears N. 40° W. and S. 40° E.
43.70	Slope changes to SW.; desc. 70 ft.
50.10	Rocky wash, 10 ft. wide, course SE.; asc. 200 ft. over a SE. slope.
62.90	Same fence, bears N. 44° E. and S. 80° W.
72.20	Slope changes to SW.; desc. 40 ft.

Subdivisions of T. 17 N., R. 6 W.

Chains

78.30 Same fence, bears S. 75° E. and N. 75° W.

79.98 The cor. of secs. 23, 24, 25 and 26.

Land, rolling mountainous.

Soil, sandy loam and rocky, 3d rate.

Timber, scattering yellow pine and juniper; undergrowth, scrub oak, manzanita and mountain laurel.

N. 0° 01' W., bet. secs. 23 and 24.

Asc. 270 ft. over a S. slope, thru dense undergrowth.

13.60 Spur, slopes W., desc. 280 ft. over a NW. slope.

27.80 Traveled road, bears E. and W., Camp Wood to Walnut Creek.

33.10 Wash, 20 ft. wide, course SW.; asc. 28 ft. over rolling land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone, 2 ft. base, 16 ins. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
 S 23 | S 24
 1937

from which

A juniper, 10 ins. diam., bears N. 83 $\frac{1}{2}$ ° E., 46 lks. dist., mkd. $\frac{1}{4}$ S 24 B T.

A yellow pine, 10 ins. diam., bears N. 16 $\frac{3}{4}$ ° W., 77 lks. dist., mkd. $\frac{1}{4}$ S 23 B T.

Asc. 85 ft. over a broken SE. slope.

46.10 Spur, slopes E.; desc. 90 ft. over a NE. slope.

51.00 Wash, 12 ft. wide, course SE.; asc. 170 ft. over a S. slope.

65.30 End of ascent; desc. 100 ft. over a broken N. slope.

76.60 Small, rocky wash, course SE.; asc. 30 ft. over a broken SE. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, 2 $\frac{1}{2}$ ft. high, for cor. of secs. 13, 14, 23 and 24, with brass cap mkd.

T17N R6W
 S14 | S13
 S23 | S24
 1937

from which

Subdivisions of T. 17 N., R. 6 W.

Chains	
	<p>An oak, 4 ins. diam., bears N. $17\frac{1}{4}^{\circ}$ E., 20 lks. dist., mkd. T 17 NR 6 WS 13 B T.</p> <p>A juniper fork, 6 ins. diam., bears S. 30° E., 84 lks. dist., mkd. T 17 NR 6 WS 24 B T.</p> <p>A juniper, 4 ins. diam., bears S. $14\frac{1}{2}^{\circ}$ W., 145 lks. dist., mkd. T 17 NR 6 WS 23 B T.</p> <p>An oak, 4 ins. diam., bears N. 25° W., 53 lks. dist., mkd. T 17 NR 6 WS 14 B T.</p> <p>Land, rolling mountainous. Soil, sandy loam and rocky, 3d rate. Timber, scattering yellow pine, juniper and oak; undergrowth, scrub oak and mountain laurel.</p>
	N. $89^{\circ} 57'$ E., on a random line bet. secs. 13 and 24.
40.00	Set temp $\frac{1}{4}$ sec. cor.
79.88	A point, 5 lks. N. of the cor. of secs. 13, 18, 19 and 24, previously described.
	Thence
✓	S. $89^{\circ} 59'$ W., on true line bet. secs. 13 and 24.
	Asc. 120 ft. over a NE. slope, thru scattering timber and dense undergrowth.
13.50	Slope changes to N.; desc. 5 ft.
16.70	Wash, 6 ft. wide, course NE.; asc. 400 ft. over a SE. slope.
32.30	Spur, slopes S.; continue ascent.
37.20	W. side of round hill; desc. 255 ft. over a SW. slope.
39.94	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, 2 ft. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} \text{ S } 13 \\ \hline \text{S } 24 \\ 1937 \end{array}$
	from which
	A pinon, 4 ins. diam., bears S. 64° E., 23 lks. dist., mkd. B T.
	A juniper, 36 ins. diam., bears N. $20\frac{3}{4}^{\circ}$ W., 182 lks. dist., mkd. $\frac{1}{4}$ S 13 B T.
57.00	Rocky wash, 6 ft. wide, course SE.; asc. 80 ft. over a broken NE. slope.
63.00	End of ascent; desc. 30 ft. over rolling land.
69.70	Spur, slopes SW.; desc. 10 ft. over a broken NW. slope.
71.10	Small wash, course SW.; asc 40 ft. over a SE. slope.

Subdivisions of T. 17 N., R. 6 W.

Chains	
77.40	Toe of spur, slopes S.; desc. 15 ft. over a SW. slope.
79.88	The cor. of secs. 13, 14, 23 and 24.
	Land, rolling mountainous. Soil, sandy loam and rocky, 3d rate. Timber, scattering pinon and juniper; undergrowth, oak mountain laurel and manzanita.
	N. 0° 01' W., bet. secs. 13 and 14.
	Asc. 70 ft. over a broken S. slope, thru juniper timber and undergrowth.
4.60	Toe of spur, slopes W.; desc. 110 ft. over a broken NW. slope.
14.50	Small wash, course NE.; asc. 120 ft. over a broken S. slope.
18.00	Low spur, slopes NE.; desc. 50 ft. over a N. slope.
28.50	Small sandy wash, course SE.; asc. 100 ft. over a SW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, 2 ft. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ \\ S\ 14\ S\ 13 \\ \\ 1937 \end{array}$
	from which
	A pinon, 6 ins. diam., bears N. 12° E., 90 lks. dist., mkd. $\frac{1}{4}$ S 13 B T.
	A juniper fork, 16 ins. diam., bears N. 22° W., 74 lks. dist., mkd. $\frac{1}{4}$ S 14 B T.
	Asc. 50 ft. over a broken S. slope.
45.00	Spur, slopes NE.; desc. 310 ft. over a N. slope.
57.65	Wash, 20 ft. wide, course E.; asc. 210 ft. over a S. slope.
65.00	Spur, slopes E.; desc. 310 ft. over a steep N. slope.
72.60	Hyde Creek, water emerges from sandy bottom at intervals, course N. 60° E., from N. 60° W; asc. 100 ft. over a S. slope.
79.30	Spur, slopes W.; desc. 14 ft. over a NW. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 11, 12, 13 and 14, with brass cap mkd.
	$\begin{array}{c} T17N\ R6W \\ S11\ S12 \\ S14\ S13 \\ 1937 \end{array}$

Subdivisions of T. 17 N., R. 6 W.

Chains

from which

A juniper, 12 ins. diam., bears N. 17° E., 47 lks. dist., mkd. T 17 N R 6 W S 12 B T.

A pinon, 22 ins. diam., bears N. 7 $\frac{1}{4}$ ° W., 74 lks. dist., mkd. T 17 N R 6 W S 11 B T.

Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, rough mountainous.

Soil, rocky; 4th rate.

Timber, scattering pinon, juniper and yellow pine; undergrowth, scrub oak, mountain laurel and manzanita.

N. 89° 59' E., on a random line bet. secs. 12 and 13.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.86 A point 7 lks. N. of the cor. of secs. 7, 12, 13 and 18, on the E. bdy. of the Tp., previously described.

Thence

N. 89° 58' W., on true line bet. secs. 12 and 13.

3.70 Rocky wash, 6 ft. wide, course SW.; asc. 20 ft. over a SE. slope.

6.40 Spur, slopes S.; desc. 100 ft. over a broken SW. slope.

20.70 Wash, 12 ft. wide, course SE.; asc. 150 ft. over an E. slope.

31.30 Spur, slopes SE.; desc. 50 ft. over a SW. slope.

39.93 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone, 2 $\frac{1}{2}$ ft. base, 16 ins. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S 12
 $\frac{1}{4}$ S 13
1937

from which

A juniper, 4 ins. diam., bears S. 49 $\frac{1}{4}$ ° W., 102 lks. dist., mkd. $\frac{1}{4}$ S 13 B T.

A juniper fork, 4 ins. diam., bears N. 81 $\frac{1}{2}$ ° W., 239 lks. dist., mkd. $\frac{1}{4}$ S 12 B T.

Asc. 35 ft. over a SE. slope.

48.30 Spur, slopes S.; desc. 195 ft. over a SW. slope.

63.40 Slope changes to S.

68.40 Slope changes to SE.; asc. 120 ft.

76.80 Spur, slopes SW.; desc. 40 ft. over a NW. slope.

79.86 The cor. of secs. 11, 12, 13 and 14.

Subdivisions of T. 17 N., R. 6 W.

Chains

Land, rolling mountainous.
Soil, sandy loam and rocky, 3d rate.
Timber, scattering juniper and oak; undergrowth, scrub oak, mountain laurel and manzanita.

N. 0° 01' W., bet. secs. 11 and 12.

Desc. 23 ft. over a NW. slope, thru scattering timber and undergrowth.

1.20 Wash, 8 ft. wide, course SW.; asc. 160 ft. over a broken SE. slope.

8.60 Slope changes to S.; continue ascent.

21.10 Ridge, bears NE. and SW.; desc. 290 ft. over a NW. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, 1½ ft. high, for ¼ sec. cor., with brass cap mkd.

¼
S 11 | S 12
1937

from which

A juniper fork, 8 ins. diam., bears N. 57° E., 43 lks. dist., mkd. ¼ S 12 B T.

A pinon, 6 ins. diam., bears N. 24¼° W., 103 lks. dist., mkd. ¼ S 11 B T.

43.80 Wash, 10 ft. wide, course NE.; asc. 35 ft. over a SE. slope.

46.90 Rocky spur, slopes E.; desc. 60 ft. over a NE. slope.

52.60 Rocky wash, 8 ft. wide, course SE.; asc. 130 ft. over a S. slope.

60.50 A four strand barb wire fence, bears N. 80° E., and S. 80° W.

63.50 Spur, slopes E.; desc. 35 ft. over a N. slope.

70.60 Round valley wash, near head, 8 ft. wide, course SE.; asc. 75 ft. over a broken SE. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to bedrock, and in a mound of stone, 3½ ft. base, 2 ft. high, for cor. of secs. 1, 2, 11 and 12, with brass cap mkd.

T17N R6W
S 2 | S 1
S11 | S12
1937

from which

A juniper, 10 ins. diam., bears N. 16° E., 117 lks. dist., mkd. T 17 N R 6 W S 1 B T.

Subdivisions of T. 17 N., R. 6 W.

Chains	
	<p>A pinon, 8 ins. diam., bears S. 65° E., 137 lks. dist., mkd. T 17 N R 6 W S 12 B T.</p> <p>A pinon, 4 ins. diam., bears S. 38° W., 19 lks. dist., mkd. T 17 N R 6 W S 11 B T.</p> <p>A pinon, 10 ins. diam., bears N. 51$\frac{3}{4}$° W., 186 lks. dist., mkd. T 17 N R 6 W S 2 B T.</p> <p>Land, rough mountainous. Soil, sandy loam and rocky, 3d rate. Timber, scattering pinon and juniper; undergrowth, scrub oak and manzanita.</p>
	S. 89° 58' E., on a random line bet. secs. 1 and 12.
40.00	Set temp. $\frac{1}{2}$ sec. cor.
79.90	A point 5 lks. S. of the cor. of secs. 1, 6, 7 and 12, on the E. side of the Tp., previously described.
	Thence
✓	West, on true line bet. secs. 1 and 12.
6.60	Wash, 6 ft. wide, winding NE.; asc. 470 ft. over a SE. slope.
8.60	A four strand barb wire fence, bears N. 15° E., and S. 15° W.
12.00	Timber becomes scattering.
36.20	Round hilltop; desc. 400 ft. over a broken W. slope.
39.95	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, 1 $\frac{1}{2}$ ft. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} \text{ S } 1 \\ \hline \text{S } 12 \\ 1937 \end{array}$
	from which
	<p>A pinon, 8 ins. diam., bears N. 57$\frac{3}{4}$° E., 97 lks. dist., mkd. $\frac{1}{4}$ S 1 B T.</p> <p>A juniper, 4 ins. diam., bears S. 26$\frac{1}{4}$° E., 93 lks. dist., mkd. $\frac{1}{4}$ S 12 B T.</p>
55.90	Slope changes to NW.; continue descent.
61.70	End of descent, thence over bottom land.
70.00	Small wash, course NE.; asc. 100 ft. over a SE. slope.
79.90	The cor. of secs. 1, 2, 11 and 12.
	<p>Land, rolling mountainous. Soil, sandy loam and rocky, 3d rate. Timber, juniper, scattering yellow pine and pinon; undergrowth, scrub oak and manzanita.</p>
✓	

Subdivisions of T. 17 N., R. 6 W.

Chains

N. 0° 01' W., on a random line bet. secs. 1 and 2.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.00 Set temp. lot cor.

86.22 The cor. of secs. 35 and 36 on the S. bdy. of T. 18 N., R. 6 W., which is an iron post, 2 ins. diam., 26 ins. above ground, and in a mound of stone to top, with brass cap mkd.

T18N	R6W
S35	S36
1934	

As this cor. now also refers to secs. 1 and 2 of T. 17 N., I additionally mark the brass cap to read as follows:

T18N	R6W
S35	S36
S 2	S 1
T17N	
1934	

from which

Original bearing trees:

A black oak, 6 ins. diam., bears N. 34° E., 54 lks. dist., mkd. T 18 N R 6 W S 36 B T.

A pinon, 12 ins. diam., bears N. 39 $\frac{1}{2}$ ° W., 66 lks. dist., mkd. T 18 N R 6 W S 35 B T.

New bearing trees:

A pinon, 5 ins. diam., bears S. 35 $\frac{3}{4}$ ° E., 148 lks. dist., mkd. T 17 N R 6 W S 1 B T.

A juniper, 6 ins. diam., bears S. 44 $\frac{1}{4}$ ° W., 47 lks. dist., mkd. T 17 N R 6 W S 2 B T.

Thence

S. 0° 01' E., on true line bet. secs. 1 and 2.

Desc. 25 ft. over a broken SE. slope, thru scattering timber and undergrowth.

6.22 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, and in a mound of stone, 5 $\frac{1}{2}$ ft. base, 2 $\frac{1}{2}$ ft. high, for cor. of lots 4 and 5 of sec. 1 and lots 1 and 8 of sec. 2, with brass cap mkd.

1	4
S 2	S 1
8	5
1937	

from which

A yellow pine, 14 ins. diam., bears N. 87 $\frac{3}{4}$ ° E., 48 lks. dist., mkd. L 4 S 1 B T.

A juniper, 6 ins. diam., bears S. 34 $\frac{3}{4}$ ° E., 74 lks. dist., mkd. L 5 S 1 B T.

Subdivisions of T. 17 N., R. 6 W.

Chains

A juniper fork, 4 ins. diam., bears S. $4\frac{1}{4}^{\circ}$ W., 95 lks. dist., mkd. L 8 S 2 B T.

A juniper fork, 10 ins. diam., bears N. $85\frac{1}{2}^{\circ}$ W., 79 lks. dist., mkd. L 1 S 2 B T.

- 7.00 Rocky wash, 20 ft. wide, course NE.; asc. 40 ft. over a NW. slope.
- 12.00 End of ascent; desc. 12 ft. over large granite boulders.
- 15.40 Wash, 6 ft. wide, course NW.; asc. 50 ft. over a broken N. slope.
- 21.70 End of ascent; asc. 5 ft. over rolling land.
- 24.60 A four strand barb wire fence, winding N. 10° W. and S. 10° E.
- 46.22 Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ S \ 2 \ | \ S \ 1 \\ 1937 \end{array}$$

from which

An oak, 8 ins. diam., bears N. 52° E., 20 lks. dist., mkd. $\frac{1}{4}$ S 1 B T.

A juniper, 8 ins. diam., bears N. $62\frac{1}{4}^{\circ}$ W., 134 lks. dist., mkd. $\frac{1}{4}$ S 2 B T.

- 54.70 Small sandy wash, course NE.; asc. 120 ft. over a NE. slope.
- 69.70 End of marked ascent; asc. 20 ft. over rolling land.
- 82.80 Thence along a broken E. slope.
- 86.22 The cor. of secs. 1, 2, 11 and 12.

Land, rolling mountainous.
Soil, sandy loam and rocky, 3d rate.
Timber, scattering yellow pine, juniper, pinon and oak;
undergrowth, scrub oak, manzanita and mountain laurel.

The $\frac{1}{4}$ sec. cor. on the S. bdy. of sec. 36, T. 18 N., R. 6 W., is an iron post, 1 in. diam., 9 ins. above ground, with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \ S \ 36 \\ \hline 1934 \end{array}$$

As this cor. now also refers to sec. 1 of T. 17 N., I remark the brass cap to read as follows:

$$\begin{array}{c} \frac{1}{4} \ S \ 36 \\ \frac{1}{4} \ S \ 1 \\ \hline 1934 \end{array}$$

Subdivisions of T. 17 N., R. 6 W.

BOOK 4142

Chains

from which

Original bearing trees:

A juniper, 18 ins. diam., bears N. $74\frac{1}{2}^{\circ}$ E., 122 lks.
dist., mkd. $\frac{1}{4}$ S 36 B T.

A juniper, 26 ins. diam., bears N. 68° W., 112 lks.
dist., mkd. $\frac{1}{4}$ S 36 B T.

A new bearing tree:

A pinon, 4 ins. diam., bears S. $56\frac{1}{4}^{\circ}$ E., 61 lks.
dist., mkd. $\frac{1}{4}$ S 1 B T.

Thence from the standard corner of secs. 34 and 35,
described in the field notes of the fourth standard
parallel north, thru ranges 5 and 6 west, resurveyed under
this group.

N. $0^{\circ} 01'$ W., bet. secs. 34 and 35.

Across a grassy meadow.

- 3.35 A five strand barb wire fence, bears N. 30° E. and
S. 30° W.
- 3.70 Traveled road, bears N. 30° E. to Walnut Creek and S. 30°
W. to Camp Wood; asc. 26 ft. over a gentle S. slope, thru
yellow pine, oak and juniper timber and undergrowth.
- 7.75 Short spur, slopes W.; desc. 30 ft. over a NW. slope.
- 13.40 Wash, 6 ft. wide, 2 ft. deep, course E.; desc. 25 ft.
along a broken E. slope.
- 31.80 Spur, slopes NE., old wood road, bears N. 20° E. and
S. 20° W.
- 32.10 Wash, 4 ft. wide, 1 ft. deep, trickle of water, course
E.; asc. 60 ft. over a S. slope.
- 36.75 Spur, slopes NE.; desc. 25 ft. along a NE. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the
ground to bedrock, and in a mound of stone, 4 ft. base,
22 ins. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S 34 | S 35
1937

from which

A white oak, 9 ins. diam., bears S. $58\frac{1}{4}^{\circ}$ E., 61 lks.
dist., mkd. $\frac{1}{4}$ S 35 B T.

A white oak, 5 ins. diam., bears S. $49\frac{1}{4}^{\circ}$ W., 43 lks.
dist., mkd. $\frac{1}{4}$ S 34 B T.

Undergrowth becomes more dense.

- 41.35 Wash, 6 ft. wide, 1 ft. deep, course S. 75° E., asc. 40
ft. over a S. slope.

Subdivisions of T. 17 N., R. 6 W.

Chains

- 45.45 Spur, slopes NE.; desc. 70 ft. over a NE. slope.
- 54.40 A four strand barb wire fence, bears N. 70° W. and S. 70° E.
- 57.90 Wash, 8 ft. wide, 6 ft. deep, winding E.; a spring of good water, 1 ft. diam., 2 ft. deep, bears W. 2 chs. dist.; asc. 45 ft. over a broken SE. slope.
- 66.50 Spur, slopes SE.; asc. 5 ft. along an E. slope.
- 73.50 Ridge, bears NE. and SW.; desc. 70 ft. over a broken N. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 26, 27, 34 and 35, with brass cap mkd.

T17N	R6W
S27	S26
S34	S35
1937	

from which

A white oak, 6 ins. diam., bears N. 19½° E., 5 lks. dist., mkd. T 17 N R 6 W S 26 B T.

A white oak fork, 6 ins. diam., bears S. 41½° E., 38 lks. dist., mkd. T 17 N R 6 W S 35 B T.

A white oak, 12 ins. diam., bears S. 39½° W., 70 lks. dist., mkd. T 17 N R 6 W S 34 B T.

A white oak, 6 ins. diam., bears N. 83¼° W., 30 lks. dist., mkd. T 17 N R 6 W S 27 B T.

Land, rolling mountainous.

Soil, sandy loam and rocky, 3d to 4th rate.

Timber, yellow pine, white oak and juniper; undergrowth, manzanita, mountain laurel and scrub oak.

- ✓ N. 89° 58' E., on a random line bet. secs. 26 and 35.
- 40.00 Set temp. ¼ sec. cor.
- 80.04 A point 5 lks. N. of the cor. of secs. 25, 26, 35 and 36.
- Thence
- ✓ West, on true line bet. secs. 26 and 35.
- Desc. 60 ft. over a W. slope, thru juniper, yellow pine and oak timber, and undergrowth.
- 2.85 Wash, 30 ft. wide, course N. 10° W.; asc. 80 ft. over an E. slope.
- 7.20 Spur, slopes NE.; asc. 10 ft. along a broken N. slope.
- 21.65 Spur, slopes N.; desc. 105 ft. over a W. slope.

Subdivisions of T. 17 N., R. 6 W.

PAGE 4142

Chains	
28.40	Pine Creek, 30 ft. wide, 3 ft. deep, course N. from SE.; a spring of good water, bears N., 315 lks. dist.; asc. 80 ft. over an E. slope.
31.30	A four strand barb wire fence, bears N. and S.
33.10	Spur, slopes SE.; asc. 50 ft. over a broken SE. slope.
40.02	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, 16 ins. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} S\ 26 \\ \frac{1}{4} S\ 35 \\ 1937 \end{array}$
	from which
	A juniper, 7 ins. diam., bears N. 52° E., 36 lks. dist., mkd. $\frac{1}{4}$ S 26 B T.
	A yellow pine, 6 ins. diam., bears S. 31 $\frac{1}{2}$ ° E., 16 lks. dist., mkd. $\frac{1}{4}$ S 35 B T.
	Spur, slopes S.; desc. 20 ft. along a broken S. slope.
48.00	Ridge, bears NE. and SW.; desc. 55 ft. over a NW. slope.
65.50	Traveled road, bears N. to Walnut Creek and S. to Camp Wood.
66.60	Wash, 6 ft. wide, course N. 10° W.; asc. 80 ft. over an E. slope.
70.60	Spur, slopes NE.; desc. 50 ft. over a NW. slope.
74.20	Side hill wash, 6 ft. wide, course N.; asc. 85 ft. over a broken NE. slope.
80.04	The cor. of secs. 26, 27, 34 and 35.
	Land, rolling mountainous. Soil, sandy loam and rocky, 3d rate. Timber, juniper, yellow pine and white oak; undergrowth, scrub oak and manzanita.
	N. 0° 01' W., bet. secs. 26 and 27.
	Desc. 135 ft. over a NE. slope, thru scattering timber, and dense undergrowth.
8.60	Stringtown wash, water emerges from sandy bottom at intervals, 25 ft. wide, course S. 75° E.; asc. 155 ft. over a S. slope.
22.30	Spur, slopes W.; desc. 65 ft. over a NW. slope.
37.50	Slope changes to N.; desc. 90 ft.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone, 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

Subdivisions of T. 17 N., R. 6 W.

Chains

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 27 \text{ | S } 26 \\ \hline 1937 \end{array}$$

No bearing trees available.

- 46.00 Slope changes to NW.; continue descent.
- 49.30 Wash, 10 ft. wide, course NE.; asc. 14 ft. over a S. slope.
- 54.00 Low ridge, bears E. and W.; desc. 120 ft. over a rocky NE. slope.
- 60.50 Rocky wash, 12 ft. wide, course NE.; asc. 290 ft. over a SE. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to bedrock, and in a mound of stone, $3\frac{1}{2}$ ft. base, 2 ft. high, for cor. of secs. 22, 23, 26 and 27, with brass cap mkd.

$$\begin{array}{cc} \text{T17N} & \text{R6W} \\ \text{S22} & \text{S23} \\ \hline \text{S27} & \text{S26} \\ 1937 \end{array}$$

from which

A pinon, 4 ins. diam., bears S. 17° W., 36 lks. dist., mkd. T 17 N R 6 W S 27 B T.

No other bearing trees available.

Land, rolling mountainous.
Soil, gravelly to rocky, 4th rate.
Timber, scattering yellow pine, juniper, oak and pinon;
undergrowth, scrub oak, manzanita and cactus.

East, on a random line bet. secs. 23 and 26.

- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.02 A point 5 lks. S. of the cor. of secs. 23, 24, 25 and 26.
Thence
- ✓ S. $89^{\circ} 58'$ W., on true line bet. secs. 23 and 26.
Desc. 90 ft. over a broken SW. slope, thru scattering timber and undergrowth.
- 15.10 End of descent, thence over rolling land.
- 17.00 Wash, 20 ft. wide, course SE.
- 18.70 Traveled road, bears NW. to Walnut Creek and SE. to Camp Wood.
- 23.25 Wash, 12 ft. wide, course SE.
- 29.90 Wash, 20 ft. wide, course SE. from NE.; asc. 185 ft. over a NE. slope, timber becomes more dense.

Subdivisions of T. 17 N., R. 6 W.

BOOK 4142

Chains

37.50 Rocky spur, slopes SE.; desc. 40 ft. over a SW. slope.

40.01 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, 2 ft. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\begin{array}{r} \frac{1}{4} \text{ S } 23 \\ \frac{1}{4} \text{ S } 26 \\ 1937 \end{array}$$

from which

A yellow pine, 12 ins. diam., bears N. $50\frac{1}{4}^{\circ}$ W., 99 lks. dist., mkd. $\frac{1}{4}$ S 23 B T.A juniper, 8 ins. diam., bears S. $72\frac{3}{4}^{\circ}$ E., 112 lks. dist., mkd. $\frac{1}{4}$ S 26 B T.

Asc. 18 ft. over a SE. slope.

42.20 Spur, slopes S.; desc. 25 ft. over a SW. slope.

45.00 Side hill ravine, course S.; asc. 50 ft. over a SE. slope.

49.00 Thence desc. 4 ft. over rolling land.

64.20 Desc. 45 ft. along a broken W. slope.

68.10 Head of wash, course S.; asc. 290 ft. over an E. slope; timber becomes more scattering.

80.02 The cor. of secs. 22, 23, 26 and 27.

Land, rolling mountainous.

Soil, gravelly to rocky, 3d rate.

Timber, yellow pine, juniper and scrub oak; undergrowth, oak, manzanita and mountain laurel.

N. $0^{\circ} 01'$ W., bet. secs. 22 and 23.

Desc. 254 ft. over a steep NE. slope thru undergrowth.

11.10 Wash, near head, course E.; asc. 35 ft. over a S. slope.

13.60 Small spur, slopes E.; desc. 60 ft. over a NE. slope.

14.70 A four strand barb wire fence, bears E. and W.

17.50 Wash, 8 ft. wide, course S. 80° E.; asc. 120 ft. over a broken SE. slope.

30.30 Small wash, course E.

35.50 Small spur, slopes E.; desc. 50 ft. over a NE. slope.

37.70 Wash, 12 ft. wide, course E.; asc. 24 ft. over a SE. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, 2 ft. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ \text{S } 22 \text{ | } \text{S } 23 \\ 1937 \end{array}$$

Subdivisions of T. 17 N., R. 6 W.

Chains									
	from which								
	An oak, 4 ins. diam., bears N. $6\frac{1}{2}^{\circ}$ E., 122 lks. dist., mkd. $\frac{1}{4}$ S 23 B T.								
	A pinon, 4 ins. diam., bears S. 44° W., 92 lks. dist., mkd. $\frac{1}{4}$ S 22 B T.								
	Asc. 370 ft. over a broken SE. slope.								
48.70	Small wash, course SE., continue ascent.								
65.00	Asc. over large granite boulders.								
70.00	Divide bet. Hyde and Pine Creeks, bears W. and E. 1 ch. dist., thence N. 10° E.; desc. 120 ft. over a broken NW. slope.								
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 14, 15, 22 and 23, with brass cap mkd.								
	<table border="1" style="margin: auto;"> <tr><td>T17N</td><td>R6W</td></tr> <tr><td>S15</td><td>S14</td></tr> <tr><td>S22</td><td>S23</td></tr> <tr><td colspan="2" style="text-align: center;">1937</td></tr> </table>	T17N	R6W	S15	S14	S22	S23	1937	
T17N	R6W								
S15	S14								
S22	S23								
1937									
	from which								
	A pinon, 6 ins. diam., bears N. $46\frac{1}{4}^{\circ}$ E., 57 lks. dist., mkd. T 17 N R 6 W S 14 B T.								
	A juniper, 36 ins. diam., bears S. $61\frac{1}{2}^{\circ}$ E., 21 lks. dist., mkd. T 17 N R 6 W S 23 B T.								
	A juniper, 8 ins. diam., bears S. $82\frac{3}{4}^{\circ}$ W., 237 lks. dist., mkd. T 17 N R 6 W S 22 B T.								
	A pinon, 4 ins. diam., bears N. $69\frac{1}{4}^{\circ}$ W., 216 lks. dist., mkd. T 17 N R 6 W S 15 B T.								
	Land, rough mountainous. Soil, sandy and rocky, 3d to 4th rate. Timber, scattering juniper, pinon and scrub oak; undergrowth, manzanita, scrub oak and mountain laurel.								
	N. $89^{\circ} 58'$ E., on a random line bet. secs. 14 and 23.								
40.00	Set temp. $\frac{1}{4}$ sec. cor.								
79.96	A point 9 lks. S. of the cor. of secs. 13, 14, 23 and 24. Thence								
	✓ S. $89^{\circ} 54'$ W., on true line bet. secs. 14 and 23. Desc. 17 ft. over a SW. slope, thru scattering timber and undergrowth.								
3.40	Small wash, course SE.; asc. 60 ft. over rolling land.								
14.40	Low ridge, bears N. and S.; desc. 65 ft. over a rocky W. slope.								

Subdivisions of T. 17 N., R. 6 W.

BOOK 4142

Chains	
18.90	Wash, 15 lks. wide, course S.; asc. 70 ft. over rolling land, drains SE.
21.90	A four strand barb wire fence, bears N. and S.
36.30	Small rocky spur, slopes S.; desc. 21 ft. over a SW. slope.
39.98	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, 1½ ft. high, for ¼ sec. cor., with brass cap mkd.
	$\begin{array}{r} S\ 14 \\ \frac{1}{4} S\ 23 \\ 1937 \end{array}$
	from which
	A juniper fork, 10 ins. diam., bears S. 42° E., 37 lks. dist., mkd. ¼ S 23 B T.
	A juniper fork, 10 ins. diam., bears N. 33½° W., 155 lks. dist., mkd. ¼ S 14 B T.
	Asc. 14 ft. along a broken S. slope.
43.30	Wash, 10 lks. wide, course S. 70° E.; asc. 70 ft. gradually over a broken SE. slope.
58.20	Small wash, course SE.; asc. 105 ft. over an E. slope.
62.80	Slope changes to N.; asc. 18 ft.
65.30	Same wash, course N. 80° E.; asc. 150 ft. over an E. slope.
75.50	Divide bet. Pine and Hyde Creeks, at saddle, bears N. 10° E. and S. 10° W.
79.96	The cor. of secs. 14, 15, 22 and 23.
	Land, rolling mountainous. Soil, sandy loam and rocky, 3d rate. Timber, scattering scrub pinon and juniper; undergrowth, scrub oak, manzanita and mountain laurel.
	N. 0° 01' W., bet. secs. 14 and 15.
	Desc. 130 ft. over a NW. slope, thru scattering timber and undergrowth.
8.50	Small rocky wash, course NE., asc. 15 ft. over a SE. slope.
12.60	Toe of spur, slopes E.; desc. 110 ft. over a NE. slope.
20.72	Same wash, course NW.; continue over rolling land.
28.20	Same wash, course NE.; asc. 30 ft. over a SE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground to bedrock, and in a mound of stone, 3½ ft. base, 32 ins. high, for ¼ sec. cor., with brass cap mkd.

Subdivisions of T. 17 N., R. 6 W.

Chains

$$\begin{array}{c} \frac{1}{4} \\ | \\ \text{S } 15 \text{ | S } 14 \\ 1937 \end{array}$$

from which

A juniper fork, 10 ins. diam., bears S. $54\frac{1}{2}^{\circ}$ E., 154 lks. dist., mkd. $\frac{1}{4}$ S 14 B T.

A juniper, 14 ins. diam., bears S. 11° W., 141 lks. dist., mkd. $\frac{1}{4}$ S 15 B T.

- 41.00 Toe of spur, slopes E., desc. 45 ft. over a NE. slope.
 50.80 Small wash, course SE.; asc. 130 ft. over a S. slope.
 58.45 Spur, slopes E.; desc. 110 ft. over a N. slope.
 64.30 Thence along a W. slope.
 68.00 Slope changes to NW.; desc. 170 ft.
 76.70 Hyde Creek, water emerges from sandy bottom at irregular intervals, course E.; asc. 50 ft. over a rocky S. slope.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., on cross (+) on solid rock, in a mound of stone, 6 ft. base, 3 ft. high, for cor. of secs. 10, 11, 14 and 15, with brass cap mkd.

$$\begin{array}{c} \text{T17N } \text{R6W} \\ \text{S10 | S11} \\ \hline \text{S15 | S14} \\ 1937 \end{array}$$

from which

A pinon, 24 ins. diam., bears N. $61\frac{1}{4}^{\circ}$ E., 57 lks. dist., mkd. T 17 N R 6 W S 11 B T.

A pinon, 4 ins. diam., bears S. $61\frac{1}{4}^{\circ}$ E., 172 lks. dist., mkd. T 17 N R 6 W S 14 B T.

A juniper, 4 ins. diam., bears S. $78\frac{1}{4}^{\circ}$ W., 69 lks. dist., mkd. B T.

A pinon, 6 ins. diam., bears N. $80\frac{3}{4}^{\circ}$ W., 61 lks. dist., mkd. T 17 N R 6 W S 10 B T.

Land, rough mountainous.

Soil, sandy loam and rocky, 3d rate.

Timber, scattering pinon, juniper and yellow pine; undergrowth, oak, manzanita and mountain laurel.

- 40.00 N. $89^{\circ} 54'$ E., on a random line bet. secs. 11 and 14.
 Set temp. $\frac{1}{4}$ sec. cor.
 79.98 A point 2 lks. S. of the cor. of secs. 11, 12, 13 and 14.
 Thence
 S. $89^{\circ} 53'$ W., on true line bet. secs. 11 and 14.

Subdivisions of T. 17 N., R. 6 W.

BOOK 4142

Chains	
	Desc. 40 ft. over a NW. slope, thru scattering timber and dense undergrowth.
2.20	Rocky wash, 8 ft. wide, course SW.; asc. 10 ft. over a broken SE. slope.
17.80	Rocky wash, 8 ft. wide, course S.; asc. 90 ft. over a SE. slope.
27.00	A four strand barb wire fence, bears N. 35° E. and S. 35° W.
30.50	Toe of spur, slopes S.; desc. 75 ft. over a SW. slope.
39.10	Hyde Creek, 2 chs. wide, course SE., water emerges from sandy bottom at irregular intervals.
39.99	The true point for the $\frac{1}{4}$ sec. cor. falls on the nearly vertical N. bank of Hyde Creek.
40.09	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for witness $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} \text{ S } 11 \text{ W} \\ \hline \text{S } 14 \text{ C} \\ 1937 \end{array}$
	from which
	A yellow pine, 26 ins. diam., bears S. 9 $\frac{1}{4}$ ° W., 53 lks. dist., mkd. W C $\frac{1}{4}$ S 14 B T.
	A yellow pine, 16 ins. diam., bears N. 0 $\frac{3}{4}$ ° W., 145 lks. dist., mkd. W C $\frac{1}{4}$ S 11 B T.
	Asc. 80 ft. over an E. slope.
42.90	Spur, slopes N.; desc. 50 ft. over a NW. slope.
54.15	Hyde Creek, 2 chs. wide, course N. 75° E., from W., follow up same.
66.70	Leave Hyde Creek, course E., from S. 60° W.; asc. 110 ft. over a SE. slope.
73.40	Spur, slopes N., asc. 5 ft. over rolling land.
79.98	The cor. of secs. 10, 11, 14 and 15.
	Land, rolling and rough mountainous. Soil, sndy loam and rocky, 4th rate. Timber, scattering pinon, yellow pine and juniper; undergrowth, scrub oak, manzanita and mountain laurel.
	N. 0° 01' W., bet. secs. 10 and 11.
	Asc. 300 ft. over a SE. slope, thru scattering timber, and undergrowth.
20.10	Divide bet. Hyde Creek and Graver Wash, bears NE. and SW.; desc. 230 ft. over a NW. slope.
25.00	Slope changes to N.; continue descent.
34.60	A four strand barb wire fence, bears N. 80° E. and S. 80° W.

Subdivisions of T. 17 N., R. 6 W.

Chains

35.00 Graver Wash, near head, 12 ft. wide, course NE.; over nearly level land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ S\ 10\ | \ S\ 11 \\ 1937 \end{array}$$

from which

A juniper, 24 ins. diam., bears S. $67\frac{1}{4}^{\circ}$ E., 31 lks. dist., mkd. $\frac{1}{4}$ S 11 B T.

A yellow pine, 22 ins. diam., bears S. $80\frac{1}{4}^{\circ}$ W., 123 lks. dist., mkd. $\frac{1}{4}$ S 10 B T.

40.80 Rocky wash, 6 ft. wide, course E.; asc. 110 ft. over a S. slope.

49.10 Spur, slopes W.; desc. 110 ft. over a N. slope.

56.90 Small wash, course E.; asc. 160 ft. over a S. slope.

57.30 Truck trail, bears E. to Walnut Creek and W. to Hyde Creek.

64.50 Slope changes to E.

74.40 Spur, slopes E.; desc. 115 ft. over a N. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, 20 ins. high, for cor. of secs. 2, 3, 10 and 11, with brass cap mkd.

$$\begin{array}{c} T17N\ R6W \\ S\ 3\ | \ S\ 2 \\ S10\ | \ S11 \\ 1937 \end{array}$$

from which

A juniper, 12 ins. diam., bears N. 66° E., 61 lks. dist., mkd. T 17 N R 6 W S 2 B T.

A pinon, 3 ins. diam., bears S. $55\frac{1}{2}^{\circ}$ W., 97 lks. dist., mkd. B T.

A juniper, 8 ins. diam., bears S. 26° W., 92 lks. dist., mkd. T 17 N R 6 W S 10 B T.

A juniper, 5 ins. diam., bears N. $43\frac{1}{2}^{\circ}$ W., 92 lks. dist., mkd. T 17 N R 6 W S 3 B T.

Land, rolling to rough mountainous.

Soil, sandy loam and rocky, 3d rate.

Timber, scattering yellow pine, pinon and juniper; undergrowth, scrub oak, manzanita and mountain laurel.

Subdivisions of T. 17 N., R. 6 W.

BOOK 4142

Chains	N. 89° 53' E., on a random line bet. secs. 2 and 11.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	A point 14 lks. N. of the cor. of secs. 1, 2, 11 and 12. Thence
✓	S. 89° 59' W., on true line bet. secs. 2 and 11. Asc. 45 ft. over an E. slope, thru scattering timber and undergrowth.
3.70	End of marked ascent; asc. 17 ft. over rolling land.
8.10	A four strand barb wire fence, bears N. and S.
12.80	Desc. 35 ft. over granite boulders.
15.30	Small wash, course SE.; asc. 60 ft. over a broken E. slope.
20.20	Rocky spur, slopes SE.; desc. 30 ft. over a W. slope.
25.20	Small wash, course S.; asc. 40 ft. over an E. slope.
29.20	Spur, slopes SE.; desc. 34 ft. over a broken SW. slope.
39.30	Small sandy wash, course NE.; thence over rolling land.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, 2 ft. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} S \ 2 \\ \hline \frac{1}{4} \ S \ 11 \\ 1937 \end{array}$
	from which
	An oak, 8 ins. diam., bears N. 10 $\frac{3}{4}$ ° E., 161 lks. dist., mkd. $\frac{1}{4}$ S 2 B T.
	A yellow pine, 14 ins. diam., bears S. 61 $\frac{1}{4}$ ° E., 58 lks. dist., mkd. $\frac{1}{4}$ S 11 B T.
48.50	Desc. 40 ft. over a rocky W. slope.
52.70	Graver Wash, 20 lks. wide, course NE.; asc. 100 ft. over a NE. slope, thru dense undergrowth.
60.90	Truck trail, bears N. to Walnut Creek and S. to Camp Wood.
80.00	The cor. of secs. 2, 3, 10 and 11. Land, rolling mountainous. Soil, sandy loam and rocky, 3d to 4th rate. Timber, scattering pinon, juniper and oak; undergrowth, oak and manzanita.
✓	N. 0° 01' W., on a random line bet. secs. 2 and 3.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Set temp. lot cor.

Subdivisions of T. 17 N., R. 6 W.

Chains

86.06 A point 17 lks. E. of the cor. of secs. 34 and 35, on the S. bdy. of T. 18 N., R. 6 W., which is an iron post, 2 ins. diam., 12 ins. above ground, and in a mound of stone to top, with brass cap mkd.

T18N R6W
S34 | S35
1934

As this cor. now also refers to secs. 2 and 3 of T. 17 N., I additionally mark the brass cap to read as follows:

T18N R6W
S34 | S35
S 3 | S 2
T17N
1934

from which

Original bearing trees:

A black oak, 6 ins. diam., bears N. 73° E., 44 lks. dist., mkd. T 18 N R 6 W S 35 B T.

A black oak, 8 ins. diam., bears N. $38\frac{3}{4}^{\circ}$ W., 115 lks. dist., mkd. T 18 N R 6 W S 34 B T.

New bearing trees:

A juniper, 16 ins. diam., bears S. $8\frac{1}{4}^{\circ}$ E., 81 lks. dist., mkd. T 17 N R 6 W S 2 B T.

A juniper, 4 ins. diam., bears S. $70\frac{1}{4}^{\circ}$ W., 59 lks. dist., mkd. T 17 N R 6 W S 3 B T.

Thence

S. $0^{\circ} 08'$ E., on true line bet. secs. 2 and 3.

Asc. 170 ft. over a N. slope, thru scattering timber and dense undergrowth.

6.06 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for cor. of lots 4 and 5 of sec. 2, and lots 1 and 8 of sec. 3, with brass cap mkd.

S 3 $\frac{1}{8}$ | $\frac{4}{5}$ S 2
1937

from which

An oak, 3 ins. diam., bears N. $25\frac{1}{4}^{\circ}$ E., 58 lks. dist., mkd. L 4 S 2 B T.

A juniper foek, 8 ins. diam., bears S. 20° E., 218 lks. dist., mkd. L 5 S 2 B T.

An oak, 4 ins. diam., bears S. 31° W., 47 lks. dist., mkd. L 8 S 3 B T.

A juniper, 4 ins. diam., bears N. $26\frac{3}{4}^{\circ}$ W., 86 lks. dist., mkd. L 1 S 3 B T.

Subdivisions of T. 17 N., R. 6 W.

Chains

- 12.60 Spur, slopes W., desc. 80 ft. over a S. slope.
- 17.30 Head of small wash, course NW.; asc. 23 ft. over a NW. slope.
- 22.30 Toe of small spur, slopes W.; desc. 30 ft. over a SW. slope.
- 23.70 Head of small rocky wash, course NW.; asc. 80 ft. over a NW. slope.
- 28.60 Low ridge, bears N. 30° E., and S. 30° W.; thence desc. 18 ft. along a broken E. slope.
- 38.20 Small rocky wash, course NE.; asc. 135 ft. over large granite boulders.
- 46.06 Set an iron post, 3 ft. long, 1 in. diam., on cross (+) on solid rock, and in a mound of stone, 6 ft. base, 3 ft. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S 3 | S 2
1937

from which

An oak, 8 ins. diam., bears S. 84 $\frac{1}{4}$ ° E., 58 lks. dist., mkd. $\frac{1}{4}$ S 2 B T.

A pinon, 4 ins. diam., bears N. 76° W., 38 lks. dist., mkd. $\frac{1}{4}$ S 3 B T.

Rocky spur, slopes W.; desc. 180 ft. over a broken S. to SE. slope.

- 56.40 Spur, slopes SE.; continue descent.
- 62.40 Small wash, course NW.; asc. 90 ft. over a broken NE. slope.
- 70.40 Small knoll; desc. 40 ft. over a S. slope.
- 73.10 Same wash, course NE.; asc. 160 ft. over a N. slope.
- 78.40 Same wash, course NW.; continue ascent.
- 86.06 The cor. of secs. 2, 3, 10 and 11.

Land, rough and rolling mountainous.
Soil, sandy loam and rocky, 3d rate.
Timber, scattering oak, juniper, pinon and yellow pine; undergrowth, oak, manzanita and mountain laurel.

The $\frac{1}{4}$ sec. cor. on the S. bdy. of sec. 35, T. 18 N., R. 6 W., is an iron post, 1 in. diam., 9 ins. above ground, with brass cap mkd.

$\frac{1}{4}$ S 35
1934

As this cor. now also refers to sec. 2 of T. 17 N., I remark the brass cap to read as follows:

Subdivisions of T. 17 N., R. 6 W.

Chains

$$\begin{array}{r} \text{S } 35 \\ \frac{1}{4} \\ \hline \text{S } 2 \\ 1934 \end{array}$$

from which

Original bearing trees:

A black oak, 10 ins. diam., bears N. 9° E., 76 lks. dist., mkd. $\frac{1}{4}$ S 35 B T.

A juniper, 36x60 ins. diam., bears N. 30° W., 22 lks. dist., mkd. $\frac{1}{4}$ S 35 B T.

A new bearing tree:

A juniper, 36 ins. diam., bears S. $54\frac{1}{4}^{\circ}$ W., 137 lks. dist., mkd. $\frac{1}{4}$ S 2 B T.

Thence from the standard corner of secs. 33 and 34, described in the field notes of the fourth standard parallel north, thru ranges 5 and 6 west, resurveyed under this group.

N. $0^{\circ} 02'$ W., bet. secs. 33 and 34.

Desc. 57 ft. over a NE. slope, thru juniper and scattering yellow pine timber and dense undergrowth.

- 8.95 Wash, 8 ft. wide, 1 ft. deep, winding E.; asc. 150 ft. over a gentle SE. slope.
- 9.65 Telephone line, bears N. 70° W. and S. 70° E.; forest service trail, Camp Wood to Hyde Mountain, follows along the telephone line.
- 29.40 A butte, bears W., 10.00 chs. dist.
- 33.40 A butte, bears E., 35.80 chs. dist.
- 34.35 Ridge, bears N. 75° E. and S. 75° W., desc. 30 ft. along a broken E. slope.
- 37.50 Ravine, near head, course N. 75° E.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, 20 ins. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{r} \frac{1}{4} \\ \text{S } 33 \mid \text{S } 34 \\ 1937 \end{array}$$

from which

A juniper, 7 ins. diam., bears N. 41° E., 58 lks. dist., mkd. $\frac{1}{4}$ S 34 B T.

A juniper, 10 ins. diam., bears N. $66\frac{1}{4}^{\circ}$ W., 47 lks. dist., mkd. $\frac{1}{4}$ S 33 B T.

Subdivisions of T. 17 N., R. 6 W.

BOOK 4142

Chains	Asc. 30 ft. over a S. slope.								
42.95	Long spur-ridge, slopes N. 60° W.; desc. 210 ft. over a broken NW. slope.								
58.95	Wash, 10 ft. wide, course N. 40° E.; asc. 45 ft. over a SE. slope.								
61.80	Short steep spur, slopes NW.; desc. 90 ft. over a NE. slope.								
65.90	Stringtown Wash, 35 ft. wide, course N. 60° E.; thence asc. 55 ft. along a broken E. slope.								
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, with brass cap mkd.								
	<table border="1"> <tr> <td>T17N</td> <td>R6W</td> </tr> <tr> <td>S28</td> <td>S27</td> </tr> <tr> <td>S33</td> <td>S34</td> </tr> <tr> <td colspan="2" style="text-align: center;">1937</td> </tr> </table>	T17N	R6W	S28	S27	S33	S34	1937	
T17N	R6W								
S28	S27								
S33	S34								
1937									
	from which								
	A juniper, 12 ins. diam., bears N. 32½° E., 125 lks. dist., mkd. T 17 N R 6 W S 27 B T.								
	A juniper, 12 ins. diam., bears S. 35° E., 122 lks. dist., mkd. T 17 N R 6 W S 34 B T.								
	A juniper, 14 ins. diam., bears S. 39½° W., 94 lks. dist., mkd. T 17 N R 6 W S 33 B T.								
	A juniper, 14 ins. diam., bears N. 28½° W., 72 lks. dist., mkd. T 17 N R 6 W S 28 B T.								
	Land, rolling mountainous. Soil, sandy loam and rocky, 3d rate. Timber, juniper, yellow pine and pinon; undergrowth, dense scrub oak, manzanita and mountain laurel.								
	N. 89° 58' E., on a random line bet. secs. 27 and 34.								
40.00	Set temp. ¼ sec. cor.								
80.02	A point 9 lks. S. of the cor. of secs. 26, 27, 34 and 35. Thence								
	✓ S. 89° 54' W., on true line bet. secs. 27 and 34. Asc. 10 ft. along a broken N. slope, thru scattering timber and dense undergrowth.								
1.80	Spur, slopes N.; desc. 100 ft. over a W. slope.								
7.60	Rocky wash, 10 ft. wide, winding N.; asc. 130 ft. over an E. slope.								
19.25	Long spur-ridge, slopes N.; desc. 45 ft. over a W. slope.								
23.30	Wash, 5 ft. wide, course N.; asc. 40 ft. over a SE. slope.								

Subdivisions of T. 17 N., R. 6 W.

Chains

- 26.70 Long spur, slopes N.; desc. 20 ft. over a W. slope.
- 29.05 Wash, 4 ft. wide, 2 ft. deep, course N. 10° W., asc. 95 feet along a broken NE. slope.
- 33.75 A four strand barb wire fence, bears N. 25° W. and S. 25° E.
- 40.01 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{r} \frac{1}{4} \text{ S } 27 \\ \hline \frac{1}{4} \text{ S } 34 \\ 1937 \end{array}$$

from which

A juniper, 12 ins. diam., bears N. 58 $\frac{1}{4}$ ° E., 64 lks. dist., mkd. $\frac{1}{4}$ S 27 B T.

A white oak, 5 ins. diam., bears S. 42° E., 64 lks. dist., mkd. $\frac{1}{4}$ S 34 B T.

- 41.40 Spur-ridge, slopes NW.; desc. 70 ft. over a SW. slope.
- 47.60 Wash, 20 ft. wide, course N. 1 ch. dist., thence NW.; desc. 15 ft. along a gentle N. slope.
- 52.10 Stringtown Wash, 30 ft. wide, course NE., occasional pools of water; asc. 40 ft. over a gentle E. slope.
- 59.85 Short spur, slopes S.; desc. 14 ft. over a SW. slope.
- 61.20 Wash, 30 ft. wide, course S. 40° E.; asc. 70 ft. over a NE. slope.
- 68.75 Spur, slopes S.; desc. 27 ft. over a SW. slope.
- 73.20 Wash, 5 ft. wide, 3 ft. deep, course S. 20° E., a spring of good water, 1 ft. diam., 2 ft. deep, in wash; asc. 44 ft. over a broken E. slope.
- 80.02 The cor. of secs. 27, 28, 33 and 34.

Land, rolling to rough mountainous.
Soil, sandy loam and rocky, 3d to 4th rate.
Timber, oak, scattering yellow pine and juniper; undergrowth, dense manzanita and mountain laurel.

N. 0° 02' W., bet. secs. 27 and 28.

Asc. 28 ft. over a SE. slope, thru oak, juniper and scattering yellow pine timber and dense undergrowth.

- 4.00 Short spur, slopes E.; desc. 30 ft. over a NE. slope.
- 6.85 Ravine, 4 ft. wide, course SE.; asc. 40 ft. over a S. slope.
- 9.95 Spur, slopes E.; desc. 60 ft. over a NE. slope.
- 16.40 A spring of good water, 5 ft. diam., 1 ft. deep, bears N. 60° W., 4.80 chs. dist.

Subdivisions of T. 17 N., R. 6 W.

FROM 474

Chains

- 16.80 Wash, 10 ft. wide, course SE.; a small stream of water in wash from above spring; asc. 200 ft. over a broken SE. slope.
- 19.15 A four strand barb wire fence, bears N. 80° W. and S. 80° E.
- 32.15 Ridge, bears N. 65° E. and S. 65° W.; desc. 95 ft. over a NE. slope.
- 38.80 Ravine, 6 ft. wide, course NE.; asc. 11 ft. along a broken E. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ \text{S } 28 \mid \text{S } 27 \\ | \\ 1937 \end{array}$$

from which

A juniper fork, 8 ins. diam., bears N. 28° E., 196 lks. dist., mkd. $\frac{1}{4}$ S 27 B T.

A juniper fork, 7 ins. diam., bears S. 70° W., 230 lks. dist., mkd. $\frac{1}{4}$ S 28 B T.

Desc. 28 ft. along a broken E. slope.

- 47.15 A four strand barb wire fence, bears N. 60° E. and S. 60° W.
- 50.90 Wash, 10 ft. wide, course E. from NW.; asc. 100 ft. over a broken S. slope.
- 57.65 Rocky spur, slopes E.; desc. 45 ft. over a broken, rocky NE. slope.
- 61.30 Rocky ravine, 10 ft. wide, course SE.; asc. 345 ft. over a broken, rocky SE. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 4 ins. in bedrock, and in a mound of stone, 5 ft. base, 32 ins. high, for cor. of secs. 21, 22, 27 and 28, with brass cap mkd.

$$\begin{array}{c} \text{T17N } \text{R6W} \\ \text{S21} \mid \text{S22} \\ \hline \text{S28} \mid \text{S27} \\ 1937 \end{array}$$

from which

A juniper, 18 ins. diam., bears S. 30° E., 102 lks. dist., mkd. T 17 N R 6 W S 27 B T.

A juniper fork, 6 ins. diam., bears S. 84 $\frac{1}{2}$ ° W., 81 lks. dist., mkd. T 17 N R 6 W S 28 B T.

A juniper fork, 6 ins. diam., bears N. 85° W., 107 lks. dist., mkd. T 17 N R 6 W S 21 B T.

No suitable NE. bearing tree.

Subdivisions of T. 17 N., R. 6 W.

Chains

Land, rolling mountainous.
Soil, sandy loam and rocky, 4th rate.
Timber, scattering juniper, oak, pinon and yellow pine;
undergrowth, scrub oak, mountain laurel and manzanita.

N. 89° 54' E., on a random line bet. secs. 22 and 27.

40.00 Set temp $\frac{1}{4}$ sec. cor.

80.10 A point 2 lks. N. of the cor. of secs. 22, 23, 26 and 27.

Thence

S. 89° 55' W., on true line bet. secs. 22 and 27.

Asc. 65 ft. over an E. slope, thru undergrowth.

4.45 Top of pointed hill; desc. 215 ft. over a W. slope.

22.90 Wash, 10 ft. wide, course SE.; asc. 140 ft. over an E. slope.

36.00 Spur, slopes N. 20° E., desc. 55 ft. over a W. slope;
enter scattering pinon and juniper timber.

40.05 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in
the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{r} \frac{1}{4} \text{ S } 22 \\ \frac{1}{4} \text{ S } 27 \\ 1937 \end{array}$$

from which

A juniper, 4 ins. diam., bears S. 12° E., 42 lks.
dist., mkd. $\frac{1}{4}$ S 27 B T.

An oak, 6 ins. diam., bears N. 53° W., 44 lks. dist.,
mkd. $\frac{1}{4}$ S 22 B T.

40.30 A four strand barb wire fence, bears N. 55° E. and
S. 55° W.

45.60 Wash, 6 ft. wide, course SE.; asc. 65 ft. over a broken
S. slope.

53.10 Long spur, slopes N.; desc. 34 ft. over a W. slope.

55.30 Rocky and sandy wash, 10 ft. wide, course SE.; asc. 390
ft. over a broken E. slope.

80.10 The cor. of secs. 21, 22, 27 and 28.

Land rolling mountainous.
Soil, sandy loam and rocky, 3d rate.
Timber, juniper and pinon; undergrowth, scrub oak and
manzanita.

N. 0° 02' W., bet. secs. 21 and 22.

Asc. 65 ft. over a rocky S. slope, thru scattering
timber and undergrowth.

Subdivisions of T. 17 N., R. 6 W.

Chains

- 2.70 Divide bet. Pine and Hyde Creeks, bears NE. and SW.; desc. 320 ft. over a NW. slope.
- 18.90 Rocky wash, 30 lks. wide, course NE.; asc. 80 ft. over a SE. slope.
- 31.20 End of ascent; desc. 25 ft. over a NE. slope.
- 33.70 Side hill wash, course E.; asc. 12 ft. over a SE. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, $2\frac{1}{2}$ ft. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ S\ 21\ | S\ 22 \\ | \\ 1937 \end{array}$$

from which

A pinon, 4 ins. diam., bears N. $55\frac{1}{4}^{\circ}$ E., 19 lks. dist., mkd. $\frac{1}{4}$ S 22 B T.

A pinon, 4 ins. diam., bears S. $50\frac{3}{4}^{\circ}$ W., 51 lks. dist., mkd. $\frac{1}{4}$ S 21 B T.

Desc. 145 ft. over a N. slope.

- 43.60 Slope changes to NW.; continue descent.
- 49.60 Rocky wash, 10 lks. wide, course NE.; asc. 100 ft. over a SE. slope.
- 58.00 Spur, slopes NE.; desc. 235 ft. over a NW. slope.
- 72.85 A four strand barb wire fence, bears N. 65° W. and S. 65° E.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 15, 16, 21 and 22, with brass cap mkd.

$$\begin{array}{c} T17N\ R6W \\ S16\ | S15 \\ \hline S21\ | S22 \\ 1937 \end{array}$$

from which

An oak, 12 ins. diam., bears N. 72° E., 116 lks. dist., mkd. T 17 N R 6 W S 15 B T.

A yellow pine, 32 ins. diam., bears S. $17\frac{1}{2}^{\circ}$ E., 119 lks. dist., mkd. T 17 N R 6 W S 22 B T.

An oak, 12 ins. diam., bears S. $49\frac{1}{4}^{\circ}$ W., 105 lks. dist., mkd. T 17 N R 6 W S 21 B T.

A yellow pine, 30 ins. diam., bears N. 33° W., 147 lks. dist., mkd. T 17 N R 6 W S 16 B T.

Land, rough and rolling mountainous.
Soil, sandy loam and rocky, 3d rate.
Timber, scattering juniper, pinon, oak and yellow pine;
undergrowth, scrub oak, manzanita, and mountain laurel.

Subdivisions of T. 17 N., R. 6 W.

Chains	
	N. 89° 55' E., on a random line bet. secs. 15 and 22.
40.00	Set temp $\frac{1}{4}$ sec. cor.
80.10	A point 12 lks. N. of the cor. of secs. 14, 15, 22 and 23.
	Thence
✓	West, on true line bet. secs. 15 and 22.
	Desc. 115 ft. over a W. slope, thru scattering timber and undergrowth.
6.60	Rocky wash, 12 ft. wide, course NE.; asc. 390 ft. over an E. slope.
26.10	Ridge, bears NW. and S.; desc. 230 ft. over a W. slope.
35.40	Rocky wash, 10 ft. wide, course NW.; desc. 23 ft. over a broken NW. slope.
40.05	Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} S\ 15 \\ \hline \frac{1}{4} S\ 22 \\ 1937 \end{array}$
	from which
	A yellow pine, 16 ins. diam., bears N. 41° E., 102 lks. dist., mkd. $\frac{1}{4}$ S 15 B T.
	A yellow pine, 20 ins. diam., bears S. 72 $\frac{1}{4}$ ° E., 101 lks. dist., mkd. $\frac{1}{4}$ S 22 B T.
	Desc. 60 ft. over a broken W. slope.
47.20	Rocky wash, 8 ft. wide, course NW.; asc. 45 ft. over a NE. slope.
51.25	Spur, slopes N.; desc. 80 ft. over a W. slope.
56.10	Wash, 10 ft. wide, course NW.; asc. 30 ft. over an E. slope.
59.50	Spur, slopes N.; desc. 140 ft. over a W. slope.
66.40	Small wash, course NW.; desc. 7 ft. over rolling land.
72.00	Rocky wash, 6 ft. wide, course NE.
80.10	The cor. of secs. 15, 16, 21 and 22.
	Land, rough mountainous. Soil, sandy loam and rocky, 3d rate. Timber, scattering juniper, pinon, oak and yellow pine; undergrowth, scrub oak, manzanita and mountain laurel.
✓	N. 0° 02' W., bet. secs. 15 and 16.
	Over bottom land, thru oak and yellow pine timber and undergrowth.

Subdivisions of T. 17 N., R. 6 W.

Chains	
2.50	Hyde Creek, 20 ft. wide, course E.; water emerges from sandy bottom at frequent intervals; asc. 275 ft. over a S. slope, thru scattering juniper and pinon timber and dense undergrowth.
18.70	Spur, slopes E., desc. 220 ft. over a NE. slope.
35.20	Head of wash, course SE.; asc. 110 ft. over a S. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, 1½ ft. high, for ¼ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ \text{S } 16 \text{ S } 15 \\ \hline 1937 \end{array}$
	from which
	A pinon, 6 ins. diam., bears S. 20¾° E., 64 lks. dist., mkd. ¼ S 15 B T.
	A pinon, 8 ins. diam., bears S. 16¾° W., 50 lks. dist., mkd. ¼ S 16 B T.
42.60	Spur, slopes W.; desc. 200 ft. over a NW. slope.
59.50	Sandy wash, course NE.; asc. 8 ft. over rocky, rolling land.
64.70	Wash, 15 ft. wide, course E.; asc. 55 ft. over rolling land.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, 20 ins. high, for cor. of secs. 9, 10, 15 and 16, with brass cap mkd.
	$\begin{array}{c} \text{T17N } \text{R6W} \\ \text{S } 9 \text{ S10} \\ \hline \text{S16 S15} \\ \hline 1937 \end{array}$
	from which
	A pinon, 3 ins. diam., bears N. 34½° E., 51 lks. dist., mkd. B T.
	A pinon, 6 ins. diam., bears S. 53½° E., 20 lks. dist., mkd. T 17 N R 6 W S 15 B T.
	A juniper, 20 ins. diam., bears S. 34½° W., 15 lks. dist., mkd. T 17 N R 6 W S 16 B T.
	A pinon, 8 ins. diam., bears N. 40¾° W., 82 lks. dist., mkd. T 17 N R 6 W S 9 B T.
	Land, rolling mountainous. Soil, sandy loam and rocky, 3d to 4th rate. Timber, yellow pine, oak, and scattering juniper and pinon; undergrowth, scrub oak, manzanita and mountain laurel.

Subdivisions of T. 17 N., R. 6 W.

Chains	
	East, on a random line bet. secs. 10 and 15.
40.00	Set temp $\frac{1}{4}$ sec. cor.
80.12	A point 12 lks. N. of the cor. of secs. 10, 11, 14 and 15.
	Thence
✓	N. $89^{\circ} 55'$ W., on true line bet. secs. 10 and 15.
	Asc. 315 ft. over a SE. slope, thru scattering timber and undergrowth.
16.50	End of ascent; thence along a S. slope.
21.50	Slope changes to SE.; asc. 80 ft.
25.50	Truck trail, bears N. to Walnut Creek and S. to Hyde Creek.
31.70	End of ascent; desc. 80 ft. over a SW. slope.
38.20	Side hill ravine, course S., asc. 80 ft. over a SE. slope.
40.06	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} S 10 \\ \frac{1}{4} S 15 \\ \hline 1937 \end{array}$
	from which
	A pinon, 4 ins. diam., bears S. $26\frac{1}{4}^{\circ}$ W., 143 lks. dist., mkd. $\frac{1}{4}$ S 15 B T.
	A juniper fork, 4 ins. diam., bears N. $68\frac{3}{4}^{\circ}$ W., 79 lks. dist., mkd. $\frac{1}{4}$ S 10 B T.
44.50	Spur, slopes S.; desc. 220 ft. over a W. slope.
53.30	Rocky wash, 10 ft. wide, course SE.; asc. 180 ft. over an E. slope.
64.50	Spur, slopes S.; desc. 165 ft. over a SW. slope.
80.12	The cor. of secs. 9, 10, 15 and 16.
	Land, rolling mountainous. Soil, sandy loam and rocky, 3d rate. Timber, scattering juniper and pinon; undergrowth, scrub oak, manzanita and mountain laurel.
	✓
	N. $0^{\circ} 02'$ W., bet. secs. 9 and 10.
	Asc. 100 ft. over large granite boulders, thru scattering timber and undergrowth.
2.70	Divide bet. Apache and Hyde Creeks, bears E. and W.; desc. 240 ft. over a NW. slope.

Subdivisions of T. 17 N., R. 6 W.

Chains

40.00

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 9 \text{ | S } 10 \\ 1937 \end{array}$$

from which

A juniper, 4 ins. diam., bears S. $44\frac{1}{2}^{\circ}$ E., 60 lks. dist., mkd. $\frac{1}{4}$ S 10 B T.

A juniper, 10 ins. diam., bears S. $23\frac{3}{4}^{\circ}$ W., 240 lks. dist., mkd. $\frac{1}{4}$ S 9 B T.

Continue along a W. slope.

45.20

Slope changes to NW.; desc. 90 ft.

56.65

Sandy wash, 10 lks. wide, course NW.; thence over rolling land, which drains W.

62.90

Small wash, course NW.; asc. slightly over a NW. slope.

69.65

Rocky wash, course NW. from NE.; asc. 125 ft. over a SW. slope.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, 2 ft. high, for cor. of secs. 3, 4, 9 and 10, with brass cap mkd.

$$\begin{array}{c} \text{T17N R6W} \\ \text{S } 4 \text{ | S } 3 \\ \hline \text{S } 9 \text{ | S } 10 \\ 1937 \end{array}$$

from which

A pinon, 12 ins. diam., bears N. $17\frac{3}{4}^{\circ}$ E., 106 lks. dist., mkd. T 17 N R 6 W S 3 B T.

A pinon, 10 ins. diam., bears S. $79\frac{1}{4}^{\circ}$ E., 75 lks. dist., mkd. T 17 N R 6 W S 10 B T.

A pinon, 10 ins. diam., bears S. $44\frac{3}{4}^{\circ}$ W., 166 lks. dist., mkd. T 17 N R 6 W S 9 B T.

A pinon, 8 ins. diam., bears N. $65\frac{1}{2}^{\circ}$ W., 54 lks. dist., mkd. T 17 N R 6 W S 4 B T.

Land, rolling mountainous.

Soil, sandy loam and rocky, 3d rate.

Timber, scattering juniper, pinon and oak; undergrowth, scrub oak, manzanita and mountain laurel.

40.00

S. $89^{\circ} 55'$ E., on a random line bet. secs. 3 and 10.

Set temp. $\frac{1}{4}$ sec. cor.

80.12

A point 5 lks. S. of the cor. of secs. 2, 3, 10 and 11.

Subdivisions of T. 17 N., R. 6 W.

Chains	
	Thence
✓	N. 89° 57' W., on true line bet. secs. 3 and 10. Asc. 45 ft. along a NE. slope, thru dense undergrowth and scattering timber.
7.50	Slope changes to NW.; desc. 100 ft.
14.90	Small wash, course NE.; asc. 110 ft. over an E. slope.
23.70	Spur, slopes NE.; desc. 24 ft. over a NW. slope.
29.60	Rocky wash, 15 ft. wide, course NE.; asc. 120 ft. over an E. slope.
38.40	Spur, slopes NE.; desc. 150 ft. over a W. slope.
40.06	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, 28 ins. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} S \ 3 \\ \hline \frac{1}{4} S \ 10 \\ 1937 \end{array}$
	from which
	A juniper, 8 ins. diam., bears S. 72 $\frac{3}{4}$ ° W., 91 lks. dist., mkd. $\frac{1}{4}$ S 10 B T.
	A juniper, 8 ins. diam., bears N. 26 $\frac{1}{4}$ ° W., 204 lks. dist., mkd. $\frac{1}{4}$ S 3 B T.
48.20	Head of wash, course NW.; asc. 7 ft. along a NE. slope.
50.10	Slope changes to N.
53.50	Slope changes to NW.; desc. 150 ft.
58.20	Slope changes to W.; continue descent.
67.60	Rocky and sandy wash, 10 ft. wide, course N.; asc. 100 ft. over a broken E. slope.
78.20	Spur, slopes NE.; desc. 34 ft. over a SW. slope.
80.12	The cor. of secs. 3, 4, 9 and 10. Land, rolling mountainous. Soil, sandy loam and rocky, 3d rate. Timber, scattering juniper, pinon and yellow pine; undergrowth, scrub oak, manzanita and mountain laurel.
✓	N. 0° 02' W., on a random line bet. secs. 3 and 4.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Set temp. lot cor.
85.78	A point 11 lks. W. of the cor. of secs. 33 and 34, on the S. bdy. of T. 18 N., R. 6 W., which is an iron post, 2 ins. diam., in a mound of stone to top, with brass cap mkd.

Subdivisions of T. 17 N., R. 6 W.

BOOK 4142

Chains

T18N	R6W
S33	S34

1934

As this cor. now also refers to secs. 3 and 4 of T. 17 N., I additionally mark the brass cap to read as follows:

T18N	R6W
S33	S34

S 4	S 3
T17N	
1934	

from which

Original bearing trees:

A pinon, 4 ins. diam., bears N. 58° E., 95 lks. dist., mkd. B T.

A juniper, 16 ins. diam., bears N. $36\frac{1}{2}^{\circ}$ W., 115 lks. dist., mkd. T 18 N R 6 W S 33 B T.

New bearing trees:

A pinon, 4 ins. diam., bears S. $26\frac{3}{4}^{\circ}$ E., 134 lks. dist., mkd. T 17 N R 6 W S 3 B T.

A pinon, 6 ins. diam., bears S. 60° W., 100 lks. dist., mkd. T 17 N R 6 W S 4 B T.

Thence

✓ S. $0^{\circ} 02'$ W., on true line bet. secs. 3 and 4.

Desc. 50 ft. over a broken S. slope, thru scattering timber and undergrowth.

5.78 Set an iron post, 3 ft. long, 1 in. diam., on a cross (+) on bedrock, and in a mound of stone, 6 ft. base, 3 ft. high, for cor. of lots 4 and 5 of sec. 3, and lots 1 and 8 of sec. 4, with brass cap mkd.

1	4
S 48	S 3
5	
1937	

from which

A pinon, 4 ins. diam., bears N. $18\frac{1}{2}^{\circ}$ E., 82 lks. dist., mkd. L 4 S 3 B T.

An oak, 6 ins. diam., bears S. $13\frac{1}{2}^{\circ}$ E., 78 lks. dist., mkd. L 5 S 3 B T.

A juniper, 4 ins. diam., bears S. $43\frac{1}{4}^{\circ}$ W., 72 lks. dist., mkd. L 8 S 4 B T.

A pinon, 4 ins. diam., bears N. $32\frac{3}{4}^{\circ}$ W., 67 lks. dist., mkd. L 1 S 4 B T.

7.50 Rocky and sandy wash, 10 ft. wide, course SE.; asc. 40 ft. over rolling land.

Subdivisions of T. 17 N., R. 6 W.

Chains

- 29.00 Sandy wash, 8 ft. wide, course SE.; desc. 50 ft. over granite boulders.
- 45.78 Set an iron post, 3 ft. long, 1 in. diam., on cross (+) on bedrock, and in a mound of stone, 6 ft. base, 3 ft. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ S \ 4 \ | \ S \ 3 \\ 1937 \end{array}$$

from which

A yellow pine, 10 ins. diam., bears S. $40\frac{3}{4}^{\circ}$ E., 58 lks. dist., mkd. $\frac{1}{4}$ S 3 B T.

A juniper fork, 10 ins. diam., bears S. $35\frac{1}{2}^{\circ}$ W., 55 lks. dist., mkd. $\frac{1}{4}$ S 4 B T.

Desc. 9 ft. over rolling land.

- 51.10 Wash, course NE.; asc. 65 ft. over a N. slope.
- 58.20 Small spur, slopes E.; desc. 40 ft. over a S. slope.
- 61.30 Small wash, course NE.; asc. 20 ft. over a N. slope.
- 66.50 End of ascent; thence over rolling land.
- 71.50 Desc. 40 ft. over granite boulders.
- 76.00 Apache Creek, 30 ft. wide, course NE., water emerges from sandy bottom at intervals; asc. 230 ft. over a NW. slope.
- 85.78 The cor. of secs. 3, 4, 9 and 10.

Land, rolling to rough mountainous.
Soil, sandy loam and very rocky, 3d to 4th rate.
Timber, scattering yellow pine, juniper, oak and pinon;
undergrowth, scrub oak, manzanita and mountain laurel.

The true point for the $\frac{1}{4}$ sec. cor. on the S. bdy. of sec. 34, T. 18 N., R. 6 W., falls on round slope of large boulder.

The witness cor., which is 2.00 chs. west of the true point, is an iron post, 1 in. diam., 6 ins. above ground, with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \ S \ 34 \\ \hline WC \\ 1934 \end{array}$$

As this cor. now also refers to sec. 3 of T. 17 N., I remark the brass cap to read as follows:

$$\begin{array}{c} S \ 34 \\ \frac{1}{4} \ S \ 3 \\ \hline WC \\ 1934 \end{array}$$

from which

Subdivisions of T. 17 N., R. 6 W.

4142

Chains

Original bearing trees:

A yellow pine, 50 ins. diam., bears N. $7\frac{1}{2}^{\circ}$ W., 36 lks. dist., mkd. W C $\frac{1}{4}$ S 34 B T.

A yellow pine, 24 ins. diam., bears N. $62\frac{1}{2}^{\circ}$ W., 60 lks. dist., mkd. W C $\frac{1}{4}$ S 34 B T.

A new bearing tree:

A yellow pine, 18 ins. diam., bears S. $26\frac{1}{2}^{\circ}$ W., 128 lks. dist., mkd. W C $\frac{1}{4}$ S 3 B T.

Thence from the standard corner of secs. 32 and 33, described in the field notes of the fourth standard parallel north, thru ranges 5 and 6 west, resurveyed under this group.

N. $0^{\circ} 02'$ W., bet. secs. 32 and 33.

Desc. 25 ft. over a NE. slope, thru scattering timber and dense undergrowth.

- 3.25 Wash, 10 ft. wide, course SE.; asc. 60 ft. along a broken E. slope.
- 24.00 Spur, slopes E.; desc. 105 ft. over a broken NE. slope.
- 37.70 Rocky wash, 10 ft. wide, course S. 20° E.; asc. 60 ft. along a broken E. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
- $$\begin{array}{c} \frac{1}{4} \\ | \\ S\ 32\ | S\ 33 \\ | \\ 1937 \end{array}$$
- from which
- A juniper, 12 ins. diam., bears S. 23° E., 78 lks. dist., mkd. $\frac{1}{4}$ S 33 B T.
- A yellow pine, 6 ins. diam., bears S. 18° W., 39 lks. dist., mkd. $\frac{1}{4}$ S 32 B T.
- 40.55 Spur, slopes E.; desc. 25 ft. over a NE. slope.
- 42.50 Wash, 6 ft. wide, course SE.; asc. 205 ft. over a broken S. slope.
- 56.50 Ridge, bears N. 75° W. and E.; desc. 160 ft. over a broken NE. slope.
- 71.40 Stringtown Wash, 20 ft. wide, course N. 60° E.
- 79.80 End of ascent; edge of bench, bears E. and W.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in a rock crevice, and in a mound of stone, 4 ft. base, $1\frac{1}{2}$ ft. high, for cor. of secs. 28, 29, 32 and 33, with brass cap mkd.

Subdivisions of T. 17 N., R. 6 W.

Chains

T17N	R6W
S29	S28
S32	S33
1937	

from which

A juniper, 14 ins. diam., bears N. $4\frac{1}{2}^{\circ}$ E., 125 lks.
dist., mkd. T 17 N R 6 W S 28 B T.

A juniper, 12 ins. diam., bears S. 61° E., 31 lks.
dist., mkd. T 17 N R 6 W S 33 B T.

A juniper, 16 ins. diam., bears S. 35° W., 32 lks.
dist., mkd. T 17 N R 6 W S 32 B T.

A juniper, 20 ins. diam., bears N. $33\frac{1}{2}^{\circ}$ W., 130 lks.
dist., mkd. T 17 N R 6 W S 29 B T.

Land, rolling mountainous.

Soil, sandy loam and rocky, 3d rate.

Timber, scattering juniper, yellow pine, pinon and white oak; undergrowth, scrub oak, manzanita and mountain laurel.

40.00 N. $89^{\circ} 58'$ E., on a random line bet. secs. 28 and 33.

Set temp. $\frac{1}{4}$ sec. cor.

79.96 The cor. of secs. 27, 28, 33 and 34.

Thence

✓ S. $89^{\circ} 58'$ W., on true line bet. secs. 28 and 33.

Asc. 320 ft. over a broken E. slope, thru scattering timber and dense undergrowth.

13.25 Ridge, bears N. 75° E. and S. 75° W.; asc. 28 ft. along top of ridge.

24.50 Leave ridge; desc. 35 ft. over a NW. slope.

31.50 Same ridge, bears N. 70° W. and S. 70° E.; thence along a broken S. slope.

39.98 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$	S 28
$\frac{1}{4}$	S 33
1937	

from which

A pinon, 12 ins. diam., bears S. $57\frac{3}{4}^{\circ}$ E., 38 lks.
dist., mkd. $\frac{1}{4}$ S 33 B T.

A pinon, 7 ins. diam., bears N. 21° W., 16 lks.
dist., mkd. $\frac{1}{4}$ S 28 B T.

44.40 Slope changes to broken SW.; desc. 105 ft.

51.30 Rocky ravine, 12 ft. wide, course SE.; asc. 165 ft. over an E. slope.

Subdivisions of T. 17 N., R. 6 W.

Chains	
58.05	Spur-ridge, bears SE. and W.; desc. 40 ft. along top of same.
63.00	Leave spur-ridge, bears E. and NW.; asc. 25 ft. over broken land.
70.40	Telephone line and forest service trail, Camp Wood to Hyde Mountain, bears N. 15° W. and S. 40° E.
76.25	Spur, slopes S.; thence along a broken S. slope.
79.96	<p>The cor. of secs. 28, 29, 32 and 33.</p> <p>Land, rough mountainous. Soil, sandy loam and rocky, 3d rate. Timber, scattering juniper, pinon and white oak; undergrowth, dense scrub oak, manzanita and mountain laurel.</p>
	N. 0° 02' W., bet. secs. 28 and 29.
	Asc. 75 ft. over a SE. slope of bench, thru scattering timber and dense undergrowth.
15.95	A three strand barb wire fence, bears N. 70° W. and S. 70° E., in poor condition.
18.75	Telephone line and forest service trail, Camp Wood to Hyde Mountain, bears NW. and SE.
20.95	Leave bench and asc. 420 ft. over a broken SE. slope.
33.00	A four strand barb wire fence, bears N. 82° W. and S. 82° E.
35.50	A spring of good water, in a concrete box, 4 ft. diam., 2 ft. deep, bears W., 19.30 chs. dist.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, 1 ft. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ \\ S\ 29 \quad \quad S\ 28 \\ \\ 1937 \end{array}$
	from which
	A live oak, 6 ins. diam., bears S. 13 $\frac{1}{4}$ ° E., 33 lks. dist., mkd. $\frac{1}{4}$ S 28 B T.
	A juniper, 5 ins. diam., bears S. 36 $\frac{1}{4}$ ° W., 64 lks. dist., mkd. $\frac{1}{4}$ S 29 B T.
50.65	Spur-ridge, slopes SE.; desc. 140 ft. over a broken NE. slope.
52.30	A high butte, bears W., 32.00 chs. dist.
61.05	Side hill ravine, 4 ft. wide, course E.; thence along a broken E. slope.
69.00	Rocky ravine, 10 ft. wide, course S. 10° E.; asc. 150 ft. over a rocky SW. slope.

Subdivisions of T. 17 N., R. 6 W.

Chains

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, 16 ins. high, for cor. of secs. 20, 21, 28 and 29, with brass cap mkd.

T17N	R6W
S20	S21
S29	S28
1937	

from which

A juniper, 40 ins. diam., bears N. 9° E., 44 lks. dist., mkd. T 17 N R 6 W S 21 B T.

A juniper fork, 7 ins. diam., bears S. 52° E., 119 lks. dist., mkd. T 17 N R 6 W S 28 B T.

A juniper fork, 24 ins. diam., bears S. 52° W., 37 lks. dist., mkd. T 17 N R 6 W S 29 B T.

A post oak, 5 ins. diam., bears N. 43½° W., 62 lks. dist., mkd. T 17 N R 6 W S 20 B T.

Land, rough mountainous.
Soil, sandy loam and very rocky, 4th rate.
Timber, juniper, pinon and oak; undergrowth, scrub oak, manzanita and mountain laurel.

40.00

N. 89° 58' E., on a random line bet. secs. 21 and 28.

Set temp. ¼ sec. cor.

79.92

A point 2 lks. N. of the cor. of secs. 21, 22, 27 and 28.

Thence

S. 89° 59' W., on true line bet. secs. 21 and 28.

Along a steep S. slope, thru scattering timber and dense undergrowth.

1.50

Divide bet. Hyde Creek and Stringtown Wash, bears S. 60° W., and N. 40° E.; desc. 130 ft. over a NW. slope.

17.65

Wash, 12 ft. wide, course N. 55° E.; a spring of good water, 5 ft. diam., 1 ft. deep, bears S. 55° W., 190 chs. dist.; asc. 695 ft. over a steep, rocky E. slope.

38.05

Top of rocky bluff, 75 ft. high, faces E.; continue ascent.

39.96

Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, 16 ins. high, for ¼ sec. cor., with brass cap mkd.

¼	S 21
	S 28
1937	

from which

Subdivisions of T. 17 N., R. 6 W.

Chains	
	<p>A pinon fork, 6 ins. diam., bears S. 27° W., 93 lks. dist., mkd. $\frac{1}{4}$ S 28 B T.</p> <p>A pinon, 6 ins. diam., bears N. 16° W., 36 lks. dist., mkd. $\frac{1}{4}$ S 21 B T.</p> <p>44.25 High spur-ridge, bears S. 15° E., from N. 75° W.; desc. 12 ft. along a S. slope.</p> <p>66.30 Spur-ridge, slopes SW. about 5 chs. dist., thence SE.; desc. 160 ft. over a SW. slope.</p> <p>79.92 The cor. of secs. 20, 21, 28 and 29.</p> <p>Land, rough mountainous. Soil, sandy loam and rocky, 4th rate. Timber, juniper, pinon and scattering yellow pine and oak; undergrowth, scrub oak, manzanita and mountain laurel.</p>
	<p>N. 0° 02' W., bet. secs. 20 and 21.</p> <p>Asc. 340 ft. over a SW. slope, thru scattering timber and dense undergrowth.</p> <p>16.45 Rocky spur, slopes SE.; thence along a broken E. slope.</p> <p>22.65 Slope changes to NE.; desc. 250 ft.</p> <p>25.60 Slope changes to N., continue descent.</p> <p>32.35 Side hill ravine, course NW.; asc. 50 ft. over a SW. slope.</p> <p>35.80 Slope changes to W.</p> <p>38.30 Desc. 26 ft. over a NW. slope.</p> <p>40.00 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p> <div style="text-align: center;"> $\begin{array}{c} \frac{1}{4} \\ \text{S } 20 \text{ --- } \text{S } 21 \\ 1937 \end{array}$ </div> <p style="text-align: right;">from which</p> <p>A pinon, 8 ins. diam., bears S. 51° E., 54 lks. dist., mkd. $\frac{1}{4}$ S 21 B T.</p> <p>A pinon, 6 ins. diam., bears S. 49$\frac{3}{4}$° W., 99 lks. dist., mkd. $\frac{1}{4}$ S 20 B T.</p> <p>42.10 Slope changes to N.; desc. 685 ft.</p> <p>74.45 Hyde Creek, 15 lks. wide, course N. 70° E.; water emerges from sandy bottom at irregular intervals; asc. 55 ft. over a S. slope.</p> <p>78.75 Slope changes to N.; desc. 7 ft.</p>

Subdivisions of T. 17 N., R. 6 W.

Chains

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 16, 17, 20 and 21, with brass cap mkd.

T17N	R6W
S17	S16
S20	S21
1937	

from which

A juniper, 12 ins. diam., bears N. 49° E., 102 lks. dist., mkd. T 17 N R 6 W S 16 B T.

A juniper fork, 14 ins. diam., bears S. 43° E., 91 lks. dist., mkd. T 17 N R 6 W S 21 B T.

A pinon, 14 ins. diam., bears S. 17½° W., 67 lks. dist., mkd. T 17 N R 6 W S 20 B T.

A juniper fork, 14 ins. diam., bears N. 87½° W., 49 lks. dist., mkd. T 17 N R 6 W S 17 B T.

Land, rough mountainous.

Soil, sandy loam and rocky; 3d and 4th rate.

Timber, scattering yellow pine, pinon and juniper; undergrowth, dense oak.

✓ N. 89° 59' E., on a random line bet. secs. 16 and 21.

40.00 Set temp ¼ sec. cor.

79.94 A point 5 lks. S. of the cor. of secs. 15, 16, 21 and 22.

Thence

✓ S. 89° 57' W., on true line bet. secs. 16 and 21.

Along Hyde Creek, thru scattering timber and undergrowth, crossing the channel of Hyde Creek frequently.

7.20 A six strand , barb wire, corral fence, bears N. and S.

12.70 Same fence, bears N. and S.

15.00 A six strand barb wire fence, bears N. 65° E. and S. 65° W.

19.80 A four strand barb wire fence, bears NW. and SE.

29.10 Leave Hyde Creek; asc. 135 ft. over a broken SE. slope.

39.97 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, 2 ft. high, for ¼ sec. cor., with brass cap mkd.

¼	S 16
	S 21
1937	

from which

A juniper fork, 4 ins. diam., bears S. 84½° W., 100 lks. dist., mkd. ¼ S 21 B T.

Subdivisions of T. 17 N., R. 6 W.

Chains	
	A yellow pine, 8 ins. diam., bears N. $33\frac{3}{4}^{\circ}$ W., 122 lks. dist., mkd. $\frac{1}{4}$ S 16 B T.
50.40	End of ascent; desc. 18 ft. over a SW. slope.
55.40	Slope changes to SE.; asc. 45 ft. over a SE. slope.
79.94	The cor. of secs. 16, 17, 20 and 21.
	Land, rolling mountainous. Soil, sandy loam and rocky; 3d rate. Timber, yellow pine, oak, walnut and juniper; undergrowth, scrub oak.
	N. $0^{\circ} 02'$ W., bet. secs. 16 and 17.
	Desc: 60 ft. over a N. slope, thru scattering timber and undergrowth.
12.70	Rocky and sandy wash, 10 ft. wide, course SE.; asc. 35 ft. over rolling land.
18.20	Asc. 500 ft. over a S. slope.
26.15	A four strand barb wire fence, bears N. 70° W. and S. 70° E.
36.70	Divide bet. Hyde and Apache Creeks, bears N. 80° E. and S. 80° W.; desc. 200 ft. over a NW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, $1\frac{1}{2}$ ft. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 17 S 16 1937
	from which
	A yellow pine, 14 ins. diam., bears S. $58\frac{1}{4}^{\circ}$ E., 9 lks. dist., mkd. $\frac{1}{4}$ S 16 B T.
	A yellow pine, 12 ins. diam., bears S. $24\frac{3}{4}^{\circ}$ W., 69 lks. dist., mkd. $\frac{1}{4}$ S 17 B T.
41.45	Granite knob, bears E., 9.90 chs. dist.
43.70	A four strand barb wire fence, bears E. and W.
44.80	Small sandy wash, course NW.; asc. 80 ft. over granite boulders.
52.00	Desc. 470 ft. over a broken NW. slope.
55.90	Slope changes to broken N.; continue descent.
80.00	Set a brass tablet, $3\frac{1}{2}$ ins. diam., 3 in. stem, in cement in a drilled hole, 3 ins. deep, in the top of a granite boulder, 3x4x12 ft. above ground, for cor. of secs. 8, 9, 16 and 17, with top mkd.

Subdivisions of T. 17 N., R. 6 W.

Chains

T17N	R6W
S 8	S 9
S17	S16
1937	

from which

A yellow pine, 10 ins. diam., bears N. $79\frac{1}{2}^{\circ}$ E., 150 lks. dist., mkd. T 17 N R 6 W S 9 B T.

A pinon, 6 ins. diam., bears S. 13° E., 95 lks. dist., mkd. T 17 N R 6 W S 16 B T.

A yellow pine, 4 ins. diam., bears S. $30\frac{1}{4}^{\circ}$ W., 206 lks. dist., mkd. T 17 N R 6 W S 17 B T.

A yellow pine, 24 ins. diam., bears N. $77\frac{1}{2}^{\circ}$ W., 113 lks. dist., mkd. T 17 N R 6 W S 8 B T.

Land, rough mountainous.


Soil, sandy loam and rocky, with large granite boulders, 4th rate.

Timber, yellow pine, pinon and juniper; undergrowth, scrub oak and manzanita.

N. $89^{\circ} 57'$ E., on a random line bet. secs. 9 and 16.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

51.75 Edge of precipitous cliff, unsuitable for chaining; vertical angle to flag on random line = $-3\frac{1}{2}^{\circ}$; auxiliary flag bears N. $16^{\circ} 06'$ E., 4.50 chs. dist.; from flag on random line the auxiliary flag bears N. $79^{\circ} 00'$ W.; all bearings checked by direct readings of the solar, and all angles checked by deflection.



Dist. on random line = 51.75 chs.

Dist. by triangulation = 23.38 chs.

75.13 chs.

79.90 A point 2 lks. N. of the cor. of secs. 9, 10, 15 and 16.

Thence

✓ S. $89^{\circ} 58'$ W., on true line bet. secs. 9 and 16.

Desc. 20 ft. along a broken SW. slope over large granite boulders, thru timber and undergrowth.

0.50 A four strand barb wire fence, bears S. 15° W., and N. 15° E.

21.90 (Approx.) Large wash, course SE.; asc. 90 ft. over a very broken E. slope, over a series of cliffs.

Subdivisions of T. 17 N., R. 6 W.

Chains	
30.70	Rocky spur, slopes SE.; desc. 40 ft. over a W. slope.
36.80	Wash, 10 ft. wide, course SE.; asc. 50 ft. over a NE. slope.
38.70	Slope becomes broken, asc. 100 ft.
39.95	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} \text{ S } 9 \\ \hline \text{S } 16 \\ 1937 \end{array}$
	from which
	A pinon, 6 ins. diam., bears S. $22\frac{3}{4}^{\circ}$ W., 94 lks. dist., mkd. $\frac{1}{4}$ S 16 B T.
	A juniper, 18 ins. diam., bears N. 66° W., 110 lks. dist., mkd. $\frac{1}{4}$ S 9 B T.
52.00	Divide bet. Hyde and Apache Creeks, bears N. and S.; desc. 65 ft. over a NW. slope.
57.10	Wash, 8 ft. wide, course N. 1.50 chs. dist. to main wash, thence NE., asc. 12 ft. over an E. slope.
62.90	Wash, 15 ft. wide, course N. 70° E.; asc. 115 ft. over a broken E. slope.
71.70	Rocky spur, slopes W.; desc. 35 ft. over large granite boulders.
79.90	The cor. of secs. 8, 9, 16 and 17.
	<p>Land, rough mountainous. Soil, mostly rocky, 4th rate. Timber, juniper, yellow pine and pinon; undergrowth, scrub oak and manzanita.</p>
	N. $0^{\circ} 02'$ W., bet. secs. 8 and 9.
	Desc. 45 ft. over a broken W. slope, over large granite boulders, thru scattering timber and undergrowth.
4.25	Small wash, water emerges from sandy bottom in places, course N. 80° E.; asc. 40 ft. over a broken S. slope.
17.40	Small rocky spur, slopes E.; desc. 110 ft. over large granite boulders.
31.30	Wash, 12 ft. wide, course SE., water emerges from sandy bottom in places; asc. 60 ft. over large granite boulders.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, $2\frac{1}{2}$ ft. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} \\ \text{S } 8 \text{ } \text{S } 9 \\ 1937 \end{array}$

Subdivisions of T. 17 N., R. 6 W.

Chains

from which

A juniper fork, 8 ins. diam., bears N. 49° E., 10 lks. dist., mkd. $\frac{1}{4}$ S 9 B T.

A juniper, 5 ins. diam., bears N. $37\frac{1}{2}^{\circ}$ W., 56 lks. dist., mkd. $\frac{1}{4}$ S 8 B T.

Asc. 50 ft. over granite boulders.

43.20 Desc. 100 ft. over granite boulders.

52.80 Wash, 10 ft. wide, course NW.; asc. 80 ft. over a SW. slope, over granite boulders.

57.40 End of ascent; desc. 260 ft. over a broken N. slope.

77.55 Small sandy wash, course NW.; asc. 4 ft. along a SW. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground to bedrock, and in a mound of stone, 5 ft. base, $2\frac{1}{2}$ ft. high, for cor. of secs. 4, 5, 8 and 9, with brass cap mkd.

T17N	R6W
S 5	S 4
S 8	S 9
1937	

from which

A pinon, 5 ins. diam., bears N. $17\frac{1}{4}^{\circ}$ E., 136 lks. dist., mkd. T 17 N R 6 W S 4 B T.

A pinon fork, 6 ins. diam., bears S. $57\frac{3}{4}^{\circ}$ E., 138 lks. dist., mkd. T 17 N R 6 W S 9 B T.

A juniper, 20 ins. diam., bears S. $50\frac{1}{4}^{\circ}$ W., 102 lks. dist., mkd. T 17 N R 6 W S 8 B T.

A pinon, 5 ins. diam., bears N. $80\frac{1}{2}^{\circ}$ W., 65 lks. dist., mkd. T 17 N R 6 W S 5 B T.

Land, rough mountainous.

Soil, mostly granite boulders with some gravel, 4th rate. Timber, scattering pinon, juniper and yellow pine; undergrowth, scrub oak and manzanita.

N. $89^{\circ} 58'$ E., on a random line bet. secs. 4 and 9.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.76 A point 2 lks. S. of the cor. of secs. 3, 4, 9 and 10.

Thence

✓ S. $89^{\circ} 57'$ W., on true line bet. secs. 4 and 9.

Desc. 205 ft. over a W. slope, thru scattering timber and undergrowth.

10.70 Wash, 6 ft. wide, course NW.

Subdivisions of T. 17 N., R. 6 W.

9142

Chains	
13.50	Apache Creek, course NE., water emerges from sandy bottom at intervals; asc. 15 ft. over rolling land, thru undergrowth.
28.40	Apache Creek, course SE.; continue over rolling land.
35.00	Asc. 16 ft. over granite boulders.
39.88	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} S\ 4 \\ \frac{1}{4} \overline{S\ 9} \\ 1937 \end{array}$
	from which
	A yellow pine, 5 ins. diam., bears N. 58° E., 38 lks. dist., mkd. $\frac{1}{4}$ S 4 B T.
	A pinon, 6 ins. diam., bears S. 18° W., 114 lks. dist., mkd. $\frac{1}{4}$ S 9 B T.
	Desc. 20 ft. over a NW. slope.
42.60	Apache Creek, course NE.; asc. 100 ft. over a broken SE. slope.
51.30	Desc. 50 ft. over granite boulders.
62.00	Apache Creek, course SE.; asc. 70 ft. over an E. slope.
65.05	Desc. 17 ft. over granite boulders.
68.60	Small wash, course NE.; asc. 35 ft. over granite boulders.
79.76	The cor. of secs. 4, 5, 8 and 9.
	Land, rough mountainous. Soil, sandy loam and mostly rocky, 4th rate. Timber, scattering yellow pine, pinon and juniper; undergrowth, scrub oak and manzanita.
	N. $0^{\circ} 02'$ W., bet. secs. 4 and 5.
	Asc. 7 ft. over a rocky SW. slope, thru timber and undergrowth.
5.20	Rocky spur, slopes NW.; desc. 85 ft. over a broken N. slope.
10.45	Apache Creek, course E., water emerges from sandy bottom at frequent intervals; asc. 235 ft. over a S. slope.
29.70	Spur, slopes W.; desc. 40 ft. over a NW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, $1\frac{1}{2}$ ft. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} \\ S\ 5\ \ S\ 4 \\ 1937 \end{array}$

Subdivisions of T. 17 N., R. 6 W.

Chains

from which

A juniper, 4 ins. diam., bears N. $4\frac{1}{2}^{\circ}$ E., 25 lks.
dist., mkd. $\frac{1}{4}$ S 4 B T.

A juniper, 8 ins. diam., bears N. $56\frac{1}{2}^{\circ}$ W., 62 lks.
dist., mkd. $\frac{1}{4}$ S 5 B T.

Along a W. slope.

45.10 Slope changes to NW.; desc. 100 ft.

64.00 Rocky wash, 8 lks. wide, course SW.; asc. 120 ft. over
a SW. slope.

72.90 Broad, flat divide bet. Apache and Turkey Creeks, bears
W. and NE.; desc. over a gentle N. slope.

80.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in
the ground to bedrock, and in a mound of stone, 3 ft.
base, $1\frac{1}{2}$ ft. high, for cor. of lots 4 and 5 of sec. 4,
and lots 1 and 8 of sec. 5, with brass cap mkd.

$$\begin{array}{c} 1 \quad 4 \\ S \quad 5 \quad | \quad 4 \quad S \\ \quad 8 \quad | \quad 5 \end{array}$$

from which

A juniper fork, 6 ins. diam., bears N. 71° E., 67
lks. dist., mkd. L 4 S 4 B T.

A pinon, 8 ins. diam., bears S. $44\frac{1}{2}^{\circ}$ E., 166 lks.
dist., mkd. L 5 S 4 B T.

A juniper fork, 6 ins. diam., bears S. $12\frac{1}{4}^{\circ}$ W., 55
lks. dist., mkd. L 8 S 5 B T.

A juniper, 14 ins. diam., bears N. $64\frac{1}{2}^{\circ}$ W., 59 lks.
dist., mkd. L 1 S 5 B T.

83.00 Slope becomes steeper, desc. 45 ft.

85.33 Intersect the N. bdy. of the Tp.

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in
the ground, for closing cor. of secs. 4 and 5, with brass
cap mkd.

T18N R6W

S 33

S 5 | S 4

T17N R6W

CC

1937

from which

A juniper, 10 ins. diam., bears S. $46\frac{1}{4}^{\circ}$ E., 89 lks.
dist., mkd. T 17 N R 6 W S 4 C C B T.

A pinon, 10 ins. diam., bears S. $9\frac{3}{4}^{\circ}$ W., 96 lks.
dist., mkd. T 17 N R 6 W S 5 C C B T.

Subdivisions of T. 17 N., R. 6 W.

4142

Chains

From point of intersection the cor. of secs. 32 and 33, on the S. bdy. of T. 18 N., R. 6 W., bears W., 9.69 chs. dist.; an iron post, 2 ins. diam., mkd., set, and witnessed as described in the official record.

From the same point the $\frac{1}{4}$ sec. cor. on the S. bdy. of sec. 33, T. 18 N., R. 6 W., bears E., 30.31 chs. dist.; an iron post, 1 in. diam., mkd., set, and witnessed as described in the official record.

Land, rough mountainous.

Soil, sandy loam and rocky, 2nd to 3d rate.

Timber, juniper, pinon and scattering yellow pine; undergrowth, scrub oak and manzanita.

At midpoint on the N. bdy. of sec. 4, T. 17 N., R. 6 W.

Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, $1\frac{1}{2}$ ft. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 4
1937

from which

A pinon, 8 ins. diam., bears S. $23\frac{1}{4}^{\circ}$ E., 85 lks. dist., mkd. $\frac{1}{4}$ S 4 B T.

A juniper, 24 ins. diam., bears S. $8\frac{1}{4}^{\circ}$ W., 52 lks. dist., mkd. $\frac{1}{4}$ S 4 B T.

From this cor. the $\frac{1}{4}$ sec. cor. on the S. bdy. of sec. 33, T. 18 N., R. 6 W., bears W., 9.755 chs. dist., an iron post, 1 in. diam., mkd., set, and witnessed as described in the official record.

The cor. of lots 7 and 8 of sec. 33, on the S. bdy. of T. 18 N., R. 6 W., bears E., 30.425 chs. dist., an iron post, 1 in. diam., mkd., set, and witnessed as described in the official record.

Thence from the standard cor. of secs. 31 and 32, described in the field notes of the fourth standard parallel north, thru ranges 5 and 6 west, resurveyed under this group.

N. $0^{\circ} 03'$ W., bet. secs. 31 and 32.

Asc. 11 ft. over broken land, thru boulders, timber and undergrowth.

- 8.80 Rocky wash, 10 ft. wide, course S. 60° E.; asc. 170 ft. over a broken S. slope.
- 18.70 Spur, slopes E.; desc. 75 ft. over a broken NE. slope.
- 24.60 Wash, 15 ft. wide, course SE.; asc. 135 ft. over a rocky SW. slope.
- 30.00 Slope becomes a series of rocky bluffs.

Subdivisions of T. 17 N., R. 6 W.

Chains

40.00 Set an iron post, 3 ft. long, 1 in. diam., on cross (+) marked on solid rock, and in a mound of stone, 5 ft. base, 3 ft. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 31 \text{ | } \text{S } 32 \\ 1937 \end{array}$$

from which

A juniper, 8 ins. diam., bears S. 48° E., 37 lks. dist., mkd. $\frac{1}{4}$ S 32 B T.

A pinon, 6 ins. diam., bears N. $23\frac{1}{4}^{\circ}$ W., 49 lks. dist., mkd. $\frac{1}{4}$ S 31 B T.

Ridge of solid rock, bears NW. and SE.; desc. 80 ft. over a broken NE. slope.

54.55 Rocky wash, 20 ft. wide, course S. 30° E., a small wash enters from N. 10° W.; asc. 155 ft. over a rocky, broken SW. slope.

65.75 Steep, rocky spur, slopes W.; desc. 60 ft. over a broken NW. slope.

70.90 Rocky side hill wash, 15 ft. wide, course W.; asc. 90 ft. over a broken S. slope.

78.40 Short, rocky spur, slopes E.; desc. 13 ft. over a broken NE. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs: 29, 30, 31 and 32, with brass cap mkd.

$$\begin{array}{c} \text{T17N } \text{R6W} \\ \text{S30 | S29} \\ \hline \text{S31 | S32} \\ 1937 \end{array}$$

from which

A juniper, 26 ins. diam., bears N. $13\frac{1}{4}^{\circ}$ E., 103 lks. dist., mkd. T 17 N R 6 W S 29 B T.

A juniper, 12 ins. diam., bears S. 22° E., 145 lks. dist., mkd. T 17 N R 6 W S 32 B T.

A juniper, 6 ins. diam., bears N. $77\frac{1}{2}^{\circ}$ W., 18 lks. dist., mkd. T 17 N R 6 W S 30 B T.

No available SW. bearing tree.

Land, rolling mountainous.

Soil, sandy loam and very rocky.

Timber, juniper, pinon and white oak; undergrowth, scrub oak, manzanita and mountain laurel.

Subdivisions of T. 17 N., R. 6 W.

Chains	
	N. 89° 58' E., on a random line bet. secs. 29 and 32.
40.00	Set temp $\frac{1}{4}$ sec. cor.
80.04	The cor. of secs. 28, 29, 32 and 33.
	Thence
✓	S. 89° 58' W., on true line bet. secs. 29 and 32.
	Desc. 30 ft. over rocky bench, thru scattering timber and dense undergrowth.
8.10	Leave bench, bears E. and W.; desc. 14 ft. over a W. slope.
9.35	Rocky wash, 15 ft. wide, course S.; asc. 55 ft. over a boulder strewn E. slope.
12.65	Short rocky spur, slopes S.; desc. 40 ft. over a broken SW. slope.
23.00	Rocky wash, 12 ft. wide, course SE., from N.; asc. 165 ft. over a broken, rocky NE. slope.
39.95	Rocky ridge, bears N. and S.
39.96	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for witness $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \text{WC } \frac{1}{4} \text{ S } 29 \\ \hline \text{S } 32 \\ 1937 \end{array}$
	from which
	A yellow pine, 10 ins. diam., bears S. 61° E., 21 lks. dist., mkd. W C $\frac{1}{4}$ S 32 B T.
	A juniper, 24 ins. diam., bears N. 5 $\frac{1}{2}$ ° W., 47 lks. dist., mkd. W C $\frac{1}{4}$ S 29 B T.
40.02	The true point for the $\frac{1}{4}$ sec. cor. falls on a boulder, 6x6x4 ft., in a position where it is impossible to set a corner.
	Desc. 16 ft. over a W. slope.
47.40	Ravine, 8 ft. wide, course S.; asc. 170 ft. over an E. slope.
68.70	Ridge, bears NW. and SE.; thence across same.
71.50	Leave ridge, desc. 30 ft. over a SW. slope.
78.10	Wash, 6 ft. wide, course S. 10° E.; asc. 17 ft. over a rocky E. slope.
80.04	The cor. of secs. 29, 30, 31 and 32.
	Land, rough mountainous. Soil, sandy loam and rocky, 3d rate. Timber, juniper, pinon, yellow pine and white oak; undergrowth, dense scrub oak, manzanita and mountain laurel.

Subdivisions of T. 17 N., R. 6 W.

Chains	
	West, on a random line bet. secs. 30 and 31.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
74.64	A point 7 lks. S. of the cor. of secs. 25, 30, 31 and 36, on the W. bdy. of the Tp., previously described.
	Thence
✓	S. 89° 57' E., on true line bet. secs. 30 and 31.
	Asc. 110 ft. over a very gentle SW. slope, thru scattering timber and dense undergrowth.
4.50	Side hill wash, 5 ft. wide, course S. 10° W., continue ascent.
21.60	Rocky spur, slopes SW.; desc. 13 ft. along a S. slope
29.60	Rocky wash, 10 ft. wide, course S. 75° W.; asc. 220 ft. over a broken NW. slope.
32.00	A four strand barb wire fence, bears NE. and SW.
34.64	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, 16 ins. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} S\ 30 \\ \frac{1}{4} \\ \hline S\ 31 \\ 1937 \end{array}$
	from which
	A juniper fork, 12 ins. diam., bears N. 56 $\frac{1}{2}$ ° E., 242 lks. dist., mkd. $\frac{1}{4}$ S 30 B T.
	A juniper fork, 16 ins. diam., bears S. 12 $\frac{1}{2}$ ° E., 73 lks. dist., mkd. $\frac{1}{4}$ S 31 B T.
40.40	Rocky spur, slopes S.; asc. 8 ft. across head of ravine, course S.
47.40	Ridge, bears N. and S.; desc. 80 ft. over a broken, rocky E. slope.
53.50	Head of ravine, course NE.; asc. 30 ft. over a broken, rocky W. slope.
56.40	Rocky, N. side of hill, top bears S. about 3 chs. dist., and about 100 ft. in elevation; desc. 200 ft. over a broken, rocky NE. slope.
67.10	Rocky ravine, 10 ft. wide, course SE.; asc. 40 ft. over a broken SW. slope.
72.00	Rocky spur, slopes SE.; desc. 45 ft. over a broken E. slope.
74.64	The cor. of secs. 29, 30, 31 and 32.
	Land, rough mountainous. Soil, mostly rocky and boulder strewn, 4th rate. Timber, juniper, pinon, oak, and scattering yellow pine; undergrowth, scrub oak, manzanita and mountain laurel.
✓	

Subdivisions of T. 17 N., R. 6 W.

4142

- Chains
- N. 0° 03' W., bet. secs. 29 and 30.
- Along a broken E. slope, thru juniper, pinon, oak and scattering yellow pine timber, and undergrowth.
- 4.30 Rocky wash, 15 ft. wide, course S. 20° E.; asc. 175 ft. over a rocky, broken SW. slope.
- 16.00 Ridge, bears NW. and SE.; continue across top of same.
- 20.00 Leave ridge, thence across head of boulder strewn ravine, course E.
- 24.50 Asc. broken, rocky SE. slope, 115 ft.
- 33.70 Rocky bluff, 30 ft. high; desc. 40 ft. along a rocky, broken E. slope.
- 37.65 Rocky ravine, 8 ft. wide, course S. 75° E.; asc. 70 ft. over a broken SE. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 2 ins. in bedrock, and in a mound of stone, 5 ft. base, 3 ft. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ S\ 30\ | \ S\ 29 \\ | \\ 1937 \end{array}$$

from which

A juniper fork, 10 ins. diam., bears N. 6 $\frac{1}{2}$ ° E.; 39 lks. dist., mkd. $\frac{1}{4}$ S 29 B T.

A pinon, 6 ins. diam., bears N. 77° W., 21 lks. dist., mkd. $\frac{1}{4}$ S 30 B T.

- 42.95 A four strand barb wire fence, bears N. 75° W. and S. 75° E.
- 46.50 Camp Wood mountain, bears W. 20.20 chs. dist.
- 56.50 Ravine, 10 ft. wide, course SE.; asc. 95 ft. over a broken SE. slope.
- 63.80 Divide bet. Hyde Creek and Stringtown Wash, bears E. and W.; desc. 170 ft. over a NW. slope.
- 75.00 Wash, 3 ft. wide, course N. 60° E.; desc. 22 ft. along a NE. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 19, 20, 29 and 30, with brass cap mkd.

$$\begin{array}{c} T17N\ R6W \\ S19\ | \ S20 \\ \hline S30\ | \ S29 \\ 1937 \end{array}$$

from which

A yellow pine, 6 ins. diam., bears N. 59° E., 113 lks. dist.; mkd. T 17 N R 6 W S 20 B T.

Subdivisions of T. 17 N., R. 6 W.

Chains

A white oak, 4 ins. diam., bears S. 79° E., 44 lks. dist., mkd. S 29 B T.

A yellow pine, 16 ins. diam., bears S. 64° W., 31 lks. dist., mkd. T 17 N R 6 W S 30 B T.

A juniper, 30 ins. diam., bears N. 40° W., 61 lks. dist., mkd. T 17 N R 6 W S 19 B T.

Land, rough mountainous.

Soil, sandy loam and rocky, 3d rate.

Timber, juniper, pinon, oak and scattering yellow pine; undergrowth, scrub oak, manzanita and mountain laurel.

N. 89° 58' E., on a random line bet. secs. 20 and 29.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.04 A point 2 lks. S. of the cor. of secs. 20, 21, 28 and 29.

Thence

✓ S. 89° 57' W., on true line bet. secs. 20 and 29.

Desc. 40 ft. over a SW. slope, thru juniper, pinon and oak timber, and dense undergrowth.

3.20 Rocky ravine, 10 ft. wide, course S. 10° E.; asc. 700 ft. over a rocky, broken E. slope.

17.30 Forest service trail, bears NW. to Hyde Mountain and SE. to Camp Wood.

19.20 Telephone line, parallels trail.

26.75 End of ascent, lookout tower on top of Hyde Mountain, bears N. 33 $\frac{1}{2}$ ° W., 2.95 chs. dist.; desc. 85 ft. over a broken SW. slope.

31.50 Slope changes to S.; desc. 70 ft.

40.02 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{r} S 20 \\ \hline \frac{1}{4} S 29 \\ 1937 \end{array}$$

from which

A pinon, 5 ins. diam., bears S. 71 $\frac{1}{2}$ ° W., 86 lks. dist., mkd. $\frac{1}{4}$ S 29 B T.

No other suitable bearing tree.

40.65 Divide bet. Hyde Creek and Stringtown Wash, bears N. 60° E. and S. 60° W.; desc. 670 ft. over a steep NW. slope, thru scattering timber and dense undergrowth.

54.25 Spur, slopes NW.; slope changes to W., continue descent.

63.90 Hyde Creek, near head, course N. 10° W.; asc. 70 ft. over a NE. slope, thru yellow pine timber and undergrowth.

Subdivisions of T. 17 N., R. 6 W.

Chains				
70.20	Spur, slopes N. 30° E.; desc. 20 ft. along a broken N. slope.			
76.00	Ravine, 8 ft. wide, course N. 70° E.; asc. 60 ft. over a rocky NE. slope.			
80.04	The cor. of secs. 19, 20, 29 and 30.			
	Land, rough mountainous. Soil, sandy loam and rocky, 3d rate. Timber, dense post oak, scattering juniper, pinon, white and black oak; undergrowth, dense scrub oak and mountain laurel.			
40.00	N. 89° 57' W., on a random line bet. secs. 19 and 30. Set temp. $\frac{1}{4}$ sec. cor.			
74.61	A point 13 lks. S. of the cor. of secs. 19, 24, 25 and 30, on the W. bdy. of the Tp., previously described.			
	Thence			
	S. 89° 51' E., on true line bet. secs. 19 and 30.			
	Asc. 100 ft. over a SW. slope, thru timber and undergrowth.			
15.60	Slope changes to NW., asc. 115 ft.			
34.61	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.			
	<table style="margin-left: auto; margin-right: auto;"> <tr><td style="text-align: center;">S 19</td></tr> <tr><td style="text-align: center;">$\frac{1}{4}$ S 30</td></tr> <tr><td style="text-align: center;">1937</td></tr> </table>	S 19	$\frac{1}{4}$ S 30	1937
S 19				
$\frac{1}{4}$ S 30				
1937				
	from which			
	A juniper, 12 ins. diam., bears S. 15° W., 74 lks. dist., mkd. $\frac{1}{4}$ S 30 B T.			
	A juniper, 6 ins. diam., bears N. 36 $\frac{1}{2}$ ° W., 97 lks. dist., mkd. $\frac{1}{4}$ S 19 B T.			
36.60	Broad spur, slopes NW.; desc. 45 ft. over a NE. slope.			
43.30	Rocky ravine, 6 ft. wide, course N.; asc. 270 ft. over a broken NW. slope.			
59.80	End of marked ascent; thence asc. very gradually.			
60.00	A four strand barb wire fence, bears N. and S.			
61.50	Divide bet. Hyde and Pine Creeks, bears N. 40° E. and S.; desc. 240 ft. over a rocky E. slope.			
74.61	The cor. of secs. 19, 20, 29 and 30.			
	Land, rough mountainous. Soil, sandy loam and rocky, 3d to 4th rate. Timber, juniper, oak and yellow pine; undergrowth, scrub oak, manzanita and mountain laurel.			

Subdivisions of T. 17 N., R. 6 W.

Chains	
	N. 0° 03' W., bet. secs. 19 and 20.
	Desc. 23 ft. over a broken NE. slope, thru juniper, pinon and yellow pine timber, and undergrowth.
2.30	Rocky ravine, 10 ft. wide, course N. 70° E.; asc. 70 ft. over a S. slope, over large boulders.
4.85	Slope changes to SE.; asc. 40 ft.
9.60	Spur, slopes NE.; thence across same.
11.70	Desc. 120 ft. over a broken NE. slope.
19.15	Ravine, 10 ft. wide, course N. 60° E.; asc. 115 ft. over a S. slope.
25.00	Broad spur, slopes E.; continue across same.
28.90	Leave spur; desc. 23 ft. over a NE. slope.
34.40	Side hill ravine, 8 ft. wide, course S. 30° E.; asc. 90 ft. over a broken SE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, 20 ins. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 19 S 20 1937
	from which
	A juniper, 20 ins. diam., bears S. 67 $\frac{1}{2}$ ° E., 82 lks. dist., mkd. $\frac{1}{4}$ S 20 B T.
	A juniper fork, 20 ins. diam., bears S. 79° W., 32 lks. dist., mkd. $\frac{1}{4}$ S 19 B T.
42.00	Slope changes to NE.; desc. 20 ft.
47.55	Rocky ravine, 8 ft. wide, course S. 30° E.; asc. 380 ft. over a rocky SE. slope.
60.00	Edge of mesa, bears NE. and SW.; asc. 40 ft. over a gentle SE. slope.
67.60	Pinetop Mountain, bears NE. and SW.; desc. 23 ft. over a gradual N. slope.
75.40	A four strand barb wire fence, bears NE. and SW.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 17, 18, 19 and 20, with brass cap mkd.

T17N R6W
 S18 | S17
 S19 | S20
 1937

from which

Subdivisions of T. 17 N., R. 6 W.

Chains

A juniper, 30 ins. diam., bears N. 55° E., 69 lks. dist., mkd. T 17 N R 6 W S 17 B T.

A white oak, 10 ins. diam., bears S. 69° E., 94 lks. dist., mkd. T 17 N R 6 W S 20 B T.

A yellow pine, 10 ins. diam., bears S. 21° W., 60 lks. dist., mkd. T 17 N R 6 W S 19 B T.

A yellow pine, 12 ins. diam., bears N. $66\frac{1}{2}^{\circ}$ W., 39 lks. dist., mkd. T 17 N R 6 W S 18 B T.

Land, rough mountainous.

Soil, sandy loam and rocky, 3d rate.

Timber, juniper, white oak, yellow pine and scattering pinon; undergrowth, dense scrub oak on all but W. 20.00 chs.

N. $89^{\circ} 57'$ E., on a random line bet. secs. 17 and 20.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.90 A point 17 lks. S. of the cor. of secs. 16, 17, 20 and 21.

Thence

✓ S. $89^{\circ} 50'$ W., on true line bet. secs. 17 and 20.

Asc. 200 ft. along a gentle NE. slope, thru juniper and pinon timber and undergrowth.

4.80 Slope changes to E., continue ascent.

12.50 Spur, slopes S. 75° E., asc. 15 ft. over rolling land.

25.50 Asc. 70 ft. over an E. slope.

28.90 Rocky spur, slopes SE.; desc. 55 ft. over a W. slope.

36.55 Wash, 8 ft. wide, course SE.; asc. 30 ft. over an E. slope.

39.95 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the the ground to bedrock, and in a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S 17
 $\frac{1}{4}$ S 20
1937

from which

An oak, 12 ins. diam., bears N. $20\frac{3}{4}^{\circ}$ E., 50 lks. dist., mkd. $\frac{1}{4}$ S 17 B T.

A pinon, 8 ins. diam., bears S. 73° E., 49 lks. dist., mkd. $\frac{1}{4}$ S 20 B T.

Asc. 700 ft. over a broken E. slope.

67.10 Rim of mesa, bears NE. and S.; asc. gradually.

74.15 A four strand barb wire fence, bears N. 51° E. and S. 51° W.

Subdivisions of T. 17 N., R. 6 W.

Chains	
76.60	Pinetop Mountain, bears NE. and SW.; over level land.
79.90	The cor. of secs. 17, 18, 19 and 20.
	Land, rough mountainous. Soil, sandy to gravelly, and very rocky, 3d to 4th rate. Timber, juniper, oak and yellow pine; undergrowth, dense scrub oak.
	N. 89° 51' W., on a random line bet. secs. 18 and 19.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
74.54	A point 4 lks. N. of the cor. of secs. 13, 18, 19 and 24, on the W. bdy. of the Tp., previously described.
	Thence
	S. 89° 53' E., on true line bet. secs. 18 and 19.
	Asc. 320 ft. over a steep W. slope, thru yellow pine, oak and juniper timber.
10.40	Divide bet. Pine and Apache Creeks, bears N. and S.; asc. 85 ft. along a NW. slope.
34.54	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \begin{array}{l} S 18 \\ S 19 \\ 1937 \end{array}$
	from which
	A white oak, 8 ins. diam., bears N. 65 $\frac{1}{2}$ ° E., 34 lks. dist., mkd. $\frac{1}{4}$ S 18 B T.
	A white oak, 10 ins. diam., bears S. 9 $\frac{3}{4}$ ° E., 58 lks. dist., mkd. $\frac{1}{4}$ S 19 B T.
	Asc. 160 ft. over a gradual NW. slope, thru yellow pine and scattering oak and juniper timber.
74.54	The cor. of secs. 17, 18, 19 and 20.
	Land, rolling mountainous. Soil, sandy loam and rocky, 3d rate. Timber, yellow pine, white oak and juniper; undergrowth, scattering scrub oak.
	N. 0° 03' W., bet. secs. 17 and 18.
	Desc. 460 ft. over a NW. slope, thru yellow pine and oak timber.
25.50	Slope becomes very steep.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

Subdivisions of T. 17 N., R. 6 W.

BOOK 4142

Chains

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 18 \mid \text{S } 17 \\ 1937 \end{array}$$

from which

A white oak, 8 ins. diam., bears S. $55\frac{1}{4}^{\circ}$ E., 29 lks. dist., mkd. $\frac{1}{4}$ S 17 B T.

A juniper, 16 ins. diam., bears N. $84\frac{1}{2}^{\circ}$ W., 49 lks. dist., mkd. $\frac{1}{4}$ S 18 B T.

45.35 A four strand barb wire fence, bears N. 40° W. and S. 40° E.

58.00 Foot of Pinetop Mountain, bears NE. and SW.; desc. slightly along a broken NW. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 7, 8, 17 and 18, with brass cap mkd.

$$\begin{array}{c} T17N \quad R6W \\ \text{S } 7 \mid \text{S } 8 \\ \hline \text{S18} \mid \text{S17} \\ 1937 \end{array}$$

from which

A pinon, 10 ins. diam., bears N. $37\frac{1}{2}^{\circ}$ E., 38 lks. dist., mkd. T 17 N R 6 W S 8 B T.

A juniper fork, 20 ins. diam., bears S. $60\frac{1}{2}^{\circ}$ E., 62 lks. dist., mkd. T 17 N R 6 W S 17 B T.

A juniper fork, 18 ins. diam., bears S. 22° W., 21 lks. dist., mkd. T 17 N R 6 W S 18 B T.

A juniper, 18 ins. diam., bears N. $63\frac{1}{2}^{\circ}$ W., 72 lks. dist., mkd. T 17 N R 6 W S 7 B T.

Land, rolling mountainous.

Soil, sandy loam and rocky, 3d rate.

Timber, yellow pine, white oak and scattering pinon and juniper; undergrowth, scrub oak and mountain laurel.

N. $89^{\circ} 50'$ E., on a random line bet. secs. 8 and 17.

40.00 Set temp. $\frac{1}{2}$ sec. cor.

79.94 A point 11 lks. S. of the cor. of secs. 8, 9, 16 and 17.

Thence

✓ S. $89^{\circ} 45'$ W., on true line bet. secs. 8 and 17.

Asc. 45 ft. over an E. slope, over boulders and thru yellow pine, juniper and pinon timber, and undergrowth.

12.00 Rocky spur, slopes S., desc. 30 ft. over broken land.

Subdivisions of T. 17 N., R. 6 W.

Chains

- 20.00 Rocky wash, 8 ft. wide, course N., 2 chs. dist., thence NW.; asc. 45 ft. over a rocky E. slope.
- 22.00 End of ascent; desc. 35 ft. over rolling land.
- 39.97 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, and in a mound of stone, 5 ft. base, 2½ ft. high, for ¼ sec. cor., with brass cap mkd.

$$\begin{array}{r} \frac{1}{4} \text{ S } 8 \\ \frac{1}{4} \text{ S } 17 \\ \hline 1937 \end{array}$$

from which

A yellow pine, 16 ins. diam., bears N. 23° E., 166 lks. dist., mkd. ¼ S 8 B T.

A juniper, 10 ins. diam., bears S. 79½° W., 119 lks. dist., mkd. ¼ S 17 B T.

Desc. 45 ft. over rolling land.

- 48.50 Small wash, course NW.; continue over rolling land.
- 55.10 Wash, 6 ft. wide, course NW.; asc. 13 ft. over rolling land.
- 60.70 Asc. 50 ft. over a rocky E. slope.
- 66.70 Slope changes to NW.; desc. 30 ft.
- 72.00 Wash, 8 ft. wide, course NE.; asc. 30 ft. over an E. slope.
- 79.94 The cor. of secs. 7, 8, 17 and 18.

Land, rough to rolling mountainous.
Soil, sandy loam and very rocky, 3d to 4th rate.
Timber, yellow pine, pinon and juniper; undergrowth, scrub oak, manzanita and mountain laurel.

- N. 89° 53' W., on a random line bet. secs. 7 and 18.
- 40.00 Set temp. ¼ sec. cor.
- 74.48 A point 9 lks. S. of the cor. of secs. 7, 12, 13 and 18, on the W. bdy. of the Tp., previously described.
- Thence
- ✓ S. 89° 49' E., on true line bet. secs. 7 and 18.
- Over rolling top of divide bet. Pine and Apache Creeks, bears N. and S., thru juniper, pinon and yellow pine timber, and undergrowth.
- 7.20 A four strand barb wire fence, bears irregularly NW. and SE.
- 9.00 Desc. 150 ft. over a broken E. slope.
- 15.50 Enter rocky ravine, 10 ft. wide, course S. 88° E.

Subdivisions of T. 17 N., R. 6 W.

EXCISE 4142

Chains	
21.70	The SE. cor. of the top of a high butte, bears N., 22 chs. dist.
22.20	Leave ravine, course NE.; desc. 90 ft. over a broken E. slope.
33.75	Same ravine, course SE., trace of water; asc. 3 ft. over a gentle SE. slope.
34.48	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} S \quad 7 \\ \hline S \quad 18 \\ 1937 \end{array}$
	from which
	A scrub oak, 4 ins. diam., bears S. 9° E., 10 lks. dist., mkd. $\frac{1}{4}$ S 18 B T.
	A juniper, 5 ins. diam., bears N. $53\frac{1}{2}^{\circ}$ W., 25 lks. dist., mkd. $\frac{1}{4}$ S 7 B T.
	Desc. 70 ft. over broken land, slope generally SE.
47.90	Apache Creek, 25 ft. wide, water, 3 to 6 ft. wide and 3 ins. to 1 ft. deep, course NE.; continue over very broken land, slope generally NW.
60.40	Rocky spur, slopes N.; desc. 53 ft. over a rocky NE. slope.
63.80	Ravine in rocky narrows, 3 ft. wide, running water, 3 ft. wide, 6 ins. deep, course N. 10° W.; asc. 50 ft. over a broken NW. slope.
74.48	The cor. of secs. 7, 8, 17 and 18. Land, W. $\frac{1}{2}$, rough mountainous; E. $\frac{1}{2}$, rolling and broken. Soil, sandy loam and very rocky. Timber, juniper, pinon, yellow pine and white oak; undergrowth, scrub oak.
	N. $0^{\circ} 03'$ W., bet. secs. 7 and 8.
	Asc. 30 ft. over boulder strewn land, slope generally W., thru juniper, pinon, oak and yellow pine timber, and undergrowth.
8.40	Cone shaped rock, 6 ft. base, 8 ft. high, bears W., 3 lks. dist.; on rocky spur, sloping W.; desc. 280 ft. over a broken, rocky NW. slope.
25.40	Right bank of Apache Creek, from SW., thence along creek, running water in creek, 3 to 12 ft. wide and 3 ins. to 1 ft. deep.
31.50	Leave creek, course NE.
32.45	Rocky spur, slopes NE., desc. 40 ft. over a broken N. slope.

Subdivisions of T. 17 N., R. 6 W.

Chains

- 38.35 Rocky wash, 10 ft. wide, course NE., running water, 3 ft. wide, 6 ins. deep; asc. 3 ft. over broken, rocky land, sloping SE.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 25 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ \cdot \text{S } 7 | \text{S } 8 \\ 1937 \end{array}$$

from which

A juniper, 16 ins. diam., bears N. 71° E., 43 lks. dist., mkd. $\frac{1}{4}$ S 8 B T.

A juniper fork, 8 ins. diam., bears S. 86° W., 85 lks. dist., mkd. $\frac{1}{4}$ S 7 B T.

Asc. 23 ft. over a gentle SE. slope.

- 45.50 Spur, slopes E.; desc. 16 ft. over a NE. slope.
- 48.70 Ravine, 6 ft. wide, course E., asc. 106 ft. over a SE. slope, thru dense undergrowth.
- 61.00 Spur, slopes E.; desc. 23 ft. over a NE. slope.
- 65.95 Shallow wash, 5 ft. wide, course E.; asc. 48 ft. over a SE. slope.
- 74.00 Spur, slopes SE.; desc. 8 ft. over a NE. slope.
- 75.00 Ravine, 8 ft. wide, course SE.; asc. 85 ft. over a SW. slope, thru dense manzanita undergrowth.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, with brass cap mkd.

$$\begin{array}{c} \text{T17N } \text{R6W} \\ \text{S } 6 | \text{S } 5 \\ \hline \text{S } 7 | \text{S } 8 \\ 1937 \end{array}$$

from which

A pinon, 7 ins. diam., bears N. $59\frac{1}{2}^{\circ}$ E., 21 lks. dist., mkd. T 17 N R 6 W S 5 B T.

A pinon, 5 ins. diam., bears S. $53\frac{1}{2}^{\circ}$ E., 59 lks. dist., mkd. S 8 B T.

A pinon, 7 ins. diam., bears S. 81° W., 77 lks. dist., mkd. T 17 N R 6 W S 7 B T.

A pinon, 8 ins. diam., bears N. 38° W., 75 lks. dist., mkd. S 6 B T.

Land, rough mountainous.

Soil, sandy loam and rocky, 3d rate.

Timber, juniper, pinon, oak and yellow pine; undergrowth, scrub oak and manzanita.

Subdivisions of T. 17 N., R. 6 W.

BOOK 4142

Chains	N. 89° 45' E., on a random line bet. secs. 5 and 8.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.10	A point 7 lks. S. of the cor. of secs. 4, 5, 8 and 9.
	Thence
✓	S. 89° 42' W., on true line bet. secs. 5 and 8.
	Desc. 20 ft. over a rocky SW. slope, thru scattering timber and undergrowth.
1.20	Small wash, course NW.; asc. 40 ft. over large granite boulders.
2.50	Rocky spur, slopes N.; desc. 40 ft. over a W. slope.
4.40	Small wash, course N.; asc. 180 ft. over a very broken E. slope.
14.80	Rocky spur, slopes NW.; desc. 185 ft. over a rocky W. slope.
23.55	Apache Creek, running water, 3 ft. wide, 6 ins. deep, course NE.; asc. 360 ft. over an E. slope, thru scattering timber and dense undergrowth.
39.90	Ridge, bears NE. and SW.; desc. 20 ft. along a broken N. to NW. slope.
40.05	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, 2 $\frac{1}{2}$ ft. high, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} S \ 5. \\ \frac{1}{4} S \ 8 \\ \hline 1937 \end{array}$
	from which
	A juniper fork, 6 ins. diam., bears S. 24 $\frac{1}{2}$ ° E., 102 lks. dist., mkd. $\frac{1}{4}$ S 8 B T.
	A juniper fork, 12 ins. diam., bears N. 25° W., 177 lks. dist., mkd. $\frac{1}{4}$ S 5 B T.
80.10	The cor. of secs. 5, 6, 7 and 8.
	Land, E. $\frac{1}{2}$, rough mountainous, W. $\frac{1}{2}$, rolling mountainous. Soil, E. $\frac{1}{2}$, mostly large granite boulders, 4th rate; W. $\frac{1}{2}$, sandy loam and rocky, 3d rate. Timber, scattering pinon, yellow pine and juniper; undergrowth, scrub oak and manzanita.
✓	
	N. 89° 49' W., on a random line bet. secs. 6 and 7.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
74.34	A point 9 lks. S. of the cor. of secs. 1, 6, 7 and 12, on the W. bdy. of the Tp., previously described.
	Thence
✓	S. 89° 45' E., on true line bet. secs. 6 and 7.

Subdivisions of T. 17 N., R. 6 W.

Chains	Asc. 280 ft. over a NW. slope, thru scattering timber and undergrowth.
3.40	A four strand barb wire fence, bears N. 10° E. and S. 10° W.
30.30	End of steep ascent; thence asc. very gradually.
34.34	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} \text{ S } 6 \\ \hline \frac{1}{4} \text{ S } 7 \\ 1937 \end{array}$
	from which
	A juniper, 14 ins. diam., bears N. 79 $\frac{1}{2}$ ° E., 58 lks. dist., mkd. $\frac{1}{4}$ S 6 B T.
	A juniper fork, 10 ins. diam., bears S. 50° E.; 70 lks. dist., mkd. $\frac{1}{4}$ S 7 B T.
36.10	Ridge, bears N. 10° W. and S. 20° W.; desc. 460 ft. over a steep SE. slope.
40.60	Edge of jagged, rocky bluff, 50 ft. high, facing E.; desc. over same.
56.50	Spur, slopes SE.; desc. 230 ft. over an E. slope.
71.40	Ravine, 6 ft. wide, course SE., from SW.; asc. 30 ft. over a SW. slope.
74.34	The cor. of secs. 5, 6, 7 and 8.
	<p>Land, rough mountainous. Soil, sandy loam and rocky, 3d and 4th rate. Timber, scattering juniper, pinon, oak and yellow pine; undergrowth, dense scrub oak and manzanita on E. $\frac{1}{2}$, and scattering on W. $\frac{1}{2}$.</p>
	N. 0° 03' W., bet. secs. 5 and 6.
	Asc. 12 ft. over a SW. slope, thru scattering timber and undergrowth.
1.70	Ridge, bears E. and W.
4.05	Wash, 25 ft. wide, course NE.; asc. 2 ft. along a broken E. slope.
9.60	The NE. cor. of the top of a high butte, bears W., 28 chs. dist.
15.80	Rocky wash, 12 ft. wide, course SE.; asc. 350 ft. over a SE. slope.
38.00	Spur, slopes SE., continue ascent.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} \\ \hline \text{S } 6 \text{ } \text{S } 5 \\ 1937 \end{array}$

Subdivisions of T. 17 N., R. 6 W.

BOOK 4142

Chains

from which

A juniper fork, 6 ins. diam., bears N. 59° E., 430 lks. dist., mkd. $\frac{1}{4}$ S 5 B T.

A rock, $3 \times 1\frac{1}{2}$ ft. above ground, bears S. $19\frac{1}{2}^{\circ}$ W., mkd. B X O.

Asc. 45 ft. over a SE. slope.

45.00 Top of E. side of a high butte, bears W. about 5 chs. dist.; head of ravine, course SE.; slope changes to NE., desc. 240 ft.

60.00 A low flat spur, slopes N. 70° E.; desc. 23 ft. over a gentle NW. slope.

67.50 Center of open draw, 5 chs. wide, course E.

69.40 Top of butte, bears E., 18.40 chs. dist.

77.75 Ridge, bears NE. and SW.; continue over same.

80.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for cor. of lots 4 and 5 of sec. 5, and lots 1 and 8 of sec. 6, with brass cap mkd.

$$\begin{array}{c} 1 \quad | \quad 4 \\ S \quad 6 \quad | \quad S \quad 5 \\ \hline 8 \quad | \quad 5 \\ 1937 \end{array}$$

from which

A juniper fork, 6 ins. diam., bears S. $42\frac{1}{2}^{\circ}$ E., 54 lks. dist., mkd. L 5 S 5 B T.

A juniper fork, 7 ins. diam., bears S. $24\frac{1}{2}^{\circ}$ W., 98 lks. dist., mkd. L 8 S 6 B T.

85.97 Intersect the N. bdy. of the Tp.

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for closing cor. of secs. 5 and 6, with brass cap mkd.

$$\begin{array}{c} T18N \quad R6W \\ S \quad 32 \\ \hline S \quad 6 \quad | \quad S \quad 5 \\ T17N \quad | \quad R6W \\ CC \\ 1937 \end{array}$$

from which

A white oak, 8 ins. diam., bears S. $41\frac{1}{2}^{\circ}$ E., 98 lks. dist., mkd. T 17 N R 6 W S 5 C C B T.

A white oak, 8 ins. diam., bears S. $79\frac{1}{4}^{\circ}$ W., 101 lks. dist., mkd. T 17 N R 6 W S 6 C C B T.

From point of intersection the cor. of secs. 31 and 32, on the S. bdy. of T. 18 N., R. 6 W., bears W., 9.31 chs. dist., which is an iron post, 2 ins. diam., mkd., set, and witnessed as described in the official record.

From the same point the $\frac{1}{4}$ sec. cor. on the S. bdy. of sec. 32, T. 18 N., R. 6 W., bears E., 30.69 chs. dist.; an iron post, 1 in. diam., mkd., set, and witnessed as described in the official record.

Subdivisions of T. 17 N., R. 6 W.

Chains

Land, rough mountainous.
Soil, sandy loam and rocky, 3d to 4th rate.
Timber, juniper, pinon and white oak; undergrowth, scrub oak and manzanita.

At midpoint on the N. bdy. of sec. 5.

Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 5
1937

from which

A pinon, 6 ins. diam., bears S. $50\frac{1}{2}^{\circ}$ E., 57 lks. dist., mkd. $\frac{1}{4}$ S 5 B T.

A juniper fork, 30 ins. diam., bears S. $17\frac{1}{4}^{\circ}$ W., 84 lks. dist., mkd. $\frac{1}{4}$ S 5 B T.

From this cor. the $\frac{1}{4}$ sec. cor. on the S. bdy. of sec. 32, T. 18 N., R. 6 W., bears W., 9.50 chs. dist.; an iron post, 1 in. diam., mkd., set and witnessed as described in the official record.

The cor. of secs. 32 and 33, on the S. bdy. of T. 18 N., R. 6 W., bears E., 30.50 chs. dist.; an iron post, 2 ins. diam., mkd., set and witnessed as described in the official record.

At a point on the W. bdy. of sec. 6, 40.00 chs. W. of the closing cor. of secs. 5 and 6, T. 17 N., R. 6 W.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 6
1937

from which

A white oak, 8 ins. diam., bears S. 16° W., 77 lks. dist., mkd. $\frac{1}{4}$ S 6 B T.

A yellow pine, 20 ins. diam., bears S. 53° E., 79 lks. dist., mkd. $\frac{1}{4}$ S 6 B T.

From this cor. the $\frac{1}{4}$ sec. cor. on the S. bdy. of sec. 31, T. 18 N., R. 6 W., bears W., 9.31 chs. dist.; an iron post, 1 in. diam., mkd., set, and witnessed as described in the official record.

The cor. of secs. 31 and 32, on the S. bdy. of T. 18 N., R. 6 W., bears E., 30.69 chs. dist.; an iron post, 2 ins. diam., mkd., set, and witnessed as described in the official record.

Final test of Buff Solar transit No. 23829,
used by Roger F. Wilson, Surveyor.

Sept. 12: In camp in the NE. $\frac{1}{4}$ of sec. 3, T. 16 N., R. 6 W., 9 a.m., app. time, I set off $34^{\circ} 48'$ N., on the lat. arc.; $4^{\circ} 14'$ N. on the decl. arc.; and orient the instrument with the solar; the line of sight agrees with the meridian established by Polaris observation.

At app. noon, with the latitude arc unchanged, I observe the sun on the meridian; the resulting reading of the declination arc is $4^{\circ} 08'$ N., which agrees with the computed declination.

At 3 p.m., app. time, I set off $34^{\circ} 48'$ N., on the lat. arc.; $4^{\circ} 06'$ N. on the decl. arc.; and repeat the test of the solar; the line of sight agrees with the meridian established by Polaris observation.

Final test of Buff solar transit No. 18002,
used by F. Wayne Forrest, Public Land Surveyor.

Sept. 26: In camp in the NE. $\frac{1}{4}$ of sec. 3, T. 16 N., R. 6 W., 9 a.m., app. time, I set off $34^{\circ} 48'$ N., on the lat. arc.; $1^{\circ} 14'$ S. on the decl. arc.; and orient the instrument with the solar; the line of sight agrees with the meridian established by Polaris observation.

At app. noon, with the latitude arc unchanged, I observe the sun on the meridian; the resulting reading of the declination arc is $1^{\circ} 17\frac{1}{2}'$ S., which agrees with the computed declination.

At 3 p.m., app. time, I set off $34^{\circ} 48'$ N. on the lat. arc; $1^{\circ} 20'$ S. on the decl. arc; and repeat the test of the solar; the line of sight agrees with the meridian established by Polaris observation.

General Description.

The general elevation of the township is bet. about 6000 to 7000 ft. above sea level. The township as a whole is mountainous, rough to rolling, the roughest and highest part being in the west central portion. The soil is mostly a sandy loam above a clay sub soil, bedrock is found at a depth of from three feet to six inches throughout the township. All of the soil is rocky and particularly in secs. 8, 9, 16 and 17 the surface is almost entirely covered with large granite boulders. The timber is juniper, pinon, yellow pine and oak, and varies from a fairly heavy stand in places to scattering. A considerable portion of the township is covered with scrub oak undergrowth, with some manzanita and mountain laurel.

There are several creeks in the township, which have either small streams of running water or pools of water in places where it emerges from the sandy bottoms; there is an occasional spring along the creek beds.

Almost the entire township is a state game reserve, and deer and wild turkey are plentiful.

Subdivisions of T. 17 N., R. 6 W.

The township lies wholly within the Prescott National Forest. The forest service has recently erected a fire lookout station on the top of Hyde Mountain, the highest point in the township and in the neighboring country, which is in the southermost part of sec. 20. A good trail and a telephone line goes to this tower from Camp Wood. Camp Wood is in the NE. $\frac{1}{4}$ of sec. 3, T. 16 N., R. 6 W., and has a postoffice to which mail is brought by auto stage three times weekly. Prescott is the nearest town, trading point, and railroad station; it lies about 40 miles to the SE. of the township.

A road from Camp Wood to the Walnut Creek Ranger Station, passes thru the SE. part of the Tp. A truck trail from Walnut Creek to Hyde Creek enters the township on the N. bdy. of sec. 2 and continues SE. to sec. 15. Another road runs about $\frac{1}{2}$ to $\frac{1}{4}$ mile S. of the S. bdy. of the Tp. and crosses the SW. cor. of sec. 6; this is the main road from Prescott to Camp Wood, Hill's ranch and other ranches.

There are no settlers in the township. The chief industry is cattle grazing, a fair amount of grass is found on the slopes. Several barb wire fences have been built to control the grazing areas.

A small sawmill is in operation in the SW. cor. of sec. 35.

There is no evidence of mineral deposit in the township.

The average of a considerable number of readings over all parts of the township gives a value of $16^{\circ} 00'$ E. for the mean magnetic variation.

4-680
(Revised May 1934)

ED. S. 142

FIELD ASSISTANTS

NAMES	CAPACITY
Norton B. Stephenson	Principal Assistant
Ellis W. Murphy	Chainman
Jack Bowker	Moundsman
Roy M. Clifton	Axman
William J. Martin	Axman
George Erhardt, Jr.	Flagman
Clark Blevins	Principal Assistant
Herbert Qualls	Chainman
Pascal Austin	Moundsman
Wesley B. Farley	Axman
Ray W. Hammack	Axman
J. D. Harris	Axman
Paul Teeter, Jr.	Axman
John W. Henry	Flagman

90
58

BOOK 2172

CERTIFICATE OF ~~UNITED STATES~~ SURVEYOR

We, Roger F. Wilson, Surveyor and F. Wayne Forrest, Public Land Surveyor,
~~of~~ General Land Office, HEREBY CERTIFY upon honor that, in

pursuance of special instructions bearing date of the 19th day of July, 1937
received from the district cadastral engineer for Arizona, with assignment
instructions dated July 26, 1937 ~~I~~^{we} have ~~surveyed~~ surveyed the East boundary;
surveyed and resurveyed the West boundary; and surveyed the subdivis-
ional lines of Township 17 North, Range 6 West,

of the Gila and Salt ^{River} Meridian, in the State of Arizona, which are
represented in the foregoing field notes as having been executed by ~~me~~^{us} and under ~~my~~^{our} direction; and that said
and resurvey
survey has been made in strict conformity with said instructions, the Manual of Instructions for the Survey
of the Public Lands of the United States, and in the specific manner described in the foregoing field notes.

Glendale, California.

October 29, 1937

Glendale, Calif., Jan. 7, 1938.

Roger F. Wilson
Surveyor
F. Wayne Forrest
Public Land Surveyor

CERTIFICATE OF APPROVAL

OFFICE OF U.S. SUPERVISOR OF SURVEYS,

Denver, Colorado, March 14, 1938.

The foregoing field notes of the survey of the East boundary; survey and resurvey of
the West boundary; and survey of the subdivisional lines of Township
17 North, Range 6 West, of the Gila and Salt River Meridian, in the State
of Arizona,

executed by Roger F. Wilson, Surveyor, and F. Wayne Forrest, Public Land
Surveyor, General Land Office,
under special instructions dated July 19, 1937, and assignment

instructions dated July 26, 1937, having been critically examined, and
the necessary corrections made prior to their certification by the engineer, the said field notes, and the survey
and resurvey
therein described, are hereby approved.

Wm. A. Johnson
U.S. Supervisor of Surveys.

CERTIFICATE OF TRANSCRIPT

I certify that the foregoing transcript of the field notes of the above-described surveys in
is a true copy of the original field notes on file in the public survey office.

U.S. Supervisor of Surveys.