

4-379
(April 1933)

BOOK 4186

Book G.

FIELD NOTES

of the

Subdivisional Lines

of

Township 6 South, Range 3 West,

Of the Gila and Salt River Meridian,

In the State of Arizona.

EXECUTED BY

Claude F. Warner, Transitman, and

Frank Moteh, Public Land Surveyor,

General Land Office,

Under special instructions dated December 12, 1933, which provided for the surveys included under Group No. 198, bearing the approval of the Commissioner of the General Land Office under date of March 26, 1934, and assignment instructions dated January 10, 1938.

Survey commenced April 4, 1938

Survey completed April 16, 1938

4186

4186

50
1A

BOOK 4186

INDEX DIAGRAM.

Township 6 SOUTH, Range 3 WEST											
	47	46	34	25	18	9					
45	6	46	5	33	4	24	3	17	2	8	1
	44	43		32		24		16		8	
45	7	43	8	31	9	23	10	15	11	7	12
	42	41		31		22		15		6	
45	18	41	17	30	16	22	15	14	14	5	13
	40	39		29		21		13		5	
40	19	38	20	28	21	20	22	12	23	4	24
	37	37		28		20		12		3	
38	30	36	29	27	28	19	27	11	26	3	25
	35	35		26		19		10		2	
35	31	34	32	26	33	18	34	10	35	1	36

Chains

The subdivisional survey of Township 6 South, Range 3 West, was executed with a Buff & Buff solar transit No. 9984, and a Young & Sons solar transit No. 8526, property of the General Land Office. The instruments are equipped with full vertical circles and the Smith solar attachments and were approved by the District Cadastral Engineer on Jan. 10, 1938, conditional upon satisfactory field tests. We examine all the instrumental adjustments before making the field tests hereinafter described.

The directions of the lines were determined by the solar transit method. The measurements were made with Lallie steel tapes, 5 chs. in length, graduated every lk. for the first 100 lks., and thereafter at intervals of 10 lks. The tapes were tested by comparison with a Lufkin standard and found to be correct. The measurements were made on the slope and the vertical angle at each interval ascertained by clinometers in good adjustment; the horizontal equivalents are entered in the field note record.

The geographical position of the SE. cor. of the Tp., as furnished with the special instructions, is as follows: latitude $32^{\circ}51'15''N.$, and longitude $112^{\circ}30'44''W.$

April 3, 1938, with Young & Sons solar transit No. 8526 on the meridian established by Polaris observation described in the field notes of the exterior lines surveyed under this group, every 30 min. from 8:00 a. m. to 10:30 a. m., and from 1:30 p. m. to 4:00 p. m., the proper settings are made on the latitude and declination arcs; the resulting orientation of the instrument, when compared with the meridian established by Polaris observation, has a maximum error of less than $1'30''$.

April 3, 1938, with Buff & Buff solar transit No. 9984 on the meridian established by Polaris observation described in the field notes of the exterior lines surveyed under this group, every 30 min. from 8:00 a. m. to 10:30 a. m., and from 1:30 p. m. to 4:00 p. m., the proper settings are made on the latitude and declinations arcs; the resulting orientation of the instrument, when compared with the meridian established by Polaris observation, has a maximum error of less than $1'30''$.

From the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of the Tp., described in the field notes of the S. bdy. of the Tp., surveyed under this group.

$N.0^{\circ}01'W.$, bet. secs. 35 and 36.

Over rolling desert land, thru medium heavy timber and undergrowth.

15.00 Wash, 25 lks. wide, course $N.80^{\circ}W.$

22.90 Wash, 10 lks. wide, course $N.80^{\circ}W.$

33.80 Wash, 15 lks. wide, course $N.70^{\circ}W.$

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S 35 | S 36
1938

from which

A paloverde, 4 ins. diam., bears $N.61^{\circ}E.$, 208 lks. dist., mkd. $\frac{1}{4}$ S 36 B T.

Subdivision of T.6 S., R.3 W.

Chains

An ironwood, 4 ins. diam., bears N.66°W., 57 lks. dist., mkd. $\frac{1}{4}$ S 35 B T.

69.00 Wash, 30 lks. wide, course NW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, with brass cap mkd.

T 6 S R 3 W

S 26	S 25
S 35	S 36

1938

from which

An ironwood, 5 ins. diam., bears N.71°E., 67 lks. dist., mkd. T 6 S R 3 W S 25 B T.

A paloverde, 4 ins. diam., bears S.21 $\frac{1}{2}$ °E., 297 lks. dist., mkd. T 6 S R 3 W S 36 B T.

A paloverde, 4 ins. diam., bears S.2°W., 236 lks. dist., mkd. T 6 S R 3 W S 35 B T.

An ironwood, 7 ins. diam., bears N.84 $\frac{1}{2}$ °W., 349 lks. dist., mkd. T 6 S R 3 W S 26 B T.

Land, rolling desert.

Soil, sandy and gravelly; 3rd rate.

Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara and cactus.

East, on a random line, bet. secs. 25 and 36.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.97 A point 10 lks. N. of the cor. of secs. 25, 30, 31 and 36, described in the field notes of the E. bdy. of the Tp., surveyed under this group.

Thence,

N.89°56'W., on a true line, bet. secs. 25 and 36.

Over rolling desert land, thru medium heavy timber and undergrowth; asc. 83 ft. over NE. slope.

7.00 Spur, slopes S. for about 8 chs.; desc. over gentle SW. slope; desc. 337 ft. to $\frac{1}{4}$ sec. cor.

39.99 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S 25

$\frac{1}{4}$	S 36
---------------	------

1938

from which

A paloverde, 6 ins. diam., bears N.20 $\frac{3}{4}$ °W., 110 lks. dist., mkd. $\frac{1}{4}$ S 25 B T.

An ironwood, 4 ins. diam., bears S.60°W., 160 lks. dist., mkd. $\frac{1}{4}$ S 36 B T.

42.80 Wash, 30 lks. wide, course NW.

Subdivision of T.6 S., R.3 W.

BOOK 4186

Chains	
61.00	Wash, 25 lks. wide, course NW.
79.97	The cor. of secs. 25, 26, 35 and 36. Land, rolling desert and mountainous. Soil, sandy, gravelly and rocky; 3rd rate. Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara and cactus.
	N.0°01'W., bet. secs. 25 and 26. Over rolling desert land, thru medium heavy timber and undergrowth.
27.60	Wash, 25 lks. wide, course N.80°W.
35.70	Wash, 20 lks. wide, course NW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground, in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\begin{array}{c} \frac{1}{4} \\ S\ 26 \mid S\ 25 \\ 1938 \end{array}$ from which A paloverde, 6 ins. diam., bears N.35 $\frac{1}{2}$ °E., 107 lks. dist., mkd. $\frac{1}{4}$ S 25 B T. A paloverde, 6 ins. diam., bears N.80 $\frac{1}{2}$ °W., 143 lks. dist., mkd. $\frac{1}{4}$ S 26 B T.
60.00	Wash, 30 lks. wide, course W.; asc. 102 ft. to point of spur.
79.46	Point of spur, slopes E. for about 7 chs.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground, for cor. of secs. 23, 24, 25 and 26, with brass cap mkd. $\begin{array}{c} T\ 6\ S\ R\ 3\ W \\ S\ 23 \mid S\ 24 \\ \hline S\ 26 \mid S\ 25 \\ 1938 \end{array}$ No suitable accessories. Land, rolling desert and mountainous. Soil, sandy, gravelly and rocky; 3rd rate. Timber, paloverde and ironwood; undergrowth, greasewood, sage, ocotillo, cholla, sahuara and cactus.
	S.89°56'E., on a random line, bet. secs. 24 and 25.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	A point 5 lks. S. of the cor. of secs. 19, 24, 25 and 30, described in the field notes of the E. bdy. of the Tp., surveyed under this group. Thence,

Subdivision of T.6 S., R.3 W.

Chains	N.89°58'W., on a true line, bet. secs. 24 and 25. Over rolling land, thru medium heavy timber and undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\begin{array}{r} S 24 \\ \frac{1}{4} \\ \hline S 25 \\ 1938 \end{array}$ from which A paloverde, 8 ins. diam., bears N.20 $\frac{1}{4}$ °W., 107 lks. dist., mkd. $\frac{1}{4}$ S 24 B T. A paloverde, 10 ins. diam., bears S.1 $\frac{3}{4}$ °E., 36 lks. dist., mkd. $\frac{1}{4}$ S 25 B T.
46.80	Wash, 60 lks. wide, course NW.
72.90	Wash, 30 lks. wide, course S.; asc. 83 ft.
80.00	The cor. of secs. 23, 24, 25 and 26. Land, rolling mountains and nearly level desert. Soil, sandy, gravelly and rocky; 3rd rate. Timber, paloverde and ironwood; undergrowth, greasewood, cholla, acotillo, sahuara and cactus.
	N.0°01'W., bet. secs. 23 and 24. Over mountainous land, thru medium heavy timber and undergrowth; desc. 80 ft. over NE. slope.
4.90	Asc. 286 ft. over E. slope.
28.20	Point of spur, slopes E.; desc. 204 ft.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, and in a mound of stone to stop for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\begin{array}{r} \frac{1}{4} \\ S 23 S 24 \\ \hline 1938 \end{array}$
	No suitable accessories. Desc. 46 ft.
45.00	Leave mountainous land, bears NW. and SE., enter rolling desert land.
50.75	Wash, 25 lks. wide, course NW.
60.85	Wash, 15 lks. wide, course NW..
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 26 ins. in the ground, for cor. of secs. 13, 14, 23 and 24, with brass cap mkd. $\begin{array}{r} T 6 S R 3 W \\ S 14 S 13 \\ \hline S 23 S 24 \\ 1938 \end{array}$

Subdivision of T.6 S., R.3 W.

BOOK 4186

Chains

from which

An ironwood, 4 ins. diam., bears N.62 $\frac{1}{2}$ °E., 98 lks.
dist., mkd. T 6 S R 3 W S 13 B T.

A paloverde, 5 ins. diam., bears S.29 $\frac{3}{4}$ °E., 231 lks.
dist., mkd. T 6 S R 3 W S 24 B T.

A paloverde, 6 ins. diam., bears S.40 $\frac{1}{2}$ °W., 173 lks.
dist., mkd. T 6 S R 3 W S 23 B T.

An ironwood, 6 ins. diam., bears N.27°W., 167 lks.
dist., mkd. T 6 S R 3 W S 14 B T.

Land, mountainous and rolling desert.
Soil, sandy, gravelly and rocky; 3rd rate.
Timber, paloverde and ironwood; undergrowth, greasewood,
ocotillo, cholla, sahuara and cactus.

S.89°58'E., on a random line, bet. secs. 13 and 24.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.00 A point 7 lks. N. of the cor. of secs. 13, 18, 19 and 24,
described in the field notes of the E. bdy. of the Tp.,
surveyed under this group.

Thence,

N.89°55'W., on a true line, bet. secs. 13 and 24.

Over gently rolling desert land, thru medium heavy timber
and undergrowth.

2.30 Dos Cabezós road, bears NW. and SE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ $\frac{S\ 13}{S\ 24}$

1938

from which

A paloverde, 6 ins. diam., bears N.61 $\frac{3}{4}$ °E., 127 lks.
dist., mkd. $\frac{1}{4}$ S 13 B T.

A paloverde, 5 ins. diam., bears S.15°W., 205 lks.
dist., mkd. $\frac{1}{4}$ S 24 B T.

51.70 Wash, 50 lks. wide, course NW.

80.00 The cor. of secs. 13, 14, 23 and 24.

Land, rolling desert.
Soil, sandy and gravelly; 3rd rate.
Timber, paloverde and ironwood; undergrowth, greasewood,
cholla, ocotillo, sahuara and cactus.

N.0°01'W., bet. secs. 13 and 14.

Over gently rolling desert land, thru medium heavy timber
and undergrowth.

25.00 Wash, 100 lks. wide, course NW.

36.57 Center Line of Gila Bend-Tucson

bears N.66°W. and S.64°E.
highway No. 84, Δ

Subdivision of T.6 S., R.3 W.

Chains 40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p> <div style="text-align: center;"> $\begin{array}{c} \frac{1}{4} \\ \text{S } 14 \mid \text{S } 13 \\ 1938 \end{array}$ </div> <p style="text-align: right;">from which</p> <p>A paloverde, 6 ins. diam., bears N.62°E., 167 lks. dist., mkd. $\frac{1}{4}$ S.13 B T.</p> <p>An ironwood, 4 ins. diam., bears N.15$\frac{1}{2}$°W., 95 lks. dist., mkd. $\frac{1}{4}$ S 14 B T.</p>
55.40	Wash, 10 lks. wide, course NW.
61.90	Dos Cabezos road, bears N.60°E. and S.60°W.
80.00	<p>Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 11,12,13 and 14, with brass cap mkd.</p> <div style="text-align: center;"> $\begin{array}{c} \text{T } 6 \text{ S } R \text{ } 3 \text{ W} \\ \text{S } 11 \mid \text{S } 12 \\ \text{S } 14 \mid \text{S } 13 \\ 1938 \end{array}$ </div> <p style="text-align: right;">from which</p> <p>A paloverde, 7 ins. diam., bears N.76$\frac{1}{4}$°E., 187 lks. dist., mkd. T 6 S R 3 W S 12 B T.</p> <p>A paloverde, 5 ins. diam., bears S.71$\frac{1}{2}$°E., 419 lks. dist., mkd. T 6 S R 3 W S 13 B T.</p> <p>A paloverde, 4 ins. diam., bears S.23°W., 144 lks. dist., mkd. T 6 S R 3 W S 14 B T.</p> <p>A paloverde, 4 ins. diam., bears N.3°W., 197 lks. dist., mkd. T 6 S R 3 W S 11 B T.</p> <p>Land, rolling desert. Soil, sandy and gravelly; 3rd rate. Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara and cactus.</p>
	S.89°55'E., on a random line, bet. secs. 12 and 13.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.99	<p>A point 3 lks. S. of the cor. of secs. 7,12,13 and 18, described in the field notes of the E. bdy. of the Tp., surveyed under this group.</p> <p>Thence,</p> <p>N.89°56'W., on a true line, bet. secs. 12 and 13.</p> <p>Over rolling desert land, thru medium heavy timber and undergrowth.</p>
2.00	Wash, 15 lks. wide., course NW.
20.00	Wash, 20 lks. wide, course NW.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

Subdivision of T.6 S., R.3 W.

BOOK 4186

Chains

$$\frac{1}{4} \begin{array}{r} \text{S } 12 \\ \hline \text{S } 13 \\ 1938 \end{array}$$

from which

A paloverde, 8 ins. diam., bears N.71 $\frac{1}{2}$ °W., 189 lks. dist., mkd. $\frac{1}{4}$ S 12 B T.

A paloverde, 12 ins. diam., bears S.8 $\frac{1}{4}$ °E., 330 lks. dist., mkd. $\frac{1}{4}$ S 13 B T.

69.30 Wash, 50 lks. wide, course NW.

79.99 The cor. of secs. 11, 12, 13 and 14.

Land, rolling desert.

Soil, sandy and gravelly; 3rd rate.

Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara and cactus.

N.0°01'W., bet. secs. 11 and 12.

Over rolling desert land, thru medium heavy timber and undergrowth.

6.20 Wash, 60 lks. wide, course W.

14.10 Wash, 20 lks. wide, course W.

19.50 Wash, 10 lks. wide, course NW.

31.00 Wash, 30 lks. wide, course NW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\frac{1}{4} \begin{array}{r} \text{S } 11 \mid \text{S } 12 \\ 1938 \end{array}$$

from which

An ironwood, 4 ins. diam., bears S.14 $\frac{3}{4}$ °E., 259 lks. dist., mkd. $\frac{1}{4}$ S 12 B T.

An ironwood, 5 ins. diam., bears N.13°W., 276 lks. dist., mkd. $\frac{1}{4}$ S 11 B T.

54.30 Wash, 15 lks. wide, course NW.

73.60 Wash, 10 lks. wide, course NW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 1, 2, 11 and 12, with brass cap mkd.

$$\begin{array}{r} \text{T } 6 \text{ S } R \text{ } 3 \text{ W} \\ \hline \text{S } 2 \mid \text{S } 1 \\ \text{S } 11 \mid \text{S } 12 \end{array}$$

1938

from which

A paloverde, 15 ins. diam., bears N.49°E., 516 lks.

Subdivision of T.6 S., R.3 W.

Chains

dist., mkd. T.6 S R 3 W S 1 B T.

A paloverde, 8 ins. diam., bears S.56°E., 420 lks.
dist., mkd. T 6 S R 3 W S 12 B T.

A catclaw, 5 ins. diam., bears S.36°W., 294 lks.
dist., mkd. T 6 S R 3 W S 11 B T.

A paloverde, 5 ins. diam., bears N.49°W., 175 lks.
dist., mkd. T 6 S R 3 W S 2 B T.

Land, rolling desert.

Soil, sandy and gravelly; 3rd rate.

Timber, ironwood and paloverde; undergrowth, greasewood,
cholla, ocotillo, sahuara and cactus.

S.89°56'E., on a random line, bet. secs. 1 and 12.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.01 A point 5 lks. N. of the cor. of secs. 1, 6, 7 and 12,
described in the field notes of the E. bdy. of the Tp.,
surveyed under this group.

Thence,

N.89°54'W., on a true line, bet. secs. 1 and 12.

Over rolling desert land, thru medium heavy timber and
undergrowth.

40.01 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in
the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\frac{1}{4} \frac{S 1}{S 12}$$

1938

from which

A paloverde, 7 ins. diam., bears N.54 $\frac{1}{2}$ °W., 280 lks.
dist., mkd. $\frac{1}{4}$ S 1 B T.

A paloverde, 5 ins. diam., bears S.22 $\frac{1}{4}$ °E., 74 lks.
dist., mkd. $\frac{1}{4}$ S 12 B T.

48.20 Wash, 15 lks. wide, course NW.

71.80 Wash, 18 lks. wide, course NW.

80.01 The cor. of secs. 1, 2, 11 and 12.

Land, rolling desert.

Soil, sandy and gravelly; 3rd rate.

Timber, paloverde and ironwood; undergrowth, greasewood,
cholla, ocotillo, saguara and cactus.

N.0°01'W., bet. secs. 1 and 2.

Over rolling desert land, thru medium heavy timber and
undergrowth.

12.00 Wash, 20 lks. wide, course NW.

15.00 Wash, 20 lks. wide, course NW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

Subdivision of T.6 S., R.3 W.

BOOK 4186

Chains

$$\frac{1}{4}$$

$$S 2 | S 1$$

$$1938$$

from which

An ironwood, 6 ins. diam., bears S.75°E., 95 lks. dist., mkd. $\frac{1}{4}$ S 1 B T.

A paloverde, 4 ins. diam., bears N.57°W., 114 lks. dist., mkd. $\frac{1}{4}$ S 2 B T.

44.40 Wash, 25 lks. wide, course NW.

56.60 Wash, 15 lks. wide, course, NW.

80.22 Intersect the 1st Standard Parallel South.

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with a granite stone, 8x8x6 ins., mkd. with a cross (+) deposited at the base, for closing cor. of secs. 1 and 2, with brass cap mkd.

T 5 S R 3 W

S 36

S 2 | S 1

C C

T 6 S R 3 W

1938

No suitable accessories.

From the point of intersection, the cor. of secs. 35 and 36, on the S. bdy. of T.5 S., R.3 W., bears S.89°56'W., 3.29 chs. dist., described in the field notes of the 1st Standard Parallel South, surveyed under this group.

Land, rolling desert.

Soil, sandy and gravelly; 3rd rate.

Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocatillo, sahuara and cactus.

At a point 3.33 chs. dist., N.89°56'E., of the $\frac{1}{4}$ sec. cor. on the S. bdy. of sec. 36, described in the field notes of the 1st Standard Parallel South, surveyed under this group, which point is midway bet. the NE. and NW. closing cors. of sec. 1,

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., of sec. 1 only, with brass cap mkd.

 $\frac{1}{4}$ S 1

1938

from which

A paloverde, 4 ins. diam., bears S.22°E., 372 lks. dist., mkd. $\frac{1}{4}$ S 1 B T.

An ironwood, 8 ins. diam., bears S.42 $\frac{1}{2}$ °W., 291 lks. dist., mkd. $\frac{1}{4}$ S 1 B T.

From the cor. of secs. 2, 3, 34 and 35, described in the field notes of the S. bdy. of the Tp., surveyed under this group.

Subdivision of T.6 S., R.3 W.

Chains	<p>N.0°01'W., bet. secs. 34 and 35.</p>
	<p>Over rolling hills, thru scattered timber and undergrowth.</p>
40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p>
	<p style="text-align: center;"> $\frac{1}{4}$ S 34 S 35 1938 </p> <p style="text-align: right;">from which</p>
	<p>An ironwood, 6 ins. diam., bears N.32$\frac{1}{2}$°E., 180 lks. dist., mkd. $\frac{1}{4}$ S 35 B T.</p>
	<p>A paloverde, 5 ins. diam., bears S.27$\frac{3}{4}$°W., 511 lks. dist., mkd. $\frac{1}{4}$ S 34 B T.</p>
	<p>Raise a mound of stone, 2$\frac{1}{2}$ ft. base, 1$\frac{1}{2}$ ft. high, W. of cor.</p>
80.00	<p>Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground, and in a mound of stone, 4 ft. base, to top, for cor. of secs. 26, 27, 34 and 35, with brass cap mkd.</p>
	<p style="text-align: center;"> T 6 S R 3 W S 27 S 26 S 34 S 35 1938 </p> <p style="text-align: right;">from which</p>
	<p>A paloverde, 5 ins. diam., bears N.20°E., 220 lks. dist., mkd. T 6 S R 3 W S 26 B T.</p>
	<p>A paloverde, 5 ins. diam., bears S.6$\frac{1}{2}$°E., 150 lks. dist., mkd. T 6 S R 3 W S 35 B T.</p>
	<p>A paloverde, 5 ins. diam., bears S.40$\frac{1}{2}$°W., 213 lks. dist., mkd. T 6 S R 3 W S 34 B T.</p>
	<p>A paloverde, 5 ins. diam., bears N.5$\frac{1}{2}$°W., 213 lks. dist., mkd. T 6 S R 3 W S 27 B T.</p>
	<p>Land, rolling and rocky Soil, rocky; 4th rate. Timber, paloverde and ironwood; undergrowth, cactus, sage, and greasewood.</p>
	<p>East, on a random line, bet. secs. 26 and 35.</p>
40.00	<p>Set temp. $\frac{1}{4}$ sec. cor.</p>
79.95	<p>A point 6 lks. N. of the cor. of secs. 25, 26, 35 and 36.</p>
	<p>Thence,</p>
	<p>N.89°57'W., on a true line, bet. secs. 26 and 35.</p>
	<p>Over rolling rocky land, thru scattered timber and undergrowth.</p>
5.90	<p>Wash, 30 lks. wide, course N.30°W.</p>
36.30	<p>Wash, 20 lks. wide, course N.; asc. 28 ft. over SE. slope.</p>
39.97	<p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the</p>

Subdivision of T.6 S., R.3 W.

BOOK 4186

Chains

ground, for 1/4 sec. cor., with brass cap mkd.

S 26
1/4 ———
S 35
1938

from which

A paloverde, 6 ins. diam., bears N.83 1/2°E., 180 lks. dist., mkd. 1/4 S 26 B T.

A paloverde, 6 ins. diam., bears S.83 1/2°E., 94 lks. dist., mkd. 1/4 S 35 B T.

Raise a mound of stone, 2 ft. base, 1 1/2 ft. high, N. of cor.

Asc. 86 ft. over E. slope.

79.95 The cor. of secs. 26,27,34 and 35.

Land, rolling and rocky.

Soil, rocky; 4th rate.

Timber, paloverde and ironwood; undergrowth, cactus and greasewood.

N.0°01'W., bet. secs. 26 and 27.

Over rolling hills, thru scattered timber and undergrowth.

5.00 Slope changes to N.; desc. 90 ft.

9.70 Wash, 10 lks. wide, course E.; asc. 96 ft. over SE. slope.

18.95 Spur, slopes NE., desc. 160 ft. over NW. slope.

28.20 Wash, 10 lks. wide, course NE.; desc. gradually along rolling E. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground, and in a mound of stone, 4 ft. base, to top, for 1/4 sec. cor., with brass cap mkd.

1/4
S 27 S 26
1938

from which

A paloverde, 6 ins. diam., bears N.51 1/2°E., 144 lks. dist., mkd. 1/4 S 26 B T.

A paloverde, 6 ins. diam., bears N.20 1/2°W., 56 lks. dist., mkd. 1/4 S 27 B T.

Over rolling SE. slope; asc. 27 ft. over S. slope.

45.47 Short spur, slopes N.20°E.; desc. 86 ft. along W. slope.

74.40 Wash, 100 lks. wide, cours N.40°W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 22,23,26 and 27, with brass cap mkd.

T 6 S R 3 W
S 22 S 23
S 27 S 26
1938

Subdivision of T.6 S., R.3 W.

Chains

from which

An ironwood, 6 ins. diam., bears N.60 $\frac{1}{2}$ °E., 120 lks. dist., mkd. T 6 S R 3 W S 23 B T.

A paloverde, 8 ins. diam., bears N.82 $\frac{3}{4}$ °W., 204 lks. dist., mkd. T 6 S R 3 W S 22 B T.

An ironwood, 12 ins. diam., bears S.38 $\frac{1}{2}$ °E., 233 lks. dist., mkd. T 6 S R 3 W S 26 B T.

An ironwood, 5 ins. diam., bears S.33 $\frac{1}{2}$ °W., 153 lks. dist., mkd. T 6 S R 3 W S 27 B T.

Land, rolling and rocky;

Soil, rocky; 4th rate.

Timber, paloverde and ironwood; undergrowth, cactus, sage, and greewood.

S.89°57'E., on a random line, bet. secs. 23 and 26.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.98 A point 5 lks. S. of the cor. of secs. 23, 24, 25 and 26.

Thence,

N.89°59'W., on a true line, bet. secs. 23 and 26.

Over mountainous land, thru scattered timber and undergrowth; asc. 176 ft. over rocky N. slope.

18.40 Top of spur; desc. 277 ft. over rocky NW. slope.

31.00 Base of mountainous land, enter nearly level desert land.

39.99 Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.

$$\frac{1}{4} \begin{array}{r} S. 23 \\ \hline S 26 \end{array}$$

1938

from which

An ironwood, 5 ins. diam., bears N.56°E., 58 lks. dist., mkd. $\frac{1}{4}$ S 23 B T.

An ironwood, 6 ins. diam., bears S.81 $\frac{1}{2}$ °W., 249 lks. dist., mkd. $\frac{1}{4}$ S 26 B T.

67.90 Wash, 40 lks. wide, course N.50°W.

79.98 The cor. of secs. 22, 23, 26 and 27.

Land, rolling and rocky.

Soil, rocky; 4th rate.

Timber, scattered paloverde and ironwood; undergrowth, cactus, sage and greasewood.

N.0°01'W., bet. secs. 22 and 23.

25.00 Wash, 40 lks. wide, course N.30°W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

Subdivision of T.6 S., R.3 W.

BOOK 4186

Chains

$$\begin{array}{c} \frac{1}{4} \\ \hline S\ 22 \mid S\ 23 \\ \hline 1938 \end{array}$$

from which

An ironwood, 5 ins. diam., bears N.86 $\frac{1}{2}$ °E., 281 lks. dist., mkd. $\frac{1}{4}$ S 23 B T.

An ironwood, 6 ins. diam., bears S.6 $\frac{1}{4}$ °W., 203 lks. dist., mkd. $\frac{1}{4}$ S 22 B T.

Leave nearly level land, enter rolling rocky land.

- 55.00 Base of mountain; asc. 353 ft. over rocky SW. slope.
- 71.11 Top of rocky spur, slopes NW.; desc. 118 ft. over rocky N. slope.
- 75.00 Head of wash, 10 lks. wide, course W.; asc. 50 ft. over SW. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground, and in a mound of stone, 2 ft. base, to top, for cor. of secs. 14, 15, 22 and 23, with brass cap mkd.

$$T\ 6\ S\ R\ 3\ W$$

$$\begin{array}{c} S\ 15 \mid S\ 14 \\ \hline S\ 22 \mid S\ 23 \\ \hline 1938 \end{array}$$

1938

from which

A paloverde, 4 ins. diam., bears N.24°E., 133 lks. dist., mkd. T 6 S R 3 W S 14 B T.

A paloverde, 6 ins. diam., bears S.25°E., 104 lks. dist., mkd. T 6 S R 3 W S 23 B T.

A paloverde, 6 ins. diam., bears S.51°W., 73 lks. dist., mkd. T 6 S R 3 W S 22 B T.

A paloverde, 6 ins. diam., bears N.16 $\frac{1}{4}$ °W., 93 lks. dist., mkd. T 6 S R 3 W S 15 B T.

Land, rolling desert and mountainous.

Soil, rocky; 4th rate.

Timber, scattered paloverde and ironwood; undergrowth, cactus, sage and greasewood.

S.89°59'E., on a random line, bet. secs. 14 and 23.

- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 79.93 A point 7 lks. N. of the cor. of secs. 13, 14, 23 and 24. Thence,
N.89°56'W., on a true line, bet. secs. 14 and 23.
Over rolling land, thru scattered timber and undergrowth.
- 13.30 Wash, 20 lks. wide, course N.60°W.
- 23.00 Wash, 40 lks. wide, course N.60°W.
- 39.96 Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the

Subdivision of T.6 S., R.3 W.

Chains	
	<p>ground, and in a mound of stone, 3 ft. base, to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p> $\begin{array}{r} S 14 \\ \frac{1}{4} \hline S 23 \\ 1938 \end{array}$ <p style="text-align: right;">from which</p> <p>An ironwood, 5 ins. diam., bears N.15°E., 184 lks. dist., mkd. $\frac{1}{4}$ S 14 B T.</p> <p>A paloverde, 6 ins. diam., bears S.33°E., 120 lks. dist., mkd. $\frac{1}{4}$ S 23 B T.</p> <p>Over mountainous land; asc. 183 ft. over NE. slope.</p>
56.70	Short spur, slopes N.20°W.; desc. 37 ft. over NW. slope.
62.20	Wash, near head, 15 lks. wide, course N.; asc. 188 ft. over rocky N. slope.
69.40	Top of rocky spur, slopes N.; desc. 22 ft. over N. slope.
77.10	Top of rocky spur, slopes N.80°W.; desc. 96 ft. over rocky SW. slope.
79.93	The cor. of secs. 14, 15, 22 and 23.
	<p>Land, rolling and mountainous. Soil, rocky; 4th rate. Timber, paloverde and ironwood; undergrowth, cactus, sage, greasewood.</p>
	<p>N.0°01'W., bet. secs. 14 and 15.</p> <p>Over rough mountainous land, thru scattered timber and undergrowth; asc. 84 ft. over SW. slope.</p>
2.74	Top of spur, slopes N.50°W.; desc. 422 ft. over NE. slope.
37.46	Wash, 40 lks. wide, course N.35°W.; over nearly level land.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} \\ S 15 S 14 \\ 1938 \end{array}$ <p style="text-align: right;">from which</p> <p>An ironwood, 5 ins. diam., bears S.25$\frac{1}{2}$°E., 45 lks. dist., mkd. $\frac{1}{4}$ S 14 B T.</p> <p>An ironwood, 10 ins. diam., bears S.84$\frac{1}{4}$°W., 78 lks. dist., mkd. $\frac{1}{4}$ S 15 B T.</p>
50.30	Wash, 100 lks. wide, course W.
55.00	Center line of Gila Bend-Tucson highway; State highway No. 84, bears N76°E., and S.76°W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, with brass cap mkd.

Subdivision of T.6 S., R.3 W.

BOOK 4186

Chains

T 6 S R 3 W

S 10	S 11
S 15	S 14

1938

from which

A paloverde, 6 ins. diam., bears N.48 $\frac{1}{2}$ °E., 106 lks. dist., mkd. T 6 S R 3 W S 11 B T.

A paloverde, 6 ins. diam., bears S.27 $\frac{1}{2}$ °E., 277 lks. dist., mkd. T 6 S R 3 W S 14 B T.

A paloverde, 6 ins. diam., bears S.10°W., 188 lks. dist., mkd. T 6 S R 3 W S 15 B T.

A paloverde, 6 ins. diam., bears N.32°W., 105 lks. dist., mkd. T 6 S R 3 W S 10 B T.

Land, rolling and mountainous.

Soil, rocky; 4th rate.

Timber, scattered paloverde and ironwood; undergrowth, cactus, sage and greasewood.

S.89°56'E., on a random line, bet. secs. 11 and 14.

Over slightly rolling desert land, thru scattered timber and undergrowth.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.91 A point 2 lks. S. of the cor. of secs. 11, 12, 13 and 14.

Thence,

N.89°57'W., on a true line, bet. secs. 11 and 14.

25.90 Dos Cabezos road, bears NW. and SE.

35.20 Wash, 20 lks. wide, course N.

39.95 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$	S 11	
	S 14	

1938

from which

A paloverde, 6 ins. diam., bears N.22 $\frac{1}{2}$ °W., 135 lks. dist., mkd. $\frac{1}{4}$ S 11 B T.

A paloverde, 6 ins. diam., bears S.20 $\frac{3}{4}$ °W., 53 lks. dist., mkd. $\frac{1}{4}$ S 14 B T.

79.91 The cor. of secs. 10, 11, 14 and 15.

Land, nearly level desert.

Soil, gravelly and rocky; 4th rate.

Timber, scattered paloverde and ironwood; undergrowth, cactus, sage and greasewood.

N.0°01'W., bet. secs. 10 and 11.

Over rolling land, thru scattered timber and undergrowth.

Subdivision of T.6 S., R.3 W.

Chains	
24.30	Wash, 40 lks. wide, course W.
36.13	Dos Cabezos road, ungraded, bears S.40°E., N.40°W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ \text{S } 10 \mid \text{S } 11 \\ 1938 \end{array}$
	from which
	A mesquite, 6 ins. diam., bears S.65 $\frac{1}{2}$ °E., 95 lks. dist., mkd. $\frac{1}{4}$ S 11 B T.
	A mesquite, 6 ins. diam., bears S.64 $\frac{1}{2}$ °W., 41 lks. dist., mkd. $\frac{1}{4}$ S 10 B T.
40.50	Wash, 100 lks. wide, course N.70°W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 2,3,10 and 11, with brass cap mkd.
	$\begin{array}{c} \text{T } 6 \text{ S R } 3 \text{ W} \\ \text{S } 3 \mid \text{S } 2 \\ \text{S } 10 \mid \text{S } 11 \\ 1938 \end{array}$
	from which
	A paloverde, 6 ins. diam., bears S.4 $\frac{3}{4}$ °W., 403 lks. dist., mkd. T6 S R 3 W S 10 B T.
	An ironwood, 6 ins. diam., bears N.85 $\frac{3}{4}$ °W., 188 lks. dist., mkd. T 6 S R 3 S S 3 B T.
	Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
	Land, rolling desert. Soil, rocky; 4th rate. Timber, scattered mesquite, paloverde and ironwood; undergrowth, cactus, sage and greasewood.
	S.89°57'E., on a random line, bet. secs. 2 and 11.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.90	A point 2 lks. S. of the cor. of 1,2,11 and 12.
	Thence,
	N.89°58'W., on a true line, bet. secs. 2 and 11.
	Over nearly level land, thru scattered timber and undergrowth.
39.95	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \text{S } 2 \\ \frac{1}{4} \\ \text{S } 11 \\ 1938 \end{array}$
	from which

Subdivision of T.6 S., R.3 W.

BOOK 4186

Chains

A paloverde, 6 ins. diam., bears N.15 $\frac{1}{2}$ °E., 144 lks. dist., mkd. $\frac{1}{4}$ S 2 B T.

An ironwood, 6 ins. diam., bears S.56 $\frac{1}{2}$ °W., 320 lks. dist., mkd. $\frac{1}{4}$ S 11 B T.

79.90 The cor. of secs. 2, 3, 10 and 11.

Land, nearly level desert.
Soil, gravelly and rocky; 3rd rate.
Timber, scattered paloverde and ironwood; undergrowth, cactus, sage and greasewood.

N. 0°01'W., bet. secs. 2 and 3.

Over rolling desert land, thru scattered timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
 S 3 | S 2
 1938

from which

An ironwood, 8 ins. diam., bears N.60 $\frac{1}{2}$ °E., 201 lks. dist., mkd. $\frac{1}{4}$ S 2 B T.

A paloverde, 8 ins. diam., bears N.84°W., 259 lks. dist., mkd. $\frac{1}{4}$ S 3 B T.

50.00 Wash, 20 lks. wide, course N.70°W.

72.10 Wash, 10 lks. wide, course W.

80.07 Intersect the 1st Standard Parallel South.

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for closing cor. of secs. 2 and 3, with brass cap mkd.

T 5 S R 3 W
 S 35
 S 3 | S 2
 T 6 S R 3 W
 C C

1938

from which

An ironwood, 6 ins. diam., bears S.85°E., 480 lks. dist., mkd. T 6 S R 3 W S 2 C C B T.

A paloverde, 5 ins. diam., bears S.38°W., 494 lks. dist., mkd. T 6 S R 3 W S 3 C C B T.

From the point of intersection, the cor. of secs. 34 and 35, on the S. bdy. of T.5 S., R.3 W., bears S.89°56'W., 3.44 chs. dist., described in the field notes of the 1st. Standard Parallel South, surveyed under this group.

Land, rolling desert.
Soil, rocky; 4th rate.
Timber, scattered paloverde and ironwood; undergrowth, cactus, sage and greasewood.

Subdivision of T.6 S., R.3 W.

Chains

At a point 3.36 chs. dist., N. 89° 56' E., of the $\frac{1}{4}$ sec. cor. on the S. bdy. of sec. 35, described in the field notes of the 1st Standard Parallel South, surveyed under this group, which point is midway bet. the NE. and NW. closing cors. of sec. 2,

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., for sec. 2 only, with brass cap mkd.

$$\frac{1}{4} S 2$$

1938

from which

An ironwood, 8 ins. diam., bears S. 47 $\frac{1}{2}$ ° E., 83 lks. dist., mkd. $\frac{1}{4}$ S 2 B T.

An ironwood, 12 ins. diam., bears S. 44 $\frac{3}{4}$ ° W., 362 lks. dist., mkd. $\frac{1}{4}$ S 2 B T.

From the cor. of secs. 3, 4, 33 and 34, described in the field notes of the survey of the S. bdy. of the Tp., surveyed under this group.

N. 0° 02' W., bet. secs. 33 and 34.

Over rolling desert land, thru medium heavy timber and undergrowth.

10.00 Wash, 85 lks. wide, course N. 80° W.; asc. 170 ft. over broken S. slope.

38.80 Top of spur, slopes SW; desc. 10 ft.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground, with a malpais rock 8x6x3 ins. mkd. with a cross (+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ S 33 | S 34 \\ 1938 \end{array}$$

No suitable accessories.

Desc. 157 ft. to wash.

51.10 Wash, 10 lks. wide, course W.; asc. 322 ft. over S. slope.

70.50 Top of spur, slopes W.; desc. 264 ft. over N. Slope.

79.75 Wash; 25 lks. wide, course W.; asc. 10 ft. up S. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground, with a malpais rock 8x6x2 ins. mkd. with a cross (+) deposited at the base, and in a mound of stone to top, for cor. of secs. 27, 28, 33 and 34, with brass cap mkd.

$$T 6 S R 3 W$$

$$\begin{array}{c} S 28 | S 27 \\ S 33 | S 34 \end{array}$$

1938

No suitable accessories.

Subdivision of T.6 S., R.3 W.

BOOK 4186

Chains

Land, mountainous and rolling desert.
Soil, sandy, gravelly and rocky; 4th rate.
Timber, paloverde and ironwood; undergrowth, greasewood,
ocotillo, cholla, sahuara and cactus.

East, on a random line, bet. secs. 27 and 34.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.97 The cor. of secs. 26, 27, 34 and 35.

Thence,

West, on a true line, bet. secs. 27 and 34.

Over rough mountainous land, thru medium heavy timber and
undergrowth; desc. 60 ft. over N. slope.

4.30 Bottom of slope, continue over nearly level land.

11.60 Toe of slope; asc. 265 ft. over NE. slope.

36.80 Saddle in spur, bears N. and S.; desc. 14 ft. over SW.
slope.

39.98 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the
ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor.,
with brass cap mkd.

$$\begin{array}{r} \frac{1}{4} \text{ S } 27 \\ \hline \text{S } 34 \\ 1938 \end{array}$$

No suitable accessories.

Desc. 429 ft. over SW. slope.

63.40 Wash, 5 lks. wide near head, course SW.

79.97 The cor. of secs. 27, 28, 33 and 34.

Land, rough and mountainous.
Soil, sandy, gravelly and rocky; 4th rate.
Timber, paloverde and ironwood; undergrowth, greasewood,
cholla, ocotillo, sahuara and cactus.

N.0°02'W., bet. secs. 27 and 28.

Over mountainous land, thru medium heavy timber and
undergrowth; asc. 413 ft. over S. slope.

23.40 Spur, slopes W.; desc. 343 ft. over N. Slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the
ground, with a malpais rock, 8x4x3 ins., mkd. with a cross
(+) deposited at the base, and in a mound of stone to top,
for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{r} \frac{1}{4} \\ \text{S } 28 \text{ | } \text{S } 27 \\ 1938 \end{array}$$

No suitable accessories.

Desc. 143 ft. to wash.

BOOK 4186

Subdivision of T.6 S., R.3 W.

Chains					
68.60	Wash, 10 lks. wide, course W.; asc. 25 ft. over spur, slopes W.				
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the ground, and in a mound of stone to top, for cor. of secs. 21, 22, 27 and 28, with brass cap mkd.				
	T 6 S R 3 W <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 21</td> <td style="padding: 0 5px;">S 22</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 28</td> <td style="padding: 0 5px;">S 27</td> </tr> </table> 1938	S 21	S 22	S 28	S 27
S 21	S 22				
S 28	S 27				
	No suitable accessories.				
	Land, rolling desert and mountainous. Soil, sandy, gravelly and rocky; 3rd rate. Timber, paloverde and ironwood; undergrowth, greasewood, sage, cholla, ocotillo, sahuara and cactus.				
	East, on a random line, bet. secs. 22 and 27.				
40.00	Set temp. $\frac{1}{4}$ sec. cor.				
79.96	A point 5 lks. S. of the cor. of secs. 22, 23, 26 and 27. Thence, S. 89° 58' W., on a true line, bet. secs. 22 and 27. Over rolling desert land, thru medium heavy timber and undergrowth.				
4.60	Wash, 60 lks. wide, course NW.				
38.20	Wash, 20 lks. wide, course NW.				
39.98	Set an iron post, 3 ft. long, 1 in. diam., 15 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.				
	<table style="margin: auto; border-collapse: collapse;"> <tr> <td style="padding: 0 5px;">$\frac{1}{4}$</td> <td style="border-right: 1px solid black; padding: 0 5px;">S 22</td> </tr> <tr> <td></td> <td style="border-right: 1px solid black; padding: 0 5px;">S 27</td> </tr> </table> 1938	$\frac{1}{4}$	S 22		S 27
$\frac{1}{4}$	S 22				
	S 27				
	No suitable accessories.				
55.40	Wash, 10 lks. wide, course N. 20° W.				
79.96	The cor. of secs. 21, 22, 27 and 28.				
	Land, rolling desert. Soil, sandy, gravelly and rocky; 3rd rate. Timber, paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahuara and cactus.				
	N. 0° 02' W., bet. secs. 21 and 22. Over rolling desert land, thru medium heavy timber and undergrowth.				
17.80	Wash, 50 lks. wide, course W.				
32.10	Wash, 20 lks. wide, course NW.				
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the				

Subdivision of T.6 S., R.3 W.

BOOK 4186

Chains

ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4}$.

S 21 | S 22

1938

from which

An ironwood, 5 ins. diam., bears N.52°E., 315 lks.
dist., mkd. $\frac{1}{4}$ S 22 B T.An ironwood, 3 ins. diam., bears N.50 $\frac{1}{2}$ °W., 339 lks.
dist., mkd. $\frac{1}{4}$ S 21 B T.

78.80 Wash, 10 lks. wide, course NW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 30 ins. in
the ground, for cor. of secs. 15, 16, 21 and 22, with
brass cap mkd.

T 6 S R 3 W

S 16 | S 15
S 21 | S 22

1938

raise a mound

of stone, 3 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, rolling desert.

Soil, sandy and gravelly; 3rd rate.

Timber, paloverde and ironwood; undergrowth, greasewood,
sage, cholla, ocotillo, sahuara and cactus.

N.89°58'E., on a random line, bet. secs. 15 and 22..

49.00 Set temp. $\frac{1}{4}$ sec. cor.

79.97 The cor. of secs. 14, 15, 22 and 23.

Thence,

S.89°58'W., on a true line, bet. secs. 15 and 22.

Over rolling desert land, thru medium heavy timber and
undergrowth; desc. 258 ft. over NW. slope.

18.30 Slope changes to SW.; desc. 90 ft.

30.00 Base of slopes, enter nearly level land.

39.98 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in
the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S 15

 $\frac{1}{4}$

S 22

1938

from which

An ironwood, 18 ins. diam., bears N.69 $\frac{3}{4}$ °W., 188 lks.
dist., mkd. $\frac{1}{4}$ S 15 B T.An ironwood, 5 ins. diam., bears S.74 $\frac{1}{2}$ °W., 114 lks.
dist., mkd. $\frac{1}{4}$ S 22 B T.

42.10 Wash, 30 lks. wide, course NW.

Subdivision of T.6 S., R.3 W.

Chains 68.60	Wash, 25 lks. wide, course N.30°W.
79.97	The cor. of secs. 15,16,21 and 22. Land, rolling desert and mountainā. Soil, sandy, gravelly and rocky; 3rd rate. Timber, paloverde and ironwood; undergrowth, greasewood, sage, cholla, ocotillo, sahuara and cactus.
	N.0°02'W., bet. secs. 15 and 16. Over rolling desert land, thru medium heavy timber and undergrowth.
7.80	Wash, 50 lks. wide, course N.80°W..
37.00	Wash, 100 lks. wide, course S.80°W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ \\ S\ 16 \quad \quad S\ 15 \\ \\ 1938 \end{array}$ <p style="text-align: right;">from which</p> <p>An ironwood, 10 ins. diam., bears S.53°E., 133 lks. dist., mkd. $\frac{1}{4}$ S 15 B T.</p> <p>A paloverde, 8 ins. diam., bears S.40°W., 125 lks. dist., mkd. $\frac{1}{4}$ S 16 B T.</p>
43.12	Center line of State highway No. 84, Gila Bend-Tucson, ^{bears S.70°W. and N.70°E.} asc. 144 ft. over E. slope. ^
60.34	Point of spur; desc. 49 ft. to sec. cor.
70.70	Wash, 10 lks. wide, course E.: desc. 17 ft. to cor.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 8 ins. in the ground, and in a mound of stone to top, for cor. of secs. 9,10,15 and 16, with brass cap mkd.
	$\begin{array}{c} T\ 6\ S\ R\ 3\ W \\ \\ S\ 9 \quad \quad S\ 10 \\ \\ S\ 16 \quad \quad S\ 15 \\ \\ 1938 \end{array}$
	No suitable accessories. Land, rolling desert and mountainous. Soil, sandy, gravelly and rocky; 4th rate. Timber, paloverde and ironwood; undergrowth, greasewood, sage, cholla, ocotillo, sahuara and cactus.
	N.89°58'E., on a random line, bet. secs. 10 and 15.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.99	A point 2 lks. S. of the cor. of secs. 10,11,14 and 15. Thence, S.89°57'W., on a true line, bet. secs. 10 and 15. undergrowth. Over rolling desert land, thru medium heavy timber and.

Subdivision of T.6 S., R.3 W.

BOOK 4186

Chains

10.30 Wash, 10 lks. wide, course NW.

22.90 Wash, 10 lks. wide, course NW.

40.00 Set an iron post, 3 ft. long, 1 ins. diam., 28 ins. in the ground, with a quantity of broken glass deposited at the base, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\begin{array}{r} S 10 \\ \frac{1}{4} \\ \hline S 15 \\ 1938 \end{array}$$

No suitable accessories.

79.99 The cor. of secs. 9, 10, 15 and 16.

Land, rolling desert and mountains.
Soil, sandy, gravelly and rocky; 3rd rate.
Timber; paloverde and ironwood; undergrowth, greasewood, cholla, ocotillo, sahaura and cactus.

N.0°02'W., bet. secs. 9 and 10.

Over rolling desert land, thru medium heavy timber and undergrowth; asc. 222 ft. over broken SE. slope.

14.55 Point of spur, slopes E.; desc. 193 ft. along NE. slope.

29.70 Bottom of slope; asc. 29 ft. over SE. slope.

34.70 Point of spur, slopes E.; desc. 70 ft.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 5 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\begin{array}{r} \frac{1}{4} \\ S 9 | S 10 \\ \hline 1938 \end{array}$$

No suitable accessories.

Over nearly level desert land.

75.00 Wash; 40 lks. wide, course NW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with a quantity of broken glass deposited at the base, for cor. of secs. 3, 4, 9 and 10, with brass cap mkd.

T 6 S R 3 W

$$\begin{array}{r} S 4 | S 3 \\ \hline S 9 | S 10 \end{array}$$

1938

from which

An ironwood, 6 ins. diam.; bears S.68 $\frac{1}{2}$ °E., 180 lks. dist., mkd. T 6 S R 3 W S 10 B T.

An ironwood, 18 ins. diam., bears N.84 $\frac{1}{2}$ °W., 38 lks. dist., mkd. T 6 S R 3 W S 4 B T.

Land, rolling desert.

Subdivision of T.6 S., R.3 W.

Chains

Soil, sandy, gravelly and rocky; 3rd rate.
Timber, paloverde and ironwood; undergrowth, greasewood,
sage, cholla, ocotillo, sahuara and cactus.

N.89°57'E., on a random line, bet. secs. 3 and 10.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.98 The cor. of secs. 2,3,10 and 11.

Thence,

S.89°57'W., on a true line, bet. secs. 3 and 10.

Over rolling desert land, thru medium heavy timber and
undergrowth.

15.80 Wash, 25 lks. wide, course N.30°W.

39.99 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the
ground, for $\frac{1}{4}$ sec. cor.; with brass cap mkd.

$$\frac{1}{4} \begin{array}{c} S 3 \\ \hline S 10 \end{array}$$

1938

from which

A paloverde, 5 ins. diam., bears N.37 $\frac{1}{4}$ °E., 51 lks.
dist., mkd. $\frac{1}{4}$ S 3 B T.

An ironwood, 6 ins. diam., bears S12 $\frac{3}{4}$ °E., 501 lks.
dist., mkd. $\frac{1}{4}$ S 10 B T.

49.20 Wash, 18 lks. wide, course NW.

64.00 Wash, 15 lks. wide, course N.60°W.

68.30 Wash, 15 lks. wide, course NW.

77.30 Dos Cabezos road, bears N.20°W. and S.20°E.

79.98 The cor. of secs. 3,4,9 and 10.

Land, rolling desert.

Soil, sandy and gravelly; 3rd rate.

Timber, paloverde and ironwood; undergrowth, greasewood,
sage, cholla, ocotillo, sahuara and cactus.

N.0°02'W., bet. secs. 3 and 4.

Over rolling desert land, thru medium heavy timber and
undergrowth.

2.61 Road, bears N.70°W. and S.70°E.

6.60 Wash, 45 lks. wide, course N.80°W.

8.30 Wash, 15 lks. wide, course W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\frac{1}{4} \begin{array}{c} S 4 | S 3 \\ \hline 1938 \end{array}$$

Subdivision of T.6 S., R.3 W.

BOOK 4186

Chains

	<p>from which</p> <p>A catclaw, 8 ins. diam., bears N.60$\frac{1}{2}$°E., 102 lks. dist., mkd. $\frac{1}{4}$ S 3 B T.</p> <p>A mesquite, 4 ins. diam., bears N.41$\frac{1}{2}$°W., 77 lks. dist., mkd. $\frac{1}{4}$ S 4 B T.</p> <p>42.00 Wash, 20 lks. wide, course S.80°W..</p> <p>59.40 Wash, 25 lks. wide, course NW.</p> <p>75.00 Wash, 10 lks. wide, course N.70°W.</p> <p>80.09 Intersect the 1st Stan. Par. South.</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for closing cor. of secs. 3 and 4, with brass cap mkd.</p> <p style="text-align: center;">T 5 S R 3 W</p> <p style="text-align: center;">S 34</p> <p style="text-align: center;">S 4 S 3</p> <p style="text-align: center;">C C</p> <p style="text-align: center;">T 6 S R 3 W</p> <p style="text-align: center;">1938</p> <p>from which</p> <p>An ironwood, 8 ins. diam., bears S.1°E., 318 lks. dist., mkd. T 6 S R 3 W S 3 C C B T.</p> <p>An ironwood, 5 ins. diam., bears S.52$\frac{1}{2}$°W., 345 lks. dist., mkd. T 6 S R 3 W S 4 C C B T.</p> <p>From the point of intersection, the cor. of secs. 33 and 34, on the S. bdy. of T.5 S., R.3 W., bears S.89°56'W., 3.45 chs. dist., described in the field notes of the 1st Stan. Par. South, surveyed under this group.</p> <p>Land, rolling desert.</p> <p>Soil, sandy and gravelly; 3rd rate.</p> <p>Timber, paloverde and ironwood; undergrowth, greasewood, sage, cholla, ocotillo, sahara and cactus.</p>
	<p>At a point 3.44 chs. dist., N.89°56'E., of the $\frac{1}{4}$ sec. cor. on the S. bdy. of sec. 34, described in the field notes of the 1st Stan. Par. South, surveyed under this group, which point is midway bet. the NE. and NW. closing cors. of sec. 3,</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with a quantity of broken glass deposited at the base, for $\frac{1}{4}$ sec. cor., for sec. 3, only, with brass cap mkd.</p> <p style="text-align: center;">$\frac{1}{4}$ S 3</p> <p style="text-align: center;">1938</p> <p>from which</p> <p>A paloverde, 6 ins. diam., bears S.54$\frac{1}{2}$°W., 81 lks. dist., mkd. $\frac{1}{4}$ S 3 B T.</p>
	<p>From the cor. of secs. 4, 5, 32 and 33, described in the field notes of the S. bdy. of the Tp., surveyed under this group.</p>

BOOK 4186

Subdivision of T.6 S., R.3 W.

Chains	
	N.0°02'W., bet. secs. 32 and 33.
	Over rolling rocky land; thru scattered timber and undergrowth.
14.60	Wash, 70 lks. wide, course N.80°W.
32.20	Wash, 40 lks. wide, course N.80°W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ \text{S } 32 \mid \text{S } 33 \\ 1938 \end{array}$
	from which
	A paloverde, 5 ins. diam., bears N.20 $\frac{1}{4}$ °E., 89 lks. dist., mkd. $\frac{1}{4}$ S 33 B T.
	Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
	Over rolling rocky land, thru scattered timber and undergrowth.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 28, 29, 32 and 33, with brass cap mkd.
	$\begin{array}{c} \text{T } 6 \text{ S } \text{R } 3 \text{ W} \\ \text{S } 29 \mid \text{S } 28 \\ \text{S } 32 \mid \text{S } 33 \\ 1938 \end{array}$
	from which
	An ironwood, 5 ins. diam., bears S.50 $\frac{1}{2}$ °W., 84 lks. dist., mkd. T 6 S R 3 W S 32 B T.
	An ironwood, 5 ins., diam., bears N.65 $\frac{1}{4}$ °W., 96 lks. dist., mkd. T 6 S R 3 W S 29 B T.
	Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
	Land, rolling desert.
	Soil, rocky; 4th rate.
	Timber, paloverde and ironwood; undergrowth, cactus, sage and greasewood.
	East, on a random line, bet. secs. 28 and 33.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.02	A point 8 lks. N. of the cor. of secs. 27, 28, 33 and 34.
	Thence,
	N.89°57'W., on a true line, bet. secs. 28 and 33.
	Over rolling rocky land, thru scattered timber and undergrowth; desc. gradually along rocky N. slope.
4.20	Wash, 20 lks. wide, course N.80°W.; asc. 9 ft. over N. slope.

Subdivision of T.6 S., R.3 W.

BOOK 4186

Chains	
10.00	Spur, slopes N.; desc. 23 ft. along N. slope.
15.00	Base of mountain.
40.01	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground, and in a mound of stone, 3 ft. base to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} S\ 28 \\ \frac{1}{4} \text{---} \\ S\ 33 \\ 1938 \end{array}$
	from which
	A paloverde, 6 ins. diam., bears N.16 $\frac{1}{2}$ °W., 180 lks. dist., mkd. $\frac{1}{4}$ S 28 B T.
	Desc. 23 ft. over slight W. slope.
62.70	Wash, 30 lks. wide, course N.30°E.
80.02	The cor. of secs. 28, 29, 32 and 33.
	Land, rolling rocky desert. Soil, rocky; 4th rate. Timber, paloverde and ironwood; undergrowth, cactus, sage and greasewood.
	N.0°02'W., bet. secs. 28 and 29.
	Over rolling desert land, thru scattered timber and undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} \frac{1}{4} \\ S\ 29 \mid S\ 28 \\ 1938 \end{array}$
	from which
	A paloverde, 6 ins. diam., bears N.80 $\frac{1}{2}$ °E., 245 lks. dist., mkd. $\frac{1}{4}$ S 28 B T.
	A paloverde, 6 ins. diam., bears S.12°W., 274 lks. dist., mkd. $\frac{1}{4}$ S 29 B T.
	Raise a mound of stone, 3 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
48.50	Wash, 40 lks. wide, course NW.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 20, 21, 28 and 29, with brass cap mkd.
	$\begin{array}{r} T\ 6\ S\ R\ 3\ W \\ S\ 20 \mid S\ 21 \\ \text{---} \text{---} \\ S\ 29 \mid S\ 28 \\ 1938 \end{array}$
	from which
	An ironwood, 8 ins. diam., bears S.33°E., 240 lks. dist., mkd. T 6 S R 3 W S 28 B T

Chains	
	<p>An ironwood, 6 ins. diam., bears S.21³°W., 318 lks. dist., mkd. T 6 S R 3 W S 29 B T.</p> <p>Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.</p> <p>Land, rolling desert. Soil, rocky; 4th rate. Timber, paloverde and ironwood; undergrowth, cactus, sage and greasewood.</p>
	<p>S.89°57'E., on a random line, bet. secs. 21 and 28.</p> <p>40.00 Set temp. $\frac{1}{4}$ sec. cor.</p> <p>80.01 A point 3 lks. N. of the cor. of secs. 21, 22, 27 and 28.</p> <p>Thence,</p> <p>N.89°56'W., on a true line, bet. secs. 21 and 28.</p> <p>Over mountainous land, thru scattered timber and undergrowth; asc. 202 ft. over SE. slope.</p> <p>16.40 Top of knoll, bears N. about 150 lks. dist.; desc. 266 ft. over rocky SW. slope.</p> <p>35.00 Base of mountain, enter rolling land.</p> <p>40.00 Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground, and in a mound of stone, 3 ft. base, to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p> <div style="text-align: center;"> $\begin{array}{r} S\ 21 \\ \frac{1}{4} \\ \hline S\ 28 \\ 1938 \end{array}$ </div> <p>No suitable accessories.</p> <p>Over rolling desert land.</p>
	<p>80.01 The cor. of secs. 20, 21, 28 and 29.</p> <p>Land, rolling and mountainous. Soil, rocky; 4th rate. Timber, scattered paloverde and ironwood; undergrowth, cactus, sage and greasewood.</p>
	<p>N.0°02'W., bet. secs. 20 and 21.</p> <p>Over rolling desert land, thru scattered timber and undergrowth.</p> <p>9.00 Wash, 50 lks. wide; course W.</p> <p>40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p> <div style="text-align: center;"> $\begin{array}{r} \frac{1}{4} \\ S\ 20 \mid S\ 21 \\ 1938 \end{array}$ </div> <p style="text-align: right;">from which</p> <p>An ironwood, 6 ins. diam., bears S.18$\frac{1}{2}$°E., 211 lks. dist., mkd. $\frac{1}{4}$ S 21 B T.</p>

Subdivision of T.6 S., R.3 W.

FOUR 4136

Chains

An ironwood, 6 ins. diam., bears S.10 $\frac{3}{4}$ °W., 258 lks. dist., mkd. $\frac{1}{4}$ S 20 B T.

Raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

45.20 Wash, 30 lks. wide, course N.85°W.

65.30 Wash, 70 lks. wide, course S.40°W.

78.10 Wash, 100 lks. wide, course N.80°W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 16,17,20 and 21, with brass cap mkd.

T 6 S R 3 W

S 17	S 16
S 20	S 21

1938

from which

An ironwood, 12 ins. diam., bears N.33 $\frac{3}{4}$ °E., 133 lks. dist., mkd. T 6 S R 3 W S 16 B T.

An ironwood, 10 ins. diam., bears S.25 $\frac{3}{4}$ °E., 154 lks. dist., mkd. T 6 S R 3 W S 21 B T.

A paloverde, 5 ins. diam., bears S.26 $\frac{3}{4}$ °W., 150 lks. dist., mkd. T 6 S R 3 W S 20 B T.

A paloverde, 6 ins. diam., bears N.23°W., 9 lks. dist., mkd. T 6 S R 3 W S 17 B T.

Land, rolling desert.

Soil, rocky; 4th rate.

Timber, scattered paloverde and ironwood; undergrowth, cactus, sage and greasewood.

S.89°56'E., on a random line, bet. secs. 16 and 21.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.00 A point 2 lks. S. of the cor. of secs. 15,16,21 and 22.

Thence,

N.89°57'W., on a true line, bet. secs. 16 and 21.

Over rolling desert land, thru scattered timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$	S 16
	S 21

1938

from which

A paloverde, 6 ins. diam., bears N.16 $\frac{3}{4}$ °E., 192 lks. dist., mkd. $\frac{1}{4}$ S 16 B T.

An ironwood, 6 ins. diam., bears S.25 $\frac{1}{4}$ °W., 352 lks. dist., mkd. $\frac{1}{4}$ S 21 B T.

. . . Subdivision of T.6 S., R.3 W.

Chains										
55.90	Wash, 100 lks. wide, course S.85°W.									
65.00	N. edge of Bender wash, 30 lks. wide.									
80.00	The cor. of secs. 16,17,20 and 21.									
	Land, rolling rocky; desert. Soil, rocky; 4th rate. Timber, scattered paloverde and ironwood; undergrowth, cactus, sage and greasewood.									
	N.0°02'W., bet. secs. 16 and 17.									
	Over rolling desert land, thru scattered timber and undergrowth.									
39.80	Center of highway from Tucson to Yuma, bears N.76½°W., and S.82½°E.; State Highway No. 84.									
40.00	Falls on edge of highway.									
	From this point a U.S.C. & G. B.M. bears S.21°46'E., 151 lks. dist.									
41.00	Set an iron post, 3 ft. long, 1 in. diam., 32 ins. in the ground, for witness ¼ sec. cor., with brass cap mkd.									
	$\frac{1}{4}$ <table style="margin: auto;"> <tr> <td>S 17</td> <td> </td> <td>S 16</td> </tr> <tr> <td>W C</td> <td></td> <td></td> </tr> <tr> <td colspan="3" style="text-align: center;">1938</td> </tr> </table>	S 17		S 16	W C			1938		
S 17		S 16								
W C										
1938										
	from which									
	An ironwood, 7 ins. diam., bears N.37½°E., 173 lks. dist., mkd. W C ¼ S 16 B T.									
	An ironwood, 8 ins. diam., bears N.54½°W., 255 lks. dist., mkd. W C ¼ S 17 B T.									
	Raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.									
69.00	Wash, 10 lks. wide, course N.80°W.									
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 8,9,16 and 17, with brass cap mkd.									
	$T 6 S R 3 W$ <table style="margin: auto;"> <tr> <td>S 8</td> <td> </td> <td>S 9</td> </tr> <tr> <td>S 17</td> <td> </td> <td>S 16</td> </tr> <tr> <td colspan="3" style="text-align: center;">1938</td> </tr> </table>	S 8		S 9	S 17		S 16	1938		
S 8		S 9								
S 17		S 16								
1938										
	from which									
	An ironwood, 6 ins. diam., bears N.51½°E., 223 lks. dist., mkd. T 6 S R 3 W S 9 B T.									
	An ironwood, 6 ins. diam., bears S.80½°E., 454 lks. dist., mkd. T 6 S R 3 W S 16 B T.									
	An ironwood, 8 ins. diam., bears S.33°W., 220 lks. dist., mkd. T 6 S R 3 W S 17 B T.									
	An ironwood, 14 ins. diam., bears N.36½°W., 319 lks. dist., mkd. T 6 S R 3 W S 8 B T.									
	Land, rolling rocky desert.									

Subdivision of T.6 S., R.3 W.

BOOK 4186

Chains

Soil, rocky; 4th rate.
Timber, scattered paloverde and ironwood; undergrowth,
cactus, sage and greasewood.

S.89°57'E., on a random line, bet. secs. 9 and 16.

40.00 Set temp. 1/4 sec. cor.

80.02 A point 5 lks. S. of the cor. of secs. 9, 10, 15 and 16.

Thence,

N.89°59'W., on a true line, bet. secs. 9 and 16.

Over rough mountainous land, thru scattered timber and
undergrowth; asc. 215 ft. along rocky S. slope.

22.10 Top of ridge, bears N. and S., 3 chs. S. to saddle; desc.
184 ft. along rocky S. slope.

40.01 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the
ground, and in a mound of stone, 4 ft. base, to top, for
1/4 sec. cor., with brass cap mkd.

1/4 S 9
S 16

1938

from which

A paloverde, 5 ins. diam., bears N.60°E., 137 lks.
dist., mkd. 1/4 S 9 B T.

A paloverde, 4 ins. diam., bears S.23°E., 125 lks.
dist., mkd. 1/4 S 16 B T.

Desc. 149 ft. along rocky S. slope.

60.00 Base of mountain, over rolling land.

80.02 The cor. of secs. 8, 9, 16 and 17.

Land, rolling and mountainous.

Soil, rocky; 4th rate.

Timber, scattered paloverde and ironwood; undergrowth,
cactus, sage and greasewood.

N.0°02'W., bet. secs. 8 and 9.

Over rolling desert land, thru scattered timber and
undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the
ground, and in a mound of stone, 2 ft. base, to top, for
1/4 sec. cor., with brass cap mkd.

1/4 S 8 | S 9

1938.

from which

A paloverde, 5 ins. diam., bears S.50°E., 236 lks.
dist., mkd. 1/4 S 9 B T.

A paloverde, 5 ins. diam., bears S.54 1/2°W., 188 lks.
dist., mkd. 1/4 S 8 B T.

Subdivision of T.6 S., R.3 W.

Chains
 60.00 Enter mountainous land; asc. 158 ft. over rocky S. slope.
 66.80 Top of rocky narrow spur, slopes S.80°W., for about 8 chs.
 desc. 120 ft. over rocky N. slope.
 72.65 Wash, 30 lks. wide, course W.; asc. 33 ft. over SW.slope.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 6 ins. in the
 ground, and in a mound of stone, 4 ft. base, to top, for
 cor. of secs. 4,5,8 and 9, with brass cap mkd.

T 6 S R 3 W

S 5	S 4
S 8	S 9

1938

from which

A paloverde, 4 ins. diam., bears N.46 $\frac{3}{4}$ °E., 72 lks.
 dist., mkd. T 6 S R 3 W S 4 B T.

A paloverde, 4 ins. diam., bears N.81 $\frac{1}{4}$ °W., 146 lks.
 dist., mkd. T 6 S R 3 W S 5 B T.

Land, rolling and mountainous.

Soil, rocky; 4th rate.

Timber, scattered paloverde and ironwood; undergrowth,
 cactus, sage and greasewood.

S.89°59'E., on a random line, bet. secs. 4 and 9.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.98 The cor. of secs. 3,4,9 and 10.

Thence,

N.89°59'W., on a true line, bet. secs. 4 and 9.

Over rolling desert land, thru scattered timber and
 undergrowth;

2.40 Wash, 40 lks. wide, course N.35 °W.; asc. 25 ft.

39.99 Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the
 ground, and in a mound of stone, 4 ft. base, to top, for
 $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$	S 4
	S 9

1938

from which

A paloverde, 6 ins. diam., bears N.42 $\frac{1}{2}$ °E., 74 lks.
 dist., mkd. $\frac{1}{4}$ S 4 B T.

A paloverde, 6 ins. diam., bears S.25 $\frac{1}{2}$ °E., 163 lks.
 dist., mkd. $\frac{1}{4}$ S 9 B T.

Base of mountain, continue over mountainous land; asc.
 502 ft. over E. slope.

62.10 Top of ridge, bears N.50°W.; desc. 481 ft. over rocky
 SW..slope.

79.98 The cor. of sec. 4,5,8 and 9.

Land, rolling desert and mountainous.

Subdivision of T.6 S., R.3 W.

BOOK 4186

Chains

Soil, rocky; 4th rate.
Timber, scattered paloverde and ironwood; undergrowth, cactus, sage and greasewood.

N.0°02'W., bet. secs. 4 and 5.

Over rough mountainous land, thru scattered timber and undergrowth; asc. over rocky SW. slope 242 ft.

16.95 Top of narrow ridge, bears E. and W.; desc. 350 ft. N. slope.

33.70 Wash, course N.28°E.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground, and in a mound of stone, 4 ft. base, to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
 S 5 | S 4
 1938

from which

A paloverde, 4 ins. diam., bears N.50°E., 72 lks. dist., mkd. $\frac{1}{4}$ S 4 B T.

A paloverde, 4 ins. diam., bears N.22°W., 21 lks. dist., mkd. $\frac{1}{4}$ S 5 B T.

43.10 Low spur, slopes E.; desc. 34 ft. over E. slope.

55.67 Ungraded road, bears N.80°W. and S.80°E.

66.10 Wash, 100 lks. wide, course N.70°W.

79.99 Intersect the 1st Stan. Par. South.

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for closing cor. of secs. 4 and 5, with brass cap mkd.

T 5 S R 3 W
 S 33

 S 5 | S 4
 T 6 S R 3 W
 C C

1938

from which

A paloverde, 6 ins. diam., bears S.46 $\frac{3}{4}$ °W., 225 lks. dist., mkd. T 6 S R 3 W S 5 C C B T.

Raise a mound of stone, 3 ft. base, 1 $\frac{1}{2}$ ft. high, S. of cor.

From the point of intersection, the cor. of secs. 32 and 33, on the S. bdy. of T.5 S., R.3 W., bears S.89°56'W., 3.49 chs. dist., described in the field notes of the 1st. Stan. Par. South, surveyed under this group.

Land, rolling and mountainous.
Soil, rocky; 4th rate.
Timber, scattered paloverde and ironwood; undergrowth, cactus, sage and greasewood.

Subdivision of T.6 S., R.3 W.

Chains

At a point 3.47 chs. dist., N.89°56'E., of the $\frac{1}{4}$ sec. cor. on the S. bdy. of sec. 33, described in the field notes of the 1st Stan. Par. South, surveyed under this group, which point is midway bet. the NE. and NW. closing cors. of sec. 4,

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., for Sec. 4 only, with brass cap mkd.

$$\frac{1}{4} S 4$$

1938

from which

An ironwood, 6 ins. diam., bears S.33 $\frac{1}{4}$ °E., 373 lks. dist., mkd. $\frac{1}{4}$ S 4 B T.

An ironwood, 6 ins. diam., bears S.87 $\frac{3}{4}$ °W., 179 lks. dist., mkd. $\frac{1}{4}$ S 4 B T.

From the cor. of secs. 5,6,31 and 32, described in the field notes of the S. bdy. of the Tp., surveyed under this group.

N.0°03'W., bet. secs. 31 and 32.

Over rolling desert land, thru medium heavy timber and undergrowth.

11.60 Wash, 50 lks. wide, course W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\frac{1}{4}$$

$$S 31 | S 32$$

1938

from which

An ironwood, 6 ins. diam., bears N.34°E., 178 lks. dist., mkd. $\frac{1}{4}$ S 32 B T.

An ironwood, 5 ins. diam., bears N.78 $\frac{1}{2}$ °W., 130 lks. dist., mkd. $\frac{1}{4}$ S 31 B T.

53.00 Wash, 15 lks. wide, course N.80°W.

55.90 Wash, 30 lks. wide, course S.80°W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground, and in a mound of stone to top, for cor. of secs. 29,30,31 and 32, with brass cap mkd.

$$T 6 S R 3 W$$

$$\begin{array}{c} S 30 | S 29 \\ \hline S 31 | S 32 \end{array}$$

1938

No suitable accessories.

Land, rolling desert.

Soil, sandy and gravelly; 3rd rate.

Timber, paloverde and ironwood; undergrowth, greasewood, sage, cholla, ocotillo, sahuara and cactus.

Subdivision of T.6 S., R.3 W.

BOOK 468

Chains

East, on a random line, bet. secs. 29 and 32.

40.00 Set temp. 1/4 sec. cor.

79.95 A point 1 lk. N. of the cor. of secs. 28, 29, 32 and 33.

Thence,

West, on a true line, bet. secs. 29 and 32.

Over rolling desert land, thru scattered timber and undergrowth.

39.97 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, and in a mound of stone to top, for 1/4 sec. cor., with brass cap mkd.

1/4 S 29
S 32
1938

from which

An ironwood, 9 ins. diam., bears N.74°W., 293 lks. dist., mkd. 1/4 S 29 B T.

An ironwood, 10 ins. diam., bears S.37 1/4°W., 273 lks. dist., mkd. 1/4 S 32 B T.

Over rolling desert land.

79.95 The cor. of secs. 29, 30, 31 and 32.

Land, rolling desert.

Soil, sandy and gravelly; 3rd rate.

Timber, paloverde and ironwood; undergrowth, greasewood, sage, cholla, ocotillo, sahuara and cactus.

West, bet. secs. 30 and 31.

Over rolling desert land, thru medium heavy timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, and in a mound of stone to top, for 1/4 sec. cor., with brass cap mkd.

1/4 S 30
S 31
1938

No suitable accessories.

67.48 Intersect the E. bdy. of T.6 S., R.4 W.

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for closing cor. of secs. 30 and 31, with brass cap mkd.

S 25 | T 6 S
S 30
S 31 C C
R 3 W
1938

from which

Subdivision of T.6 S., R.3 W.

Chains

An ironwood, 7 ins. diam., bears N.39°E., 185 lks. dist., mkd. T 6 S R 3 W S 30 C C B T.

An ironwood, 5 ins. diam., bears S.7°E., 207 lks. dist., mkd. T 6 S R 3 W S 31 C C B T.

From the point of intersection, the cor. of secs. 25 and 36, on the E. bdy. of T.6 S., R.4 W., bears S.0°03'W., 2.01 chs. dist., described in the field notes of the E. bdy. of T.6 S., R.4 W., resurveyed under this group.


Land, rolling desert.

Soil, sandy and gravelly; 3rd rate.

Timber, paloverde and ironwood; undergrowth, greasewood, sage, cholla, ocotillo, saguara and cactus.

At a point 2.30 chs. dist., N.0°02'W., of the $\frac{1}{4}$ sec. cor. on the E. bdy. of sec. 36, described in the field notes of the E. bdy. of T.6 S., R.4 W., resurveyed under this group, which point is midway bet. the NW. and SW. closing cors. of sec. 31,

Set an iron post, 3 ft. long, 1 in. diam., 25 ins. in the ground, for $\frac{1}{4}$ sec. cor. for sec. 31 only, with brass cap mkd.



raise a mound

of stone, 3 ft. base, 3 ft. high, E. of cor.


From the cor. of secs. 29, 30, 31 and 32. N.0°03'W., bet. secs. 29 and 30.

Over rolling desert land, thru medium heavy timber and undergrowth.

25.00 Wash, 10 lks. wide, course N.10°E.

35.70 Wash, 10 lks. wide, course N.10°W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.



from which

An ironwood, 4 ins. diam., bears S.14 $\frac{1}{2}$ °E., 89 lks. dist., mkd. $\frac{1}{4}$ S 29 B T.

An ironwood, 7 ins. diam., bears S.79°W., 46 lks. dist., mkd. $\frac{1}{4}$ S 30 B T.

72.10 Wash, 100 lks. wide, course NW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with a quantity of broken glass deposited at the base, for cor. of secs. 19, 20, 29 and 30, with brass cap mkd.

Subdivision of T.6 S., R.3 W.

BCOR 4186

Chains

T 6 S R 3 W

S 19	S 20
S 30	S 29

1938

No suitable accessories.

Land, rolling desert.

Soil, sandy and gravelly; 3rd rate.

Timber, paloverde and ironwood; undergrowth, greasewood, sage, cholla, ocotillo, sahuara and cactus.

East, on a random line, bet. secs. 20 and 29.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.95 A point 5 lks. N. of the cor. of secs. 20, 21, 28 and 29.

Thence,

N.89°58'W., on a true line, bet. secs. 20 and 29.

Over nearly level land, thru scattered timber and undergrowth.

39.97 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$	S 20
	S 29

1938

from which

An ironwood, 6 ins. diam., bears N.76 $\frac{1}{2}$ °E., 63 lks. dist., mkd. $\frac{1}{4}$ S 20 B T.A paloverde, 8 ins. diam., bears S.45 $\frac{1}{2}$ °W., 25 lks. dist., mkd. $\frac{1}{4}$ S 29 B T.

60.80 Wash, 70 lks. wide, course S.40°W.

79.95 The cor. of secs. 19, 20, 29 and 30.

Land, nearly level desert.

Soil, rocky; 4th rate.

Timber, scattered paloverde and ironwood; undergrowth, cactus, sage and greasewood.

West, bet. secs. 19 and 30.

Over rolling desert land, thru medium heavy timber and undergrowth.

12.10 Wash, 100 lks. wide, course NW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 19 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$	S 19
	S 30

1938

from which

Subdivision of T.6 S., R.3 W.

Chains

A paloverde, 8 ins. diam., bears N.89°W., 204 lks. dist., mkd. $\frac{1}{4}$ S 19 B T.

An ironwood, 5 ins. diam., bears S.77 $\frac{3}{4}$ °W., 126 lks. dist., mkd. $\frac{1}{4}$ S 30 B T.

42.00 Wash, 15 lks. wide, course NW.

67.38 Intersect the E. bdy. of T.6 S., R.4 W.

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for closing cor. of secs. 19 and 30, with brass cap mkd.

	T 6 S	
	S 19	
S 24	S 30	C C
	R 3 W	

1938

raise a mound

of stone 3 ft. base, 3 ft. high, E. of cor.

From the point of intersection, the cor. of secs. 24 and 25, on the E. bdy. of T.6 S., R.4 W., bears S.0°08'W., 1.79 chs. dist., described in the field notes of the E. bdy. of T.6 S., R.4 W., resurveyed under this group.

Land, rolling desert.

Soil, sandy and gravelly; 3rd rate.

Timber, paloverde and ironwood; undergrowth, greasewood, sage, cholla, ocotillo, sahuara and cactus.

At a point 1.98 chs. dist., N.0°04'W., of the $\frac{1}{4}$ sec. cor. on the E. bdy. of sec. 25, described in the field notes of the E. bdy. of T.6 S., R.4 W., resurveyed under this group, which point is midway bet. the NW. and SW. closing cors. of sec. 30,

Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground, with a granite stone 4x4x2 ins., mkd. with a cross(+) deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., of sec. 30 only, with brass cap mkd.

	$\frac{1}{4}$
	S 30
	1938

No suitable accessory.

From the cor. of secs. 19, 20, 29 and 30.
N.0°03'W., bet. secs. 19 and 20.

Over rolling desert land, thru medium heavy timber and undergrowth.

23.80 Wash, 10 lks. wide, course S.80°W.

39.00 Wash, 80 lks. wide, course W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

	$\frac{1}{4}$
	S 19 S 20
	1938

Subdivision of T.6 S., R.3 W.

BOOK 4180

Chains

from which

A mesquite, 6 ins. diam., bears N.83°E., 107 lks. dist., mkd. $\frac{1}{4}$ S 20 B T.

A catclaw, 3 ins. diam., bears N.39 $\frac{1}{2}$ °W., 102 lks. dist., mkd. $\frac{1}{4}$ S 19 B T.

40.24 Wash, 50 lks. wide, course N.85°W.

58.50 Wash, 20 lks. wide, course W.

70.70 Wash, 10 lks. wide, course W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with a quantity of broken glass deposited at the base, for cor. of secs. 17,18,19 and 20, with brass cap mkd.

T 6 S R 3 W

S 18	S 17
S 19	S 20

1938

from which

An ironwood, 7 ins. diam., bears N.40 $\frac{3}{4}$ °E., 183 lks. dist., mkd. T 6 S R 3 W S 17 B T.

A paloverde, 10 ins. diam., bears N.51°W., 148 lks. dist., mkd. T 6 S R 3 W S 18 B T.

Land, rolling desert.

Soil, sandy and gravelly; 3rd rate.

Timber, paloverde and ironwood; undergrowth, greasewood, sage, cholla, ocotillo, sahuara and cactus.

S.89°58'E., on a random line, bet. secs. 17 and 20.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.92 A point 5 lks. N. of the cor. of secs. 16,17,20 and 21.

Thence,

N.89°56'W., on a true line, bet. secs. 17 and 20.

Over rolling desert land, thru scattered timber and undergrowth.

12.20 Wash, 100 lks. wide, course N.60°W.

39.96 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S 17
$\frac{1}{4}$
S 20

1938

from which

A paloverde, 7 ins. diam., bears N.58°E., 275 lks. dist., mkd. $\frac{1}{4}$ S 17 B T.

An ironwood, 6 ins. diam., bears S.13 $\frac{1}{2}$ °W., 361 lks. dist., mkd. $\frac{1}{4}$ S 20 B T.

79.92 The cor. of secs. 17,18,19 and 20.

. Subdivision of T.6 S., R.3 W.

Chains

Land, rolling desert.
Soil, sandy and gravelly; 3rd rate.
Timber, paloverde and ironwood; undergrowth, greasewood,
sage, cholla, ocotillo, sahuara and cactus.

West, bet. secs. 18 and 19.

Over rolling desert land, thru medium heavy timber and
undergrowth.

39.00 Wash, 15 lks. wide, course NW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S 18
 $\frac{1}{4}$ ———
S 19
1938

from which

An ironwood, 6 ins. diam., bears N.33 $\frac{1}{2}$ °W., 197 lks.
dist., mkd. $\frac{1}{4}$ S 18 B T.

An ironwood, 8 ins. diam., bears S.38°W., 237 lks.
dist., mkd. $\frac{1}{4}$ S 19 B T.

67.19 Intersect the E. bdy. of T.6 S., R.4 W.

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in
the ground, with a quantity of broken glass deposited at
the base, for closing cor. of secs. 18 and 19, with brass
cap mkd.

T 6 S
R 4 W | R 3 W
S 13 | S 18
 S 19 C C
1938

from which

A paloverde, 7 ins. diam., bears N.21 $\frac{1}{2}$ °E., 142 lks.
dist., mkd. T 6 S R 3 W S 18 C C B T.

From the point of intersection, the cor. of secs. 13 and
24, on the E. bdy. of T.6 S., R.4 W., bears S.0°02'W.,
1.53 chs. dist., described in the field notes of the E.
bdy. of T.6 S., R.4 W., resurveyed under this group.

Land, rolling desert.
Soil, sandy and gravelly; 3rd rate.
Timber, paloverde and ironwood; undergrowth, greasewood,
sage, cholla, ocotillo, sahuara and cactus.

At a point 1.68 chs. dist., N.0°05'E., of the $\frac{1}{4}$ sec. cor.
on the E. bdy. of sec. 24, described in the field notes
of the E. bdy. of T.6 S., R.4 W., resurveyed under this
group, which point is midway bet. the NW. and SW. closing
cor. of sec. 19,

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the
ground, with a quantity of broken glass deposited at the
base, for $\frac{1}{4}$ sec. cor. of sec. 19 only, with brass cap mkd.

$\frac{1}{4}$
|
S 19
1938

Subdivision of T.6 S., R.3 W.

BOOK 4188

Chains

No suitable accessory

From the cor. of secs. 17, 18, 19 and 20.
N.0°03'W., bet. secs. 17 and 18.

Over rolling desert land, thru medium heavy timber and undergrowth.

14.90 Wash, 15 lks. wide, course NW.

16.90 Wash, 70 lks. wide, course W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with a quantity of broken glass deposited at the base, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ | \\ \text{S } 18 \mid \text{S } 17 \\ | \\ 1938 \end{array}$$

No suitable accessories.

59.14 Center line of State Highway No. 84, bears ~~N~~^S.66°30'E., and N.76°15'W.

70.80 Wash, 15 lks. wide, course NW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground, and in a mound of stone to top, for cor. of secs. 7, 8, 17 and 18, with brass cap mkd.

$$\begin{array}{c} \text{T } 6 \text{ S } \text{R } 3 \text{ W} \\ | \\ \text{S } 7 \mid \text{S } 8 \\ | \\ \text{S } 18 \mid \text{S } 17 \\ | \\ 1938 \end{array}$$

No suitable accessories.

Land, rolling desert.

Soil, sandy and gravelly; 3rd rate.

Timber, paloverde and ironwood; undergrowth, greasewood, sage, cholla, ocotillo, sahuara and cactus.

S.89°56'E., on a random line, bet. secs. 8 and 17.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.91 A point 5 lks. N. of the cor. of secs. 8, 9, 16 and 17.

Thence,

N.89°54'W., on a true line, bet. secs. 8 and 17.

Over nearly level desert land, thru scattered timber and undergrowth.

35.00 Wash, 20 lks. wide, course N.60°W.

39.96 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ | \\ \text{S } 8 \\ | \\ \text{S } 17 \\ | \\ 1938 \end{array}$$

Subdivision of T.6 S., R.3 W.

Chains

from which

An ironwood, 10 ins. diam., bears N.32 $\frac{1}{4}$ °E., 264 lks. dist., mkd. $\frac{1}{4}$ S 8 B T.

An ironwood, 6 ins. diam., bears S.19 $\frac{1}{2}$ °W., 184 lks. dist., mkd. $\frac{1}{4}$ S 17 B T.

Over rolling desert land, thru scattered timber and undergrowth.

79.91 The cor. of secs. 7, 8, 17 and 18.

Land, rolling desert.
Soil, rocky; 4th rate.
Timber, scattered paloverde and ironwood; undergrowth, cactus, sage and greasewood.

West, bet. secs. 7 and 18.

Over rolling desert land, thru medium heavy timber and undergrowth.

20.40 Wash, 10 lks. wide, course N.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ $\frac{S\ 7}{S\ 18}$

1938

from which


An ironwood, 9 ins. diam., bears N.28 $\frac{3}{4}$ °W., 465 lks. dist., mkd. $\frac{1}{4}$ S 7 B T.

A paloverde, 10 ins. diam., bears S.46°W., 195 lks. dist., mkd. $\frac{1}{4}$ S 18 B T.

48.71 Center line of State Highway No. 84, bears N.66 $\frac{1}{2}$ °W., and S.76 $\frac{1}{4}$ °W.

67.07 Intersect the E. bdy. of T.6 S., R.4 W.

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for closing cor. of secs. 7 and 18, with brass cap mkd.



1938

raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high E. of cor.

From the point of intersection, the cor. of secs. 12 and 13, on the E. bdy. of T.6 S., R.4 W., bears S.0°04'W., 1.13 chs. dist., described in the field notes of the E. bdy. of T.6 S., R.4 W., resurveyed under this group.

Land, rolling desert.
Soil, sandy and gravelly; 3rd rate.
Timber, paloverde and ironwood; undergrowth, greasewood, sage, cholla, ocotillo, sahuara and cactus.

Subdivision of T.6 S., R. 3 W.

BOOK 4180

Chains

At a point 1.34 chs. dist. N.0°03'E., of the $\frac{1}{4}$ sec. cor. on the E. bdy. of sec. 13, described in the field notes of the E. bdy. of T.6 S., R.4 W., resurveyed under this group, which point is midway bet. the NW. and SW. closing cors. of sec. 18,

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 18 only, with brass cap mkd.

 $\frac{1}{4}$

S 18

1938

raise a mound

of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, E. of cor.

From the cor. of secs. 7, 8, 17 and 18.
N.0°03'W., bet. secs. 7 and 8.

Over rolling desert land, thru medium heavy timber and undergrowth.

4.20 Wash, 20 lks. wide, course NW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

 $\frac{1}{4}$

S 7 | S 8

1938

from which

A paloverde, 8 ins. diam., bears S.32°E., 98 lks. dist., mkd. $\frac{1}{4}$ S 8 B T.

An ironwood, 7 ins. diam., bears S.16°W., 93 lks. dist., mkd. $\frac{1}{4}$ S 7 B T.

41.60 Wash, 15 lks. wide, course N.20°W.

56.00 Wash, 10 lks. wide, course NW.

70.00 Wash, 20 lks. wide, course W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground, and in a mound of stone to top, for cor. of secs. 5, 6, 7 and 8, with brass cap mkd.

T 6 S R 3 W

S 6	S 5
S 7	S 8

1938

No suitable accessories.

Land, rolling desert.

Soil, sandy and gravelly; 3rd rate.

Timber, paloverde and ironwood; undergrowth, greasewood, sage, cholla, ocotillo, sahuara and cactus.

S.89°54'E., on a random line, bet. secs. 5 and 8.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

Chains

79.90

A point 3 lks. N. of the cor. of secs. 4, 5, 8 and 9.

Thence,

N.89°53'W., on a true line, bet. secs. 5 and 8.

Over rough mountainous land, thru scattered timber and undergrowth; desc. 55 ft. over SW. slope.

5.00 Base of mountain; desc. 75 ft. over slight SW. slope.

26.80 Wash, 20 lks. wide, course N.85°W.

39.95 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 5
S 8

1938

from which

An ironwood, 5 ins. diam., bears S.42 $\frac{1}{2}$ °W., 137 lks. dist., mkd. $\frac{1}{4}$ S 8 B T.

62.90 Wash, 30 lks. wide, course NW.

79.90 The cor. of secs., 5, 6, 7 and 8.

Land, mountainous and rolling desert.
Soil, sandy, gravelly and rocky; 3rd and 4th rate.
Timber, paloverde and ironwood; undergrowth, greasewood, sage, cholla, ocotillo, sahuara and cactus.

West, bet. secs. 6 and 7.

Over rolling desert land, thru medium heavy timber and undergrowth.

24.30 Wash, 25 lks. wide, course NW.

35.50 Wash, 10 lks. wide, course NW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 6
S 7

1938

from which

An ironwood, 4 ins. diam., bears N.51°E., 139 lks. dist., mkd. $\frac{1}{4}$ S 6 B T.

A paloverde, 6 ins. diam., bears S.22°W., 423 lks. dist., mkd. $\frac{1}{4}$ S 7 B T.

65.50 Wash, 15 lks. wide, course NW.

66.94 Intersect the E. bdy. of T.6 S., R.4 W.

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for closing cor. of secs. 6 and 7, with brass cap mkd.

Subdivision of T.6 S., R.3 W.

BOOK 4186

Chains

$$\begin{array}{c} | \\ \text{T 6 S} \\ | \\ \text{S 1} \left| \begin{array}{c} \text{S 6} \\ \text{S 7} \end{array} \right. \text{C C} \\ | \\ \text{R 3 W} \end{array}$$

1938

from which

A paloverde, 8 ins. diam., bears $N.61\frac{1}{2}^{\circ}E.$, 102 lks. dist., mkd. T 6 S R 3 W S 6 C C B T.

A paloverde, 9 ins. diam., bears $S.89\frac{1}{4}^{\circ}E.$, 165 lks. dist., mkd. T 6 S R 3 W S 7 C C B T.

From the point of intersection, the cor. of secs. 1 and 12 on the E. bdy. of T.6 S., R.4 W., bears $S.0^{\circ}04'W.$, 0.73 chs. dist., described in the field notes of the E. bdy. of T.6 S., R.4 W., resurveyed under this group.

Land, rolling desert.

Soil, sandy and gravelly; 3rd rate.

Timber, paloverde and ironwood; undergrowth, greasewood, sage, cholla, ocotillo, sahuara and cactus.

At a point 0.93 chs. dist., $N.0^{\circ}05'E.$, of the $\frac{1}{4}$ sec. cor. on the E. bdy. of sec. 12, described in the field notes of the E. bdy. of T.6 S., R.4 W., resurveyed under this group, which point is midway bet. the NW. and SW. closing cors. of sec. 7.

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 7 only, with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ \text{S 7} \\ 1938 \end{array}$$

from which

A paloverde, 18 ins. diam., bears $N.63\frac{1}{4}^{\circ}E.$, 39 lks. dist., mkd. $\frac{1}{4}$ S 7 B T.

An ironwood, 7 ins. diam., bears $S.57\frac{1}{2}^{\circ}E.$, 88 lks. dist., mkd. $\frac{1}{4}$ S 7 B T.

At a point 0.59 chs. dist., $N.0^{\circ}02'E.$, of the $\frac{1}{4}$ sec. cor. on the E. bdy. of sec. 1, described in the field notes of the E. bdy. of T.6 S., R.4 W., resurveyed under this group which point is 40.00 chs. dist. in latitude, from the SW. closing cor. of sec. 6,

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with a quantity of broken glass deposited at the base, for $\frac{1}{4}$ sec. cor. of sec. 6 only, with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ \text{S 6} \\ 1938 \end{array}$$

No suitable accessory.

From the cor. of secs. 5, 6, 7 and 8. $N.0^{\circ}03'W.$, bet. secs. 5 and 6.

Subdivision of T.6 S., R.3 W.

Chains	<p>Over rolling desert land, thru medium heavy timber and undergrowth.</p> <p>14.30 Wash, 20 lks. wide, course NW.</p> <p>26.00 Wash, 30 lks. wide, course W.</p> <p>40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p> <div style="text-align: center;"> $\frac{1}{4}$ <table style="margin: auto;"> <tr> <td>S 6</td> <td> </td> <td>S 5</td> </tr> </table> <p>1938</p> </div> <p style="text-align: right;">from which</p> <p>A paloverde, 6 ins. diam., bears S.24$\frac{1}{2}$°E., 92 lks. dist., mkd. $\frac{1}{4}$ S 5 B T.</p> <p>A paloverde, 5 ins. diam., bears S.66°W., 69 lks. dist., mkd. $\frac{1}{4}$ S 6 B T.</p> <p>50.00 Wash, 10 lks. wide, course W.</p> <p>79.73 Intersect the 1st Stan. Par. South.</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with a quantity of broken glass deposited at the base, for closing cor. of secs. 5 and 6, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 5 S R 3 W</p> <table style="margin: auto;"> <tr> <td colspan="3">S 32</td> </tr> <tr> <td>S 6</td> <td> </td> <td>S 5</td> </tr> <tr> <td colspan="3">C C</td> </tr> <tr> <td>T 6 S R 3 W</td> <td></td> <td></td> </tr> </table> <p>1938</p> </div> <p>No suitable accessories.</p> <p>From the point of intersection, the cor. of secs. 31 and 32, on the S. bdy. of T.5 S., R.3 W., bears S.89°56'W., 3.61 chs. dist., described in the field notes of the 1st Stan. Par. South, surveyed under this group.</p> <p>Land, rolling desert. Soil, sandy and gravelly; 3rd rate. Timber, paloverde and ironwood; undergrowth, greasewood, sage, cholla, ocotillo, sahuara and cactus.</p> <hr/> <p>At a point 3.55 chs. dist., N.89°56'E., of the $\frac{1}{4}$ sec. cor. on the S. bdy. of sec. 32, described in the field notes of the 1st Stan. Par. South, surveyed under this group, which point is midway bet. the NE. and NW. closing cors. of sec. 5,</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with a quantity of broken glass deposited at the base, for $\frac{1}{4}$ sec. cor. of sec. 5 only, with brass cap mkd.</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr> <td>$\frac{1}{4}$ S 5</td> </tr> </table> <p>1938</p> </div> <p>No suitable accessory.</p>	S 6		S 5	S 32			S 6		S 5	C C			T 6 S R 3 W			$\frac{1}{4}$ S 5
S 6		S 5															
S 32																	
S 6		S 5															
C C																	
T 6 S R 3 W																	
$\frac{1}{4}$ S 5																	

Subdivision of T.6 S., R.3 W.

BOOK 4183

Chains

At a point 3.61 chs. dist., N.89°56'E., of the $\frac{1}{4}$ sec. cor. on the S. bdy. of sec. 31, described in the field notes of the 1st Stan. Par. South, surveyed under this group, which point is 40.00 chs. dist. in departure from the NE. closing cor. of sec. 6,

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with a quantity of broken glass deposited at the base, for $\frac{1}{4}$ sec. cor. of sec. 6 only, with brass cap mkd.

T S 6

1938

No suitable accessory.

Final test of the solar attachments.

April 17, 1938, with Young & Sons solar transit No. 8526, every 30 min. from 8:00 a. m. to 10:30 a. m., and from 1:30 p. m. to 4:00 p. m., the proper settings are made on the latitude and declination arcs; the resulting orientation of the instrument, when compared with the meridian established by Polaris observation, described hereinbefore, has a maximum error of less than 1'30".

April 17, 1938, with Buff & Buff solar transit No. 9984, every 30 min. from 8:00 a. m. to 10:30 a. m. and from 1:30 p. m. to 4:00 p. m., the proper settings are made on the latitude and declination arcs; the resulting orientations of the instrument, when compared with the meridian established by Polaris observation, described hereinbefore, has a maximum error of less than 1'30".

General Description.

The topography of the township is mountainous in the SE. portion, with mountains in parts of the NW. portion, the remainder being rolling desert land.

The soil is sandy, gravelly and rocky; 2nd, 3rd and 4th rate.

The timber is medium heavy paloverde and ironwood, with some scattered mesquite; undergrowth is greasewood, sage, sahuara, cholla, ocotillo and cactus.

A paved highway, Ariz. No. 84, from Gila Bend to Tucson, traverses the tp., thru secs. 13, 14, 15, 16, 17 and 7 and 8. There are two settlers residing on this highway, Neya McCall, at Neya's Indian curio shop, in the NW. $\frac{1}{4}$ of Sec. 15, and Glen Shirk at Sahuara Service Station, in the NW. $\frac{1}{4}$ of sec. 14. There is also an ungraded road to Dos Cabezos thru secs. 3, 4, 10, 11, 13, 14 and 24.

There is no permanent water supply in the township, water being hauled in by the settlers, but it is cut up by numerous washes, generally draining to the West. The principal wash is the Bender, which drains thru secs. 13, 14, 15, 16, 19, 20, 21 and 24. The Sandtank wash drains West thru secs. 31, 32, 33 and 34.

There is no evidence of mineral deposits. There is a limited amount of grazing land in the township.

The observed magnetic declination was 14°20'E.

99
48

BOOK 4186

4-680
(Revised May 1934)

FIELD ASSISTANTS

NAMES	CAPACITY
Archer H. Munger	Principal Assistant.
John Boggs	" "
Lavor Q. Boggs	Chainman.
Kenneth Poor	"
Jack Anderson	Flagman.
Howard T. Chapman	"
Wesley B. Farley	Moundsman.
Ray Sears	"
Van N. Kilgore	Axeman.
Benjamin C. Porter	"
Oweh Longest	"
Roy M. Clifton	"

CERTIFICATE OF ~~UNITED STATES~~ SURVEYOR

Claude F. Warner, Transitman, and WE ~~are~~ Frank Motch, Public Land Surveyor, General Land Office, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 12th day of December, 1933, received from the district cadastral engineer for Arizona, with assignment instructions dated January 10, 1938, we have surveyed the subdivisinal lines of Township 6 South, Range 3 West,

River of the Gila and Salt Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by us and under our direction; and that said survey has been made in strict conformity with said instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing field notes.

Phoenix, Ariz. Mar. 2, 1940.

Claude F. Warner Transitman Frank Motch Public Land Surveyor General Land Office

CERTIFICATE OF APPROVAL

OFFICE OF ~~THE~~ SUPERVISOR OF SURVEYS, DENVER, COLORADO, Mar 2, 1940, 19

The foregoing field notes of the survey of the subdivisinal lines of Township 6 South, Range 3 West, of the Gila and Salt River Meridian, in the State of Arizona,

executed by Claude F. Warner, Transitman, and Frank Motch, Public Land Surveyor, General Land Office, under special instructions dated December 12, 1933, and assignment instructions dated January 10, 1938, having been critically examined, and the necessary corrections made prior to their certification by the engineer, the said field notes, and the survey therein described, are hereby approved.

U.S. Supervisor of Surveys.

~~CERTIFICATE OF TRANSCRIPT~~

I certify that the foregoing transcript of the field notes of the above described surveys is a true copy of the original field notes on file in the public survey office.

U.S. Supervisor of Surveys