

4211

Original

4-679  
(April 1933)

Book A.

BOOK 4211

# FIELD NOTES

OF THE

Resurvey of the West Boundary of Township 6 South,

Range 15 West, and the North Boundary of Township

7 South, Range 16 West; the Survey of the East

Boundary of Township 6 South, Range 17 West and

the survey of the Subdivisional Lines of Township

6 South, Range 16 West,

Of the Gila and Salt River Meridian,

In the State of Arizona

## EXECUTED BY

Horace M. Muscott, Public Land Surveyor,

John Boggs, Transitman,

Benjamin J. Mollette, Transitman, and

Carroll I. Parkman, Transitman,

General Land Office

Under special instructions dated November 20, 1936, which provided

for the surveys included under Group No. 218, bearing the approval of the

Commissioner of the General Land Office under date of December 18, 1936

and assignment instructions dated Feb. 23 and April 15, 1937

Survey commenced April 9, 1937

Survey completed May 14, 1937.

4211

4211

19

BOOK 4211

# INDEX DIAGRAM.

Township 6 SOUTH, Range 16 WEST

	70	1ST		STANDARD		PARALLEL		SOUTH		
25	70 6	71 5	57 4	49 3	41 2	33 1	10			
	69	69	56	48	40	33				
24	70 7	68 8	55 9	47 10	40 11	32 12	8			
	67	66	55	47	39	31				
23	67 18	65 17	54 16	46 15	38 14	31 13	7			
	64	63	53	45	38	30				
22	65 19	63 20	53 21	45 22	37 23	29 24	5			
	62	61	52	44	36	29				
22	62 30	60 29	51 28	43 27	36 26	28 25	4			
	59	59	51	43	35	27				
20	60 31	58 32	50 33	42 34	34 35	27 36	2			
11	19	18	16	15	13	12				
12										

## Resurvey of the West boundary of T.6 S., R.15 W.

211

## Chains

The survey was executed with Buff & Buff solar transits Nos. 16723 and 9984, Young & Sons solar transit No. 8385, and Lietz solar transit No. 6166, property of the General Land Office. The instruments are equipped with full vertical circles and the Smith solar attachments, and were approved by the District Cadastral Engineer, at Glendale, California, on Feb. 23, 1937, conditional upon satisfactory field tests. We examine all the instrumental adjustments before making the field tests hereinafter described.

The directions of the lines were determined by the solar transit method and by deflection angles from the meridian determined by the solar transit method. The measurements were made with Lallie steel tapes, 5 chs. in length, graduated every link for the first 100 lks., and thereafter at intervals of 10 lks. The tapes were tested by comparison with a Lufkin standard and found to be correct. The measurements were made on the slope and the vertical angle at each interval ascertained by clinometers in good adjustment. The horizontal equivalents are entered in the field note record.

The geographical position of the SE. cor. of the Tp., as furnished with the special instructions, is as follows: latitude  $32^{\circ}51'16''N.$ , and longitude  $113^{\circ}50'53''W.$

March 10, 1937, in camp approximately  $1\frac{1}{2}$  miles South of Mohawk, Arizona, an observation is made on Polaris at 1. c., making 3 direct and 3 reverse readings, for verification of latitude as follows:

Mean watch time of observation-----	a.m.	3h	3m	0s	
Mean altitude of Polaris-----			$31^{\circ}$	$40'$	$11''$
Reduced latitude-----			$32^{\circ}$	$42'$	$08''$

March 9, 1937, in camp, at 9:04 p.m., watch corrected for 105th meridian time by comparison with Western Union, Polaris is observed at w.e., making 3 direct and 3 reverse readings and marking the point thus determined with a nail set about 10 chs. North. After sunrise the azimuth of Polaris is turned off,  $1^{\circ}13'30''E.$ , and a true point for the meridian is established.

With Buff & Buff solar transit No. 16723, every 30 min. from 8:00 a.m. to 10:30 a.m., and from 1:30 p.m. to 4:00 p.m., the proper settings are made on the latitude and declination arcs; the resulting orientation of the instrument, when compared with the meridian established by Polaris observation, has a maximum error of less than  $1'30''$

With Buff & Buff solar transit No. 9984, every 30 min. from 8:00 a.m. to 10:30 a.m., and from 1:30 p.m. to 4:00 p.m., the proper settings are made on the latitude and declination arcs; the resulting orientation of the instrument, when compared with the meridian established by Polaris observation, has a maximum error of less than  $1'30''$ .

With Young & Sons solar transit No. 8385, every 30 min. from 8:00 a.m. to 10:30 a.m., and from 1:30 p.m. to 4:00 p.m., the proper settings are made on the latitude and declination arcs; the resulting orientation of the instrument, when compared with the meridian established by Polaris observation, has a maximum error of less than  $1'30''$ .

With Lietz solar transit No. 6166, every 30 min. from 8:00 a.m. to 10:30 a.m., and from 1:30 p.m. to 4:00 p.m., the proper settings are made on the latitude and declination arcs; the resulting orientation of the instrument, when compared with the meridian established by Polaris observation, has a maximum error of less than  $1'30''$ .

## Resurvey of the West boundary of T.6 S., R.15 W.

Chains																					
	From the cor. of Tps. 6 and 7 S., Rs. 15 and 16 W.																				
	N. on a random line, along the W. bdy. of T.6 S., R.15 W.																				
40.60	A point 14 lks. E. of the $\frac{1}{4}$ sec. cor. of secs. 31 and 36.																				
81.18	A point 11 lks. E. of the cor. of secs. 25, 30, 31 and 36.																				
121.77	A point 29 lks. E. of the $\frac{1}{4}$ sec. cor. of secs. 25 and 30.																				
162.10	A point 25 lks. E. of the cor. of secs. 19, 24, 25 and 30.																				
202.96	A point 36 lks. E. of the $\frac{1}{4}$ sec. cor. of secs. 19 and 24.																				
243.58	A point 49 lks. E. of the cor. of secs. 13, 18, 19 and 24.																				
283.58	Find no evidence of $\frac{1}{4}$ sec. cor. of secs. 13 and 18.																				
324.71	A point 57 lks. E. of the cor. of secs. 7, 12, 13 and 18.																				
365.23	A point 69 lks. E. of the $\frac{1}{4}$ sec. cor. of secs. 7 and 12.																				
405.78	A point 78 lks. E. of the cor. of secs. 1, 6, 7 and 12.																				
446.62	A point 87 lks. E. of the $\frac{1}{4}$ sec. cor. of secs. 1 and 6.																				
485.47	A point 84 lks. E. of the closing cor. of Tps. 5 and 6 S., Rs. 15 and 16 W.																				
	I return to the cor. of Tps. 6 and 7 S., Rs. 15 and 16 W., which is a paloverde stake, 3 ft. above ground, with four pits in the proper quadrants; the original bearing tree has disappeared.																				
	At point for cor.,																				
	Set an iron post, 3 ft. long, 3 ins. diam., 27 ins. in the ground, with old stake alongside, for cor. of Tps. 6 and 7 S., Rs. 15 and 16 W., with brass cap mkd,																				
	<table style="margin: auto;"> <tr><td colspan="4">T 6 S</td></tr> <tr><td>R 16 W</td><td> </td><td>R 15 W</td><td></td></tr> <tr><td>S 36</td><td> </td><td>S 31</td><td></td></tr> <tr><td>S 1</td><td> </td><td>S 6</td><td></td></tr> <tr><td colspan="4">T 7 S</td></tr> </table>	T 6 S				R 16 W		R 15 W		S 36		S 31		S 1		S 6		T 7 S			
T 6 S																					
R 16 W		R 15 W																			
S 36		S 31																			
S 1		S 6																			
T 7 S																					
	1937																				
	from which																				
	An ironwood, 6 ins. diam., bears N.40 $\frac{1}{2}$ °E., 341 lks. dist., mkd. T 6 S R 15 W S 31 B T.																				
	A paloverde, 6 ins. diam., bears N.19°W., 177 lks. dist., mkd. T 6 S R 16 W S 36 B T.																				
	Dig pits, 18x18x12 ins., in each sec., 3 ft. dist.																				
	Thence,																				
	N.0°12'W., on a true line along the W. bdy. of sec. 31.																				
	Over nearly level and wash land, thru dense timber and undergrowth.																				
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., for sec. 36 only, of R.16 W., with brass cap mkd.																				

Resurvey of the West boundary of T.6 S., R.15 W.

Chains

1/4 S 36

1937

from which

A paloverde, 6 ins. diam., bears N.59 1/4°W., 246 lks. dist., mkd. 1/4 S 36 B T.

An ironwood, 6 ins. diam., bears N.78°W., 157 lks. dist., mkd. 1/4 S 36 B T.

40.60 The original 1/4 sec. cor., which is a paloverde post, 3 ft. above ground, with charred stake alongside, in a mound of earth, with pits visible. The old bearing tree has disappeared.

As this cor. now refers to sec. 31 only, of R.15 W., at point for cor.,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with old post and charred stake alongside, for 1/4 sec. cor. of sec. 31 only, with brass cap mkd.

1/4 S 31

1937

from which

A paloverde, 8 ins. diam., bears N.19°E., 558 lks. dist., mkd. 1/4 S 31 B T.

A paloverde, 6 ins. diam., bears S.86°E., 493 lks. dist., mkd. 1/4 S 31 B T.

Thence,

N.0°03'E., on a true line, along the W. bdy. of sec. 31.

Over nearly level wash land, thru scattered timber and undergrowth.

39.40 At this point which is 80 chs. in lat. from the SE. cor. of sec. 36,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 25 and 36 only, R.16 W., with brass cap mkd.

T 6 S  
R 16 W R 15 W  
S 25 S 31  
S 36

1937

from which

An ironwood, 6 ins. diam., bears N.51 1/4°W., 275 lks. dist., mkd. T 6 S R 16 W S 25 B T.

An ironwood, 8 ins. diam., bears S.76°W., 452 lks. dist., mkd. T 6 S R 16 W S 36 B T.

40.58 The original cor. of secs. 25, 30, 31 and 36, which is a badly decayed paloverde stake, in a mound of earth; the original bearing tree has disappeared.

As this cor. now becomes the cor. of secs. 30 and 31 only, of R.15 W., at point for cor.,

## Resurvey of the West boundary of T.6 S., R.15 W.

Chains

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with old stake alongside, for cor. of secs. 30 and 31 only, with brass cap mkd.

T 6 S

R 16 W	R 15 W
S 25	S 30
	S 31

1937

from which

A paloverde, 6 ins. diam., bears N.50°E., 202 lks. dist., mkd. T 6 S R 15 W S 30 B T.

A paloverde, 8 ins. diam., bears S.9½°E., 323 lks. dist., mkd. T 6 S R 15 W S 31 B T.

Land, nearly level and washy; SE drainage.

Soil, rocky; 4th rate.

Timber, dense paloverde and ironwood; undergrowth, greasewood, sage and cactus.

N.0°15'W., on a true line, along the W. bdy. of sec. 30.

Over nearly level and wash land, thru dense timber and undergrowth.

25.20 Wash, 80 lks. wide, course S.20°E.

34.70 Desert road, bears NW. and SE.

38.82 At this point which is 40 chs. in lat. from the SE. cor. of sec. 25,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for ¼ sec. cor., for sec. 25 only, R.16 W., with brass cap mkd.

¼ S 25

1937

from which

A paloverde, 6 ins. diam., bears N.37¼°W., 53 lks. dist., mkd. ¼ S 25 B T.

An ironwood, 18 ins. diam., bears S.41¾°W., 465 lks. dist., mkd. ¼ S 25 B T.

40.59 The original ¼ sec. cor., which is a badly decayed paloverde stake in a mound of earth, the old charred stake, pits and bearing tree have disappeared.

As this cor. now refers to sec. 30 only, R.15 W., at point for cor.,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with old stake alongside, for ¼ sec. cor. of sec. 30 only, with brass cap mkd.

¼ S 30

1937

from which

A paloverde, 6 ins. diam., bears N.55°E., 651 lks. dist., mkd. ¼ S 30 B T.

Resurvey of the West boundary of T.6 S., R.15 W.

Chains

A paloverde, 6 ins. diam., bears S.20<sup>3</sup>/<sub>4</sub>°E., 231 lks. dist., mkd. <sup>1</sup>/<sub>4</sub> S 30 B.T.


Thence,

N.0°03'E., on a true line, along the W. bdy. of sec. 30.

38.23

At this point, which is 80 chs. in lat. from the SE. cor. of sec. 25,

Set an iron post, 3 ft. long, 2 in. diam., 27 ins. in the ground, for cor. of secs. 24 and 25 only, R.16 W., with brass cap mkd.



1937

from which

An ironwood, 8 ins. diam., bears N.52°W., 235 lks. dist., mkd. T 6 S R 16 W S 24 B.T.


A paloverde, 6 ins. diam., bears S.57<sup>1</sup>/<sub>2</sub>°W., 224 lks. dist., mkd. T 6 S R 16 W S 25 B T.

40.33

The original cor. of secs. 19,24,25 and 30, which is a badly decayed paloverde stake, in a mound of earth; the charred stake, pits and bearing trees have disappeared.

As this cor. now becomes the cor. of secs. 19 and 30 only, R.15.W., at point for cor.,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with old stake alongside, for cor. of secs. 19 and 30 only, with brass cap mkd.



1937

from which

A paloverde, 10 ins. diam., bears N.38<sup>1</sup>/<sub>4</sub>°E., 16 lks. dist., mkd. T.6 S R 15 W S 19 B T.

A paloverde, 6 ins.diam., bears S.17<sup>1</sup>/<sub>2</sub>°E., 92 lks. dist., mkd. T 6 S R 15 W S 30 B T.

Land, nearly level; SE. drainage.

Soil, rocky; 4th rate.

Timber, dense paloverde and ironwood; undergrowth, greasewood and sage.

N.0°09'W., on a true line, along the W, bdy. of sec. 19.

Over nearly level wash land, thru dense timber and undergrowth.

15.10

Wash, 1 ch. wide, course S.40°E.

37.90

At this point which is 40 chs. in lat. from the SE. cor. of sec. 24.

## Resurvey of the West boundary of T.6 S., R.15 W.

## Chains

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground for  $\frac{1}{4}$  sec. cor., for sec. 24 only, R.16 W., with brass cap mkd.

$$\frac{1}{4}S\ 24$$

$$1937$$

from which,

An ironwood, 8 ins. diam., bears N.56 $\frac{1}{4}$ °W., 43 lks. dist., mkd.  $\frac{1}{4}$  S 24 B T.

An ironwood, 6 ins. diam., bears S.38 $\frac{1}{4}$ °W., 385 lks. dist., mkd.  $\frac{1}{4}$  S 24 B T.

40.86 The original  $\frac{1}{4}$  sec. cor., which is an old paloverde stake in a mound of earth; the charred stake and pits have disappeared.

As this cor. now refers to sec. 19 only, R.15 W., at point for cor.,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with old paloverde stake alongside, for  $\frac{1}{4}$  sec. cor. of sec. 19 only, with brass cap mkd.

$$\frac{1}{4}S\ 19$$

$$1937$$

from which

A paloverde, 6 ins. diam., bears N.33 $\frac{1}{4}$ °E., 562 lks. dist., mkd.  $\frac{1}{4}$  S 19 B T.

A paloverde, 6 ins. diam., bears S.7°E., 460 lks. dist., mkd.  $\frac{1}{4}$  S 19 B T.

Thence,

N.0°11'W., on a true line, along the W. bdy. of sec. 19.

37.04 At this point, which is 80 chs. in lat. from the SE. cor. of sec. 24,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 13 and 24, only, R.16 W., with brass cap mkd.

$$T\ 6\ S$$

$$R\ 16\ W\ | R\ 15\ W$$

$$\frac{S\ 13}{S\ 24} | S\ 19$$

$$1937$$

from which

A paloverde, 4 ins. diam., bears N.60 $\frac{1}{2}$ °W., 176 lks. dist., mkd. T 6 S R 16 W S 13 B T.

A paloverde, 4 ins. diam., bears S.50 $\frac{1}{2}$ °W., 154 lks. dist., mkd. T 6 S R 16 W S 24 B T.

40.62 The original cor. of secs. 13, 18, 19 and 24, which is an old paloverde stake in a mound of earth, with pits visible; the old bearing tree has disappeared.

As this cor. now becomes the cor. of secs. 18 and 19, only, R.15 W., at point for cor.,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in.



## Resurvey of the West boundary of T.6 S., R.15 W.

Chains

the ground, with old paloverde stake alongside, for cor. of secs. 18 and 19 only, with brass cap mkd.

T 6 S  
R 16 W | R 15 W  
S 13 | S 18  
          | S 19  
1937

from which

A paloverde, 12 ins. diam., bears N.42 $\frac{1}{2}$ °E., 703 lks. dist., mkd. T 6 S R 15 W S 18 B T.

Land, nearly level and washy; SE. drainage.

Soil, rocky; 4th rate.

Timber, fairly dense paloverde and ironwood; undergrowth, greasewood and sage.

N.0°03'W., on a true line, along the W. bdy. of sec. 18.

Over nearly level land, thru fairly dense timber and undergrowth.

36.42 At this point, which is 40 chs. in lat. from the SE. cor. of sec. 13,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor. for sec. 13 only, R.16 W., with brass cap mkd.

$\frac{1}{4}$ S 13 |  
1937

from which

A paloverde, 10 ins. diam., bears N.16 $\frac{1}{2}$ °W., 240 lks. dist., mkd.  $\frac{1}{4}$  S 13 B T.

A paloverde, 10 ins. diam., bears S.57°W., 226 lks. dist., mkd.  $\frac{1}{4}$  S 13 B T.

40.56 Proportional distance,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor. of sec. 18 only, with brass cap mkd.

$\frac{1}{4}$ S 18 |  
1937

from which

A paloverde, 8 ins. diam., bears N.50 $\frac{1}{2}$ °E., 137 lks. dist., mkd.  $\frac{1}{4}$  S 18 B T.

A paloverde, 10 ins. diam., bears S.85 $\frac{3}{4}$ °E., 122 lks. dist., mkd.  $\frac{1}{4}$  S 18 B T.

66.65 Wash, 2 chs. wide, course S.20°E.

76.42 At this point, which is 80 chs. in lat. from the SE. cor. of sec. 13,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in ground, for cor. of secs. 12 and 13 only, R.16 W., with brass cap mkd.

## Resurvey of the West boundary of T.6 S., R.15 W.

Chains

T 6 S	
R 16 W	R 15 W
S 12	S 7
S 13	

1937

from which

An ironwood, 6 ins. diam., bears N.44 $\frac{1}{2}$ °W., 237 lks. dist., mkd. T 6 S R 16 W S 12 B T.

A paloverde, 6 ins. diam., bears S.28 $\frac{1}{2}$ °W., 476 lks. dist., mkd. T 6 S R 16 W S 13 B T.

81.13 The original cor. of secs. 7, 12, 13 and 18, which is a decayed paloverde stake in a mound of earth, with 2 pits on the N. visible and the old bearing tree standing.

As this cor. now becomes the cor. of secs. 7 and 18 only, R.15 W., at point for cor.,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with the old paloverde stake alongside, for cor. of secs. 7 and 18 only, with brass cap mkd.

T 6 S	
R 16 W	R 15 W
S 12	S 7
	S 18

1937

from which

An original bearing tree, an ironwood, 4 ins. diam., bears N.4°E., 169 lks. dist., with scribe marks partially visible.

New bearing trees,

A paloverde, 6 ins. diam., bears N.32 $\frac{1}{2}$ °E., 173 lks. dist., mkd. T 6 S R 15 W S 7 B T.

A paloverde, 6 ins. diam., bears S.34°E., 379 lks. dist., mkd. T 6 S R 15 W S 18 B T.

Land, nearly level and washy.

Soil, rocky; 4th rate.

Timber, fairly dense paloverde and ironwood; undergrowth, greasewood, sage and cactus.

N.0°10'W., on a true line, along the W. bdy. of sec. 7.

Over nearly level land, thru dense timber and undergrowth.

35.29 At this point which is 40 chs. in lat. from the SE. cor. of sec. 12,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor. of sec. 12 only, R.16 W., with brass cap mkd.

$\frac{1}{4}$ S 12	
--------------------	--

1937

from which

An ironwood, 8 ins. diam., bears N.12 $\frac{1}{2}$ °W., 561 lks. dist., mkd.  $\frac{1}{4}$  S 12 B T.

An ironwood, 6 ins. diam., bears S.55 $\frac{1}{2}$ °W., 648 lks.

Resurvey of the West boundary of T.6 S., R.15 W.

Chains


dist., mkd.  $\frac{1}{4}$  S 12 B T.

40.52

The original  $\frac{1}{4}$  sec. cor., which is a badly decayed paloverde stake in a mound of earth, with the original bearing tree standing; the charred stake has disappeared.

As this cor. now refers to sec. 7 only, R.15 W., at point for cor.,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with old paloverde stake alongside, for  $\frac{1}{4}$  sec. cor. of sec. 7 only, with brass cap mkd.



from which

The original bearing tree, an ironwood, 16 ins. diam., bears S.78 $\frac{1}{2}$ °E., 62 lks. dist., mkd.  $\frac{1}{4}$  S 7 B T.

New bearing tree,

A paloverde, 6 ins. diam., bears S.60°E., 90 lks. dist., mkd.  $\frac{1}{4}$  S 7 B T.


Thence,

N.0°08'W., on a true line, along the W. bdy. of sec. 7.

34.77

At this point, which is 80 chs. in lat. from the SE. cor. of sec. 12,

Set an iron post, 3 ft. long, 2 in. diam., 27 ins. in the ground, for cor. of secs. 1 and 12 only, R.16 W., with brass cap mkd.



from which

An ironwood, 6 ins. diam., bears N.26 $\frac{3}{4}$ °W., 477 lks. dist., mkd. T.6 S R 16 W S 1 B T.

An ironwood, 6 ins. diam., bears S.5 $\frac{1}{4}$ °W., 477 lks. dist., mkd. T 6 S R 16 W S 12 B T.

35.25


Dim road, bears E. and W.

40.55

The original cor. of secs. 1, 6, 7 and 12, which is an old paloverde stake in a mound of earth, with an old bearing tree standing; the charred stake has disappeared.

As this cor. now becomes the cor. of secs. 6 and 7 only, R.15 W., at point for cor.,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with old paloverde stake alongside, for cor. of secs. 6 and 7 only, with brass cap mkd.



from which

## Resurvey of the West boundary of T.6 S., R.15 W.

## Chains

An original bearing tree, an ironwood 8 ins. diam., bears S.85 $\frac{1}{4}$ °E., 167 lks. dist.

New bearing trees,

An ironwood, 8 ins. diam., bears N.52°E., 76 lks. dist., mkd. T 6 S R 15 W S 6 B T.

A paloverde, 6 ins. diam., bears S.65°E., 46 lks. dist., mkd. T 6 S R 15 W S 7 B T.

Land, nearly level and washy; SE. drainage.

Soil, rocky; 4th rate.

Timber, fairly dense paloverde and ironwood; undergrowth, greasewood, sage and cactus.

N.0°08'W., on a true line, along the W. bdy. of sec. 6.

Over nearly level and wash land, thru fairly dense timber and undergrowth.

15.80 Wash, 15 lks. wide, course S.40°E.

34.22 At this point, which is 40 chs. in lat. from the SE. cor. of sec. 1,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., of sec. 1 only, R.16 W., with brass cap mkd.

$\frac{1}{4}$ S 1

1937

from which

An ironwood, 6 ins. diam., bears N.45°W., 230 lks. dist., mkd.  $\frac{1}{4}$  S 1 B T.

A paloverde, 4 ins. diam., bears S.18 $\frac{1}{2}$ °W., 220 lks. dist., mkd.  $\frac{1}{4}$  S 1 B T.

40.84 The original  $\frac{1}{4}$  sec. cor., which is an old paloverde stake, in a mound of earth, with old bearing tree standing; the charred stake and pits have disappeared.

As this cor. now refers to sec. 6 only, R.15 W., at point for cor.,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with the old paloverde stake alongside, for  $\frac{1}{4}$  sec. cor. of sec. 6 only, with brass cap mkd.

$\frac{1}{4}$ S 6

1937

from which

New bearing trees,

An ironwood, 6 ins. diam., bears N.43 $\frac{1}{2}$ °E., 431 lks. dist., mkd.  $\frac{1}{4}$  S 6 B T.

A paloverde, 6 ins. diam., bears S.12 $\frac{1}{4}$ °E., 412 lks. dist., mkd.  $\frac{1}{4}$  S 6 B T.

An old bearing tree,

An ironwood, 5 ins. diam., bears S.62°W., 250 lks. dist., I destroy marks on this tree.

Thence,


N.0°03'E., on a true line, along the W. bdy. of sec. 6.

33.38 At this point, which is 80 chs. in lat. from the SE. cor. of sec. 1,

## Resurvey of the West boundary of T.6 S., R.15 W.

## Chains

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for cor. of lots 1 and 8 of sec. 1 only, with brass cap mkd.



38.85 The closing cor. of T.6 S., Rs. 15 and 16 W., an iron post, 3 ins. diam., 12 ins. above ground, firmly set, mkd. and witnessed as described in the official record.

Land, nearly level and washy; SE. drainage.

Soil, rocky; 4th rate.

Timber, fairly dense ironwood and paloverde; undergrowth, greasewood, sage and cactus.

## Resurvey of the North boundary of T.7 S., R.16 W.

From the cor. of Tps. 6 and 7 S., Rs. 15 and 16 W., previously described,

West, on a random line, along the North boundary of T.7 S., R.16 W.

40.00 Find no trace of  $\frac{1}{4}$  sec. cor. Set temp  $\frac{1}{4}$  sec. cor.  
 82.01 A point 80 lks. S. of the cor. of secs. 1,2,35 and 36.  
 121.96 A point 77 lks. S. of the  $\frac{1}{4}$  sec. cor.  
 162.22 A point 64 lks. S. of the cor. of secs. 2,3,34 and 35.  
 202.22 Find no evidence of  $\frac{1}{4}$  sec. cor. Set temp.  $\frac{1}{4}$  sec. cor.  
 242.87 A point 107 lks. N. of the cor. of secs. 3,4,33 and 34.  
 283.06 A point 129 lks. N. of the  $\frac{1}{4}$  sec. cor.  
 323.52 A point 155 lks. N. of the cor. of secs. 4,5,32 and 33.  
 363.52 Find no evidence of  $\frac{1}{4}$  sec. cor. Set temp.  $\frac{1}{4}$  sec. cor.  
 404.44 A point 81 lks. N. of the cor. of secs. 5,6,31 and 32.  
 444.62 A point 121 lks. N. of the  $\frac{1}{4}$  sec. cor.  
 483.03 Find no evidence of the cor. of Tps. 6 and 7 S., Rs. 16 and 17 W. Set temp. cor.

Thence,

West, on a random line, along the N. bdy. of sec. 1, T.7 S., R.17 W.

40.00 Find no evidence of  $\frac{1}{4}$  sec. cor.  
 80.46 A point 125 lks. N. of the cor. of secs. 1,2,35 and 36, which is a malpais rock, 12x6 ins., 6 ins. above ground, mkd. and witnessed as described in the official record.

At point for cor.,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with old malpais rock alongside, for cor. of secs. 1,2,35 and 36, with brass cap mkd.

## Resurvey of the North boundary of T.7 S., R.16 W.

Chains

T 6 S R 17 W

S 35	S 36
S 2	S 1

T 7 S

1937

raise a mound

of stone, 3 ft. base,  $1\frac{1}{2}$  ft. high, W. of cor.

I return to the temp. cor. of Tps. 6 and 7 S., Rs. 16 and 17 W.

Thence,

South, on a random line, along the W. bdy. of sec. 6, T.7 S., R.16 W.

41.88 A point 130 lks. East of the  $\frac{1}{4}$  sec. cor. of secs. 1 and 6, which is a malpais rock, 8x7 ins., 3 ins. above ground, mkd. and witnessed as described in the official record.

At point for cor.,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with old malpais rock alongside, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$
S 1   S 6
1937

raise a mound

of stone,  $2\frac{1}{2}$  ft. base,  $1\frac{3}{4}$  ft. high, W. of cor.

I return to the cor. of Tps. 6 and 7 S., Rs. 15 and 16 W.

Thence,

N.89°26'W., on a true line, along the N. bdy. of sec. 1.

Over nearly level land, thru fairly dense timber and undergrowth.

11.50 Wash, 10 lks. wide, course S.40°E.

18.50 Wash, 10 lks. wide, course S.40°E.

27.30 Old road, bears N. and S.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with a quantity of broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor., of sec. 36 only, T.6 S., with brass cap mkd.

 $\frac{1}{4}$  S 36

1937

from which

An ironwood, 14 ins. diam., bears N.60°W., 27 lks. dist., mkd.  $\frac{1}{4}$  S 36 B T.

41.01 Proportional distance.

## Resurvey of the North boundary of T.7 S., R.16 W.

## Chains

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor. for sec. 1 only, T.7 S., with brass cap mkd.

$$\frac{1}{4} \text{ S } 1$$

1937

from which

A paloverde, 8 ins. diam., bears S.81 $\frac{1}{2}$ °E., 41 lks. dist., mkd.  $\frac{1}{4}$  S 1 B T.

A paloverde, 6 ins. diam., bears S.43 $\frac{1}{2}$ °W., 353 lks. dist., mkd.  $\frac{1}{4}$  S 1 B T.

56.80 Wash, 30 lks. wide, course S.40°E.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 35 and 36 only, T.6 S., with brass cap mkd.

$$T \ 6 \ S \ R \ 16 \ W$$

$$\begin{array}{c} S \ 35 \ S \ 36 \\ \hline S \ 1 \end{array}$$

$$T \ 7 \ S \ R \ 16 \ W$$

1937

from which

A paloverde, 6 ins. diam., bears N.6 $\frac{1}{4}$ °E., 284 lks. dist., mkd. T 6 S R 16 W S 36 B T.

An ironwood, 6 ins. diam., bears N.36 $\frac{1}{4}$ °W., 323 lks. dist., mkd. T 6 S R 16 W S 35 B T.

82.01 The original cor. of secs. 1, 2, 35 and 36, which is a malpais rock, 12x10 ins., 6 ins. above ground, firmly set, mkd. with one notch on the E. and five notches on the W., with a mound of stone, 2 ft. base, 1 $\frac{1}{2}$  ft. high, W. of cor. I destroy this old mound of stone.

As this cor. now becomes the cor. of secs. 1 and 2 only, T.7 S., at point for cor.,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with old malpais rock alongside, for cor. of secs. 1 and 2 only, with brass cap mkd.

$$T \ 6 \ S \ R \ 16 \ W$$

$$\begin{array}{c} S \ 35 \\ \hline S \ 2 \ S \ 1 \end{array}$$

$$T \ 7 \ S \ R \ 16 \ W$$

1937

raise a mound

of stone, 2 $\frac{1}{2}$  ft. base, 1 $\frac{3}{4}$  ft. high, S. of cor.

Land, slightly rolling, SE. drainage.

Soil, rocky; 4th rate.

Timber, fairly dense paloverde and ironwood; undergrowth, greasewood, sage and squawbrush.

S.89°57'W., on a true line, along the N. bdy. of sec. 2.

Over slightly rolling land, thru fairly dense timber and undergrowth.

## Resurvey of the North boundary of T.7 S., R.16 W.

Chains	
9.70	Wash, 40 lks. wide, course S.40°E.
17.00	Wash, 50 lks. wide, course S.40°E.
32.00	Wash, 25 lks. wide, course S.20°E.
37.99	At this point, which is 40 chs. in dep. from the SE. cor. of sec. 35,  Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 35 only, T.6 S., with brass cap, mkd.  $\frac{1}{4}$ S 35  1937  raise a mound  of stone, 3 ft. base, 2 ft. high, N. of cor.
39.95	The original $\frac{1}{4}$ sec. cor., which is a malpais rock, 10x8 ins., 6 ins. above ground, firmly set, mkd. $\frac{1}{4}$ , with a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. I destroy this mound of stone.  As this cor. now refers to sec. 2 only, T.7 S., at point for cor.,  Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with old malpais rock alongside, for $\frac{1}{4}$ sec. cor. of sec. 2 only, with brass cap mkd.  $\frac{1}{4}$ S 2  1937  raise a mound  of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, S. of cor.  Thence, S.89°49'W., on a true line, along the N. bdy. of sec. 2.
31.00	Wash, 20 lks. wide, course S.40°E.
38.04	At this point, which is 80 chs. in dep. from the SE. cor. of sec. 35,  Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 34 and 35 only, T.6 S., with brass cap mkd.  T 6 S R 16 W $\frac{S}{S} \frac{34}{2}   \frac{S}{S} \frac{35}{2}$  T 7 S R 16 W  1937  from which  A paloverde, 8 ins. diam., bears N.58°E., 322 lks. dist., mkd. T 6 S R 16 W S 35 B T.  A paloverde, 6 ins. diam., bears N.68 $\frac{3}{4}$ °W., 182 lks. dist., mkd. T 6 S R 16 W S 34 B T.
40.26	The original cor. of secs. 2, 3, 34 and 35, which is a malpais rock, 14x12 ins., 6 ins. above ground, firmly set,



## Resurvey of the North boundary of T.7 S., R.16 W.

## Chains

mkd. with 2 notches on E., and 4 notches on W., with a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, W. I destroy this mound of stone.

As this cor. now becomes the cor. of secs. 2 and 3 only, T.7 S., at point for cor.,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with old malpais rock alongside, for cor. of secs. 2 and 3 only, with brass cap mkd.

T 6 S R 16 W

$$\begin{array}{r} S \ 34 \\ \hline S \ 3 \ S \ 2 \end{array}$$

T 7 S R 16 W

1937

raise a mound

of stone,  $2\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high, S. of cor.

Land, slightly rolling.

Soil, rocky; 4th rate.

Timber, fairly dense paloverde and ironwood; undergrowth, greasewood, sage and squawbrush.

S.  $88^{\circ}47'W.$ , on a true line, along the N. bdy. of sec. 3.

Over slightly rolling land, thru fairly dense timber and undergrowth.

1.20 Wash, 10 lks. wide, course S.  $35^{\circ}E.$

32.70 Wash, 70 lks. wide, course S.  $35^{\circ}E.$

37.79 At this point, which is 40 chs. in dep. from the SE. cor. of sec. 34,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor. of sec. 34 only, T.6 S., with brass cap mkd.

$$\frac{1}{4} \ S \ 34$$

1937

raise a mound

of stone, 3 ft. base, 2 ft. high, N. of cor.

40.32 Proportional distance.

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor. of sec. 3 only, T.7 S., with brass cap mkd.

$$\frac{1}{4} \ S \ 3$$

1937

from which

A paloverde, 6 ins. diam., bears S.  $18\frac{3}{4}^{\circ}E.$ , 313 lks. dist., mkd.  $\frac{1}{4} \ S \ 3 \ B \ T.$

A paloverde, 8 ins. diam., bears S.  $26\frac{1}{4}^{\circ}W.$ , 368 lks. dist., mkd.  $\frac{1}{4} \ S \ 3 \ B \ T.$

77.80 At this point, which is 80 chs. in dep. from the SE. cor.

## Resurvey of the North boundary of T.7 S., R.16 W.

Chains

of sec. 34,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in ground, for cor. of secs. 33 and 34 only, T.6 S., with brass cap mkd.

T 6 S R 16 W

S 33	S 34
S 3	

T 7 S R 16 W

1937

from which

A paloverde, ins. diam., bears N.28°E., 376 lks. dist., mkd. T 6 S R 16 W S 34 B T.

A paloverde, 10 ins. diam., bears N.80 $\frac{3}{4}$ °W., 416 lks. dist., mkd. T 6 S R 16 W S 33 B T.

77.85 Enter wash, 12 chs. wide, course S.40°E.

80.65 The original cor. of secs. 3, 4, 33 and 34, which is a sedimentary rock, 10x7 ins., 6 ins. above ground, firmly set, mkd. with 3 notches on the E. and W., with a mound of stone, 2 ft. base, 1 $\frac{1}{2}$  ft. high, W. I destroy this mound of stone.

As this cor. now becomes the cor. of secs. 3 and 4 only, T.7 S., at point for cor.,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with old sedimentary rock alongside, for cor. of sec. 3 and 4 only, with brass cap mkd.

T 6 S R 16 W

S 33
S 4   S 3

T 7 S R 16 W

1937

raise a mound

of stone, 2 $\frac{1}{2}$  ft. base, 1 $\frac{3}{4}$  ft. high, S. of cor.

Land, slightly rolling, SE. drainage.

Soil, rocky; 4th rate.

Timber, fairly dense paloverde and ironwood; undergrowth, greasewood, sage and squawbrush.

S.89°41'W., on a true line, along the N. bdy. of sec. 4.

Over slightly rolling land, thru scattered timber and undergrowth.

37.15 At this point, which is 40 chs. in dep. from the SE. cor. of sec. 33,

Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, to top, for  $\frac{1}{4}$  sec. cor. of sec. 33 only, T.6 S., with brass cap mkd.

$\frac{1}{4}$ S 33
--------------------

1937

## Resurvey of the North boundary of T.7 S., R.16 W.

Chains

from which

A paloverde, 6 ins. diam., bears N.68 $\frac{1}{2}$ °E., 33 lks. dist., mkd.  $\frac{1}{4}$  S 33 B T.

An ironwood, 6 ins. diam., bears N.75°W., 364 lks. dist., mkd.  $\frac{1}{4}$  S 33 B T.

40.19 The original  $\frac{1}{4}$  sec. cor., which is a malpais rock, 12x8 ins., 6 ins. above ground, firmly set, mkd.  $\frac{1}{4}$  on the N. face, with a mound of stone, 2 ft. base, 1 $\frac{1}{2}$  ft. high, W. I destroy this old mound of stone.

As this cor. now refers to sec.4 only, T.7 S., at point for cor.,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with old malpais rock alongside, for  $\frac{1}{4}$  sec. cor., of sec. 4 only, with brass cap mkd.

$$\frac{1}{4} \text{ S } 4$$

1937

raise a mound

of stone, 3 ft. base, 2 ft. high, S. of cor.

Thence,

S.89°38'W., on a true line, along the N. bdy. of sec. 4.

15.75 Wash, 50 lks. wide, course S.40°E.

36.96 At this point, which is 80 chs. in dep. from the SE. cor. of sec. 33,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 32 and 33 only, T.6 S., only, with brass cap mkd.

$$T \ 6 \ S \ R \ 16 \ W$$

$$\begin{array}{c} S \ 32 \ | \ S \ 33 \\ \hline S \ 4 \end{array}$$

$$T \ 7 \ S \ R \ 16 \ W$$

1937

from which

An ironwood, 12 ins. diam., bears N.52°E., 158 lks. dist., mkd. T 6 S R 16 W S 33 B T.

An ironwood, 16 ins. diam., bears N.2°W., 598 lks. dist., mkd. T 6 S R 16 W S 32 B T.

38.80 Wash, 15 lks. wide, course S.40°E.

40.46 The original cor. of secs. 4, 5, 32 and 33, which is a malpais rock, 12x6 ins., 6 ins. above ground, firmly set, with 4 notches on E., and 2 notches on W., with a mound of stone, 2 ft. base, 1 $\frac{1}{2}$  ft. high, W. I destroy this mound of stone.

As this cor. now becomes the cor. of secs. 4 and 5 only, T.7 S., at point for cor.,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with old malpais rock alongside, for cor. of secs. 4 and 5 only, with brass cap mkd.

## Resurvey of the North boundary of T.7 S., R.16 W.

Chains	
	T 6 S R 16 W S 32 S 5   S 4 T 7 S R 16 W 1937 raise a mound of stone, $3\frac{1}{2}$ ft. base, 3 ft. high, S. of cor. Land, slightly rolling, SE. drainage. Soil, rocky; 4th rate. Timber, scattered paloverde and ironwood; undergrowth, greasewood and sage.
	N. $89^{\circ}28'W.$ , on a true line, along the N. bdy. of sec. 5. Over slightly rolling land, thru fairly dense timber and undergrowth.
18.30	Graded dirt highway, bears N. to Quartzite and S. $20^{\circ}W.$ to Roll.
22.30	Wash, 20 lks. wide, course S. $20^{\circ}E.$ ; thence over series of washes for the next 12 chs., courses S. $20^{\circ}E.$
36.50	At this point, which is 40 chs. in dep. from the SE. cor. of sec. 32, Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 32 only, T.6 S., with brass cap mkd. $\frac{1}{4}$ S 32 1937 from which An ironwood, 6 ins. diam., bears N. $66\frac{1}{2}^{\circ}E.$ , 249 lks. dist., mkd. $\frac{1}{4}$ S 32 B T. Raise a mound of stone, 3 ft. base, $1\frac{3}{4}$ ft. high, N. of cor.
40.46	Proportional distance. Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 5 only, T.7 S., with brass cap mkd. $\frac{1}{4}$ S 5 1937 from which A paloverde, 8 ins. diam., bears S. $51\frac{1}{2}^{\circ}W.$ , 196 lks. dist., mkd. $\frac{1}{4}$ S 5 B T. Raise a mound of stone, $3\frac{1}{2}$ ft. base, $2\frac{1}{2}$ ft. high, S. of cor.
48.65	Wash, 25 lks. wide, course S. $40^{\circ}E.$
59.45	Wash, 40 lks. wide, course S. $40^{\circ}E.$
62.35	Desert road, bears N. $40^{\circ}W.$ , and S. $40^{\circ}E.$

## Resurvey of the North boundary of T.7 S., R.16 W.

Chains	
75.35	Wash, 15 lks. wide, course S.40°E.
76.50	At this point which is 80 chs. in dep. from the SE. cor. of sec. 32, Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 31 and 32 only, T.6 S., with brass cap mkd. $\begin{array}{c} T\ 6\ S\ R\ 16\ W \\ S\ 31\  S\ 32 \\ \hline S\ 5 \end{array}$ T 7 S R 16 W 1937 raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.
79.15	Desert road, bears N.15°W. and S.15°E.
80.92	The original cor. of secs. 5, 6, 31 and 32, which is a malpais rock, 9x8 ins., 5 ins. above ground, firmly set, mkd. with 5 notch on E., and 1 notch on W., with a mound of stone, 2 ft. base, 1½ ft. high, W. I destroy this old mound of stone. As this cor. now becomes the cor. of secs. 5 and 6 only, T.7 S., at point for cor., Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with old malpais rock alongside, for cor. of secs. 5 and 6 only, with brass cap mkd. $\begin{array}{c} T\ 6\ S\ R\ 16\ W \\ S\ 31 \\ \hline S\ 6\  S\ 5 \\ T\ 7\ S\ R\ 16\ W \end{array}$ 1937 from which An ironwood, 6 ins. diam., bears S.80½°E., 56 lks. dist., mkd. T 7 S R 16 W S 5 B T. Raise a mound of stone, 3 ft. base, 2 ft. high, S. of cor. Land, slightly rolling, SE. drainage. Soil, gravelly and rocky; 4th rate. Timber, fairly dense paloverde and ironwood; undergrowth, greasewood and sage.
	S.89°26'W., on a true line, along the N. bdy. of sec. 6. Over slightly rolling land, thru fairly dense timber and undergrowth.
4.40	Wash, 30 lks. wide, course S.20°E
23.20	Wash, 2 chs. wide, course S.40°E.
30.00	Enter heavy malpais flats.

## Resurvey of the North boundary of T.7 S., R.16 W.

Chains

35.58

At this point, which is 40 chs. in dep. from the SE. cor. of sec. 31,

Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground to bedrock, and in a mound of stone,  $2\frac{1}{2}$  ft. base, to top, for  $\frac{1}{4}$  sec. cor. of sec. 31 only, T.6 S., with brass cap mkd.

 $\frac{1}{4}$  S 31

1937

from which

A paloverde, 5 ins. diam., bears N.79°W., 251 lks. dist., mkd.  $\frac{1}{4}$  S 31 B T.

Raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.

40.18

The original  $\frac{1}{4}$  sec. cor., which is a malpais rock, 10x7 ins., 5 ins. above ground, firmly set, mkd.  $\frac{1}{4}$ , with a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, W. The pits have disappeared. I destroy the old mound of stone.

As this cor. now refers to sec. 6 only, T.7 S., at point for cor.,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with old malpais rock alongside, for  $\frac{1}{4}$  sec. cor. of sec. 6 only, with brass cap mkd.

 $\frac{1}{4}$  S 6

1937

raise a mound

of stone,  $2\frac{1}{2}$  ft. base,  $1\frac{3}{4}$  ft. high, S. of cor.

Thence,

S.89°00'W., on a true line along the N. bdy. of sec. 6.

38.57

The true point for the cor. of Tps. 6 and 7 S., Rs. 16 and 17 W., which point is determined by record dist., in lat., from the  $\frac{1}{4}$  sec. cor. of secs. 1 and 6, on the W. bdy. of sec. 6, T.7 S., R.16 W., and by single proportion in dep., bet. the  $\frac{1}{4}$  sec. cor., on the N. bdy. of sec. 6, T.7 S., R.16 W., and the cor. of secs. 1, 2, 35 and 36, on the N. bdy. of T.7 S., R.17 W., both hereinbefore described.

True point for cor. falls in wash, 7 chs. wide, course S.40°E. For witness cor. see survey of the E. bdy. of sec. 36, T.6 S., R.17 W., following.

Land, slightly rolling, SE. drainage.

Soil, rocky; 4th rate.

Timber, scattered paloverde and ironwood; undergrowth, greasewood and sage.

---

Survey of the East boundary of T.6 S., R.17 W.

---

From the true point for cor. of Tps. 6 and 7 S., Rs. 16 and 17 W.,

North, along the E. bdy. of sec. 36.


Survey of the East boundary of T.6 S., R.17 W.

Chains

Over malpais flats, thru scattered timber and undergrowth.

1.80 Leave wash, 7 chs. wide, course S.40°E.

2.00 Set an iron post, 3 ft. long, 3 ins. diam., 27 ins. in the ground, for witness cor. of Tps. 6 and 7 S., Rs. 16 and 17 W., with brass cap mkd.



1937

from which


A paloverde, 6 ins. diam., bears N.12°E., 470 lks. dist., mkd. W C T 6 S R 16 W S 31 B T.

A paloverde, 8 ins. diam., bears S.18<sup>3</sup>/<sub>4</sub>°E., 85 lks. dist., mkd. W C T 7 S R 16 W S 6 B T.

An ironwood, 16 ins. diam., bears S.27<sup>1</sup>/<sub>2</sub>°W., 154 lks. dist., mkd. W C T 7 S R 17 W S 1 B T.

An ironwood, 6 ins. diam., bears N.63<sup>1</sup>/<sub>2</sub>°W., 103 lks. dist., mkd. W C T 6 S R 17 W S 36 B T.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base to top, for <sup>1</sup>/<sub>4</sub> sec. cor. of sec. 36 only, with brass cap mkd.




from which

An ironwood, 12 ins. diam., bears S, 30<sup>1</sup>/<sub>2</sub>°W., 70 lks. dist., mkd. <sup>1</sup>/<sub>4</sub> S 36 B T.

An ironwood, 14 ins. diam., bears N.79°W., 145 lks. dist., mkd. <sup>1</sup>/<sub>4</sub> S 36 B T.

42.40 Wash, course S.40°E.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 25 and 36 only, with brass cap mkd.



from which

A paloverde, 6 ins. diam., bears N.30<sup>1</sup>/<sub>2</sub>°W., 92 lks. dist., mkd. T 6 S R 17 W S 25 B T.

Raise a mound of stone, 4 ft. base, 2 ft. high, W. of cor.

Land, malpais flats.

Survey of the East boundary of T.6 S., R.17 W.

Chains

Soil, rocky; 4th rate.  
Timber, scattered paloverde and ironwood; undergrowth,  
greasewood and sage.

North, along the E. bdy. of sec. 25.

Over gently rolling malpais flats, thru scattered timber  
and undergrowth.

- 15.20 Desert road, bears N.40°W. and S.40°E.
- 25.50 Wash, 100 lks. wide, course S.40°E., enter rolling hills.
- 30.00 Asc. 52 ft. over S. slope.
- 35.00 Knoll, slopes SW., over series of small spurs and ravines sloping SW.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, to top, for 1/4 sec. cor. of sec. 25 only, with brass cap mkd.

1/4 S 25

1937

No suitable accessory.

- 41.00 Spur, slopes SW.; desc. 29 ft. over NW. slope.
- 62.70 Over rolling hills; asc. 35 ft. over SW. slope.
- 65.00 Spur, slopes NW., desc. 47 ft. over NW. slope.
- 68.00 Canyon, bears NW.
- 68.16 Desert road, bears East and West to SE. cor. of Camp Largo Mining Co. about 7 chs.; asc. 79 ft. over S. slope.
- 74.00 Spur, slopes N.; thence along top of spur.
- 76.00 Desc. 31 ft. over N. slope.
- 78.00 Trail, bears NE. to Largo Mining Camp, and SW.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 4 ins. in the ground to bedrock, and in a mound of stone, 5 ft. base to top, for cor. of secs. 24 and 25 only, with brass cap mkd.

T 6 S

R 17 W	R 16 W
S 24	S 30
S 25	

1937

No suitable accessory.

Land, rolling hills.  
Soil, rocky; 4th rate.  
Timber, scattered paloverde and ironwood; undergrowth,  
greasewood and sage.

North, along the E. bdy. of sec. 24.



## Survey of the East boundary of T.6 S., R.17 W.

K 4211

Chains

Over rolling hills, thru scattered timber and undergrowth; asc. slightly over S. slope.

2.15 Spur, slopes N., continue over spur, prospect hole bears E. about  $4\frac{1}{2}$  chs.

3.00 Desc. slightly over NE. slope.

4.50 Mine road, bears SE. to mine and W. to camp.

6.00 Wash, 12 lks. wide, course S.20°W.

17.60 Asc. 23 ft. over SE. slope.

22.70 Spur, slopes SE.; desc. 18 ft. over N. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor. of sec. 24 only, with brass cap mkd.

$$\frac{1}{4}S \ 24$$

1937

from which

A paloverde, 6 ins. diam., bears S.80 $\frac{1}{2}$ °W., 198 lks. dist., mkd.  $\frac{1}{4}$  S 24 B T.

Raise a mound of stone,  $3\frac{1}{2}$  ft. base,  $2\frac{1}{2}$  ft. high, W. of cor.

50.00 Asc. 40 ft. over SW. slope.

55.60 Spur, slopes SW.; thence over a series of spurs, sloping SW.

61.00 Asc. 264 ft. over SE. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground, to bedrock, and in a mound of stone, 3 ft. base, to top, for cor. of secs. 13 and 24 only, with brass cap mkd.

T 6 S

$$\begin{array}{c|c} R \ 17 \ W & R \ 16 \ W \\ \hline S \ 13 & S \ 19 \\ \hline S \ 24 & \end{array}$$

1937

No suitable accessory.

Land, rolling, SE. drainage.  
Soil, rocky; 4th rate.  
Timber, very scattered paloverde and ironwood; undergrowth, greasewood, sage and cactus.

North, along the East.bdy. of sec. 13.

Over rolling land, thru scattered timber and undergrowth; asc. 92 ft. over SE. slope.


4.00 Spur, slopes SE.; desc. 114 ft. over NE. slope.

15.80 Spur, slopes NE.; desc. 96 ft. over NE. slope.

Survey of the East boundary of T.6 S., R.17 W.

Chains

- 21.50 Spur, slopes NE.; asc. 22 ft. over broken SW. slope.
- 30.00 Spur, slopes W.; desc. 103 ft. over broken NE. slope.
- 36.00 Canyon, bears NW.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., on bedrock, and in a mound of stone, 5 ft. base, to top, for  $\frac{1}{4}$  sec. cor. of sec. 13 only, with brass cap mkd.




from which

A paloverde, 6 ins. diam., bears S.  $32\frac{3}{4}^{\circ}$ W., 72 lks. dist., mkd.  $\frac{1}{4}$  S 13 B T.

A paloverde, 6 ins. diam., bears N.  $85\frac{1}{2}^{\circ}$ W., 129 lks. dist., mkd.  $\frac{1}{4}$  S 13 B T.

Asc. 28 ft. over S. slope.

- 52.00 Spur, slopes E., running along E. slope of spur.
- 67.00 Asc. 201 ft. over SE. slope.
- 76.60 Spur, slopes NE.; desc. 84 ft. over NE. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., on bedrock, and in a mound of stone, 5 ft. base, to top, for cor. of secs. 12 and 13 only, with brass cap mkd.



from which

A paloverde, 6 ins. diam., bears N.  $8^{\circ}$ W., 190 lks. dist., mkd. T 6 S R 17 W S 12 B T.

A paloverde, 6 ins. diam., bears S.  $32\frac{3}{4}^{\circ}$ W., 98 lks. dist., mkd. T 6 S R 17 W S 13 B T.

Land, rolling, SE. drainage.  
Soil, rocky; 4th rate.  
Timber, scattered paloverde and ironwood; undergrowth, greasewood and cactus.

North, along the E. bdy. of sec. 12.

Over rolling mountainous land, thru scattered timber and undergrowth; desc. 166 ft. over NE. slope.

- 13.30 Canyon, bears SE.; asc. 474 ft. over SE. slope.
- 31.00 Spur, slopes SE.; desc. 311 ft. over NE. slope.
- 35.40 Spur, slopes E.; desc. 232 ft. over NW. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground to bedrock, and in a mound of stone, 5 ft.

## Survey of the East boundary of T.6 S., R.17 W.

## Chains

base, to top, for  $\frac{1}{4}$  sec. cor., for sec. 12 only, with brass cap mkd.

$\frac{1}{4}$ S 12  
 |  
 1937

No suitable accessory.

- 56.00 Leave mountainous land, enter nearly level and wash land, SE. drainage.
- 58.00 Wash, 85 lks. wide, course East.
- 71.00 Desert road, bears N.70°E. and S.70°W.
- 72.50 Desert road, bears E. and W.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 1 and 12 only, with brass cap mkd.

T 6 S  
 R 17 W | R 16 W  
 S 1 | S 7  
 S 12 |  
 1937

from which

An ironwood, 6 ins. diam., bears S.65°W., 320 lks. dist., mkd. T 6 S R 17 W S 12 B T.

A paloverde, 10 ins. diam., bears N.16 $\frac{1}{2}$ °W., 503 lks. dist., mkd. T 6 S R 17 W S 1 B T.

Land, mountainous and rolling; SE. drainage.  
 Soil, rocky; 4th rate.  
 Timber, scattered paloverde and ironwood; undergrowth, greasewood, sage and cactus.

North, along the E. bdy. of sec. 1.

Over nearly level and wash land, thru scattered timber and undergrowth.

- 18.50 Wash, 90 lks. wide, course S.20°E.
- 20.00 Enter rolling land.
- 21.40 Desert road, bears N.80°W. and S.80°E.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor. of sec. 1 only, with brass cap mkd.

$\frac{1}{4}$ S 1  
 |  
 1937

Survey of the East boundary of T.6 S., R.17 W.

Chains


raise a mound

of stone, 5 ft. base, 3 ft. high, W. of cor.

67.00 Asc. 93 ft. over SW. slope.

78.60 Spur, slopes SE.; desc. 79 ft. over NE. slope.

80.00 Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, to top, for cor. of lots 1 and 8, sec. 1 only, with brass cap mkd.




85.00 Canyon wash, course SE.; thence over SE. slope.

87.09 Intersect the 1st Stan Par. South.

Set an iron post, 3 ft. long, 3 ins. diam., 27 ins. in the ground, for closing cor. of T.6 S., Rs. 16 and 17 W., with brass cap mkd.

T 5 S R 16 W



R 17 W R 16 W

T 6 S

C C

1937

from which

A paloverde, 6 ins. diam., bears S.37½°E., 200 lks. dist., mkd. T 6 S R 16 W S 6 C C B T.

A paloverde, 6 ins. diam., bears S.49°W., 219 lks. dist., mkd. T 6 S R 17 W S 1 C C B T.

From the point of intersection, the Standard ¼ sec. cor. of sec. 31, T.5 S., R.16 W., bears N.89°54'E., 17.47 chs. dist., an iron post, 1 in. diam., 8 ins. above ground, firmly set, mkd. witnessed as described in the official record.

Land, rolling, SE. drainage.  
Soil, rocky; 4th rate.  
Timber, scattered paloverde and ironwood; undergrowth, greasewood, sage and cactus.

## Subdivision of T.6 S., R.16 W.

## Chains

Since the East and South boundaries of the Township are defective in alignment and not subject to rectification, the governing section line was projected N.0°07'W., on a line parallel to the mean bearing of the East boundary, to an intersection on the North boundary of the Township, where a closing corner was established. The sectional correction line was run from the East boundary, West to a closing corner on the West boundary of the Township, the section corners being set at the points of intersection with the meridional lines, and the  $\frac{1}{4}$  section corners at midpoints, with the exception of the line between sections 30 and 31, the fractional measurement being thrown in the last half mile. The  $\frac{1}{4}$  section corners on the South tier of sections are set 40 chains from the North, with fractional measurements in the South half mile. The  $\frac{1}{4}$  section corners of the East range of sections are set at the midpoints.

From the cor. of secs. 35 and 36, on the S. bdy. of the Tp., hereinbefore described,

N.0°07'W., on the governing section line, bet. secs. 35 and 36.

Over rolling land, thru scattered timber and undergrowth.

14.00 Wash, 10 lks. wide, course SE.

30.00 Wash, 25 lks. wide, course SE.

39.21 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 35 \mid \text{S } 36 \\ 1937 \end{array}$$

from which

A paloverde, 4 ins. diam., bears S.35°E., 50 lks. dist., mkd.  $\frac{1}{4}$  S 36 B.T.

A paloverde, 6 ins. diam., bears N.27°W., 227 lks. dist., mkd.  $\frac{1}{4}$  S 35 B T.

57.30 Wash, 20 lks. wide, course SE.

79.21 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, with brass cap mkd.

$$\begin{array}{c} \text{T } 6 \text{ S } \text{R } 16 \text{ W} \\ \text{S } 26 \mid \text{S } 25 \\ \text{S } 35 \mid \text{S } 36 \\ 1937 \end{array}$$

dig pits,

18x18x12 ins., in each sec., 3 ft. dist.

Land, rolling.

Soil, rocky; 3rd rate.

Timber, scattered ironwood and paloverde; undergrowth, greasewood and sage.

From the cor. of secs. 25 and 36, on the E. bdy. of the Tp., hereinbefore described,

Subdivision of T.6 S., R.16 W.

Chains	
	West, on the sectional correction line, bet. secs. 25 and 36.
	Over wash land, thru scattered timber and undergrowth.
38.00	Road, bears N. and S.
40.02	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \text{ S } 25 \\ \hline \frac{1}{4} \text{ S } 36 \end{array}$
	1937
	from which
	An ironwood, 6 ins. diam., bears N.72°W., 77 lks. dist., mkd. $\frac{1}{4}$ S 25 B T.
	A paloverde, 8 ins. diam., bears S.56 $\frac{1}{2}$ °W., 114 lks. dist., mkd. $\frac{1}{4}$ S 36 B T.
40.10	Dim road, bears NW. and SE.
56.00	Wash, 20 lks. wide, course S.20°E.
80.04	The cor. of secs. 25,26,35 and 36.
	Land, washy, SE. drainage.
	Soil, rocky; 4th rate.
	Timber, scattered paloverde and ironwood; undergrowth, greasewood, sage and cactus.
	<hr/>
	N.0°07'W., on the governing sec. line, bet. secs. 25 and 26.
	Over rolling land, thru scattered timber and undergrowth.
29.60	Dim road, bears NW. and SE.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ \text{S } 26 \text{   } \text{S } 25 \\ \hline \end{array}$
	1937
	from which
	An ironwood, 12 ins. diam., bears S.22 $\frac{1}{2}$ °E., 103 lks. dist., mkd. $\frac{1}{4}$ S 25 B T.
	A paloverde, 8 ins. diam., bears S.51°W., 302 lks. dist., mkd. $\frac{1}{4}$ S 26 B T.
70.80	Wash, 30 lks. wide, course E.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 23,24,25 and 26, with brass cap mkd.
	$\begin{array}{c} \text{T } 6 \text{ S } \text{R } 16 \text{ W} \\ \text{S } 23 \text{   } \text{S } 24 \\ \hline \text{S } 26 \text{   } \text{S } 25 \end{array}$
	1937
	from which

Subdivision of T.6 S., R.16 W.

Chains	<p>A paloverde, 5 ins. diam., bears N.5<math>\frac{1}{2}</math>°E., 58 lks. dist., mkd. T 6 S R 16 W S 24 B T.</p> <p>A paloverde, 16 ins. diam., bears S.17°E., 80 lks. dist., mkd. T 6 S R 16 W S 25 B T.</p> <p>A paloverde, 8 ins. diam., bears S.80<math>\frac{1}{4}</math>°W., 143 lks. dist., mkd. T 6 S R 16 W S 26 B T.</p> <p>A paloverde, 10 ins. diam., bears N.42<math>\frac{3}{4}</math>°W., 168 lks. dist., mkd. T 6 S R 16 W S 23 B T.</p> <p>Land, rolling. Soil, rocky; 3rd rate. Timber, scattered ironwood and paloverde; undergrowth, greasewood and sage.</p> <hr/> <p>East, on a random line, bet. secs. 24 and 25.</p> <p>40.00 Set temp. <math>\frac{1}{4}</math> sec. cor.</p> <p>79.98 A point 3 lks. S. of the cor. of secs. 24 and 25, on the E. bdy. of the Tp., hereinbefore described.</p> <p>Thence,</p> <p>S.89°59'W., on a true line, bet. secs. 24 and 25.</p> <p>Over slightly rolling land, thru scattered timber and undergrowth.</p> <p>38.55 Dim road, bears NW. and SE.</p> <p>39.99 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for <math>\frac{1}{4}</math> sec. cor., with brass cap mkd.</p> <div style="text-align: center;"> <math display="block">\begin{array}{c} \frac{1}{4} \text{ S } 24 \\ \hline \frac{1}{4} \text{ S } 25 \end{array}</math> <p>1937</p> <p style="text-align: right;">from which</p> </div> <p>A paloverde, 5 ins. diam., bears N.49°W., 169 lks. dist., mkd. <math>\frac{1}{4}</math> S 24 B T.</p> <p>An ironwood, 8 ins. diam., bears S.3<math>\frac{1}{2}</math>°E., 367 lks. dist., mkd. <math>\frac{1}{4}</math> S 25 B T.</p> <p>49.30 Wash, 40 lks. wide, course SE.</p> <p>56.45 Dim road, bears N. and S.</p> <p>79.75 Wash, 8 lks. wide, course S.5°E.</p> <p>79.98 The cor. of secs. 23, 24, 25 and 26.</p> <p>Land, slightly rolling. Soil, rocky; 3rd rate. Timber, scattered ironwood and paloverde; undergrowth, greasewood and sage.</p> <hr/> <p>N.0°07'W., on the governing sec. line, bet. secs. 23 and 24.</p> <p>Over rolling land, thru scattered timber and undergrowth.</p> <p>1.00 Wash, 8 lks. wide, course SE.</p> <p>18.60 Wash, 7 lks. wide, course SE.</p>
--------	--

## Subdivision of T.6 S., R.16 W.

Chains

40.00

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 23 \text{ | S } 24 \\ 1937 \end{array}$$

from which

An ironwood, 8 ins. diam., bears N.44°E., 235 lks. dist., mkd.  $\frac{1}{4}$  S 24 B T.

A paloverde, 6 ins. diam., bears N.2 $\frac{1}{2}$ °W., 205 lks. dist., mkd.  $\frac{1}{4}$  S 23 B T.

42.70

Wash, 80 lks. wide, course SE.

56.50

Dim road, bears NW. and SE.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 13, 14, 23 and 24, with brass cap mkd.

T 6 S R 16 W

$$\begin{array}{c} \text{S } 14 \text{ | S } 13 \\ \text{S } 23 \text{ | S } 24 \\ 1937 \end{array}$$

from which

An old well bears N.32°15'W., 27.81 chs. dist.

Dig pits, 18x18x12 ins., in each sec., 3 ft. dist.

Land, rolling.

Soil, rocky; 3rd rate.

Timber, scattered ironwood and paloverde; undergrowth, greasewood and sage.

N.89°59'E., on a random line, bet. secs. 13 and 24.

40.00

Set temp.  $\frac{1}{4}$  sec. cor.,

79.92

A point 5 lks. N. of the cor. of secs. 13 and 24, on the E. bdy. of the Tp., hereinbefore described.

Thence,

N.89°59'W., on a true line, bet. secs. 13 and 24.

Over rolling land, thru scattered timber and undergrowth.

3.90

Wash, 15 lks. wide, course SE.

38.60

Wash, 12 lks. wide, course SE.

39.96

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{c} \text{S } 13 \\ \frac{1}{4} \text{ S } 24 \end{array}$$

1937

from which

A paloverde, 6 ins. diam., bears N.8 $\frac{1}{2}$ °E., 190 lks. dist., mkd.  $\frac{1}{4}$  S 13 B T.



## Subdivision of T.6 S., R.16 W.

Chains	
73.50	Wash, 30 lks. wide, course SE.
74.90	Dim road, bears E. and W.
79.92	The cor. of secs. 13, 14, 23 and 24.
	Land, slightly rolling. Soil, rocky; 3rd rate. Timber, scattered ironwood and paloverde; undergrowth, greasewood and sage.
	N.0°07'W., on the governing sec. line, bet. secs. 13 and 14.
	Over slightly rolling land, thru scattered timber and undergrowth.
13.10	Wash, 50 lks. wide, course SE.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\   \\ \text{S } 14 \mid \text{S } 13 \\   \\ 1937 \end{array}$
	from which
	A paloverde, 8 ins. diam., bears N.31 $\frac{3}{4}$ °E., 17 lks. dist., mkd. $\frac{1}{4}$ S 13 B T.
	A paloverde, 6 ins. diam., bears N.58 $\frac{3}{4}$ °W., 196 lks. dist., mkd. $\frac{1}{4}$ S 14 B T.
54.50	Wash, 15 lks. wide, course SE.
71.70	Dim road, bears NW. and SE.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 11, 12, 13 and 14, with brass cap mkd.
	$\begin{array}{c} \text{T } 6 \text{ S } \text{R } 16 \text{ W} \\ \\ \begin{array}{c} \text{S } 11 \mid \text{S } 12 \\ \text{S } 14 \mid \text{S } 13 \\   \\ 1937 \end{array} \end{array}$
	dig pits,
	18x18x12 ins., in each sec., 3 ft. dist.
	Land, slightly rolling. Soil, rocky; 4th rate. Timber, scattered ironwood and paloverde; undergrowth, greasewood and sage.
	S.89°59'E., on a random line, bet. secs. 12 and 13.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	A point 14 lks. N. of the cor. of secs. 12 and 13, on the E. bdy. of the Tp., hereinbefore described.
	Thence,
	N.89°53'W., on a true line, bet. secs. 12 and 13.

## Subdivision of T.6 S., R.16 W.

Chains	
	Over slightly rolling land, thru scattered timber and undergrowth.
27.00	Wash, 20 lks. wide, course SE.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \text{ S } 12 \\ \hline \text{S } 13 \end{array}$
	1937
	from which
	A paloverde, 6 ins. diam., bears N.12 $\frac{1}{2}$ °W., 207 lks. dist., mkd. $\frac{1}{4}$ S 12 B T.
	A paloverde, 6 ins. diam., bears S.24 $\frac{1}{2}$ °W., 99 lks. dist., mkd. $\frac{1}{4}$ S 13 B T.
41.80	Wash, 15 lks. wide, course SE.
60.60	Wash, 15 lks. wide, course SE.
80.00	The cor. of secs. 11,12,13 and 14.
	Land, slightly rolling. Soil, rocky; 3rd rate. Timber, scattered ironwood and paloverde; undergrowth, greasewood and sage.
N.0°07'W., on the governing sec. line, bet. secs. 11 and 12.	
Over gently rolling land, thru scattered timber and undergrowth.	
7.60	Wash, 15 lks. wide, course S.85°E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\   \\ \text{S } 11 \text{   } \text{S } 12 \\   \\ 1937 \end{array}$
	from which
	A paloverde, 7 ins. diam., bears S.58 $\frac{3}{4}$ °E., 91 lks. dist., mkd. $\frac{1}{4}$ S 12 B T.
	A paloverde, 6 ins. diam., bears S.76 $\frac{3}{4}$ °W., 367 lks. dist., mkd. $\frac{1}{4}$ S 11 B T.
64.50	Wash, 25 lks. wide, course E.
79.50	Dim road, bears NE. and SW.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 1,2,11 and 12, with brass cap mkd.
	T 6 S R 16 W
	$\begin{array}{c} \text{S } 2 \text{   } \text{S } 1 \\ \hline \text{S } 11 \text{   } \text{S } 12 \\   \\ 1937 \end{array}$
	from which

## Subdivision of T.6 S., R.16 W.

## Chains

A paloverde, 6 ins. diam., bears N.  $9\frac{3}{4}^{\circ}$  E., 306 lks. dist., mkd. T 6 S R 16 W S 1 B T.

A paloverde, 5 ins. diam., bears S.  $66\frac{1}{2}^{\circ}$  E., 522 lks. dist., mkd. T 6 S R 16 W S 12 B T.

A paloverde, 4 ins. diam., bears S.  $20\frac{1}{4}^{\circ}$  W., 282 lks. dist., mkd. B T. only.

A paloverde, 6 ins. diam., bears N.  $86\frac{3}{4}^{\circ}$  W., 731 lks. dist., mkd. T 6 S R 16 W S 2 B T.

Land, gently rolling.  
Soil, rocky; 3rd rate.  
Timber, scattered ironwood, paloverde and mesquite;  
undergrowth, greasewood and sage.

S.  $89^{\circ}53'$  E., on a random line, bet. secs. 1 and 12.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

79.76 A point 30 lks. S. of the cor. of secs. 1 and 12, on the E. bdy. of the Tp., hereinbefore described.

Thence,

S.  $89^{\circ}54'$  W., on a true line, bet. secs. 1 and 12.

Over nearly level land, thru scattered timber and undergrowth.

39.88 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\frac{1}{4} \begin{array}{c} S 1 \\ S 12 \end{array}$$

1937

from which

An ironwood, 5 ins. diam., bears S.  $3\frac{3}{4}^{\circ}$  W., 474 lks. dist., mkd.  $\frac{1}{4}$  S 12 B T.

79.76 The cor. of secs. 1, 2, 11, and 12.

Land, nearly level.  
Soil, rocky; 3rd rate.  
Timber, scattered ironwood and paloverde; undergrowth,  
greasewood and sage.

N.  $0^{\circ}07'$  W., on the governing <sup>section</sup> line, bet. secs. 1 and 2.

Over nearly level land, thru scattered timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\frac{1}{4} \begin{array}{c} S 2 \\ S 1 \end{array}$$

1937

from which

An ironwood, 6 ins. diam., bears N.  $6\frac{1}{4}^{\circ}$  E., 224 lks. dist., mkd.  $\frac{1}{4}$  S 1 B T.

An ironwood, 4 ins. diam., bears N.  $57\frac{1}{2}^{\circ}$  W., 253 lks.

## Subdivision of T.6 S., R.16 W.

Chains	dist., mkd. $\frac{1}{4}$ S 2 B T.
75.00	Wash, 20 lks. wide, course E.
80.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for cor. of lots 1, 4, 5 and 8, with brass cap mkd.
	$\begin{array}{c} \text{S } 2 \text{ --- } \frac{1}{8} \text{ --- } \frac{4}{5} \text{ --- } \text{S } 1 \\ \text{1937} \end{array}$
	from which
	An ironwood, 4 ins. diam., bears S. $54\frac{1}{2}^{\circ}$ E., 406 lks. dist., mkd. B T.
	An ironwood, 4 ins. diam., bears S. $9\frac{3}{4}^{\circ}$ W., 312 lks. dist., mkd. B T.
85.40	Intersect the 1st Stan. Par. South.
	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for closing cor. of secs. 1 and 2, with brass cap mkd.
	$\begin{array}{c} \text{T } 5 \text{ S R } 16 \text{ W} \\ \text{S } 36 \\ \text{S } 2 \text{ S } 1 \\ \text{T } 6 \text{ S R } 16 \text{ W} \\ \text{C C} \\ \text{1937} \end{array}$
	from which
	An ironwood, 8 ins. diam., bears S. $9\frac{1}{4}^{\circ}$ E., 177 lks. dist., mkd. T 6 S R 16 W S1 C C B T.
	An ironwood, 6 ins. diam., bears S. $46\frac{1}{2}^{\circ}$ W., 102 lks. dist., mkd. T 6 S R 16 W S 2 C C B T.
	From the point of intersection, the Standard $\frac{1}{4}$ sec. cor. of sec. 36, bears N. $89^{\circ}54'$ E., 16.04 chs. dist., an iron post, 1 in. diam., 10 ins. above ground, mkd. and witnessed as described in the official record.
	Land, nearly level. Soil, rocky; 3rd rate. Timber, scattered ironwood and paloverde; undergrowth, greasewood and sage.
	From the cor. of secs. 34 and 35, on the S. bdy. of the Tp., hereinbefore described.
	N. $0^{\circ}07'$ W., bet. secs. 34 and 35.
	Over gently rolling land, thru scattered timber and undergrowth.
13.20	Wash, 10 lks. wide, course SE.
20.80	Wash, 10 lks. wide, course SE
38.40	Wash, 10 lks. wide, course SE.
39.47	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ \text{S } 34 \text{ --- } \text{S } 35 \\ \text{1937} \end{array}$

## Subdivision of T.6 S., R.16 W.

311

Chains

from which

A paloverde, 6 ins. diam., bears S.10°E., 157 lks.  
dist., mkd.  $\frac{1}{4}$  S 35 B T.

A paloverde, 8 ins. diam., bears N.85°W., 91 lks.  
dist., mkd.  $\frac{1}{4}$  S 34 B T.

59.00 Wash, 20 lks. wide, course SE.

79.47 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in  
the ground, for cor. of secs. 26, 27, 34 and 35, with brass  
cap mkd.

T 6 S R 16 W

S 27	S 26
S 34	S 35

1937

from which

A paloverde, 10 ins. diam., bears N.58°E., 460 lks.  
dist., mkd. T 6 S R 16 W S 26 B T.

A paloverde, 12 ins. diam., bears S.69 $\frac{1}{2}$ °E., 443 lks.  
dist., mkd. T 6 S R 16 W S 35 B T.

A paloverde, 8 ins. diam., bears S.57°W., 265 lks.  
dist., mkd. T 6 S R 16 W S 34 B T.

A paloverde, 6 ins. diam., bears N.59 $\frac{3}{4}$ °W., 529 lks.  
dist., mkd. T 6 S R 16 W S 27 B T.

Land, gently rolling, SE. drainage.

Soil, rocky; 3rd rate.

Timber, scattered ironwood and paloverde; undergrowth,  
greasewood, sage and cactus.

From the cor. of secs. 25, 26, 35 and 36.

West, on the sectional correction line, bet. secs. 26  
and 35.

Over wash land, thru fairly dense timber and undergrowth.

9.00 Wash, 35 lks. wide, course S.20°E.

40.01 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 26	
S 35	

1937

from which

A paloverde, 6 ins. diam., bears N.63 $\frac{1}{2}$ °E., 203 lks.  
dist., mkd.  $\frac{1}{4}$  S 26 B T.

A paloverde, 5 ins. diam., bears S.43°E., 117 lks.  
dist., mkd.  $\frac{1}{4}$  S 35 B T.

55.00 Wash, 30 lks. wide, course S.40°E.

80.02 The cor. of secs. 26, 27, 34 and 35.

Land, washy, SE. drainage.

Soil, rocky; 4th rate. Timber, fairly dense paloverde and  
ironwood; undergrowth, greasewood, sage and cactus.

## Subdivision of T.6 S., R.16 W.

Chains	
	N.0°07'W., bet. secs. 26 and 27.
	Over gently rolling land, thru scattered timber and undergrowth.
7.50	Wash, 20 lks. wide, course SE.
13.90	Wash, 30 lks. wide, course SE.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with a quantity of broken glass deposited at the base, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ \text{S } 27 \text{   S } 26 \\ 1937 \end{array}$
	No suitable accessory.
53.40	Wash, 40 lks. wide, course S.60°E.
66.00	Bend in the same wash, 40 lks. wide, course S.30°W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, with brass cap mkd.
	$\begin{array}{c} \text{T } 6 \text{ S } \text{ R } 16 \text{ W} \\ \text{S } 22 \text{   S } 23 \\ \text{S } 27 \text{   S } 26 \\ 1937 \end{array}$
	from which
	A paloverde, 8 ins. diam., bears N.6 $\frac{3}{4}$ °E., 534 lks. dist., mkd. T 6 S R 16 W S 23 B T.
	A paloverde, 6 ins. diam., bears N.77 $\frac{3}{4}$ °E., 296 lks. dist., mkd. B T only.
	A paloverde, 8 ins. diam., bears N.9 $\frac{1}{2}$ °W., 664 lks. dist., mkd. T 6 S R 16 W S 22 B T.
	Land, gently rolling, SE. drainage. Soil, rocky; 3rd rate. Timber, scattered ironwood and paloverde; undergrowth, greasewood, sage and cactus.
	East, on a random line, bet. secs. 23 and 26.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.98	The cor. of secs. 23, 24, 25 and 26.
	Thence,
	West, on a true line, bet. secs. 23 and 26.
	Over gently rolling land, thru scattered timber and undergrowth.
15.50	Wash, 10 lks. wide, course SE.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

Subdivision of T.6 S., R.16 W.

1211

Chains

$$\frac{1}{4} \begin{array}{c} S 23 \\ S 26 \end{array}$$

1937

from which

A paloverde, 8 ins., diam., bears N.39°W., 404 lks. dist., mkd.  $\frac{1}{4}$  S 23 B T.

A paloverde, 10 ins. diam., bears S.57 $\frac{1}{4}$ °W., 479 lks. dist., mkd.  $\frac{1}{4}$  S 26 B T.

79.30 Used road, bears NW. and SE.

79.98 The cor. of secs. 22, 23, 26 and 27.

Land, gently rolling, SE. drainage.  
Soil, rocky; 3rd rate.  
Timber, scattered ironwood and paloverde; undergrowth, greasewood, sage and cactus.

N.0°07'W., bet. secs. 22 and 23.

Over gently rolling land, thru scattered timber and undergrowth.

0.60 Used road, bears NW. and SE.

19.50 Wash, 10 lks. wide, course S.80°E.

26.80 Wash, 10 lks. wide, course S.60°E.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with a quantity of broken glass deposited at the base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\frac{1}{4} \begin{array}{c} S 22 | S 23 \\ 1937 \end{array}$$

No suitable accessory.

49.70 Wash, 15 lks. wide, course S.50°E.

60.00 Wash, 50 lks. wide, course S.80°E.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 14, 15, 22 and 23, with brass cap mkd.

T 6 S R 16 W

$$\begin{array}{c} S 15 | S 14 \\ S 22 | S 23 \end{array}$$

1937

from which

An ironwood, 8 ins. diam., bears N.44 $\frac{3}{4}$ °E., 176 lks. dist., mkd. T 6 S R 16 W S 14 B T.

An ironwood, 14 ins. diam., bears S.80 $\frac{3}{4}$ °E., 320 lks. dist., mkd. T 6 S R 16 W S 23 B T.

A paloverde, 8 ins. diam., bears S.67°W., 483 lks. dist., mkd. T 6 S R 16 W S 22 B T.

An ironwood, 20 ins. diam., bears N.42 $\frac{1}{2}$ °W., 227 lks. dist., mkd. T 6 S R 16 W S 15 B T.

## Subdivision of T.6 S., R.16 W.

Chains	<p>Land, gently rolling, SE. drainage. Soil, rocky; 3rd rate. Timber, scattered ironwood and paloverde; undergrowth, greasewood, sage and cactus.</p>
	<p>East, on a random line, bet. secs. 14 and 23.</p>
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.02	A point 3 lks. S. of the cor. of secs. 13, 14, 23 and 24.
	Thence,
	S. $89^{\circ}59'W.$ , on a true line, bet. secs. 14 and 23.
	Over gently rolling land, thru scattered timber and undergrowth.
9.30	Used road, bears N. $30^{\circ}W.$ and S. $30^{\circ}E.$
16.20	Wash, 10 lks. wide, course SE.
33.30	Wash, 20 lks. wide, course SE.
40.01	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} S\ 14 \\ \frac{1}{4} \text{---} S\ 23 \end{array}$ <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A paloverde, 10 ins. diam., bears N. <math>45^{\circ}\frac{3}{4}E.</math>, 374 lks. dist., mkd. <math>\frac{1}{4}</math> S 14 B T.</p> <p>A paloverde, 12 ins. diam., bears S. <math>26^{\circ}\frac{3}{4}E.</math>, 433 lks. dist., mkd. <math>\frac{1}{4}</math> S 23 B T.</p>
53.70	Wash, 20 lks. wide, course SE.
76.50	Wash, 10 lks. wide, course SE.
80.02	The cor. of secs. 14, 15, 22 and 23.
	Land, gently rolling, SE. drainage.
	Soil, rocky; 3rd rate.
	Timber, scattered ironwood and paloverde; undergrowth, greasewood, sage and cactus.
	N. $0^{\circ}07'W.$ , bet. secs. 14 and 15.
	Over gently rolling land, thru scattered timber and undergrowth.
1.50	Wash, 10 lks. wide, course SE.
12.50	Wash, 30 lks. wide, course SE.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ S\ 15 \mid S\ 14 \\ 1937 \end{array}$ <p style="text-align: right;">from which</p> <p>A paloverde, 8 ins. diam., bears S. <math>25^{\circ}\frac{3}{4}E.</math>, 221 lks.</p>



## Subdivision of T.6 S., R.16 W.

## Chains

dist., mkd.  $\frac{1}{4}$  S 14 B T.

A paloverde, 6 ins. diam., bears N.70°W., 370 lks.  
dist., mkd.  $\frac{1}{4}$  S 15 B T.

- 45.10 Wash, 40 lks. wide, course SE.  
60.30 Wash, 10 lks. wide, course S.70°E.  
72.70 Used road, bears N.60°W. and S.60°E.  
76.50 Branch road, bears N.60°W. and S.60°E.  
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the  
ground, for cor. of secs. 10, 11, 14 and 15, with brass cap mkd.

T 6 S R 16 W

S 10	S 11
S 15	S 14

1937

from which

A paloverde, 6 ins. diam., bears N.37°E., 98 lks.  
dist., mkd. T 6 S R 16 W S 11 B T.

An ironwood, 10 ins. diam., bears S.38°W., 421 lks.  
dist., mkd. T 6 S R 16 W S 15 B T.

A paloverde, 4 ins. diam., bears N.34°W., 216 lks.  
dist., mkd. B T only.

Land, gently rolling, SE. drainage.

Soil, rocky; 3rd rate.

Timber, scattered ironwood and paloverde; undergrowth,  
greasewood, sage and cactus.

- N.89°59'E., on a random line, bet. secs. 11 and 14.  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
80.04 A point 3 lks. S. of the cor. of secs. 11, 12, 13 and 14.  
Thence,  
S.89°58'W., on a true line, bet. secs. 11 and 14.  
Over gently rolling land, thru scattered timber and  
undergrowth.  
1.20 Used road, bears N. and S.  
22.00 Wash, 60 lks. wide, course S.30°E.  
40.02 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the  
ground, with a quantity of broken glass deposited at the  
base, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$	S 11
$\frac{1}{4}$	S 14

1937

No suitable accessory.

- 43.54 Desert road, bears NW. and SE.  
57.70 Wash, 20 lks. wide, course S.35°E.  
72.00 Wash, 10 lks. wide, course SE.

## Subdivision of T.6 S., R.16 W.

Chains 80.04	<p>The cor. of secs. 10, 11, 14 and 15.</p> <p>Land, gently rolling, SE. drainage. Soil, rocky; 3rd rate. Timber, scattered ironwood and paloverde; undergrowth, greasewood, sage and cactus.</p> <hr/> <p>N.0°07'W., bet. secs. 10 and 11.</p> <p>Over gently rolling land, thru scattered timber and undergrowth.</p> <p>3.50 Wash, 10 lks. wide, course SE.</p> <p>6.30 Wash, 10 lks. wide, course SE. 5 chs. to fork.</p> <p>22.20 Wash, 15 lks. wide, course SE.</p> <p>40.00 Set an iron post, 3 ft. long, 1 in. diam., 15 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base to top, for <math>\frac{1}{4}</math> sec. cor., with brass cap mkd.</p> <div style="text-align: center;"> <math display="block">\frac{1}{4}</math> <table style="margin: auto;"> <tr> <td>S 10</td> <td> </td> <td>S 11</td> </tr> <tr> <td colspan="3" style="text-align: center;">1937</td> </tr> </table> <p style="text-align: right;">from which</p> <p>A paloverde, 8 ins. diam., bears N.52°E., 117 lks. dist., mkd. <math>\frac{1}{4}</math> S 11 B T.</p> <p>A paloverde, 6 ins. diam., bears N.26°W., 229 lks. dist., mkd. <math>\frac{1}{4}</math> S 10 B T.</p> </div> <p>48.00 Wash, 30 lks. wide, course SE.</p> <p>56.40 Enter wash, 1 ch. wide, course from N. to SE.</p> <p>60.20 Leave wash, course from NW. to S.</p> <p>80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 6 S R 16 W</p> <table style="margin: auto;"> <tr> <td>S 3</td> <td> </td> <td>S 2</td> </tr> <tr> <td>S 10</td> <td> </td> <td>S 11</td> </tr> <tr> <td colspan="3" style="text-align: center;">1937</td> </tr> </table> <p style="text-align: right;">dig pits</p> <p>18x18x12 ins., in each sec., 3 ft. dist.</p> <p>Land, gently rolling. Soil, rocky; 3rd rate. Timber, scattered ironwood and paloverde; undergrowth, greasewood and sage.</p> <hr/> <p>N.89°58'E., on a random line, bet. secs. 2 and 11.</p> <p>40.00 Set temp. <math>\frac{1}{2}</math> sec. cor.</p> <p>79.98 A point 5 lks. N. of the cor. of secs. 1, 2, 11 and 12. Thence, West, on a true line, bet. secs. 2 and 11.</p> </div>	S 10		S 11	1937			S 3		S 2	S 10		S 11	1937		
S 10		S 11														
1937																
S 3		S 2														
S 10		S 11														
1937																

## Subdivision of T.6 S., R.16 W.

4211

Chains	Over gently rolling land, thru scattered timber and undergrowth.
10.30	Dim road, bears NW. and SE.
14.40	Wash, 25 lks. wide, course S.
18.50	Wash, 20 lks. wide, course S.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ \hline S \ 2 \\ \hline S \ 11 \end{array}$
	1937 from which
	An ironwood, 8 ins. diam., bears S.59°W., 347 lks. dist., mkd. $\frac{1}{4}$ S 11 B T.
79.98	The cor. of secs. 2, 3, 10 and 11.
	Land, gently rolling. Soil, rocky; 3rd rate. Timber, scattered ironwood and paloverde; undergrowth, greasewood and sage.
	N.0°07'W., bet. secs. 2 and 3.
	Over gently rolling land, thru scattered timber and undergrowth.
34.00	Wash, 6 lks. wide, course SE.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\   \\ S \ 3 \   \ S \ 2 \end{array}$
	1937 from which
	An ironwood, 8 ins. diam., bears S.31 $\frac{1}{4}$ °E., 184 lks. dist., mkd. $\frac{1}{4}$ S 2 B T.
	An ironwood, 8 ins. diam., bears S.63 $\frac{1}{4}$ °W., 91 lks. dist., mkd. $\frac{1}{4}$ S 3 B T.
61.40	Wash, 30 lks. wide, course SE.
76.00	Wash, 20 lks. wide, course SE.
80.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for cor. of lots 1, 4, 5 and 8, with brass cap mkd.
	$\begin{array}{c} S \ 3 \ \frac{1}{8} \   \ \frac{4}{5} \ S \ 2 \\ \hline \end{array}$
	1937 from which
	An ironwood, 4 ins. diam., bears S.88°W., 70 lks. dist., mkd. T 6 S R 16 W S 3 L 8 B T.
85.27	Intersect the 1st Stan. Par. South.

Subdivision of T.6 S., R.16 W.

Chains

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for closing cor. of sec. 2 and 3, with brass cap mkd.

T 5 S R 16 W

S 35  
S 3 | S 2

T 6 S R 16 W  
C C

1937

from which

A paloverde, 4 ins. diam., bears S.46 $\frac{3}{4}$ °E., 608 lks. dist., mkd. B T only.

A paloverde, 8 ins. diam., bears S.61°W., 193 lks. dist., mkd. T 6 S R 16 W S 3 C C B T.

From the point of intersection, the Standard  $\frac{1}{4}$  sec. cor. of sec. 35, bears N.89°54'E., 16.14 chs. dist., an iron post, 1 in. diam., 10 ins. above ground, mkd. and witnessed as Land, gently rolling. described in the official record. Soil, rocky; 3rd rate. Timber, scattered ironwood and paloverde; undergrowth, greasewood and sage.

From the cor. of secs. 33 and 34, on the S. bdy. of the Tp., hereinbefore described,

N.0°08'W., bet. secs. 33 and 34.

Over gently rolling land, thru scattered timber and undergrowth.

13.20 Wash, 15 lks. wide, course SE.

35.30 Wash, 10 lks. wide, course SE.

41.05 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$   
S 33 | S 34  
1937

from which

A paloverde, 10 ins. diam., bears N.55°W., 94 lks. dist., mkd.  $\frac{1}{4}$  S 33 B T.

77.00 Wash, 15 lks. wide, course SE.

81.05 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, with brass cap mkd.

T 6 S R 16 W

S 28 | S 27  
S 33 | S 34

1937

from which

A paloverde, 6 ins. diam., bears N.49 $\frac{1}{2}$ °E., 241 lks.

Subdivision of T.6 S., R.16 W.

Chains

dist., mkd. T 6 S R 16 W S 27 B T.

A paloverde, 7 ins. diam., bears S.77<sup>3</sup>/<sub>4</sub>°E., 234 lks.  
dist., mkd. T 6 S R 16 W S 34 B T.

A paloverde, 4 ins. diam., bears N.70<sup>1</sup>/<sub>4</sub>°W., 164 lks.  
dist., mkd. B T only.

Land, gently rolling.  
Soil, rocky; 3rd rate.  
Timber, scattered ironwood and paloverde; undergrowth,  
greasewood and sage.


From the cor. of secs. 26,27,34 and 35,

West, on the sectional correction line, bet. secs. 27  
and 34.

Over slightly rolling land, thru fairly dense timber and  
undergrowth.

15.00 Wash, 50 lks. wide, course S.40°E.

39.99 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the  
ground to bedrock, and in a mound of stone, 3 ft. base,  
to top, for <sup>1</sup>/<sub>4</sub> sec. cor., with brass cap mkd.



1937

from which

An ironwood, 6 ins. diam., bears N.49<sup>1</sup>/<sub>4</sub>°E., 206 lks.  
dist., mkd. <sup>1</sup>/<sub>4</sub> S 27 B T.

A paloverde, 6 ins. diam., bears S.76<sup>1</sup>/<sub>4</sub>°E., 275 lks.  
dist., mkd. <sup>1</sup>/<sub>4</sub> S 34 B T.

55.00 Wash, 80 lks. wide, course S.10°E.

72.50 Wash, 25 lks. wide, course S.40°E.

79:98 The cor. of secs. 27,28,33 and 34.

Land, gently rolling.  
Soil, rocky; 3rd rate.  
Timber, scattered ironwood and paloverde; undergrowth,  
greasewood, sage and cactus.

N.0°08'W., bet. secs. 27 and 28.

Over gently rolling land, thru scattered timber and  
undergrowth.

7.70 Wash, 20 lks. wide, course SE.

35.00 Wash, 50 lks. wide, course SE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the  
ground, for <sup>1</sup>/<sub>4</sub> sec. cor., with brass cap mkd.



1937

from which

## Subdivision of T.6 S., R.16 W.

## Chains

A paloverde, 8 ins. diam., bears S.41 $\frac{1}{2}$ °E., 238 lks. dist., mkd.  $\frac{1}{4}$  S 27 B T.

A paloverde, 7 ins. diam., bears N.38°W., 80 lks. dist., mkd.  $\frac{1}{4}$  S 28 B T.

50.60 Wash, 50 lks. wide, course SE.

54.90 Same wash, course SW.

58.20 Same wash, course SE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground, to bedrock, and in a mound of stone, 3 ft. base, to top, for cor. of secs. 21,22,27 and 28, with brass cap mkd.

T 6 S R 16 W

S 21	S 22
S 28	S 27

1937

from which

An ironwood, 4 ins. diam., bears S.36 $\frac{3}{4}$ °E., 124 lks. dist., mkd. B T only.

A paloverde 6 ins. diam., bears S.67 $\frac{3}{4}$ °W., 256 lks. dist., mkd. T 6 S R 16 W S 28 B T.

A paloverde, 6 ins. diam., bears N.74 $\frac{1}{4}$ °W., 298 lks. dist., mkd. T 6 S R 16 W S 21 B T.

Land, gently rolling.

Soil, rocky; 3rd rate.

Timber, scattered ironwood and paloverde; undergrowth, greasewood and sage.

East, on a random line, bet. secs. 22 and 27.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

79.82 A point 3 lks. S. of the cor. of secs. 22,23,26 and, 27.

Thence,

S.89°59'W., on a true line, bet. secs. 22 and 27.

Over gently rolling land, thru scattered timber and undergrowth.

23.90 Wash, 20 lks. wide, course SE.

33.20 Wash, 12 lks. wide, course SE.

39.91 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

S 22
S 27

1937

from which

A paloverde, 6 ins. diam., bears N.15 $\frac{1}{2}$ °W., 303 lks. dist., mkd.  $\frac{1}{4}$  S 22 B T.

A paloverde 5 ins. diam., bears S.6 $\frac{1}{2}$ °E., 300 lks. dist., mkd.  $\frac{1}{4}$  S 27 B T.

Subdivision of T.6 S., R.16 W.

Chains

65.50 Wash, 15 lks. wide, course SE.


79.82 The cor. of secs. 21,22,27 and 28.

Land, gently rolling.  
Soil, rocky; 3rd rate.  
Timber, scattered ironwood and paloverde; undergrowth,  
greasewood and sage.

N.0°08'W., bet. secs. 21 and 22.

Over gently rolling land, thru scattered timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.




from which

A paloverde, 6 ins. diam., bears N.49°W., 282 lks. dist., mkd.  $\frac{1}{4}$  S 21 B T.

42.00 Wash, 20 lks. wide, course E.

67.00 Dim road, bears NW. and SE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, to top, for cor. of secs. 15,16,21 and 22, with brass cap mkd.



from which

A paloverde, 7 ins. diam., bears N.9 $\frac{1}{2}$ °E., 204 lks. dist., mkd. T 6 S R 16 W S 15 B T.

An ironwood, 4 ins. diam., bears S.85 $\frac{1}{2}$ °E., 289 lks. dist., mkd. B T only.

An ironwood, 4 ins. diam., bears N.60 $\frac{1}{2}$ °W., 280 lks. dist., mkd. B T only.

Land, gently rolling.  
Soil, rocky; 3rd rate.  
Timber, scattered ironwood and paloverde; undergrowth,  
greasewood and sage.

N.89°59'E., on a random line, bet. secs. 15 and 22.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

79.88 A point 9 lks. N. of the cor. of secs. 14,15,22 and 23.

Thence,

N.89°57'W., on a true line, bet. secs. 15 and 22.

## Subdivision of T.6 S., R.16 W.

Chains	Over gently rolling land, thru scattered timber and undergrowth.
33.80	Wash, 80 lks. wide, course SE.
39.94	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} S 15 \\ \frac{1}{4} \text{---} S 22 \end{array}$
	1937
	of stone $2\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor. <span style="float: right;">raise a mound</span>
79.88	The cor. of secs. 15, 16, 21 and 22.
	Land, gently rolling. Soil, rocky; 3rd rate. Timber, scattered ironwood and paloverde; undergrowth, greasewood and sage.
	N.0°08'W., bet. secs. 15 and 16.
	Over gently rolling land, thru scattered timber and undergrowth.
30.40	Wash, 40 lks. wide, course SE.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ S 16 \text{---} S 15 \end{array}$
	1937
	from which
	A paloverde, 6 ins. diam., bears N.46 $\frac{1}{4}$ °E., 26 lks. dist., mkd. $\frac{1}{4}$ S 15 B T.
	An ironwood, 6 ins. diam., bears N.47 $\frac{3}{4}$ °W., 120 lks. dist., mkd. $\frac{1}{4}$ S 16 B T.
42.60	Wash, 20 lks. wide, course SE.
79.00	Wash, 6 lks. wide, course SE.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 9, 10, 15 and 16, with brass cap mkd.
	T 6 S R 16 W
	$\begin{array}{c} S 9 \text{---} S 10 \\ S 16 \text{---} S 15 \end{array}$
	1937
	from which
	An ironwood, 8 ins. diam., bears S.20°E., 102 lks. dist., mkd. T 6 S R 16 W S 15 B T.
	A paloverde, 6 ins. diam., bears S.9 $\frac{3}{4}$ °W., 110 lks.



Subdivision of T.6 S., R.16 W.

Chains

dist., mkd. T 6 S R 16 W S 16 B T.

Land, gently rolling.  
Soil, rocky; 3rd rate.  
Timber, scattered ironwood and paloverde; undergrowth,  
greasewood and sage.

S.89°57'E., on a random line, bet. secs. 10 and 15.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

79.87 A point 9 lks., S. of the cor. of secs. 10, 11, 14 and 15.

Thence,

S.89°59'W., on a true line, bet. secs. 10 and 15.

Over gently rolling land, thru scattered timber and undergrowth.

16.00 Dim road, bears SE. and NW.

39.93 Set an iron post, 3 ft. long, 1 in. diam., 7 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base, to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$  S 10  
S 15

1937

from which

An ironwood, 5 ins. diam., bears N.53°E., 259 lks. dist., mkd.  $\frac{1}{4}$ S 10 B T.

A paloverde, 5 ins. diam., bears S.46°W., 204 lks. dist., mkd.  $\frac{1}{4}$  S 15 B T.

42.50 Wash, 50 lks. wide, course SE.

61.30 Wash, 20 lks. wide, course SE.

79.87 The cor. of secs. 9, 10, 15 and 16.

Land, gently rolling.  
Soil, rocky; 3rd rate.  
Timber, scattered ironwood and paloverde; undergrowth,  
greasewood and sage.

N.0°08'W., bet. secs. 9 and 10.

Over gently rolling land, thru scattered timber and undergrowth.

4.10 Wash, 40 lks. wide, course SE.

13.50 Low ridge, bears NW. and SE.; desc. over gentle NE. slope.

18.17 Wash, 15 lks. wide, course SE.; asc. over gentle SW. slope.

31.27 Wash, 15 lks. wide, course SE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$   
S 9 | S 10

1937

## Subdivision of T.6 S., R.16 W.

## Chains

from which

A paloverde, 8 ins. diam., bears S.55½°E., 341 lks. dist., mkd. ¼ S 10 B T.

A paloverde, 8 ins. diam., bears S.70¼°W., 225 lks. dist., mkd. ¼ S 9 B T.

40.35 Dim road, bears NW. and SE.

46.30 Wash, 25 lks. wide, course SE.

70.00 Wash, 6 lks. wide, course SE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 3,4,9 and 10, with brass cap mkd.

T 6 S R 16 W

S 4	S 3
S 9	S 10

1937

dig pits

18x18x12 ins., in each sec., 3 ft. dist.

Land, gently rolling.

Soil, rocky; 3rd rate.

Timber, scattered ironwood and paloverde; undergrowth, greasewood and sage.

N.89°59'E., on a random line, bet. secs. 3 and 10.

40.00 Set temp. ¼ sec. cor.

79.90 A point 2 lks. N. of the cor. of secs. 2,3,10 and 11.

Thence,

West, on a true line, bet. secs. 3 and 10.

Over gently rolling land, thru scattered timber and undergrowth.

12.90 Wash, 40 lks. wide, course SE. Over wash land.

21.30 Wash, 40 lks. wide, course SE.

33.00 Wash, 20 lks. wide, course SE.

39.27 Dim road, bears NW. and SE.

39.95 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base to top, for ¼ sec. cor., with brass cap mkd.

S 3	
¼ S 10	

1937

from which

An ironwood, 5 ins. diam., bears N.74°W., 246 lks. dist., mkd. ¼ S 3 B T.

An ironwood, 5 ins. diam., bears S.42½°W., 236 lks. dist., mkd. ¼ S 10 B T.

Subdivision of T.6 S., R.16 W.

Chains  
 47.20 Wash, 15 lks. wide, course SE.  
 79.90 The cor. of secs. 3, 4, 9 and 10.  
 Land, gently rolling.  
 Soil, rocky; 3rd rate.  
 Timber, scattered ironwood and paloverde; undergrowth,  
 greasewood and sage.

---

N.0°08'W., bet. secs. 3 and 4.  
 Over gently rolling land, thru scattered timber and  
 undergrowth.  
 4.00 Wash, 7 lks. wide, course E.  
 20.85 Wash, 8 lks. wide, course E.  
 38.40 Dim road, bears NW. and SE.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ S\ 4\ | \ S\ 3 \\ | \\ 1937 \end{array}$$

from which

An ironwood, 6 ins. diam., bears S.37 $\frac{1}{2}$ °E., 284 lks.  
 dist., mkd.  $\frac{1}{4}$  S 3 B T.

42.80 Wash, 15 lks. wide, course E.  
 46.10 Enter wash, 1 ch. wide, course from N. to SE; junction  
 of wash at 42.80.  
 52.60 Leave wash, course from NW. to S.  
 80.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the  
 ground, for cor. of lots 1, 4, 5 and 8, with brass cap mkd.

$$\begin{array}{c} S\ 4\ \frac{1}{8}\ | \ \frac{4}{5}\ S\ 3 \\ | \\ 1937 \end{array}$$

from which

A paloverde, 4 ins. diam., bears S.60 $\frac{3}{4}$ °E., 284 lks.  
 dist., mkd. B T.  
 An ironwood, 4 ins. diam., bears N.24 $\frac{1}{2}$ °W., 128 lks.  
 dist., mkd. B T.

85.18 Intersect the 1st Stan. Par. South.  
 Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in  
 the ground to bedrock, and in a mound of stone, 3 ft.  
 base, to top, for closing cor. of secs. 3 and 4, with  
 brass cap mkd.

T 5 S R 16 W

$$\begin{array}{c} S\ 34 \\ \hline S\ 4\ | \ S\ 3 \end{array}$$

T 6 S R 16 W

C C  
1937

EOLN 410

## Subdivision of T.6 S., R.16 W.

Chains	
	from which
	A paloverde, 6 ins. diam., bears S.16 $\frac{1}{2}$ °E., 63 lks. dist., mkd. T 6 S R 16 W S 3 C C B T.
	An ironwood, 8 ins. diam., bears S.48 $\frac{3}{4}$ °W., 394 lks. dist., mkd. T 6 S R 16 W S 4 C C B T.
	From the point of intersection, the Standard $\frac{1}{4}$ sec. cor. of sec. 34 bears N.89°54'E., 15.70 chs. dist., an iron post, 1 in. diam., 10 ins. above ground, mkd., and witnessed as described in the official record.
	Land, gently rolling. Soil, rocky; 3rd rate. Timber, scattered ironwood and paloverde; undergrowth, greasewood and sage.
	From the cor. of secs. 32 and 33, on the S. bdy. of the Tp., hereinbefore described, N.0°08'W., bet. secs. 32 and 33. Over gently rolling land, thru scattered timber and undergrowth.
5.80	Wash, 10 lks. wide, course SE.
41.65	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 32   S 33 1937
	from which
	A paloverde, 12 ins. diam., bears N.10°E., 637 lks. dist., mkd. $\frac{1}{4}$ S 33 B T.
	A paloverde, 6 ins. diam., bears S.53 $\frac{1}{2}$ °W., 340 lks. dist., mkd. $\frac{1}{4}$ S 32 B T.
48.90	Wash, 10 lks. wide, course SE.
67.40	Wash, 10 lks. wide, course SE.
81.65	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 28, 29, 32 and 33, with brass cap mkd.
	T 6 S R 16 W S 29   S 28 S 32   S 33 1937
	from which
	A paloverde, 8 ins. diam., bears N.69°E., 434 lks. dist., mkd. T 6 S R 16 W S 28 B T.
	A paloverde 5 ins. diam., bears S.84 $\frac{1}{4}$ °E., 533 lks. dist., mkd. T 6 S R 16 W S 33 B T.
	A paloverde, 6 ins. diam., bears S.69 $\frac{1}{4}$ °W., 362 lks. dist., mkd. T 6 S R 16 W S 32 B T.
	A paloverde, 6 ins. diam., bears N.65 $\frac{3}{4}$ °W., 322 lks. dist., mkd. T 6 S R 16 W S 29 B T.

## Subdivision of T.6 S., R.16 W.

## Chains

Land, gently rolling, SE. drainage.  
Soil, rocky; 3rd rate.  
Timber, scattered ironwood and paloverde; undergrowth,  
greasewood, sage and cactus.

From the cor. of secs. 27, 28, 33 and 34,

West, on the sectional correction line, bet. secs. 28  
and 33.

Over gently rolling land, thru scattered timber and  
undergrowth.

35.50 Wash, 30 lks. wide, course S.20°E. Over wash land.

40.02 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\frac{1}{4} \begin{array}{l} S 28 \\ S 33 \end{array}$$

1937

from which

An ironwood, 12 ins. diam., bears N.14 $\frac{1}{2}$ °E., 272 lks.  
dist., mkd.  $\frac{1}{4}$  S 28 B T.

A paloverde, 18 ins. diam., bears S.56°W., 210 lks.  
dist., mkd.  $\frac{1}{4}$  S 33 B T.

60.00 Wash, 25 lks. wide, course S.20°E. Leave wash land.

72.10 Wash, 20 lks. wide, course S.20°E.

80.04 The cor. of secs. 28, 29, 32 and 33.

Land, slightly rolling, SE. drainage.  
Soil, rocky; 4th rate.  
Timber, scattered paloverde and ironwood; undergrowth,  
greasewood, sage and cactus.

N.0°08'W., bet. secs. 28 and 29.

Over gently rolling land, thru scattered timber and  
undergrowth.

18.10 Wash, 15 lks. wide, course SE.

22.20 Wash, 20 lks. wide, course SE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\frac{1}{4} \begin{array}{l} S 29 \\ S 28 \end{array}$$

1937

from which

An ironwood, 6 ins. diam., bears S.78 $\frac{1}{4}$ °E., 68 lks.  
dist., mkd.  $\frac{1}{4}$  S 28 B T.

An ironwood, 8 ins. diam., bears N.83 $\frac{1}{2}$ °W., 91 lks.  
dist., mkd.  $\frac{1}{4}$  S 29 B T.

U.S.C. & G. triangulation station at Roll, bears  
N.68°W.

## Subdivision of T.6 S., R.16 W.

Chains  
 41.40 Wash, 25 lks. wide, course SE.  
 55.00 Wash, 250 lks. wide, course SE.  
 80.00 Set an iron post, 3 ft. long, 2' ins. diam., 28 ins. in the ground, for cor. of secs. 20,21,28 and 29, with brass cap mkd.

T 6 S R 16 W

S 20	S 21
S 29	S 28
1937	

from which

An ironwood, 8 ins. diam., bears N.52 $\frac{1}{2}$ °E., 156 lks. dist., mkd. T 6 S R 16 W S 21 B T.

A paloverde, 6 ins. diam., bears S.68 $\frac{1}{4}$ °E., 212 lks. dist., mkd. T 6 S R 16 W S 28 B T.

A paloverde, 10 ins. diam., bears S.17 $\frac{1}{4}$ °W., 77 lks. dist., mkd. T 6 S R 16 W S 29 B T.

An ironwood, 10 ins. diam., bears N.1 $\frac{1}{4}$ °W., 161 lks. dist., mkd. T 6 S R 16 W S 20 B T.

U.S.C. & G.S. triangulation station at Roll, bears S.26°W.

Land, gently rolling.

Soil, rocky; 3rd rate.

Timber, scattered ironwood and paloverde; undergrowth, greasewood, sage and cactus.

East, on a random line, bet. secs. 21 and 28.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.02 A point 4 lks. S. of the cor. of secs. 21,22,27 and 28.

Thence,

S.89°58'W., on a true line, bet. secs. 21 and 28.

Over gently rolling land, thru scattered timber and undergrowth.

2.70 Wash, 10 lks. wide, course SE.

10.50 Wash, 30 lks. wide, course SE.

22.00 Wash, 15 lks. wide, course SE.

40.01 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$	S 21
	S 28

1937

from which

An ironwood, 12 ins. diam., bears N.27 $\frac{1}{2}$ °W., 199 lks. dist., mkd.  $\frac{1}{4}$  S 21 B T.

An ironwood, 8 ins. diam., bears S.2 $\frac{1}{2}$ °W., 81 lks. dist., mkd.  $\frac{1}{4}$  S 28 B T.

55.20 Wash, 15 lks. wide, course SE.

80.02 The cor. of secs. 20,21,28 and 29.

## Subdivision of T.6 S., R.16 W.

Chains

Land, gently rolling, SE. drainage.  
Soil, rocky; 3rd rate.  
Timber, scattered ironwood and paloverde; undergrowth,  
greasewood, sage and cactus.

N.0°08'W., bet. secs. 20 and 21.

Over gently rolling land, thru scattered timber and  
undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ | \\ \text{S } 20 \text{ | S } 21 \\ | \\ 1937 \end{array}$$

from which

A paloverde, 8 ins. diam., bears N.28 $\frac{1}{2}$ °E., 344 lks.  
dist., mkd.  $\frac{1}{4}$  S 21 B T.

An ironwood, 8 ins. diam., bears N.50 $\frac{1}{2}$ °W., 422 lks.  
dist., mkd.  $\frac{1}{4}$  S 20 B T.

47.10 Wash, 10 lks. wide, course SE.

72.00 Wash, 10 lks. wide, course SE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in  
the ground, for cor. of secs. 16, 17, 20 and 21, with brass  
cap mkd.

T 6 S R 16 W

$$\begin{array}{c} \text{S } 17 \text{ | S } 16 \\ \text{S } 20 \text{ | S } 21 \\ | \\ 1937 \end{array}$$

1937

from which

A paloverde, 10 ins. diam., bears S.14°E., 354 lks.  
dist., mkd. T 6 S R 16 W S 21 B T.

An ironwood, 8 ins. diam., bears S.22°W., 242 lks.  
dist., mkd. T 6 S R 16 W S 20 B T.

Raise a mound of stone, 3 ft. base, 3 ft. high, W.  
of cor.

Land, gently rolling, SE. drainage.  
Soil, rocky; 3rd rate.  
Timber, scattered ironwood and paloverde; undergrowth,  
greasewood, sage and cactus.

N.89°58'E., on a random line, bet. secs. 16 and 21.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.00 A point 2 lks. N. of the cor. of secs. 15, 16, 21 and 22.

Thence,

S.89°59'W., on a true line, bet. sec. 16 and 21.

Over gently rolling land, thru scattered timber and  
undergrowth.

Subdivision of T.6 S., R.16 W.

Chains  
 9.60 Desert road, bears NW. and SE.  
 20.70 Wash, 15 lks. wide, course SE.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$  S 16  
 S 21

1937

from which

An ironwood, 6 ins. diam., bears N.69 $\frac{1}{4}$ °W., 342 lks. dist., mkd.  $\frac{1}{4}$  S 16 B T.

A paloverde, 8 ins. diam., bears S.9 $\frac{1}{2}$ °W., 265 lks. dist., mkd.  $\frac{1}{4}$  S 21 B T.

55.00 Wash, 40 lks. wide, course SE.  
 80.00 The cor. of secs. 16, 17, 20 and 21.

Land, gently rolling, SE. drainage.  
 Soil, rocky; 3rd rate.  
 Timber, scattered ironwood and paloverde; undergrowth, greasewood, sage and cactus.

N.0°08'W., bet. secs. 16 and 17.

Over gently rolling land, thru scattered timber and undergrowth.

21.40 Wash, 30 lks. wide, course SE.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, and in a mound of stone, 3 ft. base, to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$   
 S 17 | S 16

1937

from which

A paloverde, 12 ins. diam., bears S.74 $\frac{3}{4}$ °E., 111 lks. dist., mkd.  $\frac{1}{4}$  S 16 B T.

A paloverde, 10 ins. diam., bears N.8°W., 72 lks. dist., mkd.  $\frac{1}{4}$  S 17 B T.

49.70 Wash, 50 lks. wide, course S.10°E.  
 72.80 Desert road, bears NW. and SE.  
 77.50 Wash, 10 lks. wide, course SE.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, to top, for cor. of secs. 8, 9, 16 and 17, with brass cap mkd.

T 6 S R 16 W

S 8 | S 9  
 S 17 | S 16

1937

from which



Subdivision of T.6 S., R.16 W.

Chains	
	<p>A paloverde, 6 ins. diam., bears N.22½°E., 462 lks. dist., mkd. T 6 S R 16 W S 9 B T.</p> <p>A paloverde, 8 ins. diam., bears S.37¼°E., 250 lks. dist., mkd. T 6 S R 16 W S 16 B T.</p> <p>An ironwood, 8 ins. diam., bears S.36½°W., 330 lks. dist., mkd. T 6 S R 16 W S 17 B T.</p> <p>A paloverde, 6 ins. diam., bears N.15¼°W., 594 lks. dist., mkd. T 6 S R 16 W S 8 B T.</p> <p>Land, gently rolling, SE. drainage. Soil, rocky; 3rd rate. Timber, scattered ironwood and paloverde; undergrowth, greasewood, sage and cactus.</p>
	<p>N.89°59'E., on a random line, bet. secs. 9 and 16.</p>
40.00	Set temp. ¼ sec. cor.
79.96	The cor. of secs. 9, 10, 15 and 16.
	Thence,
	S.89°59'W., on a true line, bet. secs. 9 and 16.
	Over rolling land, thru scattered timber and undergrowth.
39.98	Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, to top, for ¼ sec. cor., with brass cap mkd.
	$\frac{1}{4} \begin{array}{c} S 9 \\ S 16 \end{array}$
	1937
	from which
	A paloverde, 6 ins. diam., bears N.57½°E., 313 lks. dist., mkd. ¼ S 9 B T.
	A paloverde, 12 ins. diam., bears S.52°W., 515 lks. dist., mkd. ¼ S 16 B T.
79.96	The cor. of secs. 8, 9, 16 and 17.
	Land, gently rolling. Soil, rocky; 3rd rate. Timber, scattered ironwood and paloverde; undergrowth, greasewood and sage.
	N.0°08'W., bet. secs. 8 and 9.
	Over gently rolling land, thru scattered timber and undergrowth.
13.40	Wash, 10 lks. wide, course S.70°E.
18.50	Wash, 15 lks. wide, course S.60°E.
26.50	Wash, 15 lks. wide, course S.60°E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for ¼ sec. cor., with brass cap mkd.
	$S 8 \left  \begin{array}{c} \frac{1}{4} \\ S 9 \end{array} \right.$
	1937

## Subdivision of T.6 S., R.16 W.

Chains

from which

An ironwood, 12 ins. diam., bears S.26 $\frac{1}{4}$ °E., 81 lks. dist., mkd.  $\frac{1}{4}$  S 9 B T.

An ironwood, 10 ins. diam., bears S.72°W., 38 lks. dist., mkd.  $\frac{1}{4}$  S 8 B T.

71.20 Desert road, bears SE. and NW.

75.60 Wash, 15 lks. wide, course N.80°E.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 4, 5, 8 and 9, with brass cap mkd.

T 6 S R 16 W

S 5	S 4
S 8	S 9

1937

from which

An ironwood, 5 ins. diam., bears N.54 $\frac{3}{4}$ °E., 289 lks. dist., mkd. T 6 S R 16 W S 4 B T.

A paloverde, 8 ins. diam., bears S.11 $\frac{3}{4}$ °E., 463 lks. dist., mkd. T 6 S R 16 W S 9 B T.

A paloverde, 8 ins. diam., bears S.11 $\frac{1}{2}$ °W., 395 lks. dist., mkd. T 6 S R 16 W S 8 B T.

An ironwood, 6 ins. diam., bears N.67 $\frac{1}{4}$ °W., 204 lks. dist., mkd. T 6 S R 16 W S 5 B T.

Land, gently rolling, SE. drainage.

Soil, rocky; 3rd rate.

Timber, scattered ironwood and paloverde; undergrowth, greasewood, sage and cactus.

N.89°59'E., on a random line, bet. secs. 4 and 9.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.00 A point, 5 lks. S. of the cor. of secs. 3, 4, 9 and 10.

Thence,

S.89°57'W., on a true line, bet. secs. 4 and 9.

Over gently rolling land, thru scattered timber and undergrowth.

34.50 Wash, 50 lks. wide, course S.60°E.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$	S 4
	S 9

1937

from which

A paloverde, 10 ins. diam., bears N.20 $\frac{1}{4}$ °E., 109 lks. dist., mkd.  $\frac{1}{4}$  S 4 B T.

An ironwood, 12 ins. diam., bears S.61 $\frac{1}{4}$ °E., 214 lks.

Subdivision of T.6 S., R.16 W.

Chains

dist., mkd.  $\frac{1}{4}$  S 9 B T.

47.70 Wash, 20 lks. wide, course NE.

80.00 The cor. of secs. 4, 5, 8 and 9.


Land, gently rolling.  
Soil, rocky; 3rd rate.  
Timber, scattered ironwood and paloverde; undergrowth,  
greasewood, sage and cactus.

N.0°08'W., bet. secs. 4 and 5.

Over gently rolling land, thru scattered timber and undergrowth.

21.60 Wash, 10 lks. wide, course S.70°E.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground, to bedrock, and in a mound of stone, 3 ft. base, to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.




from which

An ironwood, 10 ins. diam., bears S.81 $\frac{1}{2}$ °E., 51 lks. dist., mkd.  $\frac{1}{4}$  S 4 B T.

A paloverde, 6 ins. diam., bears N.63 $\frac{3}{4}$ °W., 94 lks. dist., mkd.  $\frac{1}{4}$  S 5 B T.

61.90 Wash, 1 ch. wide, course SE.; fork about 50 lks. NW.

80.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for cor. of lots 1, 4, 5 and 8, with brass cap mkd.



from which

An ironwood, 14 ins. diam., bears N.86 $\frac{1}{2}$ °E., 443. lks. dist., mkd. Lot 4 S 4 B T.


An ironwood, 8 ins. diam., bears S.69°E., 583 lks. dist., mkd. Lot 5 S 4 B T.

A paloverde, 14 ins. diam., bears S.28 $\frac{1}{2}$ °W., 349 lks. dist., mkd. Lot 8 S 5 B T.

A paloverde, 6 ins. diam., bears N.6 $\frac{3}{4}$ °W., 309 lks. dist., mkd. Lot 1 S 5 B T.

85.10 Intersect the 1st Stan. Par. South.

Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base to top, for closing cor. of secs. 4 and 5, with brass cap mkd.



Subdivision of T.6 S., R.16 W.

Chains

from which

An ironwood, 10 ins. diam., bears S.62 $\frac{1}{4}$ °E., 243 lks. dist., mkd. T 6 S R 16 W S 4 C C B T.

An ironwood, 8 ins. diam., bears S.62 $\frac{3}{4}$ °E., 120 lks. dist., mkd. T 6 S R 16 W S 4 C C B T.

From the point of intersection, the standard cor. of secs. 32 and 33 bears S.89°54'W., 24.21 chs. dist., an iron post 3 ins. diam., 24 ins. above ground set in a mound of stone, mkd. and witnessed as described in the official record.

Land, gently rolling, SE. drainage.  
Soil, rocky; 3rd rate.  
Timber, scattered ironwood and paloverde; undergrowth, greasewood, sage and cactus.

From the cor. of secs. 31 and 32, on the S. bdy. of the Tp., hereinbefore described,


N.0°09'W., bet. secs. 31 and 32.

Over rolling land, thru scattered timber and undergrowth.

15.00 Old road, bears N.20°W. and S.20°E.

31.60 Old road, bears NW. and SE.

41.08 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.



from which

A paloverde, 10 ins. diam., bears N.75°E., 93 lks. dist., mkd.  $\frac{1}{4}$  S 32 B T.


A paloverde, 6 ins. diam., bears N.14 $\frac{3}{4}$ °W., 164 lks. dist., mkd.  $\frac{1}{4}$  S 31 B T.

43.70 Wash, 10 lks. wide, course SE.

66.00 Wash, 10 lks. wide, course SW.

73.20 Same wash, course from NW. to SE.

81.08 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with a quantity of broken glass deposited at the base, for cor. of secs. 29, 30, 31 and 32, with brass cap, mkd..



No suitable accessory.

Land, rolling hills.  
Soil, rocky; 4th rate.  
Timber, scattered paloverde and ironwood; undergrowth, greasewood, ocotillo and cactus.

## Subdivision of T.6 S., R.16 W.

## Chains

From the cor. of secs. 28, 29, 32 and 33.

West, on the sectional correction line, bet. secs. 29 and 32.

Over gently rolling land, thru scattered timber and undergrowth.

26.05 Graded dirt highway, bears N.28°W. to Quartzite and S.16°E. to Roll.

26.75 A point 214 lks. N. of U.S. Coast & Geodetic Bench Mark, 575  
A concrete post, 5x5 ins., 10 ins. above ground, firmly set, mkd. B M 1925 Elevation above Sea Level Feet.

35.40 Wash, 15 lks. wide, course S.15°E.

39.98 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\frac{1}{4} \begin{array}{l} S 29 \\ S 32 \end{array}$$

1937

from which

A paloverde, 5 ins. diam., bears N.21°E., 49 lks. dist., mkd.  $\frac{1}{4}$  S 29 B T.

A paloverde, 5 ins. diam., bears S.30 $\frac{1}{4}$ °E., 29 lks. dist., mkd.  $\frac{1}{4}$  S 32 B T.

68.70 Wash, 80 lks. wide, course S.20°E.

79.96 The cor. of secs. 29, 30, 31 and 32.

Land, gently rolling, SE. drainage.

Soil, rocky; 4th rate.

Timber, scattered paloverde and ironwood; undergrowth, greasewood and sage.

From the cor. of secs. 29, 30, 31 and 32,

West, on the sectional correction line, bet. secs. 30 and 31.

Over slightly rolling land, thru scattered timber and undergrowth.

31.00 Wash, 120 lks. wide, course S.40°E.

34.80 Desert road, bears N.40°W. and S.40°E.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\frac{1}{4} \begin{array}{l} S 30 \\ S 31 \end{array}$$

1937

from which

An ironwood, 6 ins. diam., bears N.46 $\frac{1}{4}$ °W., 203 lks. dist., mkd.  $\frac{1}{4}$  S 30 B T.

A paloverde, 6 ins. diam., bears S.15°E., 450 lks. dist., mkd.  $\frac{1}{4}$  S 31 B T.

67.00 Desert road, bears N.20°W. and S.20°E.

## Subdivision of T.6 S., R.16 W.

Chains 74.00	Desert road, from N.10°W., bears East.									
82.90	Intersect the W. bdy. of the Tp.  Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for closing cor. of secs. 30 and 31, with brass cap mkd.  <div style="text-align: center;"> <p>T 6 S</p> <table style="margin: auto;"> <tr> <td>R 17 W</td> <td>R 16 W</td> <td></td> </tr> <tr> <td></td> <td>S 30</td> <td></td> </tr> <tr> <td>S 25</td> <td>S 31</td> <td>C C</td> </tr> </table> <p>1937</p> </div> <p style="text-align: right;">from which</p> <p>An ironwood, 6 ins. diam., bears N.47½°E., 330 lks. dist., mkd. T 6 S R 16 W S 30 C C B T.</p> <p>An ironwood, 6 ins. diam., bears S.62°E., 221 lks. dist., mkd. T 6 S R 16 W S 31 C C B T.</p> <p>U.S.Coast and Geodetic Survey tri. sta. bears N.72°17'E.</p> <p>From the point of intersection, the cor. of secs. 25 and 36, T.6 S.,R.17 W., bears South, 2.14 chs. dist., hereinbefore described.</p> <p>Land, slightly rolling, SE. drainage. Soil, rocky; 4th rate. Timber, scattered paloverde and ironwood; undergrowth, greasewood, sage and cactus.</p>	R 17 W	R 16 W			S 30		S 25	S 31	C C
R 17 W	R 16 W									
	S 30									
S 25	S 31	C C								
	At a point North, 2.14 chs. dist. of the ¼ sec. cor. of sec. 36 only, T.6 S., R.17 W., hereinbefore described, which point is South, 40 chs. dist., from the closing cor. of secs. 30 and 31, T.6 S., R.16 W.,  Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground, and in a mound of stone, 4 ft. base to top, for ¼ sec. cor. of sec. 31, only, T.6 S., R.16 W., with brass cap mkd.  <div style="text-align: center;"> <p>¼ S 31</p> <p>1937</p> </div> <p style="text-align: right;">from which</p> <p>An ironwood, 14 ins. diam., bears S.4°E., 198 lks. dist., mkd. ¼ S 31 B T.</p>									
	from the cor. of secs. 29, 30, 31 and 32, N.0°09'W., bet. secs. 29 and 30.  Over rolling land, thru scattered timber and undergrowth.									
38.80	Wash, 30 lks. wide, course E. for about 5 chs; thence SE.									
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for ¼ sec. cor., with brass cap mkd.  <div style="text-align: center;"> <p>¼</p> <table style="margin: auto;"> <tr> <td>S 30</td> <td>S 29</td> </tr> </table> <p>1937</p> </div> <p style="text-align: right;">from which</p>	S 30	S 29							
S 30	S 29									

## Subdivision of T.6 S., R.16 W.

## Chains

An ironwood, 6 ins. diam., bears S.29°E., 137 lks. dist., mkd.  $\frac{1}{4}$  S 29 B T.

An ironwood, 6 ins. diam., bears S.18 $\frac{1}{2}$ °W., 93 lks. dist., mkd.  $\frac{1}{4}$  S 30 B T.

55.10 Wash, 20 lks. wide, course SE.; asc. 30 ft. along W.slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., on bedrock and in a mound of stone, 4 ft. base, to top, for cor. of secs. 19,20,29 and 30, with brass cap mkd.

T 6 S R 16 W

S 19	S 20
S 30	S 29

1937

from which

A paloverde, 6 ins. diam., bears S.87°W., 327 lks. dist., mkd. T 6 S R 16 W S 30 B T.

A paloverde, 6 ins. diam., bears N.21 $\frac{1}{2}$ °W., 111 lks. dist., mkd. T 6 S.R 16 W S 19 B T.

Land, rolling hills.

Soil, rocky; 4th rate.

Timber, scattered paloverde and ironwood; undergrowth, greasewood, ocotillo and cactus.

East, on a random line, bet. secs. 20 and 29.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.04 A point 9 lks. S. of the cor. of secs. 20,21,28 and 29.

Thence,

S.89°56'W., on a true line, bet. secs. 20 and 29.

Over rolling land, thru scattered timber and undergrowth.

13.30 Wash, 50 lks. wide, course S.10°W.

18.80 Wash, 50 lks. wide, course S;

40.02 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 20	S 29
--------------------	------

1937

from which

A paloverde, 6 ins. diam., bears N.22°W., 395 lks. dist., mkd.  $\frac{1}{4}$  S 20 B T.

A paloverde, 7 ins. diam., bears S.63°W., 272 lks. dist., mkd.  $\frac{1}{4}$  S 29 B T.

61.80 Graded quartzite-Roll highway, bears N. and S.

70.00 Asc. 33 ft. over E. slope.

75.70 Top of low hill; desc. 18 ft. over SW. slope.

80.04 The cor. of secs. 19,20,29 and 30.

## Subdivision of T.6 S., R.16 W.

## Chains

Land, rolling hills.  
Soil, rocky; 4th rate.  
Timber, scattered paloverde, ironwood and sahuara;  
undergrowth, greasewood, sage, ocotillo and cactus.

West, bet. secs. 19 and 30.

Over rolling land, thru scattered timber and undergrowth.

2.80 Wash, 30 lks. wide, course SW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bedrock, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{r} \frac{1}{4} \text{ S } 19 \\ \hline \text{S } 30 \end{array}$$

1937

No suitable accessory.

50.00 Wash, 30 lks. wide, course SE.; asc. 73 ft. over NE. slope.

63.00 Spur, slopes N.85°E.; desc. 54 ft. over W. slope.

76.30 Swale, course NW.; asc. 34 ft. over E. slope.

77.10 Mine shaft.

82.25 Spur, slopes NW.

82.65 Intersect the W. bdy. of the Tp.

Set an iron post, 3 ft. long, 2 ins. diam., 22 ins. in the ground to bedrock, with a quantity of glass deposited at the base, and in a mound of stone to top, for closing cor. of secs. 19 and 30, with brass cap mkd.

T 6 S

$$\begin{array}{r} \text{R } 17 \text{ W} \mid \text{R } 16 \text{ W} \\ \text{S } 24 \mid \begin{array}{r} \text{S } 19 \\ \hline \text{S } 30 \end{array} \mid \text{C } \text{C} \end{array}$$

1937

No suitable accessory

From the point of intersection, the cor. of secs. 24 and 25, T.6 S., R.17 W., bears South, 2.14 chs. dist., hereinbefore described.

Land, rolling.  
Soil, rocky; 4th rate.  
Timber, paloverde, ironwood and sahuara; undergrowth,  
greasewood, sage, ocotillo and cactus.

At a point North, 2.14 chs. dist. of the  $\frac{1}{4}$  sec. cor. of sec. 25 only, T.6 S., R.17 W., hereinbefore described, which point is midway bet. the NW. and SW. closing cors. of sec. 30, T.6 S., R.16 W.,

Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, with a quantity of broken glass deposited at the base, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor., of sec. 30, only, T.6 S., R.16 W., with brass cap mkd.



## Subdivision of T.6 S., R.16 W.

Chains

$$\frac{1}{4}S \ 30$$

1937

No suitable accessory.

From the cor. of secs. 19, 20, 29 and 30.  
N.0°09'W., bet. secs. 19 and 20.

Over rolling land, thru scattered timber and undergrowth.

- 1.00 Wash, 30 lks. wide, course SW.  
3.90 Same wash, from NW. course SE.; asc. 57 ft. over SW. slope.  
30.70 Low hill, bears NW. and SE.; desc. 57 ft. over NE. slope.  
37.60 Wash, 30 lks. wide, course SE.  
40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\frac{1}{4}$$

$$S \ 19 \ | \ S \ 20$$

1937

from which

A paloverde, 6 ins. diam., bears S.15 $\frac{3}{4}$ °E., 169 lks. dist., mkd.  $\frac{1}{4}$  S 20 B T.

A paloverde, 6 ins. diam., bears S.53 $\frac{1}{4}$ °W., 159 lks. dist., mkd.  $\frac{1}{4}$  S 19 B T.

- 70.60 Wash, 10 lks. wide, course SE.  
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 17, 18, 19 and 20, with brass cap mkd.

T 6 S R 16 W

$$\begin{array}{c} S \ 18 \ | \ S \ 17 \\ \hline S \ 19 \ | \ S \ 20 \end{array}$$

1937

from which

A paloverde, 6 ins. diam., bears N.85 $\frac{1}{4}$ °E., 212 lks. dist., mkd. T 6 S R 16 W S 17 B T.

A paloverde, 7 ins. diam., bears S.50 $\frac{1}{2}$ °E., 252 lks. dist., mkd. T 6 S R 16 W S 20 B T.

A paloverde, 10 ins. diam., bears S.46°W., 375 lks. dist., mkd. T 6 S R 16 W S 19 B T.

A paloverde, 8 ins. diam., bears N.56 $\frac{1}{4}$ °W., 420 lks. dist., mkd. T 6 S R 16 W S 18 B T.

Land, rolling hills.  
Soil, rocky; 4th rate.  
Timber, scattered paloverde, ironwood and sahuara;  
undergrowth, greasewood, sage, ocotillo and cactus.

N.89°56'E., on a random line, bet. secs. 17 and 20..

## Subdivision of T.6 S., R.16 W.

Chains	
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.04	A point 2 lks. S. of the cor. of secs. 16, 17, 20 and 21. Thence, S. $89^{\circ}55'W.$ , on a true line, bet. secs. 17 and 20. Over rolling land, thru scattered timber and undergrowth.
34.10	Wash, 40 lks. wide, course S.
40.02	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4} \frac{S 17}{S 20}$ 1937 from which An ironwood, 6 ins. diam., bears N. $33\frac{1}{4}^{\circ}W.$ , 63 lks. dist., mkd. $\frac{1}{4}$ S 17 B T. An ironwood, 8 ins. diam., bears S. $54^{\circ}E.$ , 121 lks. dist., mkd. $\frac{1}{4}$ S 20 B T.
64.14	Graded Quartzite-Roll highway, bears N. $30^{\circ}W.$ and S. $30^{\circ}E.$
76.64	Old dim road, bears NW. and SE.
80.04	The cor. of secs. 17, 18, 19 and 20. Land, rolling hills. Soil, rocky; 4th rate. Timber, scattered paloverde, ironwood and sahuara; undergrowth, greasewood, sage, ocotillo and cactus.
	West, bet. secs. 18 and 19. Over rolling land, thru scattered timber and undergrowth.
4.10	Wash, 20 lks. wide, course S. $10^{\circ}E.$
34.50	Wash, 20 lks. wide, course S. $20^{\circ}E.$
40.00	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4} \frac{S 18}{S 19}$ 1937 from which A paloverde, 7 ins. diam., bears N. $45\frac{1}{2}^{\circ}W.$ , 224 lks. dist., mkd. $\frac{1}{4}$ S 18 B T. A paloverde, 5 ins. diam., bears S. $10^{\circ}E.$ , 328 lks. dist., mkd. $\frac{1}{4}$ S 19 B T.
60.00	Wash, 10 lks. wide, course S. $10^{\circ}W.$
65.00	Base of mountains, bears N. and SW; asc. 300 ft. over SE. slope.
82.42	Intersect the W. bdy. of the Tp.

## Subdivision of T.6 S., R.16 W.

COR 4211

## Chains

Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground, to bedrock, and in a mound of stone to top, for closing cor. of secs. 18 and 19, with brass cap mkd.

T 6 S

R 17 W	R 16 W
S 13	S 18 S 19
	C C

1937

No suitable accessory.

From the point of intersection, the cor. of secs. 13 and 24, T.6 S., R.17 W., bears South, 2.02 chs. dist., hereinbefore described.

Land, rolling and mountainous.

Soil, rocky; 4th rate.

Timber, scattered paloverde, ironwood and sahuara; undergrowth, greasewood, sage, ocotillo and cactus.

At a point North, 2.08 chs. dist. of the  $\frac{1}{4}$  sec. cor. of sec. 24 only, T.6 S., R.17 W., hereinbefore described, which point is midway bet. the NW. and SW. closing cors. of sec. 19, T.6 S., R.16 W.,

Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground, and in a mound of stone, to top; for  $\frac{1}{4}$  sec. cor. of sec. 19 only, T.6 S., R.16 W., with brass cap mkd.

$\frac{1}{4}$ S	19
-----------------	----

1937

from which

A paloverde, 6 ins. diam., bears S.27°E., 243 lks. dist., mkd.  $\frac{1}{4}$  S 19 B T.

From the cor. of secs. 17, 18, 19 and 20, N.0°09'W., bet. secs. 17 and 18.

Over rolling land, thru scattered timber and undergrowth.

4.50 Old road, bears NW. and SE.

39.60 Graded Quartzite-Roll highway, bears NW. and SE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$	S 18	S 17
---------------	------	------

1937

from which

A paloverde, 6 ins. diam., bears N.46°E., 464 lks. dist., mkd.  $\frac{1}{4}$  S 17 B T.

A paloverde, 6 ins. diam., bears N.63 $\frac{1}{4}$ °W., 258 lks. dist., mkd.  $\frac{1}{4}$  S 18 B T.

47.30 Wash, 30 lks. wide, course SE.


66.15 U.S. Coast and Geodetic Survey Bench Mark No. 726 bears N.74°36'W., 448 lks. dist.

Subdivision of T.6 S., R.16 W.

Chains  
80.00

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of sec. 7, 8, 17 and 18, with brass cap mkd.

T 6 S R 16 W



1937

from which

A paloverde, 6 ins. diam., bears N.24 $\frac{1}{4}$ °E., 413 lks. dist., mkd. T 6 S R 16 W S 8 B T.

A paloverde, 6 ins. diam., bears S.30 $\frac{1}{2}$ °E., 403 lks. dist., mkd. T 6 S R 16 W S 17 B T.

An ironwood, 4 ins. diam., bears S.3 $\frac{1}{2}$ °W., 72 lks. dist., mkd. B T only.

An ironwood, 10 ins. diam., bears N.63 $\frac{3}{4}$ °W., 383 lks. dist., mkd. T 6 S R 16 W S 7 B T.

Land, rolling.  
Soil, rocky; 4th rate.  
Timber; scattered paloverde, ironwood and sahuara; undergrowth, greasewood, sage, ocotillo and cactus.

N.89°55'E., on a random line, bet. secs. 8 and 17.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.04 A point 5 lks. N. of the cor. of secs. 8, 9, 16 and 17.

Thence,

S.89°57'W., on a true line, bet. secs. 8 and 17.


Over rolling land, thru scattered timber and undergrowth.

14.70 Dim road, bears NW. and SE.

25.30 Wash, 40 lks. wide, course SE.

30.00 Wash, 40 lks. wide, course SE. Joins wash at 25.30.

40.02 Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone, 3 ft. base, to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.



1937

from which

A paloverde, 8 ins. diam., bears N.11 $\frac{3}{4}$ °W., 287 lks. dist., mkd.  $\frac{1}{4}$  S 8 B T.

A paloverde, 12 ins. diam., bears S.25 $\frac{1}{2}$ °W., 568 lks. dist., mkd.  $\frac{1}{4}$  S 17 B T.

58.10 Wash, 90 lks. wide, course SE.

62.00 Wash, 50 lks. wide, course SE.

70.00 Wash, 7 lks. wide, course SE.

80.04 The cor. of secs. 7, 8, 17 and 18.

## Subdivision of T.6 S., R.16 W.

4211

## Chains

Land, gently rolling.  
Soil, rocky; 3rd rate.  
Timber, scattered ironwood and paloverde; undergrowth,  
greasewood and sage.

West, bet. secs. 7 and 18.

Over rolling land, thru scattered timber and undergrowth.

1.40 Gulch, 10 lks. wide, course SE.

8.80 Graded Quartzite-Roll highway, bears N.10°W. and S.10°E.

13.80 Wash, 20 lks. wide, course SE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 15 ins. in the ground, with a rock, 8x4x4 ins., mkd. with a cross (+) deposited at the base, and in a mound of stone, to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{c} S 7 \\ \hline S 18 \end{array}$$

1937

No suitable accessory.

50.00 Leave rolling land, enter mountainous land, bears N. and S.; asc. 303 ft. over E. slope.

71.20 Short spur, slopes N.20°E.; desc. 35 ft. over NW. slope.

76.40 Draw, near head, course NE.; asc. 61 ft. over NE. slope.

82.16 Intersect the W. bdy. of the Tp.

Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground to bedrock, and in a mound of stone to top, for closing cor. of secs. 7 and 18, with brass cap mkd.

T 6 S

$$\begin{array}{c} R 17 W \mid R 16 W \\ S 12 \mid S 7 \\ S 12 \mid S 18 C C \end{array}$$

1937

No suitable accessory.

From the point of intersection, the cor. of secs. 12 and 13, T. 6 S., R.17 W., bears South, 2.05 chs. dist., hereinbefore described.

Land, gently rolling and mountainous.  
Soil, rocky; 3rd and 4th rate.  
Timber, scattered paloverde, ironwood and sahuara;  
undergrowth, greasewood, sage, ocotillo and cactus.

At a point North, 2.03 chs. dist., of the  $\frac{1}{4}$  sec. cor. of sec. 13 only, T.6 S., R.17 W., hereinbefore described, which point is midway bet. the NW. and SW. closing cors. of sec. 18, T.6 S., R.16 W.,

Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor., of sec. 18, T.6 S., R. 16 W., with brass cap mkd.

## Subdivision of T.6 S., R.16 W.

Chains

$$\begin{array}{c} | \\ \frac{1}{4} S 18 \\ | \end{array}$$

1937

No bearing trees available.

From the cor. of secs. 7, 8, 17 and 18,  
N.0°09'W., bet. secs. 7 and 8.

Over rolling land, thru scattered timber and undergrowth.

24.40 Graded quartzite-Roll highway, Bears NE. and SW.

25.00 Wash, 20 lks. wide, course S.70°E.

31.50 Wash, 50 lks. wide, course S.60°E.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ | \\ S 7 | S 8 \\ | \\ 1937 \end{array}$$

from which

A paloverde, 6 ins. diam., bears N.53 $\frac{1}{2}$ °E., 125 lks. dist., mkd.  $\frac{1}{4}$  S 8 B T.

A paloverde, 6 ins. diam., bears S.83 $\frac{1}{2}$ °W., 210 lks. dist., mkd.  $\frac{1}{4}$  S 7 B T.

55.40 Wash, 8 lks. wide, course E.

62.90 Old dim road, bears NW. and SE.

66.80 Road, bears E. and W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, with brass cap mkd.

T 6 S R 16 W

$$\begin{array}{c} S 6 | S 5 \\ S 7 | S 8 \\ | \end{array}$$

1937

from which

A paloverde, 6 ins. diam., bears N.52 $\frac{3}{4}$ °E., 341 lks. dist., mkd. T 6 S R 16 W S 5 B T.

A paloverde, 6 ins. diam., bears S.57 $\frac{1}{4}$ °E., 240 lks. dist., mkd. T 6 S R 16 W S 8 B T.

A paloverde, 6 ins. diam., bears S.39 $\frac{1}{4}$ °W., 114 lks. dist., mkd. T 6 S R 16 W S 7 B T.

A paloverde, 8 ins. diam., bears N.19 $\frac{1}{4}$ °W., 160 lks. dist., mkd. T 6 S R 16 W S 6 B T.

Land, rolling.

Soil, rocky; 3rd and 4th rate.

Timber, scattered paloverde, ironwood and sahuara; undergrowth, greasewood, sage, ocotillo and cactus.

## Subdivision of T.6 S., R.16 W.

4211

Chains	N.89°57'E., on a random line, bet. secs. 5 and 8.
40.00	Set temp $\frac{1}{4}$ sec. cor.,
80.08	A point 14 lks. S. of the cor. of secs. 4,5,8 and 9. Thence, S.89°51'W., on a true line, bet. secs. 5 and 8. Over gently rolling land, thru scattered timber and undergrowth.
27.70	Wash, 30 lks. wide, course S.80°E.
40.04	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \frac{S \ 5}{S \ 8}$
	1937
	from which
	A paloverde, 6 ins. diam., bears N.79°E., 223 lks. dist., mkd. $\frac{1}{4}$ S 5 B T.
	A paloverde, 10 ins. diam., bears S.46°E., 328 lks. dist., mkd. $\frac{1}{4}$ S 8 B T.
53.70	Graded road, bears N. to Quartzite and S. to Roll.
80.08	The cor. of secs. 5,6,7 and 8. Land, gently rolling, SE. drainage. Soil, rocky; 3rd rate. Timber, scattered ironwood and paloverde; undergrowth, greasewood, sage and cactus.
	West, bet. secs. 6 and 7. Over rolling land, thru scattered timber and undergrowth.
5.05	Old dim road, bears N. and S.
29.30	Old dim road, bears N.70°W. and S.70°E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \frac{S \ 6}{S \ 7}$
	1937
	from which
	A paloverde, 5 ins. diam., bears N.87°W., 157 lks. dist., mkd. $\frac{1}{4}$ S 6 B T.
	A paloverde, 8 ins. diam., bears S.8 $\frac{1}{2}$ °E., 308 lks. dist., mkd. $\frac{1}{4}$ S 7 B T.
56.20	Old dim road, bears NW. and SE.
74.30	Wash, 40 lks. wide, course S.25°E.
76.20	Wash, 50 lks. wide, course S.40°E.
81.80	Intersect the W. bdy. of the Tp.

## Subdivision of T.6 S., R.16 W.

## Chains

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for closing cor. of secs. 6 and 7, with brass cap mkd.

T 6 S

R 17 W	R 16 W	
S 1	S 6	C C
	S 7	

1937

from which

A paloverde, 8 ins. diam., bears N.52°E., 116 lks. dist., mkd. T 6 S R 16 W S 6 C C B T.

A paloverde, 6 ins. diam., bears S.21 $\frac{1}{4}$ °E., 410 lks. dist., mkd. T 6 S R 16 W S 7 C C B T.

From the point of intersection, the cor. of secs. 1 and 12 only, T.6 S., R.17 W., bears South, 2.06 chs. dist., hereinbefore described.

Land, rolling.

Soil, rocky; 4th rate.

Timber, scattered paloverde, ironwood and sahuara; undergrowth, greasewood, sage, ocotillo and cactus.

At a point North, 2.06 chs. dist., of the  $\frac{1}{4}$  sec. cor. of sec 12 only, T.6 S., R.17 W., hereinbefore described, which point is midway bet. the NW. and SW. closing cors. of sec. 7, T.6 S., R.16 W.,

Set an iron post, 3 ft. long, 1 in. diam., on bedrock, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor. of sec. 7, T.6 S., R.16 W., with brass cap mkd.

$\frac{1}{4}$ S 7

1937

No suitable accessory.

At a point North, 2.06 chs. dist. of the  $\frac{1}{4}$  sec. cor. of sec. 1 only, T.6 S., R. 17 W., hereinbefore described, which point is North, 40 chs. dist., from the NW. closing cor. of sec. 7, T.6 S., R.16 W.,

Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor. of sec. 6 only, T.6 S., R.16 W., with brass cap mkd.

$\frac{1}{4}$ S 6

1937

No suitable accessory.


At a point South, 5.03 chs. dist., of the closing cor. of T.6 S., Rs. 16 and 17 W., hereinbefore described, which point is North, 80 chs. dist. from the NW. closing cor. of sec. 7, T.6 S., R.16 W.,

Set an iron post, 3 ft. long, 1 in. diam., 16 ins. on the ground to bedrock, and in a mound of stone to top, for cor. of lots 4 and 5, of sec. 6 only, T.6 S., R.16 W., with brass cap mkd.



## Subdivision of T.6 S., R.16 W.

Chains



1937


No suitable accessory.

From the cor. of secs. 5, 6, 7 and 8,  
N.0°09'W., bet. secs. 5 and 6.

Over rolling land, thru scattered timber and undergrowth.

21.20 Wash, 25 lks. wide, course S.70°E.

37.60 Wash, 10 lks. wide, course S.60°E.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 15 ins. in the ground to bedrock, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

from which

A paloverde, 6 ins. diam., bears S.15°E., 255 lks.  
dist., mkd.  $\frac{1}{4}$  S 5 B T.


A paloverde, 6 ins. diam., bears S.27°W., 213 lks.  
dist., mkd.  $\frac{1}{4}$  S 6 B T.

48.50 Desc. 35 ft. over N. slope.

54.58 Wash, 10 lks. wide, course S.80°E.; asc. 33 ft. over S. slope.

72.07 Old road, bears NE. and SW.


80.00 Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of lots 1,4,5 and 8, with brass cap mkd.



85.12 Intersect the 1st Stan. Par. South.

Set an iron post, 3 ft. long, 2 ins. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for closing cor. of secs. 5 and 6, with brass cap mkd.

T 5 S R 16 W

T 6 S R 16 W  
C C

1937

from which

A paloverde, 8 ins. diam., bears S.23 $\frac{3}{4}$ °E., 293 lks.  
dist., mkd. T 6 S R 16 W S 5 C C B T.

An ironwood, 10 ins. diam., bears S.33 $\frac{1}{4}$ °W., 350 lks.  
dist., mkd. T 6 S R 16 W S 6 C C B T.

BOOK 211

## Chains

From the point of intersection, the Standard  $\frac{1}{4}$  sec. cor. of sec. 32 bears N.  $89^{\circ}54'E.$ , 15.99 chs. dist., an iron post, 1 in. diam., 12 ins. above ground, in a mound of stone 14 ins. high, mkd. and witnessed as described in the official record.

From the point of intersection, Bench Mark No. 749 bears N.  $29^{\circ}57'E.$ , 39.22 chs. dist.

Land, rolling.

Soil, rocky; 3rd and 4th rate.

Timber, scattered paloverde, ironwood and sahuara; undergrowth, greasewood, sage, ocotillo and cactus.

## Final test of the solar attachments.

May 14, 1937, with Buff & Buff solar transit No. 16723, every 30 min. from 8:00 a.m. to 10:30 a.m., and from 1:30 p.m. to 4:00 p.m., the proper setting are made on the latitude and declination arcs; the resulting orientation of the instrument, when compared with the meridian established by Polaris observation, hereinbefore described, has a maximum error of less than 1'30".

May 14, 1937, with Buff & Buff solar transit No. 9984, every 30 min. from 8:00 a.m. to 10:30 a.m., and from 1:30 p.m. to 4:00 p.m.; the proper setting are made on the latitude and declination arcs; the resulting orientation of the instrument, when compared with the meridian established by Polaris observation, hereinbefore described, has a maximum error of less than 1'30".

May 14, 1937, with Young & Sons solar transit No. 8385, every 30 min. from 8:00 a.m. to 10:30 a.m., and from 1:30 p.m. to 4:00 p., the proper settings are made on the latitude and declination arcs; the resulting orientation of the instrument when compared with the meridian established by Polaris observation, hereinbefore described, has a maximum error of less than 1'30".

May 14, 1937, with Lietz solar transit No. 6166, every 30 min. from 8:00 a.m. to 10:30 a.m., and from 1:30 p.m. to 4:00 p.m., the proper settings are made on the latitude and declination arcs; the resulting orientation of the instrument, when compared with the meridian established by Polaris observation, hereinbefore described, has a maximum error of less than 1'30".

## General Description.

The topography of Township 6 South; Range 16 West, consists of a series of washes and flat topped, mesa like spurs, draining generally Southeast. The general elevation of the Township is about 800 feet above sea level. There is no water within the Township; and there are no settlers.

The soil is of a sandy to gravelly loam covered with immense patches of malpais boulders. The lower end of the Castle Dome Mountains is encountered along the central portion of the West boundary. The Rolls-Quartzite graded dirt highway traverses the entire Township from North to South near the West boundary. There are no industries, and no evidence of minerals.

Palo verde and ironwood trees abound along all washes but there is no commercial timber. Range grasses are very scarce and there is no evidence of range stock. Undergrowth consists of scattering greasewood, sage and cacti.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GENERAL LAND OFFICE

4211

95  
23

FIELD ASSISTANTS

NAMES	CAPACITY
I. B. Williams	Principal Assistant
Edmond R. Brenizer	"
H. R. Ruddell	"
John Crofford, Jr.	Chainman
Edmond R. Brenizer	"
Robert O. Jones	"
Fred D. Harris	"
Roger T. Voorhees	"
Robert G. Burns	Moundman
Bob R. Alexander	"
James C. Bass	"
Elbert T. Mosley	"
Walter Fields	"
Walter D. Galusha	"
Gilbert M. Allred	Flagman
Robert O. Jones	"
James C. Bass	"
Melwood S. Mitchum	"
Keith Couch	"
Robert G. Burns	Axeman
John Crofford, Jr.	"
Paul R. Ernst	"
Valdoran Burrow	"
Edmond R. Brenizer	"
Robert O. Jones	"
James C. Bass	"
Kenneth Poor	"
Fred D. Harris	"
H. R. Ruddell	"
Walter Fields	"
Keith Couch	"
Eugene W. Christian	"
Roger T. Voorhees	"
Walter D. Galusha	"

96  
74

BOOK 4211

CERTIFICATE OF SURVEYOR

We, Horace M. Muscott, Public Land Surveyor, and Benjamin J. Mollette, John Boggs, and Carroll I. Parkman, Transitmen, General Land Office

HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 20 th day of November, 1936 received from the district cadastral engineer for Arizona, with assignment and April 15, instructions dated Feb. 23, 1937, we have resurveyed the West boundary of Township 6 South, Range 15 West, and the North boundary of Township 7 South, Range 16 West; and surveyed the West boundary and subdivisional lines of Township 6 South, Range 16 West,

of the Gila and Salt River Meridian, in the State of Arizona, which are

represented in the foregoing field notes as having been executed by us and under our direction; and that said resurvey and

survey has been made in strict conformity with said instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing field notes.

Glendale, California, March 21, 1939. Horace M. Muscott  
Public Land Surveyor

Phoenix, Ariz., April 3, 1939. Benjamin J. Mollette  
Transitman

Bennie Ariz. March 27, 1939. John Boggs  
Transitman

Phoenix, Arizona, April 3, 1939. Carroll I. Parkman  
Transitman  
General Land Office.

CERTIFICATE OF APPROVAL

OFFICE OF SUPERVISOR OF SURVEYS,  
Denver, Colo., May 24, 1940.

The foregoing field notes of the survey of the West boundary of Township 6 South, Range 15 West, and the North boundary of Township 7 South, Range 16 West; and of the survey of the West boundary and subdivisional lines of Township 6 South, Range 16 West, of the Gila and Salt River Meridian, in the State of Arizona,

executed by Horace M. Muscott, Public Land Surveyor, and Benjamin J. Mollette, John Boggs, Carroll I. Parkman, Transitmen, General Land Office

under special instructions dated November 20, 1936, and assignment and April 15, instructions dated February 23, 1937, having been critically examined, and the necessary corrections made prior to their certification by the engineer, the said field notes, and the survey therein described, are hereby approved.

Supervisor of Surveys.

CERTIFICATE OF TRANSCRIPT

I certify that the foregoing transcript of the field notes of the above described surveys in is a true copy of the original field notes on file in the public survey office.

Supervisor of Surveys.