

Original.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE
Book E.

FIELD NOTES

OF THE

Resurvey of the W. bdy. of T. 1 S., R. 10 W.,

Survey of the W. bdy. of T. 2 S., R. 10 W.,

The S. W. and N. bdrs. of T. 2 S., R. 11 W.,

The W. bdy. of T. 1 S., R. 11 W.,

The S. W. and N. bdrs. of T. 2 S., R. 12 W.,

The W. and N. bdrs. of T. 1 N., R. 12 W.,

The N. bdy. of T. 1 N., R. 13 W.,

The W. bdy. of T. 2 N., R. 12 W. and

The N. bdy. of T. 2 N., R. 13 W.,

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

William E. Hiester, Associate Cadastral Engineer,
and

Ty White, Assistant Cadastral Engineer.

General Land Office

Under special instructions dated October 20, 1939, and
February 7, 1940, ~~1940~~, which provided
for the surveys included under Group No. 229, bearing the approval of the
Commissioner of the General Land Office under date of January 3, 1940, and
February 23, 1940.
and assignment instructions dated February 1, 1941, ~~1941~~

Survey commenced March 17, 1941

Survey completed May 2, 1941

INDEX DIAGRAM.

Township _____, Range _____


6	5	4	3	2	1
7	8	9	10	11	12
13	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

INDEX

GROUP 229
ARIZONA

1A

- LINES SURVEYED UNDER THIS GROUP, NOTES HEREIN
- LINES OF ACCEPTED SURVEYS
- - - - - UNSURVEYED TOWNSHIP BOUNDARIES
- LINES SURVEYED UNDER THIS GROUP, NOTES IN BOOK "D"



13

BOOK 4281

INDEX

60	60	61	62	62	63	56								
T. 2 N., R. 13 W.						56								
						57								
						58								
						58								
						59								
52	53	53	54	54	55	52	51	51	50	49	49			
						48								
						47								
						47								
T. 1 N., R. 13 W.						T. 1 N., R. 12 W.								
						46	G. and S. R. M.							
						45								
						45								
												14		
												12		
												11		
T. 1 S., R. 12 W						T. 1 S., R. 11 W.						9		
												8		
												6		
44	43	43	42	41	40	26	26	25	25	24	23			
						22							5	
						22							4	
T. 2 S., R. 12 W.						T. 2 S., R. 11 W.						3		
												3		
												2		
												1		
35	35	34	33	32	32	18	18	17	16	16	15			

Survey of the West Boundary of T. 2 S., R. 10 W.

10

Chains

The surveys hereinafter described were executed by William E. Hiester, using Buff solar transit No. 24846, and Ty White, using Buff solar transit No. 18002. For description of equipment and descriptions and tests of transits, see the field notes of the boundaries of T. 3 S., R. 10 W., surveyed under this group.

From the cor. of Ts. 2 S., Rs. 10 and 11 W., on the N. bdy. of sec. 6, described in the field notes of the N. bdy. of T. 3 S., R. 10 W., surveyed under this group.

North, on true line bet. secs. 31 and 36.


Over level desert land, through scattered timber and dense undergrowth.

- 8.60 Dry wash, 10 lks. wide, course SW.
- 11.70 Dry wash, 15 lks. wide, course SW.
- 16.50 Dry wash, 20 lks. wide, course W.
- 19.80 Dry wash, 20 lks. wide, course SW.
- 23.80 Dry wash, 10 lks. wide, course SW.
- 26.20 Dry wash, 30 lks. wide, course SW.
- 32.40 Left bank of dry wash, course S.45°W.
- 34.40 Right bank of wash.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.



1941 raise a mound of stone, 3 ft. base, 2 1/2 ft. high, W. of cor.

- 44.40 Dry wash, 10 lks. wide, course SW.
- 49.50 Dry wash, 10 lks. wide, course SW.
- 54.90 Dry wash, 5 lks. wide, course SW.
- 60.80 Dry wash, 10 lks. wide, course SW.
- 67.20 Dry wash, 10 lks. wide, course SW.
- 73.50 Dry wash, 10 lks. wide, course SW.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 25, 30, 31 and 36, with brass cap mkd.



raise a mound of stone, 3 1/2 ft. base, 3 ft. high, W. of cor.

Chains Land, level.
Soil, sandy, 3rd rate.
Timber, scattered ironwood; undergrowth, greasewood, sage, palo verde, cats claw, mesquite and cacti.

North, on true line bet. secs. 25 and 30.

Over level desert land, through scattered timber and dense undergrowth.

5.20 Dry wash, 30 lks. wide, course NW.

8.20 Dry wash, 20 lks. wide, course SW.

14.00 Leave desert land, bears E. and W.; asc. 407 ft. over rocky SW. slope.

33.10 Rocky spur, slopes SE.; desc. 226 ft. over NE. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S 25 | S 30
1941

raise a mound of

stone, $3\frac{1}{2}$ ft. base, 3 ft. high, W. of cor.

Desc. 61 ft. over rocky NE. slope.

44.67 Dry wash, 20 lks. wide, course SE.; continue along E. slope.

62.37 Dry wash, 20 lks. wide, course SE.; asc. 345 ft. over steep S. slope.

67.40 Top of Clanton Hills; a narrow rocky spur ridge, slopes S. 80° E.; desc. 317 ft. over rocky N. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 19, 24, 25 and 30, with brass cap mkd.

T 2 S
R 11 W R 10 W
S 24 | S 19
S 25 | S 30
1941

raise a mound of


stone, 4 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.

Land, level and mountainous.
Soil, sandy, 3rd rate; and rocky, 4th rate.
Timber, scattered ironwood; undergrowth, palo verde, sage, greasewood, cats claw, mesquite and cacti.

Survey of the West Boundary of T. 2 S., R. 10 W. 3

Chains	<p>North, on true line bet. secs. 19 and 24.</p> <p>Over mountainous land, through scattered desert growth.</p> <p>Desc. 41 ft. over N. slope.</p> <p>3.19 Dry wash, 10 lks. wide; course E.; desc. 80 ft. over NE. slope.</p> <p>25.59 Dry wash, 45 lks. wide, course E.</p> <p>40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p> <div style="text-align: center;"> $\frac{1}{4}$ S 24 S 19 1941 </div> <p>raise a mound of stone, 3 ft. base, 2$\frac{1}{2}$ ft. high, W. of cor.</p> <p>Desc. 30 ft. over NE. slope.</p> <p>56.15 Dry wash, 70 lks. wide, course SE.</p> <p>69.89 Fork of same wash, 250 lks. wide, course SE.</p> <p>80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 13, 18, 19 and 24, with brass cap mkd.</p> <div style="text-align: center;"> T 2 S R 10 W S 13 S 18 S 24 S 19 1941 </div> <p>raise a mound of stone, 4 ft. base, 3 ft. high, W. of cor.</p> <p>Land, mountainous. Soil, sandy, 3rd rate; and rocky, 4th rate. No timber; undergrowth, palo verde, ironwood, cats claw, ocotillo, mesquite and cacti.</p>
	<p>North, on true line bet. secs. 13 and 18.</p> <p>Over rolling desert land, through scattered undergrowth.</p> <p>2.89 Dim road, bears NW. and SE.; asc. 52 ft.</p> <p>23.49 Dry wash, 10 lks. wide, course SW.</p> <p>30.99 Dry wash, 15 lks. wide, course SW.</p> <p>40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p> <div style="text-align: center;"> $\frac{1}{4}$ S 13 S 18 1941 </div> <p>raise a mound of stone, 4 ft. base, 3 ft. high, W. of cor.</p>

Chains Asc. 85 ft.
 49.40 Top of ascent; desc. 94 ft. over NW. slope.
 53.69 Dry wash, 10 lks. wide, course NE.
 72.09 Dry wash, 20 lks. wide, course SE.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 7, 12, 13 and 18, with brass cap mkd.




raise a mound of stone, 3 ft. base, 2½ ft. high, W. of cor.

Land, rolling.
 Soil, sandy, 3rd rate; and rocky, 4th rate.
 No timber; undergrowth, palo verde, ocotillo, greasewood, cats claw, sage and cacti.

North, on true line bet. secs. 7 and 12.

Over nearly level desert land, through scattered undergrowth.


20.40 Base of slope, bears E. and W.; asc. 107 ft. over SE. slope.
 25.59 Top of rocky spur, slopes E.; desc. 121 ft. over N. slope.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for ¼ sec. cor., with brass cap mkd.



raise a mound of stone, 3 ft. base, 2½ ft. high, W. of cor.

Desc. 18 ft. over NE. slope.

44.09 Dry wash, 25 lks. wide, course SE.
 48.59 Dry wash, 20 lks. wide, course S.45°E.
 60.89 Dry wash, 5 lks. wide, course SW.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 1, 6, 7 and 12, with brass cap mkd.



raise a mound of stone, 3 ft. base, 2½ ft. high, W. of cor.

Survey of the West Boundary of T. 2 S., R. 10 W. 5


Chains Land, rolling.
 Soil, sandy, 3rd rate; and rocky, 4th rate.
 No timber; undergrowth, palo verde, cats claw, ironwood, mesquite, greasewood, sage and cacti.

North, on true line bet. secs. 1 and 6.

Over nearly level land, through scattered desert growth.

33.69 Dirt road, bears NE. to Harquahala Valley, and SW. to Clanton Well.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.




raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.

From this point an iron pipe, 4 ins. diam., 5 $\frac{1}{2}$ ft. above the top of a concrete block; 2 $\frac{1}{2}$ ft. base, 2 ft. high, mkd. YUMA COUNTY 1918 on W. side, and MARICOPA COUNTY 1918 on E. side, bears S. 78° 01' W., 7.05 chs. dist.

56.49 Dry wash, 15 lks. wide, course S. 40° W.; asc. 23 ft. over S.W. slope.

74.89 The cor. of Ts. 1 and 2 S., Rs. 10 and 11 W., which is an iron post, 3 ins. diam., 12 ins. above ground, with brass cap mkd.




from which

The original bearing tree:

A palo verde, 6 ins. diam., bears S. 71 $\frac{1}{4}$ ° E., 86 lks. dist. I do not uncover the marks.

A mound of stone, 3 ft. base, 2 ft. high, S. of cor.

As this cor. now refers to Ts. 1 and 2 S., R. 10 W., only, I alter the marks on brass cap to read as follows:



I destroy the mound of stone S. of cor., and raise a mound of stone, 4 $\frac{1}{2}$ ft. base, 3 $\frac{1}{2}$ ft. high, E. of cor.

Chains From this cor. the 24 mile cor. on the Yuma and Maricopa County line, bears West, 6.95 chs. dist.; an iron post, 3 ins. diam., 3 ft. above the top of a mound of stone, 2½ ft. base, 2 ft. high, with copper cap.

Land, nearly level.
Soil, sandy, 3rd rate; and rocky, 4th rate.
No timber; undergrowth, palo verde, cats claw, ironwood, ocotillo, greasewood, sage and cacti.

Resurvey of the West Boundary of T. 1 S., R. 10 W.

The west boundary of T. 1 S., R. 10 W., was surveyed in 1914 by John F. Hesse, U. S. Surveyor.

From the cor. of Ts. 1 and 2 S., R. 10 W., hereinbefore described.


N.0°01'W., on true line along W. bdy. of sec. 31.

Over rolling mountainous land, through scattered desert growth.

Along W. slope.

5.11 At this point which is 80.00 chs. from the SE. cor. of sec. 1, T. 2 S., R. 11 W.

Set an iron post, 3 ft. long, 3 ins. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of Ts. 1 and 2 S., R. 11 W., only, with brass cap mkd.



1941


of stone, 4 ft. base, 3 ft. high, W. of cor. raise a mound

Desc. 21 ft. along W. slope.

16.71 Dry wash, 20 lks. wide, course N.70°W.; asc. 69 ft. over SE. slope.

33.89 Dry wash, 15 lks. wide, course SW.

40.01 The ¼ sec. cor., of secs. 31 and 36, which is an iron post, 1 in. diam., 6 ins. above the top of a mound of stone, 4 ft. base, 2½ ft. high, with brass cap mkd.



1914

Resurvey of the West Boundary of T. 1 S., R. 10 W.

Chains As this cor. now refers to $\frac{1}{4}$ sec. cor. of sec. 31 only, I alter the marks on brass cap to read as follows:

$\frac{1}{4}$
 S 31
 1941
 1914

raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, E. of cor.

Thence

N.0°02'W., on true line along W. bdy. of sec. 31.

Asc. 16 ft. over SE. slope.

5.10 At this point which is 40.00 chs. from the SE. cor. of sec. 36.


Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground to bedrock, with a stone, 10x8x4 ins., mkd. with a cross X, buried alongside, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. of sec. 36 only, of R. 11 W., with brass cap mkd.

$\frac{1}{4}$
 S 36
 1941


Asc. 389 ft. over SE. slope.

21.80 Spur, slopes SW. near top of Cemetery Ridge, bears E. and W.; desc. 358 ft. over N. slope.

39.95 The cor. of secs. 25, 30, 31 and 36, which is an iron post, 3 ins. diam., 6 ins. above the top of a mound of stone, 5 ft. base, $2\frac{1}{2}$ ft. high, with brass cap mkd.



As this cor. now refers to secs. 30 and 31 only, I alter the marks on brass cap to read as follows:



raise a mound of stone, 4 ft. base, $3\frac{1}{2}$ ft. high, E. of cor.

Land, rolling.

Soil, sandy, 3rd rate; and rocky, 4th rate.

Timber, scattered ironwood; undergrowth, greasewood, sage, ocotillo, cats claw and cacti.


Chains North, on true line along W. bdy. of sec. 30.

Over rolling land, through scattered desert growth.

Desc. 83 ft. over N. slope.

5.15 At this point which is 80.00 chs. from the SE. cor. of sec. 36.

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 25 and 36 only, of R. 11 W., with brass cap mkd.




raise a mound of stone, 3 1/2 ft. base, 3 ft. high, W. of cor.


Desc. 23 ft. over N. slope.

23.85 Dry wash, 30 lks. wide, 4 ft. deep, course N.60°W.; asc. 107 ft. over SW. slope.

40.01 The 1/4 sec. cor. of secs. 25 and 30, which is an iron post, 1 in. diam., 2 ins. above the top of a mound of stone, 3 ft. base, 1 ft. high, with brass cap mkd.



As this cor. now refers to 1/4 sec. cor. of sec. 30 only, I alter the marks on brass cap to read as follows:




raise a mound of stone, 3 1/2 ft. base, 3 ft. high, E. of cor.

Desc. 10 ft.

45.15 At this point which is 40.00 chs. from the SE. cor. of sec. 25.

Set an iron post, 3 ft. long, 1 in. diam., 3 ins. in the ground to bedrock, with a lava stone, 4x3x2 ins. mkd. with a cross X, deposited at the base, and in a mound of stone to top, for 1/4 sec. cor. of sec. 25 only, of R. 11 W., with brass cap mkd.




Desc. 24 ft.

51.82 Old road, bears N.66 3/4°E. to Harquahala Valley, and S.66 3/4°W. to Clanton Well.

Resurvey of the West Boundary of T. 1 S., R. 10 W. 9

Chains Continue over level desert land.
 52.26 Wire fence, bears N. 66 $\frac{3}{4}$ ° E. and S. 66 $\frac{3}{4}$ ° W.; enter pasture.
 79.99 The cor. of secs. 19, 24, 25 and 30, which is an iron post, 3 ins. diam., 6 ins. above ground, with brass cap mkd.




from which

Original bearing trees:

- A palo verde, 4 ins. diam., bears N. 42° E., 63 lks. dist. I do not uncover the marks.
- A palo verde, 6 ins. diam., bears S. 3° E., 67 lks. dist. I do not uncover the marks.

As this cor. now refers to secs. 19 and 30 only, I alter the marks on brass cap to read as follows:




Land, rolling and level.
 Soil, sandy, 3rd rate; and rocky, 4th rate.
 No timber; undergrowth, palo verde, ironwood, greasewood, sage, ocotillo and cacti.

N. 0° 01' W., on true line along W. bdy. of sec. 19.
 Over level land, through scattered desert growth.

4.83 Wire fence, bears N. 86° E. and S. 86° W.; leave pasture.
 5.13 Old dim road, bears NE. and SW.
 5.16 At this point which is 80.00 chs. from the SE. cor. of sec. 25.

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 24 and 25 only, of R. 11 W., with brass cap mkd.



raise a mound

of stone, 3 ft. base, 2 $\frac{1}{8}$ ft. high, W. of cor.

35.91 Old road, bears SW. to Clanton Well, and NE. to Harquahala Valley.

40.00 The $\frac{1}{4}$ sec. cor. of secs. 19 and 24, which is an iron post, 1 ins. diam., 8 ins. above ground, with brass cap mkd.

Chains

$$\frac{1}{4}$$

S 24	S 19
1914	

witnessed by a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

As this cor. now refers to $\frac{1}{4}$ sec. cor. of sec. 19 only, I alter the marks on brass cap to read as follows:

$$\frac{1}{4}$$

S 19
1941
1914

I destroy all evidence of the mound of stone W. of cor., and raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, E. of cor.

Thence

North, on true line along W. bdy. of sec. 19.

5.16 At this point which is 40.00 chs. from the SE. cor. of sec. 24.

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 24 only, of R. 11 W., with brass cap mkd.

$$\frac{1}{4}$$

S 24
1941

raise a mound of stone, 3 $\frac{1}{2}$ ft. base, 3 ft. high, W. of cor.

30.56 Dry wash, 100 lks. wide, course S.45°W.

40.01 The cor. of secs. 13, 18, 19 and 24, which is an iron post, 3 ins. diam., 6 ins. above ground, with brass cap mkd.

T 1 S	
R 11 W	R 10 W
S 13	S 18
S 24	S 19
1914	

witnessed by a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

As this cor. now refers to secs. 18 and 19 only, I alter the marks on brass cap to read as follows:

T 1 S	T 1 S
S 24	R 10 W
R 11 W	S 18
S 19	
1914	
1941	

I destroy all evidence of the mound of stone W. of cor., and raise a mound of stone, 3 ft. base, 2 ft. high, E. of cor.

Resurvey of the West Boundary of T. 1 S., R. 10 W. 11


Chains Land, level.
 Soil, sandy, 3rd rate; and gravelly. 4th rate.
 No timber; undergrowth, palo verde, greasewood, sage,
 ocotillo, cats claw and cacti.

N.0°01'W., on true line along W. bdy. of sec. 18.

Over level land, through scattered desert growth.

5.15 At this point which is 80.00 chs. from the SE. cor. of sec. 24.


Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 13 and 24 only, of R. 11 W., with brass cap mkd:



raise a mound of stone, 3 ft. base, 2½ ft. high, W. of cor.


37.25 Dry wash, 10 lks. wide, course SW.

39.99 The ¼ sec. cor. of secs. 13 and 18, which is an iron post, 1 in. diam., 10 ins. above ground, with brass cap mkd.



witnessed by a mound of stone, 3½ ft. base, 1½ ft. high, W. of cor.

As this cor. now refers to ¼ sec. cor. of sec. 18 only, I alter the marks on brass cap to read as follows:




I destroy the mound of stone W. of cor., and raise a mound of stone, 3 ft. base, 2 ft. high, E. of cor.

Thence

N.0°02'W., on true line along W. bdy. of sec. 18.

5.16 At this point which is 40.00 chs. from the SE. cor. of sec. 13.

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for ¼ sec. cor. of sec. 13 only, of R. 11 W., with brass cap mkd.




12 Resurvey of the West Boundary of T. 1 S., R. 10 W.

Chains

raise a mound of stone, 3 ft. base, 2 1/2 ft. high, W. of cor.


31.26 Dry wash, 20 lks. wide, course SW.

39.98 The cor. of secs. 7, 12, 13 and 18, which is an iron post, 3 ins. diam., 4 ins. above ground, with brass cap mkd.



witnessed by a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.

As this cor. now refers to secs. 7 and 18 only, I alter the marks on brass cap to read as follows:



I destroy the mound of stone W. of cor., and raise a mound of stone, 3 1/2 ft. base, 3 ft. high, E. of cor.

Land, level.

Soil, sandy, 3rd rate; and gravelly, 4th rate.


No timber; undergrowth, greasewood, sage, cats claw, cacti, ocotillo and mesquite.

N.0°04'E., on true line along W. bdy. of sec. 7.

Over rolling desert land, through scattered undergrowth.

5.18 At this point which is 80.00 chs. from the SE. cor. of sec. 13.

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 12 and 13 only, of R. 11 W., with brass cap mkd.




raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

28.28 Dry wash, 5 lks. wide, course NW.

34.68 Dry wash, 15 lks. wide, course S.45°W.

39.97 The 1/4 sec. cor. of secs. 7 and 12, which is an iron post, 1 in. diam., 12 ins. above ground, with brass cap mkd.



Resurvey of the West Boundary of T. 1 S., R. 10 W.

13

Chains

witnessed by a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

As this cor. now refers to $\frac{1}{4}$ sec. cor. of sec. 7 only, I alter the marks on brass cap to read as follows:

 $\frac{1}{4}$

S 7

1914

1941

I destroy the mound of stone W. of cor., and raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, E. of cor.

Thence

N. $0^{\circ}05'W.$, on true line along W. bdy. of sec. 7.

5.21 At this point which is 40.00 chs. from the SE. cor. of sec. 12.

Set an iron pest, 3 ft. long, 1 in. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. of sec. 12 only, of R. 11 W., with brass cap mkd.

 $\frac{1}{4}$

S 12

1941

raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

39.98

The cor. of secs. 1, 6, 7 and 12, which is an iron post, 3 ins. diam., 6 ins. above ground, with brass cap mkd.

		T 1 S		
	R 11 W		R 10 W	
	S 1		S 6	
	S 12		S 7	
		1914		

witnessed by a mound of stone, 3 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

As this cor. now refers to secs. 6 and 7 only, I alter the marks on brass cap to read as follows:

		T 1 S		
	T 1 S		R 10 W	
	S 12		S 6	
	R 11 W		S 7	
		1914		
		1941		

I destroy the mound of stone W. of cor., and raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, E. of cor.

Land, rolling.

Soil, sandy, 3rd rate; and rocky, 4th rate.

No timber; undergrowth, palo verde, greasewood, ocotillo, sage and cacti.

Chains	N.0°06'W., on true line along W. bdy. of sec. 6. Over rolling desert land, through scattered undergrowth.															
5.23	At this point which is 80.00 chs. from the SE. cor. of sec. 12. Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 1 and 12 only, of R. 11 W., with brass cap mkd.															
	<table style="margin-left: auto; margin-right: auto;"> <tr> <td>T 1 S</td> <td></td> <td>T 1 S</td> </tr> <tr> <td>R 11 W</td> <td> </td> <td>S 6</td> </tr> <tr> <td>S 1</td> <td></td> <td>R 10 W.</td> </tr> <tr> <td>S 12</td> <td> </td> <td></td> </tr> <tr> <td></td> <td></td> <td>1941</td> </tr> </table>	T 1 S		T 1 S	R 11 W		S 6	S 1		R 10 W.	S 12					1941
T 1 S		T 1 S														
R 11 W		S 6														
S 1		R 10 W.														
S 12																
		1941														
	raise a mound of stone, 3 ft. base, 2½ ft. high, W. of cor. Asc. 42 ft.															
6.73	Dry wash, 50 lks. wide, course S.45°W.															
39.96	The ¼ sec. cor. of secs. 1 and 6, which is an iron post, 1 in. diam., 10 ins. above the top of a mound of stone, 3 ft. base, 1½ ft. high, with brass cap mkd.															
	<table style="margin-left: auto; margin-right: auto;"> <tr> <td>¼</td> <td></td> <td>¼</td> </tr> <tr> <td>S 1</td> <td> </td> <td>S 6</td> </tr> <tr> <td></td> <td></td> <td>1914</td> </tr> </table>	¼		¼	S 1		S 6			1914						
¼		¼														
S 1		S 6														
		1914														
	witnessed by a mound of stone, 2 ft. base, 1½ ft. high, W. of cor. As this cor. now refers to ¼ sec. cor. of sec. 6 only, I alter the marks on brass cap to read as follows:															
	<table style="margin-left: auto; margin-right: auto;"> <tr> <td>¼</td> <td></td> <td>¼</td> </tr> <tr> <td></td> <td> </td> <td>S 6</td> </tr> <tr> <td></td> <td></td> <td>1914</td> </tr> <tr> <td></td> <td></td> <td>1941</td> </tr> </table>	¼		¼			S 6			1914			1941			
¼		¼														
		S 6														
		1914														
		1941														
	I destroy the mound of stone W. of cor., and raise a mound of stone, 3½ ft. base, 3 ft. high, E. of cor.															
	Thence															
	North, on true line along W. bdy. of sec. 6.															
3.27	Dry wash, 20 lks. wide, course S.45°W.															
5.27	At this point which is 40.00 chs. from the SE. cor. of sec. 1. Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for ¼ sec. cor. of sec. 1 only, of R. 11 W., with brass cap mkd.															
	<table style="margin-left: auto; margin-right: auto;"> <tr> <td>¼</td> <td></td> <td>¼</td> </tr> <tr> <td>S 1</td> <td> </td> <td></td> </tr> <tr> <td></td> <td></td> <td>1941</td> </tr> </table>	¼		¼	S 1					1941						
¼		¼														
S 1																
		1941														

Resurvey of the West Boundary of T. 1 S., R. 10 W. 15

Chains of stone, 3½ ft. base, 3 ft. high, W. of cor. raise a mound
 Asc. 350 ft. over S. slope.

32.50 Top of malpais ridge, bears E. and W.; desc. 125 ft. over N. slope.

40.52 The closing cor. of Ts. 1 S., Rs. 10 and 11 W., which is an iron post, 3 ins. diam., 12 ins. above ground, firmly set, mkd. and witnessed as described in the official record.

Land, rolling.
 Soil, sandy, 3rd rate; and gravelly, 4th rate.
 No timber; undergrowth, palo verde, greasewood, cats claw, sage and cacti.

Survey of the South Boundary of T. 2 S., R. 11 W.

From the cor. of Ts. 3 S., Rs. 10 and 11 W.; described in the field notes of the W. bdy. of T. 3 S., R. 10 W.; surveyed under this group.

West, along S. bdy. of sec. 36.

Over level desert land, through scattered undergrowth.

✓ 2.18 At this point which is 40.00 chs. in departure from the SE. cor. of sec. 36; described in the field notes of the N. bdy. of T. 3 S., R. 10 W., surveyed under this group.

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for ¼ sec. cor. of sec. 36 only, with brass cap mkd.

¼ S 36

1941

of stone, 3 ft. base, 2½ ft. high, N. of cor. raise a mound

3.68 Dry wash, 20 lks. wide, course SW.

4.38 Dry wash, 50 lks. wide, course SW.

7.83 Dry wash, 20 lks. wide, course SW.

35.08 Dry wash, 30 lks. wide, course SW.

40.58 Dry wash, 40 lks. wide, course SW.

42.18 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 35 and 36 only, with brass cap mkd.

T 2 S R 11 W

S 35 | S 36

1941

of stone, 2½ ft. base, 2 ft. high, N. of cor. raise a mound

Land, level.

Chains	Soil, sandy, 3rd rate. Timber, scattered ironwood; undergrowth, palo verde, sage, greasewood and cacti.
	West, along S. bdy. of sec. 35.
	Over level desert land, through scattered undergrowth.
8.90	Dry wash, 20 lks. wide, course SW.
15.65	Dry wash, 15 lks. wide, course SW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 35 only, with brass cap mkd.
	$\frac{1}{4}$ S 35
	1941
	raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 34 and 35 only, with brass cap mkd.
	T 2 S R 11 W S 34 S 35
	1941
	raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.
	Land, level. Soil, sandy, 3rd rate. No timber; undergrowth, palo verde, greasewood, ocotillo, sage and cacti.
	West, along S. bdy. of sec. 34.
	Over level desert land, through scattered undergrowth.
30.00	Leave level land, bears NW. and SE.; asc. 58 ft. over NE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 34 only, with brass cap mkd.
	$\frac{1}{4}$ S 34
	1941
	raise a mound of stone, 4 ft. base, 3 ft. high, N. of cor.
	Asc. 90 ft. over NE. slope.
46.10	Point of long malpais knoll, slopes NW.; desc. 148 ft. over NW. slope.
53.35	Dry wash, 50 lks. wide, course S.45°W.
56.80	Base of slope, bears NE. and SW.; continue over level land.

Survey of the South Boundary of T. 2 S., R. 11 W.

17

Chains

69.65

Dry wash, 10 lks. wide, course SE.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs, 33 and 34 only, with brass cap mkd.

T 2 S R 11 W
S 33 | S 34

1941

raise a mound
of stone, 3 ft. base, 2½ ft. high, N. of cor.

Land, level and rolling.

Soil, sandy, 3rd rate; and rocky, 4th rate.

No timber; undergrowth, palo verde, greasewood, sage and cacti.

West, along the S. bdy. of sec. 33.

Over level desert land, through scattered undergrowth.

16.00

Dry wash, 15 lks. wide, course SW.

24.80

Dry wash, 12 lks. wide, course SE.

38.70

Dry wash, 10 lks. wide, course S.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for ¼ sec. cor. of sec. 33 only, with brass cap mkd.

¼ S 33

1941

raise a mound
of stone, 3 ft. base, 2½ ft. high, N. of cor.

53.00

Dry wash, 10 lks. wide, course SE.

78.80

Dry wash, 30 lks. wide, course S.10°W.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs, 32 and 33 only, with brass cap mkd.

T 2 S R 11 W
S 32 | S 33

1941

dig pits
18x18x12 ins.; NE. and NW. of post, 3 ft. dist.

Land, level.

Soil, sandy, 3rd rate.

No timber; undergrowth, palo verde, greasewood, ocotillo, sage and cacti.

118 Survey of the South Boundary of T. 2 S., R. 11 W.

Chains	West, along the S. bdy. of sec. 32.
	Over level desert land, through scattered undergrowth.
2.50	Dry wash, 10 lks. wide, course S.10°E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 32 only, with brass cap mkd.
	$\frac{1}{4}$ S 32
	1941
	from which
	An ironwood, 6 ins. diam., bears N.67°E., 376 lks. dist., mkd. $\frac{1}{4}$ S 32 B T.
	An ironwood, 12 ins. diam., bears N.37 $\frac{1}{2}$ °W., 389 lks. dist., mkd. $\frac{1}{4}$ S 32 B T.
41.00	Dry wash, 10 lks. wide, course S.20°E.
60.65	Dry wash, 130 lks. wide, course S.
77.30	Dry wash, 12 lks. wide, course S.10°W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 31 and 32 only, with brass cap mkd.
	T 2 S R 11 W
	S 31 S 32
	1941
	raise a mound
	of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, N. of cor.
	Land, level.
	Soil, sandy, 3rd rate.
	Timber, ironwood; undergrowth, palo verde, greasewood, sage and cacti.
	West, along the S. bdy. of sec. 31.
	Over level desert land, through scattered undergrowth.
1.50	Dry wash, 8 lks. wide, course S.15°E.
12.10	Dry wash, 12 lks. wide, course S.
21.50	Dry wash, 25 lks. wide, course SE.
34.10	Dry wash, 20 lks. wide, course S.10°E.
39.20	Dry wash, 10 lks. wide, course S.40°E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 31 only, with brass cap mkd.
	$\frac{1}{4}$ S 31
	1941
	raise a mound
	of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, N. of cor.

Survey of the South Boundary of T. 2 S., R. 11 W.

19

Chains
 44.50 Dirt road, bears NE. to Clanton Well, and SE. to Hyder.
 63.90 Dry wash, 15 lks. wide, course S.
 73.40 Dry wash, 200 lks. wide, course S.20°E.
 80.00 Set an iron post, 3 ft. long, 3 ins. diam., 28 ins. in the ground, for cor. of Ts. 2 S., Rs. 11 and 12 W. only, with brass cap mkd.

T 2 S
 R 12 W R 11 W
 S 36 | S 31

1941

from which

An ironwood, 18 ins. diam., bears N.72½°E., 675 lks. dist., mkd. T 2 S R 11 W S 31 B T.

An ironwood, 20 ins. diam., bears N.55°W., 254 lks. dist., mkd. T 2 S R 12 W S 36 B T.

Land, level.

Soil, sandy, 3rd rate;

Timber, scattered ironwood; undergrowth, palo verde, sage, greasewood, ocotillo and cacti.

Survey of the West Boundary of T. 2 S., R. 11 W.

From the cor. of Ts. 2 S., Rs. 11 and 12 W., hereinbefore described.

North, bet. secs. 31 and 36.

Over level desert land, through scattered undergrowth.

22.90 Dry wash, 70 lks. wide, course S.45°E.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for ¼ sec. cor., with brass cap mkd.

¼
 S 36 | S 31

1941

raise a mound
 of stone, 3 ft. base, 2½ ft. high, W. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 25, 30, 31 and 36, with brass cap mkd.

T 2 S
 R 12 W R 11 W
 S 25 | S 30
 S 36 | S 31
 1941


raise a mound
 of stone, 3 ft. base, 2½ ft. high, W. of cor.

Chains Land, level.
Soil, sandy, 3rd rate.
Timber, scattered ironwood; undergrowth, greasewood, sage,
palo verde, ocotillo and cacti.

North, bet. secs. 25 and 30.

Over level desert land, through scattered undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the
ground, for $\frac{1}{4}$ sec. cor. with brass cap mkd.




of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor. raise a mound

53.30 Old dirt road, bears N.45°W. and S.45°E.

79.50 Dim road, bears N.45°W. and S.45°E.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the
ground, for cor. of secs. 19, 24, 25 and 30, with brass cap
mkd.



of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor. raise a mound

Land, level.
Soil, sandy, 3rd rate.
No timber; undergrowth, palo verde, greasewood, ocotillo,
sage and cacti.


North, bet. secs. 19 and 24.

Over level desert land, through scattered undergrowth.

6.70 Dry wash, 150 lks. wide, course S.45°E.

9.30 Dry wash, 100 lks. wide, course S.45°E.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.



of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor. raise a mound

55.70 Dry wash, 25 lks. wide, course S.45°W.

77.70 Dry wash, 10 lks. wide, course S.70°W.

Survey of the West Boundary of T. 2 S., R. 11 W.

21

Chains.
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 13, 18, 19 and 24, with brass cap mkd.

T 2 S
R 12 W R 11 W
S 13 | S 18
S 24 | S 19
1941

raise a mound
of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.

Land, level.

Soil, sandy, 3rd rate.

No timber; undergrowth, palo verde, greasewood, ocotillo, ironwood, sage and cacti.

North, bet. secs. 13 and 18.

Over rolling desert land, through scattered undergrowth.

Asc. 114 ft.

39.50 Dry wash, 20 lks. wide, course N.45°W.; desc. 89 ft.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S 13 | S 18
1941

raise a mound
of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.

50.00 Asc. 156 ft. over S. slope.

64.00 Spur, slopes E.; desc. 131 ft. over N. slope.

73.50 Dry wash, 20 lks. wide, course NE.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 7, 12, 13 and 18, with brass cap mkd.

T 2 S
R 12 W R 11 W
S 12 | S 7
S 13 | S 18
1941

raise a mound
of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.

Land, level and rolling.

Soil, sandy, 3rd rate; and rocky, 4th rate.

No timber; undergrowth, palo verde, greasewood, ocotillo, ironwood, sage and cacti.

Chains	North, bet. secs. 7 and 12. Over rolling desert land, through scattered undergrowth. Desc. 12 ft. over N. slope.
9.20	Dry wash, 50 lks. wide, course N.45°W.; asc. 165 ft. over SW. slope.
19.70	Top of ascent, bears E. and W.; desc. 143 ft. over NE. slope.
29.70	Base of slope, bears NW. and SE.; asc. 69 ft.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ \hline S\ 12\ \ S\ 7 \\ \hline 1941 \end{array}$
	of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor. raise a mound Desc. 56 ft. over N. slope.
50.91	Fence, bears E. and W. in wash, 20 lks. wide, course W.; continue along fence.
60.90	Base of slope bears NW. and SE.
63.20	Dry wash, 100 lks. wide, course S.70°W.
66.09	Cross fence, bears N.33°W. and S.33°E.
66.19	Dry wash, 75 lks. wide, course S.45°W.
73.02	Road, bears E. and W.; forks of road, E. W. and NE. bears E. 20 lks. dist.
77.62	Clanton Well, bears S.60°40'W., 611 lks. dist. House at Clanton Well, bears S.72 $\frac{1}{4}$ °W., 620 lks. dist.
80.00	True point for cor. of secs. 1,6,7 and 12, falls in deep sand wash, 100 lks. wide, course S.15°W., place unsuitable for permanent cor. Land, level and rolling. Soil, sandy, 3rd rate; and rocky, 4th rate. No timber; undergrowth, palo verde, ironwood, greasewood, ocotillo, sage and cacti.
	North, bet. secs. 1 and 6. Over level desert land, through scattered undergrowth.
3.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for witness cor. of secs. 1,6,7 and 12, with brass cap mkd.
	$\begin{array}{c} T\ 2\ S \\ \hline R\ 12\ W\ R\ 11\ W \\ \hline S\ 1\ \ S\ 6 \\ \hline S\ 12\ \ S\ 7 \\ \hline WC \\ 1941 \end{array}$

Survey of the West Boundary of T. 2 S., R. 11 W.

23

Chains	raise a mound of stone, $3\frac{1}{2}$ ft. base, 3 ft. high, W. of cor.
24.50	Dim road, bears N.20°E. and S.20°W.
39.70	Dry wash, 50 lks. wide, course S.45°W.
40.00	True point for $\frac{1}{4}$ sec. cor., falls on N. bank of dry wash, course S.45°W., a place unsuitable for permanent cor.
40.50	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for witness $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 1 S 6 1941 W C
	raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.
61.80	Dry wash, 70 lks. wide, course S.30°W.
80.00	Set an iron post, 3 ft. long, 3 ins. diam., 28 ins. in the ground, for cor. of Tps. 1 and 2 S., Rs. 11 and 12 W., with brass cap mkd.
	T 1 S R 12 W R 11 W S 36 S 31 S 1 S 6 T 2 S 1941
	raise a mound of stone, 4 ft. base, 3 ft. high, S. of cor.
	Land, level. Soil, sandy, 3rd rate. No timber; undergrowth, palo verde, greasewood, ironwood, ocotillo, sage and cacti.
Survey of the North Boundary of T. 2 S., R. 11 W.	
From the cor. of Tps. 1 and 2 S., Rs. 11 and 12 W., hereinbefore described.	
East, on a random line along the N. bdy. of T. 2 S., R. 11 W., setting temp. $\frac{1}{4}$ sec. and sec. cors. at intervals of 40.00 chs. At 479.54 chs. a point 30 lks. S. of the cor. of Ts. 1 and 2 S., R. 11 W., hereinbefore described.	
Thence	
S.89°58'W., on a true line bet. secs. 1 and 36.	
Over rolling desert land, through scattered undergrowth.	
16.80	Dry wash, 10 lks. wide, course SW.
21.60	Dry wash, 10 lks. wide, course SW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground to bedrock, with a stone, 6x3x2 ins. mkd. with a cross X, deposited at the base, and in a mound of stone

Chains to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ $\frac{S\ 36}{S\ 1}$
1941

41.50 Dry wash, 10 lks. wide, course SW.

78.70 Dry wash, 100 lks. wide, course S.30°W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 1, 2, 35 and 36, with brass cap mkd.

T 1 S R 11 W
S 35 | S 36
S 2 | S 1
T 2 S
1941

of stone, 2 $\frac{1}{2}$ ft. base, 2 ft. high, W. of cor. raise a mound

Land, rolling and level.

Soil, gravelly, 3rd rate.

No timber; undergrowth, palo verde, cats claw, sage, greasewood and cacti.

S.89°58'W., on a true line bet. secs. 2 and 35.

Over level desert land, through scattered undergrowth.

25.50 Dry wash, 10 lks. wide, course S.20°W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ $\frac{S\ 35}{S\ 2}$
1941

of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, N. of cor. raise a mound

56.10 Dry wash, 60 lks. wide, 2 ft. deep, course S.40°W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 2, 3, 34 and 35, with brass cap mkd.

T 1 S R 11 W
S 34 | S 35
S 3 | S 2
T 2 S
1941

of stone, 2 $\frac{1}{2}$ ft. base, 2 ft. high, W. of cor. raise a mound

Land, level.

Soil, sandy, 3rd rate.

No timber; undergrowth, palo verde, ironwood, ocotillo, greasewood, sage and cacti.

Survey of the North Boundary of T. 2 S., R. 11 W.

25

Chains	S.89°58'W., on a true line bet. secs. 3 and 34. Over level desert land, through scattered undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4}$ $\frac{S\ 34}{S\ 3}$ 1941
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 3, 4, 33 and 34, with brass cap mkd. T 1 S R 11 W S 33 S 34 S 4 S 3 T 2 S 1941 raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, N. of cor.
	Land, level. Soil, sandy, 3rd rate. No timber; undergrowth, palo verde, ironwood, greasewood, sage and cacti. ✓
	S.89°58'W., on a true line bet. secs. 4 and 33. Over level desert land, through scattered undergrowth.
2.40	Dry wash, 10 lks. wide, course SW.
29.20	Dry wash, 50 lks. wide, course S.45°W.
40.00	True point for $\frac{1}{4}$ sec. cor. falls in dry wash, 30 lks. wide, course N.75°W., a place unsuitable for permanent cor.
41.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for witness $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4}$ $\frac{S\ 33}{S\ 4}$ WC 1941
	18x18x12 ins., E. and W. of cor. 3 ft. dist. dig pits
53.00	Same wash, course S.80°W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 4, 5, 32 and 33, with brass cap mkd. T 1 S R 11 W S 32 S 33 S 5 S 4 T 2 S 1941 raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.

Chains Land, level.
Soil, sandy, 3rd rate.
No timber; undergrowth, palo verde, ironwood, greasewood, sage and cacti.

S.89°58'W., on a true line bet. secs. 5 and 32.

Over level desert land, through scattered undergrowth.

5.10 Dry wash, 20 lks. wide, course SW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 32
S 5
1941

raise a mound of stone, $3\frac{1}{2}$ ft. base, 3 ft. high, N. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 5, 6, 31 and 32, with brass cap mkd.

T 1 S R 11 W
S 31 | S 32
S 6 | S 5
T 2 S
1941

raise a mound of stone, $3\frac{1}{2}$ ft. base, 3 ft. high, W. of cor.

Land, level.
Soil, sandy, 3rd rate.
No timber; undergrowth, greasewood, ocotillo, sage and cacti.

S.89°58'W., on a true line bet. secs. 6 and 31.

Over level desert land, through scattered undergrowth.

7.10 Dirt road, bears S.20°W. to Clanton Well, and N.20°E. to Harquahala Valley.

18.00 Dry wash, 100 lks. wide, course SW.

35.00 Dry wash, 30 lks. wide, 4 ft. deep, course S.45°W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 31
S 6
1941

raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.

58.05 Dry wash, 100 lks. wide, course S.45°W.

67.00 Dry wash, 100 lks. wide, course S.30°W.

Survey of the North Boundary of T. 2 S., R. 11 W.

27

Chains
79.54The cor. of Tps. 1 and 2 S., Rs. 11 and 12 W., herein-
before described.

Land, level.

Soil, sandy, 3rd rate.

No timber; undergrowth, greasewood, palo verde, ironwood,
cats claw, mesquite, sage and cacti.

Survey of the West Boundary of T. 1 S., R. 11 W.

From the cor. of Tps. 1 and 2 S., Rs. 11 and 12 W., herein-
before described.

North, bet. secs. 31 and 36.

Over level desert land, through scattered undergrowth.

3.50 Dry wash, 10 lks. wide, course E.

36.30 Old road, bears NE. and SW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4}$

S 36 | S 31

1941

of stone, 3 ft. base, 2 ft. high, W. of cor. raise a mound

56.85 Dry wash, 25 lks. wide, course S.20°W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the
ground, for cor. of secs. 25, 30, 31 and 36, with brass cap
mkd.

T 1 S

R 12 W | R 11 W

S 25 | S 30

S 36 | S 31

1941

of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor. raise a mound

Land, level.

Soil, sandy, 3rd rate; and rocky, 4th rate.

No timber; undergrowth, palo verde, ironwood, greasewood,
cats claw, sage and cacti.

North, bet. secs. 25 and 30.

Over level desert land, through scattered undergrowth.

14.75 Dry wash, 20 lks. wide, course S.30°W.

26.10 Left bank of dry wash, course S.45°W.

28.10 Right bank of wash.

Chains

- 30.35 Dry wash, 15 lks. wide, course S.30°W.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
- $\frac{1}{4}$
S 25 | S 30
1941
- raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.
- 43.10 Dry wash, 10 lks. wide, course S.30°W.
- 64.40 Dry wash, 15 lks. wide, course S.30°W.
- 67.70 Dry wash, 15 lks. wide, course S.30°W.
- 73.45 Dry wash, 10 lks. wide, course S.35°E.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 10 ins. in the ground to bedrock, with a malpais stone, 11x7x4 ins., mkd. with a cross X, buried alongside, and in a mound of stone to top, for cor. of secs. 19, 24, 25 and 30, with brass cap mkd.

T 1 S
R 12 W R 11 W
S 24 | S 19
S 25 | S 30
1941

Land, level.

Soil, sandy, 3rd rate.

No timber; undergrowth, pale verde, ironwood, greasewood, cats claw, sage and cacti.

North, bet. secs. 19 and 24.

Over nearly level land, through scattered undergrowth.

- 3.75 Dry wash, 20 lks. wide, course S.45°E.
- 7.10 Dry wash, 15 lks. wide, course S.20°W.
- 29.20 Dry wash, 15 lks. wide, course S.20°E.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S 24 | S 19
1941

from which

An ironwood, 10 ins. diam., bears S.1°E., 112 lks. dist., mkd. $\frac{1}{4}$ S 19 B T.

An ironwood, 8 ins. diam., bears S.54°W., 151 lks. dist., mkd. $\frac{1}{4}$ S 24 B T.

- 41.40 Dry wash, 5 lks. wide, course S.20°E.

- Chains
 43.30 Same wash, 10 lks. wide, course S.10°W.
 53.65 Old trail, bears N.45°E. and S.45°W.
 79.15 Old road, bears NE. to Dead Man's Tank, and SW. to Clanton Well.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 13, 18, 19 and 24, with brass cap mkd.

T 1 S			
R 12 W	R 11 W		
S 13	S 18		
S 24	S 19		
1941			

raise a mound
 of stone, 3½ ft. base, 3 ft. high, W. of cor. q

Land, nearly level.
 Soil, sandy, 3rd rate.
 Timber, ironwood; undergrowth, palo verde, greasewood,
 cats claw, mesquite, sage and cacti.

North, bet. secs. 13 and 18.

Over nearly level desert land, through scattered undergrowth.

- 4.25 Dry wash, 5 lks. wide, course N.60°E.
 8.28 Windmill at Dead Man's Tank, bears N.64°27'E.
 11.05 Dry wash, 10 lks. wide, course NE.
 22.15 Dry wash, 15 lks. wide, course E.
 31.55 Dry wash, 15 lks. wide, course S.10°W.
 35.80 Dry wash, 25 lks. wide, course S.20°E.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for ¼ sec. cor., with brass cap mkd.
- | | |
|------|------|
| ¼ | |
| S 13 | S 18 |
| 1941 | |
- raise a mound
 of stone, 3 ft. base, 2½ ft. high, W. of cor.
- 42.75 Dry wash, 10 lks. wide, course S.20°W.
 69.15 Dry wash, 10 lks. wide, course E.
 77.15 Right bank of dry wash, course S.40°E.
 78.15 Left bank of wash.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 7, 12, 13 and 18, with brass cap mkd.

Chains

T 1 S
R 12 W R 11 W
S 12 | S 7
S 13 | S 18
1941

raise a mound of stone, 3 ft. base, 2½ ft. high, W. of cor. Land, nearly level. Soil, sandy, 3rd rate; and rocky, 4th rate. No timber; undergrowth, greasewood, palo verde, ironwood, mesquite, cats claw, sage and cacti.

North, bet. secs. 7 and 12.

Over rolling desert land, through scattered undergrowth.

10.00 Old road, bears SE. and NW.

20.10 Dry wash, 10 lks. wide, course S.10°E.

31.10 Dry wash, 10 lks. wide, course S.20°W.; asc. 33 ft.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, with a granite stone, 12x8x4 ins., mkd. with a cross X, buried alongside, and in a mound of stone to top, for ¼ sec. cor., with brass cap mkd.

¼

S 12 | S 7

1941

Asc. 14 ft.

45.15 Dry wash, 15 lks. wide, course S.10°W.

54.85 Dry wash, 20 lks. wide, course S.10°E.; asc. 127 ft.

76.00 Top of ascent, bears SE. and NW.; desc. 73 ft.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to bedrock, with a granite stone, 12x8x6 ins., mkd. with a cross X, buried alongside, and in a mound of stone to top, for cor. of secs. 1, 6, 7 and 12, with brass cap mkd.

T 1 S

R 12 W R 11 W

S 1 | S 6

S 12 | S 7

1941

Land, rolling. Soil, sandy, 3rd rate; and rocky, 4th rate. No timber; undergrowth, greasewood, palo verde, ironwood, Cats claw, mesquite, sage and cacti.

Chains North, bet. secs. 1 and 6.
 Over rolling desert land, through scattered undergrowth.
 Desc. 46 ft. over NE. slope.

3.45 Dry wash, 10 lks. wide, course E.
 10.80 Dry wash, 15 lks. wide, course S.50°E.
 18.00 Wash, 15 lks. wide, course S.45°E.
 32.60 Dry wash, 15 lks. wide, course E.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor.; with brass cap mkd.

 $\frac{1}{4}$

S 1 | S 6

1941

raise a mound
 of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.

46.00 Wash, 20 lks. wide, course E.
 62.05 Wash, 10 lks. wide, course S.30°E.
 75.22 Intersect the Gila and Salt River Base Line.
 Set an iron post, 3 ft. long, 3 ins. diam., 27 ins. in the ground, for closing cor. of Tps. 1 S., Rs. 11 and 12 W., with brass cap mkd.

T 1 N R 11 W
S 31

S 1	S 6
R 12 W	R 11 W
T 1 S	
C C	
1941	

raise a mound
 of stone, 5 ft. base, 4 $\frac{1}{2}$ ft. high, S. of cor.

From point of intersection the standard $\frac{1}{4}$ sec. cor., S. bdy. of sec. 31, T. 1 N., R. 11 W., bears N.89°57'E., 26.63 chs. dist.; an iron post, 1 in. diam., 12 ins. above the top of a mound of stone, 3 ft. base, 1 $\frac{1}{2}$ ft. high, mkd. and witnessed as described in the official record.

From the same point the standard cor. of Tps. 1 N., Rs. 11 and 12 W., bears S.89°57'W., 13.37 chs. dist.; an iron post, 3 ins. diam., 6 ins. above the top of a mound of stone, 4 ft. base, 1 $\frac{1}{2}$ ft. high, mkd. and witnessed as described in the official record.

Land, rolling:

Soil, sandy, 3rd rate; and rocky, 4th rate.

No timber; undergrowth, palo verde, ironwood, greasewood, mesquite, cats claw, sage and cacti.

Survey of the South Boundary of T. 2 S., R. 12 W.

Chains From the cor. of Ts. 2 S., Rs. 11 and 12 W., hereinbefore described.

West, along the S. bdy. of sec. 36.

Over level desert land, through scattered undergrowth.

.40 Dry wash, 10 lks. wide, course S.

2.40 Dry wash, 15 lks. wide, course S.20°E.

31.55 Dry wash, 20 lks. wide, course S.

32.90 Dry wash, 20 lks. wide, course S.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 36 only, with brass cap mkd.

$\frac{1}{4}$ S 36
1941

raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.

46.70 Dry wash, 5 lks. wide, course S.10°E.

55.50 Dry wash, 10 lks. wide, course S.

77.25 Dry wash, 7 lks. wide, course S.10°W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of sec. 35 and 36 only, with brass cap mkd.

T 2 S R 12 W
S 35 | S 36
1941

raise a mound of stone, 3 ft. base, 2½ ft. high, N. of cor.

Land, level.
Soil, sandy, 3rd rate.
No timber; undergrowth, palo verde, greasewood, ironwood, mesquite, cats claw, sage and cacti.

West, along the S. bdy. of sec. 35.

Over level desert land, through scattered undergrowth.

5.10 Wash, 5 lks. wide, course S.20°W.

18.30 Dry wash, 15 lks. wide, course S.

29.90 Dry wash, 10 lks. wide, course S.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 35 only, with brass cap mkd.

$\frac{1}{4}$ S 35
1941

Chains
 of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor. raise a mound
 41.20 Dry wash, 15 lks. wide, course SW.
 46.05 Road, bears N. to Clanton Well, and S.
 73.40 Dry wash, 15 lks. wide, course S.20°W.
 78.00 Dry wash, 10 lks. wide, course S.10°W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the
 ground, for cor. of secs. 34 and 35 only, with brass cap
 mkd.

T 2 S R 12 W
 S 34 | S 35

1941

of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor. raise a mound

Land, level.

Soil, sandy, 3rd rate.

Timber, ironwood and palo verde; undergrowth, greasewood,
 ocotillo; cats claw, sage and cacti.

West, along the S. bdy. of sec. 34.

Over level desert land, through scattered undergrowth.

2.70 Dry wash, 10 lks. wide, course S.20°W.
 22.35 Dry wash, 10 lks. wide, course S.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the
 ground, for $\frac{1}{4}$ sec. cor. of sec. 34 only, with brass cap
 mkd.

$\frac{1}{4}$ S 34

1941

of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor. raise a mound

41.75 Dry wash, 10 lks. wide, course S.
 51.95 Dry wash, 20 lks. wide, course S.20°W.
 63.50 Dry wash, 10 lks. wide, course S.20°W.
 74.60 Dry wash, 15 lks. wide, course S.20°W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the
 ground, for cor. of secs. 33 and 34 only, with brass cap
 mkd.

T 2 S R 12 W
 S 33 | S 34

1941

of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor. raise a mound

Chains	<p>Land, level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, sage, ocotillo, cats claw and caoti.</p> <hr/> <p>West, along the S. bdy. of sec. 33. Over level desert land, through scattered undergrowth.</p> <p>.80 Dry wash, 20 lks. wide, course S.10°W.</p> <p>5.45 Dry wash, 15 lks. wide, course S.</p> <p>22.00 Dry wash, 10 lks. wide, course S.30°W.</p> <p>39.20 Dry wash, 8 lks. wide, course S.20°W.</p> <p>39.40 Dry wash, 15 lks. wide, course S.20°W.</p> <p>40.00 True point for $\frac{1}{4}$ sec. cor. falls on right bank of dry wash, 15 lks. wide, course S.20°W. a place unsuitable for permanent cor.</p> <p>41.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for witness $\frac{1}{4}$ sec. cor. of sec. 33 only, with brass cap mkd.</p> <p style="text-align: center;">$\frac{1}{4}$ S 33 WC 1941</p> <p style="text-align: right;">raise a mound</p> <p>of stone, 3 ft. base, 2$\frac{1}{2}$ ft. high, N. of cor.</p> <p>45.85 Dry wash, 5 lks. wide, course S.</p> <p>56.70 Dry wash, 15 lks. wide, course S.15°E.</p> <p>62.80 Dry wash, 15 lks. wide, course S.</p> <p>65.80 Dry wash, 10 lks. wide, course S.5°E.</p> <p>70.30 Dry wash, 150 lks. wide, course S.5°E.</p> <p>80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 32 and 33 only, with brass cap mkd.</p> <p style="text-align: center;">T 2 S R 12 W S 32 S 33 1941</p> <p style="text-align: right;">raise a mound</p> <p>of stone, 3 ft. base, 2$\frac{1}{2}$ ft. high, N. of cor.</p> <p>Land, level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, sage, ocotillo and cacti.</p>
--------	---


Survey of the South Boundary of T. 2 S., R. 12 W.

35

Chains	West, along the S. bdy. of sec. 32. Over nearly level desert land, through scattered undergrowth.
3.70	Dry wash, 10 lks. wide, course S.
19.05	Dry wash, 15 lks. wide, course S.30°E.
37.25	Dry wash, 10 lks. wide, course S.30°E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 32 only, with brass cap mkd. $\frac{1}{4}$ S 32 1941 from which An ironwood, 12 ins. diam., bears N.38°E., 261 lks. dist., mkd. $\frac{1}{4}$ S 32 B T. An ironwood, 12 ins. diam., bears N.15°W., 168 lks. dist., mkd. $\frac{1}{4}$ S 32 B T.
79.90	Drain, 5 lks. wide, course S.45°E.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 31 and 32 only, with brass cap mkd. T 2 S R 12 W S 31 S 32 1941 from which An ironwood, 8 ins. diam., bears N.29 $\frac{1}{4}$ °W., 51 lks. dist., mkd. T 2 S R 12 W S 31 B T. Raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, N. of cor. Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, cats claw, ocotillo, sage and casti.
	West, along the S. bdy. of sec. 31. Over nearly level desert land, through scattered timber and undergrowth.
14.75	Dry wash, 10 lks. wide, course S.10°E.
20.15	Old dim road, bears N. and S.
23.00	Dry wash, 15 lks. wide, course S.20°E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 31 only, with brass cap mkd.

Chains

1941 level
 raise a mound of stone, 3 ft. base, 2½ ft. high, N. of cor.
 73.85 Dry wash, 15 lks. wide, course S. 20° E.
 77.60 Dry wash, 10 lks. wide, course S. 30° E.
 80.00 Set an iron post, 3 ft. long, 3/8 ins. diam., 28 ins. in the ground, for cor. of T. 2 S., R. 12 and 13 W., only, with brass cap mkd.



1941

from which
 A palo verde, 5 ins. diam., bears N. 47° E., 246 lks. dist., mkd. T 2 S R 12 W S 31 B T.
 An ironwood, 14 ins. diam., bears N. 79° W., 539 lks. dist., mkd. T 2 S R 13 W S 36 B T.
 Land, nearly level.
 Soil, sandy, 3 rd rate.
 Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, ocotillo, sage and cacti.

Survey of the West Boundary of T. 2 S., R. 12 W.

From the cor. of Ts. 2 S., Rs. 12 and 13 W. North, bet. secs. 31 and 36.
 Over nearly level desert land, through scattered timber and undergrowth.

2.80 Dry wash, 10 lks. wide, course S. 45° E.
 10.30 Dry wash, 50 lks. wide, course S. 45° E.
 32.95 Dry wash, 15 lks. wide, course S. 30° E.
 36.85 Dry wash, 10 lks. wide, course S. 20° E.
 40.00 Set an iron post, 3-ft. long, 1 in. diam., 28 ins. in the ground, for ¼ sec. cor., with brass cap mkd.
 46.10 Dry wash, 20 lks. wide, course S. 45° E.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 25, 30, 31 and 36, with brass cap mkd.

Survey of the West Boundary of T. 2 S., R. 12 W.

37

Chains

T 2 S	
R 13 W	R 12 W
S 25	S 30
S 36	S 31
1941	

raise a mound

of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.

Land, nearly level.

Soil, sandy, 3 rd rate.

Timber, scattered ironwood and palo verde; undergrowth, ocotillo, greasewood, sage and cacti.

North, bet. secs. 25 and 30.

Over nearly level desert land, through scattered timber and undergrowth.

23.75 Dry wash, 10 lks. wide, course S.45°E.

33.20 Dry wash, 10 lks. wide, course S.25°E.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$	
S 25	S 30
1941	

raise a mound

of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.

63.30 Dry wash, 10 lks. wide, course E.

76.15 Dry wash, 10 lks. wide, course S.35°E.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 19, 24, 25 and 30, with brass cap mkd.

T 2 S	
R 13 W	R 12 W
S 24	S 19
S 25	S 30
1941	

raise a mound

of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.

Land, nearly level.

Soil, sandy, 3rd rate.

Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, ocotillo, sage and cacti.

North, bet. secs. 19 and 24.

Over level desert land, through scattered timber and undergrowth.

7.10 Dry wash, 10 lks. wide, course S.45°E.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

Chains

$\frac{1}{4}$
 S 24 | S 19
 1941

from which

An ironwood, 14 ins. diam., bears S. 57 $\frac{1}{2}$ ° E., 64 lks. dist., mkd. $\frac{1}{4}$ S 19 B T.

Raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.

41.80 Dry wash, 15 lks. wide, course S. 45° E.

52.60 Dry wash, 15 lks. wide, course S. 45° E.

79.60 Dry wash, 10 lks. wide, course S. 45° E.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 32 ins. in the ground, for cor. of secs. 13, 18, 19 and 24, with brass cap mkd.

T 2 S
 R 13 W | R 12 W
 S 13 | S 18
 S 24 | S 19
 1941

of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor. raise a mound

Land, nearly level.

Soil, sandy, 3rd rate.

Timber, scattered ironwood and palo verde; undergrowth, palo verde, ocotillo, cats' claw, sage and cacti.

North, bet. secs. 13 and 18.

Over nearly level desert land, through scattered timber and undergrowth.

20.10 Dry wash, 10 lks. wide, course S. 30° E.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
 S 13 | S 18
 1941

of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor. raise a mound

52.70 Dry wash, 20 lks. wide, course S. 45° E.

66.80 Dry wash, 10 lks. wide, course S. 45° E.

79.00 Dry wash, 10 lks. wide, course S. 45° E.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 7, 12, 13 and 18, with brass cap mkd.

Survey of the West Boundary of T. 2 S., R. 12 W.

39

Chains

T 2 S
R 13 W R 12 W
S 12 | S 7
S 13 | S 18
1941

raise a mound
of stone, 3 ft. base, 2½ ft. high, W. of cor.

Land, nearly level.

Soil, sandy, 3rd rate.

Timber, scattered ironwood and palo verde; undergrowth, cats claw, greasewood, sage and cacti.

North, bet. secs. 7 and 12.

Over nearly level desert land, through scattered timber and undergrowth.

10.95 Dry wash, 30 lks. wide, course S.50°E.

29.40 Dry wash, 10 lks. wide, course S.45°E.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for ¼ sec. cor., with brass cap mkd.

¼
S 12 | S 7
1941

raise a mound
of stone, 3 ft. base, 2½ ft. high, W. of cor.

43.30 Dim road, bears N.15°W. and S.15°E.

72.70 Dry wash, 15 lks. wide, course S.45°E.

79.20 Dry wash, 15 lks. wide, course S.50°E.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 1, 6, 7 and 12, with brass cap mkd.

T 2 S
R 13 W R 12 W
S 1 | S 6
S 12 | S 7
1941

raise a mound
of stone, 3 ft. base, 2½ ft. high, W. of cor.

Land, nearly level.

Soil, sandy, 3rd rate.



Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage and cacti.

North, bet. secs. 1 and 6.

Over nearly level desert land, through scattered timber and undergrowth.

.78 Road, bears E. and W.

4.50 Dry wash, 50 lks. wide, course S.45°E.

Chains 32.90	Dry wash, 15 lks. wide, course S.45°E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ 
	raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.
45.70	Dry wash, 30 lks. wide, course S.45°E.
80.00	Set an iron post, 3 ft. long, $\frac{3}{8}$ ins. diam., 28 ins. in the ground, for cor. of Tps. 1 and 2 S., Rs. 12 and 13 W., with brass cap mkd.
	
	raise a mound of stone, 4 ft. base, 3 ft. high, S. of cor.
	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood; cats claw, sage and cacti.

Survey of the North Boundary of T. 2 S., R. 12 W.

From the cor. of Tps. 1 and 2 S., Rs. 12 and 13 W., hereinbefore described.

East, on a random line along the N. bdy. of T. 2 S., R. 12 W., setting temp. $\frac{1}{4}$ sec. and sec. cors. at intervals of 40.00 chs. At 479.38 chs. a point 18 lks. S. of the cor. of Tps. 1 and 2 S., Rs. 11 and 12 W., hereinbefore described.

Thence

S.89°59'W., on a true line bet. secs. 1 and 36.

Over nearly level desert land, through scattered timber and undergrowth.

7.60 Left bank of dry wash, course S.

10.60 Right bank of wash.

27.75 Dry wash, 15 lks. wide, course S.10°E.

34.10 Dry wash, 15 lks. wide, course S.5°E.

37.80 Dirt road, bears N. and S.

38.62 Dirt road, bears N.10°W. and S.10°E.

Survey of the North Boundary of T. 2 S., R. 12 W.

41

Chains 40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p> <p style="text-align: center;">$\frac{1}{4}$ <u>S 36</u> S 1 1941.</p> <p style="text-align: right;">raise a mound</p> <p>of stone, 3 ft. base, 2 ft. high, N. of cor.</p>
51.55	Dry wash, 10 lks. wide, course S.
54.65	Dirt road, bears N.15°E. and S.15°W.
58.60	Drain, 5 lks. wide, course S.20°W.
65.60	Dry wash, 10 lks. wide, course S.5°W.
73.90	Dirt road, bears N. and S.
76.10	Dry wash, 10 lks. wide, course S.10°W.
80.00	<p>Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 1, 2, 35 and 36, with brass cap mkd.</p> <p style="text-align: center;">T 1 S 12 W S 35 S 36 S 2 S 1 T 2 S 1941</p> <p style="text-align: right;">raise a mound</p> <p>of stone, 3 ft. base, 2 ft. high, W. of cor.</p> <p>Land, nearly level. Soil, sandy 3rd rate; and gravelly, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, sage and cacti.</p>
S.89°59'W., on a true line bet. secs. 2 and 35	
Over rolling desert land, through scattered timber and undergrowth.	
2.70	Drain, 5 lks. wide, course S.10°W.
19.65	Left bank of dry wash, course S.20°E.
21.15	Right bank of wash.
34.80	Base of slope, bears NE. and SW.; asc. 38 ft. over SE. slope.
40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p> <p style="text-align: center;">$\frac{1}{4}$ <u>S 35</u> S 2 1941</p> <p style="text-align: right;">raise a mound</p> <p>of stone, 3 ft. base, 2½ ft. high, N. of cor.</p>
51.20	Dry wash, 10 lks. wide, course S.

Chains

- 57.20 Dry wash, 15 lks. wide, course S.20°E.
- 60.00 Same wash, course NE.; asc. 91 ft. over NE. slope.
- 68.20 Same wash, course S.45°E.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 2,3,34 and 35, with brass cap mkd.

T 1 S R 12 W

S 34 S 35

S 3 S 2

T 2 S

1941

raise a mound of stone, 4 ft. base, 3 ft. high, W. of cor.

Land, level and rolling.

Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage and cacti.

S.89°59'W., on a true line bet. secs. 3 and 34.

Over rolling mountainous land, through scattered undergrowth.

- .50 Spur, slopes NW.; low saddle, bears N. about 2.00 chs. dist.; desc. 63 ft. over W. slope.
- 33.75 Dry wash, 10 lks. wide, course SE.; asc. 23 ft.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.

1/4 S 34

S 3
1941

raise a mound of stone, 2 1/2 ft. base, 2 ft. high, N. of cor.

Asc. 123 ft. over SE. slope.

- 47.30 Spur, slopes S.; desc. 152 ft. over SW. slope.
- 63.60 Dry wash, 10 lks. wide, course S.
- 66.10 Dry wash, 10 lks. wide, course S.; asc. 96 ft. over SE. slope.

- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., on bedrock, with a granite stone, 4x6x6 ins. mkd. with a cross X, buried alongside, and in a mound of stone to top, for cor. of secs. 3,4,33 and 34, with brass cap mkd.

T 1 S R 12 W

S 33 S 34

S 4 S 3

T 2 S

1941

Land, rolling and mountainous. Soil, sandy, 3rd rate; and rocky, 4th rate. No timber; undergrowth, greasewood, cats claw and cacti.

Survey of the North Boundary of T. 2 S., R. 12 W.

43

Chains	S.89°59'W., on a true line bet. secs. 4 and 33. Over mountainous land, through scattered desert growth. Asc. 108 ft. over SE. slope.
7.30	Spur, slopes S.; desc. 176 ft. over SW. slope.
14.50	Rocky ravine, 10 lks. wide, course S.; asc. 90 ft. over SE. slope.
21.40	Spur, slopes S.; desc. 158 ft. over SW. slope.
37.25	Dry wash, 15 lks. wide, course S.; asc. 15 ft. over SE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., on bedrock, with a granite stone, 4x6x8 ins., mkd. with a cross X, buried alongside, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\begin{array}{r} \frac{1}{4} \text{ S } 33 \\ \hline \text{S } 4 \\ 1941 \end{array}$ Asc. 27 ft. over SE. slope.
43.30	Spur, slopes SW.; desc. 81 ft. over W. slope.
53.20	Dry wash, 10 lks. wide, course S. 30°W.
56.20	Dry wash, 10 lks. wide, course S.; asc. 323 ft. over SE. slope.
78.30	Spur, slopes S.; desc. 8 ft. over W. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., on bedrock, with a granite stone, 4x6x10 ins., mkd. with a cross X, buried alongside, and in a mound of stone to top, for cor. of secs. 4, 5, 32 and 33, with brass cap mkd. $\begin{array}{r} \text{T } 1 \text{ S } \text{ R } 12 \text{ W} \\ \text{S } 32 \text{ } \text{S } 33 \\ \text{S } 5 \text{ } \text{S } 4 \\ \text{T } 2 \text{ S} \\ 1941 \end{array}$ Land, mountainous. Soil, rocky, 4th rate. No timber; undergrowth, greasewood, cats claw, palo verde, sage and cacti.
	S.89°59'W., on a true line bet. secs. 5 and 32. Over mountainous land, through scattered desert growth. Desc. 293 ft. over W. slope.
18.85	Dry wash, 10 lks. wide, course N.45°W.; asc. 31 ft. over NE. slope.
25.60	Spur, slopes N.; desc. 69 ft. along N. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, with a malpais stone, 4x10x10 ins., mkd. with a cross X, buried alongside, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

Chains

Asc. 63 ft. along N. slope.
1941


57.50 Point of spur, slopes N.; desc. 63 ft. over NW. slope.

62.40 Base of slope, bears NE. and SW.; continue over level desert land.

65.10 Dry wash, 25 lks. wide, course S.60°W.

72.40 Dry wash, 10 lks. wide, course S.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 5, 6, 31 and 32, with brass cap mkd.



of stone, 5 ft. base, 4½ ft. high, W. of cor. raise a mound

Land, mountainous and level.

Soil, sandy, 3rd rate; and rocky, 4th rate.


No timber; undergrowth, palo verde, greasewood, ocotillo, sage and cacti.

S.89°59'W., on a true line bet. secs. 6 and 31.

Over level desert land, through scattered timber and undergrowth.

11.70 Dry wash, 10 lks. wide, course S.20°E.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for ¼ sec. cor., with brass cap mkd.



of stone, 3 ft. base, 2½ ft. high, N. of cor. raise a mound

79.38 The cor. of Tps. 1 and 2 S., Rs. 12 and 13 W., hereinbefore described.

Land, level.

Soil, sandy, 3rd rate.

Timber, scattered ironwood and palo verde; undergrowth, ocotillo; cats-claw, sage and cacti.

Chains The Gila and Salt River Base Line, through Rs. 12 and 13 W., was surveyed in 1914 by John F. Hesse, U.S. Surveyor.

From the standard cor. of Ts. 1 N., Rs. 12 and 13 W., which is an iron post, 3 ins. diam., 5 ins. above the top of a mound of stone, 4 ft. base; 2 ft. high, firmly set, mkd. and witnessed as described in the official record.

North, bet. secs. 31 and 36.

Over mountainous land, through scattered timber and desert growth.; desc. 123 ft. over N. slope.

6.95 Dry wash, 15 lks. wide, course E.; asc. 157 ft. over broken S. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, with a stone, mkd. with a cross X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor.; with brass cap mkd.

$\frac{1}{4}$
S 36 | S 31
1941

No bearing trees available.

Asc. 157 ft. over SW. slope.

54.00 Top of ridge, bears N.70°W. and S.70°E.; desc. 202 ft. over NE. slope.

67.80 Ravine, course S.70°E.; asc. 37 ft. over S. slope.

71.80 Spur, slopes E.; desc. 100 ft. over N. slope.

79.95 Dry wash, 15 lks. wide, course NE.

80.00 True point for cor. of secs. 25, 30, 31 and 36, falls on N. bank of wash, a place unsuitable for permanent cor.

Land, mountainous.

Soil, sandy loam, 3rd rate; and rocky, 4th rate.

Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage and cacti.

North, bet. secs. 25 and 30.

Over nearly level desert land, through scattered timber and undergrowth.

1.80 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for witness cor. of secs. 25, 30, 31 and 36, with brass cap mkd.

T 1 N
R 13 W | R 12 W
S 25 | S 30
S 36 | S 31
W C
1941

of stone, 5 ft. base, 3 ft. high, W. of cor. raise a mound

Chains

- 34.20 Dim. road, bears S.60°E. and N.60°W.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
- $\frac{1}{4}$
S 25 | S 30
1941
- raise a mound of stone, 5 ft. base, 3 ft. high, W. of cor.
- 50.00 Drain, course E.; asc. 58 ft. over gradual SW. slope.
- 67.50 Top of hill, bears SE. and W.; desc. 46 ft. over NE. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 19, 24, 25 and 30, with brass cap mkd.

T 1 N
R 13 W | R 12 W
S 24 | S 19
S 25 | S 30
1941

raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, rolling and level.
Soil, sandy, 3rd rate; and rocky, 4th rate.
Timber, scattered palo verde and ironwood; undergrowth, greasewood, cacti, cats claw and ocotillo.

North, bet. secs. 19 and 24.

Over nearly level desert land, through scattered timber and undergrowth.

- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S 24 | S 19
1941

raise a mound of stone, $2\frac{1}{2}$ ft. base, 2 ft. high, W. of cor.

- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 13, 18, 19 and 24, with brass cap mkd.

T 1 N
R 13 W | R 12 W
S 13 | S 18
S 24 | S 19
1941

raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, nearly level.
Soil, sandy, 3rd rate.

Survey of the West Boundary of T. 1 N., R. 12 W.

47

Chains	Timber, scattered palo verde and ironwood; undergrowth, greasewood, ocotillo, cats claw; sage and cacti.
	North, bet. secs. 13 and 18.
	Over level desert land, through scattered undergrowth.
38.00	Leave level land, bears NW. and SE.; asc. 5 ft. over SW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 16 ins in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 13 S 18 1941
	Asc. 86 ft. over SW. slope.
63.70	Spur, slopes SE.; desc. 103 ft. over NE. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 7, 12, 13 and 18, with brass cap mkd.
	T 1 N R 13 W R 12 W S 12 S 7 S 13 S 18 1941
	raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
	Land, rolling and level. Soil, sandy, 3rd rate; and rocky, 4th rate. No timber; undergrowth, greasewood, cats claw, sage and cacti.
	North, bet. secs. 7 and 12.
	Over mountainous land, through scattered timber and undergrowth.
	Along gentle E. slope.
5.00	Drain, course SE.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 12 S 7 1941
	raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
60.00	Base of slope, bears E. and W.; asc. 114 ft. over S. slope.

Chains 69.70	Spur, slopes E.; desc. 68 ft. over NE. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 1, 6, 7 and 12, with brass cap mkd.
	T 1 N R 13 W R 12 W S 1 S 6 S 12 S 7 1941
	raise a mound of stone, 2½ ft. base, 1½ ft. high, W. of cor.
	Land, mountainous and nearly level. Soil, rocky, 4th rate. Timber, palo verde and ironwood; undergrowth, cacti, sage, ocotillo and cats claw.
	North, bet. secs. 1 and 6.
	Over rolling desert land, through scattered timber and undergrowth.
	Desc. 23 ft. along gradual E. slope.
5.15	Drain, course E.
20.00	Desc. 23 ft. along gentle E. slope.
38.00	Drain, course E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for ¼ sec. cor., with brass cap mkd.
	¼ S 1 S 6 1941
	raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
48.00	Base of slope, bears E. and W.; asc. 113 ft. over SE. slope.
68.70	Top of ascent, bears E. and E.; desc. 74 ft. over NE. slope.
80.00	Set an iron post, 3 ft. long, 3 ins. diam., 12 ins. in the ground to bedrock, with a stone mkd. with a cross K, deposited at the base, and in a mound of stone to top, for cor. of Tps. 1 and 2 N., Rs. 12 and 13 W., with brass cap mkd.
	T 2 N R 13 W R 12 W S 36 S 31 S 1 S 6 T 1 N 1941
	Land, rolling and mountainous. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered palo verde, mesquite and ironwood; undergrowth, greasewood, cacti, ocotillo and cats calw.

Survey of the North Boundary of T. 1 N., R. 12 W.

49

Chains From the cor. of Tps. 1 and 2 N., Rs. 12 and 13 W.

East, on a random line along the N. bdy. of T. 1 N., R. 12 W., setting temp. $\frac{1}{4}$ sec. and sec. cors. at intervals of 40.00 chs. At 479.25 chs., a point 5 lks. N. of the cor. of Tps. 1 and 2 N., Rs. 11 and 12 W., which is an iron post, 3 ins. diam., 6 ins. above the top of a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, firmly set, mkd. and witnessed as described in the official record.

Thence

West, on a true line bet. secs. 1 and 36.

Over rolling desert land, through scattered timber and undergrowth.

- 4.05 Dry wash, 10 lks. wide, course S.80°W.
 12.45 Dry wash, 15 lks. wide, course N.80°W.
 20.80 Dry wash, 40 lks. wide, course N.20°W.
 31.70 Same wash, course S.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 36
 S 1
 1941

raise a mound
 of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.

- 53.55 Dry wash, 10 lks. wide, course S.20°E.; asc. 306 ft. over rocky NE. slope.
 70.60 Top, and near point of high spur ridge, slopes N.; desc. 274 ft. over W. slope.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in the ground to bedrock, with a lava stone, 6x8x10 ins., mkd. with a cross X, buried alongside, and in a mound of stone to top, for cor. of secs. 1, 2, 35 and 36, with brass cap mkd.

T 2 N R 12 W
 S 35 | S 36
 S 2 | S 1
 T 1 N
 1941

No bearing trees available.

Land, rolling and mountainous.
 Soil, sandy, 3rd rate; and rocky, 4th rate.
 Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, mesquite, sage and cacti.

West, on a true line bet. secs. 2 and 35.

Over rolling desert land, through scattered timber and undergrowth.

Desc. 184 ft. over W. slope.

Chains
40.00

Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, with a lava stone, 4x6x8 ins., mkd. with a cross X, buried alongside, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 35
S 2
1941

No bearing trees available.

Desc. 35 ft. over W. slope.

51.35 Dry wash, 20 lks. wide, course N.; asc. 72 ft. over E. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 2, 3, 34 and 35, with brass cap mkd.

T 2 N R 12 W
S 34 | S 35
S 3 | S 2
T 1 N
1941

raise a mound of stone, 4 ft. base, 3 ft. high, N. of cor.

Land, rolling.

Soil, rocky, 4th rate.

Timber, scattered ironwood and palo verde; undergrowth, greasewood; ocotillo, cats' claw, mesquite, sage and cacti.

West, on a true line bet. secs. 3 and 34.

Over nearly level desert land, through scattered timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 34
S 3
1941

raise a mound of stone, 4 ft. base, 3 ft. high, N. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 3, 4, 33 and 34, with brass cap mkd.

T 2 N R 12 W
S 33 | S 34
S 4 | S 3
T 1 N
1941

raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.

Land, nearly level.

Soil, sandy, 3rd rate.

Timber, scattered ironwood and palo verde; undergrowth,

Survey of the North Boundary of T. 1 N., R. 12 W.

51

Chains greasewood, cats claw, mesquite, ocotillo, sage and cacti.

West, on a true line bet. secs. 4 and 33.

Over nearly level desert land, through scattered desert growth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\frac{1}{4} \begin{array}{r} \text{S } 33 \\ \hline \text{S } 4 \\ 1941 \end{array}$$
of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor. raise a mound

40.15 Old road, bears N. and S.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 4, 5, 32 and 33, with brass cap mkd.

$$\begin{array}{r} \text{T } 2 \text{ N } \text{R } 12 \text{ W} \\ \text{S } 32 \mid \text{S } 33 \\ \text{S } 5 \mid \text{S } 4 \\ \text{T } 1 \text{ N} \\ 1941 \end{array}$$
of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor. raise a mound

Land, nearly level.

Soil, sandy, 3rd rate; and rocky, 4th rate.

No timber; undergrowth, greasewood, ocotillo, cats claw, mesquite, sage and cacti.

West, on a true line bet. secs. 5 and 32.

Over nearly level desert land, through scattered timber and undergrowth.

20.60 Old road, bears N. 6° W. and S. 6° E.40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
$$\frac{1}{4} \begin{array}{r} \text{S } 32 \\ \hline \text{S } 5 \\ 1941 \end{array}$$
of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor. raise a mound

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 5, 6, 31 and 32, with brass cap mkd.

$$\begin{array}{r} \text{T } 2 \text{ N } \text{R } 12 \text{ W} \\ \text{S } 31 \mid \text{S } 32 \\ \text{S } 6 \mid \text{S } 5 \\ \text{T } 1 \text{ N} \\ 1941 \end{array}$$

Chains

raise a mound
of stone, 3 ft. base, 2½ ft. high, W. of cor.

Land, nearly level.

Soil, sandy, 3rd rate.

Timber, scattered ironwood and palo verde; undergrowth,
greasewood, cats claw, mesquite, sage, ocotillo and cacti.

West, on a true line bet. secs. 6 and 31.

Over nearly level desert land, through scattered timber
and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the
ground, for ¼ sec. cor., with brass cap mkd.

¼ S 31
S 6
1941

raise a mound
of stone, 3 ft. base, 2½ ft. high, N. of cor.

79.25 The cor. of Tps. 1 and 2 N., Rs. 12 and 13 W.

Land, nearly level.

Soil, sandy, 3rd rate; and rocky, 4th rate.

Timber, scattered ironwood, palo verde; undergrowth,
greasewood, mesquite, cats claw, ocotillo, sage and cacti.

Survey of the North Boundary of T. 1 N., R. 13 W.

From the cor. of Tps. 1 and 2 N., Rs. 12 and 13 W.

West, on a random line along the N. bdy. of T. 1 N., R.
13 W., setting temp. ¼ sec. and sec. cors. at intervals
of 40.00 chs. At 479.36 chs., a point 84 lks. N. of the
cor. of Tps. 1 and 2 N., Rs. 13 and 14 W., which is an
iron post, 3 ins. diam., 8 ins. above ground, firmly set,
mkd. and witnessed as described in the official record.

Thence

N. 89° 54' E., on a true line bet. secs. 6 and 31.

Over nearly level desert land, through scattered timber
and undergrowth.

2.56 Dry wash, 5 lks. wide, course S.

7.71 Old road, bears N. and S.

17.11 Dry wash, 10 lks. wide, course S. 10° W.

39.36 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the
ground, for ¼ sec. cor., with brass cap mkd.

¼ S 31
S 6
1941

raise a mound
of stone, 3½ ft. base, 2½ ft. high, N. of cor.

Survey of the North Boundary of T. 1 N., R. 13 W.

53

Chains
79.36

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 5, 6, 31 and 32, with brass cap mkd.

T 2 N R 13 W
S 31 S 32
S 6 S 5
T 1 N
1941

raise a mound

of stone, 4 ft. base, 3 ft. high, W. of cor.

Land, nearly level.

Soil, sandy, 3rd rate; and rocky, 4th rate.

Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, mesquite, sage and cacti.

N. 89° 54' E., on a true line bet. secs. 5 and 32.

Over nearly level desert land, through scattered undergrowth.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 32
S 5
1941

raise a mound

of stone, 4 ft. base, 3 ft. high, N. of cor.

80.00

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 4, 5, 32 and 33, with brass cap mkd.

T 2 N R 13 W
S 32 S 33
S 5 S 4
T 1 N
1941

raise a mound

of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.

Land, nearly level.

Soil, sandy, 3rd rate.

No timber; undergrowth, greasewood, mesquite, cats claw, sage and cacti.

N. 89° 54' E., on a true line bet. secs. 4 and 33.

Over nearly level desert land, through scattered undergrowth.

40.00

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 33
S 4
1941

raise a mound

of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, N. of cor.

Chains
80.00

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 3, 4, 33 and 34, with brass cap mkd.

T 2 N R 13 W
S 33 | S 34
S 4 | S 3
T 1 N
1941

raise a mound of stone, 4 ft. base, 3 ft. high; W. of cor.

Land, nearly level.
Soil, sandy, 3rd rate.
No timber; undergrowth, greasewood, palo verde, cats claw, mesquite, sage and cacti.

N. 89° 54' E., on a true line bet. secs. 3 and 34.

Over nearly level desert land, through scattered undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 34
S 3
1941

raise a mound of stone, 3 $\frac{1}{2}$ ft. base, 2 ft. high, N. of cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 2, 3, 34 and 35, with brass cap mkd.

T 2 N R 13 W
S 34 | S 35
S 3 | S 2
T 1 N
1941

raise a mound of stone, 4 ft. base, 3 ft. high, W. of cor.

Land, nearly level.
Soil, sandy, 3rd rate.
No timber; undergrowth, greasewood, cats claw, mesquite, sage, palo verde and cacti.

N. 89° 54' E., on a true line bet. secs. 2 and 35.

Over nearly level desert land, through scattered undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

Survey of the North Boundary of T. 1 N., R. 13 W.

55

Chains	$\frac{1}{4} \frac{S \ 35}{S \ 2}$ <p>1941</p> <p>raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.</p>
80.00	<p>Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 1, 2, 35 and 36, with brass cap mkd.</p> $\begin{array}{c} T \ 2 \ N \ R \ 13 \ W \\ S \ 35 \ \ S \ 36 \\ S \ 2 \ \ S \ 1 \\ T \ 1 \ N \\ 1941 \end{array}$ <p>raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.</p> <p>Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, mesquite, sage and cacti.</p>
	<p>N. $89^{\circ}54'E.$, on a true line bet. secs. 1 and 36.</p> <p>Over nearly level desert land, through scattered undergrowth.</p>
5.50	Leave desert land, bears N. and S.; asc. 365 ft. over W. slope.
32.20	Top of spur, slopes S.; desc. 77 ft. over E. slope.
38.30	Dry wash, 15 lks. wide, course S.
40.00	Set an iron post, 3 ft. long, 1 in. diam., on solid rock, with a lava stone, $4 \times 2 \times 4$ ins., mkd. with a cross X, buried alongside, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \frac{S \ 36}{S \ 1}$ <p>1941</p> <p>Asc. 92 ft. over W. slope.</p>
43.80	Spur, slopes S.; desc. 349 ft. over E. slope.
80.00	<p>The cor. of Tps. 1 and 2 N., Rs. 12 and 13 W.</p> <p>Land, nearly level and mountainous. Soil, sandy, 3rd rate; and rocky, 4th rate. No timber; undergrowth, greasewood, cats claw, mesquite, ocotillo, sage and cacti.</p>

Chains	From the cor. of Tps. 1 and 2 N., Rs. 12 and 13 W.
	North, on a random line along the W. bdy. of T. 2 N., R. 12 W., setting temp. $\frac{1}{4}$ sec. and sec. cors. at intervals of 40.00 chs. At 479.88 chs., a point 75 lks. E. of the cor. of Tps. 2 and 3 N., Rs. 12 and 13 W., which is an iron post, 3 ins. diam., 10 ins. above ground, firmly set, mkd. and witnessed as described in the official record.
	Thence
	S.0°05'E., on a true line bet. secs. 1 and 6.
	Over nearly level overflowed desert land, through dense undergrowth.
4.88	Leave overflowed land, bears NE. and SW.; continue through scattered timber and undergrowth.
39.88	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ \text{S } 1 \mid \text{S } 6 \\ 1941 \end{array}$
	of stone, 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor. raise a mound
66.53	Graded road, bears N.68 $\frac{1}{2}$ °E. and S.68 $\frac{1}{2}$ °W.
79.88	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 1, 6, 7 and 12, with brass cap mkd.
	$\begin{array}{c} \text{T } 2 \text{ N} \\ \text{R } 13 \text{ W } \mid \text{R } 12 \text{ W} \\ \text{S } 1 \mid \text{S } 6 \\ \text{S } 12 \mid \text{S } 7 \\ 1941 \end{array}$
	of stone, 3 ft. base, 2 ft. high, W. of cor. raise a mound
	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, mesquite, sage and cacti.
	S.0°05'E., on a true line bet. secs. 7 and 12.
	Over nearly level desert land, through scattered timber and undergrowth.
	Asc. 64 ft. over gentle N. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ \text{S } 12 \mid \text{S } 7 \\ 1941 \end{array}$
	of stone, 3 ft. base, 2 ft. high, W. of cor. raise a mound

Survey of the West Boundary of T. 2 N., R. 12 W.

57

Chains
 41.00 Base of slope, bears E. and W.; asc. 91 ft. over N. slope.
 47.60 Spur, slopes NW.; desc. 56 ft. over SW. slope.
 53.30 Ravine, course NW.; asc. 323 ft. over steep N. slope.
 64.80 Top of main divide of Eagle Tail Mountains, bears SE. and W.; desc. 291 ft. over S. slope.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for cor. of secs. 7, 12, 13 and 18, with brass cap mkd.

T 2 N
 R 13 W R 12 W
 S 12 | S 7
 S 13 | S 18
 1941

Land, nearly level and mountainous.
 Soil, sandy, 3rd rate; and rocky, 4th rate.
 Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, mesquite, ocotillo, sage and cacti.

S.0°05'E., on a true line bet. secs. 13 and 18.

Over mountainous land, through scattered timber and desert growth.

Desc. 30 ft. over S. slope.

5.00 Dry wash, 10 lks. wide, course S.60°W.; desc. 52 ft. along W. slope.

20.00 Base of slope, bears NW. and SE.; continue over nearly level desert land.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
 S 13 | S 18
 1941

of stone, 3 ft. base, 2 ft. high, W. of cor. raise a mound

52.50 Dry wash, 5 lks. wide, course W.

54.45 Dim road, bears E. and W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 13, 18, 19 and 24, with brass cap mkd.

T 2 N
 R 13 W R 12 W
 S 13 | S 18
 S 24 | S 19
 1941

of stone, 3 ft. base, 2 ft. high, W. of cor. raise a mound

Chains	Land, level and rolling. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered palo verde and mesquite; undergrowth, greasewood, cats claw, mesquite, sage and cacti.
	S.0°05'E., on a true line bet. secs. 19 and 24. Over mountainous land, through scattered timber and desert growth. Along W. slope.
28.80	Base of slope, bears S.60°E. and N.60°W.; asc. 197 ft. over NE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 24 S 19 1941
	Asc. 103 ft. over NE. slope.
44.70	Spur, slopes N.70°W.; desc. 313 ft. over steep rocky, SW. slope.
59.40	Base of slope, bears N.60°W. and S.60°E.; continue over nearly level desert land.
69.80	Dry wash, 8 lks. wide, course W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 19, 24, 25 and 30, with brass cap mkd.
	T 2 N R 13 W R 12 W S 24 S 19 S 25 S 30 1941
	raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
	Land, mountainous and level. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, mesquite, cats claw, sage and cacti.
	S.0°05'E., on a true line bet. secs. 25 and 30. Over nearly level desert land, through scattered timber and undergrowth.
37.50	Base of slope, bears S.60°E. and W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bedrock, with a lava stone, 4x6x8 ins. mkd. with a cross X, buried alongside, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

Chains	$\frac{1}{4}$ S 25 S 30 1941
	Asc. 82 ft. over NE. slope.
47.90	Spur, slopes N.60°W.; desc. 114 ft. over rocky SW. slope.
50.30	Base of slope, bears SE. and NW.; continue over level land.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 25, 30, 31 and 36, with brass cap mkd.
	T 2 N R 13 W R 12 W S 25 S 30 S 36 S 31 1941
	raise a mound of stone, 4 ft. base, $3\frac{1}{2}$ ft. high, W. of cor.
	Land, mountainous and level. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, sage, mesquite and cacti.
	S.0°05'E., on a true line bet. secs. 31 and 36. Over mountainous land, through scattered timber and desert growth.
20.30	Base of slope, bears SE. and W.; asc. 57 ft. over NE. slope.
25.70	Top of ascent, bears E. and W.; desc. 43 ft. over SE. slope.
38.00	Drain, course E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 36 S 31 1941
	raise a mound of stone, 6 ft. base, $4\frac{1}{2}$ ft. high, W. of cor.
	Asc. 36 ft. along E. slope.
62.00	Spur, slopes E.; desc. 43 ft. over SE. slope.
67.50	Base of slope, bears E. and W.; continue over level land.
77.50	Base of slope, bears N.30°W. and S.30°E.; continue along E. slope.
80.00	The cor. of Tps. 1 and 2 N., Rs. 12 and 13 W.
	Land, mountainous and level. Soil, sandy, 3rd rate; and rocky, 4th rate.

Chains Timber, scattered ironwood and palo verde; undergrowth, greasewood, mesquite, cats claw, ocotillo, sage and cacti.

Survey of the North Boundary of T. 2 N., R. 13 W.

From the cor. of Tps. 2 and 3 N., Rs. 12 and 13 W.

West, on a random line along the N. bdy. of T. 2 N., R. 13 W., setting temp. $\frac{1}{4}$ sec. and sec. cors. at intervals of 40.00 chs. At 477.56 chs. a point 101 lks. N. of the cor. of Tps. 2 and 3 N., Rs. 13 and 14 W., which is an iron post, 3 ins. diam., 12 ins. above ground, firmly set, mkd. and witnessed as described in the official record.

Thence

N. 89° 53' E., on a true line bet. secs. 6 and 31.

Over low desert land, (flooded during heavy rains) through dense mesquite thicket.

24.56 Leave low land, bears N. and S.; continue over level land, through scattered timber and undergrowth.

37.56 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 31
S 6
1941

18x18x12 ins., E. and W. of post, 3 ft. dist. dig pits

77.56 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 5, 6, 31 and 32, with brass cap mkd.

T 3 N R 13 W
S 31 | S 32
S 6 | S 5
T 2 N
1941

of stone, 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor. raise a mound

Land, level.

Soil, sandy, 3rd rate.

Timber, mesquite and ironwood; undergrowth, greasewood, sage, ocotillo, sage, mesquite, cats claw and cacti.

N. 89° 53' E., on a true line bet. secs. 5 and 32.

Over nearly level desert land, through scattered timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 32
S 5
1941

Survey of the North Boundary of T. 2 N., R. 13 W.

Chains dig pits
 18x18x12 ins., E. and W. of post, 3 ft. dist.
 53.60 Dirt road, bears E. and S. 75°W.; continue along road.
 60.20 Leave road, bears N. 80°E. and W.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 4, 5, 32 and 33, with brass cap mkd.

T 3 N R 13 W
 S 32 | S 33
 S 5 | S 4
 T 2 N
 1941

raise a mound
 of stone, 2½ ft. base, 1½ ft. high, W. of cor.

Land, nearly level.
 Soil, sandy, 3rd rate; and rocky, 4th rate.
 Timber, scattered mesquite and ironwood; undergrowth, greasewood, ocotillo, sage, cats claw and cacti.

N. 89° 53' E., on a true line bet. secs. 4 and 33.

Over nearly level desert land, through scattered timber and undergrowth.

4.20 Old road, bears NE. and SW.
 25.00 Enter low land, -(flooded during heavy rains) bears NE. and SW.
 40.00 Set an iron post, 3 ft. long, 1 ins. diam., 28 ins. in the ground, for ¼ sec. cor., with brass cap mkd.

¼ S 33
 S 4
 1941

raise a mound
 of stone, 2½ ft. base, 1½ ft. high N. of cor.

54.00 Leave low land, bears N. and S.; asc. 29 ft. over gradual SW. slope.
 69.10 Low ridge, bears NW. and SE.; desc. 35 ft. over NE. slope.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone, to top, for cor. of secs. 3, 4, 33 and 34, with brass cap mkd.

T 3 N R 13 W
 S 33 | S 34
 S 4 | S 3
 T 2 N
 1941

No bearing trees available.

Land, level and rolling.
 Soil, sandy loam, 2nd rate; and gravelly, 4th rate.
 Timber, scattered mesquite; undergrowth, greasewood, mesquite, sage and cacti.

Chains	N. 89° 53' E., on a true line bet. secs. 3 and 34. Over nearly level desert land, through scattered timber and undergrowth.
10.20	Dim road, bears SE. and NW.
11.00	Enter low land, (flooded during heavy rains) bears SE. and NW.
27.00	Leave low land, bears NE. and S. 20° W.
28.70	Dim road, bears S. 20° W. and N. 20° E.
33.00	Top of slight ascent, bears N. and S. at point of hill.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4} \begin{array}{c} \text{S } 34 \\ \text{S } 3 \\ 1941 \end{array}$
	raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.
48.20	Enter low land, bears N. 20° E. and S. 20° W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 2, 3, 34 and 35, with brass cap mkd. $\begin{array}{c} \text{T } 3 \text{ N } \text{R } 13 \text{ W} \\ \text{S } 34 \text{ } \text{S } 35 \\ \text{S } 3 \text{ } \text{S } 2 \\ \text{T } 2 \text{ N} \\ 1941 \end{array}$
	dig pits 18x18x12 ins., in each sec. 3 ft. dist. Land, level and rolling. Soil, sandy, 3rd rate; and gravelly, 4th rate. Timber, scattered mesquite; undergrowth, greasewood, cacti, sage and ocotillo.
	N. 89° 53' E., on a true line bet. secs. 2 and 35. Over low desert land. (flooded during heavy rains) through dense mesquite.
2.00	Leave low land, bears NE. and SW.
20.00	Enter low land, bears NE. and SW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4} \begin{array}{c} \text{S } 35 \\ \text{S } 2 \\ 1941 \end{array}$
	dig pits 18x18x12 ins., E. and W. of post, 3 ft. dist.
48.60	Leave low land, bears NE. and SW.

Survey of the North Boundary of T. 2 N., R. 13 W. 63

Chains
80.00

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 1, 2, 35 and 36, with brass cap mkd.

$$\begin{array}{r} T\ 3\ N\ R\ 13\ W \\ S\ 35\ | \ S\ 36 \\ S\ 2\ | \ S\ 1 \\ T\ 2\ N \\ 1941 \end{array}$$

raise a mound of stone, $2\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

Land, level.

Soil, sandy clay loam, 2nd rate; and gravelly, 4th rate. Timber, mesquite; undergrowth, greasewood, mesquite and cacti.

N. $89^{\circ}53'E.$, on a true line bet. secs. 1 and 36.

Over level desert land, through scattered timber and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{r} \frac{1}{4} \ S\ 36 \\ S\ 1 \\ 1941 \end{array}$$

raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

42.50 Enter low land, (flooded during heavy rains) bears NE. and SW.

80.00 The cor. of Tps. 2 and 3 N., Rs. 12 and 13 W.

Land, level.

Soil, sandy clay loam, 2nd rate; and gravelly, 4th rate. Timber, mesquite; undergrowth, greasewood and mesquite.

FINAL TEST OF SOLAR ATTACHMENTS.

May 3, 1941: On the meridian established on March, 12, 1941, in the $SE\frac{1}{4}$ of sec. 27, T. 3 S., R. 12 W., G. & S.R. M., at 8h 00m a.m., app. t., we set off $33^{\circ}07'55''$ N., on the lat. arcs; $15^{\circ}41'27''$ N., on the decl. arcs; and orient the instruments with the solars; the lines of sight agree with the meridian established by Polaris observation.

At app. noon with the lat. arcs unchanged, we observe the sun on the meridian; the resulting readings of the decl. arcs are $15^{\circ}43'58''$ N., which agrees with the meridian established by Polaris observation.

4-680
(Revised May 1934)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

FIELD ASSISTANTS

NAMES	CAPACITY
Bert E. Wakeman	Principal Assistant
Ernest E. Anderson	Principal Assistant
Kenneth N. Burrow	Chainman
Ernest Crofford	Chainman
Raymond H. Wilson	Flagman
Stanley C. Turner	Flagman
Monzell J. Phipps	Axeman
Lowell D. Mc Clung	Axeman
Glenn L. Price	Axeman
Lowell E. Jones	Axeman
Raymond Cline	Moundsman
Mike Knezevich	Moundsman
Eugene Mc Cartney	Cornerman

65

CERTIFICATE OF SURVEYOR

We, William E. Hiester, Associate Cadastral Engineer, and Ty White, Assistant Cadastral Engineer, G. L. O., HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 20th day of October, 1939, and 7th day of February, 1940,

received from the district cadastral engineer for Arizona, with assignment instructions dated February 1, 1941, we have resurveyed the W. bdy. of T. 1 S., R. 10 W., surveyed the W. bdy. of T. 2 S., R. 10 W., the S., W. and N. bdrs. of T. 2 S., R. 11 W., the W. bdy. of T. 1 S., R. 11 W., the S., W. and N. bdrs. of T. 2 S., R. 12 W., the W. and N. bdrs. of T. 1 N., R. 12 W., the N. bdy. of T. 1 N., R. 13 W., the W. bdy. of T. 2 N., R. 12 W. and the N. bdy. of T. 2 N., R. 13 W.,

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing field notes.

Glendale, California.
June 13, 1942.
Glendale, California.
April 24, 1943.

William E. Hiester
Associate Cadastral Engineer
Ty White
Assistant Cadastral Engineer.
General Land Office

CERTIFICATE OF APPROVAL

OFFICE OF SUPERVISOR OF SURVEYS,

Denver, Colorado, January 28, 1944.

The foregoing field notes of the resurvey of the W. bdy. of T. 1 S., R. 10 W., survey of the W. bdy. of T. 2 S., R. 10 W., the S., W. and N. bdrs. of T. 2 S., R. 11 W., the W. bdy. of T. 1 S., R. 11 W., the S., W. and N. bdrs. of T. 2 S., R. 12 W., the W. and N. bdrs. of T. 1 N., R. 12 W., the N. bdy. of T. 1 N., R. 13 W., the W. bdy. of T. 2 N., R. 12 W. and the N. bdy. of T. 2 N., R. 13 W., of the Gila and Salt River Meridian, in the State of Arizona,

executed by William E. Hiester, Associate Cadastral Engineer, and Ty White, Assistant Cadastral Engineer,

under special instructions dated Oct. 20, 1939 and Feb. 7, 1940, and assignment instructions dated Feb. 1, 1941,

having been critically examined, and the necessary corrections made prior to their certification by the engineer, the said field notes, and the survey therein described, are hereby approved.

Signature of Supervisor of Surveys

CERTIFICATE OF TRANSCRIPT

I certify that the foregoing transcript of the field notes of the above described surveys in is a true copy of the original field notes on file in the public survey office.

Supervisor of Surveys