

4283 189  
1

Original.

4-679  
(April 1933)

BOOK 4283

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GENERAL LAND OFFICE

Book G

FIELD NOTES

OF THE

4283

Survey of the Subdivisional Lines of

Township 2 South, Range 11 West,

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

William E. Hiester, Associate Cadastral Engineer,  
and

Ty White, Assistant Cadastral Engineer.

General Land Office

Under special instructions dated February 7, 1940, which provided  
for the surveys included under Group No. 229, bearing the approval of the  
Commissioner of the General Land Office under date of February 23, 1940  
and assignment instructions dated February 1, 1941.

Survey commenced March 17, 1941.

Survey completed April 2, 1941.

BOOK 4283

## INDEX DIAGRAM.

Township 2 S., Range 11 W.

6	44 5	32 4	25 3	17 2	8 1
43	42	32	24	16	8
7	41 8	31 9	23 10	15 11	7 12
41	40	30	22	14	6
18	39 17	29 16	22 15	14 14	5 18
38	37	29	21	13	4
19	37 20	28 21	20 22	12 23	3 24
36	35	27	19	11	3
30	35 20	26 28	19 27	11 26	2 25
34	34	26	18	10	1
31	33 32	25 33	17 34	9 35	1 36

Chains	<p>The surveys hereinafter described were executed by William E. Hiester, using Buff solar transit No. 24846, and Ty White, using Buff solar transit No. 18002. For description of equipment and descriptions and tests of transits, see the field notes of the boundaries of T. 3 S., R. 10 W., surveyed under this group.</p>
	<p>From the cor. of secs. 35 and 36 only, on the S. bdy. of the Tp.; described in the field notes of the S. bdy. of T. 2 S.; R. 11 W.; surveyed under this group.</p>
	<p>N.0°01'W., bet. secs. 35 and 36.</p>
	<p>Over nearly level desert land, through scattered timber and undergrowth.</p>
27.60	<p>Dry wash, 8 lks. wide, course SW.</p>
40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for <math>\frac{1}{4}</math> sec. cor.; with brass cap mkd.</p>
	<p style="text-align: center;"><math>\frac{1}{4}</math> S 35   S 36 1941</p>
80.00	<p>Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, with brass cap mkd.</p>
	<p style="text-align: center;">T 2 S R 11 W S 26   S 25 S. 35   S. 36 1941</p>
	<p>of stone, 2 ft. base, 1<math>\frac{1}{2}</math> ft. high, W. of cor. raise a mound</p>
	<p>Land, nearly level.</p>
	<p>Soil, sandy, 3rd rate; and rocky, 4th rate.</p>
	<p>Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, mesquite, sage and cacti.</p>
	<p>East, on a random line bet. secs. 25 and 36.</p>
40.00	<p>Set temp. <math>\frac{1}{4}</math> sec. cor.</p>
80.02	<p>A point 7 lks. N. of the cor. of secs. 25, 30, 31 and 36, on the E. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 2 S., R. 10 W., surveyed under this group.</p>
	<p>Thence</p>
	<p>N.89°57'W., on true line bet. secs. 25 and 36.</p>
	<p>Over nearly level desert land, through scattered timber and undergrowth.</p>
16.02	<p>Dry wash, 15 lks. wide, 5 ft. deep, course S.30°W.</p>
38.92	<p>Dry wash, 30 lks. wide, low banks, course S.</p>

Chains 40.01	<p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for <math>\frac{1}{4}</math> sec. cor., with brass cap mkd.</p> $\frac{1}{4} \begin{array}{l} S 25 \\ S 36 \\ 1941 \end{array}$ <p style="text-align: right;">from which</p> <p>An ironwood, 6 ins. diam., bears N. 25° E., 244 lks. dist., mkd. <math>\frac{1}{4}</math> S 25 B T.</p> <p>An ironwood, 6 ins. diam., bears S. 37° E., 138 lks. dist., mkd. <math>\frac{1}{4}</math> S 36 B T.</p>
42.32	Dry wash, 10 lks. wide, course S.
50.82	Dry wash, 10 lks. wide, course S.
80.02	The cor. of secs. 25, 26, 35 and 36.
	<p>Land, nearly level. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, ocotillo, sage and cacti.</p>
	<p>N. 0° 01' W., bet. secs. 25 and 26.</p> <p>Over nearly level desert land, through scattered timber and undergrowth.</p>
5.70	Dry wash, 25 lks. wide, 8 ft. deep, course SW.
15.90	Same wash, course SE.
40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for <math>\frac{1}{4}</math> sec. cor., with brass cap mkd.</p> $\frac{1}{4} \begin{array}{l} S 26   S 25 \\ 1941 \end{array}$
	No bearing trees available.
80.00	<p>Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for cor. of secs. 23, 24, 25 and 26, with brass cap mkd.</p> $\begin{array}{l} T: 2 S R 11 W \\ S 23   S 24 \\ S 26   S 25 \\ 1941 \end{array}$
	No bearing trees available.
	<p>Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, mesquite, cats claw, sage and cacti.</p>

## Subdivision of T. 2 S., R. 11 W.

3

Chains	S.89°57'E., on a random line bet. secs. 24 and 25.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.16	A point 2 lks. N. of the cor. of secs. 19, 24, 25 and 30, on the E. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 2 S., R. 10 W., surveyed under this group.
	Thence
	N.89°56'W., on true line bet. secs. 24 and 25.
	Over mountainous land, through scattered desert growth.
	Asc. 288 ft. over steep NE. slope.
9.86	Top of ridge, bears NW. and SE.; desc. 80 ft. over SW. slope.
13.86	Head of ravine, course SE.; asc. 20 ft. over E. slope.
16.60	Spur, slopes S; desc. 355 ft. over rocky W. slope.
34.76	Wash, 25 lks. wide, course S.; asc. 15 ft. over NE. slope.
40.08	Set an iron post, 3 ft. long, 1 in. diam., 5 ins. in the ground to bedrock, with a stone mkd. with a cross X, buried alongside, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ <u>S 24</u> S 25 1941
	No bearing trees available.
	Asc. 15 ft. over NE. slope.
42.40	Short spur, slopes S.; desc. 23 ft. along S. slope.
47.51	Short ravine; course S.; continue along broken S. slope.
56.66	Ravine, course S.; asc. 62 ft. over NE. slope.
60.60	Short spur, slopes SE.; asc. 55 ft. along S. slope.
64.96	Saddle in spur, slopes SW.; asc. 30 ft.
67.26	N. end of cliff, 30 ft. high, faces W. and NE.; desc. 102 ft. over NW. slope.
71.76	Dry wash, 6 lks. wide, course S.15°W.
80.16	The cor. of secs. 23, 24, 25 and 26.
	Land, mountainous. Soil, rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, sage, ocotillo and cacti.
	N.0°01'W., bet. secs. 23 and 24.
	Over mountainous land, through scattered timber and desert growth.
2.90	Dry wash, 20 lks. wide, 8 ft. deep, course SW.

Chains	Asc. 230 ft. along E. slope.
38.90	Short spur, slopes E.; desc. 18 ft. over NE. slope.
39.00	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, with a stone, mkd. with a cross X, buried alongside, and in a mound of stone to top, for witness $\frac{1}{4}$ sec. cor., with brass cap mkd.
	W C $\frac{1}{4}$ S 23   S 24 1941
	No bearing trees available.
40.00	True point for $\frac{1}{4}$ sec. cor. falls in dry wash, 10 lks. wide, course SE., a place unsuitable for permanent cor.
	Asc. 274 ft. over steep rocky, SW. slope.
45.50	Top of bluff, 80 ft. high, faces S., and top of spur, slopes W.; asc. 46 ft. along steep W. slope.
54.00	Short steep spur, slopes W.; desc. 66 ft. over NW. slope.
56.70	Ravine, course SW.; asc. 200 ft. over S. slope.
62.50	Short steep spur, slopes SE.; desc. 19 ft. along E. slope.
64.60	Ravine, course SE.; asc. 84 ft. over S. slope.
67.20	Top of ridge, bears NE. and SW.; desc. 63 ft. over NW. slope.
72.70	Steep spur, slopes NW.; desc. 132 ft. over NE. slope.
78.70	Top of cliff, 50 ft. high, faces N.; desc. 76 ft. over N. slope.
80.00	True point for cor. of secs. 13, 14, 23 and 24, falls on sloping ledge, a place unsuitable for permanent cor. For wit. cor., see line bet. secs. 13 and 14. Land, mountainous. Soil, rocky, 4th rate. Timber, scattered palo verde and ironwood; undergrowth, greasewood, ocotillo, sage and cacti.
	S. 89° 56' E., on a random line bet. secs. 13 and 24.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.10	A point 5 lks. N. of the cor. of secs. 13, 18, 19 and 24, on the E. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 2 S., R. 10 W., surveyed under this group.
	Thence
	N. 89° 54' W., on true line bet. secs. 13 and 24.
	Over nearly level desert land, through scattered timber and undergrowth.
6.30	Dry wash, 100 lks. wide, course SE.
21.80	Dry wash, 10 lks. wide, course NE.
28.50	Dry wash, 10 lks. wide, course NE.

## Subdivision of T. 2 S., R. 11 W.

5

Chains	
37.60	Dry wash, 20 lks. wide, course NE.
40.05	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ <u>S 13</u> S 24 1941
	of stone, $2\frac{1}{2}$ ft. base, 2 ft. high, N. of cor. <span style="float: right;">raise a mound</span>
43.90	Dry wash, 5 lks. wide, course N.10°E.
49.50	Dry wash, 6 lks. wide, 5 ft. deep, course NE.; asc. 18 ft. over NE. slope.
57.50	Base of steep slope, bears S.60°E. and N.70°W.; asc. 332 ft. over NE. slope.
79.25	Top of broken cliffs, bears N.70°W. and S.60°E.
80.10	The true point for cor. of secs. 13,14,23 and 24. For witness cor., see line bet. secs. 13 and 14. Land, nearly level, and mountainous. Soil, rocky, 4th rate. Timber, palo verde and ironwood; undergrowth, greasewood, cacti, and sage.
	N.0°01'W., bet. secs. 13 and 14. Over mountainous land, through scattered timber and desert growth.
11.30	Set an iron post, 3 ft. long, 2 ins. diam., on bedrock, with a stone mkd. with a cross X, buried alongside, and in a mound of stone to top, for witness cor. of secs. 13,14,23 and 24, with brass cap mkd.
	T 2 S R 11 W S 14   S 13 S 23   S 24 W C 1941
	No bearing trees available. Desc. 31 ft. over N. slope.
1.05	Top of broken cliffs, bears SE. and SW.; desc. 300 ft. over N. slope.
15.10	Dry wash, 5 lks. wide, course NE.; desc. 35 ft. along E. slope.
29.90	Dry wash, 40 lks. wide, course SE.; asc. 28 ft. over S. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

Chains	$\frac{1}{4}$ S 14   S 13 1941
	raise a mound of stone, $2\frac{1}{2}$ ft. base, 2 ft. high, W. of cor.
	Asc. 22 ft. over S. slope.
49.20	Dry wash, 5 lks. wide, course SE.; asc. 216 ft. over SW. slope.
71.60	Spur, slopes E.; desc. 94 ft. over N. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to bedrock, with a stone mkd. with a cross X, buried alongside, and in a mound of stone to top, for cor. of secs. 11, 12, 13 and 14, with brass cap mkd.
	T 2 S R 11 W S 11   S 12 S 14   S 13 1941
	No bearing trees available.
	Land, mountainous. Soil, rocky, 4th rate. Timber, scattered palo verde and ironwood; undergrowth, greasewood, sage and cacti.
	S. $89^{\circ}54'E.$ , on a random line bet. secs. 12 and 13.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.16	A point 26 lks. S. of the cor. of secs. 7, 12, 13 and 18, on the E. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 2 S., R. 10 W., surveyed under this group.
	Thence
	S. $89^{\circ}55'W.$ , on true line bet. secs. 12 and 13.
	Over nearly level desert land, through scattered timber and undergrowth.
8.60	Dry wash, 25 lks. wide, course SE.
18.20	Dry wash, 40 lks. wide, course SE.; asc. 42 ft.
40.08	Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground to bedrock, with a stone mkd. with a cross X, buried alongside, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 12 S 13 1941
	No bearing trees available.
57.34	Spur, slopes S.; top of rocky butte, bears N. 100 lks. dist.; asc. 30 ft. along S. slope.



Chains	
62.66	Top of rocky butte, 40 ft. high, bears N. 40 lks. dist.; desc. 116 ft. over SW. slope.
66.40	Spur, slopes NE.; desc. 102 ft. over W. slope.
72.36	Head of ravine, course N.20°W.; continue along N. slope.
76.20	Spur, slopes NW.; desc. 8 ft. over W. slope.
79.36	Ravine, course NW.
80.16	The cor. of secs. 11,12,13 and 14.
	Land, nearly level and mountainous. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, sage and cacti.
	N.0°01'W., bet. secs. 11 and 12.
	Over mountainous land, through scattered timber and desert growth.
	Desc. 6 ft. over N. slope.
.60	Ravine, course NW.; asc. 10 ft. over SW. slope.
3.50	Spur, slopes NW.; desc. 18 ft. over N. slope.
14.80	Ravine, course NW.; asc. 48 ft. over S. slope.
23.80	Spur, slopes NW.; desc. 80 ft. over NE. slope.
34.40	Wash, 10 lks. wide, course NW.; asc. 11 ft. over S. slope.
38.90	Spur, slopes W.; desc. 11 ft. over N. slope.
39.95	Ravine, course W.
40.00	True point for $\frac{1}{4}$ sec. cor., falls in ravine a place unsuitable for permanent cor.
40.60	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for witness $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 11   S 12 W C 1941
	raise a mound
	of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
	Asc. 100 ft. over SW. slope.
52.10	Spur, slopes W.; desc. 71 ft. over broken N. slope.
70.00	Leave mountainous land, bears E. and W.; continue over nearly level desert land.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 1,2,11 and 12, with brass cap mkd.

Chains	T 2 S R 11 W S 2   S 1 S 11   S 12 1941
	<p style="text-align: right;">raise a mound</p> <p>of stone, 2 ft. base, <math>1\frac{1}{2}</math> ft. high, W. of cor.</p> <p>Land, mountainous and nearly level. Soil, rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, sage and cacti.</p>
	<p>N.89°55'E., on a random line bet. secs. 1 and 12.</p> <p>40.00 Set temp. <math>\frac{1}{4}</math> sec. cor.</p> <p>80.06 A point 9 lks. S. of the cor. of secs. 1, 6, 7 and 12, on the E. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 2 S., R. 10 W., surveyed under this group.</p> <p>Thence</p> <p>✓ S.89°51'W., on true line bet. secs. 1 and 12.</p> <p>Over nearly level desert land, through scattered timber and undergrowth.</p> <p>24.10 Dry wash, 10 lks. wide, course NW.</p> <p>38.40 Dry wash, 15 lks. wide, course NW.</p> <p>40.03 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for <math>\frac{1}{4}</math> sec. cor., with brass cap mkd.</p> <p style="text-align: center;"> <math>\frac{1}{4}</math> <u>S 1</u>            S 12            1941         </p> <p style="text-align: right;">raise a mound</p> <p>of stone, 2 ft. base, <math>1\frac{1}{2}</math> ft. high, N. of cor.</p> <p>63.76 Dirt road, bears NW. to Clanton Well, and SE.</p> <p>80.06 The cor. of secs. 1, 2, 11 and 12.</p> <p>Land, nearly level. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, mesquite, sage and cacti.</p>
	<p>N.0°01'W., on a random line bet. secs. 1 and 2.</p> <p>40.00 Set temp. <math>\frac{1}{4}</math> sec. cor.</p> <p>80.17 The cor. of secs. 1, 2, 35 and 36, on the N. bdy. of the Tp.; described in the field notes of the N. bdy. of T. 2 S., R. 11 W., surveyed under this group.</p> <p>Thence</p> <p>✓ S.0°01'E., on true line bet. secs. 1 and 2.</p> <p>Over rolling desert land, through scattered timber and undergrowth.</p>

## Subdivision of T. 2 S., R. 11 W.

9

Chains	
5.37	Dry wash, 20 lks., wide, course SW.
16.62	Dry wash, 15 lks. wide, course W.; asc. 48 ft. over NW. slope.
29.70	Spur, slopes W.; desc. 34 ft. over S. slope.
38.67	Wash, 5 lks. wide, course W.
39.07	Dirt road, bears E. and W.
40.17	Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$
	S 2   S 1
	1941
	from which
	Old mine shaft, bears N. 50 $\frac{3}{4}$ ° E., 490 lks. dist.
	Asc. 12 ft. over N. slope.
41.80	Short spur, slopes W.; desc. 15 ft. over SW. slope.
44.17	Dry wash, 20 lks. wide, course N. 60° W.; asc. 52 ft. over NE. slope.
50.30	Spur, slopes W.; desc. 75 ft. over S. slope.
77.77	Dry wash, 40 lks. wide, 5 ft. deep, course W.
80.17	The cor. of secs. 1, 2, 11 and 12.
	Land, rolling. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, mesquite, sage and cacti.
	From the cor. of secs. 34 and 35 only, on the S. bdy. of the Tp.; described in the field notes of the S. bdy. of T. 2 S., R. 11 W., surveyed under this group.
	N. 0° 01' W., bet. secs. 34 and 35.
	Over nearly level desert land, through scattered timber and undergrowth.
35.50	Dry wash, 25 lks. wide, 4 ft. deep, course S. 60° W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$
	S 34   S 35
	1941
	dig pits
	18x18x12 ins., E. and W. of post, 3 ft. dist.

Chains	
42.20	Wash, 6 lks. wide, 3 ft. deep, course SW.
49.00	Same wash, course S.15°E.
61.20	Same wash, course SW.
77.90	Wash, 12 lks. wide, 3 ft. deep, course SW.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 26, 27, 34 and 35, with brass cap mkd.
	T 2 S R 11 W S 27   S 26 S 34   S 35 1941
	raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, mesquite, cats calw, sage and cacti.
	East, on a random line bet. secs. 26 and 35.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.02	The cor. of secs. 25, 26, 35 and 36.
	Thence
	West, on true line bet. secs. 26 and 35.
	Over nearly level desert land, through scattered timber and undergrowth.
.45	Dry wash, 10 lks. wide, 2 ft. deep, course S.30°W.
11.90	Dry wash, 25 lks. wide, 3 ft. deep, course S.10°W.
24.60	Dry wash, 10 lks. wide, course S.
40.01	Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ <u>S 26</u> S 35 1941
	No bearing trees available.
60.00	Top of butte, 600 ft. high, bears N. about 15.00 chs. dist.
75.00	Dry wash, 30 lks. wide, course S.
80.02	The cor. of secs. 26, 27, 34 and 35.
	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood, palo verde; undergrowth, greasewood, ocotillo, sage, mesquite and cacti.

## Subdivision of T. 2 S., R. 11 W.

11

- Chains N.0°01'W., bet. secs. 26 and 27.  
Over nearly level desert land, through scattered timber and undergrowth.
- 32.80 Dry wash, 8 lks. wide, course SW.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.
- $\frac{1}{4}$   
 S 27 | S 26  
 1941
- raise a mound of stone,  $2\frac{1}{2}$  ft. base, 2 ft. high, W. of cor.
- 44.40 Same wash, course SE.
- 65.00 Leave desert land, bears W. and SE.; asc. gentle S. slope.
- 66.00 Enter dry wash, 15 lks. wide, course SW.; continue along bottom of wash.
- 75.00 Leave wash, course S. from NW.
- 78.50 Same wash, course SW.; asc. 4 ft.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, with brass cap mkd.
- T 2 S R 11 W  
 S 22 | S 23  
 S 27 | S 26  
 1941
- raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
- Land, rolling and nearly level.  
Soil, sandy, 3rd rate; and rocky, 4th rate.  
Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, mesquite, cats claw, sage and cacti.
- 
- East, on a random line bet. secs. 23 and 26.
- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.
- 80.04 The cor. of secs. 23, 24, 25 and 26.
- Thence
- West, on true line bet. secs. 23 and 26.
- Over rolling desert land, through scattered timber and undergrowth.
- 1.54 Dry wash, 25 lks. wide, course W. from NE.; continue along wash.
- 4.94 Leave wash, course S.
- 28.04 Dry wash, 15 lks. wide, course SE.; leave desert land, bears SE. and N.; asc. 58 ft. over E. slope.

Chains	
40.02	Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ <u>S 23</u> S 26 1941
	Asc. 26 ft. over E. slope.
45.64	Steep rocky ravine, course NE.; asc. 283 ft. over barren E. slope.
55.80	Rocky spur, slopes S.; high rocky butte on same spur, bears S. about 20.00 chs. dist.; desc. 40 ft. along N. slope.
63.50	Rocky spur, slopes NW.; desc. 282 ft. over steep W. slope.
72.04	Dry wash, 20 lks. wide, course S.; continue along S. slope.
79.84	Dry wash, 15 lks. wide, course S.
80.04	The cor. of secs. 22, 23, 26 and 27.
	Land, rolling and mountainous. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, mesquite, cats claw, ocotillo, sage and cacti.
	N.0°01'W., bet. secs. 22 and 23.
	Over mountainous land, through scattered timber and desert growth.
1.10	Dry wash, 15 lks. wide, course SE.
7.70	Same wash, course SW.; asc. 70 ft. over S. slope.
11.40	Short spur, slopes E.; desc. 52 ft. over N. slope.
13.00	Same wash, 10 lks. wide, course SE.; asc. 40 ft. over gentle S. slope.
25.80	Wash, 15 lks. wide, course S.20°E.
28.40	Base of steep ascent, bears E. and W.; asc. 288 ft. over SE. slope of cliffs.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 22   S 23 1941
	The $\frac{1}{4}$ sec. cor. is located on top of steep rocky spur, slopes SE.; desc. 39 ft. over NE. slope.
41.60	Steep ravine, course SE.; asc. 253 ft. over S. slope.
46.20	Rocky spur, slopes SW.; desc. 86 ft. along steep W. slope.

## Subdivision of T. 2 S., R. 11 W.

13

Chains	Side hill drain, course SW.; asc. 140 ft. over SW. slope.				
53.40					
57.10	Top of ridge, bears NW. and SE.; high butte, bears NW. about 15.00 chs. dist.; desc. 144 ft. along steep E. slope.				
65.30	Spur, slopes NE.; desc. 250 ft. over broken NE. slope.				
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for cor. of secs. 14, 15, 22 and 23, with brass cap mkd.				
	<table style="margin-left: auto; margin-right: auto;"> <tr><td>T 2 S R 11 W</td></tr> <tr><td>S 15   S 14</td></tr> <tr><td>S 22   S 23</td></tr> <tr><td>1941</td></tr> </table>	T 2 S R 11 W	S 15   S 14	S 22   S 23	1941
T 2 S R 11 W					
S 15   S 14					
S 22   S 23					
1941					
	Land, mountainous. Soil, rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, mesquite, sage and cacti.				
	East, on a random line bet. secs. 14 and 23.				
40.00	Set temp. $\frac{1}{4}$ sec. cor.				
79.92	A point 5 lks. S. of the true point for cor. of secs. 13, 14, 23 and 24.				
	For witness cor., see line bet. secs. 13 and 14.				
	Thence				
	S. 89° 58' W., on true line bet. secs. 14 and 23.				
	Over mountainous land, through scattered timber and desert growth.				
	Desc. 320 ft. over NW. slope.				
39.32	Dry wash, 15 lks. wide, course N.; asc. 6 ft.				
39.96	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.				
	<table style="margin-left: auto; margin-right: auto;"> <tr><td><math>\frac{1}{4}</math> S 14</td></tr> <tr><td>S 23</td></tr> <tr><td>1941</td></tr> </table>	$\frac{1}{4}$ S 14	S 23	1941	
$\frac{1}{4}$ S 14					
S 23					
1941					
	Continue along gradual N. slope.				
49.92	Dry wash, 15 lks. wide, course NE.; asc. 80 ft. over NE. slope.				
79.92	The cor. of secs. 14, 15, 22 and 23.				
	Land, mountainous. Soil, rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, palo verde, ocotillo, cats claw and cacti.				

Chains	N.0°01'W., bet. secs. 14 and 15. Over mountainous land, through scattered timber and desert growth. Desc. 42 ft. over N. slope.
6.10	Ravine, course E.; asc. 21 ft. over S. slope.
9.00	Spur, slopes SE.; desc. 27 ft. over NE. slope.
10.60	Dry wash, 12 lks. wide, course SE.; asc. 211 ft. over SW. slope.
24.00	Spur, slopes SE.; desc. 16 ft. along E. slope.
27.40	Top of ascent, bears E. and W.; desc. 163 ft. along broken E. slope.
36.84	Spur, slopes NE.; desc. 33 ft. over NE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, with a stone mkd. with a cross X, buried alongside, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.  $\begin{array}{c} \frac{1}{4} \\ S\ 15\   \ S\ 14 \\ \hline 1941 \end{array}$
	Desc. 12 ft. along E. slope.
47.70	Head of ravine, course NW.; asc. 64 ft. along W. slope.
67.00	Top of low spur, slopes W.; desc. 42 ft. along W. slope.
78.60	Ravine, course NW.; continue along gentle W. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 10, 11, 14 and 15, with brass cap mkd.  $\begin{array}{c} T\ 2\ S\ R\ 11\ W \\ S\ 10\   \ S\ 11 \\ \hline S\ 15\   \ S\ 14 \\ \hline 1941 \end{array}$
	raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
	Land, mountainous. Soil, rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood and palo verde; cats claw, ocotillo, sage and cacti.
	N.89°58'E., on a random line bet. secs. 11 and 14.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.92	A point 14 lks. S. of the cor. of secs. 11, 12, 13 and 14. Thence S.89°52'W., on true line bet. secs. 11 and 14.



## Subdivision of T. 2 S., R. 11 W.

15

Chains	Over mountainous land, through scattered timber and desert growth.
	Asc. 42 ft. along N. slope.
16.40	Top of ascent, bears N. and S.; top of rocky butte, bears S. about 4.00 chs. dist.; desc. 97 ft. over NW. slope.
26.42	Ravine, course N.; asc. 216 ft. over NE. slope.
33.70	Top of butte on small spur, slopes N.; desc. 63 ft. over W. slope.
39.96	Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S. 11 S 14 1941
40.42	Ravine, course NW.; asc. 73 ft. along broken N. slope.
50.82	Ravine, course N.; asc. 139 ft. over E. slope.
61.40	Spur, slopes N., and top of rocky butte, bears S. 2.00 chs. dist.; desc. 237 ft. over W. slope.
79.92	The cor. of secs. 10, 11, 14 and 15.
	Land, mountainous. Soil, rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.
	N. 0° 01' W., bet. secs. 10 and 11.
	Over mountainous land, through scattered timber and desert growth.
	Along W. slope.
6.00	Low spur, slopes NW.; desc. 30 ft.
9.60	Dirt road, bears SE. and NW.; continue over rolling desert land.
31.00	Dirt road, bears SE. and SW.
33.40	Spur, slopes NE.; desc. over gentle N. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 10   S 11 1941
	raise a mound of stone, $2\frac{1}{2}$ ft. base, 2 ft. high, W. of cor.
54.30	Dry wash, 35 lks. wide, 8 ft. deep, course N. 60° W.; asc. 23 ft. over gradual S. slope.
61.00	Spur, slopes N. 60° W.; desc. 54 ft. over gradual N. slope.

Chains 79.50	<p>Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for witness cor. of secs. 2,3,10 and 11, with brass cap mkd.</p> <p style="text-align: center;">T. 2 S R 11 W S 3   S 2 S 10   S 11 WC 1941</p> <p style="text-align: right;">raise a mound of stone, 2 ft. base, 1½ ft. high, W. of cor.</p>
80.00	<p>True point for cor. of secs. 2,3,10 and 11, falls on bank of dry wash, 8 lks. wide, course NW., a place unsuitable for permanent cor.</p> <p>Land, mountainous and rolling. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, mesquite, sage and cacti.</p>
	<p>N.89°52'E., on a random line bet. secs. 2 and 11.</p>
40.00	Set temp. ¼ sec. cor.
79.98	<p>A point 2 lks. N. of the cor. of secs. 1,2,11 and 12.</p> <p>Thence</p> <p>S.89°53'W., on true line bet. secs. 2 and 11.</p> <p>Over nearly level desert land, through scattered timber and undergrowth,</p>
39.18	Dry wash, 15 lks. wide, course NW.
39.99	True point for ¼ sec. cor., falls on bank of dry wash, course NW., a place unsuitable for permanent cor.
40.99	<p>Set an iron post, 3 ft. long, 1 in. diam., 22 ins. in the ground to bedrock, and in a mound of stone to top, for witness ¼ sec. cor., with brass cap mkd.</p> <p style="text-align: center;">WC ¼ <math>\frac{S 2}{S 11}</math> 1941</p> <p style="text-align: right;">raise a mound of stone, 2 ft. base, 1½ ft. high, N. of cor.</p>
61.78	Dry wash, 25 lks. wide, 6 ft. deep, course N.30°W.
79.98	<p>The true point for cor. of secs. 2,3,10 and 11.</p> <p>For witness cor., see line bet. secs. 10 and 11.</p> <p>Land, rolling. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.</p>

- Chains N.0°01'W., on a random line bet. secs. 2 and 3.
- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.
- 80.22 The cor. of secs. 2, 3, 34 and 35 on the N. bdy. of the Tp.; described in the field notes of the N. bdy. of T. 2 S., R. 11 W., surveyed under this group.
- Thence
- ✓ S.0°01'E., on true line bet. secs. 2 and 3.
- Over nearly level desert land, through scattered timber and undergrowth.
- 12.12 Dry wash, 35 lks. wide, 3 ft. deep, course W.
- 39.12 Dirt road, bears N.80°W. to Clanton Well, and S.80°E. to Harquahala Valley.
- 40.22 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$   
 S 3 | S 2  
 1941

- 18x18x12 ins., N. and S. of post, 3 ft. dist. dig pits
- 49.52 Dry wash, 40 lks. wide, 6 ft. deep, course N.80°W.
- 63.42 Dry wash, 35 lks. wide, 3 ft. deep, course N.60°W.
- 78.42 Enter dry wash, 8 lks. wide, course NW.
- 80.22 The true point for cor. of secs. 2, 3, 10 and 11.
- For witness cor., see line bet. secs. 10 and 11.
- Land, nearly level.
- Soil, sandy, 3rd rate.
- Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, mesquite, sage and cacti.

From the cor. of secs. 33 and 34 only, on the S. bdy. of the Tp.; described in the field notes of the S. bdy. of T. 2 S., R. 11 W., surveyed under this group.

N.0°02'W., bet. secs. 33 and 34.

Over nearly level desert land, through scattered timber and undergrowth.

- 10.00 Enter dry wash, 8 lks. wide, course S.10°W.
- 15.00 Leave dry wash, course S. from N.10°W.
- 25.90 Same wash, 10 lks. wide, course S.15°W.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$   
 S 33 | S 34  
 1941

Chains	raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
42.90	Dry wash, 10 lks. wide, course S.30°W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 27, 28, 33 and 34, with brass cap mkd.
	T 2 S R 11 W S 28   S 27 S 33   S 34 1941
	raise a mound of stone, $2\frac{1}{2}$ ft. base, 2 ft. high, W. of cor.
	Land, nearly level. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, mesquite, sage and cacti.
	East, on a random line bet. secs. 27 and 34.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	The cor. of secs. 26, 27, 34 and 35.
	Thence
	West, on true line bet. secs. 27 and 34.
	Over nearly level desert land, through scattered timber and undergrowth.
4.60	Dry wash, 10 lks. wide, 3 ft. deep, course S.10°W.
21.30	Dry wash, 8 lks. wide, 2 ft. deep, course S.10°W.
29.40	Dry wash, 10 lks. wide, 5 ft. deep, course SW.
34.30	Dry wash, 8 lks. wide, 5 ft. deep, course SW.
35.60	Dry wash, 15 lks. wide, 5 ft. deep, course S.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 27 S 34 1941
	raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
41.40	Dry wash, 15 lks. wide, 4 ft. deep, course S.
45.40	Dry wash, 10 lks. wide, course S.
66.90	Dry wash, 10 lks. wide, 4 ft. deep, course S.
77.40	Dry wash, 5 lks. wide, 3 ft. deep, course S.
80.00	The cor. of secs. 27, 28, 33 and 34.
	Land, nearly level. Soil, sandy, 3rd rate; and gravelly, 4th rate. Timber, scattered ironwood and palo verde; undergrowth,

Chains ironwood, ocotillo, cats claw, mesquite, sage and cacti.

N.0°02'W., bet. secs. 27 and 28.

Over nearly level desert land, through scattered timber and undergrowth.

15.00 Dry wash, 5 lks. wide, 4 ft. deep, course S.30°W.

36.70 Dry wash, 5 lks. wide, 6 ft. deep, course SW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

S 28 | S 27

1941

raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

51.20 Dry wash, 10 lks. wide, 5 ft. deep, course SW.

77.40 Dry wash, 30 lks. wide, 6 ft. deep, course SW.

80.00 Set an iron post, 3 ft. long, 2 ins diam., 28 ins. in the ground, for cor. of secs. 21, 22, 27 and 28, with brass cap mkd.

T 2 S R 11 W

S 21 | S 22

S 28 | S 27

1941

raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, nearly level.

Soil, sandy, 3rd rate.

Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.

East, on a random line bet. secs. 22 and 27.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

79.98 A point 2 lks. N. of the cor. of secs. 22, 23, 26 and 27.

Thence

N.89°59'W., on true line bet. secs. 22 and 27.

Over mountainous land, through scattered timber and desert growth.

Asc. 604 ft. over NE. slope.

19.70 Top of perpendicular cliff, 200 ft. high, faces NE.; desc. 150 ft. over perpendicular cliff, faces N.

38.98 Base of cliff, bears W. and SW.

39.99 True point for  $\frac{1}{4}$  sec. cor., falls on sloping ledge, a place unsuitable for permanent cor.

## Chains

40.88 Set an iron post, 3 ft. long, 1 in. diam., on bedrock, with a stone mkd. with a cross X, buried alongside, and in a mound of stone to top, for witness  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\frac{1}{4} \begin{array}{l} \text{S 22} \\ \text{S 27} \end{array} \text{ WC}$$

1941.

Desc. 114 ft. over W. slope.

42.20 Top of cliff, 50 ft. high, faces NW.; desc. 375 ft. over W. slope.

55.18 Dry wash, 15 lks. wide, 7 ft. deep, course S.; leave mountainous land, bears N. and S.; continue over nearly level desert land.

61.98 Dry wash, 5 lks. wide, 8 ft. deep, course S.

77.48 Dry wash, 20 lks. wide, 6 ft. deep, course SW.

79.98 The cor. of secs. 21, 22, 27 and 28.

Land, mountainous and nearly level.

Soil, rocky, 4th rate.

Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, sage, cats claw and cacti.

N.0°02'w., bet. secs. 21 and 22.

Over nearly level desert land, through scattered timber and undergrowth.

6.00 Leave desert land, bears E. and W.; asc. 283 ft. over S. slope.

17.20 Top of rocky spur, slopes E.; desc. 222 ft. over NE. slope.

28.00 Short ravine, course E.; asc. 88 ft. over SE. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, with a stone mkd. with a cross X, buried alongside, and in a mound of stone, 7 ft. base,  $2\frac{1}{2}$  ft. high, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\frac{1}{4}$$

$$\text{S 21} \mid \text{S 22}$$

1941

Asc. 220 ft. over SE. slope.

54.50 Spur, slopes S.80°E.; desc. 216 ft. over NE. slope.

59.30 Steep, ravine, course E.; asc. 26 ft. along E. slope.

67.50 Drain, course SE.; asc. 122 ft. over SW. slope.

71.00 Short spur, slopes E.; desc. 87 ft. along broken E. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 15, 16, 21 and 22, with brass cap mkd.

Chains

T 2 S R 11 W  
 S 16 | S 15  
 S 21 | S 22  
 1941

raise a mound  
 of stone, 4 ft. base, 3 ft. high, W. of cor.

Land, nearly level and mountainous.  
 Soil, sandy, 3rd rate; and rocky, 4th rate.  
 Timber, scattered ironwood and palo verde; undergrowth,  
 greasewood, ocotillo, cats claw, sage and cacti.

S.89°59'E., on a random line bet. secs. 15 and 22.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

79.96 A point 5 lks. N. of the cor. of secs. 14, 15, 22 and 23.

Thence

N.89°57'W., on true line bet. secs. 15 and 22.

Over mountainous land, through scattered timber and desert growth.

Asc. 7 ft. along N. slope.

10.96 Ravine, course N.; asc. 108 ft. over NE. slope.

21.70 Spur, slopes N.; desc. 30 ft. over W. slope.

25.56 Ravine, course N.; asc. 32 ft. over NE. slope.

28.10 Top of ridge, bears SE. and NW.; continue along broken S. slope.

39.98 Set an iron post, 3 ft. long, 1 in. diam., on bedrock, with a stone mkd. with a cross X, buried alongside, and in a mound of stone, 6 ft. base, 3 ft. high, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$  S 15  
 S 22  
 1941

Desc. 62 ft. over cliffs.

47.56 Enter dry wash, 10 lks. wide, course W. from N.60°E.

50.56 Leave wash, course SE.

56.26 Dry wash, 15 lks. wide, course S.

64.26 Ravine, course SE.; asc. 143 ft. over NE. slope.

71.60 Spur, slopes SE.; desc. 28 ft. along S. slope.

79.56 Steep ravine, course SE.; asc. 8 ft. over E. slope.

79.96 The cor. of secs. 15, 16, 21 and 22.

Land, mountainous.  
 Soil, rocky, 4th rate.  
 Timber, scattered ironwood and palo verde; undergrowth,  
 greasewood, ocotillo, sage and cacti.

Chains	N.0°02'W., bet. secs. 15 and 16.
	Over mountainous land, through scattered timber and desert growth.
	Desc. 6 ft. along E. slope.
.30	Ravine, course SE.; asc. 69 ft. over S. slope.
3.45	Spur, slopes E.; desc. 95 ft. along broken E. slope.
22.90	Ravine, course SE.; asc. 73 ft. over SW. slope.
26.60	Old road, bears SW. and E.
30.30	Top of ridge, bears SE. and W.; desc. 43 ft. along W. slope.
35.90	Ravine, course E.; asc. 21 ft. over SE. slope.
37.60	Short spur, slopes E.; desc. 14 ft. over NE. slope.
39.45	Ravine, course SE.; asc. 4 ft. over S. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$
	S 16   S 15
	1941
	raise a mound
	of stone, 3 ft. base, 2 ft. high, W. of cor.
	Asc. 99 ft. over S. slope.
46.00	Spur, slopes E.; desc. 69 ft. over NE. slope.
52.00	Head of ravine, course SE.; asc. 63 ft. over SW. slope.
57.40	Spur, slopes NE.; desc. 87 ft. along broken W. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 16 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for cor. of secs. 9, 10, 15 and 16, with brass cap mkd.
	T 2 S R 11 W
	S 9   S 10
	S 16   S 15
	1941
	Land, mountainous.
	Soil, rocky, 4th rate.
	Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats alaw, sage and cacti.
	S.89°57'E., on a random line bet. secs. 10 and 15.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	The cor. of secs. 10, 11, 14 and 15.
	Thence
	N.89°57'W., on true line bet. secs. 10 and 15.



Chains Over mountainous land, through scattered timber and desert growth.

1.90 Ravine, course NW.; desc. 59 ft. over W. slope.

19.70 Dirt road, bears NE. and SW.

24.80 Dry wash, 15 lks. wide, course N.20°W.; continue along N. slope.

29.90 Ravine, course NE.; asc. 103 ft. over E. slope.

39.50 Short spur, slopes NE.; continue along N. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$  S 10  
S 15  
1941

43.00 Spur, slopes N.; desc. 111 ft. over W. slope.

52.30 Dry wash, course N.10°W.; asc. 84 ft. over SE. slope.

62.20 Spur, slopes NE.; continue along N. slope.

70.40 Head of ravine, course NE.; asc. 75 ft. over E. slope.

73.70 Spur, slopes N.; desc. 100 ft. over W. slope.

80.00 The cor. of secs. 9,10,15 and 16.

Land, mountainous.  
Soil, sandy, 3rd rate; and rocky, 4th rate.  
Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, sage and cacti.

N.0°02'W., bet. secs. 9 and 10.

Over mountainous land, through scattered timber and desert growth.

Along W. slope.

.30 Ravine, course SW.; asc. 50 ft. over S. slope.

4.50 Spur, slopes NW.; desc. 69 ft. along E. slope.

13.55 Ravine, course NW.; asc. 37 ft. over SW. slope.

22.50 Spur, slopes NW.; desc. 82 ft. along E. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, with a stone mkd. with a cross X, deposited at the base, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$   
S 9 | S 10  
1941

Desc. 26 ft. along E. slope.

43.80 Ravine, course NW.

Chains	
48.40	Low spur, slopes NW.; desc. 69 ft. along E. slope.
60.60	Enter dry wash, 15 lks. wide; course N. from SE.
64.50	Leave wash, course N.30°E.; continue over nearly level desert land.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 3, 4, 9 and 10, with brass cap mkd.
	T 2 S. R 11 W S 4   S 3 S 9   S 10 1941
	raise a mound
	of stone, 3 ft. base, 2 ft. high, W. of cor.
	Land, mountainous and nearly level. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.
	S.89°57'E., on a random line bet. secs. 3 and 10.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.06	A point 7 lks. N. of the true point for cor. of secs. 2, 3, 10 and 11.
	For witness cor. see line bet. secs. 10 and 11.
	Thence
	N.89°54'W., on true line bet. secs. 3 and 10.
	Over nearly level desert land, through scattered timber and undergrowth.
40.03	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ <u>S 3</u> S 10 1941
	raise a mound of
	stone, 2 $\frac{1}{2}$ ft. base, 2 ft. high, N. of cor.
40.86	Dry wash, 50 lks. wide, 4 ft. deep, course N.10°W.
43.46	Dirt road, bears N. and S.20°E.
48.16	Dry wash, 8 lks. wide, course N.
75.46	Dry wash, 15 lks. wide, 20 ft. deep, course N.10°W.
80.06	The cor. of secs. 3, 4, 9 and 10.
	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.

## Subdivision of T. 2 S., R. 11 W.

25

Chains	N.0°02'W., on a random line bet. secs. 3 and 4.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.02	The cor. of secs. 3, 4, 33 and 34 on the N. bdy. of the Tp.; described in the field notes of the N. bdy. of T. 2 S., R. 11 W., surveyed under this group.
	Thence
	✓ S.0°02'E., on true line bet. secs. 3 and 4.
	Over nearly level desert land, through scattered timber and undergrowth.
17.50	Dry wash, 8 lks. wide, 3 ft. deep, course W.
21.20	Dry wash, 20 lks. wide, 3 ft. deep, course W.
29.80	Dry wash, 40 lks. wide, 4 ft. deep, course W.; asc. 20 ft. over NW. slope.
34.50	Dirt road, bears W. to Clanton Well, and E. to Harquahala Valley.
40.02	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$
	S 4   S 3
	1941
	raise a mound
	of stone, 3 ft. base, 2 ft. high, W. of cor.
70.60	Dry wash, 20 lks. wide, 10 ft. deep, course NW.
80.02	The cor. of secs. 3, 4, 9 and 10.
	Land, nearly level.
	Soil, sandy, 3rd rate.
	Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.
	From the cor. of secs. 32 and 33 only, on the S. bdy. of the Tp.; described in the field notes of the S. bdy. of T. 2 S., R. 11 W., surveyed under this group.
	N.0°02'W., bet. secs. 32 and 33.
	Over rolling desert land, through scattered timber and undergrowth,
17.70	Dry wash, 50 lks. wide, course S.45°E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$
	S 32   S 33
	1941
	raise a mound
	of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.
78.70	Dry wash, 10 lks. wide, course S.20°W.

Chains 80.00	<p>Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 28, 29, 32 and 33, with brass cap mkd.</p> <p style="text-align: center;">T 2 S R 11 W S 29   S 28 S 32   S 33 1941</p> <p style="text-align: right;">raise a mound of stone, 3 ft. base, 2½ ft. high, W. of cor.</p> <p>Land, rolling. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.</p>
	<p>East, on a random line bet. secs. 28 and 33.</p>
40.00	Set temp. ¼ sec. cor.
79.95	The cor. of secs. 27, 28, 33 and 34.
	Thence
	West, on true line bet. secs. 28 and 33.
	Over nearly level desert land, through scattered timber and undergrowth.
9.30	Dry wash, 20 lks. wide, course S.30°W.
21.30	Dry wash, 8 lks. wide, 3 ft. deep, course SW.
33.95	Dry wash, 15 lks. wide, course S.
39.97½	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for ¼ sec. cor., with brass cap mkd.
	¼ S 28 S 33 1941
	raise a mound of stone, 3 ft. base, 2½ ft. high, N. of cor.
78.65	Dry wash, 10 lks. wide, course S.20°W.
79.95	The cor. of secs. 28, 29, 32 and 33.
	Land, nearly level. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, palo verde, ocotillo, cats claw, sage and cacti.
	N.0°02'W., bet. secs. 28 and 29.
	Over rolling desert land, through scattered timber and undergrowth.
25.10	Bend in dry wash, 20 lks. wide, course S.20°W. from NW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for ¼ sec. cor., with brass cap mkd.

Subdivision of T. 2 S., R. 11 W.

Chains

$\frac{1}{4}$   
 S 29 | S 28  
 1941

raise a mound  
of stone, 3 ft. base, 2 ft. high, W. of cor.

60.00 Dry wash, 15 lks. wide, course S.40°E.

70.90 Same wash, course S.20°W.

79.45 Dry wash, 10 lks. wide, course SW.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 20, 21, 28 and 29, with brass cap mkd.

T 2 S R 11 W  
 S 20 | S 21  
 S 29 | S 28  
 1941

raise a mound  
of stone, 3 ft. base, 2½ ft. high, W. of cor.

Land, rolling.

Soil, sandy, 3rd rate.

Timber, ironwood and palo verde; undergrowth, greasewood, ocotillo, sage and cacti.

East, on a random line bet. secs. 21 and 28.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

79.98 The cor. of secs. 21, 22, 27 and 28.

Thence

West, on true line bet. secs. 21 and 28.

Over rolling desert land, through scattered timber and undergrowth.

14.09 Dry wash, 15 lks. wide, course S.50°W.

23.28 Dry wash, 10 lks. wide, course S.10°W.

39.63 Dry wash, 10 lks. wide, course S.10°E.

39.99 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$  S 21  
 S 28  
 1941

raise a mound  
of stone, 3 ft. base, 2½ ft. high, N. of cor.

52.53 Dry wash, 10 lks. wide, course S.40°E.

69.78 Dry wash, 20 lks. wide, course S.20°E.

76.08 Dry wash, 20 lks. wide, course S.

79.52 Dry wash, 10 lks. wide, course SW.

Chains  
79.98

The cor. of secs. 20, 21, 28 and 29.

Land, rolling.

Soil, sandy, 3rd rate.

Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, ocotillo, sage and cacti.

N.0°02'W., bet. secs. 20 and 21.

Over rolling desert land, through scattered timber and undergrowth.

- 4.40 Dry wash, 5 lks. wide, course S.25°E.  
15.50 Dry wash, 10 lks. wide, course S.45°E.  
24.60 Dry wash, 15 lks. wide, course S.45°W. from N.45°W.  
39.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for witness  $\frac{1}{4}$  sec. cor., with brass cap mkd.

W. C  
 $\frac{1}{4}$   
S 20 | S 21  
1941

raise a mound of stone, 2 $\frac{1}{2}$  ft. base, 2 ft. high, W. of cor.

- 40.00 True point for  $\frac{1}{4}$  sec. cor. falls in dry wash, 30 lks. wide, course S.45°E., a place unsuitable for permanent cor.  
42.90 Enter same wash, course S.20°W.  
48.90 Same wash, course S.10°E.  
55.75 Dry wash, 10 lks. wide, course S.45°E.  
58.30 Same wash, 15 lks. wide, course S.45°W.  
80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 16, 17, 20 and 21, with brass cap mkd.

T 2 S R 11 W  
S 17 | S 16  
S 20 | S 21  
1941

raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$  ft. high, W. of cor.

Land rolling.

Soil, sandy, 3rd rate; and rocky, 4th rate.

Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.

East, on a random line bet. secs. 16 and 21.

- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
80.06 A point 2 lks. S. of the cor. of secs. 15, 16, 21 and 22.  
Thence

Chains S.89°59'W., on true line bet. secs. 16 and 21.  
 Over mountainous land, through scattered timber and desert growth.  
 Asc. 182 ft. over steep E. slope.  
 6.00 Spur, slopes NE.; asc. 240 ft. over steep NE. slope.  
 12.30 Top of ridge, bears NE. and SW.; continue ascending 117 ft. over NE. slope.  
 18.40 Top of high ridge, bears NW. and SE.  
 18.60 Top of perpendicular cliff, 75 ft. high, faces SW.; desc. 641 ft. over steep SW. slope.  
 40.03 Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bedrock, with a granite stone, 6x6x3 ins., mkd. with a cross X, deposited at the base, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\frac{1}{4} \begin{array}{l} S 16 \\ S 21 \\ 1941 \end{array}$$

The  $\frac{1}{4}$  sec. cor. is located about 50 lks. W. of bluff, 50 ft. high; facing SW.

Desc. 84 ft. over SW. slope.  
 50.26 Dry wash, 10 lks. wide, course S.; continue over rolling desert land.  
 68.16 Dry wash, 15 lks. wide, course S.10°W.  
 73.76 Dry wash, 10 lks. wide, course S.  
 75.96 Dry wash, 10 lks. wide, course S.  
 80.06 The cor. of secs. 16, 17, 20 and 21.

Land, mountainous and rolling:  
 Soil, sandy, 3rd rate; and rocky, 4th rate.  
 Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.

N.0°02'W., bet. secs. 16 and 17.

Over rolling desert land; through scattered timber and undergrowth.  
 1.30 Dry wash, 15 lks. wide, course W.  
 19.00 Dry wash, 15 lks. wide, course S.30°W.  
 27.10 Dry wash, 15 lks. wide, course S.30°W.  
 37.20 Dry wash, 20 lks. wide, course W.  
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\frac{1}{4} \begin{array}{l} S 17 | S 16 \\ 1941 \end{array}$$

Chains	raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.				
42.90	Dry wash, 20 lks. wide, course S.30°W.; asc. 97 ft.				
61.30	Descend 34 ft.				
65.90	Dry wash, 20 lks. wide, course S.30°W. ; asc. 77 ft.				
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 12 ins. in the ground to bedrock, with a granite stone, 12x10x10 ins., mkd. with a cross X, buried alongside, and in a mound of stone to top, for cor. of secs. 8, 9, 16 and 17, with brass cap mkd.				
	<table border="1"> <tr><td>T 2 S R 11 W</td></tr> <tr><td>S 8   S 9</td></tr> <tr><td>S 17   S 16</td></tr> <tr><td>1941</td></tr> </table>	T 2 S R 11 W	S 8   S 9	S 17   S 16	1941
T 2 S R 11 W					
S 8   S 9					
S 17   S 16					
1941					
	Land, rolling. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.				
	N. 89° 59' E., on a random line bet. secs. 9 and 16.				
40.00	Set temp. $\frac{1}{4}$ sec. cor.				
80.15	The cor. of secs. 9, 10, 15 and 16.				
	Thence				
	S. 89° 59' W., on true line bet. secs. 9 and 16.				
	Over mountainous land, through scattered timber and desert growth.				
	Desc. 6 ft. over W. slope.				
.35	Ravine, course SW.; ascend slightly.				
2.80	Short spur, slopes SW.; desc. 35 ft. over W. slope.				
6.70	Ravine, course N.; asc. 104 ft. over E. slope.				
11.70	Top of small butte on spur, slopes N.; desc. 104 ft. over W. slope.				
18.00	Dry wash, 12 lks. wide, course N.; asc. 190 ft. over SE. slope.				
29.10	Spur, slopes NE.; desc. 142 ft. over NW. slope.				
40.07 $\frac{1}{2}$	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.				
	<table border="1"> <tr><td><math>\frac{1}{4}</math> S 9</td></tr> <tr><td>S 16</td></tr> <tr><td>1941</td></tr> </table>	$\frac{1}{4}$ S 9	S 16	1941	
$\frac{1}{4}$ S 9					
S 16					
1941					
	raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.				
41.44	Dry wash, 15 lks. wide, course N.; asc. 207 ft. over NE. slope.				



Chains	<p>50.70 Spur, slopes N.; desc. 188 ft. over W. slope.</p> <p>56.45 Dry wash, 10 lks. wide, course N.45°W.; desc. 122 ft. over NE. slope.</p> <p>73.60 Dry wash, 10 lks. wide, course N.; asc. 52 ft. over NE. slope.</p> <p>80.15 The cor. of secs. 8,9,16 and 17.</p> <p>Land, mountainous. Soil, rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, palo verde, ocotillo, cats claw, sage and cacti.</p>
	<p>N.0°02'W., bet. secs. 8 and 9.</p> <p>Over rolling desert land, through scattered timber and undergrowth.</p> <p>19.40 Dry wash, 25 lks. wide, course SW.</p> <p>40.00 True point for <math>\frac{1}{4}</math> sec. cor. falls in dry wash, 20 lks. wide, course N.20°E., a place unsuitable for permanent cor.</p> <p>41.60 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for witness <math>\frac{1}{4}</math> sec. cor., with brass cap mkd.</p> <div style="text-align: center;"> <math>\frac{1}{4}</math>              S. 8   S 9              W   C              1941         </div> <p style="text-align: right;">raise a mound of stone, <math>3\frac{1}{2}</math> ft. base, 3 ft. high, W. of cor.</p> <p>66.10 Dry wash, 15 lks. wide, course N.45°W.</p> <p>78.80 Dry wash, 50 lks. wide, course W.</p> <p>80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 4,5,8 and 9, with brass cap mkd.</p> <div style="text-align: center;">             T 2 S R 11 W              S 5   S 4              S 8   S 9              1941         </div> <p style="text-align: right;">from which</p> <p>An ironwood, 10 ins. diam., bears S.37<math>\frac{1}{2}</math>°W., 107 lks. dist., mkd. T 2 S R 11 W S 8 B T.</p> <p>An ironwood, 10 ins. diam., bears S.3<math>\frac{1}{2}</math>°E., 90 lks. dist., mkd. T 2 S R 11 W S 9 B T.</p> <p>Raise a mound of stone, 3 ft. base, 2<math>\frac{1}{2}</math> ft. high, W. of cor.</p> <p>No other bearing trees available.</p> <p>Land, rolling. Soil, gravelly, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw and cacti.</p>

Chains	N.89°59'E., on a random line bet. secs. 4 and 9.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	The cor. of secs. 3,4,9 and 10.
	Thence
✓	S.89°59'W., on true line bet. secs. 4 and 9.
	Over rolling desert land, through scattered timber and undergrowth.
26.00	Dry wash, 15 lks. wide, course N.45°W.
34.80	Dry wash, 25 lks. wide, course N.20°W.
39.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for witness $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\text{WC } \frac{1}{4} \begin{array}{r} \text{S } 4 \\ \text{S } 9 \\ 1941 \end{array}$
	raise a mound
	of stone, 3 ft. base, 2 ft. high, N. of cor.
40.00	True point for $\frac{1}{4}$ sec. cor. falls in dry wash, 15 lks. wide, course N.45°W., a place unsuitable for permanent cor.
61.65	Dry wash, 15 lks. wide, course N.80°W.
79.00	Dry wash, 5 lks. wide, course S.70°W.
80.00	The cor. of secs. 4,5,8 and 9.
	Land, rolling. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.
	N.0°02'W., on a random line bet. secs. 4 and 5.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.04	A point 5 lks. E. of the cor. of secs. 4,5,32 and 33, on the N. bdy. of the Tp.; described in the field notes of the N. bdy. of T. 2 S., R. 11 W., surveyed under this group.
	Thence
	S.0°04'E., on true line bet. secs. 4 and 5.
	Over rolling desert land, through scattered timber and undergrowth.
9.04	Dry wash, 10 lks. wide, course S.45°W.
12.15	Dry wash. 130 lks. wide, course W.
40.04	True point for $\frac{1}{4}$ sec. cor. falls in S. rut of dirt road, bears N.80°E. to Harquahala Valley, and S.80°W. to Clanton Well, a place unsuitable for permanent cor.
40.54	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for witness $\frac{1}{4}$ sec. cor., with brass cap mkd.

## Subdivision of T. 2 S., R. 11 W.

33

Chains

W C

 $\frac{1}{4}$ 

S 5 | S 4

1941

raise a mound  
of stone, 4 ft. base,  $3\frac{1}{2}$  ft. high, W. of cor.

42.04 Dry wash, 25 lks. wide, course S.45°W.

45.85 Dry wash, 10 lks. wide, course NW.

62.24 Dry wash, 25 lks. wide, course S.60°W.

80.04 The cor. of secs. 4, 5, 8 and 9.

Land, rolling.

Soil, sandy, 3rd rate.

Timber, scattered ironwood and palo verde; undergrowth,  
greasewood, cats claw, ocotillo, sage and cacti.

From the cor. of secs. 31 and 32 only, on the S. bdy. of  
the Tp.; described in the field notes of the S. bdy. of  
T. 2 S., R. 11 W., surveyed under this group.

N.0°03'W., bet. secs. 31 and 32.

Over nearly level desert land, through scattered timber  
and undergrowth.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd. $\frac{1}{4}$ 

S 31 | S 32

1941

raise a mound  
of stone, 3 ft. base,  $2\frac{1}{2}$  ft. high, W. of cor.

42.00 Dry wash, 10 lks. wide, course S.45°E.

53.90 Dry wash, 100 lks. wide, course S.35°E.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the  
ground, for cor. of secs. 29, 30, 31 and 32, with brass cap  
mkd.

T 2 S R 11 W

S 30 | S 29

S 31 | S 32

1941

raise a mound  
of stone, 3 ft. base,  $2\frac{1}{2}$  ft. high, W. of cor.

Land, nearly level.

Soil, sandy, 3rd rate.

Timber, scattered ironwood and palo verde; undergrowth,  
greasewood, sage and cactus.

Chains	East, on a random line bet. secs. 29 and 32.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.10	The cor. of secs. 28, 29, 32 and 33.
	Thence
	West, on true line bet. secs. 29 and 32.
	Over nearly level desert land, through scattered timber and undergrowth.
17.10	Dry wash, 10 lks. wide, course S.10°E.
38.00	Dry wash, 15 lks. wide, course S.20°E.
40.05	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ <u>S 29</u> S 32 1941
	raise a mound
	of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.
43.70	Dry wash, 15 lks. wide, course S.10°E.
62.20	Dry wash, 15 lks. wide, course S.45°E.
78.25	Dry wash, 70 lks. wide, course S.
80.10	The cor. of secs. 29, 30, 31 and 32.
	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, ocotillo, sage and cacti.
	West, on a random line bet. secs. 30 and 31.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.90	The cor. of secs. 25, 30, 31 and 36, on the W. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 2 S., R. 11 W., surveyed under this group.
	Thence
	East, on true line bet. secs. 30 and 31.
	Over nearly level desert land, through scattered timber and undergrowth.
26.00	Old road, bears N.20°W. and S.20°E.
39.90	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ <u>S 30</u> S 31 1941
	raise a mound
	of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.

## Subdivision of T. 2 S., R. 11 W.

35

Chains

73.00 Dry wash, 50 lks. wide, course S.5°E.

79.90 The cor. of secs. 29, 30, 31 and 32.

Land, nearly level,  
Soil, sandy, 3rd rate.  
Timber, scattered ironwood and palo verde; undergrowth,  
greasewood, ocotillo, cats calw, sage and cacti.

N.0°03'W., bet. secs. 29 and 30.

Over rolling desert land, through scattered timber and undergrowth.

8.80 Dry wash, 40 lks. wide, course S.45°E.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd. $\frac{1}{4}$ 

S 30 | S 29

1941

of stone, 3 ft. base,  $2\frac{1}{2}$  ft. high, W. of cor. raise a mound

41.90 Dry wash, 10 lks. wide, course S.45°W.

57.60 Dry wash, 10 lks. wide, course S.45°W.

71.20 Dry wash, 10 lks. wide, course S.20°W.

78.10 Dry wash, 10 lks. wide, course S.15°W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 19, 20, 29 and 30, with brass cap mkd.

T 2 S R 11 W

S 19 | S 20

S 30 | S 29

1941

of stone, 3 ft. base,  $2\frac{1}{2}$  ft. high, W. of cor. raise a mound

Land, rolling.

Soil, sandy, 3rd rate.

Timber, scattered ironwood and palo verde; undergrowth, greasewood and cacti.

East, on a random line bet. secs. 20 and 29.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.06 A point 2 lks. S. of the cor. of secs. 20, 21, 28 and 29.

Thence

S.89°59'W., on true line bet. secs. 20 and 29.

Over rolling desert land, through scattered timber and undergrowth.

.50 Dry wash, 10 lks. wide, course S.

Chains	
11.50	Dry wash, 20 lks. wide, course S.20°E.
39.05	Dry wash, 15 lks. wide, course S.
40.03	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ $\frac{S\ 20}{S\ 29}$ 1941
	raise a mound
	of stone, 3 ft. base, 2 ft. high, N. of cor.
47.30	Dry wash, 15 lks. wide, course S.20°W.
80.06	The cor. of secs. 19, 20, 29 and 30.
	Land, rolling and nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, palo verde, cats claw, ocotillo, sage and cacti.
	West, on a random line bet. secs. 19 and 30.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.83	A point 2 lks. N. of the cor. of secs. 19, 24, 25 and 30, on the W. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 2 S., R. 11 W., surveyed under this group.
	Thence
	N.89°59'E., on true line bet. secs. 19 and 30.
	Over nearly level desert land, through scattered timber and undergrowth.
7.93	Dry wash, 100 lks. wide, course S.45°E.
11.18	Dry wash, 25 lks. wide, course S.20°E.
39.83	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ $\frac{S\ 19}{S\ 30}$ 1941
	raise a mound
	of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, N. of cor.
59.44	Dry wash, 10 lks. wide, course S.20°E.
73.28	Dry wash, 20 lks. wide, course S.20°W.
79.83	The cor. of secs. 19, 20, 29 and 30.
	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage and cacti.

## Subdivision of T. 2 S., R. 11 W.

37

Chains	N.0°03'W., bet. secs. 19 and 20.
	Over rolling desert land, through scattered timber and undergrowth.
8.60	Dry wash, 25 lks. wide, course S.45°W.
36.10	Dry wash, 15 lks. wide, course S.45°W.
40.00	Set an iron post, 3ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 19   S 20 1941.
	raise a mound
	of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.
45.00	Leave rolling land, bears SE. and NW.; asc. 255 ft. over S. slope.
48.35	Dry wash, 10 lks. wide, course S.20°W.
59.60	Top of bluff, bears E. and W.; desc. 61 ft. along W. slope.
61.43	Ravine, course W.; desc. 34 ft. along W. slope.
66.20	Asc. 12 ft. along W. slope.
67.70	Point of spur, slopes W.; desc. 93 ft. over NW. slope.
79.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for witness cor. of secs. 17,18,19 and 20, with brass cap mkd.
	T 2 S R 11 W S 18   S 17 S 19   S 20 WC 1941
	raise a mound
	of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.
80.00	True point for cor. of secs. 17,18,19 and 20, falls in rocky wash, 20 lks. wide, course S.10°W., a place unsuitable for permanent cor.
	Land, rolling and mountainous. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, sage and cacti.
	N.89°59'E., on a random line bet. secs. 17 and 20.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.98	A point 2 lks. N. of the cor. of secs. 16,17,20 and 21. Thence West, on true line bet. secs. 17 and 20. Over rolling desert land, through scattered timber and undergrowth.
1.20	Dry wash, 15 lks. wide, course S.20°E.

Chains	
4.70	Dry wash, 15 lks. wide, course S.20°E.
9.90	Dry wash, 20 lks. wide, course S.20°E.
17.20	Dry wash, 10 lks. wide, course S.10°E.
24.20	Dry wash, 25 lks. wide, course S.
28.30	Dry wash, 25 lks. wide, course S.10°E.
33.20	Dry wash, 20 lks. wide, course SE.; leave rolling desert land, bears N. and S.; asc. 29 ft. over E. slope.
38.60	Same wash, course N.20°E.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \frac{S 17}{S 20}$ 1941
	raise a mound
	of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, N. of cor.
	Asc. 487 ft. over NE. slope.
61.45	Top of bluffs on spur, slopes N.; desc. 437 ft. over W. slope.
79.98	The true point for cor. of secs. 17, 18, 19 and 20.
	For witness cor., see line bet. secs. 19 and 20.
	Land, mountainous.
	Soil, rocky, 4th rate.
	Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, sage, cats claw and cacti.
	S.89°59'W., on a random line bet. secs. 18 and 19.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.85	A point 2 lks. S. of the cor. of secs. 13, 18, 19 and 24, on the W. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 2 S., R. 11 W., surveyed under this group.
	Thence
	East, on true line bet. secs. 18 and 19.
	Over rolling desert land, through scattered timber and undergrowth.
3.20	Dry wash, 15 lks. wide, course S.
16.10	Dry wash, 10 lks. wide, course S.
29.50	Dry wash, 20 lks. wide, course S.
39.85	Set an iron post, 3 ft. long, 1 in. diam., 24 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.



Chains	$\frac{1}{4}$ S 18 S 19 1941
	raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.
46.20	Dry wash, 20 lks. wide, course S.15°W.
79.85	The true point for cor. of secs. 17,18,19 and 20. For witness cor., see line bet. secs. 19 and 20.
	Land, rolling. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, ocotillo, sage and cacti.
	N.0°03'W., bet. secs. 17 and 18. Over mountainous land, through scattered timber and desert growth. Asc. 116 ft. over NE. slope.
7.50	Spur, slopes E.; desc. 149 ft. over NE. slope.
22.68	Dry wash, 15 lks. wide, course N.5°W.; continue over nearly level desert land.
40.00	True point for $\frac{1}{4}$ sec. cor., falls in dry wash, 10 lks. wide, course S.45°W., a place unsuitable for permanent cor.
41.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for witness $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 18   S 17 W   C 1941
	from which An ironwood, 8 ins. diam., bears S.35 $\frac{1}{4}$ °E., 11 lks. dist., mkd. W C $\frac{1}{4}$ S 17 B T. Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
	No other bearing tree available. Continue over rolling desert land.
47.15	Dry wash, 10 lks. wide, course S.10°W.
52.10	Dry wash, 10 lks. wide, course S.30°W.; asc. 186 ft. over SW. slope.
78.00	Top of rocky ridge, bears E. and W.; desc. 50 ft. over N. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 7,8,17 and 18, with brass cap mkd.

Chains	T 2 S R 11 W S 7   S 8 S 18   S 17 1941
	raise a mound of stone, 4 ft. base, 3 ft. high, W. of cor.
	Land, rolling and mountainous. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, ocotillo, sage and cacti.
	East, on a random line bet. secs. 8 and 17.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.08	A point 14 lks. N. of the cor. of secs. 8, 9, 16 and 17. Thence N. 89° 54' W., on true line bet. secs. 8 and 17. Over mountainous land, through scattered timber and desert growth. Desc. 20 ft. over NW. slope.
11.78	Dry wash, 10 lks. wide, course NE.
16.78	Same wash, course S. 45° E.; asc. 469 ft. over steep E. slope.
25.60	Top of sharp rocky butte, on ridge, bears SE. and NW.; desc. 286 ft. over W. slope.
31.98	Dry wash, 15 lks. wide, course N.; asc. 46 ft. along N. slope.
40.04	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, with a sandstone, 6x10x10 ins., mkd. with a cross X, buried alongside, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.  $\frac{1}{4}$ $\frac{S 8}{S 17}$ 1941
	Asc. 34 ft. along N. slope.
43.10	Spur, slopes N.; desc. 304 ft. over W. slope.
51.98	Dry wash, 10 lks. wide, course NW.
73.73	Dry wash, 5 lks. wide, course NW.; asc. 52 ft. along N. slope.
80.08	The cor. of secs. 7, 8, 17 and 18. Land, mountainous. Soil, rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, sage and cacti.
	West, on a random line bet. secs. 7 and 18.

Chains	
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.65	A point 7 lks. N. of the cor. of secs. 7, 12, 13 and 18 on the W. bdy. of the Tp. described in the field notes of the W. bdy. of T. 2 S., R. 11 W., surveyed under this group. Thence N. $89^{\circ}57'E.$ , on true line bet. secs. 7 and 18.  Over rolling desert land, through scattered timber and undergrowth.
.40	Dry wash, 15 lks. wide, course N.
22.10	Dry wash, 15 lks. wide, course N. $45^{\circ}E.$
32.50	Dry wash, 10 lks. wide, course N.
39.65	Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground to bedrock, with a limestone, 4x8x0 ins., mkd. with a cross X, buried alongside, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.  $\frac{1}{4} \frac{S 7}{S 18}$ 1941
49.10	Dry wash, 20 lks. wide, course S. $45^{\circ}W.$ ; asc. 178 ft. over SW. slope.
78.30	Top of bluff, bears NW. and SE.; desc. 29 ft. along N. slope.
79.65	The cor. of secs. 7, 8, 17 and 18.  Land, rolling. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, palo verde, sage and cacti.
	N. $0^{\circ}03'W.$ , bet. secs. 7 and 8.  Over rolling desert land, through scattered timber and undergrowth.  Desc. 86 ft. over N. slope.
33.25	Dry wash, 30 lks. wide, course N. $5^{\circ}W.$ ; along wash.
36.80	Same wash, course N. $15^{\circ}W.$
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.  $\frac{1}{4} \frac{S 7}{S 8}$ 1941  raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.
41.10	Dry wash, 30 lks. wide, course N. $35^{\circ}W.$
45.30	Dry wash, 60 lks. wide, course W.
59.50	Dry wash, 15 lks. wide, course N. $45^{\circ}W.$

Chains	
78.85	Dry wash, 10 lks. wide, course NW.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, with brass cap mkd.
	T 2 S R 11 W S 6   S 5 S 7   S 8 1941
	raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.
	Land, rolling. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, sage and cacti.
	S. $89^{\circ}54'E.$ , on a random line bet. secs. 5 and 8.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.20	A point 16 lks. S. of the cor. of secs. 4, 5, 8 and 9.
	Thence
	S. $89^{\circ}59'W.$ , on true line bet. secs. 5 and 8.
	Over nearly level desert land, through scattered timber and undergrowth.
7.00	Dry wash, 15 lks. wide, course N. $80^{\circ}W.$
33.30	Dry wash, 25 lks. wide, course S. $70^{\circ}W.$ ; continue along bottom of wash.
40.10	True point for $\frac{1}{4}$ sec. cor., falls in dry wash, 25 lks. wide, course S. $80^{\circ}W.$ , a place unsuitable for permanent cor.
41.30	Same wash, course N. $45^{\circ}W.$
42.20	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for witness $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ $\frac{S 5}{S 8}$ WC 1941
	raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.
54.00	Dry wash, 10 lks. wide, course N.
80.20	The cor. of secs. 5, 6, 7 and 8.
	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.

Chains	S.89°57'W., on a random line bet. secs. 6 and 7.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.54	and 3.02 chs. S. of the Wit. A point 2 lks. S. of the true point for cor. of secs. 1, 6, 7, and 12, on the W. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 2 S., R. 11 W., surveyed under this group.
	Thence
✓	N.89°58'E., on true line bet. secs. 6 and 7.
	Over nearly level desert land, through scattered timber and undergrowth.
7.00	Dry wash, 20 lks. wide, course S.45°W.
9.20	Dirt road, bears S.45°W. to Clanton Well, and N.45°E. to Harquahala Valley.
9.30	Dry wash, 25 lks. wide, course S.
18.10	Dry wash, 15 lks. wide, course S.40° W.
19.60	Dry wash, 15 lks. wide, course S.40°W.
32.91	Dry wash, 70 lks. wide, course S.40°W.
39.54	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \frac{S 6}{S 7}$ 1941
	raise a mound
	of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.
46.30	Old road, bears NE. and SW.
49.50	Dry wash, 15 lks. wide, course S.45°W.
58.00	Dry wash, 10 lks. wide, course S.45°W.
79.05	Dry wash, 10 lks. wide, course N.45°W.
79.54	The cor. of secs. 5, 6, 7 and 8.
	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, sage and cacti.
	N.0°04'W., on a random line bet. secs. 5 and 6.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.04	A point 5 lks. W. of the cor. of secs. 5, 6, 31 and 32, on the N. bdy. of the Tp.; described in the field notes of the N. bdy. of T. 2 S., R. 11 W., surveyed under this group.
	Thence
	S.0°02'E., on true line bet. secs. 5 and 6.
	Over nearly level desert land, through scattered timber and undergrowth.

Chains	
10.49	Dry wash, 5 lks. wide, course S.30°W.
21.63	Dry wash, 10 lks. wide, course S.45°W.
40.04	Set an iron post, 3.ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$
	S 6   S 5
	1941
	raise a mound
	of stone, $3\frac{1}{2}$ ft. base, 3 ft. high, W. of cor.
59.64	Dry wash, 10 lks. wide, course S.45°W.
60.64	Dry wash, 200 lks. wide, course N.70°W.
62.64	Dry wash, 100 lks. wide, course S.80°W.
70.19	Old road, bears NE. to Harquahala Valley, and SW. to Clanton Well.
80.04	The cor. of secs. 5, 6, 7 and 8.
	Land, nearly level.
	Soil, sandy, 3rd rate.
	Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, mesquite, sage and cacti.

#### FINAL TEST OF INSTRUMENTS.

For final test of instruments, see the field notes of the boundaries of T. 2 N., R. 13 W., surveyed under this group.

The land embraced in T. 2 S., R. 11 W., ranges from desert to rough mountains. The soil in the desert is sandy, and gravelly and rocky in the mountains. The timber is scattered ironwood and palo verde. The undergrowth is greasewood, ocotillo, cats claw, mesquite, sage and cacti. Clanton Hills, traverse westerly through the township. A dirt road traverses through the northern portion of the township, westerly to Clanton Well, and easterly to Harquahala Valley. A dirt road traverses through the western portion of secs. 30 and 31, NW. to Clanton Well, and SE. to Hyder. The predominating interest within the township is stock grazing.

4-680  
(Revised May 1934)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GENERAL LAND OFFICE

FIELD ASSISTANTS

NAMES	CAPACITY
Bert E. Wakeman	Principal Assistant
Ernest E. Anderson	Principal Assistant
Kenneth N. Burrow	Chainman
Ernest Crofford	Chainman
Raymond H. Wilson	Flagman
Stanley C. Turner	Flagman
Monzell J. Phipps	Axeman
Lowell D. Mc Clung	Axeman
Glenn L. Price	Axeman
Lowell E. Jones	Axeman
Raymond Cline	Moundsman
Mike Knezevich	Moundsman
Eugene Mc Cartney	Cornerman

CERTIFICATE OF SURVEYOR

We, William E. Hiester, Associate Cadastral Engineer, and Ty White, Assistant Cadastral Engineer, G.L.O., HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 7th day of February 1940, received from the district cadastral engineer for Arizona, with assignment instructions dated February 1, 1941, we have surveyed the subdivisioal lines of Township 2 South, Range 11 West,

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing field notes.

Glendale, California. June 13, 1942. Glendale, California. April 24, 1943.

William E. Hiester Associate Cadastral Engineer Ty White Assistant Cadastral Engineer.

General Land Office

CERTIFICATE OF APPROVAL

OFFICE OF SUPERVISOR OF SURVEYS, Denver, Colorado, January 28, 1944.

The foregoing field notes of the survey of the subdivisioal lines of Township 2 South, Range 11 West, of the Gila and Salt River Meridian, in the State of Arizona,

executed by William E. Hiester, Associate Cadastral Engineer, and Ty White, Assistant Cadastral Engineer, General Land Office, under special instructions dated February 7, 1940, and assignment instructions dated February 1, 1941, having been critically examined, and the necessary corrections made prior to their certification by the engineer, the said field notes, and the survey therein described, are hereby approved.

Supervisor of Surveys.

CERTIFICATE OF TRANSCRIPT

I certify that the foregoing transcript of the field notes of the above described surveys in is a true copy of the original field notes on file in the public survey office.

Supervisor of Surveys.