

4284

Original

4-679
(April 1933)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

ECCY 4284

Book H

FIELD NOTES

OF THE

Survey of the Subdivisional Lines of

Township 2 South, Range 12 West,

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

William E. Hiester, Associate Cadastral Engineer,

and

Ty White, Assistant Cadastral Engineer.

General Land Office.

Under special instructions dated February 7, 1940, which provided

for the surveys included under Group No. 229, bearing the approval of the

Commissioner of the General Land Office under date of February 23, 1940

and assignment instructions dated February 1, 1941

Survey commenced April 7, 1941.

Survey completed April 25, 1941.

4284

2
1A

BOOK 4284

INDEX DIAGRAM.

Township 2 South, Range 12 West

6	40 5	30 4	22 3	16 2	8 1
40	39	29	22	15	8
7	38 8	29 9	21 10	14 11	7 12
38	37	28	21	14	6
18	36 17	27 16	20 15	13 14	5 18
36	35	27	19	12	4
19	34 20	26 21	19 22	12 23	4 24
34	33	25	18	11	3
30	32 29	25 28	18 27	11 26	2 25
32	31	24	17	10	1
31	31 32	23 33	16 34	9 35	1 36

Chains The surveys hereinafter described were executed by William E. Hiester, using Buff solar transit No. 24846, and Ty White, using Buff solar transit No. 18002. For description of equipment and descriptions and tests of transits, see the field notes of the boundaries of T. 3 S., R. 10 W., surveyed under this group.

From the cor. of secs. 35 and 36 only, on the S. bdy. of the Tp.; described in the field notes of the S. bdy. of T. 2 S., R. 12 W., surveyed under this group.


N.0°01'W., bet. secs. 35 and 36.

Over nearly level desert land, through scattered timber and undergrowth.

23.35 Dry wash, 10 lks. wide, course S.20°E.; thence along wash.

25.10 Leave wash, course S. from NE.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.




of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor. raise a mound

49.50 Dry wash, 10 lks. wide, course S.20°E.

58.45 Dry wash, 10 lks. wide, course S.45°W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 25, 26, 35 and 36, with brass cap mkd.



of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor. raise a mound

Land, nearly level.
Soil, sandy, 3rd rate.
Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, mesquite, sage and cacti.

East, on a random line bet. secs. 25 and 36.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.98 A point 2 lks. S. of the cor. of secs. 25, 30, 31 and 36, on the E. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 2 S., R. 11 W., surveyed under this group.

Thence

S.89°59'W., on a true line bet. secs. 25 and 36.

Over nearly level land, through scattered timber and undergrowth.

Chains	
3.33	Dry wash, 10 lks. wide, course S.
19.63	Left bank of dry wash, course S.10°W.
21.13	Right bank of wash.
25.08	Left bank of dry wash, course S.25°W.
26.08	Right bank of wash.
37.58	Dry wash, 15 lks. wide, course S.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ <u>S 25</u> S 36 1941
	raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, N. of cor.
47.78	Dry wash, 10 lks. wide, course S.20°E.
62.68	Dry wash, 10 lks. wide, course S.
79.98	The cor. of secs. 25, 26, 35 and 36.
	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage and cacti.
N.0°01'W., bet. secs. 25 and 26.	
Over nearly level desert land, through scattered timber and undergrowth.	
2.50	Dry wash, 5 lks. wide, course S.30°W.
28.20	Dry wash, 10 lks. wide, course S.10°W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 26 S 25 1941
	raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.
44.90	Same wash, 15 lks. wide, course S.10°E.
50.00	Same wash, course SW.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 23, 24, 25 and 26, with brass cap mkd.

Chains	T 2 S R 12 W S 23 S 24 S 26 S 25 1941
	raise a mound of stone, 3 ft. base, 2½ ft. high, W. of cor.
	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde, undergrowth, greasewood, cats claw, sage and cacti.
	N. 89° 59' E., on a random line bet. secs. 24 and 25.
40.00	Set temp. ¼ sec. cor.
79.98	A point 2 lks. S. of the cor. of secs. 19, 24, 25 and 30, on the E. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 2 S., R. 12 W., surveyed under this group.
	Thence
	S. 89° 58' W., on a true line bet. secs. 24 and 25.
	Over nearly level desert land, through scattered timber and undergrowth.
.28	Old road, bears N. 20° W. and S. 45° E.
2.83	Old road, bears N. 45° W. and S. 45° E.
5.48	Wash, 5 lks. wide, course S. 45° E.
16.78	Road, bears N. 20° W. to Clanton Well, and S. 20° E.
25.88	Dry wash, 10 lks. wide, course S.
38.98	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for witness ¼ sec. cor., with brass cap mkd.
	WC ¼ $\frac{S\ 24}{S\ 25}$ 1941
	from which
	An ironwood, 12 ins. diam., bears S. 37½° E., 106 lks. dist.; mkd. WC ¼ S 25 B T.
	An ironwood, 10 ins. diam., bears N. 47° W., 185 lks. dist.; mkd. WC ¼ S 24 B T.
	Raise a mound of stone, 2½ ft. base, 2 ft. high, N. of cor.
39.99	True point for ¼ sec. cor. falls in dry wash, 30 lks. wide, course N. 80° W., a place unsuitable for permanent cor.
54.23	Left bank of dry wash, course S. 45° E.
55.73	Right bank of wash.
65.23	Dry wash, 10 lks. wide, course S. 30° E.
69.98	Dry wash, 5 lks. wide, course S. 20° E.

Chains
79.98

The cor. of secs. 23, 24, 25 and 26.

Land, nearly level.

Soil, sandy, 3rd rate.

Timber, scattered ironwood and palo verde; undergrowth, greasewood and cacti.

N.0°01'W., bet. secs. 23 and 24.

Over nearly level desert land, through scattered timber and undergrowth.

17.50 Dry wash, 10 lks. wide, course E.

27.10 Dry wash, 5 lks. wide, course S.10°E.

39.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for witness $\frac{1}{4}$ sec. cor., with brass cap mkd.

WC

$\frac{1}{4}$

S 23 | S 24

1941

raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.

40.00 True point for $\frac{1}{4}$ sec. cor. falls on S. bank of dry wash, 50 lks. wide, course S.45°E., a place unsuitable for permanent cor.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 13, 14, 23 and 24, with brass cap mkd.

T 2 S R 12 W

S 14 | S 13

S 23 | S 24

1941

raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.

Land, nearly level.

Soil, sandy, 3rd rate.

Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw; sage and cacti.

N.89°58'E., on a random line bet. secs. 13 and 24.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.98 A point 7 lks. S. of the cor. of secs. 13, 18, 19 and 24, on the E. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 2 S., R. 11 W., surveyed under this group.

Thence

S.89°55'W., on a true line bet. secs. 13 and 24.

Over nearly level desert land, through scattered timber and undergrowth.

Asc. 34 ft.

Chains	
2.10	Dry wash, 10 lks. wide, course S.
3.40	Dry wash, 10 lks. wide, course S.10°E.
24.30	Old road, bears N. and S.
25.19	Dry wash, 10 lks. wide, course S.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ <u>S 13</u> S 24 1941
	raise a mound
	of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.
43.90	Dry wash, 25 lks. wide, course S.
49.70	Dry wash, 75 lks. wide, course S.
55.20	Dry wash, 25 lks. wide, course S.20°E.
63.00	Dry wash, 100 lks. wide, course S.20°E.
67.54	Road, bears N. and S.
75.50	Dry wash, 100 lks. wide, course S.
79.98	The cor. of secs. 13, 14, 23 and 24.
	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cactus, sage and cats claw.
	N.0°01'W., bet. secs. 13 and 14.
	Over nearly level desert land, through scattered timber and undergrowth.
1.85	Dry wash, 10 lks. wide, course S.20°W.
8.85	Dry wash, 5 lks. wide, course S.20°E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 14 S 13 1941
	raise a mound
	of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.
48.75	Road, bears NW. to Clanton Well, and SE.
55.44	Same road, bears NE. to Clanton Well, and SW.
63.20	Dry wash, 15 lks. wide, course SW.
79.15	Dry wash, 10 lks. wide, course SW.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the

Subdivision of T. 2 S., R. 12 W.

Chains	<p>ground, for cor. of secs. 11,12,13 and 14, with brass cap mkd.</p> <p style="text-align: center;">T 2 S. R. 12 W S 11 S 12 S 14 S 13 1941</p> <p style="text-align: right;">raise a mound</p> <p>of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor. e.e.c</p> <p>Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, sage, cats claw and cacti.</p>
	<p>N. $89^{\circ}55'E.$, on a random line bet. secs. 12 and 13.</p> <p>40.00 Set temp. $\frac{1}{4}$ sec. cor.</p> <p>79.94 A point 9 lks. N. of the cor. of secs. 7,12,13 and 18, on the E. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 2 S., R. 11 W., surveyed under this group.</p> <p>Thence</p> <p>S. $89^{\circ}59'W.$, on a true line bet. secs. 12 and 13.</p> <p>Over mountainous land, through scattered timber and undergrowth.; asc. 113 ft. over E. slope.</p> <p>13.80 Spur, slopes NW.; desc. 163 ft. over W. slope.</p> <p>26.89 Dry wash, 15 lks. wide, course N. $50^{\circ}W.$</p> <p>39.97 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p> <p style="text-align: center;">$\frac{1}{4}$ <u>S 12</u> S 13 1941</p> <p style="text-align: right;">from which</p> <p>An ironwood, 12 ins. diam., bears S. $68\frac{1}{2}^{\circ}W.$, 132 lks. dist., mkd. $\frac{1}{4}$ S 13 B T.</p> <p>An ironwood, 12 ins. diam., bears N. $23^{\circ}W.$, 67 lks. dist., mkd. $\frac{1}{4}$ S 12 B T.</p> <p>The $\frac{1}{4}$ sec. cor. is located at base of slope, bears N. and S.; continue over nearly level desert land.</p> <p>41.04 Dry wash, 20 lks. wide, course S. $30^{\circ}W.$</p> <p>42.34 Dim road, bears N. $10^{\circ}W.$ and S. $10^{\circ}E.$</p> <p>49.94 Dry wash, 30 lks. wide, course S. $15^{\circ}E.$</p> <p>53.94 Dry wash, 100 lks. wide, course S. $20^{\circ}E.$</p> <p>58.44 Dry wash, 25 lks. wide, course S.</p> <p>63.94 Dry wash, 20 lks. wide, course S.</p> <p>68.64 Dry wash, 15 lks. wide, course S. $10^{\circ}E.$</p>

Chains

- 71.04 Dry wash, 20 lks. wide, course S.
 73.10 Road, bears N. to Clanton Well, and S.
 79.49 Dry wash, 10 lks. wide, course S.20°W.
 79.94 The cor. of secs. 11,12,13 and 14.

Land, nearly level and rolling.
 Soil, sandy, 3rd rate; and rocky 4th rate.
 Timber, scattered ironwood and palo verde; undergrowth,
 greasewood, ocotillo, sage, cats claw and cacti.

N.0°01'W., bet. secs. 11 and 12.

Over nearly level desert land, through scattered timber
 and undergrowth.

- 22.80 Dry wash, 15 lks. wide, course S.30°W.
 29.50 Dry wash, 15 lks. wide, course S.45°W.
 34.85 Dry wash, 10 lks. wide, course S.30°W.
 39.05 Road, bears N.80°E. and S.80°W.
 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the
 ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
 S 11 | S 12
 1941

raise a mound
 of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.

- 42.05 Dry wash, 10 lks. wide, course NE.; leave level land,
 bears NE. and SW.; asc. 364 ft. over S. slope.
 64.90 Spur, slopes S.5°E.
 68.10 Top of rimrocks, 10 ft. high, bears N.45°W. and S.45°E.;
 desc. 197 ft. over rocky NE. slope.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 4 ins. in the
 ground to bedrock, with a malpais stone, 8x4x4 ins. mkd.
 with a cross X, buried alongside, and in a mound of stone
 to top, for cor. of secs. 1,2,11 and 12, with brass cap
 mkd.

T 2 S R 12 W
 S 2 | S 1
 S 11 | S 12
 1941

No bearing trees available.

Land, level and mountainous.
 Soil, sandy, 3rd rate; and rocky 4th rate.
 Timber, scattered ironwood and palo verde; undergrowth,
 greasewood, ocotillo, cats claw, sage and cacti.

Chains N.89°59'E., on a random line bet. secs. 1 and 12.
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.00 A point 2 lks. S. of the true point for cor. of secs. 1, 6, 7 and 12, on the E. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 2 S., R. 11 W., surveyed under this group.

Thence

S.89°58'W., on a true line bet. secs. 1 and 12.

Over nearly level desert land, through scattered timber and undergrowth.

- 5.63 Dim road, bears NE. and SW.
- 19.60 Dry wash, 40 lks. wide, course S.30°W.
- 23.63 Left bank of dry wash, course S.25°W.
- 25.63 Right bank of wash.
- 27.88 Dry wash, 20 lks. wide, course S.
- 35.78 Dirt road, bears S.10°E. to Clanton Well, and N.10°W. to Deadman' Tank.
- 39.48 Dirt road, bears N.10°W. and S.10°E.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ $\frac{S\ 1}{S\ 12}$
1941

raise a mound

of stone, $3\frac{1}{2}$ ft. base, 3 ft. high, N. of cor.

- 50.25 Left bank of dry wash, course S.30°E.
- 52.50 Right bank of wash.; leave level land, bears NW. and SE.; asc. 125 ft. along N. slope.
- 57.63 Dry wash, 15 lks. wide, course N.20°E.
- 72.70 Dry wash, 10 lks. wide, course N.20°E.; asc. 143 ft. over SE. slope.
- 80.00 The cor. of secs. 1, 2, 11 and 12.

Land, level and rolling.
 Soil, sandy, 3rd rate; and rocky, 4th rate.
 Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.

North, on a random line bet. secs. 1 and 2.

- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.08 A point 7 lks. E. of the cor. of secs. 1, 2, 35 and 36 on the N. bdy. of the Tp.; described in the field notes of the N. bdy. of T. 2 S., R. 12 W., surveyed under this group.

Thence

S.0°03'E., on a true line bet. secs. 1 and 2.

Chains	Over nearly level desert land, through scattered timber and undergrowth.
20.40	Dry wash, 50 lks. wide, course SE.
31.00	Dry wash, 30 lks. wide, course SE.
40.08	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 2 S 1 1941
	from which
	A mesquite, 8 ins. diam., bears S.68°E., 459 lks. dist., mkd. $\frac{1}{4}$ S 1 B T.
	A mesquite, 6 ins. diam., bears N.69 $\frac{1}{2}$ °W., 152 lks. dist., mkd. $\frac{1}{4}$ S 2 B T.
42.40	Dry wash, 25 lks. wide, course S.60°E.
50.00	Leave desert land, bears N.60°W. and S.60°E.; asc. 39 ft. over N. slope.
55.00	Low spur, slopes NE.; desc. 12 ft. along E. slope.
62.60	Ravine, course NE.; asc. 158 ft. over NW. slope.
78.60	Spur, slopes NE.; ascend slightly.
80.08	The cor. of secs. 1, 2, 11 and 12.
	Land, level and rolling. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, mesquite, cats claw, sage and cacti.
	From the cor. of secs. 34 and 35 only, on the S. bdy. of the Tp.; described in the field notes of the S. bdy. of T. 2 S., R. 12 W., surveyed under this group.
	N.0°01'W., bet. secs. 34 and 35.
	Over nearly level desert land, through scattered timber and undergrowth.
15.70	Dry wash, 5 lks. wide, course S.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 34 S 35 1941
	raise a mound
	of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 26, 27, 34 and 35, with brass cap mkd.

Chains	T 2 S R 12 W S 27 S. 26 S 34 S 35 1941
	raise a mound of stone, 3 ft. base, 2½ ft. high, W. of cor.
	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, mesquite, cats claw, sage and cacti.
	East, on a random line bet. secs. 26 and 35.
40.00	Set temp. ¼ sec. cor.
80.00	The cor. of secs. 25, 26, 35 and 36.
	Thence
	West, on a true line bet. secs. 26 and 35.
	Over nearly level desert land, through scattered timber and undergrowth.
2.85	Dry wash, 15 lks. wide, course S.
16.40	Dry wash, 10 lks. wide, course S.
34.75	Dry wash, 10 lks. wide, course S.
38.10	Dry wash, 10 lks. wide, course S. 30° E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for ¼ sec. cor.; with brass cap mkd.
	¼ S 26 S 35 1941
	raise a mound of stone, 3 ft. base, 2½ ft. high, N. of cor.
41.35	Dirt road, bears N. to Clanton Well, and S. to Hyder.
50.10	Dry wash, 10 lks. wide, course S.
55.10	Dry wash, 10 lks. wide, course S.
65.80	Dry wash, 10 lks. wide, course S.
78.15	Dry wash, 5 lks. wide, course S.
80.00	The cor. of secs. 26, 27, 34 and 35.
	Land nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, mesquite, cats claw, sage and cacti.

Subdivision of T. 2 S., R. 12 W.

11

Chains	N. 0° 01' W., bet. secs. 26 and 27. Over nearly level desert land, through scattered timber and undergrowth.
33.55	Dry wash, 15 lks. wide, course S. 45° W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4}$ S 27 S 26 1941
	raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.
63.50	Dry wash, 10 lks. wide, course E.
71.80	Dry wash, 15 lks. wide, course S. 30° E.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, with brass cap mkd. T 2 S R 12 W S 22 S 23 S 27 S 26 1941
	raise a mound of stone, 2 $\frac{1}{2}$ ft. base, 2 ft. high, W. of cor. Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, mesquite, sage and cacti.
	East, on a random line bet. secs. 23 and 26.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.98	The cor. of secs. 23, 24, 25 and 26. Thence West, on a true line bet. secs. 23 and 26. Over nearly level desert land, through scattered timber and undergrowth.
20.73	Dry wash, 5 lks. wide, course S.
30.33	Road, bears N. to Clanton Well, and S. to Hyder.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4}$ S 23 S 26 1941
	raise a mound of stone 2 $\frac{1}{2}$ ft. base, 2 ft. high, N. of cor.

BOOK

Chains 41.33 59.43 74.28 79.98	<p>Dry wash, 5 lks. wide, course S.</p> <p>Dry wash, 15 lks. wide, course S.30°W.</p> <p>Dry wash, 10 lks. wide, course S.30°W.</p> <p>The cor. of secs. 22, 23, 26 and 27.</p> <p>Land, nearly level. Soil, sandy, 3 rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, palo verde, ocotillo, cats claw, sage and cacti.</p>												
	<p>N.0°01'W., bet. secs. 22 and 23.</p> <p>Over nearly level desert land, through scattered timber and undergrowth.</p>												
11.50 34.25 40.00	<p>Dry wash, 20 lks. wide, course S.30°W.</p> <p>Dry wash, 25 lks. wide, course S.30°E.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p>												
	$\frac{1}{4}$ <table style="margin: auto;"> <tr> <td>S 22</td> <td> </td> <td>S 23</td> </tr> <tr> <td colspan="3" style="text-align: center;">1941</td> </tr> </table>	S 22		S 23	1941								
S 22		S 23											
1941													
	<p>raise a mound</p>												
80.00	<p>of stone, 3 ft. base, 2$\frac{1}{2}$ ft. high, W. of cor.</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 14, 15, 22 and 23, with brass cap mkd.</p>												
	<table style="margin: auto;"> <tr> <td colspan="3" style="text-align: center;">T 2 S R 12 W</td> </tr> <tr> <td>S 15</td> <td> </td> <td>S 14</td> </tr> <tr> <td>S 22</td> <td> </td> <td>S 23</td> </tr> <tr> <td colspan="3" style="text-align: center;">1941</td> </tr> </table>	T 2 S R 12 W			S 15		S 14	S 22		S 23	1941		
T 2 S R 12 W													
S 15		S 14											
S 22		S 23											
1941													
	<p>raise a mound</p>												
	<p>of stone, 3 ft. base, 2$\frac{1}{2}$ ft. high, W. of cor.</p> <p>Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, ocotillo, sage and cacti.</p>												
	<p>East, on a random line bet. secs. 14 and 23.</p>												
40.00 80.00	<p>Set temp. $\frac{1}{4}$ sec. cor.</p> <p>The cor. of secs. 13, 14, 23 and 24.</p> <p>Thence</p> <p>West, on a true line bet. secs. 14 and 23.</p> <p>Over nearly level desert land, through scattered timber and undergrowth.</p>												
9.45	<p>Road, bears N.7$\frac{1}{2}$° E. and S.7$\frac{1}{2}$° W.</p>												

Chains	
16.00	Dry wash, 10 lks. wide, course S.10°W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap.mkd. $\frac{1}{4}$ <u>S 14</u> S 23 1941
80.00	raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor., The cor. of secs. 14,15,22 and 23. Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, sage, cats claw and cacti.
<hr/>	
	N.0°01'W., bet. secs. 14 and 15. Over nearly level desert land, through scattered timber and undergrowth.
14.10	Dry wash, 15 lks. wide, course S.45°W.
22.60	Dry wash, 5 lks. wide, course S.45°W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4}$ S 15 S 14 1941
	raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.
61.10	Dry wash, 5 lks. wide, course S.30°W.
69.20	Old trail, bears N.60°W. and S.60°E.
73.00	Road, bears N.45°E. to Clanton Well, and S.45°W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 10,11,14 and 15, with brass cap mkd. T 2 S R 12 W S 10 S 11 S 15 S 14 1941
	raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor. Land; nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, ocotillo, sage and cacti.

Chains East, on a random line bet. secs. 11 and 14.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.97 The cor. of secs. 11, 12, 13 and 14.

Thence

West, on a true line bet. secs. 11 and 14.

Over nearly level desert land, through scattered timber and undergrowth.

18.07 Dry wash, 15 lks. wide, course S.15°W.

19.22 Dry wash, 10 lks. wide, course S.10°W.

39.98 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 11
S 14

1941

raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, N. of cor.

52.90 Road, bears N.80°W. and S.80°E. 2.4000.

60.37 Wash, course S.45°W.

69.47 Road, bears NE. to Clanton Well, and SW.

79.97 The cor. of secs. 10, 11, 14 and 15.

Land, nearly level.
Soil, sandy, 3rd rate.
Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage and cacti.

N.0°01'W., bet. secs. 10 and 11.

Over nearly level desert land, through scattered timber and undergrowth.

17.40 Dry wash, 10 lks. wide, course S.30°W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$
S 10 | S 11
1941

raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.

41.00 Road, bears S.45°E. to Clanton Well, and N.45°W.

53.25 Dry wash, 10 lks. wide, course S.20°W.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, with brass cap mkd.

Chains

T 2 S R 12 W
S 3 S 2
S 10 S 11
1941

raise a mound
of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, nearly level.
Soil, sandy, 3rd rate.
Timber, scattered ironwood and palo verde; undergrowth,
greasewood, palo verde, mesquite, cats claw, ocotillo, sage,
and cacti.

East, on a random line bet. secs. 2 and 11.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.09 The cor. of secs. 1, 2, 11 and 12.

Thence

West, on a true line bet. secs. 2 and 11.

Over rolling desert land, through scattered timber and
undergrowth.

Asc. 100 ft. over rocky NE. slope.

9.30 Top of rocky spur ridge, bears N.20°W. and S.45°E.; desc.
252 ft. over W. slope.

29.29 Dry wash, 20 lks. wide, course S.10°E.; continue over
nearly level land.

40.04 $\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$	S 2
	S 11
	1941

raise a mound
of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, N. of cor.

45.14 Dry wash, 15 lks. wide, course S.

53.19 Dry wash, 15 lks. wide, course S.30°E.

77.19 Dry wash, 5 lks. wide, course S.10°W.

80.09 The cor. of secs. 2, 3, 10 and 11.

Land, rolling and level.
Soil, sandy, 3rd rate; and rocky 4th rate.
Timber, scattered ironwood and palo verde; undergrowth,
greasewood, ocotillo, mesquite, cats claw, sage and cacti.

N.0°03'W., on a random line bet. secs. 2 and 3.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.03 A point 5 lks. E. of the cor. of secs. 2, 3, 34 and 35, on
the N. bdy. of the Tp.; described in the field notes of
the N. bdy. of T. 2 S., R. 12 W., surveyed under this
group.

Chains	Thence
	S.0°05'E., on a true line bet. secs. 2 and 3. Over rolling desert land, through scattered undergrowth. Desc. 49 ft. over S. slope.
7.33	Draw, course NW.; asc. 110 ft. over N. slope.
25.53	Dry wash, 10 lks. wide, course E.
28.50	Top of spur ridge, slopes NW.; desc. 33 ft. over SW. slope.
40.03	Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, with a malpais stone, 6x8x12 ins., mkd. with a cross X, buried alongside, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 3 S 2 1941
44.03	Dry wash, 10 lks. wide, course S.30°W.; asc. 17 ft.
48.50	Low spur, slopes SE.; desc. 71 ft. over S. slope.
60.23	Dry wash, 15 lks. wide, course S.60°E.
79.43	Dry wash, 15 lks. wide, course S.30°W.
80.03	The cor. of secs. 2, 3, 10 and 11. Land, nearly level and rolling. Soil, sandy, 3rd rate; and rocky, 4th rate. No timber; undergrowth, greasewood, ocotillo, cats claw, mesquite, sage and cacti.
	From the cor. of secs. 33 and 34 only, on the S. bdy. of the Tp.; described in the field notes of the S. bdy. of T. 2 S., R. 12 W., surveyed under this group. N.0°02'W., bet. secs. 33 and 34. Over nearly level desert land, through scattered timber and undergrowth.
1.90	Dry wash, 10 lks. wide, course S.20°W.
19.85	Enter dry wash, 15 lks. wide, course S.10°W.
25.60	Leave wash, course S. from NE.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 33 S 34 1941
68.20	Dry wash, 10 lks. wide, course S.45°E. raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.

Chains	
79.85	Dry wash, 5 lks. wide, course S.45°E.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 27,28,33 and 34, with brass cap mkd.
	T 2-S R 12 W S 28 S 27 S 33 S 34 1941
	raise a mound of stone, 3 ft. base, 2½ ft. high, W. of cor.
	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.
	East, on a random line bet. secs. 27 and 34.
40.00	Set temp. ¼ sec. cor.
79.98	A point 2 lks. S. of the cor. of secs. 26,27,34 and 35.
	Thence S.89°59'W., on a true line bet. secs. 27 and 34.
	Over nearly level desert land, through scattered timber and undergrowth.
13.38	Dry wash, 15 lks. wide, course S.20°W.
18.08	Dry wash, 10 lks. wide, course S.45°E.
32.83	Dry wash, 10 lks. wide, course S.15°W.
37.28	Dry wash, 10 lks. wide, course S.10°W.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for ¼ sec. cor., with brass cap mkd.
	¼ S 27 S 34 1941
	raise a mound of stone, 3 ft. base, 2½ ft. high, N. of cor.
43.18	Dry wash, 15 lks. wide, course S.20°W.
54.08	Dry wash, 10 lks. wide, course S.15°W.
74.38	Dry wash, 10 lks. wide, course S.20°W.
77.83	Dry wash, 5 lks. wide, course S.
79.98	The cor. of secs. 27,28,33, and 34.
	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, ocotillo, sage and cacti.

Chains	N.0°02'W., bet. secs. 27 and 28. Over nearly level desert land, through scattered timber and undergrowth.
24.75	Dry wash, 5 lks. wide, course S.10°W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4}$ S 28 S 27 1941
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 21, 22, 27 and 28, with brass cap mkd. raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor. T. 2 S. R. 12 W. S 21 S 22 S 28 S 27 1941
40.00	N.89°59'E., on a random line bet. secs. 22 and 27. Set temp. $\frac{1}{4}$ sec. cor.
80.00	The cor. of secs. 22, 23, 26 and 27. Thence S.89°59'W., on a true line bet. secs. 22 and 27. Over nearly level desert land, through scattered timber and undergrowth.
3.45	Dry wash, 20 lks. wide, course S.5°E.
28.80	Dry wash, 5 lks. wide, course S.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4}$ S 22 S 27 1941
71.20	Dry wash, 10 lks. wide, course S.5°E. raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, N. of cor.
80.00	The cor. of secs. 21, 22, 27 and 28. Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth,

Chains	greasewood, cats claw, ocotillo, sage and cacti.
	N.0°02'W., bet. secs. 21 and 22.
	Over nearly level desert land, through scattered timber and undergrowth.
3.90	Dry wash, 10 lks. wide, course S.60°W.
8.30	Dry wash, 15 lks. wide, course S.20°W.
14.30	Dry wash, 15 lks. wide, course S.20°W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 21 S 22 1941
	raise a mound
	of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.
45.10	Dry wash, 5 lks. wide, course S.30°W.
61.60	Dry wash, 10 lks. wide, course S.45°W.
73.90	Dry wash, 10 lks. wide, course S.30°W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 15, 16, 21 and 22, with brass cap mkd.
	T 2 S R 12 W S 16 S 15 S 21 S 22 1941
	raise a mound
	of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.
	Land, nearly level; Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, ocotillo, sage and cacti.
	N.89°59'E., on a random line bet. secs. 15 and 22.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	A point 5 lks. N. of the cor. of secs. 14, 15, 22 and 23.
	Thence
	N.89°59'W., on a true line bet. secs. 15 and 22.
	Over nearly level desert land, through scattered timber and undergrowth.
14.50	Dry wash, 5 lks. wide, course S.10°W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

Chains	<p style="text-align: center;"> $\frac{1}{4}$ S 15 S 22 1941 </p> <p style="text-align: right;">raise a mound</p> <p>of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.</p> <p>59.30 Dry wash, 5 lks. wide, course S.10°W.</p> <p>80.00 The cor. of secs. 15,16,21 and 22.</p> <p>Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, palo verde, cats claw, mesquite, sage and cacti.</p>
<p>8.70</p> <p>24.00</p> <p>36.70</p> <p>40.00</p>	<p>N.0°02'W., bet. secs. 15 and 16.</p> <p>Over nearly level desert land, through scattered timber and undergrowth.</p> <p>Dry wash, 10 lks. wide, course S.80°W.</p> <p>Dry wash, 10 lks. wide, course W.</p> <p>Dry wash, 10 lks. wide, course W.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p>
<p>45.00</p> <p>80.00</p>	<p style="text-align: center;"> $\frac{1}{4}$ S 16 S 15 1941 </p> <p style="text-align: right;">raise a mound</p> <p>of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.</p> <p>Dry wash, 10 lks. wide, course S.20°W.</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 9,10,15 and 16, with brass cap mkd.</p>
<p>40.00</p> <p>79.97</p>	<p style="text-align: center;"> T 2 S R 12 W S 9 S 10 S 16 S 15 1941 </p> <p style="text-align: right;">raise a mound</p> <p>of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.</p> <p>Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, sage, cats claw and cacti.</p> <hr/> <p>S.89°59'E., on a random line bet. secs. 10 and 15.</p> <p>Set temp. $\frac{1}{4}$ sec. cor.</p> <p>A point 2 lks. S. of the cor. of secs. 10,11,14 and 15.</p> <p>Thence</p>

Chains	West, on a true line bet. secs. 10 and 15. Over nearly level desert land, through scattered timber and undergrowth.
39.98 $\frac{1}{2}$	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4}$ <u>S 10</u> S 15 1941 from which An ironwood, 12 ins. diam., bears S.49°W., 94 lks. dist., mkd. $\frac{1}{4}$ S 15 B T. An ironwood, 12 ins. diam., bears S.81°W., 161 lks. dist., mkd. $\frac{1}{4}$ S 15 B T.
47.47	Dry wash, 15 lks. wide, course S.30°W.
62.02	Dry wash, 10 lks. wide, course S.10°E.
79.97	The cor. of secs. 9,10,15 and 16. Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, mesquite, cats claw, sage and cacti.
	N.0°02'W., bet. secs. 9 and 10. Over nearly level desert land, through scattered timber and undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4}$ S 9 S 10 1941 raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.
59.60	Dirt road, bears S.80°E. to Clanton Well, and N.80°W.
79.50	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for witness cor. of secs. 3,4,9 and 10, with brass cap mkd. W C T 2 S R 12 W S 4 S 3 S 9 S 10 1941 raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.
80.00	True point for cor. of secs. 3,4,9 and 10, falls on S. bank of dry wash, 10 lks. wide, course S.45°W., a place unsuitable for permanent cor.

Chains	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattering ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.
	East, on a random line bet. secs. 3 and 10.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.98	The cor. of secs. 2, 3, 10 and 11.
	Thence
	West, on a true line bet. secs. 3 and 10.
	Over nearly level desert land, through scattered timber and undergrowth.
.78	Dry wash, 10 lks. wide, course S.10°W.
24.98	Dry wash, 10 lks. wide, course S.
29.88	Dry wash, 20 lks. wide, course S.20°E.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ $\frac{S\ 3}{S\ 10}$ 1941
	raise a mound
	of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, N. of cor.
44.00	Leave nearly level land, bears NW. and SE.; asc. 104 ft. over NE. slope.
59.00	Top of low ridge, bears NW. and SE.; desc. 114 ft. over SW. slope.
79.98	The true point for cor. of secs. 3, 4, 9 and 10.
	For witness cor., see line bet. secs. 9 and 10.
	Land, level and rolling. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, palo verde, ocotillo, cats claw, sage and cacti.
	N.0°05'W., on a random line bet. secs. 3 and 4.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.01	A point 2 lks. E. of the cor. of secs. 3, 4, 33 and 34, on the N. bdy. of the Tp.; described in the field notes of the N. bdy. of T. 2 S., R. 12 W., surveyed under this group.
	Thence
	S.0°06'E., on a true line bet. secs. 3 and 4.
	Over rolling mountainous land, through scattered desert growth.
	Desc. 132 ft. over S. slope.

Chains	
15.11	Dry wash, 10 lks. wide, course S.30°E.; asc. 74 ft. over NE. slope.
26.60	Top of ascent on E. slope of knoll.; desc. 114 ft. over SE. slope.
38.01	Dry wash, 10 lks. wide, course S.30°E.
40.01	Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground to bedrock, with a lava stone, 8x6x4 ins., mkd. with a cross X, buried alongside, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 4 S 3 1941
48.51	Dry wash, 15 lks. wide, course S.30°W.
53.51	Same wash, course S.20°E.
60.01	Same wash, course S.30°W.
63.51	Same wash, course S.45°E.
78.31	Same wash, course SW.; continue over nearly level land.
80.01	The true point for cor. of secs. 3, 4, 9 and 10. For witness cor. see line bet. secs. 9 and 10. Land, rolling and nearly level. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.
	From the cor. of secs. 32 and 33 only, on the S. bdy. of the Tp.; described in the field notes of the S. bdy. of T. 2 S., R. 12 W., surveyed under this group. N.0°02'W., bet. secs. 32 and 33. Over nearly level desert land, through scattered timber and undergrowth.
3.25	Dry wash, 10 lks. wide, course S.45°E.
12.30	Dry wash, 15 lks. wide, course S.45°E.
18.20	Dry wash, 15 lks. wide, course S.30°E.
23.60	Dry wash, 30 lks. wide, course S.45°E.
39.00	Dry wash, 10 lks. wide, course E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 32 S 33 1941
	raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.

Chains	
47.50	Dry wash, 15 lks. wide, course S.45°E.
60.00	Dry wash, 10 lks. wide, course S.45°E.
79.50	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for witness cor. of secs. 28, 29, 32 and 33, with brass cap mkd.
	W C T 2 S R 12 W S 29 S 28 S 32 S 33 1941
	raise a mound
	of stone, 3 ft. base, 2½ ft. high, W. of cor.
80.00	True point for cor. of secs. 28, 29, 32 and 33, falls in dry wash, 5 lks. wide, course S.45°E., a place unsuitable for permanent cor.
	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, ocotillo, cats claw, sage and cacti.
	East, on a random line bet. secs. 28 and 33.
40.00	Set temp. ¼ sec. cor.
79.94	A point 2 lks. S. of the cor. of secs. 27, 28, 33 and 34.
	Thence
	S.89°59'W., on a true line bet. secs. 28 and 33.
	Over nearly level desert land, through scattered timber and undergrowth.
11.79	Dry wash, 10 lks. wide, course S.45°W.
22.74	Dry wash, 10 lks. wide, course S.30°W.
33.04	Dry wash, 5 lks. wide, course S.10°W.
39.97	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for ¼ sec. cor., with brass cap mkd.
	¼ S 28 S 33 1941
	raise a mound
	of stone, 3 ft. base, 2½ ft. high, N. of cor.
53.89	Dry wash, 100 lks. wide, course S.25°W.
59.34	Dry wash, 90 lks. wide, course S.10°W.
64.74	Dry wash, 10 lks. wide, course S.
68.64	Dry wash, 25 lks. wide, course S.30°E.
78.24	Dry wash, 10 lks. wide, course S.20°E.
79.94	The true point for cor. of secs. 28, 29, 32 and 33.
	For witness cor., see line bet. secs. 32 and 33.

Chains	<p>Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage and cacti.</p> <hr/> <p>N.0°02'W., bet. secs. 28 and 29.</p> <p>Over nearly level desert land, through scattered timber and undergrowth.</p> <p>4.50 Dry wash, 15 lks. wide, course S.15°E.</p> <p>12.75 Dry wash, 10 lks. wide, course S.10°W.</p> <p>33.50 Dry wash, 10 lks. wide, course S.10°W.</p> <p>40.00 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p> <p style="text-align: center;">$\frac{1}{4}$</p> <p style="text-align: center;">S 29 S 28</p> <p style="text-align: center;">1941</p> <p style="text-align: right;">from which</p> <p>A palo verde, 6 ins. diam., bears S.84$\frac{3}{4}$°E., 128 lks. dist., mkd. $\frac{1}{4}$ S 28 B T.</p> <p>An ironwood, 12 ins. diam., bears N.32$\frac{1}{4}$°W., 189 lks. dist., mkd. $\frac{1}{4}$ S 29 B T.</p> <p>41.00 Dry wash, 20 lks. wide, course S.45°E.</p> <p>46.30 Dry wash, 10 lks. wide. course S.30°E.</p> <p>68.10 Dry wash, 10 lks. wide, course S.30°W.</p> <p>80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 20, 21, 28 and 29, with brass cap mkd.</p> <p style="text-align: center;">T 2 S R 12 W</p> <p style="text-align: center;">S 20 S 21</p> <p style="text-align: center;">S 29 S 28</p> <p style="text-align: center;">1941</p> <p style="text-align: right;">raise a mound of stone, 3 ft. base, 2$\frac{1}{2}$ ft. high, W. of cor.</p> <p>Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, palo verde, cats claw, sage and cacti.</p> <hr/> <p>N.89°59'E., on a random line bet. secs. 21 and 28.</p> <p>40.00 Set temp. $\frac{1}{4}$ sec. cor.</p> <p>79.98 A point 2 lks. N. of the cor. of secs. 21, 22, 27 and 28. Thence West, on a true line bet. secs. 21 and 28. Over nearly level desert land, through scattered timber</p>
--------	--

	Chains and undergrowth.
6.48	Dry wash, 15 lks. wide, course S. 30° W.
18.88	Dry wash, 15 lks. wide, course S. 20° W.
34.98	Dry wash, 120 lks. wide, course S.
39.99	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ $\frac{S\ 21}{S\ 28}$ 1941
	from which
	An ironwood, 12 ins. diam., bears S. 78 $\frac{1}{4}$ ° E., 201 lks. dist., mkd. $\frac{1}{4}$ S 28 B T.
	An ironwood, 12 ins. diam., bears N. 24 $\frac{1}{4}$ ° W., 276 lks. dist., mkd. $\frac{1}{4}$ S 21 B T.
43.13	Dry wash, 15 lks. wide, course S.
60.48	Dry wash, 10 lks. wide, course SE.
76.48	Dry wash, 5 lks. wide, course S.
79.98	The cor. of secs. 20, 21, 28 and 29.
	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, sage, cats claw and cacti.
	N. 0° 02' W., bet. secs. 20 and 21.
	Over rolling desert land, through scattered timber and undergrowth.
15.00	Asc. 102 ft. over S. slope.
26.37	Top of ascent at end of long malpais ridge, slopes SE.; desc. 96 ft. over NE. slope.
31.50	Base of slope, bears NW. and SE.; continue over nearly level desert land.
39.50	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for witness $\frac{1}{4}$ sec. cor., with brass cap mkd.
	WC. $\frac{1}{4}$ $\frac{S\ 20}{S\ 21}$ 1941
	from which
	A mesquite, 10 ins. diam., bears S. 33 $\frac{1}{4}$ ° E., 53 lks. dist., mkd. WC $\frac{1}{4}$ S 21 B T.
	A mesquite, 5 ins. diam., bears N. 83 $\frac{1}{2}$ ° W., 114 lks. dist., mkd. WC $\frac{1}{4}$ S 20 B T.
40.00	True point for $\frac{1}{4}$ sec. cor. falls on right bank of dry wash, 50 lks. wide, course S. 30° E., a place unsuitable for permanent cor.

Chains
 40.60 Dry wash, 50 lks. wide, course S.30°E.
 53.55 Dry wash, 15 lks. wide, course S.30°E.
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 16,17,20 and 21, with brass cap mkd.

T 2 S R 12 W
 S 17 | S 16
 S 20 | S 21
 1941

raise a mound
 of stone, 3 ft. base, 2½ ft. high, W. of cor.

Land, nearly level and rolling.
 Soil, sandy, 3rd rate; and rocky, 4th rate.
 Timber, scattered ironwood and palo verde; undergrowth, greasewood, sage, mesquite, cats claw and cacti.

East, on a random line bet. secs. 16 and 21.

40.00 Set temp. ¼ sec. cor.

79.98 A point 2 lks. S. of the cor. of secs. 15,16,21 and 22.

Thence

S.89°59'W., on a true line bet. secs. 16 and 21.

Over nearly level desert land, through scattered timber and undergrowth.

34.50 Dry wash, 10 lks. wide, course N.60°W.

39.99 Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for ¼ sec. cor., with brass cap mkd.

¼ S 16
 S 21
 1941

raise a mound
 of stone, 3 ft. base, 2½ ft. high, N. of cor.

44.40 Dry wash, 100 lks. wide, course S.10°W.

59.00 Dry wash, 30 lks. wide, course S.30°E.

76.95 Dry wash, 5 lks. wide, course S.45°E.

79.98 The cor. of secs. 16,17,20 and 21.

Land, nearly level.
 Soil, sandy, 3rd rate.
 Timber, scattered ironwood and palo verde; undergrowth, greasewood, mesquite, cats claw, sage and cacti.

N.0°02'W., bet. secs. 16 and 17.

Over nearly level desert land, through scattered timber and undergrowth.

Chains	
9.95	Dry wash, 7 lks. wide, course S.20°E.
14.65	Dry wash, 100 lks. wide, course S.45°E.
24.50	Dry wash, 15 lks. wide, course S.30°E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$
	S 17 S 16
	1941
	raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.
43.85	Dry wash, 10 lks. wide, course S.45°E.
48.50	Dry wash, 15 lks. wide, course S.45°E.
52.00	Dry wash, 15 lks. wide, course S.45°E.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 8, 9, 16 and 17, with brass cap mkd.
	T 2 S R 12 W
	S 8 S 9
	S 17 S 16
	1941
	raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.
	Land, nearly level.
	Soil, sandy, 3rd rate.
	Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, mesquite, sage and cacti.
	N.89°59'E., on a random line bet. secs. 9 and 16.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	A point 5 lks. N. of the cor. of secs. 9, 10, 15 and 16.
	Thence
	N.89°59'W., on a true line bet. secs. 9 and 16.
	Over nearly level desert land, through scattered timber and undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	S 9
	S 16
	1941
	raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, N. of cor.
55.50	Dry wash, 75 lks. wide, course S.
80.00	The cor. of secs. 8, 9, 16 and 17.

Chains	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood, and palo verde; undergrowth, greasewood, cats claw, mesquite, sage and cacti.
	N.0°02'W., bet. secs. 8 and 9.
	Over nearly level desert land, through scattered timber and undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 8 S 9 1941
	raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.
57.85	Dry wash, 25 lks. wide, course S.30°E.
67.14	Dirt road, bears N.80°E. and S.80°W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 4, 5, 8 and 9, with brass cap mkd.
	T 2 S R 12 W S 5 S 4 S 8 S 9 1941
	raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.
	Land, level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage, mesquite and cacti.
	S.89°59'E., on a random line bet. secs. 4 and 9.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.03	A point 2 lks. S. of true point for cor. of secs. 3, 4, 9 and 10. For witness cor., see line bet. secs. 9 and 10.
	Thence
	West, on a true line bet. secs. 4 and 9.
	Over nearly level desert land, through scattered timber and undergrowth.
5.03	Dry wash, 50 lks. wide, course S.10°E.
17.43	Dry wash, 10 lks. wide, course S.10°E.
40.01 $\frac{1}{2}$	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 4 S 9 1941

300-

Subdivision of T. 2 S., R. 12 W.

Chains	raise a mound of stone, 3 ft. base, 2½ ft. high, N. of cor.
67.23	Dry wash, 15 lks. wide, course S.30°E.
77.53	Dry wash, 10 lks. wide, course SE.
80.03	The cor. of secs. 4, 5, 8 and 9. Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cacti, sage, cats claw and mesquite.
	N.0°06'W., on a random line bet. secs. 4 and 5.
40.00	Set temp. ¼ sec. cor.
80.04	A point 7 lks. W. of the cor. of secs. 4, 5, 32 and 33, on N. bdy. of Tp.; described in the field notes of the N. bdy. of T. 2 S., R. 12 W., surveyed under this group.
	Thence
	S.0°03'E., on a true line bet. secs. 4 and 5.
	Over mountainous land, through scattered undergrowth. Desc. 205 ft. over S. slope.
12.04	Rocky ravine, 10 lks. wide, course E.; asc. 69 ft. over NE. slope.
20.40	Low saddle, bears NW. and SE.; desc. 296 ft. over S. slope.
40.04	Set an iron post, 3 ft. long, 1 in. diam., 16 ins. in the ground to bedrock, with a lava stone 4x4x3 ins., mkd. with a cross X, deposited at the base, and in a mound of stone to top, for ¼ sec. cor., with brass cap mkd.
	S 5 S 4 1941
	The ¼ sec. cor. is located at base of slope, bears NW. and SE.
	Continue over nearly level desert land, through scattered timber and undergrowth.
73.34	Dry wash, 10 lks. wide, course S.30°E.
80.04	The cor. of secs. 4, 5, 8 and 9. Land, mountainous and nearly level. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage and cacti.
	From the cor. of secs. 31 and 32 only, on the S. bdy. of the Tp.; described in the field notes of the S. bdy. of T. 2 S., R. 12 W., surveyed under this group.
	N.0°03'W., bet. secs. 31 and 32.
	Over nearly level desert land, through scattered timber and undergrowth.

Chains	
.20	Drain, 5 lks. wide, course S.45°E.
26.90	Dry wash, 10 lks. wide, course S.30°E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 31 S 32 1941
	raise a mound
	of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.
46.10	Dry wash, 10 lks. wide, course S.45°E.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 29, 30, 31 and 32, with brass cap mkd.
	T 2 S R 12 W S 30 S 29 S 31 S 32 1941
	raise a mound
	of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.
	Land, nearly level. Soil, sandy 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, mesquite, sage and cacti.
	East, on a random line bet. secs. 29 and 32.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.07	The true point for cor. of secs. 28, 29, 32 and 33. For witness cor. see line bet. secs. 32 and 33. Thence West, on a true line bet. secs. 29 and 32. Over nearly level desert land, through scattered timber and undergrowth.
9.17	Dry wash, 10 lks. wide, course S.20°E.
22.97	Dry wash, 10 lks. wide, course S.20°E.
27.17	Dry wash, 10 lks. wide, course S.30°E.
36.02	Dry wash, 10 lks. wide, course S.30°E.
40.03 $\frac{1}{2}$	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 29 S 32 1941
	raise a mound
	of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.

Chains	
45.07	Dry wash, 10 lks. wide, course S.
57.47	Dry wash, 25 lks. wide, course S.
80.07	The cor. of secs. 29, 30, 31 and 32. Land, nearly level. Soil, sandy 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, mesquite, sage and cacti.
	West, on a random line bet. secs. 30 and 31.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.90	The cor. of secs. 25, 30, 31 and 36, on the W. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 2 S., R. 12 W., surveyed under this group.
	Thence
	East, on a true line bet. secs. 30 and 31. Over nearly level desert land, through scattered timber and undergrowth.
29.05	Dry wash, 10 lks. wide, course S. 20° E.
39.90	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ $\frac{S-30}{S-31}$ 1941
	'raise a mound
	of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, N. of cor.
47.70	Dim road, bears N. and S.
79.90	The cor. of secs. 29, 30, 31 and 32. Land, nearly level. Soil, sandy 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, sage, cats claw and cacti.
	N. 0° 03' W., bet. secs. 29 and 30. Over nearly level land, through scattered timber and desert growth.
3.80	Dry wash, 25 lks. wide, course S. 45° E.
12.50	Dry wash, 10 lks. wide, course S. 30° E.
20.00	Dry wash, 10 lks. wide, course S. 30° E.
24.20	Dry wash, 15 lks. wide, course S. 50° E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

Chains	
	$\begin{array}{c} \frac{1}{4} \\ \text{S } 30 \text{ S } 29 \\ \text{1941} \end{array}$
	raise a mound
	of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.
69.00	Dry wash, 10 lks. wide, course S.50°E.
75.15	Dry wash, 10 lks. wide, course S.30°E.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 19, 20, 29 and 30, with brass cap mkd.
	$\begin{array}{c} \text{T } 2 \text{ S } \text{R } 12 \text{ W} \\ \text{S } 19 \text{ S } 20 \\ \text{S } 30 \text{ S } 29 \\ \text{1941} \end{array}$
	raise a mound
	of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.
	Land, nearly level.
	Soil, sandy, 3rd rate.
	Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, mesquite, sage and cacti.
	East, on a random line bet. secs. 20 and 29.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	The cor. to secs. 20, 21, 28 and 29.
	Thence
	West, on a true line bet. secs. 20 and 29.
	Over nearly level desert land, through scattered timber and undergrowth.
36.45	Dry wash, 20 lks. wide, course S.45°E.
39.50	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for witness $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \text{WC } \frac{1}{4} \text{ S } 20 \\ \text{S } 29 \\ \text{1941} \end{array}$
	from which
	An ironwood, 12 ins. diam., bears N.38 $\frac{1}{2}$ °E., 175 lks. dist., mkd. W C $\frac{1}{4}$ S 20 B T.
	An ironwood, 8 ins. diam., bears N.54°W., 152 lks. dist., mkd. W C $\frac{1}{4}$ S 20 B T.
	The $\frac{1}{4}$ sec. cor. is located about 10.00 chs. N. of lava butte, 300 ft. high.
40.00	True point for $\frac{1}{4}$ sec. cor., falls in dry wash, 10 lks. wide, course S.30°E., a place unsuitable for permanent cor.
80.00	The cor. of secs. 19, 20, 29 and 30.

Chains	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, mesquite, sage and cacti.
	West, on a random line bet. secs. 19 and 30.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.84	The cor. of secs. 19, 24, 25 and 30, on the W. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 2 S., R. 12 W., surveyed under this group.
	Thence
	East, on a true line bet. secs. 19 and 30.
	Over nearly level desert land, through scattered timber and undergrowth.
5.50	Dry wash, 15 lks. wide, course S.45°E.
30.05	Dim road, bears N. and S.
34.85	Dry wash, 15 lks. wide, course S.10°W.
35.70	Dry wash, 15 lks. wide, course S.10°W.
39.84	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ $\frac{S\ 19}{S\ 30}$ 1941
	raise a mound
	of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, N. of cor.
71.80	Dry wash, 10 lks. wide, course S.45°E.
79.84	The cor. of secs. 19, 20, 29 and 30.
	Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, mesquite, sage and cacti.
	N.0°03'W., bet. secs. 19 and 20.
	Over nearly level desert land, through scattered timber and undergrowth.
19.75	Dry wash, 15 lks. wide, course S.45°E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 19 S 20 1941
	from which

Chains	<p>An ironwood, 18 ins. diam., bears N.23$\frac{1}{4}$°E., 435 lks. dist., mkd. $\frac{1}{4}$ S 20 B T.</p> <p>An ironwood, 14 ins. diam., bears N.5°W., 572 lks. dist., mkd. $\frac{1}{4}$ S 19 B T.</p>
45.00	Dry wash, 15 lks. wide, course S.30°E.
53.90	Dim road, bears E. and W.
59.10	Base of slope, bears SE. and NW.; asc. 230 ft. over S. slope.
68.70	Top of long malpais ridge, bears NW. and SE.; desc. 230 ft. over NE. slope.
78.00	Base of slope, bears NW. and SE.; continue over nearly level land.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 17, 18, 19 and 20, with brass cap mkd.
	<div style="text-align: center;"> <p>T 2 S R 12 W</p> <p>S 18 S 17</p> <p>S 19 S 20</p> <p>1941</p> </div> <p style="text-align: right;">from which</p> <p>An ironwood, 18 ins. diam., bears N.13$\frac{3}{4}$°E., 304 lks. dist., mkd. T 2 S R 12 W S 17 B T.</p> <p>Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.</p> <p>No other bearing trees available.</p> <p>Land, nearly level, and rolling. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, mesquite, sage and cacti.</p>
	East, on a random line bet. secs. 17 and 20.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	A point 2 lks. N. of the cor. of secs. 16, 17, 20 and 21.
	Thence
	N.89°59'W., on a true line bet. secs. 17 and 20.
	Over nearly level desert land, through scattered timber and undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	<div style="text-align: center;"> <p>$\frac{1}{4}$ S 17</p> <p>S 20</p> <p>1941</p> </div> <p style="text-align: right;">raise a mound</p> <p>of stone, 3 ft. base, 2$\frac{1}{2}$ ft. high, N. of cor.</p>
41.30	Dry wash, 20 lks. wide, course S.

Chains	
46.60	Dry wash, 15 lks. wide, course S.10°E.
67.95	Dry wash, 25 lks. wide, course S.10°E.
72.00	Dry wash, 30 lks. wide, course S.30°E.
80.00	The cor. of secs. 17,18,19 and 20.
	Land, nearly level. Soil, sandy 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage and mesquite.
	West, on a random line bet. secs. 18 and 19.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.74	A point 5 lks. N. of the cor. of secs. 13,18,19 and 24, on the W. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 2 S., R. 12 W., surveyed under this group.
	Thence
	N.89°58'E., on a true line bet. secs. 18 and 19.
	Over nearly level desert land, through scattered timber and undergrowth.
12.80	Dry wash, 10 lks. wide, course S.50°E.
15.10	Dry wash, 5 lks. wide, course S.
39.74	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ <u>S 18</u> S 19 1941
	raise a mound
	of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, N. of cor.
41.00	Base of slope, bears NW. and SE.; asc. 240 ft. over SW. slope.
59.80	Top of long malpais ridge, bears NW. and SE.; desc. 245 ft. over NE. slope.
79.74	The cor. of secs. 17,18,19 and 20.
	Land, rolling and nearly level. Soil, sandy, 3rd rate; and rocky, 4th rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage and cacti.
	N.0°03'W., bet. secs. 17 and 18.
	Over nearly level desert land, through scattered timber and undergrowth.
4.20	Dry wash, 30 lks. wide, course S.45°E.
13.40	Dry wash, 10 lks. wide, course S.30°E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the

Chains	<p>ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p> <p style="text-align: center;">$\frac{1}{4}$</p> <p style="text-align: center;">S 18 S 17</p> <p style="text-align: center;">1941</p> <p style="text-align: right;">raise a mound</p> <p>of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.</p> <p>50.00 Dry wash, 15 lks. wide, course S.45°E.</p> <p>80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 7,8,17 and 18, with brass cap mkd.</p> <p style="text-align: center;">T 2 S R 12 W</p> <p style="text-align: center;">S 7 S 8</p> <p style="text-align: center;">S 18 S 17</p> <p style="text-align: center;">1941</p> <p style="text-align: right;">raise a mound</p> <p>of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.</p> <p>Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage and cacti.</p>
40.00	<p>S.89°59'E., on a random line bet. secs. 8 and 17.</p> <p>Set temp. $\frac{1}{4}$ sec. cor.</p> <p>79.95 The cor. of secs. 8,9,16 and 17.</p> <p>Thence</p> <p>N.89°59'W., on a true line bet. secs. 8 and 17.</p> <p>Over nearly level desert land, through scattered timber and undergrowth.</p> <p>24.45 Dry wash, 25 lks. wide, course S.20°E.</p> <p>38.25 Dry wash, 30 lks. wide, course S.20°E.</p> <p>39.97$\frac{1}{2}$ Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.</p> <p style="text-align: center;">$\frac{1}{4}$ $\frac{S 8}{S 17}$</p> <p style="text-align: center;">1941</p> <p style="text-align: right;">raise a mound</p> <p>of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.</p> <p>48.95 Dry wash, 25 lks. wide, course S.20°E.</p> <p>49.95 Dry wash, 15 lks. wide, course S.30°E.</p> <p>79.95 The cor. of secs. 7,8,17 and 18.</p> <p>Land, nearly level. Soil, sandy 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage, mesquite and cacti.</p>

Chains	S.89°58'W., on a random line bet. secs. 7 and 18.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.68	A point 2 lks. S. of the cor. of secs. 7, 12, 13 and 18, on the W. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 2 S., R. 12 W., surveyed under this group.
	Thence
	N.89°59'E., on a true line bet. secs. 7 and 18.
	Over nearly level desert land, through scattered timber and undergrowth.
10.65	Dry wash, 25 lks. wide, course SE.
25.00	Dry wash, 5 lks. wide, course S.
39.68	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ $\frac{S\ 7}{S\ 18}$ 1941
	raise a mound
	of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.
52.90	Dry wash, 10 lks. wide, course SE.
65.15	Dry wash, 5 lks. wide, course S.30°E.
79.68	The cor. of secs. 7, 8, 17 and 18.
	Land, nearly level.
	Soil, sandy, 3rd rate.
	Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage and cacti.
	N.0°03'W., bet. secs. 7 and 8.
	Over nearly level desert land, through scattered timber and undergrowth.
22.35	Dry wash, 15 lks. wide, course S.45°E.
26.10	Dry wash, 15 lks. wide, course S.45°E.
34.70	Junction of washes, 15 lks. wide, course SE. from W. and NW.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 7 S 8 1941
	raise a mound
	of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, W. of cor.
53.90	Dry wash, 10 lks. wide, course S.30°E.
75.74	Road, bears N.70°W. and E.

Chains

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, with brass cap mkd.

T 2 S R 12 W	
S 6	S 5
S 7	S 8
1941	

of stone, 3 ft. base, 2½ ft. high, W. of cor. raise a mound

Land, nearly level.
Soil, sandy, 3rd rate.
Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage and cacti.

S.89°59'E., on a random line bet. secs. 5 and 8.

40.00 Set temp. ¼ sec. cor.

79.95 The cor. of secs. 4, 5, 8 and 9.

Thence

N.89°59'W., on a true line bet. secs. 5 and 8.

Over nearly level desert land, through scattered timber and undergrowth.

39.97½ Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for ¼ sec. cor., with brass cap mkd.

¼	S 5
	S 8
1941	

of stone, 3½ ft. base, 3 ft. high, N. of cor. raise a mound

49.30 Dry wash, 20 lks. wide, course SE.

51.75 Dry wash, 25 lks. wide, course S.45°E.

63.65 Dim road, bears NW. and SE.

67.45 Dry wash, 15 lks. wide, course S.

79.95 The cor. of secs. 5, 6, 7 and 8.

Land, nearly level.
Soil, sandy, 3rd rate.
Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, mesquite, sage and cacti.

S.89°59'W.; on a random line bet. secs. 6 and 7.

40.00 Set temp. ¼ sec. cor.

79.54 A point 2 lks. S. of the cor. of secs. 1, 6, 7 and 12, on the W. bdy. of the Tp.; described in the field notes of the W. bdy. of T. 2 S., R. 12 W., surveyed under this group.

Thence

Chains	East, on a true line bet. secs. 6 and 7. Over nearly level, desert land, through scattered timber and undergrowth.
2.96	Road, bears NW. and SE.
8.08	Same road, bears SW. and NE.
9.80	Dry wash, 75 lks. wide, course S.45°E.
24.50	Dry wash, 20 lks. wide, course S.30°E.
39.54	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ $\frac{S\ 6}{S\ 7}$
	1941
	raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, N. of cor.
54.95	Same road, bears N.80°W. and S.80°E.
79.54	The cor. of secs. 5, 6, 7 and 8. Land, nearly level. Soil, sandy, 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, sage, cats claw and cacti.
	N.0°03'W., on a random line bet. secs. 5 and 6.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.95	A point 7 lks. E. of the cor. of secs. 5, 6, 31 and 32, on the N. bdy. of the Tp.; described in the field notes of the N. bdy. of T. 2 S., R. 12 W., surveyed under this group. Thence
	S.0°06'E., on a true line bet. secs. 5 and 6. Over nearly level desert land, through scattered timber and undergrowth.
39.95	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$
	S 6 S 5
	1941
	raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.
79.95	The cor. of secs. 5, 6, 7 and 8. Land, nearly level. Soil, sandy 3rd rate. Timber, scattered ironwood and palo verde; undergrowth, greasewood, cats claw, sage and cacti.

FINAL TEST OF INSTRUMENTS.

For final test of instruments, see the field notes of the boundaries of T. 2 N., R. 13 W., surveyed under this group.

GENERAL DESCRIPTION.

The land embraced in T. 2 S., R. 12 W., ranges from desert to rolling hills. The soil is sandy in the desert, and rocky in the hills. The timber consists of scattered ironwood, palo verde and mesquite. The undergrowth is greasewood, ocotillo, cats claw, mesquite, sage and cacti. A portion of Clanton Hills traverses northwesterly through sections 1, 2, 11 and 12. A dirt road traverses through the eastern portion of the township, NE. to Clanton Well, and SE. to Hyder. From forks of road in section 12, a dirt road traverses through the northern portion of the township, westerly to Deadman's Tank. There are no settlers within the township. The predominating interest is stock grazing.

BOOK 4284

4-680
(Revised May 1934)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

FIELD ASSISTANTS

NAMES	CAPACITY
Bert E. Wakeman	Principal Assistant
Ernest E. Anderson	Principal Assistant
Kenneth N. Burrow	Chainman
Ernest Crofford	Chainman
Raymond H. Wilson	Flagman
Stanley C. Turner	Flagman
Monzell J. Phipps	Axeman
Lowell D. Mc Clung	Axeman
Glenn L. Price	Axeman
Lowell E. Jones	Axeman
Raymond Cline	Moundsman
Mike Knezevich	Moundsman
Eugene Mc Cartney	Cornerman

BOOK 4254

CERTIFICATE OF SURVEYOR

We, William E. Hiester, Associate Cadastral Engineer, and Ty White, Assistant Cadastral Engineer, G.L.O., HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 7th day of February 1940, received from the district cadastral engineer for Arizona, with assignment instructions dated February 1, 1941 ^{we} /I have surveyed the subdivisional lines of Township 2 South, Range 12 West,

of the Gila and Salt ^{River} / Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by ~~me~~ ^{us} and under ~~my~~ ^{our} direction; and that said survey has been made in strict conformity with said instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing field notes.

Glendale, California.
June 13, 1942.
Glendale, California
April 24, 1943.

William E. Hiester
 Associate Cadastral Engineer
Ty White
 Assistant Cadastral Engineer
 General Land Office

CERTIFICATE OF APPROVAL

OFFICE OF SUPERVISOR OF SURVEYS,
 Denver, Colorado, January 28, 1944.

The foregoing field notes of the survey of the subdivisional lines of Township 2 South, Range 12 West, of the Gila and Salt River Meridian, in the State of Arizona

William E. Hiester, Associate Cadastral Engineer, and executed by Ty White, Assistant Cadastral Engineer, General Land Office, under special instructions dated February 7, 1940, and assignment instructions dated February 1, 1941, having been critically examined, and the necessary corrections made prior to their certification by the engineer, the said field notes, and the survey therein described, are hereby approved.

Charles H. Johnson
 Supervisor of Surveys.

~~CERTIFICATE OF TRANSCRIPT~~

~~I certify that the foregoing transcript of the field notes of the above-described surveys in _____ is a true copy of the original field notes on file in the public survey office.~~

~~_____
 Supervisor of Surveys.~~