

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

Of the Dependent Resurvey of

The West Boundary of Township 7 North, Range 17 West

and

Of the Survey

Of the West and North Boundaries and Subdivisional Lines of

Township 7 North, Range 18 West

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Ty White, Cadastral Engineer

Donald E. Harding, Cadastral Engineer

Under special instructions dated October 9, 1952, which provided
for the surveys included under Group No. 285, approved October 21, 1952
and assignment instructions dated November 7, 1952

Survey commenced February 25, 1953

Survey completed March 25, 1953

4443

4443

4443

1A 2

BOOK 4443

INDEX DIAGRAM

Township 7 N., Range 18 W.

12 16 6	12 48 5	11 41 4	10 35 3	10 30 2	9 24 1 8
48 15 7 46	47 47 8 46	40 40 9 39	35 34 10 34	29 29 11 28	23 23 12 7 22
15 18 45	45 17 44	39 16 38	33 15 33	28 14 27	21 13 5 21
14 19 43	44 20 43	38 21 37	32 22 32	27 23 26	20 24 4 19
14 30 42	43 29 42	37 28 37	31 27 31	25 26 25	18 25 2 18
13 31	41 32	36 33	30 34	24 35	17 36 1

16-56770-1

———— Ty White, Cadastral Engineer

———— Donald E. Harding, Cadastral Engineer

T. 7 N., R. 18 W.

BOOK 4448

The west boundary of T. 7 N., R. 17 W. was surveyed by Hesse in 1909. The following field notes describe the dependent resurvey of this boundary and the survey of the north and west boundaries and subdivisional lines of T. 7 N., R. 18 W.

The survey was executed with light mountain solar transits, made by Buff and Buff, serial No. 16424, and W. and L. E. Gurley, serial No. 461263, constructed in accordance with the standard instrumental specifications of the Bureau of Land Management. The instruments were in good condition and, having been placed in satisfactory adjustment prior to the beginning of the survey, were tested and found free from appreciable error.

The direction of the lines were determined by the solar transit method. The measurements were made with Lufkin steel tapes, 5 chains in length, graduated to tenths of a link for the first ten links, and every link for the balance of the first 100 lks. and the remainder at intervals of 10 links. The tapes were tested by comparison with a standard steel tape and found correct. The measurements were made on the slope and the vertical angle of each interval was ascertained by a clinometer in good adjustment; the horizontal equivalents only are entered in this field note record. Lines connecting previously established corners are run by the random and true method but the random lines are omitted from the field notes.

The data furnished with the special instructions give the geographical position of the southeast corner of the township as latitude $33^{\circ}53'55''$ N. and longitude $114^{\circ}04'42''$ W.

February 24, 1953, at camp in sec. 6, T. 7 N., R. 17 W., G. and S. R. Mer., Arizona, in latitude $33^{\circ}58'56''$ N. and longitude $114^{\circ}04'29''$ W., I make an hour angle observation on Polaris west of the meridian for azimuth, making four observations, two each with the telescope in direct and reversed positions. Reading the horizontal angles from the east edge of a telegraph pole approximately 40 chains N., W. to Polaris.

Mean watch time of observation	6h 13m 24s p.m.
Watch fast of last.	Ch 36m 18s
Mean horizontal deflection angle	$0^{\circ} 50' 52.5''$
Azimuth of Polaris	$0^{\circ} 36' 06.0''$
Bearing of reference point	N. $0^{\circ} 14' 46.5''$

February 25, 1953, every 30m. from 8 to 10:30 a.m. and from 1:30 to 4 p.m. we make the proper settings on the arcs of the solar attachments and ascertain that the resulting orientation of the instruments, when compared with the meridian established by Polaris observation, have a maximum error of less than $1' 30''$.

Dependent Resurvey of West Boundary of T. 7 N., R. 17 W.

Reestablishment of the Survey Executed by
Hesse, Deputy Surveyor, in 1909

From the cor. of Tps. 6 and 7 N., Rs. 17 and 18 W., which is monumented with an iron post, marked and witnessed as described in the official record.

N. $3^{\circ}09'$ E., along W. bdy. of sec. 31.

Over rough, rocky, broken terrain.

Asc. 17 ft. over S. slope.

Dependent Resurvey, W. Bdy. T. 7 N., R. 17 W.

Chains	
2.09	Short ridge, bears E. and W., top 3 chains to W., desc. 50 ft. over N. slope.
12.93	Wash, 20 lks. wide, course E.
14.63	Short spur, slopes E.
16.98	Wash, 30 lks. wide, course E.
20.83	Wash, 25 lks. wide, course E. to SE; asc. 160 ft. over S. slope.
34.46	Top of ridge, bears N. 30° E. and S. 30° W.; desc. 85 ft. over NW. slope.
40.06	The $\frac{1}{4}$ cor. of secs. 31 and 36, monumented with a 6 x 6 x 10 in. stone, marked $\frac{1}{4}$. Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., on solid rock and mound to top with stone, with brass cap mkd. $\frac{1}{4}$ S 36 S 31 1953 Deposit the original cor. stone alongside iron post.
	N. 1°40' W., beginning new measurement, along W. bdy. of sec. 31. Asc. 45 ft. over S. slope.
3.03	Top of spur, slopes E.; desc. 103 ft. over N. slope.
16.12	Wash, 20 lks. wide, course SE.
28.29	Wash, 15 lks. wide, course E.; asc. 20 ft. over S. slope.
34.85	Top of ascent.
38.68	The cor. of secs. 30 and 31, monumented with a 6 x 6 x 14 in. stone with 5 marks on N. face. Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., in mound of stone to top, with brass cap mkd. T 7 N T 7 N S 30 R 18 W S 31 S 36 R 17 W 1953 Deposit the original cor. stone alongside iron post. Land, mountainous. Soil, rocky. Timber, none; undergrowth, none.
1.34	N. 0°03' W., along W. bdy. of sec. 30. Over broken mountainous land. Point for the cor. of secs. 25 and 36.

Dependent Resurvey, W. Bdy. T. 7 N., R. 17 W.

Chains

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 8 ins. in the ground and mound to top with stone, with brass cap mkd.

T 7 N	T 7 N
S 25	R 17 W
S 36	S 30
R 18 W	

1953

- 5.24 Wash, 20 lks. wide, course E.; asc. 25 ft. over S. slope.
- 7.94 Top of spur, slopes E.; desc. 40 ft. over N. slope.
- 10.24 Wash, 30 lks. wide, course E.; asc. 50 ft. over S. slope.
- 22.36 Saddle, peaks to E. and W.; desc. 16 ft. over N. slope.
- 26.64 Wash, 15 lks. wide, course E. to NE.; asc. 290 ft. over S. slope.
- 36.51 U. S. C. & G. S. triangulation station LA MOSA bears S. $38^{\circ} 08' W$.
- 37.08 Top of peak; desc. 206 ft. over N. slope.
- 41.06 Point for the $\frac{1}{4}$ cor. of sec. 30, at proportionate distance; slide rock area at base of cliff, no evidence of original corner.
- Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$ S 30

1953

- Raise a mound of stone, 3 ft. base, 3 ft. high, E. of cor.
- 41.34 Point for the $\frac{1}{4}$ cor. of sec. 25.
- Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., in mound of stone to top, with brass cap mkd.

$\frac{1}{4}$ S 25

1953

- Descend 84 ft. over N. slope.
- 47.66 Wash, 15 lks. wide, course E.; asc. 206 ft. over S. slope.
- 59.00 Top of peak, spur bears N. $30^{\circ} E$; desc. 239 ft. along steep W. slope.
- 80.96 Wash, 20 lks. wide, course N. $30^{\circ} E$.
- 81.34 Point for the cor. of secs. 24 and 25.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N	T 7 N
S 24	R 17 W
S 25	S 30
R 18 W	

1953

Dependent Resurvey, W. Bdy. T. 7 N., R. 17 W.

Chains

Raise a mound of stone, 3 ft. base, 3 ft. high, W. of cor.

82.12 The cor. of secs. 19 and 30, monumented with a malipi stone, 10 x 12 x 12 ins.

Set an iron post, 28 ins. long, 2½ ins. diam., 8 ins. in the ground and mound to top with stone, with brass cap mkd.

T 7 N	T 7 N
	S 19
R 18 W	S 30
S 24	R 17 W.

1953

Deposit original stone alongside iron post.

U.S.C. & G.S. triangulation station LA MOSA bears S. 20° 42' W.

Land, mountainous.
Soil, rocky.
Timber, none.
Undergrowth, none.

N. 2° 20' W., along W. bdy. of sec. 19.

Over rough mountainous land.

Ascend 12 ft. over SE. slope.

2.50 Saddle spur, bears N. 30° E.; desc. 70 ft. over NW. slope.

8.82 Wash, 35 lks. wide, course NE.; asc. 50 ft. over SE. slope.

39.25 Point for the ¼ cor. of sec. 24.

Set an iron post, 28 ins. long, 2½ ins. diam., 12 ins. in the ground and mound to top with stone, with brass cap mkd.

¼ S 24

1953

39.72 The ¼ cor. of sec. 19, monumented with a malipi stone, 8 x 8 x 12 ins. marked ¼ on W. face.

Set an iron post, 28 ins. long, 2½ ins. diam., 6 ins. in the ground and mound to top with stone, with brass cap mkd.

¼ S 19

1953

Deposit original stone alongside iron post.

N. 0° 02' E., beginning new measurement, along W. bdy. of sec. 19.

Over mountainous land.

Descend 50 ft. over E. slope.

BOOK 4448

Dependent Resurvey, W. Bdy. T. 7 N., R. 17 W.

Chains

- 11.75 Old road, bears E. and W.
- 27.70 Wash, 15 lks. wide, course NW.
- 38.40 Old road, bears N. 30° W and S. 30° E.
- 39.53 Point for the cor. of secs. 13 and 24.
- Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N	T 7 N
S 13	R 17 W
S 24	S 19
R 18 W	

1953

Deposit a broken glass bottle alongside iron post.

- 40.05 The cor. of secs. 18 and 19, monumented with a malipi stone, 6 x 12 x 16 ins.

Set an iron post, 28 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.

T 7 N	T 7 N
R 18 W	S 18
S 13	S 19
	R 17 W

1953

Deposit original stone alongside iron post.

Land, mountainous.

Soil, rocky.

Timber, none.

Undergrowth, none.

N. 0° 02' E., along W. bdy. of sec. 18.

Over low gravel ridges.

- 30.15 Wash, 15 lks. wide, course N. 60° W.; asc. 75 ft. over S. slope.

- 39.48 Point for the ¼ cor. of sec. 13.

Set an iron post, 28 ins. long, 2½ ins. diam., 6 ins. in the ground, and mound to top with stone, with brass cap mkd.

¼ S 13	
--------	--

1953

- 40.19 The ¼ cor. of sec. 18, monumented with a malipi stone, 6 x 12 x 20 ins. marked ¼ on W. face.

Dependent Resurvey, W. Bdy. T. 7 N., R. 17 W.

Chains

Set an iron post, 28 ins. long, 2½ ins. diam., 12 ins. in the ground, and mound to top with stone, with brass cap mkd.

S 18

1953

Deposit original stone alongside iron post.

N. 0° 16' E., beginning new measurement, along W. bdy. of sec. 18.

Over broken spurs.

- 3.50 Wash, 5 lks. wide, course NW.
- 5.70 Spur, slopes W.; desc. 50 ft. over NW. slope.
- 11.80 Wash, 5 lks. wide, course NW.; continue 70 ft. desc. over NW. slope.
- 21.00 Wash, 15 lks. wide, course NE.; asc. 15 ft. over SE. slope.
- 26.50 Flat spur, slopes E.; desc. 40 ft. over N. slope.
- 35.50 Old road, bears E. and W.
- 39.29 Point for the cor. of secs. 12 and 13.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N T 7 N

S 12

R 17 W

S 13

S 18

R 18 W

1953

- 40.00 The cor. of secs. 7 and 18, monumented with a malipi stone, 10 x 12 x 14 ins., with two chisel marks on N. face and four chisel marks on S. face.

Set an iron post, 28 ins. long, 2½ ins. diam., 14 ins. in the ground, and mound to top with stone, with brass cap mkd.

T 7 N T 7 N

R 18 W

S 7

S 12

S 18

R 17 W

1953

Deposit original stone alongside iron post.

Land, broken spurs and sand ridges.

Soil, sandy and rocky.

Timber, none.

Undergrowth, none.

BOOK 4443

Dependent Resurvey, W. Bdy. T. 7 N., R. 17 W.

Chains

N. 0° 05' W., along W. bdy. of sec. 7.

Over broken spurs.

Ascend 50 ft. over SW. slope.

2.90 Short spur, slopes NW.; desc. 90 ft. over N. slope.

17.60 Wash, 10 lks. wide, course NW.

22.80 Wash, 10 lks. wide, course NE.; asc. 45 ft. over S. slope.

31.60 Old road, bears E. and SW.; enter scattering undergrowth.

38.10 Old road, bears NE. and SW.

38.85 Wash, 30 lks. wide, course N. 30° E.

39.29 Point for the $\frac{1}{4}$ cor. of sec. 12.Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd. $\frac{1}{4}$ S 12

1953

Deposit a broken glass bottle alongside iron post.

39.99 The $\frac{1}{4}$ cor. of sec. 7, monumented by a malipi stone, 6 x 8 x 12 ins. marked $\frac{1}{4}$.Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd. $\frac{1}{4}$ S 7

1953

Deposit original stone alongside iron post.

N. 0° 01' E., beginning new measurement, along W. bdy. of sec. 7.

Over rolling land.

14.00 Wash, 30 lks. wide, course N. 30° E.

26.40 Wash, 40 lks. wide, course N. 30° E.

39.30 Point for the cor. of secs. 1 and 12.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 10 ins. in the ground and mound to top with stone, with brass cap mkd.

T 7 N T 7 N

S 1

S 12

R 18 W

R 17 W

S 7

1953

Dependent Resurvey, W. Bdy. T. 7 N., R. 17 W.

Chains

40.02

The cor. of secs. 6 and 7, monumented with a malipi stone, 8 x 10 x 16 ins.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

	T 7 N	T 7 N
		S 6
R 18 W		S 7
S 1		R 17 W

1953

Deposit original stone alongside iron post and raise a mound of stone, 3 ft. base, 2½ ft. high, E. of cor.

Land, rolling.

Soil, sandy and rocky.

Timber, none.

Undergrowth, scattering greasewood.

N. 0° 02' E., along N. bdy. of sec. 6.

Over rolling land through scattering undergrowth.

12.00

Wash, 30 lks. wide, course N. to NE. from SW.

39.28

Point for the ¼ cor. of sec. 1.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

¼ S 1	
-------	--

1953

Deposit a broken glass bottle alongside iron post.

40.03

The ¼ cor. of sec. 6, monumented with a malipi stone, 6 x 6 x 8 ins. marked ¼ on W. face.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

¼ S 6	
-------	--

1953

Deposit original stone and a broken glass bottle alongside iron post.

64.33

Road, bears E. and W.

80.03

Point for the cor. of Tps. 7 and 8 N., Rs. 17 and 18 W.; Reestablished at record distance from E. and S. There is no evidence of the original Tp. cor.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

Chains

T 8 N	
R 18 W	R 17 W
S 36	S 31
S 1	S 6
T 7 N	
1953	

Raise a mound of stone, 3 ft. base, 2½ ft. high, S. of cor.

The ¼ cor. on the N. bdy. of sec. 6, T. 7 N., R. 17 W. bears N. 89° 58' E., 38.58 chs. dist., and is monumented with a quartzite stone, 6 x 6 x 6 ins. above ground, firmly set, and marked ¼ on the N. face.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

North Boundary T. 7 N., R. 18 W.

S. 89° 57' W., bet. secs. 1 and 36.

Over rolling land.

10.50 Wash, 20 lks. wide, course N. 20° W.

40.00 Point for the ¼ cor. of secs. 1 and 36.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 36
¼ ———
S 1
1953

Deposit a broken glass bottle alongside iron post.

76.10 Wash, 20 lks. wide, course N.

80.00 Point for the cor. of secs. 1, 2, 35 and 36.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 8 N. R 18 W.	
S 35	S 36
S 2	S 1
T 7 N	
1953	

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, ironwood and palo verde.

Undergrowth, greasewood.

North Boundary, T. 7 N., R. 18 W.

Chains

S. 89° 57' W., bet. secs. 2 and 35.

Over rolling land, through scattering timber and undergrowth.

0.20 Wash, 20 lks. wide, course N.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 2 and 35.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 35

S 2

1953

Deposit a broken glass bottle alongside iron post.

58.30 Wash, 40 lks. wide, course N.

64.00 Wash, 50 lks. wide, course N.

67.00 Improved road, bears N. 60° W. and S. 60° E.

80.00 Point for the cor. of secs. 2, 3, 34 and 35.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 8 N R 18 W

S 34	S 35
S 3	S 2

T 7 N

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, ironwood and pale verde.

Undergrowth, greasewood.

S. 89° 57' W., bet. secs. 3 and 34.

Over rolling land, through scattering timber and undergrowth.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 3 and 34.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 34

S 3

1953

Deposit a broken glass bottle alongside iron post.

69.60 Road, bears SW. and NE.

North Boundary, T. 7 N., R. 18 W.

Chains

76.10 Right bank of wash, course N. 10° E.

79.85 Left bank of wash, course N. 10° E.

80.00 Point for the cor. of secs. 3, 4, 33 and 34.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 8 N R 18 W

S 33 | S 34

S 4 | S 3

T 7 N

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, palo verde and ironwood.

Undergrowth, greasewood.

S. 89° 57' W., bet. secs. 4 and 33.

Over rolling land, through scattering timber and undergrowth.

34.30 Ascend 12 ft. over E. slope of spur.

37.30 Top of spur, slopes N.; desc. 19 ft. over W. slope.

40.00 Point for the ¼ cor. of secs. 4 and 33.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 33

¼ ———

S 4

1953

Deposit a broken glass bottle alongside iron post.

43.70 Drain, course N.; asc. 32 ft. over E. slope.

47.67 Top of spur, slopes N.; desc. 34 ft. over W. slope.

55.00 Drain, course N.; asc. 30 ft. over E. slope.

59.30 Top of spur, slopes N.; desc. 40 ft. over W. slope.

64.26 Drain, course N.; asc. 30 ft. over E. slope.

76.30 Top of spur, slopes N.; desc. 20 ft. over W. slope.

80.00 Point for the cor. of secs. 4, 5, 32 and 33.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

Chains

T 8 N R 18 W

S 32	S 33
------	------

S 5	S 4
-----	-----

T 7 N

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.
Soil, sandy.
Timber, palo verde.
Undergrowth, greasewood.

S. 89° 57' W., bet. secs. 5 and 32.

Over broken spurs.

Descend 50 ft. over W. slope.

4.98 Drain, course N.; asc. 23 ft. over E. slope.

17.47 Top of sand bench; thence over gently rolling desert.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 5 and 32.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 32

$\frac{1}{4}$ ———

S 5

1953

Deposit a broken glass bottle alongside iron post.

44.65 Drain, course NW.

80.00 Point for the cor. of secs. 5, 6, 31 and 32.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 8 N R 18 W

S 31	S 32
------	------

S 6	S 5
-----	-----

T 7 N

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling and slopes.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

S. 89° 57' W., bet. secs. 6 and 31.

Over rolling land.

North Boundary, T. 7 N., R. 18 W.

Chains

40.00

Point for the $\frac{1}{4}$ cor. of secs. 6 and 31.Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
$$\begin{array}{r} \text{S } 31 \\ \frac{1}{4} \text{ ---} \\ \text{S } 6 \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

64.54

Point for the cor. of Tps. 7 and 8 N., Rs. 18 and 19 W.

Set an iron post, 28 ins. long, 3 ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{r} \text{T } 8 \text{ N} \\ \text{R } 19 \text{ W} \mid \text{R } 18 \text{ W} \\ \text{S } 36 \mid \text{S } 31 \\ \text{S } 1 \mid \text{S } 6 \\ \text{T } 7 \text{ N} \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

Land, rolling and spurs.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

West Boundary, T. 7 N., R. 18 W.

From the cor. of Tps. 6 and 7 N., Rs. 18 and 19 W., which is monumented with an iron post, marked and witnessed as described in the official record.

NORTH, bet. secs. 31 and 36.

Over rolling land, through scattering undergrowth.

40.00

Point for the $\frac{1}{4}$ cor. of secs. 31 and 36.Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
$$\begin{array}{r} \frac{1}{4} \\ \text{S } 36 \mid \text{S } 31 \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

80.00

Point for the cor. of secs. 25, 30, 31 and 36.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

West Boundary, T. 7 N., R. 18 W.

Chains

T 7 N	
R 19 W	R 18 W
S 25	S 30
S 36	S 31

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, scattering greasewood.

NORTH, bet. secs. 25 and 30.

Over rolling land, through scattering undergrowth.

40.00 Point for the 1/4 cor. of secs. 25 and 30.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins in the ground, with brass cap mkd.

1/4	
S 25	S 30

1953

Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 19, 24, 25 and 30.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N	
R 19 W	R 18 W
S 24	S 19
S 25	S 30

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, scattering greasewood.

NORTH, bet. secs. 19 and 24.

Over rolling land, through scattering undergrowth.

40.00 Point for the 1/4 cor. of secs. 19 and 24.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

1/4	
S 24	S 19

1953

West Boundary, T. 7 N, R. 18 W.

Chains

Deposit a broken glass bottle alongside iron post.

80.00

Point for the cor. of secs. 13, 18, 19 and 24.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

	T 7 N	
R 19 W		R 18 W
S 13		S 18
S 24		S 19

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

NORTH, bet. secs. 13 and 18.

Over rolling land, through scattering undergrowth.

40.00

Point for the $\frac{1}{4}$ cor. of secs. 13 and 18.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

	$\frac{1}{4}$	
S 13		S 18
	1953	

Deposit a broken glass bottle alongside iron post.

80.00

Point for the cor. of secs. 7, 12, 13 and 18.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

	T 7 N	
R 19 W		R 18 W
S 12		S 7
S 13		S 18

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

NORTH, bet. secs. 7 and 12.

Over rolling land, through scattering undergrowth.

40.00

Point for the $\frac{1}{4}$ cor. of secs. 7 and 12 ; top of gentle brakes to N.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

8 East Boundary, T. 7 N., R. 18 W.

Chains

1/4
S 12 | S 7
1953

Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 1, 6, 7 and 12.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N
R 19 W | R 18 W
S 1 | S 6
S 12 | S 7
1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, scattering greasewood.

NORTH, bet: secs. 1 and 6:

Over rolling land, through scattering undergrowth.

40.00 Point for the 1/4 cor. of secs. 1 and 6.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

1/4
S 1 | S 6
1953

Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of Tps. 7 and 8 N., Rs. 18 and 19 W.

Set an iron post, 28 ins. long, 3 ins. diam., 24 ins. in the ground, with brass cap mkd.

T 8 N
R 19 W | R 18 W
S 36 | S 31
S 1 | S 6
T 7 N
1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, scattering greasewood.

Subdivision of T. 7 N., R. 18 W.

Chains

From the cor. of secs. 35 and 36, on the S. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

N. 0° 04' W., bet. secs. 35 and 36.

Over mountainous land, through scattering timber and undergrowth.

5.29 U.S.C. & G.S. triangulation station LA MOSA bears N. 35° 11' E.

5.30 Top of spur, slopes W.; desc. 153 ft. over NE. slope.

14.50 Drain, course W.; asc. 63 ft. over S. slope.

21.10 Top of spur, slopes W.; desc. 29 ft. over N. slope.

26.21 Drain, course W.; asc. 113 ft. over S. slope.

30.50 Top of spur, slopes W.; desc. 57 ft. over N. slope.

35.70 Drain, course W.; asc. 73 ft. over S. slope.

39.00 Top of spur, slopes W.; desc. 18 ft. over N. slope.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 35 and 36.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 16 ins. in the ground, and mound to top with stone, with brass cap mkd.

$\frac{1}{4}$
 S 35 | S 36
 1953

44.50 Drain, course W.; asc. 26 ft. over S. slope.

46.30 Top of spur, slopes W.; desc. 29 ft. over N. slope.

51.00 Drain, course W.; asc. 21 ft. over S. slope.

53.50 Top of ridge, bears E. and W.; desc. 23 ft. over N. slope.

58.00 Drain, course NW.; asc. 115 ft. over SW. slope.

66.10 Top of ascent; desc. 85 ft. over NW. slope.

73.00 Wash, 20 lks. wide, course N. 20° W.; asc. 14 ft. along E. slope of spur.

80.00 Point for the cor. of secs. 25, 26, 35 and 36.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N R 18 W
 S 26 | S 25
 S 35 | S 36
 1953

Raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.

Land, mountainous.
 Soil, rocky.
 Timber, palo verde.
 Undergrowth, greasewood.

Subdivision of T. 7 N., R. 18 W.

Chains	From the cor. of secs. 25 and 36, on the E. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.
	S. 89° 57' W., bet. secs. 25 and 36.
	Over mountainous land, through scattering timber and undergrowth.
	Ascend 13 ft. over E. slope.
2.00	Top of spur, slopes N.; desc. 13 ft. over W. slope.
4.20	Wash, 30 lks. wide, course NE.; asc. 231 ft. over E. slope.
17.40	Top of spur, slopes N.; desc. 27 ft. over W. slope.
20.76	Drain, course NW.; asc. 185 ft. over E. slope.
25.54	Top of spur, slopes NE.; desc. 238 ft. over W. slope.
38.10	Wash, 20 lks. wide, course NW.; asc. 32 ft. over E. slope.
41.10	Point for the $\frac{1}{4}$ cor. of secs. 25 and 36.
	Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., on rock and mound to top with stone, with brass cap mkd.
	S 25
	$\frac{1}{4}$ —————
	S 36
	1953
	Ascend 195 ft. over E. slope.
53.20	Top of spur, slopes N. 20° E.; desc. 52 ft. over W. slope.
79.00	Wash, 20 lks. wide, course N. 20° E.; asc. 14 ft. over E. slope.
81.10	The cor. of secs. 25, 26, 35 and 36.
	Land, mountainous.
	Soil, rocky.
	Timber, palo verde.
	Undergrowth, greasewood.
	N. 0° 04' W., bet. secs. 25 and 26.
	Over mountainous land, through scattering timber and undergrowth.
	Ascend 103 ft. along S. slope.
11.90	Top of spur, slopes NE.; desc. 166 ft. over NW. slope.
26.50	Cross top of ridge, bears N. 20° E., and S. 20° W.; thence along W. slope of ridge.
32.40	Same ridge, bears NE.; desc. 100 ft. over NW. slope.
37.20	Drain, course W.; asc. 43 ft. over S. slope.
39.30	Top of spur, slopes W.; desc. 18 ft. over N. slope.
40.00	Point for the $\frac{1}{4}$ cor. of secs. 25 and 26.

Subdivision of T. 7 N., R. 18 W.

Chains

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 14 ins. in the ground and mound to top with stone, with brass cap mkd.

$\frac{1}{4}$
 § 26 | § 25
 1953

Continue descent for 86 ft. over N. slope.

50.50 Drain, course W.; asc. 88 ft. over S. slope.

54.60 Top of spur, slopes W.; desc. 140 ft. over N. slope.

66.50 Drain, course W.; asc. 190 ft. over S. slope.

79.10 Top of spur, slopes W. for 1.00 ch. thence N.

80.00 Point for the cor. of secs. 23, 24, 25 and 26.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 10 ins. in the ground and mound to top with stone, with brass cap mkd.

T 7 N R 18 W
 § 23 | § 24
 § 26 | § 25
 1953

Land, mountainous.
 Soil, rocky.
 Timber, palo verde.
 Undergrowth, scattering greasewood.

From the cor. of secs. 24 and 25, on the E. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

S. $89^{\circ} 55'$ W., bet. secs. 24 and 25.

Over mountainous land, through scattering timber and undergrowth.

Ascend 61 ft. over SE. slope.

3.95 Top of spur, slopes NE.; desc. 85 ft. over NW. slope.

13.15 Foot of descent.

29.55 Wash, 30 lks. wide, course NE.; asc. 294 ft. over SE. slope.

38.30 Top of spur, slopes NW.; desc. 96 ft. over W. slope.

41.15 Point for the $\frac{1}{4}$ cor. of secs. 24 and 25.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., on rock and mound to top with stone, with brass cap mkd.

S 24
 $\frac{1}{4}$ ———
 S 25
 1953

Continue descent for 85 ft. over W. slope.

Subdivision of T. 7 N., R. 18 W.

Chains

- 51.75 Drain, course NE.; asc. 40 ft. over E. slope.
- 55.15 Top of ridge spur, bears N. and S.; desc. 60 ft. over W. slope.
- 61.65 Drain, course N.; asc. 49 ft. over E. slope.
- 64.15 Top of spur, slopes N.; desc. 63 ft. over W. slope.
- 68.45 Drain, course N.; asc. 163 ft. over E. slope.
- 76.15 Top of spur, slopes N., thence along N. slope of spur.
- 81.15 The cor. of secs. 23, 24, 25 and 26.

Land, mountainous.
Soil, rocky.
Timber, palo verde.
Undergrowth, greasewood.

N. 0° 04' W., bet. secs. 23 and 24.

Over mountainous land, through scattering timber and undergrowth.

Descend 293 ft. along E. slope of spur.


- 24.70 Wash, 20 lks. wide, course NW.

- 31.74 Ascend 52 ft. over SW. slope of spur.

- 38.00 Top of spur, slopes NW.; desc. 61 ft. over NE. slope.

- 40.00 Point for the $\frac{1}{4}$ cor. of secs. 23 and 24.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.



Raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.

- 44.70 Drain, course SW.; asc. 74 ft. over SE. slope of detached spur.


- 54.60 Top of detached spur, slopes NE. and SW.; desc. 113 ft. over NW. slope.

- 61.40 Wash, 20 lks. wide, course N. 15° W.

- 66.60 Old road, bears E. and W.

- 80.00 Point for the cor. of secs. 13, 14, 23 and 24.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.



Raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.

Subdivision of T. 7 N., R. 18 W.

Chains

Land, mountainous.
Soil, rocky.
Timber, pale verde and ironwood.
Undergrowth, greasewood.

From the cor. of secs. 13 and 24, on the E. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

N. 89° 59' W., bet. secs. 13 and 24.

Over broken land, through scattering timber and undergrowth.

6.66 Wash, 40 lks. wide, course NE.

19.36 Top of rocky point; desc. 18 ft. over SW. slope.

20.76 Wash, 20 lks. wide, course N.; asc. 57 ft. over E. slope.

25.38 Top of spur, slopes N.; desc. 24 ft. over W. slope.

39.83 Point for the $\frac{1}{4}$ cor. of secs. 13 and 24.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 6 ins. in the ground and mound to top with stone, with brass cap mkd.

S 13

$\frac{1}{4}$

S 24

1953

Descend 21 ft. over W. slope.

46.16 Wash, 40 lks. wide, course N.

68.16 Wash, 40 lks. wide, course NW.

79.66 The cor. of secs. 13, 14, 23 and 24.

Land, broken.
Soil, rocky and gravelly.
Timber, pale verde and ironwood.
Undergrowth, greasewood.

N. 0° 04' W., bet. secs. 13 and 14.

Over broken land, through scattering timber and undergrowth.

1.50 Wash, 40 lks. wide, course NW.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 13 and 14.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$

S 14 | S 13

1953

Deposit a broken glass bottle alongside iron post.

Subdivision of T. 7 N., R. 18 W.

Chains

46.00 Wash, 50 lks. wide, course N. 10° W.

80.00 Point for the cor. of secs. 11, 12, 13 and 14.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N R 18 W

S 11 | S 12

S 14 | S 13

1953

Deposit a broken glass bottle alongside iron post.

Land, broken.

Soil, gravelly.

Timber, pale verde and ironwood.

Undergrowth, greasewood.

From the cor. of secs. 12 and 13, on the E. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

N. 89° 57' W., bet. secs. 12 and 13.

Over broken land, through scattering timber and undergrowth.

Descend 23 ft. over W. slope.

5.96 Drain, course N. 20° W.; asc. 23 ft. over NE. slope.

9.80 Top of low spur, slopes NW.; desc. 17 ft. over SW. slope.

17.08 Old road, bears SE. and NW.

20.96 Old road, bears NE. and SW.

25.96 Wash, 50 lks. wide, course NE.

33.96 Wash, 40 lks. wide, course N. 20° E.

39.98 Point for the ¼ cor. of secs. 12 and 13.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 12

¼

S 13

1953

Deposit a broken glass bottle alongside iron post.

79.96 Therefore of secs. 11, 12, 13 and 14.

Land, broken.

Soil, gravelly.

Timber, pale verde and ironwood.

Undergrowth, greasewood.

Subdivision of T. 7 N., R. 18 W.

Chains

N. 0° 04' W., bet. secs. 11 and 12.

Over rolling land, through scattering timber and undergrowth.

4.50 Wash, 20 lks. wide, course N. 60° W.

7.70 Enter wash, course S. 10° W.

15.40 Leave wash, course S. 10° W.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 11 and 12.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 11 \mid \text{S } 12 \\ 1953 \end{array}$$

Raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.

80.00 Point for the cor. of secs. 1, 2, 11 and 12.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{c} \text{T } 7 \text{ N } \text{ R } 18 \text{ W} \\ \text{S } 2 \mid \text{S } 1 \\ \text{S } 11 \mid \text{S } 12 \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, gravelly.

Timber, palo verde and ironwood.

Undergrowth, greasewood.

From the cor. of secs. 1 and 12, on the E. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

N. 89° 53' W., bet. secs. 1 and 12.

Over rolling land, through scattering timber and undergrowth.

0.98 Wash, 20 lks. wide, course N. 20° W.

39.99 Point for the $\frac{1}{4}$ cor. of secs. 1 and 12.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{c} \text{S } 1 \\ \frac{1}{4} \text{ ———} \\ \text{S } 12 \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

58.28 Wash, 60 lks. wide, course N. 10° E.

74.58 Wash, 60 lks. wide, course N. 20° W.

Subdivision of T. 7 N., R. 18 W.

Chains	
79.98	<p>The cor. of secs. 1, 2, 11 and 12. Land, rolling. Soil, sandy and gravelly. Timber, palo verde and ironwood. Undergrowth, greasewood.</p>
17.20	<p>N. 0° 01' W., bet. secs. 1 and 2. Over rolling land, through scattering timber and undergrowth.</p>
40.00	<p>Wash, 60 lks. wide, course N. 10° W. Point for the $\frac{1}{4}$ cor. of secs. 1 and 2. Set an iron post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;"> $\frac{1}{4}$ S 2 S 1 1953 </p>
	<p>Deposit a broken glass bottle alongside iron post.</p>
77.90	<p>Old road, bears E. and W.</p>
80.53	<p>The cor. of secs. 1, 2, 35 and 36, on the N. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record. Land, rolling. Soil, sandy. Timber, palo verde and ironwood. Undergrowth, greasewood.</p>
	<p>From the cor. of secs. 34 and 35, on the S. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.</p>
	<p>N. 0° 04' W., bet. secs. 34 and 35. Over rolling land, through scattering timber and undergrowth.</p>
21.20	<p>Wash, 30 lks. wide, course NW.</p>
40.00	<p>Point for the $\frac{1}{4}$ cor. of secs. 34 and 35. Set an iron post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;"> $\frac{1}{4}$ S 34 S 35 1953 </p>
	<p>Deposit a broken glass bottle alongside iron post.</p>
49.70	<p>Wash, 30 lks. wide, course N. 60° W.</p>
65.70	<p>Wash, 40 lks. wide, course W.</p>

Subdivision of T. 7 N., R. 18 W.

Chains

80.00 Point for the cor. of secs. 26, 27, 34 and 35.
Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N R 18 W	
S 27	S 26
S 34	S 35
1953	

Deposit a broken glass bottle alongside iron post.

Land, rolling.
Soil, gravelly.
Timber, palo verde and ironwood.
Undergrowth, greasewood.

From the cor. of secs. 25, 26, 35 and 36.

N. 89° 53' W., bet. secs. 26 and 35.

Over rolling and mountainous land, through scattering timber and undergrowth.

Ascend 105 ft. over E. slope.

7.12 Top of ridge, bears N. and S.; desc. 160 ft. over W. slope.
13.52 Drain, course S. 2.00 chs. thence W.; asc. 50 ft. over E. slope.
16.02 Top of spur, slopes S.; desc. 120 ft. over W. slope.
22.00 Same drain, course N.; asc. 70 ft. over E. slope.
25.02 Top of spur, slopes N.; desc. 200 ft. over W. slope.
40.01 Point for the ¼ cor. of secs. 26 and 35.

Set an iron post, 28 ins. long, 2½ ins. diam., 10 ins. in the ground and mound to top with stone, with brass cap mkd.

S 26
¼ ———
S 35
1953

41.42 Wash, course SW.; asc. 23 ft. over E. slope.
50.92 Top of spur, slopes S.; desc. 52 ft. over W. slope.
55.42 Same Wash, 30 lks. wide, course NW.; thence over rolling land.
80.02 The cor. of secs. 26, 27, 34 and 35.

Land, mountainous.
Soil, rocky.
Timber, palo verde.
Undergrowth, greasewood.

N. 0° 04' W., bet. secs. 26 and 27.

Over rolling land, through scattering timber and undergrowth.


Subdivision of T. 7 N., R. 18 W.

Chains

30.50 Wash, 30 lks. wide, course NW.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 26 and 27.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.




Deposit a broken glass bottle alongside iron post.

52.70 Wash, 40 lks. wide, course N. 60° W.

77.60 Wash, 40 lks. wide, course NW.

80.00 Point for the cor. of secs. 22, 23, 26 and 27.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

Land, rolling.
Soil, gravelly.
Timber, pale verde and ironwood.
Undergrowth, greasewood.

From the cor. of secs. 23, 24, 25 and 26.

WEST, bet. secs. 23 and 26.

Over mountainous land, through scattering timber and undergrowth.

0.25 Top of spur, slopes N.; desc. 245 ft. over W. slope.

11.00 Wash, 30 lks. wide, course NW.; asc. 139 ft. over E. slope.


20.30 Top of spur, slopes N.; desc. 141 ft. over W. slope.

27.00 Drain, course N.; asc. 66 ft. over E. slope.

31.90 Top of spur, slopes N.; desc. 125 ft. over W. slope, thence over rolling land.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 23 and 26.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.



1953

Raise a mound of stone, 3 ft. base, $2\frac{1}{2}$ ft. high, N. of cor.

Subdivision of T. 7 N., R. 18 W.

Chains

80.00 The cor. of secs. 22, 23, 26 and 27.

Land, rolling and mountainous.
 Soil, gravelly and rocky.
 Timber, palo verde.
 Undergrowth, greasewood.

N. 0° 04' W., bet. secs. 22 and 23.

Over rolling land, through scattering timber and undergrowth.

10.70 Wash, 30 lks. wide, course W.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 22 and 23.Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ \text{S 22} \mid \text{S 23} \\ \hline 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 14, 15, 22 and 23.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
$$\begin{array}{c} \text{T 7 N R 18 W} \\ \text{S 15} \mid \text{S 14} \\ \hline \text{S 22} \mid \text{S 23} \\ \hline 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

Land, rolling.
 Soil, gravelly.
 Timber, palo verde and ironwood.
 Undergrowth, greasewood.

From the cor. of secs. 13, 14, 23 and 24.

S. 89° 53' W., bet. secs. 14 and 23.

Over rolling land, through scattering timber and undergrowth.

8.50 Wash, 30 lks. wide, course N. 20° W.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 14 and 23.Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
$$\begin{array}{c} \text{S 14} \\ \frac{1}{4} \mid \\ \hline \text{S 23} \\ \hline 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

Subdivision of T. 7 N., R. 18 W.

<p>Chains 76.60</p>	<p>Wash, 50 lks. wide, course N. 30° W.</p>								
<p>80.00</p>	<p>The cor. of secs. 14, 15, 22 and 23.</p> <p>Land, rolling. Soil, gravelly. Timber, palo verde and ironwood. Undergrowth, greasewood.</p>								
<p>2.20</p>	<p>N. 0° 04' W., bet. secs. 14 and 15.</p> <p>Over rolling land, through scattering timber and undergrowth.</p> <p>Wash, 50 lks. wide, course N. 30° W.</p>								
<p>40.00</p>	<p>Point for the $\frac{1}{4}$ cor. of secs. 14 and 15.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 14 ins. in the ground and mound to top with stone, with brass cap mkd.</p> <div style="text-align: center;"> $\frac{1}{4}$ <table style="margin: auto;"> <tr> <td>S 15</td> <td> </td> <td>S 14</td> </tr> <tr> <td colspan="3">1953</td> </tr> </table> </div>	S 15		S 14	1953				
S 15		S 14							
1953									
<p>42.00</p>	<p>Wash, 30 lks. wide, course N. 30° W.</p>								
<p>80.00</p>	<p>Point for the cor. of secs. 10, 11, 14 and 15.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 14 ins. in the ground and mound to top with stone, with brass cap mkd.</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr> <td>T 7 N</td> <td>R 18 W</td> </tr> <tr> <td>S 10</td> <td> S 11</td> </tr> <tr> <td>S 15</td> <td> S 14</td> </tr> <tr> <td colspan="2">1953</td> </tr> </table> </div> <p>Land, rolling. Soil, gravelly. Timber, palo verde and ironwood.</p>	T 7 N	R 18 W	S 10	S 11	S 15	S 14	1953	
T 7 N	R 18 W								
S 10	S 11								
S 15	S 14								
1953									
<p>5.58</p>	<p>From the cor. of secs. 11, 12, 13 and 14.</p> <p>WEST, bet. secs. 11 and 14.</p> <p>Over rolling land, through scattering timber and undergrowth.</p> <p>Wash, 50 lks. wide, course NE.</p>								
<p>24.68</p>	<p>Wash, 30 lks. wide, course N.</p>								
<p>39.99</p>	<p>Point for the $\frac{1}{4}$ cor. of secs. 11 and 14.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr> <td>S 11</td> </tr> <tr> <td>$\frac{1}{4}$</td> </tr> <tr> <td>S 14</td> </tr> <tr> <td>1953</td> </tr> </table> </div>	S 11	$\frac{1}{4}$	S 14	1953				
S 11									
$\frac{1}{4}$									
S 14									
1953									

Subdivision of T. 7 N., R. 18 W.

Chains	Deposit a broken glass bottle alongside iron post.
47.98	Wash, 60 lks. wide, course N. 5° W.
79.98	The cor. of secs. 10, 11, 14 and 15.
	Land, rolling. Soil, sandy. Timber, palo verde and ironwood. Undergrowth, greasewood.
	N. 0° 04' W., bet. secs. 10 and 11.
	Over rolling land, through scattering timber and undergrowth.
40.00	Point for the $\frac{1}{4}$ cor. of secs. 10 and 11.
	Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
	$\frac{1}{4}$ S 10 S 11 1953
	Deposit a broken glass bottle alongside iron post.
80.00	Point for the cor. of secs. 2, 3, 10 and 11.
	Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 7 N R 18 W S 3 S 2 S 10 S 11 1953
	Deposit a broken glass bottle alongside iron post.
	Land, rolling. Soil, gravelly. Timber, palo verde and ironwood. Undergrowth, greasewood.
	From the cor. of secs. 1, 2, 11 and 12.
	S. 89° 59' W., bet. secs. 2 and 11.
	Over rolling land, through scattering timber and undergrowth.
39.99	Point for the $\frac{1}{4}$ cor. of secs. 2 and 11.
	Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
	S 2 $\frac{1}{4}$ — S 11 1953

Subdivision of T. 7 N., R. 18 W.

Chains

Deposit a broken glass bottle alongside iron post.

54.98 Wash, 60 lks. wide, course N. 5° W.

79.98 The cor. of secs. 2, 3, 10 and 11.

Land, rolling.
Soil, gravelly.
Timber, palo verde and ironwood:
Undergrowth, greasewood.

N. 0° 03' W., bet. secs. 2 and 3.

Over rolling land, through scattering timber and undergrowth.

40.00 Point for the 1/4 cor. of secs. 2 and 3.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

80.38 The cor. of secs. 2, 3, 34 and 35, on the N. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

Land, rolling.
Soil, sandy and gravelly.
Timber, palo verde and ironwood.
Undergrowth, greasewood.

From the cor. of secs. 33 and 34, on the S. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.


N. 0° 05' W., bet. secs. 33 and 34.

Over rolling land, through scattering timber and undergrowth.

12.20 Wash, 20 lks. wide, course NW.

40.00 Point for the 1/4 cor. of secs. 33 and 34.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 27, 28, 33 and 34.

Subdivision of T. 7 N., R. 18 W.

Chains

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N R 18 W	
S 28	S 27
S 33	S 34

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, pale verde and ironwood.

Undergrowth, greasewood.

From the cor. of secs. 26, 27, 34 and 35.

WEST, bet. secs. 27 and 34.

Over rolling land, through scattering timber and undergrowth.

13.14 Wash, 40 lks. wide, course N. 30° W.

31.44 Wash, 20 lks. wide, course N. 20° W.

39.97 Point for the $\frac{1}{4}$ cor. of secs. 27 and 34.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 27	
$\frac{1}{4}$	—
S 34	

1953

Deposit a broken glass bottle alongside iron post.

79.94 The cor. of secs. 27, 28, 33 and 34.

Land, rolling.

Soil, sandy and gravelly.

Timber, palo verde.

Undergrowth, greasewood.

N. $0^{\circ} 05'$ W., bet. secs. 27 and 28.

Over rolling land, through scattering timber and undergrowth.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 27 and 28.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$	
S 28	S 27

1953

Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 21, 22, 27 and 28.

Subdivision of T. 7 N., R. 18 W.

Chains

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N R 18 W

S 21 | S 22

S 28 | S 27

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling;
Soil, sandy.
Timber, palo verde.
Undergrowth, greasewood.

From the cor. of secs. 22, 23, 26 and 27.

N. 89° 59' W., bet. secs. 22 and 27.

Over rolling land, through scattering undergrowth.

2.96 Wash, 50 lks. wide, course NW.

39.98 Point for the ¼ cor. of secs. 22 and 27.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 22

¼ ———

S 27

1953

Deposit a broken glass bottle alongside iron post.

43.46 Begin gradual descent.

45.96 Wash, 1.00 ch. wide, course NW.

79.96 The cor. of secs. 21, 22, 26 and 27.

Land, rolling.
Soil, sandy.
Timber, none,
Undergrowth, greasewood.

N. 0° 05' W., bet. secs. 21 and 22.

Over rolling land, through scattering undergrowth.

40.00 Point for the ¼ cor. of secs. 21 and 22.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

¼

S 21 | S 22

1953

Deposit a broken glass bottle alongside iron post.

Subdivision of T. 7 N., R. 18 W.

Chains

80.00 Point for the cor. of secs. 15, 16, 21 and 22.
Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N R 18 W

S 16	S 15
S 21	S 22

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

From the cor. of secs. 14, 15, 22 and 23.

N. $89^{\circ} 58'$ W., bet. secs. 15 and 22.

Over rolling land, through scattering undergrowth.

27.46 Wash 40 lks. wide, course NW.

39.98 Point for the $\frac{1}{4}$ cor. of secs. 15 and 22.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 15

$\frac{1}{4}$ ———

S 22

1953

Deposit a broken glass bottle alongside iron post.

43.96 Wash, 50 lks. wide, course NW.

67.46 Sandy spur, bears N. and S.

79.96 The cor. of secs. 15, 16, 22 and 23.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

N. $0^{\circ} 05'$ W., bet. secs. 15 and 16.


Over rolling land, through scattering undergrowth.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 15 and 16.


Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

Subdivision of T. 7 N., R. 18 W.

Chains




80.00 Deposit a broken glass bottle alongside iron post.
Point for the cor. of secs. 9, 10, 15 and 16.
Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

5.42 From the cor. of secs., 10, 11, 14 and 15.
S. 89° 58' W., bet. secs. 10 and 15.
Over rolling land, through scattering undergrowth.
Wash, 60 lks. wide, course NW.
39.96 Point for the ¼ cor. of secs. 10 and 15.
Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.




79.92 Deposit a broken glass bottle alongside iron post.
The cor. of secs. 9, 10, 15 and 16.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

40.00 N. 0° 05' W., bet. secs. 9 and 10.
Over rolling land, through scattering undergrowth.
Point for the ¼ cor. of secs. 9 and 10.
Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

Subdivision of T.7 N., R. 18 W.

Chains




Deposit a broken glass bottle alongside iron post.

75.00 Wash, 18 chs. wide, course N. 30° W;

80.00 Point for the cor. of secs. 3, 4, 9 and 10, falls in wash.

From the true point for the cor., N. 89° 59' E., 2.30 chs. dist., to point for the witness, cor. of secs. 3, 4, 9 and 10.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.


From the cor. of secs. 2, 3, 10 and 11.

S 89° 59' W., bet. secs. 3 and 10.

Over rolling land, through scattering undergrowth.

39.99 Point for the ¼ cor. of secs. 3 and 10.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

77.68 An iron post, witness for cor. of secs. 3, 4, 9 and 10, previously described on this page.

79.98 The cor. of secs. 3, 4, 9 and 10.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

N. 0° 06' W., bet. secs. 3 and 4.


Over rolling land, through scattering undergrowth.

40.00 Point for the ¼ cor. of secs. 3 and 4.

Subdivision of T. 7 N., R. 18 W.

Chains

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

77.50 Wash, 98 lks. wide, course NE.

80.48 The cor. of secs. 3, 4, 33 and 34, on the N. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

From the cor. of secs. 32 and 33, on the S. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.


N. 0° 05' W., bet. secs. 32 and 33.

Over rolling land, through scattering timber and undergrowth.

24.00 Wash, 30 lks. wide, course NW.

40.00 Point for the ¼ cor. of secs. 32 and 33.


Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 28, 29, 32 and 33.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

Land, rolling.
Soil, sandy.
Timber, ironwood.
Undergrowth, greasewood.

Subdivision of T. 7 N., R. 18 W.

Chains

From the cor. of secs. 27, 28, 33 and 34.

WEST, bet. secs. 28 and 33.

Over rolling land, through scattering undergrowth.

39.98 Point for the $\frac{1}{4}$ cor. of secs. 28 and 33.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 28

$\frac{1}{4}$ ———

S 33

1953

Deposit a broken glass bottle alongside iron post.

79.96 The cor. of secs. 28, 29, 32 and 33.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

N. 0° 05' W., bet. secs. 28 and 29.

Over rolling land, through scattering undergrowth.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 28 and 29.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$

S 29 | S 28

1953

Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 20, 21, 28 and 29.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N R 18 W

S 20 | S 21

S 29 | S 28

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

From the cor. of secs. 21, 22, 27 and 28.

S. 89° 59' W., bet. secs. 21 and 28.

Subdivision of T. 7 N., R. 18 W.

Chains

Over rolling land, through scattering undergrowth.
 39.96 Point for the $\frac{1}{4}$ cor. of secs. 21 and 28.
 Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$ $\frac{S\ 21}{S\ 28}$
 1953

Deposit a broken glass bottle alongside iron post.

79.92 The cor. of secs. 20, 21, 28 and 29.

Land, rolling.
 Soil, sandy.
 Timber, none.
 Undergrowth, greasewood.

N. $0^{\circ} 05'$ W., bet. secs. 20 and 21.

Over rolling land, through scattering undergrowth.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 20 and 21.
 Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$
 $\frac{S\ 20\ | \ S\ 21}{1953}$

Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 16, 17, 20 and 21.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N R 18 W
 $\frac{S\ 17\ | \ S\ 16}{S\ 20\ | \ S\ 21}$
 1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.
 Soil, sandy.
 Timber, none.
 Undergrowth, greasewood.

From the cor. of secs. 15, 16, 21 and 22.

N. $89^{\circ} 57'$ W., bet. secs. 16 and 21.

Over rolling land, through scattering undergrowth.

ECCY 4442

Subdivision of T. 7 N., R. 18 W.

Chains

39.96 Point for the $\frac{1}{4}$ cor. of secs. 16 and 21.
Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 16

 $\frac{1}{4}$ ———

S 21

1953

Deposit a broken glass bottle alongside iron post.

79.92 The cor. of secs. 16, 17, 20 and 21.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

N. 0° 05' W., bet. secs. 16 and 17.

Over rolling land, through scattering undergrowth.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 16 and 17.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd. $\frac{1}{4}$

S 17 | S 16

1953

Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 8, 9, 16 and 17.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N R 18 W

S 8 | S 9

S 17 | S 16

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

From the cor. of secs. 9, 10, 15 and 16.

N. 89° 57' W., bet. secs. 9 and 16.

Over rolling land, through scattering undergrowth.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 9 and 16.

BOOK 4443

Subdivision of T. 7 N., R. 18 W.

Chains	<p>Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">S 9 ¼ S 16 1953</p>
63.50	Low sand ridge, bears NE. and SW.
80.00	<p>The cor. of secs. 8, 9, 16 and 17.</p> <p>Land, rolling. Soil, sandy. Timber, none. Undergrowth, greasewood.</p>
	<p>N. 0° 05' W., bet. secs. 8 and 9.</p> <p>Over rolling land, through scattering undergrowth.</p>
40.00	<p>Point for the ¼ cor. of secs. 8 and 9.</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">¼ S 8 S 9 1953</p>
80.00	<p>Point for the cor. of secs. 4, 5, 8 and 9.</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 7 N R 18 W S 5 S 4 S 8 S 9 1953</p> <p>Land, rolling. Soil, sandy. Timber, none. Undergrowth, greasewood.</p>
	<p>From the cor. of secs. 3, 4, 9 and 10.</p> <p>N. 89° 57' W., bet. secs. 4 and 9.</p> <p>Over rolling land, through scattering undergrowth.</p>
2.50	Wash, 5.00 chs. wide, course N. 30° W.
40.00	<p>Point for the ¼ cor. of secs. 4 and 9.</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Subdivision of T. 7 N., R. 18 W.

Chains

- S 4
 $\frac{1}{4}$ ———
 S 9
 1953
- 80.00 The cor. of secs. 4, 5, 8 and 9.
 Land, rolling.
 Soil, sandy.
 Timber, none.
 Undergrowth, greasewood.
-
- 40.00 N. 0° 09' W., bet. secs. 4 and 5.
 Over rolling land, through scattering undergrowth.
 Point for the $\frac{1}{4}$ cor. of secs. 4 and 5.
 Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
- $\frac{1}{4}$
 S 5 | S 4
 1953
- 80.31 The cor. of secs. 4, 5, 32 and 33, on the N. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.
 Land, rolling.
 Soil, sandy.
 Timber, none.
 Undergrowth, greasewood.
-
- 40.00 From the cor. of secs. 31 and 32, on the S. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.
 N. 0° 06' W., bet. secs. 31 and 32.
 Over rolling land, through scattering undergrowth.
 Point for the $\frac{1}{4}$ cor. of secs. 31 and 32.
 Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
- $\frac{1}{4}$
 S 31 | S 32
 1953
- 80.00 Deposit a broken glass bottle alongside iron post.
 Point for the cor. of secs. 29, 30, 31 and 32.
 Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

BOOK 4443

Subdivision of T. 7 N., R. 18 W.

Chains

T 7 N R 18 W

S 30 | S 29

S 31 | S 32

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

From the cor. of secs. 28, 29, 32 and 33.

WEST, bet. secs. 29 and 32.

Over rolling land, through scattering undergrowth.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 29 and 32.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 29

$\frac{1}{4}$ ———

S 32

1953

Deposit a broken glass bottle alongside iron post.

80.00 The cor. of secs. 29, 30, 31 and 32.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

N. 89° 59' W., bet. secs. 30 and 31.

Over rolling land, through scattering undergrowth.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 30 and 31.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 30

$\frac{1}{4}$ ———

S 31

1953

Deposit a broken glass bottle alongside iron post.

65.58 The cor. of secs. 25, 30, 31 and 36, on the W. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

BOOK 4443

Subdivision of T. 7 N., R. 18 W.

Chains From the cor. of secs. 29, 30, 31 and 32.
 N. 0° 06' W., bet. secs. 29 and 30.
 Over rolling land, through scattering undergrowth.
 40.00 Point for the $\frac{1}{4}$ cor. of secs. 29 and 30.
 Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 30 \quad | \quad \text{S } 29 \\ \hline 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 19, 20, 29 and 30.
 Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{c} \text{T } 7 \text{ N } \text{ R } 18 \text{ W} \\ \text{S } 19 \quad | \quad \text{S } 20 \\ \hline \text{S } 30 \quad | \quad \text{S } 29 \\ \hline 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

Land, rolling.
 Soil, sandy.
 Timber, none.
 Undergrowth, greasewood.

From the cor. of secs. 20, 21, 28 and 29.
 N. 89° 58' W., bet. secs. 20 and 29.
 Over rolling land, through scattering undergrowth.
 40.02 Point for the $\frac{1}{4}$ cor. of secs. 20 and 29.
 Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{c} \text{S } 20 \\ \frac{1}{4} \text{ ---} \\ \text{S } 29 \\ \hline 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

80.04 The cor. of secs. 19, 20, 29 and 30.

Land, rolling.
 Soil, sandy.
 Timber, none.
 Undergrowth, greasewood.

N. 89° 58' W., bet. secs. 19 and 30.
 Over rolling land, through scattering undergrowth.

Subdivision of T. 7 N., R. 18 W.

Chains

40.00

Point for the $\frac{1}{4}$ cor. of secs. 19 and 30.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 19

$\frac{1}{4}$

S 30

1953

Deposit a broken glass bottle alongside iron post.

65.42

The cor. of secs. 19, 24, 25 and 30, on the W. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

From the cor. of secs. 19, 20, 29 and 30.

N. $0^{\circ} 06'$ W., bet. secs. 19 and 20.

Over rolling land, through scattering undergrowth.

40.00

Point for the $\frac{1}{4}$ cor. of secs. 19 and 20.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 19 | S 20

1953

Deposit a broken glass bottle alongside iron post.

80.00

Point for the cor. of secs. 17, 18, 19 and 20.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N R 18 W

S 18 | S 17

S 19 | S 20

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

From the cor. of secs. 16, 17, 20 and 21.

N. $89^{\circ} 58'$ W., bet. secs. 17 and 20.

Over rolling land, through scattering undergrowth.

Subdivision of T. 7 N., R. 18 W.

Chains

40.02 Point for the $\frac{1}{4}$ cor. of secs. 17 and 20.
Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 17

 $\frac{1}{4}$ ———

S 20

1953

Deposit a broken glass bottle alongside iron post.

80.04 The cor. of secs. 17, 18, 19 and 20.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

WEST, bet. secs. 18 and 19.

Over rolling land, through scattering undergrowth.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 18 and 19.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 18

 $\frac{1}{4}$ ———

S 19

1953

Deposit a broken glass bottle alongside iron post.

65.24 The cor. of secs. 13, 18, 19 and 24, on the W. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

From the cor. of secs. 17, 18, 19 and 20.

N. $0^{\circ} 06'$ W., bet. secs. 17 and 18.

Over rolling land, through scattering undergrowth.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 17 and 18.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$
S 18 | S 17

1953

Deposit a broken glass bottle alongside iron post.

Subdivision of T. 7 N., R. 18 W.

Chains

80.00

Point for the cor. of secs. 7, 8, 17 and 18.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N R 18 W

S 7	S 8
S 18	S 17

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

From the cor. of secs. 8, 9, 16 and 17.

N. 89° 58' W., bet. secs. 8 and 17.

Over rolling land, through scattering undergrowth.

40.05

Point for the ¼ cor. of secs. 8 and 17.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 8

¼	—
S 17	

1953

Deposit a broken glass bottle alongside iron post.

80.10

The cor. of secs. 7, 8, 17 and 18.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

WEST, bet. secs. 7 and 18.

Over rolling land, through scattering undergrowth.

40.00

Point for the ¼ cor. of secs. 7 and 18.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 7

¼	—
S 18	

1953

65.05

The cor. of secs. 7, 12, 13 and 18, on the W. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

Subdivision of T. 7 N., R. 18 W.

Chains

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.


From the cor. of secs. 7, 8, 17 and 18.

N. 0° 06' W., bet. secs. 7 and 8.

Over rolling land, through scattering undergrowth.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 7 and 8.


Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 5, 6, 7 and 8.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.


From the cor. of secs. 4, 5, 8 and 9.

N. 89° 53' W., bet. secs. 5 and 8.

Over rolling land, through scattering undergrowth.

40.02 Point for the $\frac{1}{4}$ cor. of secs. 5 and 8.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

80.04 The cor. of secs. 5, 6, 7 and 8.

Subdivision of T. 7 N., R. 18 W.

Chains

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

S. 89° 59' W., bet. secs. 6 and 7.

Over rolling land, through scattering undergrowth.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 6 and 7.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 6

$\frac{1}{4}$

S 7

1953

64.87 The cor. of secs. 1, 6, 7 and 12, on the W. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

From the cor. of secs. 5, 6, 7 and 8.

N. 0° 12' W., bet. secs. 5 and 6.

Over rolling land, through scattering undergrowth.

40.00 Point for the $\frac{1}{4}$ cor. of secs. 5 and 6.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$

S 6 | S 5

1953

Deposit a broken glass bottle alongside iron post.

80.00 The cor. of secs. 5, 6, 31 and 32, on the N. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the official record.

Land, rolling.
Soil, sandy.
Timber, none.
Undergrowth, greasewood.

T. 7 N., R. 18 W.

General Description

The Plomosa Mountains cross the southeast corner of Township 7 North, Range 18 West, with elevations up to 1900 ft. above sea level, while the remainder of the township is spread across the La Posa Plain with elevations from 700 to 1100 ft. Except for the rocky mountainous area the soil is all sandy, and a minimum of moisture supports a scattering growth of greasewood undergrowth with occasional spots of scrub palo verde and ironwood timber. The drainage is in a northerly direction from the mountainous southeast section to the Bouse Wash, which parallels the north boundary just outside of the township.

There are no traveled roads or improvements within the township.

4-680
(Feb., 1950)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY
Fred R. Chappell	Cartographic Survey Aid
Jack Hammett	Surveying and Cartographic Aid
Ernest S. Barela	" "
Amarante Lovato	" "
O. Charles Harper	" "
Paul O. Heath	" "

CERTIFICATE OF CADASTRAL ENGINEER

We I, Ty White and Donald E. Harding, HEREBY CERTIFY upon honor that, in

pursuance of special instructions bearing date of the 9 th. day of October, 1952

I have surveyed executed a dependent resurvey of the west boundary of Township 7 North, Range 17 West, and surveyed the west and north boundaries and subdivisional lines of Township 7 North, Range 18 West.

Gila and of the Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by us and under our directions; and that said survey has been made in strict conformity with said instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing

field notes.

Salvo City, Calif. January 23, 1954

Ty White Donald E. Harding Cadastral Engineers

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT,

Washington, D. C., APR 5 1955, 19

The foregoing field notes of the survey of dependent resurvey of the west boundary of Township 7 North, Range 17 West, and the survey of the west and north boundaries and subdivisional lines of Township 7 North, Range 18 West.

executed by Ty White and Donald E. Harding

having been critically examined and found correct, are hereby approved.

Carl G. Harrington Chief, Division of Cadastral Engineering Cadastral Engineering Staff Officer

CERTIFICATE OF TRANSCRIPT

I certify that the foregoing transcript of the field notes of the above-described surveys in is a true copy of the original field notes.

Chief, Division of Cadastral Engineering