

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

# FIELD NOTES

Of the Survey of

A portion of the West and North Boundaries, and Subdivisional Lines

Completing the Survey of

Township 7 North, Range 19 West

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Ty White, Cadastral Engineer

Donald E. Harding, Cadastral Engineer

Under special instructions dated October 9, 1952, which provided  
for the surveys included under Group No. 285, approved October 21, 1952  
and assignment instructions dated November 7, 1952

Survey commenced February 26, 1953

Survey completed March 25, 1953

4444  
4444  
4444

1A

BOOK 4444

INDEX DIAGRAM

Township 7 North, Range 19 West

	5	5	4	3	3
6	36 5	27 4	22 3	17 2	11 1
35	34	27	22	16	11
7	34 8	27 9	21 10	16 11	10 12
33	33	26	21	15	10
18	32 17	26 16	20 15	15 14	9 13
31	31	25	20	14	9
2	31 20	25 21	19 22	14 23	8 24
30	30	24	19	13	8
1	29 29	24 28	18 27	13 26	7 25
29	28	23	18	12	7
1	28 32	23 33	17 34	12 35	6 36

16-56770-1

———— Ty White, Cadastral Engineer

———— Donald E. Harding, Cadastral Engineer

T. 7 N., R. 19 W.

## Chains

The following notes describe the survey of the west and north boundaries and the subdivisional lines of Township 7 North, Range 19 West.

The description of instruments and methods is contained in the notes of Township 7 North, Range 18 West.

The geographic position of the southeast corner of the township as determined from ties to U. S. Coast and Geodetic triangulation station LA POSA is, latitude  $33^{\circ} 53' 56''$  N., longitude  $114^{\circ} 10' 47''$  W.

## West Boundary of T. 7N., R. 19 W.

From the cor. of Tps. 6 and 7 N., Rs. 19 and 20 W., which is monumented with an iron post, marked and witnessed as described in the field notes of T. 6 N., R. 19 W.

NORTH, along the W. bdy. of sec. 31.

Over rolling land, through scattering undergrowth.

40.00 Point for the  $\frac{1}{4}$  cor. of secs. 31 and 36.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

	$\frac{1}{4}$	
S 36		S 31
1953		

Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 25, 30, 31 and 36.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

	T 7 N	
R 20 W		R 19 W
S 25		S 30
S 36		S 31
1953		

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

NORTH, along the W. bdy. of sec. 30.

Over rolling land, through scattering undergrowth.


40.00 Point for the  $\frac{1}{4}$  cor. of secs. 25 and 30.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

BOOK 4444

West Boundary of T. 7 N., R. 19 W.


Chains



Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 19, 24, 25 and 30.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.


Land, rolling.  
Soil, sandy.  
Timber, none.  
Undergrowth, scattering greasewood.

NORTH, along the W. bdy. of sec. 19.

Over rolling land, through scattering undergrowth.

40.00 Point for the 1/4 cor. of secs. 19 and 24.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.




Deposit a broken glass bottle alongside iron post.

69.94 Intersect the E. bdy. of the Colorado River Indian Reservation.

Point for the closing cor. of secs. 19 and 24.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

From this point, Mile Post No. 33 of the Reservation boundary bears S. 18° 22' W. 3.02 chs. dist., and is monumented with an iron post, marked and witnessed as described in the official record.

Land, rolling.  
Soil, sandy.  
Timber, none.  
Undergrowth, scattering greasewood.

## North Boundary of T. 7 N., R. 19 W.

## Chains

From the cor. of Tps. 7 and 8 N., Rs. 18 and 19 W., which is monumented with an iron post, marked and witnessed as described in the field notes of T. 7 N., R. 18 W.

WEST, along the N. bdy. of sec. 1.

Over rolling land, through scattering undergrowth.

40.00 Point for the  $\frac{1}{4}$  cor. of secs. 1 and 36.

Set an iron post, 28 ins. long, 1 in. diam., 24 ins. in the ground, with brass cap mkd.

S 36  
 $\frac{1}{4}$  ———  
 S 1  
 1953

Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 1, 2, 35 and 36.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

T 8 N R 19 W  

S 35	S 36
S 2	S 1

 T 7 N  
 1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.  
 Soil, sandy.  
 Timber, none.  
 Undergrowth, greasewood.

WEST, along the N. bdy. of sec. 2.

Over low rolling land, through scattering undergrowth.

7.20 Small drain, course N.

16.09 Low spur, slopes N.; desc. 18 ft. over W. slope.

20.00 Drain, course N.

40.00 Point for the  $\frac{1}{4}$  cor. of secs 2 and 35.

Set an iron post, 28 ins. long, 1 in. diam., 24 ins. in the ground, with brass cap mkd.

S 35  
 $\frac{1}{4}$  ———  
 S 2  
 1953

Deposit a broken glass bottle alongside iron post.

North Boundary of T. 7 N., R. 19 W.

Chains

- 51.90 Low spur slopes N.
- 60.26 Wash, course N.
- 63.00 A series of low spurs; slope N.
- 80.00 Point for the cor. of secs. 2, 3, 34 and 35.  
Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 8 N R 19 W  
S 34 | S 35  
S 3 | S 2  
T 7 N  
1953

Deposit a broken glass bottle alongside iron post.  
Land, rolling and spurs.  
Soil, sandy.  
Timber, none.  
Undergrowth, greasewood.

WEST, along the N. bdy. of sec. 3.

Over rolling land.

- 0.95 Wash, 30 lks. wide, course N.
- 2.85 Road, bears N. and S.
- 5.40 Power line, bears N. and S.
- 8.15 Low spur, slopes N.
- 14.75 Wash, 50 lks. wide, course NE.

25.35 Low spur, slopes N.

40.00 Point for the ¼ cor. of secs. 3 and 34.

Set an iron post, 28 ins. long, 1 in. diam., 24 ins. in the ground, with brass cap mkd.

S 34  
¼ ———  
S 3  
1953

Deposit a broken glass bottle alongside iron post.

- 44.75 Wash, 40 lks. wide, course N.
- 50.70 Enter higher table land.
- 55.00 Leave higher land, thence across a series of small gravel spurs.
- 80.00 Point for the cor. of secs. 3, 4, 33 and 34.  
Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

## North Boundary of T. 7 N., R. 19 W.

Chains

T 8 N. R 19 W.

S 33 | S 34

S 4 | S 3

T 7 N.

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling and spurs.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

WEST, along the N. bdy. of sec. 4.

Over a series of small spurs.

40.00

Point for the  $\frac{1}{4}$  cor. of secs. 4 and 33.

Set an iron post, 28 ins. long, 1 in. diam., 24 ins. in the ground, with brass cap mkd.

S 33

 $\frac{1}{4}$ 

S 4

1953

Deposit a broken glass bottle alongside iron post.

80.00

Point for the cor. of secs. 4, 5, 32 and 33.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

T 8 N. R 19 W.

S 32 | S 33

S 5 | S 4

T 7 N

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling and spurs.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

WEST, along the N. bdy. of sec. 5.

Over numerous small spurs.

13.85

Spur, slopes N.

38.86

Spur, slopes N.

40.00

Point for the  $\frac{1}{4}$  cor. of secs. 5 and 32.

North Boundary of T. 7 N., R. 19 W.

Chains

Set an iron post, 28 ins. long, 1 in. diam., 24 ins. in the ground, with brass cap mkd.

S 32

1/4 ———

S 5

1953

- 40.66 Spur fork, bears NW. and NE.
- 45.70 Drain, 40 lks. wide, course N. to NW.
- 48.75 Spur, slopes N.; thence over a series of small spurs.


61.76 Arroyo, 50 lks. wide, course N. to NW.

65.50 Spur, slopes N.; desc. 23 ft. over N. slope.

76.40 Intersect the E. bdy. of the Colorado River Indian Reservation.

Point for the closing cor. of secs. 5 and 32.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

From this point, closing cor. of secs. 5 and 32, bears S. 18° 22' W., 12.23 chs. dist., and is monumented with an iron post, marked and witnessed as described in the official record.

Land, rolling and spurs.  
Soil, sandy.  
Timber, none.  
Undergrowth, scattering greasewood.

Subdivision of T. 7 N., R. 19 W.


From the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the field notes of T. 6 N., R. 19 W.

N. 0° 01' W., bet. secs. 35 and 36.

Over rolling land, through scattering undergrowth.

40.00 Point for the 1/4 cor. of secs. 35 and 36.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.





## Subdivision of T. 7 N., R. 19 W.

## Chains

Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 25, 26, 35 and 36.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N R 19 W	
S 26	S 25
S 35	S 36
1953	

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

From the cor. of secs. 25, 30, 31 and 36, on the E. hdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the field notes of T. 7 N., R. 18 W.

WEST, bet. secs. 25 and 36.

Over rolling land, through scattering undergrowth.

39.99 Point for the ¼ cor. of secs. 25 and 36.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 25
¼
S 36
1953

Deposit a broken glass bottle alongside iron post.

79.98 The cor. of secs. 25, 26, 35 and 36.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

N. 0° 01' W., bet. secs. 25 and 26.

Over rolling land, through scattering undergrowth.

40.00 Point for the ¼ cor. of secs. 25 and 26.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

¼	
S 26	S 25
1953	

Deposit a broken glass bottle alongside iron post.

Subdivision of T. 7 N., R. 19 W.

Chains

80.00

Point for the cor. of secs. 23, 24, 25 and 26.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N. R 19 W

S 23	S 24
S 26	S 25

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, greasewood.

From the cor. of secs. 19, 24, 25 and 30, on the E. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the field notes of T. 7 N., R. 18 W.

WEST, bet. secs. 24 and 25.

Over rolling land, through scattering undergrowth.

39.99

Point for the ¼ cor. of secs. 24 and 25.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 24

¼ ———

S 25

1953

Deposit a broken glass bottle alongside iron post.

79.98

The cor. of secs. 23, 24, 25 and 26.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

N. 0° 01' W., bet. secs. 23 and 24.

Over rolling land, through scattering undergrowth.

40.00

Point for the ¼ cor. of secs. 23 and 24.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 23 | S 24

1953

Deposit a broken glass bottle alongside iron post.

80.00

Point for the cor. of secs. 13, 14, 23 and 24.

## Subdivision of T. 7 N., R. 19 W.

## Chains

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N R 19 W	
S 14	S 13
S 23	S 24
1953	

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

From the cor. of secs. 13, 18, 19 and 24, on the E. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the field notes of T. 7 N., R. 18 W.

WEST, bet. secs. 13 and 24, on a bearing

Over rolling land, through scattering undergrowth.

40.00

Point for the  $\frac{1}{4}$  cor. of secs. 13 and 24.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

S 13
$\frac{1}{4}$ ———
S 24
1953

Deposit a broken glass bottle alongside iron post.

80.00

The cor. of secs. 13, 14, 23 and 24.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

N.  $0^{\circ} 01'$  W., bet. secs. 13 and 14.

Over rolling land, through scattering undergrowth.

40.00

Point for the  $\frac{1}{4}$  cor. of secs. 13 and 14.

Set an iron post; 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$
S 14   S 13
1953

Deposit a broken glass bottle alongside iron post.

52.00

Start descent over gentle N. slope.

Chains

80.00 Point for the cor. of secs. 11, 12, 13 and 14.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N R 19 W

S 11 | S 12

S 14 | S 13

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

From the cor. of secs. 7, 12, 13 and 18, on the E. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the field notes of T. 7 N., R. 18 W.

N. 89° 58' W., bet. secs. 12 and 13.

Over rolling land, through scattering undergrowth.

40.01 Point for the ¼ cor. of secs. 12 and 13.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 12

¼ ———

S 13

1953

Deposit a broken glass bottle alongside iron post.

80.02 The cor. of secs. 11, 12, 13 and 14.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

N. 0° 01' W., bet. secs. 11 and 12.

Over rolling land, through scattering undergrowth.

40.00 Point for the ¼ cor. of secs. 11 and 12.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

¼  
S 11 | S 12

1953

Deposit a broken glass bottle alongside iron post.

## Subdivision of T. 7 N., R. 19 W.

Chains

47.50

Open draw, course N. 30° W.

80.00

Point for the cor. of secs. 1, 2, 11 and 12.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N R 19 W

S 2	S 1
S 11	S 12

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber; none.

Undergrowth, scattering greasewood.

From the cor. of secs. 1, 6, 7 and 12, on the E. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the field notes of T. 7 N., R. 18 W.

N. 89° 59' W., bet. secs. 1 and 12.

Over rolling land, through scattering undergrowth.

40.01

Point for the ¼ cor. of secs. 1 and 12.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 1

¼	—
S 12	

1953

Deposit a broken glass bottle alongside iron post.

80.02

The cor. of secs. 1, 2, 11 and 12.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

N. 0° 05' E., bet. secs. 1 and 2.

Over rolling land, through scattering undergrowth.

40.00

Point for the ¼ cor. of secs. 1 and 2, falls in draw, course N. 30° E.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

¼	
S 2	S 1

1953

Deposit a broken glass bottle alongside iron post.

Subdivision of T. 7 N., R. 19 W.

Chains	
64.80	Same draw, course N. 30° W.
69.20	Short spur, slopes W.
74.20	Short spur, slopes W.
79.92	The cor. of secs. 1, 2, 35 and 36, on the N. bdy. of the Tp.
	Land, rolling and low spurs. Soil, sandy. Timber, none. Undergrowth, scattering greasewood.
	From the cor. of secs. 2, 3, 34 and 35, on the S. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the field notes of T. 6 N., R. 19 W.
	N. 0° 01' W., bet. secs. 34 and 35.
	Over gently rolling land, through scattering undergrowth.
40.00	Point for the $\frac{1}{4}$ cor. of secs. 34 and 35.
	Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
	$\begin{array}{c} \uparrow \\ \text{S } 34 \quad   \quad \text{S } 35 \\ \hline .1953 \end{array}$
	Deposit a broken glass bottle alongside iron post.
80.00	Point for the cor. of secs. 26, 27, 34 and 35.
	Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
	$\begin{array}{c} \text{T } 7 \text{ N } \text{ R } 19 \text{ W} \\ \hline \text{S } 27 \quad   \quad \text{S } 26 \\ \hline \text{S } 34 \quad   \quad \text{S } 35 \\ \hline 1953 \end{array}$
	Deposit a broken glass bottle alongside iron post.
	Land, gently rolling. Soil, sandy. Timber, none. Undergrowth, scattering greasewood.
	From the cor. of secs. 25, 26, 35 and 36.
	S. 89° 59' W., bet. secs. 26 and 35.
	Over gently rolling land, through scattering undergrowth.
39.99	Point for the $\frac{1}{4}$ cor. of secs. 26 and 35.
	Set an iron post, 28 ins. long, 2 $\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

## Subdivision of T. 7 N., R. 19 W.

Chains

S 26

 $\frac{1}{4}$  ———

S 35

1953

Deposit a broken glass bottle alongside iron post.

79.98

The cor. of secs. 26, 27, 34 and 35.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

N. 0° 01' W., bet. secs. 26 and 27.

Over gently rolling land, through scattering undergrowth.

40.00

Point for the  $\frac{1}{4}$  cor. of secs. 26 and 27.Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd. $\frac{1}{4}$ 

S 27 | S 26

1953

Deposit a broken glass bottle alongside iron post.

80.00

Point for the cor. of secs. 22, 23, 26 and 27.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N R 19 W

S 22 | S 23

S 27 | S 26

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

From the cor. of secs. 23, 24, 25 and 26.

WEST, bet. secs. 23 and 26.

Over rolling land, through scattering undergrowth.

39.98

Point for the  $\frac{1}{4}$  cor. of secs. 23 and 26.Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

S 23

 $\frac{1}{4}$  ———

S 26

1953

Subdivision of T. 7 N., R. 19 W.

Chains	<p>Deposit a broken glass bottle alongside iron post.</p> <p>79.96 The cor. of secs. 22, 23, 26 and 27.</p> <p>Land, rolling. Soil, sandy. Timber, none. Undergrowth, scattering greasewood.</p>						
40.00	<p>N. 0° 01' W., bet. secs. 22 and 23.</p> <p>Over gently rolling land, through scattering undergrowth.</p> <p>Point for the <math>\frac{1}{4}</math> cor. of secs. 22 and 23.</p> <p>Set an iron post, 28 ins. long, 2<math>\frac{1}{2}</math> ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <math>\frac{1}{4}</math>  <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 22</td> <td style="padding: 0 5px;">S 23</td> </tr> <tr> <td colspan="2" style="text-align: center; padding: 0 5px;">1953</td> </tr> </table> </div> <p>Deposit a broken glass bottle alongside iron post.</p>	S 22	S 23	1953			
S 22	S 23						
1953							
80.00	<p>Point for the cor. of secs. 14, 15, 22 and 23.</p> <p>Set an iron post, 28 ins. long, 2<math>\frac{1}{2}</math> ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T 7 N. R 19 W.</p> <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 15</td> <td style="padding: 0 5px;">S 14</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 22</td> <td style="padding: 0 5px;">S 23</td> </tr> <tr> <td colspan="2" style="text-align: center; padding: 0 5px;">1953</td> </tr> </table> </div> <p>Deposit a broken glass bottle alongside iron post.</p> <p>Land, rolling. Soil, sandy. Timber, none. Undergrowth, scattering greasewood.</p>	S 15	S 14	S 22	S 23	1953	
S 15	S 14						
S 22	S 23						
1953							
39.98	<p>From the cor. of secs. 13, 14, 23 and 24.</p> <p>WEST, bet. secs. 14 and 23.</p> <p>Over rolling land, through scattering undergrowth.</p> <p>Point for the <math>\frac{1}{4}</math> cor. of secs. 14 and 23.</p> <p>Set an iron post, 28 ins. long, 2<math>\frac{1}{2}</math> ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="padding: 0 5px;">S 14</td> </tr> <tr> <td style="text-align: center; padding: 0 5px;"><math>\frac{1}{4}</math></td> </tr> <tr> <td style="border-top: 1px solid black; padding: 0 5px;">S 23</td> </tr> <tr> <td style="text-align: center; padding: 0 5px;">1953</td> </tr> </table> </div> <p>Deposit a broken glass bottle alongside iron post.</p>	S 14	$\frac{1}{4}$	S 23	1953		
S 14							
$\frac{1}{4}$							
S 23							
1953							



## Subdivision of T. 7 N., R. 19 W.

## Chains

79.96

The cor. of secs. 14, 15, 22 and 23.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

40.00

N. 0° 01' W., bet. secs. 14 and 15.

Over rolling land, through scattering undergrowth.

Point for the  $\frac{1}{4}$  cor. of secs. 14 and 15.Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ \text{S } 15 \quad | \quad \text{S } 14 \\ \hline 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

80.00

Point for the cor. of secs. 10, 11, 14 and 15.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.
$$\begin{array}{c} \text{T } 7 \text{ N } \text{ R } 19 \text{ W} \\ \text{S } 10 \quad | \quad \text{S } 11 \\ \hline \text{S } 15 \quad | \quad \text{S } 14 \\ \hline 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

40.00

From the cor. of secs. 11, 12, 13 and 14.

S. 89° 59' W., bet. secs. 11 and 14.

Over gently rolling land, through scattering undergrowth.

Point for the  $\frac{1}{4}$  cor. of secs. 11 and 14.Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground with brass cap mkd.
$$\begin{array}{c} \text{S } 11 \\ \frac{1}{4} \quad \hline \text{S } 14 \\ \hline 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

80.00

The cor. of secs. 10, 11, 14 and 15.

Subdivision of T. 7 N., R. 19 W.

Chains

Land, rolling.  
Soil, sandy.  
Timber, none.  
Undergrowth, scattering greasewood.


N. 0° 01' W., bet. secs. 10 and 11.

Over rolling land, through scattering undergrowth.

40.00

Point for the  $\frac{1}{4}$  cor. of secs. 10 and 11.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd:




Deposit a broken glass bottle alongside iron post.

80.00

Point for the cor. of secs. 2, 3, 10 and 11.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

Land, rolling.  
Soil, sandy.  
Timber, none.  
Undergrowth, scattering greasewood.

From the cor. of secs. 1, 2, 11 and 12.

S. 89° 57' W., bet. secs. 2 and 11.

Over rolling land, through scattering undergrowth.


21.45

Drain, course NW.

40.00

Point for the  $\frac{1}{4}$  cor. of secs. 2 and 11.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

## Subdivision of T. 7 N., R. 19 W.

Chains	
80.00	<p>The cor. of secs. 2, 3, 10 and 11.</p> <p>Land, rolling. Soil, sandy. Timber, none. Undergrowth, scattering greasewood.</p>
40.00	<p>N. 0° 07' E., bet. secs. 2 and 3.</p> <p>Over rolling land, through scattering undergrowth.</p> <p>Point for the <math>\frac{1}{4}</math> cor. of secs. 2 and 3.</p> <p>Set an iron post, 28 ins. long, 2<math>\frac{1}{2}</math> ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <math>\frac{1}{4}</math>  S 3   S 2  1953 </div> <p>Deposit a broken glass bottle alongside iron post.</p>
80.00	<p>The cor. of secs. 2, 3, 34 and 35, on the N. bdy. of the Tp.</p> <p>Land, rolling. Soil, sandy. Timber, none. Undergrowth, scattering greasewood.</p>
40.00	<p>From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the field notes of T. 6 N., R. 19 W.</p> <p>N. 0° 02' W., bet. secs. 33 and 34.</p> <p>Over rolling land, through scattering undergrowth.</p> <p>Point for the <math>\frac{1}{4}</math> cor. of secs. 33 and 34.</p> <p>Set an iron post, 28 ins. long, 2<math>\frac{1}{2}</math> ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <math>\frac{1}{4}</math>  S 33   S 34  1953 </div> <p>Deposit a broken glass bottle alongside iron post.</p>
80.00	<p>Point for the cor. of secs. 27, 28, 33 and 34.</p> <p>Set an iron post, 28 ins. long, 2<math>\frac{1}{2}</math> ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> T 7 N R 19 W  S 28   S 27  S 33   S 34  1953 </div>

Subdivision of T. 7 N., R. 19 W.

Chains

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

From the cor. of secs. 26, 27, 34 and 35.

N. 89° 58' W., bet. secs. 27 and 34.

Over rolling land, through scattering undergrowth.

5.54 Power line, bears N. and S.

5.90 Road, bears N. and S.

40.00 Point for the  $\frac{1}{4}$  cor. of secs. 27 and 34.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

S 27  
+  
S 34  
1953.

Deposit a broken glass bottle alongside iron post.

80.00 The cor. of secs. 27, 28, 33 and 34.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

N. 0° 02' W., bet. secs. 27 and 28.

Over rolling land, through scattering undergrowth.

40.00 Point for the  $\frac{1}{4}$  cor. of secs. 27 and 28.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

+  
S 28 | S 27  
1953

Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 21, 22, 27 and 28.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N R 19 W  
S 21 | S 22  
S 28 | S 27  
1953

Deposit a broken glass bottle alongside iron post.

## Subdivision of T. 7 N., R. 19 W.

## Chains

Land, rolling.  
Soil, sandy.  
Timber, none.  
Undergrowth, scattering greasewood.

From the cor. of secs. 22, 23, 26 and 27.

N. 89° 58' W., bet. secs. 22 and 27.

Over rolling land, through scattering undergrowth.

5.45 Power line, bears N. and S.

5.75 Road, bears N. and S.

40.00 Point for the  $\frac{1}{4}$  cor. of secs. 22 and 27.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{c} \text{S 22} \\ \frac{1}{4} \text{ ---} \\ \text{S 27} \end{array}$$

1953

Deposit a broken glass bottle alongside iron post.

80.00 The cor. of secs. 21, 22, 27 and 28.

Land, rolling.  
Soil, sandy.  
Timber, none.  
Undergrowth, scattering greasewood.

N. 0° 02' W., bet. secs. 21 and 22.

Over rolling land, through scattering undergrowth.

40.00 Point for the  $\frac{1}{4}$  cor. of secs. 21 and 22.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ \text{S 21} \quad | \quad \text{S 22} \\ \text{1953} \end{array}$$

Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 15, 16, 21 and 22.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{c} \text{T 7 N. R 19 W} \\ \text{S 16} \quad | \quad \text{S 15} \\ \text{S 21} \quad | \quad \text{S 22} \end{array}$$

1953

Deposit a broken glass bottle alongside iron post.

Subdivision of T. 7 N., R. 19 W.

Chains	
	<p>Land, rolling. Soil, sandy. Timber, none. Undergrowth, scattering greasewood.</p>
	<p>From the cor. of secs. 14, 15, 22 and 23. WEST, bet. secs. 15 and 22. Over rolling land, through scattering undergrowth.</p>
5.38	Power line, bears N. and S.
5.80	Road, bears N. and S.
40.00	<p>Point for the <math>\frac{1}{4}</math> cor. of secs. 15 and 22. Set an iron post, 28 ins. long, <math>2\frac{1}{2}</math> ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;"> <math>\frac{1}{4}</math> ———  S 15  S 22  1953 </p>
	<p>Deposit a broken glass bottle alongside iron post.</p>
43.00	Head of draw, course N. 30° E.
80.00	<p>The cor. of secs. 15, 16, 21 and 22. Land, rolling. Soil, sandy. Timber, none. Undergrowth, scattering greasewood.</p>
	<p>N. 0° 02' W., bet. secs. 15 and 16. Over gently rolling land, through scattering undergrowth.</p>
25.00	Begin gentle descent to N.
40.00	<p>Point for the <math>\frac{1}{4}</math> cor. of secs. 15 and 16. Set an iron post, 28 ins. long, <math>2\frac{1}{2}</math> ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;"> <math>\frac{1}{4}</math>  S 16   S 15  1953 </p>
	<p>Deposit a broken glass bottle alongside iron post.</p>
52.00	Drain, course, NE.
80.00	<p>Point for the cor. of secs. 9, 10, 15 and 16. Set an iron post, 28 ins. long, <math>2\frac{1}{2}</math> ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

## BOOK 4444

Subdivision of T. 7 N., R. 19 W.

Chains

T 7 N R 19 W

S 9	S 10
S 16	S 15

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

From the cor. of secs. 10, 11, 14 and 15.

WEST, bet. secs. 10 and 15.

Over rolling land, through scattering undergrowth.

5.32 Power line, bears N. and S.

5.82 Road, bears N. and S.

40.01 Point for the  $\frac{1}{4}$  cor. of secs. 10 and 15.Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$	S 10
	S 15
	1953

Deposit a broken glass bottle alongside iron post.

52.52 Low ridge, bears N. and S.

70.00 Drain, course NE.

80.02 The cor. of secs. 9, 10, 15 and 16.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

N. 0° 02' W., bet. secs. 9 and 10.

Over low spurs, through scattering undergrowth.

40.00 Point for the  $\frac{1}{4}$  cor. of secs. 9 and 10.Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$	S 9	S 10
	1953	

Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 3, 4, 9 and 10.

Subdivision of T. 7 N., R. 19 W.

Chains

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N R 19 W.

S 4	S 3
S 9	S 10

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling and low spurs.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

From the cor. of secs. 2, 3, 10 and 11.

S. 89° 58' W., bet. secs. 3 and 10.

Over rolling land, through scattering undergrowth.

5.25 Power line, bears N. and S.

5.70 Road, bears, N. and S.

20.00 Drain, course NE.

40.00 Point for the ¼ cor. of secs. 3 and 10.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 3
¼ ———
S 10

1953

55.00 Drain, course N. 30° E.

80.00 The cor. of secs. 3, 4, 9 and 10.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

N. 0° 09' E., bet. secs. 3 and 4.

Over rolling land, through scattering undergrowth.

40.00 Point for the ¼ cor. of secs. 3 and 4.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

¼
S 4   S 3

1953

Deposit a broken glass bottle alongside iron post.



## Subdivision of T. 7 N., R. 19 W.

Chains

79.97

The cor. of secs. 3, 4, 33 and 34, on the N. bdy. of the Tp.  
 which is monumented with an iron post, marked and witnessed as  
 described in the field notes of T. 6 N., R. 19 W.

Land, rolling.  
 Soil, sandy.  
 Timber, none.  
 Undergrowth, scattering greasewood.

40.00

From the cor. of secs. 4, 5, 32 and 33, on the S. bdy. of the Tp.,  
 which is monumented with an iron post, marked and witnessed as  
 described in the field notes of T. 6 N., R. 19 W.

N. 0° 02' W., bet. secs. 32 and 33.

Over gently rolling land, through scattering undergrowth.

Point for the  $\frac{1}{4}$  cor. of secs. 32 and 33.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the  
 ground, with brass cap mkd.

$\frac{1}{4}$   
 S 32 | S 33  
 1953

Deposit a broken glass bottle alongside iron post.

80.00

Point for the cor. of secs. 28, 29, 32 and 33.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the  
 ground, with brass cap mkd.

T 7 N R 19 W  
 S 29 | S 28  
 S 32 | S 33  
 1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.  
 Soil, sandy.  
 Timber, none.  
 Undergrowth, scattering greasewood.

40.01

From the cor. of secs. 27, 28, 33 and 34.

WEST, bet. secs: 28 and 33:

Over rolling land, through scattering undergrowth.

Point for the  $\frac{1}{4}$  cor. of secs. 28 and 33.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the  
 ground, with brass cap mkd.

$\frac{1}{4}$  — S 28  
 S 33  
 1953

Subdivision of T. 7 N., R. 19 W.

<p>Chains</p> <p>80.02</p>	<p>Deposit a broken glass bottle alongside iron post.</p> <p>The cor. of secs. 28, 29, 32, and 33.</p> <p>Land, rolling. Soil, sandy. Timber, none. Undergrowth, scattering greasewood.</p>															
<p>40.00</p> <p>80.00</p>	<p>N. 0° 02' W., bet. secs. 28 and 29.</p> <p>Over rolling land, through scattering undergrowth.</p> <p>Point for the <math>\frac{1}{4}</math> cor. of secs. 28 and 29.</p> <p>Set an iron post, 28 ins. long, <math>2\frac{1}{2}</math> ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <math>\frac{1}{4}</math>  <table style="margin: auto;"> <tr> <td>S 29</td> <td> </td> <td>S 28</td> </tr> <tr> <td colspan="3">1953</td> </tr> </table> </div> <p>Deposit a broken glass bottle alongside iron post.</p> <p>Point for the cor. of secs. 20, 21, 28 and 29.</p> <p>Set an iron post, 28 ins. long, <math>2\frac{1}{2}</math> ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 7 N R 19 W</p> <table style="margin: auto;"> <tr> <td>S 20</td> <td> </td> <td>S 21</td> </tr> <tr> <td>S 29</td> <td> </td> <td>S 28</td> </tr> <tr> <td colspan="3">1953</td> </tr> </table> </div> <p>Deposit a broken glass bottle alongside iron post.</p> <p>Land, rolling. Soil, sandy. Timber, none. Undergrowth, scattering greasewood.</p>	S 29		S 28	1953			S 20		S 21	S 29		S 28	1953		
S 29		S 28														
1953																
S 20		S 21														
S 29		S 28														
1953																
<p>40.01</p>	<p>From the cor. of secs. 21, 22, 27 and 28.</p> <p>N. 89° 59' W., bet. secs. 21 and 28.</p> <p>Over gently rolling land, through scattering undergrowth.</p> <p>Point for the <math>\frac{1}{4}</math> cor. of secs. 21 and 28.</p> <p>Set an iron post, 28 ins. long, <math>2\frac{1}{2}</math> ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr> <td>S 21</td> </tr> <tr> <td><math>\frac{1}{4}</math> ———</td> </tr> <tr> <td>S 28</td> </tr> <tr> <td>1953</td> </tr> </table> </div> <p>Deposit a broken glass bottle alongside iron post.</p>	S 21	$\frac{1}{4}$ ———	S 28	1953											
S 21																
$\frac{1}{4}$ ———																
S 28																
1953																

BOOK 4444

## Subdivision of T. 7 N., R. 19 W.

## Chains

80.02 The cor. of secs. 20, 21, 28 and 29.

Land, rolling.  
Soil, sandy.  
Timber, none.  
Undergrowth, scattering greasewood.

N. 0° 02' W., bet. secs. 20 and 21.

Over gently rolling land, through scattering undergrowth.

40.00 Point for the cor. of secs. 20 and 21.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 20 \mid \text{S } 21 \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 16, 17, 20 and 21.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{c} \text{T } 7 \text{ N } \text{ R } 19 \text{ W} \\ \text{S } 17 \mid \text{S } 16 \\ \hline \text{S } 20 \mid \text{S } 21 \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

Land, rolling.  
Soil, sandy.  
Timber, none.  
Undergrowth, scattering greasewood.

From the cor. of secs. 15, 16, 21 and 22.

N. 89° 59' W., bet. secs. 16 and 21:

Over rolling land, through scattering undergrowth.

39.97 Point for the ¼ cor. of secs. 16 and 21.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{c} \text{S } 16 \\ \frac{1}{4} \text{ ---} \\ \text{S } 21 \end{array}$$

1953

Deposit a broken glass bottle alongside iron post.

79.94 The cor. of secs. 16, 17, 20 and 21.

Subdivision of T. 7 N., R. 19 W.

Chains	<p>Land, rolling. Soil, sandy. Timber, none. Undergrowth, scattering greasewood.</p>
40.00	<p>N. 0° 02' W., bet. secs. 16 and 17. Over gently rolling land, through scattering undergrowth. Point for the <math>\frac{1}{4}</math> cor. of secs. 16 and 17. Set an iron post, 28 ins. long, 2<math>\frac{1}{2}</math> ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <math>\frac{1}{4}</math>              S 17   S 16              1953         </div>
42.50	<p>Drain, course NE.</p>
80.00	<p>Point for the cor. of secs. 8, 9, 16 and 17. Set an iron post, 28 ins. long, 2<math>\frac{1}{2}</math> ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">             T 7 N R 19 W              S 8   S 9              S 17   S 16              1953         </div> <p>Land, gently rolling. Soil, sandy. Timber, none. Undergrowth, scattering greasewood.</p>
39.98	<p>From the cor. of secs. 9, 10, 15 and 16. S. 89° 57' W., bet. secs. 9 and 16. Over low rolling spurs, through scattering undergrowth. Point for the <math>\frac{1}{4}</math> cor. of secs. 9 and 16. Set an iron post, 28 ins. long, 2<math>\frac{1}{2}</math> ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <math>\frac{1}{4}</math>              S 9              S 16              1953         </div>
79.96	<p>The cor. of secs. 8, 9, 16 and 17. Land, low rolling spurs. Soil, sandy. Timber, none. Undergrowth, scattering greasewood.</p>

BOOK 4444

Subdivision of T. 7 N., R. 19 W.

Chains

N. 0° 02' W., bet. secs. 8 and 9.

Over low rolling spurs, through scattering undergrowth.

40.00

Point for the  $\frac{1}{4}$  cor. of secs. 8 and 9.Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ \text{S } 8 \mid \text{S } 9 \\ \hline 1953 \end{array}$$

80.00

Point for the cor. of secs. 4, 5, 8 and 9.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.
$$\begin{array}{c} \text{T } 7 \text{ N } \text{ R } 19 \text{ W} \\ \text{S } 5 \mid \text{S } 4 \\ \hline \text{S } 8 \mid \text{S } 9 \\ \hline 1953 \end{array}$$

Land, low rolling spurs.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

From the cor. of secs. 3, 4, 9 and 10

S. 89° 59' W., bet. secs. 4 and 9.

Over rolling land and low spurs, through scattering undergrowth.

40.00

Point for the  $\frac{1}{4}$  cor. of secs. 4 and 9.Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.
$$\begin{array}{c} \text{S } 4 \\ \frac{1}{4} \text{ ---} \\ \text{S } 9 \\ \hline 1953 \end{array}$$

80.00

The cor. of secs. 4, 5, 8 and 9.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

N. 0° 09' E., bet. secs. 4 and 5.


Over rolling land and low spurs, through scattering undergrowth.

40.00

Point for the  $\frac{1}{4}$  cor. of secs. 4 and 5.Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

Subdivision of T 7 N., R. 19 W.

Chains



80.02 The cor. of secs. 4, 5, 32 and 33, on the N. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the field notes of T. 6 N., R. 19 W.

Land, rolling.  
Soil, sandy.  
Timber, none.  
Undergrowth, scattering greasewood.


From the cor. of secs. 5, 6, 31 and 32, on the S. bdy. of the Tp., which is monumented with an iron post, marked and witnessed as described in the field notes of T. 6 N., R. 19 W.

N. 0° 03' W., bet. secs. 31 and 32.

Over rolling land, through scattering undergrowth.

40.00 Point for the  $\frac{1}{4}$  cor. of secs. 31 and 32.


Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

80.00 Point for the cor. of secs. 29, 30, 31 and 32.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

Land, rolling.  
Soil, sandy.  
Timber, none.  
Undergrowth, scattering greasewood.

From the cor. of secs. 28, 29, 32 and 33.

S. 89° 58' W., bet. secs. 29 and 32.

Over rolling land and low spurs, through scattering undergrowth.

40.00 Point for the  $\frac{1}{4}$  cor. of secs. 29 and 32.

## BOOK 4444

## Subdivision of T.7 N., R. 19 W.

## Chains

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

S 29  
 $\frac{1}{4}$  ———  
 S 32  
 1953

Deposit a broken glass bottle alongside iron post.

80.00

The cor. of secs. 29, 30, 31 and 32.

Land, rolling and low spurs.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

S.  $89^{\circ} 59'$  W., bet. secs. 30 and 31.

Over rolling land, through scattering undergrowth.

40.00

Point for the  $\frac{1}{4}$  cor. of secs. 30 and 31.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

S 30  
 $\frac{1}{4}$  ———  
 S 31  
 1953

Deposit a broken glass bottle alongside iron post.

79.45

The cor. of secs. 25, 30, 31 and 36, on the W. bdy. of the Tp., which is monumented with an iron post, heretofore described.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

From the cor. of secs. 29, 30, 31 and 32.

N.  $0^{\circ} 03'$  W., bet. secs. 29 and 30.

Over rolling land, through scattering undergrowth.

40.00

Point for the  $\frac{1}{4}$  cor. of secs. 29 and 30.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$   
 S 30 | S 29  
 1953

Deposit a broken glass bottle alongside iron post.

80.00

Point for the cor. of secs. 19, 20, 29 and 30.

BOOK 4444

Subdivision of T. 7 N., R. 19 W.

Chains

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 7 N R 19 W

S 19 | S 20

S 30 | S 29

1953

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

From the cor. of secs. 20, 21 28 and 29.

S. 89° 57' W., bet. secs. 20 and 29.

Over rolling land, through scattering undergrowth.

40.00

Point for the ¼ cor. of secs. 20 and 29.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 20

¼

S 29

1953

Deposit a broken glass bottle alongside iron post.

80.00

The cor. of secs. 19, 20, 29 and 30.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

S. 89° 59' W., bet. secs. 19 and 30.

Over rolling land, through scattering undergrowth.

40.00

Point for the ¼ cor. of secs. 19 and 30.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

S 19

¼

S 30

1953

Deposit a broken glass bottle alongside iron post.

79.36

The cor. of secs. 19, 24, 25 and 30, on the W. bdy. of the Tp., which is monumented with an iron post, heretofore described.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.



## Subdivision of T. 7 N., R. 19 W.

## Chains

From the cor. of secs. 19, 20, 29 and 30.

N. 0° 03' W., bet. secs. 19 and 20.

Over rolling land, through scattering undergrowth.

40.00

Point for the  $\frac{1}{4}$  cor. of secs. 19 and 20.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ \text{S } 19 \mid \text{S } 20 \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

80.00

Point for the cor. of secs. 17, 18, 19 and 20.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{c} \text{T } 7 \text{ N } \text{ R } 19 \text{ W} \\ \text{S } 18 \mid \text{S } 17 \\ \text{S } 19 \mid \text{S } 20 \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

From the cor. of secs. 16, 17, 20 and 21.

S. 89° 56' W., bet. secs. 17 and 20.

Over rolling land, through scattering undergrowth.

40.02

Point for the  $\frac{1}{4}$  cor. of secs. 17 and 20.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{c} \text{S } 17 \\ \frac{1}{4} \\ \text{S } 20 \\ 1953 \end{array}$$

Deposit a broken glass bottle alongside iron post.

80.04

The cor. of secs. 17, 18, 19 and 20.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

WEST, bet. secs. 18 and 19.

Subdivision of T. 7 N., R. 19 W.


Chains

40.00

Over rolling land, through scattering undergrowth.

Point for the  $\frac{1}{4}$  cor. of secs. 18 and 19.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.




Deposit a broken glass bottle alongside iron post.

75.93

Intersect the E. bdy. of the Colorado River Indian Reservation.

Point for the closing cor. of secs. 18 and 19.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

From this point, the closing cor. of secs. 19 and 24, on the W. bdy. of the Tp., bears S.  $18^{\circ} 22'$  W., 10.62 chs. dist.; the Reservation bdy. Mile Post No. 33 bears S.  $18^{\circ} 22'$  W., 13.64 chs. dist.

Land, rolling.

Soil, sandy.

Timber, none.

Undergrowth, scattering greasewood.

From the cor. of secs. 17, 18, 19 and 20.


N.  $0^{\circ} 03'$  W., bet. secs. 17 and 18.

Over rolling land, through scattering undergrowth.

40.00

Point for the  $\frac{1}{4}$  cor. of secs. 17 and 18.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.



80.00

Point for the cor. of secs. 7, 8, 17 and 18.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

Subdivision of T. 7 N., R. 19 W.

Chains

T 7 N R 19 W	
S 7	S 8
S 18	S 17
1953	

Deposit a broken glass bottle alongside iron post.

Land, rolling.  
 Soil, sandy.  
 Timber, none.  
 Undergrowth, scattering greasewood.

From the cor. of secs. 8, 9, 16 and 17.

S. 89° 58' W., bet. secs. 8 and 17.

Over rolling land, through scattering undergrowth.

20.00 Top of spur, slopes N.; desc. over NW. slope.

22.50 Feet of descent; thence across a series of small spurs.

31.50 Drain, course N. to NE.

40.00 Point for the 1/4 cor. of secs. 8 and 17.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

1/4	S 8
—	
	S 17
1953	

Deposit a broken glass bottle alongside iron post.

80.00 The cor. of secs. 7, 8, 17 and 18.

Land, rolling.  
 Soil, sandy.  
 Timber, none.  
 Undergrowth, scattering greasewood.

WEST, bet. secs. 7 and 18.

Over rolling land, through scattering undergrowth.

40.00 Point for the 1/4 cor. of secs. 7 and 18.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

1/4	S 7
—	
	S 18
1953	

Deposit a broken glass bottle alongside iron post.

49.36 Intersect the E. bdy. of the Colorado River Indian Reservation.


Point for the closing cor. of secs. 7 and 18.

*River*

Subdivision of T. 7 N., R. 19 W.

Chains

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.



From this point, Mile Post No. 34 of the Reservation boundary bears S. 18° 22' W., 17.99 chs. dist.

Land, rolling.  
Soil, sandy.  
Timber, none.  
Undergrowth, scattering greasewood.


From the cor. of secs. 7, 8, 17 and 18.

N. 0° 03' W., bet. secs. 7 and 8.

Over rolling land, through scattering undergrowth.

40.00 Point for the ¼ cor. of secs. 7 and 8.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.




Deposit a broken glass bottle alongside iron post.

60.00 Drain, course NE.

72.00 Crest of spur, slopes NE.

80.00 Point for the cor. of secs. 5, 6, 7 and 8.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a broken glass bottle alongside iron post.

Land, rolling.  
Soil, sandy.  
Timber, none.  
Undergrowth, scattering greasewood.

From the cor. of secs. 4, 5, 8 and 9.

Subdivision of T. 7 N., R. 19 W.

Chains

S. 89° 58' W., bet. secs. 5 and 8.

Over low spurs, through scattering undergrowth.

9.98 Spur, slopes N.

11.50 Drain, course NE.

19.95 Spur, slopes N.

23.85 Spur, slopes NW.

28.55 Spur, slopes NW.

33.55 Drain, course NW.

36.55 Spur, slopes N.

40.05 Point for the  $\frac{1}{4}$  cor. of secs. 5 and 8.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

S 5.  
 $\frac{1}{4}$  ———  
 S 8.  
 1953

Deposit a broken glass bottle alongside iron post.

40.10 Drain, course N.

43.00 Spur, slopes N.

48.00 Drain, course NW.

51.25 Spur, slopes NW.

52.00 Drain, course NW.

58.13 Spur, slopes NW.

80.10 The cor. of secs. 5, 6, 7 and 8.

Land, low spurs.  
 Soil, sandy.  
 Timber, none.  
 Undergrowth, scattering greasewood.

WEST, bet. secs. 6 and 7.

Over rolling land, through scattering undergrowth.

22.73 Intersect the E. bdy. of the Colorado River Indian Reservation.

Point for the closing cor. of secs. 6 and 7.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

R T 7 N  
 I S 6 CC  
 R S 7  
 C R 19 W  
 1953

Chains

Deposit a broken glass bottle alongside iron post.

From this point, Mile Post No. 35 of the Reservation boundary bears S. 18° 22' W., 22.18 chs. dist., and is monumented with an iron post, marked and witnessed as described in the official record.

Land, rolling.  
Soil, sandy.  
Timber, none.  
Undergrowth, scattering greasewood.

From the cor. of secs. 5, 6, 7 and 8.

N. 0° 03' W., bet. secs. 5 and 6.


Over rolling land, through scattering undergrowth.

31.00 Wash, course NE.

40.00 Point for the  $\frac{1}{4}$  cor. of secs. 5 and 6, falls in wash, 2.00 chs. wide, course N. to NE.

43.50 Point for the witness,  $\frac{1}{4}$  cor. of secs. 5 and 6.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.




Raise a mound of stone, 3 ft. base, 2 $\frac{1}{2}$  ft. high, W. of iron post.

Thence, over heavily rolling, hilly land.

68.47 Intersect the E. bdy. of the Colorado River Indian Reservation.

Point for the closing cor. of secs. 5 and 6.

Set an iron post, 28 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.



From this point, Mile Post No. 36 of the Reservation boundary bears S. 18° 22' W., 14.14 chs. dist., and is monumented with an iron post, marked and witnessed as described in the official record.

Land, rolling and hilly.  
Soil, sandy.  
Timber, none.  
Undergrowth, scattering greasewood.

## Subdivision of T. 7 N., R. 19 W.

## General Description

Township 7 North, Range 19 West lies on the La Posa Plain adjacent to the Colorado River Indian Reservation. The east boundary of the Reservation angles across the north three sections of the west tier. The land is all rolling with elevations from 700 ft. to 900 ft. above sea level. Drainage is in a generally north direction. The soil is all sandy and supports a scattering growth of greasewood undergrowth over most of the township.

There are no traveled roads or improvements within the township.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY
Fred R. Chappell	Cartographic Survey Aid
Jack Hammett	Surveying and Cartographic Aid
Ernest S. Barela	" "
Amarante Lovoto	" "
O. Charles Harper	" "
Paul O. Heath	" "



96

39

BOOK 4444

CERTIFICATE OF CADASTRAL ENGINEER

No. ~~XX~~

Ty White and Donald E. Harding

, HEREBY CERTIFY upon honor that, in

pursuance of special instructions bearing date of the 9 th. day of October, 1952,

I have surveyed a portion of the west and north boundaries and subdivisional lines of

Township 7 North, Range 19 West

Gila and of the Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing

field notes.

Beber City, Calif. January 29, 1954

Ty White and Donald E. Harding Cadastral Engineers

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT,

Washington, D. C., APR 5 1955, 19

The foregoing field notes of the survey of a portion of the west and north boundaries

and subdivisional lines of Township 7 North, Range 19 West

executed by Ty White and Donald E. Harding

having been critically examined and found correct, are hereby approved.

Earl G. Harrington Chief, Division of Cadastral Engineering. Cadastral Engineering Staff Officer

CERTIFICATE OF TRANSCRIPT

I certify that the foregoing transcript of the field notes of the above described surveys in

is a true copy of the original field notes.

Chief, Division of Cadastral Engineering.