

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

Original

FIELD NOTES

of the

Survey

of the

West Boundary

and

A Portion of the Subdivision,

The Dependent Resurvey

of the

North 1 Mile of the East Boundary

and 1 Mile of the North Boundary

of

Township 9 North, Range 14 West

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Donald E. Harding, Cartographer

Phil D. Smith, Cartographic Survey Aid

Under special instructions dated January 25, 1955, which provided
for the surveys included under Group No. 303, bearing the approval of the
Commissioner of the General Land Office under date of January 25, 1955
and assignment instructions dated January 3, 1956

Survey commenced January 16, 1956

Survey completed February 2, 1956

1A 40

BOOK 4524

INDEX DIAGRAM.

Township 9 North, Range 14 West

5	6	5	4	3	7	1 2 7	6	1	1
4	7	8	9	10	11		5		
3	18	17	16	15	14		12		
3	19	20	21	22	23		13		
2	30	29	28	27	26		24		
1	31	10 9 32 8	33	34	35		25		26

Township 9 North, Range 14 West

Chains

The south boundary (Second Standard Parallel North) was surveyed by W. K. Kierulff in 1914. The east boundary and the east 2 miles of the north boundary were surveyed by J. F. Hesse in 1911, and the west 4 miles of the north boundary by S. E. Blout in 1913.

The following notes are those of the survey of the west boundary and a portion of the subdivision, and the dependent resurvey of the north 1 mile of the east boundary and 1 mile of the north boundary.

For the test of the instruments and methods used, see the notes for the survey of T. 9 N., R. 16 W., of this group.

The geographic position of the SE. cor. of the township is, latitude $34^{\circ} 04' 15''$ N., and longitude $113^{\circ} 39' 37''$ W., as computed from U.S.C. & G.S. triangulation station "Swansea", which is in latitude $34^{\circ} 05' 08.512''$ N., and longitude $113^{\circ} 46' 12.105''$ W. The mean magnetic declination is $14^{\circ} 30'$ E.

Dependent Resurvey, East Boundary, T. 9 N., R. 14 W.

Reestablishment of the Survey Executed by
J. F. Hesse, in 1911.

From the cor. of secs. 1, 6, 7 and 12, on the E. bdy. of the township, which is monumented with an iron post, set, mkd. and witnessed as described in the official record,

North, bet. secs. 1 and 6.

39.42 The $\frac{1}{4}$ sec. cor. of secs. 1 and 6, monumented with an iron post, set, mkd. and witnessed as described in the official record.

79.27 The cor. of Ts. 9 and 10 N., Rs. 13 and 14 W., monumented with an iron post, set, mkd. and witnessed as described in the official record.

Dependent Resurvey, North Boundary, T. 9 N., R. 14 W.

Reestablishment of the Survey Executed by
J. F. Hesse, in 1911.

From the cor. of secs. 1, 2, 35 and 36, on the N. bdy. of the township.

West, bet. secs. 2 and 35.

40.00 The $\frac{1}{4}$ sec. cor. of secs. 2 and 35, monumented with an iron post, set, mkd. and witnessed as described in the official record.

Corner markings for sec. 2 are deleted. Corner now functions for sec. 35 only.

80.80 The cor. of secs. 2, 3, 34 and 35, monumented with an iron post, set, mkd. and witnessed as described in the official record.

Corner markings for secs. 2 and 3 are deleted. Corner now functions for secs. 34 and 35, T. 10 N., R. 14 W. only.

West Boundary, T. 9 N., R. 14 W.

From the standard cor. of T. 9 N., Rs. 14 and 15 W., which is monumented with an iron post, set, mkd. and witnessed as described in the official record.

BOOK 4524

West Boundary, T. 9 N., R. 14 W.

Chains

N. 0° 04' W., bet. secs. 31 and 36.

Over rolling land, through scattered undergrowth.

28.35 Wash, 15 lks. wide, 3 ft. deep, course SE.; asc. 100 ft. over SW. slope.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 31 and 36.Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 8 ins. in the ground, in a mound of stone to top, with brass cap mkd.

S36 | S31

1956

Asc. 235 ft. over SW. slope.

56.80 Saddle in spur sloping E.

59.00 Head of draw, drains E.; asc. 330 ft. over rocky, broken S. slope.

72.60 Rocky knoll, on spur sloping E.; desc. 225 ft. over N. slope.

80.00 Point for the cor. of secs. 25, 30, 31 and 36.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 6 ins. in the ground, in a mound of stone to top, with brass cap mkd.

T9N

R15W R14W

S25 | S30

S36 | S31

1956

From the above cor. point, U.S.C. & G.S. triangulation station "Swansea", bears N. 87° 44' W., 23.80 chs. dist.

Land, high and broken.

Soil; gravelly clay.

Undergrowth, scattered palo verde, greasewood, ocotillo, and cacti.

N. 0° 04' W.; bet. secs. 25 and 30.

Desc. 20 ft. over N. slope, through scattered undergrowth.

1.00 Head of draw, drains E.; asc. 220 ft. over rocky S. slope.

10.00 Rocky knoll, on spur sloping E.; desc. 190 ft. over N. slope.

15.00 Draw, drains E.; asc. 140 ft. over S. slope.

25.50 Ridge, bears NNE. and SSW., with spur sloping E.; desc. 250 ft. over NNW. slope.

38.50 Draw, drains N. 40° W.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 25 and 30.Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 6 ins. in the ground, in a mound of stone to top, with brass cap mkd.

S25 | S30

1956

Asc. 50 ft. over SW. slope.

West Boundary, T. 9 N., R. 14 W.

Chains
44.10 Spur, slopes NW.; desc. 330 ft. over NE. slope.
61.90 Draw, drains N. 30° W.; asc. 90 ft. over SW. slope.
68.60 Spur, slopes N. 30° W.; desc. 230 ft. over NE. slope.
80.00 Point for the cor. of secs. 19, 24, 25 and 30.
Set an iron post, 28 ins. long, 2½ ins. diam., 8 ins. in the ground, in a mound of stone to top, with brass cap mkd.

T9N	
R15W	R14W
S24	S19
S25	S30
1956	

Land, high and broken.
Soil, rocky and gravelly clay.
Undergrowth, scattered palo verde, greasewood, ocotillo, and cacti.

N. 0° 04' W., bet. secs. 19 and 24.
Desc. 90 ft. over NE. slope, through scattered undergrowth.
13.00 Slope changes to N.; desc. 65 ft.
24.40 Wash, 1 ch. wide, 5 ft. deep, course N. 30° E.; asc. 60 ft. over SE. slope.
29.00 Top of ascent; thence over E. slope.
40.00 Point for the ¼ sec. cor. of secs. 19 and 24, falls in a wash, 20 lks. wide, 5 ft. deep, course E.
40.50 Point selected for the witness ¼ sec. cor. of secs. 19 and 24.
Set an iron post, 28 ins. long, 2½ ins. diam., 15 ins. in the ground, in a mound of stone to top, with brass cap mkd.

¼	
S24	S19
W	C
1956	

Asc. 50 ft. over SE. slope.
44.00 Spur, slopes E.; desc. 50 ft. over E. slope.
53.00 Slope changes to N.; desc. 135 ft. over N. slope.
80.00 Point for the cor. of secs. 13, 18, 19 and 24.
Set an iron post, 28 ins. long, 2½ ins. diam., 6 ins. in the ground, in a mound of stone to top, with brass cap mkd.

T9N	
R15W	R14W
S13	S18
S24	S19
1956	

Land, rolling.
Soil, sandy and gravelly.
Undergrowth, scattered palo verde, greasewood, and cacti.

N. 0° 04' W., bet. secs. 13 and 18.

West Boundary, T. 9 N., R. 14 W.

Chains

Desc. 60 ft. over rolling land, through scattered undergrowth.

40.00

Point for the $\frac{1}{4}$ sec. cor. of secs. 13 and 18.Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 20 ins. in the ground, with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ \text{S13} \mid \text{S18} \\ 1956 \end{array}$$
raise a mound of stone, $2\frac{1}{2}$ ft. base, 2 ft. high, W. of cor.

Desc. 70 ft. over rolling general N. slope.

80.00

Point for the cor. of secs. 7, 12, 13 and 18.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 20 ins. in the ground, with brass cap mkd.
$$\begin{array}{c} \text{T9N} \\ \text{R15W R14W} \\ \text{S12} \mid \text{S 7} \\ \text{S13} \mid \text{S18} \\ 1956 \end{array}$$

raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

Land, rolling desert land.

Soil, sandy and gravelly.

Undergrowth, scattered palo verde, greasewood, and cacti.

N. $0^{\circ} 04' W.$, bet. secs. 7 and 12.

Desc. 80 ft. over general N. slope, through scattered undergrowth.

40.00

Point for the $\frac{1}{4}$ sec. cor. of secs. 7 and 12.Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 10 ins. in the ground, in a mound of stone to top, with brass cap mkd.
$$\begin{array}{c} \frac{1}{4} \\ \text{S12} \mid \text{S7} \\ 1956 \end{array}$$

Desc. 50 ft. over general N. slope.

80.00

Point for the cor. of secs. 1, 6, 7 and 12.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 15 ins. in the ground, in a mound of stone to top, with brass cap mkd.
$$\begin{array}{c} \text{T9N} \\ \text{R15W R14W} \\ \text{S 1} \mid \text{S 6} \\ \text{S12} \mid \text{S 7} \\ 1956 \end{array}$$

Land, rolling desert.

Soil, sandy and gravelly.

Undergrowth, scattered palo verde, greasewood, and cacti.

West Boundary, T. 9 N., R. 14 W.

Chains	
	N. 0° 04' W., bet, secs. 1 and 6.
	Desc. 100 ft. over N. slope.
16.30	Wash, 10 lks. wide, 2 ft. deep, course NW.; asc. 20 ft. over SW. slope.
19.30	Spur, low, slopes NW.; desc. 50 ft. over N. slope.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 6.
	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.
	$\frac{1}{4}$
	S1 S6
	1956
	raise a mound of stone, 2 ft. base, 2 ft. high, W. of cor.
55.80	Wash, 20 lks. wide, 2 ft. deep, course NW.; desc. 60 ft. over N. slope.
79.40	The cor. of Ts. 9 and 10 N., Rs. 14 and 15 W., monumented with an iron post, set, mkd. and witnessed as described in the official record.
	Land, rolling desert.
	Soil, sandy and gravelly.
	Undergrowth, scattered palo verde, greasewood, and cacti.

A Portion of the Subdivision, T. 9 N., R. 14 W.

	From the cor. of secs. 1, 6, 7 and 12, on the E. bdy. of the township.
	West, bet. secs. 1 and 12.
	Over rolling land, through scattered undergrowth.
3.50	Wash, 15 lks. wide, 2 ft. deep, course N.; asc. 35 ft. over E. slope.
9.20	Spur, slopes N.; desc. 120 ft. over W. slope.
13.90	Draw, course N.; asc. 115 ft. over E. slope.
19.60	Spur, slopes N.; desc. 35 ft. over W. slope.
25.60	Draw, course N. 20° E.; asc. 45 ft. over E. slope.
35.20	Spur, slopes N.; desc. 135 ft. over W. slope.
39.90	Wash, 20 lks. wide, 2 ft. deep, course N.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 12, falls in the edge of wash.
40.20	Point selected for the witness $\frac{1}{4}$ sec. cor. of secs. 1 and 12.
	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.

A Portion of the Subdivision, T. 9 N., R. 14 W.

Chains

S11110

$$\frac{S1}{S12} \rightarrow W$$

1956

raise a mound of stone, 2½ ft. base, 2 ft. high, N. of cor.

Asc. 130 ft. over E. slope.

45.90 Spur, slopes N.; desc. 75 ft. over W. slope.

54.00 Draw, course N. 20° W.; asc. 60 ft. over E. slope.

60.00 Spur, slopes N. 10° W.; desc. 145 ft. over W. slope.

69.60 Wash, 20 lks. wide, 10 ft. deep, course N.; asc. 165 ft. over ENE. slope.

78.50 Spur, slopes NW.

80.00 Point for the cor. of secs. 1, 2, 11 and 12.

Set an iron post, 28 ins. long, 2½ ins. diam., 10 ins. in the ground, in a mound of stone to top, with brass cap mkd.

T9N R14W

$$\frac{S2 | S1}{S11 | S12}$$

1956

Land, rolling.

Soil, rocky and gravelly.

Undergrowth, scattered palo verde, greasewood, ocotillo, and cacti.

N. 0° 04' W., bet. secs. 1 and 2.

Desc. 270 ft. over NE. slope, through scattered undergrowth.

18.00 Wash, 25 lks. wide, 3 ft. deep, course N. 20° W.; asc. 120 ft. over SW. slope.

23.10 Spur, slopes NW.; desc. 170 ft. over NE. slope.

40.00 Point for the ¼ sec. cor. of secs. 1 and 2.

Set an iron post, 28 ins. long, 2½ ins. diam., 8 ins. in the ground, in a mound of stone to top, with brass cap mkd.

$$\frac{S2 | S1}{S11 | S12}$$

1956

Desc. 70 ft. over broken NE. slope.

59.50 Wash, 20 lks. wide, 10 ft. deep, course N. 30° W.

72.00 Same wash, 20 lks. wide, 10 ft. deep, course NE.

79.29 The cor. of secs. 1, 2, 35 and 36, monumented with an iron post, set and mkd. for secs. 35 and 36, T. 10 N., R. 14 W. only, which I remonument

T10N R14W

$$\frac{S35 | S36}{S2 | S1}$$

T9N
1956
1911

A Portion of the Subdivision, T. 9 N., R. 14 W.

Chains		amifio
	<p>Land, rolling. Soil, rocky and gravelly. Undergrowth, scattered palo verde, greasewood, ocotillo, and cacti.</p>	
	<p>From the cor. of secs. 1, 2, 11 and 12. West, bet. secs. 2 and 11. Desc. 190 ft. over W. slope.</p>	
25.10	Wash, 10 lks. wide, 2 ft. deep, course NNW.; asc. 50 ft. over broken E. slope.	
34.20	Spur, slopes NW.; desc. 120 ft. over SW. slope.	
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 2 and 11.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 8 ins. in the ground, in a mound of stone to top, with brass cap mkd.</p> <p style="text-align: center;"> $\frac{1}{4}$ $\frac{S\ 2}{S11}$ 1956 </p>	
41.00	Draw, course N.; asc. 70 ft. over E. slope.	
54.30	Spur, slopes N.; desc. 60 ft. over W. slope.	
60.00	Wash, 20 lks. wide, 5 ft. deep, course N. 2 chs., thence NE.; asc. 190 ft. over E. slope.	
75.20	Rocky knoll, on spur sloping NW.; desc. 110 ft. over SW. slope.	
80.00	<p>Point for the cor. of secs. 2, 3, 10 and 11.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 10 ins. in the ground, in a mound of stone to top, with brass cap mkd.</p> <p style="text-align: center;"> T9N R14W $\frac{S\ 3}{S10} \frac{S\ 2}{S11}$ 1956 </p> <p>Land, rolling. Soil, rocky and gravelly. Undergrowth, scattered palo verde, greasewood, ocotillo, and cacti.</p>	
	<p>N. 0° 01' W., bet. secs. 2 and 3. Asc. 60 ft. over SW. slope, through scattered undergrowth.</p>	
4.70	Spur, slopes NW.; desc. 320 ft. over broken NE. slope.	
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 2 and 3.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 8 ins. in the ground, in a mound of stone to top, with brass cap mkd.</p> <p style="text-align: center;"> $\frac{1}{4}$ $S3 S2$ 1956 </p>	

A Portion of the Subdivision, T, 9 N., R. 14 W.

Chains

Desc. 25 ft. over NE. slope.

44.00

Wash, 15 lks. wide, 2 ft. deep, course N. 30° W.

46.70

Spur, low, slopes NW.; desc. 50 ft. over NE. slope.

62.60

Wash, 30 lks. wide, 5 ft. deep, course NE.; thence over rolling land.

79.26

Intersect the N. bdy. of the township.

Point for the closing cor. of secs. 2 and 3.

Set an iron post, 28 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.

T10N R14W

S35

S 3 | S 2

C C

T9N R14W

1956

raise a mound of stone, 2½ ft. base, 2 ft. high, S. of cor.

From above cor. point, the cor. of secs. 34 and 35, T. 10 N., R. 14 W., bears West, 66 lks. dist.

Land, rolling.

Soil, rocky and gravelly.

Undergrowth, scattered palo verde, greasewood, ocotillo, and cacti.

At a point midway bet. the cor. of secs. 1, 2, 35 and 36 and the closing cor. of secs. 2 and 3, point for the ¼ sec. cor. of sec. 2.

Set an iron post, 28 ins. long, 2½ ins. diam., 20 ins. in the ground, with brass cap mkd.

¼ S2

1956

raise a mound of stone, 2 ft. base, 2 ft. high, S. of cor.

From above cor. point, the ¼ sec. cor. of sec. 35, bears East, 7 lks. dist.

From the standard cor. of secs. 32 and 33, on the S. bdy. of the township.

N. 0° 02' W., bet. secs. 32 and 33.

Over mountainous land, through scattered undergrowth.

Asc. 290 ft. over rocky SW. slope.

17.60

Spur, slopes S. 30° E.; desc. 70 ft. over NE. slope.

22.00

Draw, course E.; asc. 140 ft. over S. slope.

36.90

Ridge, bears NE. and W.; desc. 60 ft. over N. slope.

40.00

Point for the ¼ sec. cor. of secs. 32 and 33.

A Portion of the Subdivision, T. 9 N., R. 14 W.

Chains

amiedO

Set an iron post, 28 ins. long, 2½ ins. diam., 20 ins. in the ground, with brass cap mkd.

¼	
S32	S33
1956	

raise a mound of stone, 2½ ft. base, 2 ft. high, W. of cor.

Desc. 100 ft. over NW. slope.

43.80 Draw, course W.; asc. 110 ft. over SW. slope.

54.30 Spur, slopes N. 30° W.; desc. 160 ft. over NE. slope.

61.00 Draw, course N. 30° W.; asc. 35 ft. over SW. slope.

72.90 Spur, slopes NW.; desc. 105 ft. over NE. slope.

78.20 Wash, 10 lks. wide, 4 ft. deep, course N. 10° W.

80.00 Point for the cor. of secs. 28, 29, 32 and 33.

Set an iron post, 28 ins. long, 2½ ins. diam., 15 ins. in the ground, in a mound of stone to top, with brass cap mkd.

T9N R14W	
S29	S28
S32	S33
1956	

Land, mountainous.

Soil, rocky clay.

Undergrowth, scattered palo verde, greasewood, ocotillo, catclaw, and cacti.

From the standard cor. of secs. 31 and 32, on the S. bdy. of the township.

N. 0° 03' W., bet. secs. 31 and 32.

Over mountainous land, through scattered undergrowth.

Asc. 60 ft. over S. slope.

5.00 Spur, slopes SE.; desc. 85 ft. over NE. slope.

19.70 Draw, course E.; asc. 120 ft. over S. slope.

25.40 Spur, slopes E.; desc. 160 ft. over N. slope.

31.50 Wash, 15 lks. wide, 3 ft. deep, course E.; asc. 210 ft. over S. slope.

40.00 Point for the ¼ sec. cor. of secs. 31 and 32.

Set an iron post, 28 ins. long, 2½ ins. diam., 6 ins. in the ground, in a mound of stone to top, with brass cap mkd.

¼	
S31	S32
1956	

A Portion of the Subdivision, T. 9 N., R. 14 W.

Chains

Asc. 50 ft. over S. slope.

48.50 Spur, slopes E.; desc. 310 ft. over N. slope.

68.50 Wash, 10 lks. wide, 4 ft. deep, course N. 25° W.; desc. 65 ft. over N. slope.

74.60 Same wash, 15 lks. wide, 3 ft. deep, course NE. for 1 ch.; thence N.; asc. 30 ft. over E. slope.

80.00 Point for the cor. of secs. 29; 30, 31 and 32.

Set an iron post, 28 ins. long, 2½ ins. diam., 6 ins. in the ground, in a mound of stone to top, with brass cap mkd.

T9N R14W

S30 S29

S31 S32

1956

Land; mountainous.

Soil, rocky clay.

Undergrowth, scattered palo verde, greasewood, ocotillo, catclaw, and cacti.

From the cor. of secs. 28, 29, 32 and 33.

N. 89° 58' W.; bet. secs. 29 and 32.

Over mountainous land, through scattered undergrowth.

.20 Wash, 10 lks. wide, 8 ft. deep, course W.

15.30 Same wash, 20 lks. wide, 6 ft. deep, course SW.; desc. 40 ft. over W. slope.

26.20 Same wash, 20 lks. wide, 10 ft. deep, course N. 40° W.; asc. 50 ft. over NE. slope.

34.40 Spur, slopes N.; thence over N. slope.

40.01 Point for the ¼ sec. cor. of secs. 29 and 32.

Set an iron post, 28 ins. long, 2½ ins. diam., 12 ins. in the ground, in a mound of stone to top, with brass cap mkd.

¼ S29

S32

1956

46.00 Wash, 12 lks. wide, 2 ft. deep, course N. 10° E.; asc. 190 ft. over NNE. slope.

60.80 Spur, slopes N. 10° W.; desc. 190 ft. over broken W. slope.

75.70 Wash, 15 lks. wide, 2 ft. deep, course N.; asc. 30 ft. over E. slope.

80.02 The cor. of secs. 29, 30, 31 and 32.

Land, mountainous.

Soil, rocky clay.

Undergrowth, scattered palo verde, greasewood, ocotillo, catclaw, and cacti.

T. 9 N., R. 14 W.

Chains

General Description

The terrain of this township ranges from nearly level desert land to high rocky ridges and peaks. The soil in the low land is very sandy and on the ridges and peaks is very rocky. There is no timber; the undergrowth consists of scattered to dense greasewood, scattered palo verde, ocotillo, and several species of cacti. There is no permanent water and no one living within the boundaries of this township. The grass is very sparse and scattered. The only apparent revenue derived is from some seasonal grazing.

CERTIFICATE OF CADASTRAL ENGINEER

I, Phil D. Smith, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 25th day of January, 1955, I have surveyed the west boundary and a portion of the subdivision and the dependent resurvey of the north 1 mile of the east boundary and 1 mile of the north boundary of Township 9 North, Range 14 West.

of the G & S R Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing field notes.

July 31, 1956
Salt Lake City, Utah

Phil D. Smith
Phil D. Smith
Cartographic Survey Aid

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT,
Washington, D. C., 19

The foregoing field notes of the survey of
executed by
having been critically examined and found correct, are hereby approved.

Cadastral Engineering Staff Officer.

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of the field notes of the above-described surveys in
is a true copy of the original field notes.

Cadastral Engineering Staff Officer.

56
14

BOOK 4524

CERTIFICATE OF CADASTRAL ENGINEER

I, Donald E. Harding, HEREBY CERTIFY upon honor that, in
pursuance of special instructions bearing date of the 25th day of January, 1955,
I have ~~surveyed~~ supervised the survey of the west boundary and a portion of the subdivision
dependent
and the/resurvey of the north 1 mile of the east boundary and 1 mile of the north
boundary of Township 9 North, Range 14 West.

of the G & S R Meridian, in the State of Arizona, which are
represented in the foregoing field notes as having been ~~executed by me~~ under my direction; and that
said survey has been made in strict conformity with said instructions, the Manual of Instructions for the
Survey of the Public Lands of the United States, and in the specific manner described in the foregoing
field notes.

July 31, 1956
Salt Lake City, Utah

Donald E. Harding
Donald E. Harding
Cartographer

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT,
Washington, D. C., JAN 15 1957, 19

The foregoing field notes of the survey of the west boundary and a portion of the
dependent
subdivision and the/resurvey of the north 1 mile of the east boundary and 1 mile
of the north boundary of T. 9 N., R. 14 W., G & S R Meridian, Arizona.

supervised by
~~executed by~~ Donald E. Harding

having been critically examined and found correct, are hereby approved.

Earl G. Harrington
Cadastral Engineering Staff Officer.

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of the field notes of the above-described surveys in _____
_____, is a true copy of the original field notes.

Cadastral Engineering Staff Officer.