

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Original

FIELD NOTES

of the Survey of the

North boundary

and a

Portion of the Subdivision

of

Township 9 North, Range 15 West

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Phil D. Smith, Cartographic Survey Aid

Leslie H. Godwin, Cartographer (Cadastral)

Donald E. Harding, Cartographer

Under special instructions dated January 25, 1955, which provided
for the surveys included under Group No. 303, approved January 25, 1955
and assignment instructions dated January 3, 1956

Survey commenced January 31, 1956

Survey completed February 17, 1956

BOOK 4525

INDEX DIAGRAM

Township 9 North, Range 15 West

5 6	4 5	3 4	2 12 3 11	2 7 2 6	1 6 1 5
7	8	9	11 10	11	12
18	17	14 13 16 12	10 15	14	13
19	20	21	9 22	23	24
30 16	29 16	28	9 27	26	25
31	15 32 14	33	8 34	35	36

16-56770-1

Phil D. Smith, Cartographic Survey Aid _____

Leslie H. Godwin, Cartographer(Cadastral) _____

T. 9 N., R. 15 W.

Chains

The south boundary (Second Standard Parallel North) was surveyed by A. T. Harris in 1915. The record appears in the notes of the survey of the Second Standard Parallel North through R. 15 W. The east boundary is provided for under the concurrent survey of T. 9 N., R. 14 W., and the west boundary is provided for under the concurrent survey of T. 9 N., R. 16 W.

The following notes are those of the survey of the north boundary and a portion of the subdivision of T. 9 N., R. 15 W.

For the test of the instruments and methods used, see the notes for the survey of T. 9 N., R. 16 W. of this group.

The geographic position of the SE. cor. of the township is latitude $34^{\circ} 04' 15''$ N. and longitude $113^{\circ} 45' 54''$ W., as computed from U.S.C. & G.S. triangulation station "Swansea", which is in latitude $34^{\circ} 05' 8.512''$ N. and longitude $113^{\circ} 46' 12.105''$ W. The mean magnetic declination is $14^{\circ} 30' E$.

North Boundary, T. 9 N., R. 15 W.

Beginning at the township cor. of Ts. 9 and 10 N., Rs. 14 and 15 W., an iron post, set, marked and witnessed, as described in the official record.

N. $89^{\circ} 53' W.$, bet. secs. 1 and 36.

Over rolling land, through scattered undergrowth.

10.70 Spur, slopes N.

15.70 Wash, 20 lks. wide, 18 ins. deep, drains N.; asc. 50 ft. over E. slope.

32.50 Spur, slopes N.; desc. 50 ft. over W. slope.

38.50 Wash, 20 lks. wide, 3 ft. deep, drains N.; begin ascent, asc. 20 ft. over E. slope to cor. point.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 36.

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 8 ins. in the ground, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.

$\frac{1}{4}$ $\frac{S36}{S1}$
1956

Continue ascent; asc. 15 ft. over E. slope.

46.60 Spur, slopes N. $10^{\circ} W.$; desc. 90 ft. over W. slope.

62.80 Wash, $4\frac{1}{2}$ chs. wide, 1 ft. deep, drains N.; asc. 80 ft. over rolling E. slope.

76.60 Spur, slopes N.; desc. 30 ft. over W. slope to cor. point.

80.00 Point for the cor. of secs. 1, 2, 35, and 36.

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 10 ins. in the ground, and in a mound of stone, 4 ft. base, to top, with brass cap mkd.

North Boundary, T. 9 N., R. 15 W.

Chains	<p style="text-align: center;">T10N R15W S35 S36 S 2 S 1 T9N R15W 1956</p> <p>Land, high and rolling. Soil, sandy and rocky. Vegetation, palo verde, greasewood, cholla, saguaro, and other cacti.</p>
	<p>N. 89° 53' W., bet. secs. 2 and 35.</p>
	<p>Over rolling land, through scattered undergrowth.</p>
	<p>Continue descent; desc. 70 ft. over rolling W. slope.</p>
14.50	<p>Wash, 40 lks. wide, 1 ft. deep, drains N.; thence over rolling land.</p>
30.80	<p>Road, bladed, bears SW. and NE.; asc. 130 ft. over rocky E. slope.</p>
39.00	<p>Slope changes to SE.</p>
40.00	<p>Point for the ¼ sec. cor. of secs. 2 and 35.</p>
	<p>Set an iron post, 30 ins. long, 2½ ins. diam., 6 ins. in the ground, and in a mound of stone, 3½ ft. base, to top, with brass cap mkd.</p>
	<p style="text-align: center;">¼ S35 S 2 1956</p>
	<p>Asc. 240 ft. over rocky, broken SE. slope, through foothills.</p>
80.00	<p>Point for the cor. of secs. 2, 3, 34, and 35.</p>
	<p>Set an iron post, 30 ins. long, 2½ ins. diam., 6 ins. in the ground, and in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p>
	<p style="text-align: center;">T10N R15W S34 S35 S 3 S 2 T9N R15W 1956</p>
	<p>Land, east half rolling; west half foothills.</p>
	<p>Soil, sandy and rocky.</p>
	<p>Vegetation, scattered cacti and east half mile medium dense palo verde.</p>
	<p>N. 89° 53' W., bet. secs. 3 and 34.</p>
	<p>Over rocky foothills, through scattered undergrowth.</p>
	<p>Continue ascent; asc. 50 ft. over rocky SE. slope.</p>
3.10	<p>Spur, slopes SE.; desc. 120 ft. over rocky W. slope.</p>
10.00	<p>Wash, 10 lks. wide, 1 ft. deep, drains SE.; asc. 40 ft. over E. slope.</p>
13.00	<p>Spur, slopes SE.; desc. 110 ft. over W. slope.</p>
19.10	<p>Wash, 10 lks. wide, 1 ft. deep, drains SE.; asc. 80 ft. over E. slope, across numerous spurs and washes.</p>
27.10	<p>Wash, 30 lks. wide, 2 ft. deep, drains S. 1 ch.; thence S. 80° E.</p>

BOOK 4525

North Boundary, T. 9 N., R. 15 W.

Chains

- 34.00 Wash, 10 lks. wide, 1 ft. deep, drains SE.; slope changes; asc. 30 ft. over NE. slope to cor. point.
- 40.00 Point for the $\frac{1}{4}$ sec. corner of secs. 3 and 34.
Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 8 ins. in the ground, and in a mound of stone, $2\frac{1}{2}$ ft. base to top, with brass cap mkd.
- $\frac{1}{4}$ $\frac{S34}{S 3}$
1956
- Continue ascent; asc. 200 ft. over rocky NE. slope.
- 53.40 Small spur, slopes N. 5° E.
- 57.70 Spur, slopes S. 10° E; thence over rolling land on a general SW. slope.
- 75.80 Small wash, drains S. 10° W.
- 80.00 Point for the cor. of secs. 3, 4, 33, and 34.
Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., over an X on solid rock, and in a mound of stone, 4 ft. base to top, with brass cap mkd.
- T10N R15W
 $\frac{S33}{S 4}$ | $\frac{S34}{S 3}$
T9N R15W
1956
- Land, high and rolling.
Soil, sandy and rocky.
Vegetation, scattered palo verde, greasewood, and cacti.
-
- N. $89^{\circ} 53'$ W. bet. secs. 3 and 34.
- Over high rolling land, general SW. drainage.
- 36.00 Wash, 10 lks. wide, 2 ft. deep, drains S. 10° W.; desc. 120 ft. over rolling SW. slope.
- 40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 4 and 33, falls on S. slope of knoll.
Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 10 ins. in the ground, and in a mound of stone, $3\frac{1}{2}$ ft. base to top, with brass cap mkd.
- $\frac{1}{4}$ $\frac{S33}{S 4}$
1956
- 50.00 Spur, slopes S. 60° W.; desc. 80 ft. over rolling NW. slope.
- 57.00 Wash, 5 lks. wide, 1 ft. deep, drains N. 10° W.; asc. 60 ft. over NE. slope.
- 61.30 Spur, slopes N. 20° W.; desc. 190 ft. over general W. slope.
- 74.50 Old discontinued railroad, bears N. 20° W. and S. 20° W.
- 74.80 Telephone line, bears N. and S.
- 76.80 Wash, 2 chs. wide, 1 ft. deep, drains N.

North Boundary, T. 9 N., R. 15 W.

Chains

80.00

Point for the cor. of secs. 4, 5, 32, and 33.

Set an iron post, 30 ins. long, 2½ ins. diam., 8 ins. in the ground, and in a mound of stone, 4 ft. base to top, with brass cap mkd.

T10N R15W
S32 | S33
S 5 | S 4
T9N R15W
1956

Land, high and rolling.
Soil, rocky and sandy.
Vegetation, scattered palo verde, greasewood, and cacti.

N. 89° 53' W., bet. secs. 5 and 32.

Over high rolling land, through scattered undergrowth.

Asc. 150 ft. over NE. slope.

8.90

Spur, slopes N.; desc. 110 ft. over NW. slope.

13.70

Wash, 50 lks. wide, 1 ft. deep, drains NE.; asc. 225 ft. over NE. slope to cor. point.

40.00

Point for the ¼ sec. cor. of secs. 5 and 32.

Set an iron post, 30 ins. long, 2½ ins. diam., 10 ins. in the ground, and in a mound of stone, 3½ ft. base to top, with brass cap mkd.

¼ $\frac{S32}{S 5}$
1956

Continue ascent; asc. 50 ft. over general N. slope.

44.90

Spur, slopes S. 20° E.; desc. 110 ft. over SW. slope.

61.50

Wash, 10 lks. wide, 3 ft. deep, drains SE.; asc. 250 ft. over NE. slope.

77.30

Spur, slopes N. 35° E.

80.00

Point for the cor. of secs. 5, 6, 31, and 32.

Set an iron post, 30 ins. long, 2½ ins. diam., 8 ins. in the ground, and in a mound of stone, 4 ft. base, to top, with brass cap mkd.

T10N R15W
S31 | S32
S 6 | S 5
T9N R15W
1956

Land, high and rolling.
Soil, gravelly to rocky.
Vegetation, scattered palo verde, greasewood, saguaro, and other cacti.

North Boundary T. 9 N., R. 15 W.

Chains

N. 89° 53' W.; bet. secs. 6 and 31.

Over high rolling land, through outcropping ledges, through scattered undergrowth.

Continue ascent; asc. 150 ft. over broken NE. slope.

6.10 Spur, slopes N. 10° W.; desc. 150 ft. along general N. slope.

15.00 Bottom of draw, drains N.; asc. 150 ft. over NE. slope.

20.40 Rocky spur, slopes N.; desc. 120 ft. over N. slope.

34.00 Spur, slopes N.; desc. 210 ft. over W. slope.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 6 and 31.

Set an iron post, 30 ins. long, 2 $\frac{1}{2}$ ins. diam., 6 ins. in the ground and in a mound of stone, 3 $\frac{1}{2}$ ft. base, to top, with brass cap mkd.

$\frac{1}{4}$ $\frac{S\ 31}{S\ 6}$

1956

Continue descent; desc. 85 ft. over W. slope.

47.00 Wash, 8 lks. wide, 1 ft. deep, drains SW.; asc. 30 ft. over NE. slope.

53.40 Small rocky knoll; desc. 150 ft. over broken rocky general W. slope.

78.32 The cor. of Ts. 9 and 10 N., Rs. 15 and 16 W.; an iron post, set, mkd. and witnessed as described in the field notes for T. 9 N., R. 16 W.

Land, high, rolling, and broken.

Soil, rocky.

Vegetation, scattered palo verde, greasewood, saguaro, ocotillo, and other cacti.

Portion of the Subdivision, T. 9 N., R. 15 W.

From the cor. of secs. 1, 6, 7, and 12, on the east bdy. of the township, an iron post, set, mkd. and witnessed as described in the field notes for T. 9 N., R. 14 W.

West, bet. secs. 1 and 12.

Over rolling broken land, through scattered undergrowth.

Desc. 50 ft. over W. slope.

4.00 Bottom of slope; asc. 30 ft. over E. slope.

9.00 Spur, slopes N.; desc. 30 ft. over W. slope.

12.00 Wash, 1 ch. wide, 1 ft. deep, drains NW.

19.00 Wash, 10 lks. wide, 1 ft. deep, drains N.; asc. 40 ft. over E. slope.

24.60 Spur, slopes N.; desc. 70 ft. over W. slope.

Portion of the Subdivision, T. 9 N., R. 15 W.

Chains

33.00 Wash, 30 lks. wide, 1 ft. deep, drains N. 20° W.; asc. 50 ft. over E. slope.

38.00 Top of slope; desc. 31 ft. over W. slope to cor. point.

40.00 Point for the 1/4 sec. cor. of secs. 1 and 12.

Set an iron post, 30 ins. long, 2 1/2 ins. diam., 12 ins. in the ground, and in a mound of stone, 3 ft. base to top, with brass cap mkd.

S 1

S 12

1956

40.10 Wash, 15 lks. wide, 2 ft. deep, drains N.; asc. 50 ft. over E. slope.

46.20 Spur, slopes N.; desc. 50 ft. over W. slope.

58.60 Wash, 15 lks. wide, 1 ft. deep, drains N. 20° W.; asc. 30 ft. over E. slope.

73.00 Spur, slopes N.; desc. 30 ft. over W. slope to cor. point.

80.00 Point for the cor. of secs. 1, 2, 11 and 12.

Set an iron post, 30 ins. long, 2 1/2 ins. diam., 4 ins. in the ground, and in a mound of stone to top, with brass cap mkd.

T9N R15W

S 2 | S 1

S 11 | S 12

1956

Land, rolling.

Soil, gravelly.

Vegetation, palo verde, greasewood, cholla, and ocotillo.

N. 0° 05' W., bet secs. 1 and 2.

Over rolling land, through scattered undergrowth.

Desc. 75 ft. over general NE. slope.

5.80 Wash, 30 lks. wide, 2 ft. deep, drains NW.

40.00 Point for the 1/4 sec. cor. of secs. 1 and 2.

Set an iron post, 30 ins. long, 2 1/2 ins. diam., 8 ins. in the ground, and in a mound of stone, 3 1/2 ft. base to top, with brass cap mkd.

1/4

S 2 | S 1

1956

79.80 The cor. of secs. 1, 2, 35, and 36.

Land, rolling.

Soil, gravelly.

Vegetation, palo verde, greasewood, cholla, and ocotillo.

Portion of the Subdivision, T. 9 S., R. 15 W.

Chains

	From the cor. of secs. 1, 2, 11, and 12.						
	West, bet. secs. 2 and 11.						
	Over rolling land, through scattered undergrowth.						
2.50	Spur, slopes NW.						
12.00	Wash, 60 lks. wide, 2 ft. deep, drains NW.						
39.30	Wash, 1 ch. wide, 2 ft. deep, drains N. 20° W.						
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 2 and 11, falls where monument cannot be perpetuated.						
40.20	Point selected for the witness $\frac{1}{4}$ sec. cor. of secs. 2 and 11. Set an iron post, 30 ins. long, 2 $\frac{1}{2}$ ins. diam., 20 ins. in the ground, and in a mound of stone, 2 ft. base to top, with brass cap mkd.						
	<table border="1"> <tr><td>S 2</td><td>W</td></tr> <tr><td>S11</td><td>C</td></tr> </table> 1956	S 2	W	S11	C		
S 2	W						
S11	C						
46.20	Wash, 20 lks. wide, 1 ft. deep, drains N. 30° W.						
69.60	Road, bladed, bears S. 10° E. and N. 10° W.						
71.70	Wash, 1 ch. wide, 1 ft. deep, drains N.						
80.00	Point for the cor. of secs. 2, 3, 10, and 11. Set an iron post, 30 ins. long, 2 $\frac{1}{2}$ ins. diam., 15 ins. in the ground, and in a mound of stone, 3 ft. base to top, with brass cap mkd.						
	<table border="1"> <tr><td>T9N</td><td>R15W</td></tr> <tr><td>S3</td><td>S2</td></tr> <tr><td>S1</td><td>S11</td></tr> </table> 1956	T9N	R15W	S3	S2	S1	S11
T9N	R15W						
S3	S2						
S1	S11						
	Land, rolling. Soil, gravelly. Vegetation, scattered palo verde, greasewood; ocotillo, saguaro, and other cacti.						
	N. 0° 05' W., bet. secs. 2 and 3.						
	Over high rolling land, through thinly scattered undergrowth.						
6.30	Road, bears N. 80° E. and S. 80° W.						
8.60	Wash, 1 ch. wide, 1 ft. deep, drains E.; asc. 70 ft. over S. slope.						
15.80	Spur, slopes E.; desc. 20 ft. over N. slope.						
22.00	Wash, drains E.; asc. 50 ft. over S. slope.						
26.70	Spur, slopes E.; desc. 50 ft. over general E. slope.						
28.00	Wash, 10 lks. wide, 1 ft. deep, drains SE.; continue along general E. slope.						

Portion of Subdivision, T. 9 N., R. 15 W.

Chains 40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 2 and 3. Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 15 ins. in the ground, and in a mound of stone, $3\frac{1}{2}$ ft. base to top, with brass cap mkd. $\frac{1}{4}$ S33 S2 1956
51.20	Spur, slopes E.; desc. 90 ft. over N. slope.
59.30	Wash, 10 lks. wide, 2 ft. deep, drains SE.; thence continue along general E. slope.
67.20	Draw, drains E.
73.00	Old mining trail, bears E. and W.; asc. 200 ft. over SW. slope.
78.20	Top of slope; desc. 50 ft. over general E. slope.
79.99	The cor. of secs. 2, 3, 34, and 35, on the north bdy. of the township. Land, high and rolling. Soil, gravelly and rocky. Vegetation; scattered palo verde, catclaw, greasewood, ocotillo, saguaro, and other cacti.
	From the standard cor. of secs. 33 and 34, on the south bdy. of the township; a 3-in. iron post, set, mkd. and witnessed, as described in the official record. N. $0^{\circ} 06'$ W., bet. secs. 33 and 34. Over high rolling hills, through scattered undergrowth. Asc. 30 ft. over S. slope.
8.10	Spur, slopes W.; desc. 100 ft. over N. slope.
17.00	Wash, 8 lks. wide, 1 ft. deep, drains W.; asc. 50 ft. over S. slope.
20.40	Spur, slopes W.; desc. 60 ft. over N. slope.
24.00	Wash, 15 lks. wide, 2 ft. deep, drains S. 80° W.; asc. 60 ft. over S. slope.
33.00	Rocky spur, slopes W.; desc. 100 ft. over N. slope.
38.40	Wash, 12 lks. wide; 2 ft. deep, drains W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 33 and 34; falls where monument cannot be perpetuated.
40.40	Point selected for the witness $\frac{1}{4}$ sec. cor. of secs. 33 and 34. Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 5 ins. in the ground, and in a mound of stone; 4 ft. base to top, with brass cap mkd. $\frac{1}{4}$ S33 S34 W C 1956

Portion of the Subdivision, T. 9 N., R. 15 W.

Chains

44.20 Wash, 15 lks. wide, 2 ft. deep, drains S. 25° W.; asc. 280 ft. over S. slope.

59.70 Spur, slopes E.; desc. 150 ft. over N. slope.

65.00 Bottom of draw, drains E.; asc. 65 ft. over rolling to broken E. slope to cor. point.

80.00 Point for the cor. of secs. 27, 28, 33, and 34.

Set an iron post, 30 ins. long, 2½ ins. diam., 6 ins. in the ground, and in a mound of stone, 5 ft. base to top, with brass cap mkd.

T9N R15W
 S28|S27
 S33|S34
 1956

Land, high rolling hills.
 Soil, gravelly with rock outcrops.
 Vegetation, scattered palo verde, greasewood, cholla, and saguaro and ocotillo.

N. 0° 06' W., bet. secs. 27 and 28.

Over high rolling hills, through scattered undergrowth.

Asc. 340 ft. over SE. slope.

15.00 Spur, slopes S. 75° W.; desc. 110 ft. over general W. slope.

31.90 Head of draw, draining W.; thence over rolling broken W. slope.

40.00 Point for the ¼ sec. cor. of secs. 27 and 28.

Set an iron post, 30 ins. long, 2½ ins. diam., 8 ins. in the ground, and in a mound of stone, 4 ft. base to top, with brass cap mkd.

¼
 S28 | S27

1956

Continue along broken NW. slope.

47.80 Spur, slopes N. 30° W.; desc. 215 ft. over NW. slope.

62.00 Wash, 50 lks. wide, 2 ft. deep, drains NW.; asc. 50 ft. over SW. slope.

73.60 Spur, slopes NW.; desc. 20 ft. over NW. slope.

78.00 Wash, 30 lks. wide, 2 ft. deep, drains NW.

80.00 Point for the cor. of secs. 21, 22, 27, and 28.

Set an iron post, 30 ins. long, 2½ ins. diam., over an X on solid rock, and in a mound of stone, 4 ft. base to top, with brass cap mkd.

T9N R15W
 S21|S22
 S28|S27
 1956

Portion of the Subdivision, T. 9 N., R. 15 W.

Chains

Land, rolling.
Soil, gravelly.
Vegetation, scattered palo verde, greasewood, saguaro, ocotillo,
and cholla.

N. 0° 06' W., bet. secs. 21 and 22.

Over high rolling land, through scattered undergrowth.

Asc. 90 ft. over SW. slope.

12.00 Spur, slopes W.; desc. 210 ft. over NW. slope to cor. point.

28.20 Enter valley.

29.00 Wash, 10 lks. wide, 1 ft. deep, drains N. 20° W.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 21 and 22.

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 20 ins. in the
ground and in a mound of stone, $2\frac{1}{2}$ ft. base to top, with brass cap
mkd.

$\frac{1}{4}$

S21 | S22

1956

Continue descent; desc. 80 ft. over gentle NW. slope over a series
of washes to cor. point.

59.40 Wash, 15 lks. wide, 3 ft. deep, drains W. 2 chs. dist.; thence N.

67.00 Wash, 20 lks. wide, 1 ft. deep, drains NW.

70.00 Same wash, drains E. 1 ch. dist.; thence N.

80.00 Point for the cor. of secs. 15, 16, 21, and 22.

Set an iron post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the
ground, with brass cap mkd.

T9N R15W

S16 | S15

S21 | S22

1956

Deposit broken glass alongside the iron post for witness.

Land, rolling.

Soil, gravelly.

Vegetation, scattered palo verde, greasewood, saguaro, cholla, and
ocotillo.

N. 0° 06' W., bet. secs. 15 and 16.

Over nearly level land, through scattered undergrowth.

Portion of the Subdivision, T. 9 N., R. 15 W.

Chains

16.20 Wash, 30 lks. wide, 1 ft. deep, drains NW.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 15 and 16, falls at side of wash draining N. 10° E. where monument cannot be perpetuated.

41.00 Point selected for the witness $\frac{1}{4}$ sec. cor. of secs. 15 and 16.

Set an iron post, 30 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

S16 | S15
W C
1956

Raise a mound of stone, 2 ft. base, 2 ft. high, W. of cor.

54.10 Spur, slopes NE.

80.00 Point for the cor. of secs. 9, 10, 15, and 16.

Set an iron post, 30 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.

T9N R15W
S 9 | S10
S16 | S15
1956

Raise a mound of stone, 2 ft. base, 2 ft. high, W. of cor.

Land, slightly rolling.

Soil, gravelly.

Vegetation, scattered palo verde, medium dense greasewood, saguaro, and other cacti.

N. 0° 06' W., bet. secs. 9 and 10.

Over slightly rolling land, through scattered undergrowth.

21.10 Road, bladed, bears NE. and SW.

28.50 Wash, 20 lks. wide, 1 ft. deep, drains NE.

38.00 Wash, 30 lks. wide, 1 ft. deep, drains NE.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 9 and 10.

Set an iron post, 30 ins. long, 2½ ins. diam., 15 ins. in the ground, and in a mound of stone, 3 ft. base to top, with brass cap mkd.

S9 | S10
1956

45.50 Road, old, bears NE. and SW.

58.30 Wash, 20 lks. wide, 1 ft. deep, drains NE.

70.00 Road, bears N. 75° E. and S. 75° W.

73.40 Wash, 15 lks. wide, 1 ft. deep, drains E.

Portion of the Subdivision, T. 9 N., R. 15 W.

Chains 80.00	<p>Point for the cor. of secs. 3, 4, 9, and 10.</p> <p>Set an iron post, 30 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T9N R15W S4 S 3 S9 S10 1956</p> <p>Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.</p> <p>Land, slightly rolling. Soil, gravelly. Vegetation, greasewood, palo verde, saguaro, ocotillo, and other cacti.</p>
7.40 17.00 21.40 40.00	<p>From the cor. of secs. 2, 3, 10, and 11.</p> <p>N. 89° 57' W., bet. secs. 3 and 10.</p> <p>Over gently rolling land, through scattered undergrowth.</p> <p>Wash, 20 lks. wide, 2 ft. deep, drains NW. 2 chs.; thence NE.</p> <p>Road, bladed, bears NE. and SW.</p> <p>Wash, 30 lks. wide, 1 ft. deep, drains N.</p> <p>Point for the ¼ sec. cor. of secs. 3 and 10.</p> <p>Set an iron post, 30 ins. long, 2½ ins. diam., 18 ins. in the ground, and in a mound of stone, 4 ft. base to top, with brass cap mkd.</p> <p style="text-align: center;">¼ — S 3 S10</p> <p style="text-align: center;">1956</p>
41.90 55.50 80.00	<p>Wash, 1 ch. wide, 2 ft. deep, drains NE.</p> <p>Old mining road, bears N. and S.</p> <p>The cor. of secs. 3, 4, 9, and 10.</p> <p>Land, slightly rolling. Soil, gravelly. Vegetation, scattered palo verde, greasewood, ocotillo, saguaro, and other cacti.</p>
18.30 40.00	<p>N. 0° 16' W., bet. secs. 3 and 4.</p> <p>Over rolling land, through scattered undergrowth.</p> <p>Wash, 15 lks. wide, 2 ft. deep, drains E.; asc. 140 ft. over rolling E. slope to cor. point.</p> <p>Point for the ¼ sec. cor. of secs. 3 and 4.</p>

Portion of the Subdivision, T. 9 N., R. 15 W.

Chains

Set an iron post, 30 ins. long, 2½ ins. diam., 8 ins. in the ground, and in a mound of stone, 3½ ft. base to top, with brass cap mkd.

¼

S4 | S3

1956

56.60 Spur, slopes SW.; thence over rolling NW. slope.

59.00 Draw, drains SW.

61.50 Spur, slopes SW.

75.00 Wash, 15 lks. wide, 2 ft. deep, drains SW.

79.97 The cor. of secs. 3, 4, 33, and 34., on the N. bdy. of the township.

Land, rolling.
Soil, gravelly.
Vegetation, medium dense greasewood, scattered palo verde, saguaro, ocotillo, and other cacti.

From the cor. of secs. 15, 16, 21, and 22.

West, bet. secs. 16 and 21.

Over rolling hills, through scattered undergrowth.

22.90 Wash, 35 lks. wide, 1 ft. deep, drains N. 60° W.

40.00 Point for the ¼ sec. cor. of secs. 16 and 21.

Set an iron post, 30 ins. long, 2½ ins. diam., 6 ins. in the ground to bedrock, and in a mound of stone, 4 ft. base to top, with brass cap mkd.

¼ S16
S21

1956

50.90 Wash, 10 lks. wide, 6 ins. deep, drains N. 70° W.

57.40 Wash, 20 lks. wide, 6 ins. deep, drains N. 20° E.

80.00 Point for the cor. of secs. 16, 17, 20, and 21.

Set an iron post, 30 ins. long, 2½ ins. diam., 10 ins. in the ground, and in a mound of stone, 3½ ft. base to top, with brass cap mkd.

T9N R15W
S17 | S16
S20 | S21
1956

Land, rolling.
Soil, gravelly and rocky.
Vegetation, scattered palo verde, greasewood, ocotillo, and other cacti.

Portion of the Subdivision, T. 9 N., R. 15 W.

Chains	
	N. 0° 06' W., bet. secs. 16 and 17. Over low rolling hills, through scattered undergrowth.
11.60	Road, bladed, bears N. 40° E. and S. 40° W. for 4 chs.; thence S.
40.00	Point for the ¼ sec. cor. of secs. 16 and 17. Set an iron post, 30 ins. long, 2½ ins. diam., 4 ins. in the ground, and in a mound of stone, 3½ ft. base to top, with brass cap mkd. ¼ S17 S16 1956
41.40	Wash, 10 lks. wide, 1 ft. deep, drains S. 60° W.
62.90	Ridge, low, bears S. 40° W. and N. 40° E.
80.00	Point for the cor. of secs. 8, 9, 16 and 17. Set an iron post, 30 ins. long, 2½ ins. diam., 15 ins. in the ground, and in a mound of stone, 3 ft. base to top, with brass cap mkd. T9N R15W S 8 S 9 S17 S16 1956
	Land, rolling. Soil, gravelly and rocky. Vegetation, scattered palo verde, greasewood, ocotillo, and other cacti.
	From the cor. of secs. 9, 10, 15, and 16. N. 89° 59' W., bet. secs. 9 and 16. Over rolling hills, through scattered undergrowth.
11.80	Road, bladed, bears N. 30° E. and S. 30° W.
12.70	Wash, 15 lks. wide, 6 ins. deep, drains N. 30° E.
35.80	Abandoned railroad bed, bears N. 10° E. and S. 10° W.
39.98	Point for the ¼ sec. cor. of secs. 9 and 16. Set an iron post, 30 ins. long, 2½ ins. diam., 10 ins. in the ground, and in a mound of stone, 3 ft. base to top, with brass cap mkd. ¼ S 9 S16 1956
48.10	Wash, 10 lks. wide, 6 ins. deep, drains N. 50° E.; asc. 160 ft. over broken SE. slope.
63.10	Ridge, low, bears N. 30° E. and S. 30° W.; desc. 50 ft. over NW. slope.
68.05	Bottom of slope; asc. 50 ft. over SE. slope.

Portion of the Subdivision, T. 9 N., R. 15 W.

Chains

79.90 Ridge, low, bears N. 45° E. and S. 45° W.

79.96 The cor. of secs. 8, 9, 16, and 17.

Land, rolling and broken.

Soil, rocky.

Vegetation, scattered palo verde, greasewood, and cacti.

From the standard cor. of secs. 32 and 33, on the S. bdy. of the township.

N. 0° 06' W., bet. secs. 32 and 33.

Over rolling land, through scattered undergrowth.

.30 Wash, 60 lks. wide, 1 ft. deep, drains NE.; asc. 200 ft. over SE. slope.

23.00 Spur, slopes N. 20° E.; desc. 110 ft. over NW. slope.

37.00 Wash, 10 lks. wide, 1 ft. deep, drains SW.; asc. 70 ft. over SE. slope to cor. point.

40.00 Point for the 1/4 sec. cor. of secs. 32 and 33.

Set an iron post, 30 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, and in a mound of stone, 3 ft. base to top, with brass cap mkd.

S32 | S33

1956

Continue ascent; asc. 135 ft. over SE. slope.

46.70 Spur, slopes W.; desc. 130 ft. over broken general N. slope.

58.80 Wash, 25 lks. wide, 1 ft. deep, drains W.; continue descent; desc. 60 ft. over NW. slope.

60.52 Bottom of slope; asc. 130 ft. over SE. slope.

65.80 Spur, slopes S. 80° W.

68.80 Head of draw, drains W.

72.20 Spur, slopes NW.; desc. 135 ft. over N. slope to cor. point.

80.00 Point for the cor. of secs. 28, 29, 32, and 33.

Set an iron post, 30 ins. long, 2 1/2 ins. diam., 10 ins. in the ground, and in a mound of stone, 4 ft. base to top, with brass cap mkd.

T9N R15W

S29 | S28

S32 | S33

1956

Land, high and rolling.

Soil, gravelly to rocky.

Vegetation, scattered palo verde, greasewood, saguaro, ocotillo and other cacti.

Portion of Subdivision, T. 9 N., R. 15 W.

Chains	From the standard cor. of secs. 31 and 32, on the S. bdy. of the township.
5.00	N. 0° 07' W., bet. secs. 31 and 32. Over slightly rolling land, through scattered undergrowth. Spur, low sandy, slopes S. 70° W.
40.00	Point for the ¼ sec. cor. of secs. 31 and 32.
50.00	Set an iron post, 30 ins. long, 2½ ins. diam., 12 ins. in the ground, and in a mound of stone, 4 ft. base to top, with brass cap mkd.
<p>S31 S32 1956</p>	
45.00	Wash, 1 ch. wide, 2 ft. deep, drains W.
53.00	Wash, 8 lks. wide, 1 ft. deep, drains N. 80° W.
61.50	Spur, slopes W.
70.00	Wash, 15 lks. wide, 1 ft. deep, drains SW.
80.00	Point for the cor. of secs. 29, 30, 31, and 32.
Set an iron post, 30 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.	
<p>T9N R15W S30 S29 S31 S32 1956</p>	
Dig a pit, 2 x 2 x 2 ft., W. of cor. Land, slightly rolling. Soil, gravelly and sandy. Vegetation, scattered palo verde, catclaw, greasewood, saguaro, ocotillo, and other cacti.	
From the cor. of secs. 28, 29, 32, and 33.	
S. 89° 58' W., bet. secs. 29 and 32.	
Over rolling land, through scattered undergrowth.	
Asc. 70 ft. over NE. slope.	
2.30	Spur, slopes N.; desc. 220 ft. over W. slope.
16.50	Wash, 10 lks. wide, 1 ft. deep, drains N. 20° E.; asc. 120 ft. over E. slope.
21.70	Spur, slopes N. 10° E.; desc. 200 ft. over rolling broken NW. slope to cor. point.
39.96	Point for the ¼ sec. cor. of secs. 29 and 32.

Portion of Subdivision, T. 9 N., R. 15 W.

Chains

Set an iron post, 30 ins. long, 2½ ins. diam., 15 ins. in the ground, and in a mound of stone, 3½ ft. base to top, with brass cap mkd.

$$\frac{1}{4} \frac{S29}{S32}$$

1956

Enter valley; desc. 120 ft. over gentle SW. slope to cor. point.

65.20 Wash, 10 lks. wide, 2 ft. deep, drains SW.

79.92 The cor. of secs. 29, 30, 31, and 32.

Land, E. half mile high and rolling; W. half mile nearly level. Soil, rocky to gravelly. Vegetation, scattered palo verde, catclaw, greasewood, saguaro, ocotillo, and other cacti.

N. 89° 58' W., bet. secs. 30 and 31.

Over nearly level land, through scattered undergrowth.

2.00 Wash, 10 lks. wide, 1 ft. deep, drains S. 80° W.

40.00 Point for the ¼ sec. cor. of secs. 30 and 31.

Set an iron post, 30 ins. long, 2½ ins. diam., 15 ins. in the ground, and in a mound of stone, 3 ft. base to top, with brass cap mkd.

$$\frac{1}{4} \frac{S30}{S31}$$

1956

69.50 Wash, 10 lks. wide, 1 ft. deep, drains S. 75° W.

79.90 The cor. of secs. 25, 30, 31, and 36, on the W. bdy. of the township; a 2½ in. iron post, set, mkd. and witnessed as described in the field notes of T. 9 N., R. 16 W., surveyed concurrently under this same group.

Land, nearly level.

Soil, gravelly.

Vegetation, scattered palo verde, catclaw, greasewood, saguaro, and other cacti.

General Description

The land included in the survey of the north boundary and a portion of the subdivision of T. 9 N., R. 15 W., is typical uninhabited desert country. The terrain varies from nearly level to high, rolling, and mountainous, with sandy and gravelly soil in the lower areas and becoming rocky in the high rolling hills and mountains. There is no timber, but other vegetation consists of palo verde, greasewood, saguaro, ocotillo, cholla, and other species of cacti. There is no perennial water supply and there is very little evidence of activity of any nature taking place.

BOOK 4525

BOOK 4525

4-680
(Feb., 1950)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY
Alburn D. Griffin	Notekeeper
Freddy H. Jones	Front chainman
Henry C. Stanford	Flagman
Andrew M. Nelson	Cornerman and Truckdriver
Deon Allen	Rear chainman, Notekeeper
Charley Avants	Flagman
Paul Bauer	Chainman
John Trammel	Cornerman and Truckdriver

19
78

CERTIFICATE OF CADASTRAL ENGINEER

We
X Phil D. Smith and Leslie H. Godwin, HEREBY CERTIFY upon honor that, in
pursuance of special instructions bearing date of the 25th day of January, 1955,
We
X have surveyed the north boundary and a portion of the subdivision of Township 9
North, Range 15 West

of the G & S R Meridian, in the State of Arizona, which are
represented in the foregoing field notes as having been executed by ~~me and under my direction~~ ^{us} and that
said survey has been made in strict conformity with said instructions, the Manual of Instructions for the
Survey of the Public Lands of the United States, and in the specific manner described in the foregoing
field notes.

August 7, 1956
Salt Lake City, Utah

Phil D. Smith
Phil D. Smith, Cartographic Survey Aid
Leslie H. Godwin
Leslie H. Godwin, Cartographer (Cadastral)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT,
Washington, D. C., _____, 19____

The foregoing field notes of the survey of _____
executed by _____
having been critically examined and found correct, are hereby approved.

Cadastral Engineering Staff Officer.

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of the field notes of the above-described surveys in _____
_____, is a true copy of the original field notes.

Cadastral Engineering Staff Officer.

CERTIFICATE OF CADASTRAL ENGINEER

I, Donald E. Harding, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 25th day of January, 1955, supervised I have surveyed the survey of the north boundary and a portion of the subdivision of Township 9 North, Range 15 West

of the G & S R Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing field notes.

August 7, 1956
Salt Lake City, Utah

Donald E. Harding
Donald E. Harding
Cartographer

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT,
Washington, D. C., JAN 15 1957, 19

The foregoing field notes of the survey of the north boundary and a portion of the subdivision of T. 9 N., R. 15 W., G & S R Meridian, Arizona.

supervised by
DONALD E. HARDING Donald E. Harding

having been critically examined and found correct, are hereby approved.

Carl S. Harrington
Cadastral Engineering Staff Officer.

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of the field notes of the above-described surveys in is a true copy of the original field notes.

Cadastral Engineering Staff Officer.