

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

of the

Survey of Sections 3, 4, 5, and 6

of

Township 27 North, Range 20 West

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Donald E. Harding, Cartographer

Under special instructions dated January 28, 1955, which provided
for the surveys included under Group No. 304, approved January 28, 1955
and assignment instructions dated September 19, 1955

Survey commenced September 29, 1955

Survey completed September 29, 1955

BOOK 4528

INDEX DIAGRAM

Township 27 North, Range 20 West

6	3 5	2 4	1 8	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

T. 27 N., R. 20 W.

Chains

The South and East boundaries were surveyed by H. G. Bardsley, U. S. Transitman, in 1915. The south five miles of the west boundary, the east two miles of the north boundary, and the partial subdivision were surveyed by R.C. Durnford, U. S. Transitman, in 1915. The survey of the west four miles of the north boundary and the north mile of the west boundary were provided for in special instructions for group 304 Arizona.

While engaged in the surveys assigned in the instructions for group 304 Arizona, it was found desirable to complete the survey of T. 27 N., R. 20 W., G. & S. R. M. Verbal permission was obtained from the Area Cadastral Engineer to complete this work.

For the test of the instrument and methods used, see the notes for the survey of T. 27 N., R. 21 W., G. & S. R. M. The geographic position of the southeast corner of section 3 is lat. $35^{\circ} 44' 52''$ N., long. $114^{\circ} 24' 37''$ W. The mean magnetic declination is 17° E., as shown on the official plat of the partial survey of T. 27 N., R. 20 W., G. & S. R. M., as approved March 17, 1919.

Survey of a Portion of the Subdivision of T. 27 N., R. 20 W.

From the cor. of secs. 3, 4, 9, and 10, which is monumented with an iron post, set, marked and witnessed as described in the official record.

N. $0^{\circ} 01'$ W., bet. secs. 3 and 4.

Over gentle W. slope, through scattered Joshua trees, sagebrush, greasewood, and cacti.

11.60 Wash, 17 lks. wide, 6 ins. deep, drains S. 80° W.

38.30 Wash, 5 lks. wide, 6 ins. deep, drains W.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 3 and 4.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 28 ins. in the ground, with brass cap marked

$\frac{1}{4}$

S4 | S3

1955

Raise a mound of stone, $2\frac{1}{2}$ ft. base, 2 ft. high. W. of cor.

61.10 Wash, 10 lks. wide, 6 ins. deep, drains S. 80° W.

72.70 Wash, 20 lks. wide, 1 ft. deep, drains W.

75.90 Wash, 5 lks. wide, 6 ins. deep, drains S. 40° W.

79.80 The cor. of secs. 3, 4, 33, and 34, Ts. 27 and 28 N., R. 20 W., which is monumented with an iron post, set, marked and witnessed as described in the notes of T. 28 N., R. 20 W.

Land, nearly level.

Soil, sandy clay.

Vegetation, Joshua trees, sagebrush, greasewood, cacti, and fair grass.

Subdivision of T. 27 N., R. 20 W.

Chains	
	From the cor. of secs. 4, 5, 8, and 9, which is monumented with an iron post, set, marked and witnessed as described in the official record.
	N. 0° 05' E., between secs. 4 and 5.
	Over gentle W. slope, through scattered Joshua trees, sagebrush, greasewood, and cacti.
4.60	Wash, 5 lks. wide, 1 ft. deep, drains W.
10.30	Wash, 5 lks. wide, 1 ft. deep, drains S. 85° W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 4 and 5.
	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 20 ins. in the ground, with brass cap marked
	$\frac{1}{4}$
	S5 S4
	1955
	raise a mound of stone $2\frac{1}{2}$ ft. base, 2 ft. high, W. of cor.
43.60	Wash, 8 lks. wide, $1\frac{1}{2}$ ft. deep, drains W.
61.10	Wash, 10 lks. wide, 1 ft. deep, drains W.
78.80	Road, bladed, bears E. and W.
79.78	The cor. of secs. 4, 5, 32, and 33, Ts. 27 and 28 N., R. 20 W., which is monumented with an iron post, set, marked, and witnessed as described in the notes of T. 28 N., R. 20 W.
	Land, nearly level.
	Soil, sandy clay.
	Vegetation, Joshua trees, sagebrush, greasewood, cacti, and fair grass.
	<hr/>
	From the cor. of secs. 5, 6, 7, and 8, which is monumented with an iron post, set, marked, and witnessed as described in the official record.
	N. 0° 12' E., bet. secs. 5 and 6.
	Over nearly level land, through scattered Joshua trees, greasewood, sagebrush, cacti, and grass.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 5 and 6.
	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 20 ins. in the ground, with brass cap marked
	$\frac{1}{4}$
	S6 S5
	1955
	raise a mound of stone, 2 ft. base, 2 ft. high, W. of cor.
77.75	Road, bladed, bears E. and W.

Subdivision of T. 27 N., R. 20 W.

Chains

79.75

The cor. of secs. 5, 6, 31, and 32, Ts. 27 and 28 N., R. 20 W., which is monumented with an iron post, set, marked, and witnessed as described in the notes of T. 28 N., R. 20 W.

Land, nearly level.

Soil, sandy clay.

Vegetation, Joshua trees, sagebrush, greasewood, cacti, and fair grass.

General Description

The portion of T. 27 N., R. 20 W., which was surveyed at this time has one bladed road bearing east and west, almost parallel to the north boundary. The land is nearly level, covered with Joshua trees, greasewood, sagebrush, cacti, and sparse to fair grass. There is no water, nor no one living within this area. The only revenue derived is from cattle grazing.

BOOK 4528

4-680
(Feb., 1960)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY
Leslie H. Godwin	Transitman
Oliver Weland	Notekeeper
Earl Morgan	Chairman
Steve Dailey	Flagman
Jack McKean	Truck driver and corner setter

CERTIFICATE OF CADASTRAL ENGINEER

I, Donald E. Harding, HEREBY CERTIFY upon honor that, in
pursuance of special instructions bearing date of the 28th day of January, 1955

I have surveyed sections 3, 4, 5, and 6, T. 27 N., R. 20 W.

of the G. & S. R. M. Meridian, in the State of Arizona, which are
represented in the foregoing field notes as having been executed by me and under my direction; and that
said survey has been made in strict conformity with said instructions, the Manual of Instructions for the
Survey of the Public Lands of the United States, and in the specific manner described in the foregoing
field notes.

Salt Lake City, Utah

Donald E. Harding
Donald E. Harding

June 20, 1956

Cartographer

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT,

Washington, D. C., JAN 14 1957, 19

The foregoing field notes of the survey of sections 3, 4, 5, and 6, T. 27 N., R. 20 W.,

G. & S. R. M., Arizona.

executed by Donald E. Harding

having been critically examined and found correct, are hereby approved.

Earl G. Harrington
Earl G. Harrington
Chief, Division of Cadastral Engineering
Cadastral Engineering Staff Officer

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of the field notes of the above-described surveys in

is a true copy of the original field notes.

Chief, Division of Cadastral Engineering