

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

of the Survey of

Portions of the South and East Boundaries

and a

Portion of the Subdivision

of

Township 28 North, Range 20 West

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Donald E. Harding, Cartographer

Under special instructions dated January 28, 1955, which provided
for the surveys included under Group No. 304, approved January 28, 1955
and assignment instructions dated September 19, 1955

Survey commenced September 22, 1955

Survey completed October 5, 1955

2

1A

BOOK 4531

4531

INDEX DIAGRAM

Township 28 North, Range 20 West

6	5	4	9 3	2	1 2
7	8	9	8 10	11	12 1
18	17	11 10 16	7 15	14	13
19	20	10	7 22	23	24
30	29	28	6 27	26	25
31	13 12 32 11	33	5 34	35	36
5	4	4	3		

T. 28 N., R. 20 W.

Chains

The north boundary, Seventh Standard Parallel North, was surveyed by D. R. Averill in 1930. The south four miles of the east boundary and the east two miles of the south boundary, and a portion of the subdivision of the township were surveyed by Bardsley, Durnford, and Lange in 1915 and 1916. The west boundary is included in the notes of R. 28 N., R. 21 W.

For the test of the instruments and methods used see the notes for T. 27 N., R. 21 W., of this group.

The geographic position of the southeast corner of the township is latitude 35°45'44" N., longitude 114°22'29" W. The mean magnetic declination is 17° E., as shown on the official plat of the survey of a portion of T. 28 N., R. 20 W., approved March 17, 1919.

East Boundary, T. 28 N., R. 20 W.

From the cor. of secs. 7, 12, 13, and 18, Ts. 28 N., Rs. 19 and 20 W., which is monumented with an iron post, set, marked and witnessed as described in the official record.

North, between secs. 7 and 12.

Over rolling gravelly ridges, through scattered undergrowth.

5.80 Wash, 10 lks. wide; 1 ft. deep, course W.

14.10 Low spur, slopes W.

17.80 Small wash, course W.

20.60 Low spur, slopes W.

30.80 Wash, 10 lks. wide, 1 ft. deep, course W.

35.20 Low spur, slopes W.

39.10 Wash, 10 lks. wide, 2 ft. deep, course W.

40.00 Point for the 1/4 sec. cor. of secs. 7 and 12.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, with brass cap marked

312 67

1955

raise a mound of stone, 2 1/2 ft. base, 2 ft. high, W. of corner.

Asc. 40 ft. over S. slope.

58.70 Spur, long, slopes W.; desc. 70 ft. over N. slope.

67.60 Wash, 10 lks. wide, 2 ft. deep, course S. 80° W.; asc. 50 ft. over S. slope.

73.20 Spur, long, slopes W.; desc. 50 ft. over N. slope.

79.70 Wash, 20 lks. wide, 2 ft. deep, course W.

East Boundary, T: 28 N., R. 20 W.

Chains	
80.00	<p>Point for the cor. of secs. 1, 6, 7, and 12.</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 18 ins. in the ground, with brass cap marked.</p> <p style="text-align: center;">T28N R20W R19W S1 S6 S12 S7 1955</p> <p>Raise a mound of stone 3 ft. base, 2½ ft. high, W. of cor. land, rolling.</p> <p>Soil, sand and gravelly clay.</p> <p>Vegetation, Joshua trees, greasewood, cacti, and grass.</p>
	<p>North, between secs. 1 and 6.</p>
	<p>Asc. 60 ft. over S. slope.</p>
5.50	<p>Spur, long, slopes W.; desc. 65 ft. over N. slope.</p>
10.20	<p>Wash, 10 lks. wide, 1 ft. deep, course S. 85° W.; asc. 70 ft. over S. slope.</p>
19.30	<p>Ridge, bears E. and W.; desc. 40 ft. over N. slope.</p>
25.70	<p>Wash, 10 lks. wide, 2 ft. deep, course W.; asc. gentle S. slope.</p>
29.80	<p>Ridge, bears ESE. and WNW.; desc. 50 ft. over NNE. slope.</p>
35.00	<p>Wash, 30 lks. wide, 3 ft. deep, course N. 85° W.</p>
40.00	<p>Point for the ¼ sec. cor. of secs. 1 and 6.</p>
	<p>Set an iron post, 28 ins. long, 2½ ins. diam., 18 ins. in the ground, with brass cap marked</p>
	<p style="text-align: center;">S1 S6 1955</p>
	<p>raise a mound of stone, 2 ft. base, 2 ft. high, W. of cor.</p>
	<p>Asc. 60 ft. over S. slope.</p>
43.10	<p>Ridge, bears E. and W.; desc. 70 ft. over W. slope.</p>
48.10	<p>Spur, slopes N. 60° W.; desc. 30 ft. over NE. slope.</p>
49.40	<p>Wash, 10 lks. wide, 1 ft. deep, course N. 85° W.; asc. 105 ft. over S. slope.</p>
62.30	<p>Ridge, bears E. and W.; desc. 140 ft. over E. slope, over spur sloping N.</p>
76.60	<p>Wash, 10 lks. wide, 1 ft. deep, course N. 70° W.; asc. 50 ft. over SW. slope.</p>
80.00	<p>Intersect the Seventh Standard Parallel North.</p>
	<p>Point for the closing cor. of secs. 1 and 6, Ts. 28 N., Rs. 19 and 20 W.</p>

East Boundary, T. 28 N., R. 20 W.

Chains

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 20 ins. in the ground, with brass cap marked

T29N

S31

S1 | S6

C | C

R20W | R19W

T28N

1955

raise a mound of stone, $2\frac{1}{2}$ ft. base, 2 ft. high, S. of cor.

From the above cor. point the standard $\frac{1}{4}$ sec. cor. for sec. 31, T. 29 N., R. 19 W.; bears East; 1.16 chs. dist.

Land, rolling.

Soil, sand and gravelly clay.

Vegetation, Joshua trees, greasewood, cacti, and grass.

South Boundary, T. 28 N., R. 20 W.

From the cor. of secs. 2, 3, 34, and 35, Ts. 27 and 28 N., R. 20 W., which is monumented with an iron post, set, marked, and witnessed as described in the official record.

N. $89^{\circ} 54'$ W., between secs. 3 and 34.

Over gentle W. slope, through scattered undergrowth.

4.50 Wash, 10 lks. wide, 6 ins. deep, course S. 85° W.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 3 and 34.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, with brass cap marked

$$\frac{1}{4} \frac{S 34}{S 3}$$

1955

Deposit a sandstone, 4 x 3 x 2 ins., marked X at the base of the post for witness.

46.10 Road, bladed, bears N. 80° E. and S. 80° W.

60.00 Same road, bears N. 80° W. and S. 80° E.

80.00 Point for the cor. of secs. 3, 4, 33, and 34.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, with brass cap marked

T28NR20W

S33 | S34

S4 | S3

T27N

1955

Deposit a sandstone, 4 x 2 x 2 ins., marked by an X at the base of the post for witness.

Land, nearly level.

Soil, sand and gravelly clay.

Vegetation, Joshua trees, greasewood, cacti, and grass.

South Boundary, T. 28 N., R. 20 W.

Chains

N. 89° 54' W., between secs. 4 and 33.

Over gentle W. slope, through scattered undergrowth.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 4 and 33.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, with brass cap marked

$$\frac{1}{4} \begin{array}{c} S 33 \\ S 4 \end{array}$$

1955

raise a mound of stone, 2 ft. base, 2 ft. high, N. of cor.

42.50 Road, bladed, bears N. 85° E. and S. 85° W.

80.00 Point for the cor. of secs. 4, 5, 32, and 33.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, with brass cap marked

$$\begin{array}{c} T28NR20W \\ S32 | S33 \\ S5 | S4 \end{array}$$

T27N
1955

raise a mound of stone, $2\frac{1}{2}$ ft. base, 2 ft. high, W. of cor.

Land, nearly level.

Soil, sand and gravelly clay.

Vegetation, Joshua trees, greasewood, cacti, and grass.

N. 89° 54' W., between secs. 5 and 32.

Over gentle W. slope, through scattered undergrowth.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 5 and 32.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, with brass cap marked

$$\frac{1}{4} \begin{array}{c} S 32 \\ S 5 \end{array}$$

1955

Deposit a sandstone, 5 x 4 x 3 ins., marked X at the base of the post for witness.

80.00 Point for the cor. of secs. 5, 6, 31, and 32.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, with brass cap marked

$$\begin{array}{c} T28NR20W \\ S31 | S32 \\ S6 | S5 \end{array}$$

T27N
1955

Deposit charcoal at the base of the post for witness.

South Boundary, T. 28 N., R. 20 W.

Chains

Land, nearly level.
Soil, sand and gravelly clay.
Vegetation, Joshua trees, greasewood, cacti, and grass.

40.00

N. 89° 54' W., between secs. 6 and 31.
Over gentle W. slope, through scattered undergrowth.
Point for the 1/4 sec. cor. of secs. 6 and 31.
Set an iron post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, with brass cap marked

1/4 S 31
S 6
1955

Deposit a sandstone, 4 x 4 x 2, marked X at the base of the post for witness.

79.38

The cor. of secs. 1, 6, 31, and 36, Ts. 27 and 28 N., Rs. 20 and 21 W., which is monumented with an iron post, set, marked, and witnessed as described in the notes for T. 27 N., R. 21 W., of this group.

Land, nearly level.
Soil, sand and gravelly clay.
Vegetation, Joshua trees, greasewood, cacti, and grass.

Survey of a Portion of the Subdivision, T. 28 N., R. 20 W.

From the cor. of secs. 3, 4, 33, and 34, on the south boundary of the township.

N. 0° 02' W., between secs. 33 and 34.

Over gentle W. slope, through scattered undergrowth.

1.70

Road, bladed, bears E. and W.

9.00

Wash, 10 lks. wide, 6 ins. deep, course W.

29.80

Small wash, course W.

38.50

Small wash, course W.

40.00

Point for the 1/4 sec. cor. of secs. 33 and 34.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, with brass cap marked

S33 | S34
1955

raise a mound of stone, 2 ft. base, 2 ft. high, W. of cor.

Subdivision, T. 28 N., R. 20 W.

Chains										
44.80	Wash, 10 lks. wide, 6 ins. deep, course N. 40° W.									
54.60	Wash, 20 lks. wide, 1 ft. deep, course S. 80° W.									
58.60	Small wash, course NW.									
63.30	Small wash, course W.									
76.70	Small wash, course W.									
80.00	Point for the cor. of secs. 27, 28, 33, and 34.									
	Set an iron post, 28 ins. long, 2½ ins. diam., 18 ins. in the ground, with brass cap marked									
	<table border="0"> <tr> <td></td> <td>T28NR20W</td> </tr> <tr> <td></td> <td>S28 S27</td> </tr> <tr> <td></td> <td>S33 S34</td> </tr> <tr> <td></td> <td>1955</td> </tr> </table>		T28NR20W		S28 S27		S33 S34		1955	
	T28NR20W									
	S28 S27									
	S33 S34									
	1955									
	raise a mound of stone, 2 ft. base; 2 ft. high, W. of cor.									
	Land, level.									
	Soil, sand and gravelly clay.									
	Vegetation, Joshua trees, sagebrush, cacti, greasewood, and grass.									
	N. 0° 02' W., between secs. 27 and 28.									
	Over gentle W. slope, through scattered undergrowth.									
3.20	Small wash, course NW.									
40.00	Point for the ¼ sec. cor. of secs. 27 and 28.									
	Set an iron post, 28 ins. long, 2½ ins. diam., 18 ins. in the ground, with brass cap marked									
	<table border="0"> <tr> <td></td> <td>T28NR20W</td> </tr> <tr> <td></td> <td>S27 S28</td> </tr> <tr> <td></td> <td>1955</td> </tr> </table>		T28NR20W		S27 S28		1955			
	T28NR20W									
	S27 S28									
	1955									
	raise a mound of stone, 2 ft. base, 2 ft. high, W. of cor.									
41.70	Small wash, course W.									
57.60	Small wash, course NW.									
79.80	Wash, 20 lks. wide, 1 ft. deep, course W.									
80.00	Point for the cor. of secs. 21, 22, 27, and 28.									
	Set an iron post, 28 ins. long, 2½ ins. diam., 18 ins. in the ground, with brass cap marked									
	<table border="0"> <tr> <td></td> <td>T28NR20W</td> </tr> <tr> <td></td> <td>S21 S22</td> </tr> <tr> <td></td> <td>S28 S27</td> </tr> <tr> <td></td> <td>1955</td> </tr> </table>		T28NR20W		S21 S22		S28 S27		1955	
	T28NR20W									
	S21 S22									
	S28 S27									
	1955									
	raise a mound of stone, 2 ft. base, 2 ft. high, W. of cor.									
	Land, level.									
	Soil, sand and gravelly clay.									
	Vegetation, Joshua trees, sagebrush, cacti, greasewood, and grass.									

Subdivision, T. 28 N., R. 20 W.

Chains

N. 0° 02' W., between secs. 21 and 22.

Over rolling land, through scattered undergrowth.

16.00 Wash, 15 lks. wide, 2 ft. deep, course S. 20° W.

26.50 Road, bladed, bears NE. and SW.

35.30 Small wash, course S. 60° W.

40.00 Point for the 1/4 sec. cor. of secs. 21 and 22.

Set an iron post, 28 ins. long, 2 1/8 ins. diam., 18 ins. in the ground, with brass cap marked

S21 | S22

1955

raise a mound of stone, 2 ft. base, 2 ft. high, W. of cor.

48.00 Low, flat spur, slopes SW.

49.10 Small wash, course W.

76.00 Wash, 20 lks. wide, 1 ft. deep, course S. 60° W.

80.00 Point for the cor. of secs. 15, 16, 21, and 22.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, with brass cap marked

T28NR20W

S16 | S15

S21 | S22

1955

raise a mound of stone, 2 1/2 ft. base, 2 ft. high, W. of cor.

Land, rolling.

Soil, sand and gravelly clay.

Vegetation, Joshua trees, sagebrush, greasewood, cacti, and grass

N. 0° 02' W., between secs. 15 and 16.

Over rolling land, through scattered undergrowth.

12.70 Wash, 21 lks. wide, 6 ins. deep, course W.

14.90 Wash, 20 lks. wide, 1 ft. deep, course W.

18.00 Small wash, course W.

27.50 Small wash, course W.

35.00 Low spur, slopes W.

40.00 Point for the 1/4 sec. cor. of secs. 15 and 16.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, with brass cap marked

BOOK 4531

Subdivision, T. 28 N., R. 20 W.

Chains	
	<p>Set an iron post, 28 ins. long, $\frac{1}{2}$ ins. diam., 18 ins. in the ground, with brass cap marked</p> <p style="text-align: center;">T28NR20W S9 S10 S16 S15</p> <p>raise a mound of stone, 2 ft. base, 2 ft. high, W. of cor.</p>
42.60	Small wash, course W.
55.80	Small wash, course W.
65.10	Small wash, course N. 70° W.
80.00	Point for the cor. of secs. 9, 10, 15, and 16.
	<p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, with brass cap marked</p> <p style="text-align: center;">T28NR20W S9 S10 S16 S15</p> <p>raise a mound of stone, 2 ft. base, 2 ft. high, W. of cor.</p> <p>Land, rolling. Soil, sand and gravelly clay. Vegetation, Joshua trees, sagebrush, greasewood, cacti, and grass.</p>
	<p>N. 0° 02' W., between secs. 9 and 10.</p> <p>Over rolling land, through scattered undergrowth.</p>
11.80	Small wash, course W.
25.00	Low spur, slopes W.
27.20	Small wash, course W.
30.90	Small wash, course W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 9 and 10.
	<p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, with brass cap marked</p> <p style="text-align: center;">S9 S10 1955</p> <p>Deposit sandstone, 4 x 4 x 2 ins., marked X at the base of the post, for witness.</p>
45.00	Small wash, course W.
53.60	Low spur, slopes W.
64.80	Low spur, slopes W.
76.00	Wash, 10 lks. wide, 1 ft. deep, course W.
80.00	Point for the cor. of secs. 3, 4, 9, and 10.

Subdivision, T. 28 N., R. 20 W.

Chains

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, with brass cap marked

T28NR20W
 S4 | S3

 S9 | S10
 1955

raise a mound of stone, 2 ft. base, 2 ft. high, W. of cor.

Land, rolling.
 Soil, sand and gravelly clay.
 Vegetation, Joshua trees, sagebrush, greasewood, cacti, and grass.

N. $0^{\circ} 02'$ W., between secs. 3 and 4.

Over rolling land, through scattered undergrowth.

8.00 Small wash, course S. 80° W.

18.30 Wash, 10 lks. wide, 6 ins. deep, course N. 75° W.

24.60 Low spur, slopes SW.

39.50 Low spur, slopes NW.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 3 and 4.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, with brass cap marked

$\frac{1}{4}$
 S4 | S3
 1955

raise a mound of stone, 2 ft. base, 2 ft. high, W. of cor.

Over rolling breaks on gradual W. slope.

80.55 Intersect the Seventh Standard Parallel North.

Point for the closing cor. of secs. 3 and 4, T. 28 N., R. 20 W.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, with brass cap marked

T29N
 S34

 S4 | S3
 C | C
 T28N R20W
 1955

raise a mound of stone, 2 ft. base, 2 ft. high, S. of cor.

From above cor. point the standard $\frac{1}{4}$ sec. cor. of sec. 34, T. 29 N., R. 20 W., bears East, 1.47 chs. dist.

Land, rolling.
 Soil, sand and gravelly clay.
 Vegetation, Joshua trees, sagebrush, greasewood, cacti, and grass.

Subdivision, T. 28 N., R. 20 W.

Chains	
	<p>From the cor. of secs. 15, 16, 21, and 22 heretofore described. N. 89° 54' W., between secs. 16 and 21. Over gentle W. slope, through scattered undergrowth.</p>
36.10	Wash, 15 lks. wide, 1 ft. deep, course S. 70° W.
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 16 and 21.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, with brass cap marked</p> $\frac{1}{4} \begin{array}{c} S 16 \\ S 21 \end{array}$
	1955
41.00	<p>raise a mound of stone, 2 ft. base, 2 ft. high, N. of cor. Small wash, course SW.</p>
61.80	Small wash, course SW.
80.00	<p>Point for the cor. of secs. 16, 17, 20, and 21.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, with brass cap marked</p> $\begin{array}{c} T28NR20W \\ S17 S16 \\ S20 S21 \\ 1955 \end{array}$
	<p>raise a mound of stone, 2 ft. base, 2 ft. high, N. of cor.</p> <p>Land, nearly level. Soil, sand and gravelly clay. Vegetation, scattered Joshua trees, sagebrush, greasewood, cacti, and grass.</p>
	1955
	<p>N. 0° 02' W., between secs. 16 and 17.</p>
	Over gentle W. slope, through scattered undergrowth.
2.80	Wash, 10 lks. wide, 6 ft. deep, course SW.
10.00	Small wash, course W.
16.00	Small wash, course W.
25.00	Low spur, slopes W.
31.30	Small wash, course W.
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 16 and 17.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, with brass cap marked.</p> $\frac{1}{4} \begin{array}{c} S17 S16 \end{array}$
	1955

Subdivision, T. 28 N., R. 20 W.

Chains

raise a mound of stone, 2 ft. base, 2 ft. high, W. of cor.

46.00

Small wash, course S. 80° W.

73.60

Low spur, slopes W.

80.00

Point for the cor. of secs. 8, 9, 16, and 17.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, with brass cap marked

T28NR20W

S8 | S9

S17 | S16

1955

raise a mound of stone, 2 ft. base, 2 ft. high, W. of cor.

Land, nearly level.

Soil, sand and gravelly clay.

Vegetation, scattered Joshua trees, sagebrush, greasewood, cacti, and grass.

From the cor. of secs. 9, 10, 15, and 16, heretofore described.

N. 89° 55' W., between secs. 9 and 16.

Over gentle W. slope, through scattered undergrowth.

10.00

Small wash, course N. 80° W.

40.02

Point for the 1/4 sec. cor. of secs. 9 and 16.

Set an iron post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, with brass cap marked

S 9

1/4 S. 16

1955

raise a mound of stone, 2 ft. base, 2 ft. high, N. of cor.

60.50

Wash, 10 lks. wide, 1 ft. deep, course N. 40° W.

80.04

The cor. of secs. 8, 9, 16, and 17.

Land, nearly level.

Soil, sand and gravelly clay.

Vegetation, scattered Joshua trees, sagebrush, greasewood, cacti, and grass.

From the cor. of secs. 4, 5, 32, and 33, on the south boundary of the township.

N. 0° 02' W., between secs. 32 and 33.

Over gentle W. slope, through scattered undergrowth.

Subdivision, T. 28 N., R. 20 W.

<p>Chains</p> <p>40.00</p> <p>80.00</p>	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 32 and 33.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, with brass cap marked</p> <p style="text-align: center;">$\frac{1}{4}$</p> <p style="text-align: center;">S32 S33</p> <p style="text-align: center;">1955</p> <p>raise a mound of stone, $2\frac{1}{2}$ ft. base, 2 ft. high, W. of cor.</p> <p>Point for the cor. of secs. 28, 29, 32, and 33.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, with brass cap marked</p> <p style="text-align: center;">T28NR20W</p> <p style="text-align: center;">S29 S28</p> <p style="text-align: center;">S32 S33</p> <p style="text-align: center;">1955</p> <p>raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.</p>
	<p>Land, nearly level.</p> <p>Soil, sand and gravelly clay.</p> <p>Vegetation, scattered Joshua trees, greasewood, sagebrush, cacti, and grass.</p> <hr/> <p>From the cor. of secs. 5, 6, 31, and 32, on the south boundary of the township, heretofore described.</p> <p>N. $0^{\circ}03'$ W., between secs. 31 and 32.</p> <p>Over gentle W. slope, through scattered undergrowth.</p> <p>40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 31 and 32.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, with brass cap marked</p> <p style="text-align: center;">$\frac{1}{4}$</p> <p style="text-align: center;">S31 S32</p> <p style="text-align: center;">1955</p> <p>raise a mound of stone, 2 ft. base, 2 ft. high, W. of cor.</p> <p>80.00 Point for the cor. of secs. 29, 30, 31, and 32.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, with brass cap marked</p> <p style="text-align: center;">T28NR20W</p> <p style="text-align: center;">S30 S29</p> <p style="text-align: center;">S31 S32</p> <p style="text-align: center;">1955</p> <p>raise a mound of stone 2 ft. base, 2 ft. high, W. of cor.</p> <p>Land, nearly level.</p> <p>Soil, sand and gravelly clay.</p> <p>Vegetation, scattered Joshua trees, greasewood, sagebrush, cacti, and grass.</p>

Subdivision, T. 28 N., R. 20 W.

Chains

From the cor. of secs. 28, 29, 32, and 32.

N. 89° 54' W., between secs. 29 and 32.

Over gentle W. slope, through scattered undergrowth.

40.00

Point for the $\frac{1}{4}$ sec. cor. of secs. 29 and 32.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground, with brass cap marked

$$\frac{1}{4} \begin{array}{l} \text{S 29} \\ \text{S 32} \end{array}$$

1955

raise a mound of stone, 2 ft. base, 2 ft. high, N. of cor.

60.00

Small wash, course S. 60° W.

80.00

The cor. of secs. 29, 30, 31, and 32.

Land, nearly level.

Soil, sand and gravelly clay.

Vegetation, scattered Joshua trees, greasewood, sagebrush, cacti, and grass.

General Description

West half of this township is a gentle rolling west slope. The east half is somewhat higher rolling ridges. There is no timber. However, there is medium to dense undergrowth of Joshua trees, greasewood, sagebrush, and cacti with fair grass. There is no water within the township and no one living within it. The only revenue to be derived is grazing. There are some scattered roads with one close to the south boundary being maintained.

4-680
(Feb., 1960)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY
Leslie H. Godwin	Transitman
Oliver Weland	Notekeeper
Earl Morgan	Chainman
Steve Daily	Flagman
Jack McKean	Truck Driver

18
15

BOOK 4531

CERTIFICATE OF CADASTRAL ENGINEER

I, Donald E. Harding, HEREBY CERTIFY upon honor that, in
pursuance of special instructions bearing date of the 28th day of January, 1955,
I have surveyed portions of the south and east boundaries and a portion of the
subdivisional lines of T. 28 N., R. 20 W.

of the G. & S. R. Meridian, in the State of Arizona, which are
represented in the foregoing field notes as having been executed by me and under my direction; and that
said survey has been made in strict conformity with said instructions, the Manual of Instructions for the
Survey of the Public Lands of the United States, and in the specific manner described in the foregoing
field notes.

Salt Lake City, Utah
June 21, 1956

Donald E. Harding
Donald E. Harding
Cartographer

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT,
Washington, D. C., JAN 14 1957, 19

The foregoing field notes of the survey of portions of the south and east boundaries
and a portion of the subdivisional lines of T. 28 N., R. 20 W., G. & S. R. M.
Arizona.

executed by Donald E. Harding
having been critically examined and found correct, are hereby approved.

Earl G. Harrington
Chief, Division of Cadastral Engineering
Cadastral Engineering Staff Officer

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of the field notes of the above-described surveys in _____
is a true copy of the original field notes.

Chief, Division of Cadastral Engineering