

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

ORIGINAL

# FIELD NOTES

OF THE SURVEY

OF

THE WEST BOUNDARY

AND

THE SUBDIVISIONAL LINES

OF

TOWNSHIP 3 SOUTH, RANGE 11 WEST

*Of the* ..... *Gila and Salt River* ..... *Meridian,*

*In the State of* ..... *Arizona* .....

EXECUTED BY

..... *DeWitt A. Crain* ..... - ..... *Cadastral Surveyor* .....

*Under special instructions dated* ..... *October 31* ....., *1957*..., *which provided*  
*for the surveys included under Group No.* ..... *316* ....., *approved* *October 31, 1957*  
*and assignment instructions dated* ..... *November 1* ....., *1957*.....

*Survey commenced* ..... *December 9* ....., *1957*.....

*Survey completed* ..... *January 8* ....., *1958*.....

8454

BOOK 4548

# INDEX DIAGRAM

Township 3 South, Range 11 West

4	38 6	37 5	29 4	23 3	16 2	10 1
4	36 7	36 8	28 9	21 10	15 11	9 12
3	35 18	35 17	27 16	21 15	14 14	8 13
2	34 19	33 20	26 21	20 19	13 23	7 24
2	32 30	32 29	25 28	19 18	12 26	6 25
1	31 31	30 32	23 33	17 17	11 35	5 36

## Township 3 South, Range 11 West

Chains

The south boundary of T. 3 S., R. 11 W. was surveyed by Jesse B. Wright in 1914. The east and north boundaries were surveyed by Ty White in 1941.

The following field notes are those of the survey of the west boundary and subdivisinal lines.

The survey was executed with a W. and L.E. Gurley solar transit, serial No. 541328, which conforms to the standard instrumental specifications of the Bureau of Land Management. The instrument was maintained in precise adjustment throughout the progress of the survey.

The measurements were made with a narrow steel tape, 8 chains in length, graduated to tenths of links for the first link, to links for the next 99 links, and thereafter at intervals of 10 links. The tape was tested by comparison with a standard steel tape, 1 chain in length, and found to be correct. The measurements were made on the slope and the vertical angle of each interval was ascertained by two clinometers in good adjustment. The slope distances were properly reduced to horizontal equivalents, which are entered in the field note record.

The directions of all lines of this survey were determined by sustained angulation carried forward from meridian determined by the following direct solar observations: December 12, 1957, at the cor. of secs. 26, 27, 34 and 35, in latitude  $33^{\circ} 07' 53''$  N. and longitude  $113^{\circ} 22' 28''$  W., I made a series of 6 altitude observations upon the sun for azimuth, 3 each with the telescope in direct and reversed positions and observe angle from a flag on the section line, 1 mile to the south, to the right of the sun.

Time of observation (105th meridian standard time)	10h33m a.m.
Mean observed vertical angle	$27^{\circ} 43' 33''$
Horizontal angle to sun	$29^{\circ} 15'$
Declination of sun	$-23^{\circ} 06'$
True bearing of section line	N. $0^{\circ} 01'$ W.

The geographic position of the SE. cor. of the township as shown in data furnished in connection with this case is latitude  $33^{\circ} 07' 01''$  N. and longitude  $113^{\circ} 20' 24''$  W.

The magnetic declination was read at a number of stations throughout the township and the average of several readings was found to be  $14^{\circ} 45'$  E.

## West Boundary of T. 3 S., R. 11 W.

Beginning at the cor. of Ts. 3 and 4 S., Rs. 11 and 12 W., which is monumented with a 3 in. iron post, 7 ins. above ground, mkd. and witnessed as described in the official record.

North, bet. secs. 31 and 36.

Over nearly level land.

40.00 Point for the  $\frac{1}{4}$  sec. cor. of secs. 31 and 36..

Set an iron post, 30 ins. long,  $2\frac{1}{2}$  ins. diam., 20 ins. in the ground, and in a mound of stone to top, with brass cap mkd.

T3S  
R12W R11W  
 $\frac{1}{4}$   
S36|S31  
1957

West Boundary of T. 3 S., R. 11 W.

Chains	<p>Deposit brown colored broken glass alongside the iron post.</p> <p>80.00 Point for the cor. of secs. 25, 30, 31 and 36.</p> <p>Set an iron post, 30 ins. long, 2½ ins. diam., 20 ins. in the ground, and in a mound of stone to top, with brass cap mkd.</p> <p style="text-align: center;">T3S R12W R11W S25 S30 S36 S31 1957</p> <p>Deposit brown colored broken glass alongside iron post.</p> <p>Land, nearly level. Soil, sandy loam. Vegetation, paloverde, ironwood, cactus and greasewood.</p>
40.00	<p>North, bet. secs. 25 and 30.</p> <p>Over nearly level land.</p> <p>Point for the ¼ sec. cor. of secs. 25 and 30.</p> <p>Set an iron post, 30 ins. long, 2½ ins. diam., 22 ins. in the ground, and in a mound of stone to top, with brass cap mkd.</p> <p style="text-align: center;">T3S R12W R11W ¼ S25 S30 1957</p> <p>Deposit brown colored broken glass alongside the iron post.</p>
77.20	<p>Fence, bears N. 72° 45' E. and S. 72° 45' W.</p>
80.00	<p>Point for the cor. of secs. 19, 24, 25 and 30.</p> <p>Set an iron post, 30 ins. long, 2½ ins. diam., 24 ins. in the ground, and in a mound of stone to top, with brass cap mkd.</p> <p style="text-align: center;">T3S R12W R11W S24 S19 S25 S30 1957</p> <p>Deposit brown colored broken glass alongside the iron post.</p> <p>Land, nearly level. Soil, sandy loam. Vegetation, paloverde, ironwood, cactus and greasewood.</p>
8.60	<p>North, bet. secs. 19 and 24.</p> <p>Over nearly level land.</p> <p>Wash, 20 lks. wide, 3 ft. deep, drains SE.</p>
40.00	<p>Point for the ¼ sec. cor. of secs. 19 and 24.</p>

## West Boundary of T. 3 S., R. 11 W.

Chains

Set an iron post, 30 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.

T3S  
R12W R11W  
½  
S24|S19  
1957

Deposit brown colored broken glass alongside the iron post.

80.00

Point for the cor. of secs. 13, 18, 19 and 24.

Set an iron post, 30 ins. long, 2½ ins. diam., 20 ins. in the ground, and in a mound of stone, 4 ft. base to top, with brass cap mkd.

T3S  
R12W R11W  
S13|S18  
S24|S19  
1957

Deposit brown colored broken glass alongside the iron post.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

North, bet. secs. 13 and 18.

Over nearly level land.

26.50

Wash, 30 lks. wide, 3 ft. deep, drains SE.

40.00

Point for the ½ sec. cor. of secs. 13 and 18.

Set an iron post, 30 ins. long, 2½ ins. diam., 18 ins. in the ground, and in a mound of stone, 4 ft. base to top, with brass cap mkd.

T3S  
R12W R11W  
½  
S13|S18  
1957

Deposit brown colored broken glass alongside the iron post.

57.00

Small knob, bears N. 35° 30' E.

80.00

Point for the cor. of secs. 7, 12, 13 and 18.

Set an iron post, 30 ins. long, 2½ ins. diam., 18 ins. in the ground, and in a mound of stone, 4 ft. base to top, with brass cap mkd.

T3S  
R12W R11W  
S12|S 7  
S13|S18  
1957

Deposit brown colored broken glass alongside the iron post.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

## West Boundary of T. 3 S., R. 11 W.

Chains

North, bet. secs. 7 and 12.

Over nearly level land.

7.30 Small knob, bears S. 27° 45' E.

40.00 Point for the  $\frac{1}{2}$  sec. cor. of secs. 7 and 12.Set an iron post, 30 ins. long, 2 $\frac{1}{2}$  ins. diam., 18 ins. in the ground, and in a mound of stone, 4 ft. base to top, with brass cap mkd.

T3S  
R12W R11W  
 $\frac{1}{2}$   
S12 | S 7  
1957

Deposit brown colored broken glass alongside the iron post.

80.00 Point for the cor. of secs. 1, 6, 7 and 12.

Set an iron post, 30 ins. long, 2 $\frac{1}{2}$  ins. diam., 20 ins. in the ground, and in a mound of stone to top, with brass cap mkd.

T3S  
R12W R11W  
S 1 | S 6  
S12 | S 7  
1957

Deposit brown colored broken glass alongside the iron post.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

North, bet. secs. 1 and 6.

Over nearly level land.

40.00 Point for the  $\frac{1}{2}$  sec. cor. of secs. 1 and 6.Set an iron post, 30 ins. long, 2 $\frac{1}{2}$  ins. diam., 20 ins. in the ground, and in a mound of stone to top, with brass cap mkd.

T3S  
R12W R11W  
 $\frac{1}{2}$   
S 1 | S 6  
1958

Deposit brown colored broken glass alongside the iron post.

80.22 Intersect the S. bdy. of sec. 36, T. 2 S., R. 12 W.

Point for the closing cor. of Ts. 3 S., Rs. 11 and 12 W.

Set an iron post, 30 ins. long, 2 $\frac{1}{2}$  ins. diam., 22 ins. in the ground, and in a mound of stone to top, with brass cap mkd.

T2S R12W  
S36  
S 1 | S 6  
R12W R11W  
T3S  
c c  
1958

## West Boundary of T. 3 S., R. 11 W.

Chains

Deposit brown colored broken glass alongside the iron post.

From this corner

The  $\frac{1}{4}$  sec. cor. of sec. 36, T. 2 S., R. 12 W., which is monumented with an iron post, 1 in. diam., 8 ins. above ground, mkd. and witnessed as described in the official record, bears W., 14.03 chs. dist.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

## Subdivisional Lines of T. 3 S., R. 11 W.

Beginning the subdivisional survey at the cor. of secs. 1, 2, 35 and 36 on the S. bdy. of the township, which is monumented with an iron post, 3 ins. diam., set, mkd. and witnessed as described in the official record.

N.  $0^{\circ} 01'$  W., bet. secs. 35 and 36.

Over nearly level land.

0.52 Power transmission line, bears E. and W.

39.20 Fence, bears S.  $64^{\circ} 30'$  E. and N.  $64^{\circ} 30'$  W.

40.00 Point for the  $\frac{1}{4}$  sec. cor. of secs. 35 and 36.

Set an iron post, 36 ins. long, 2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T3S R11W

$\frac{1}{4}$   
S35|S36  
1957

Deposit colorless broken glass alongside the iron post.

80.00 Point for the cor. of secs. 25, 26, 35 and 36.

Set an iron post, 36 ins. long, 2 ins. diam., 28 ins. in the ground, with brass cap mkd.

T3S R11W

S26|S25  
S35|S36  
1957

Deposit colorless broken glass alongside the iron post.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

From the cor. of secs. 25, 30, 31 and 36 on the E. bdy. of the township, which is monumented with an iron post, 2 ins. diam., 10 ins. above ground, set, mkd. and witnessed as described in the official record.

S.  $89^{\circ} 59'$  W., bet. secs. 25 and 36.

Subdivision of T. 3 S., R. 11 W.

Chains	<p>Over nearly level land.</p>
40.00	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 25 and 36.</p> <p>Set an iron post, 36 ins. long, 2 ins. diam., 28 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R11W <math>\frac{1}{4}</math> <math>\frac{S25}{S36}</math> 1957</p> <p>Deposit brown colored broken glass alongside the iron post.</p>
77.50	<p>Wash, 40 lks. wide, 4 ft. deep, drains SE.</p>
80.00	<p>The cor. of secs. 25, 26, 35 and 36.</p> <p>Land, nearly level. Soil, sandy loam. Vegetation, paloverde, ironwood, cactus and greasewood.</p>
	<p>N. 0° 01' W., bet. secs. 25 and 26.</p> <p>Over nearly level land.</p>
4.30	<p>Wash, 40 lks. wide, 4 ft. deep, drains SE.</p>
40.00	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 25 and 26.</p> <p>Set an iron post, 36 ins. long, 2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R11W <math>\frac{1}{4}</math> S26   S25 1957</p> <p>Deposit colorless broken glass alongside the iron post.</p>
80.00	<p>Point for the cor. of secs. 23, 24, 25 and 26.</p> <p>Set an iron post, 36 ins. long, 2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R11W S23   S24 S26   S25 1957</p> <p>Deposit colorless broken glass alongside the iron post.</p> <p>Land, nearly level. Soil, sandy loam. Vegetation, paloverde, ironwood, cactus and greasewood.</p>
	<p>From the cor. of secs. 19, 24, 25 and 30 on the E. bdy. of the township, which is monumented with an iron post, 2 ins. diam., 6 ins. above ground, set, mkd. and witnessed as described in the official record.</p> <p>S. 89° 57' W., bet. secs. 24 and 25.</p> <p>Over nearly level land.</p>



## Subdivision of T. 3 S., R. 11 W.

Chains

40.00

Point for the  $\frac{1}{4}$  sec. cor. of secs. 24 and 25.

Set an iron post, 36 ins. long, 2 ins. diam., 28 ins. in the ground, with brass cap mkd.

$$\begin{array}{r} \text{T3S R11W} \\ \frac{1}{4} \frac{\text{S24}}{\text{S25}} \\ 1957 \end{array}$$

Deposit colorless broken glass alongside the iron post.

80.00

The cor. of secs. 23, 24, 25 and 26..

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

N . 0° 01' W., bet. secs. 23 and 24.

Over nearly level land.

40.00

Point for the  $\frac{1}{4}$  sec. cor. of secs. 23 and 24.

Set an iron post, 36 ins. long, 2 ins. diam., 26 ins. in the ground, with brass cap mkd.

$$\begin{array}{r} \text{T3S R11W} \\ \frac{1}{4} \\ \text{S23} | \text{S24} \\ 1957 \end{array}$$

Deposit brown colored broken glass alongside the iron post.

80.00

Point for the cor. of secs. 13, 14, 23 and 24.

Set an iron post, 36 ins. long, 2 ins. diam., 24 ins. in the ground, with brass cap mkd.

$$\begin{array}{r} \text{T3S R11W} \\ \text{S14} | \text{S13} \\ \text{S23} | \text{S24} \\ 1957 \end{array}$$

Deposit brown colored broken glass alongside the iron post.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

From the cor. of secs. 13, 18, 19 and 24 on the E. bdy. of the township, which is monumented with an iron post, 2 ins. diam., 8 ins. above ground, set, mkd. and witnessed as described in the official record.

S. 89° 57' W., bet. secs. 13 and 24.

Over nearly level land.

40.00

Point for the  $\frac{1}{4}$  sec. cor. of secs. 13 and 24.

Subdivision of T. 3 S., R. 11 W.

Chains

Set an iron post, 36 ins. long, 2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T3S R11W  
 $\frac{1}{4}$   $\frac{S13}{S24}$   
 1957

Deposit colorless broken glass alongside the iron post.

80.00

The cor. of secs. 13, 14, 23 and 24.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

N. 0° 01' W., bet. secs. 13 and 14.

Over nearly level land.

40.00

Point for the  $\frac{1}{4}$  sec. cor. of secs. 13 and 14.

Set an iron post, 36 ins. long, 2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T3S R11W  
 $\frac{1}{4}$   
 S14 | S13  
 1957

Deposit colorless broken glass alongside the iron post.

80.00

Point for the cor. of secs. 11, 12, 13 and 14.

Set an iron post, 36 ins. long, 2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T3S R11W  
 S11 | S12  
 S14 | S13  
 1957

Deposit colorless broken glass alongside the iron post.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

From the cor. of secs. 7, 12, 13 and 18 on the E. bdy. of the township, which is monumented with an iron post, 2 ins. diam., 12 ins. above ground, set, mkd. and witnessed as described in the official record.

S. 89° 57' W., bet. secs. 12 and 13.

Over nearly level land.

38.50

Wash, 30 lks. wide, 3 ft. deep, drains S.

39.99

Point for the  $\frac{1}{4}$  sec. cor. of secs. 12 and 13.

## Subdivision of T. 3 S., R. 11 W.

Chains

Set an iron post, 36 ins. long, 2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T3S R11W

$$\frac{1}{4} \frac{S12}{S13}$$

1957

Deposit colorless broken glass alongside the iron post.

79.98

The cor. of secs. 11, 12, 13 and 14.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

N. 0° 01' W., bet. secs. 11 and 12.

Over nearly level land.

40.00

Point for the  $\frac{1}{4}$  sec. cor. of secs. 11 and 12.

Set an iron post, 36 ins. long, 2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T3S R11W

$$\frac{1}{4} \frac{S11}{S12}$$

1957

Deposit brown colored broken glass alongside the iron post.

80.00

Point for the cor. of secs. 1, 2, 11 and 12.

Set an iron post, 36 ins. long, 2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T3S R11W

$$\frac{S2}{S11} \frac{S1}{S12}$$

1957

Deposit brown colored glass alongside the iron post.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

From the cor. of secs. 1, 6, 7 and 12 on the E. bdy. of the township, which is monumented with an iron post, 2 ins. diam., 8 ins. above ground, set, mkd. and witnessed as described in the official record.

S. 89° 59' W., bet. secs. 1 and 12.

Over nearly level land.

39.98

Point for the  $\frac{1}{4}$  sec. cor. of secs. 1 and 12.

Set an iron post, 36 ins. long, 2 ins. diam., 24 ins. in the ground, with brass cap mkd.

Subdivision of T. 3 S., R. 11 W.

Chains

T3S R11W  
 $\frac{1}{4}$   $\frac{S 1}{S12}$   
 1957

48.00 Deposit brown colored broken glass alongside the iron post.  
 Wash, 30 lks. wide, 3 ft. deep, drains S.  
 79.96 The cor. of secs. 1, 2, 11 and 12.

Land, nearly level.  
 Soil, sandy loam.  
 Vegetation, paloverde, ironwood, cactus and greasewood.

40.00 N. 0° 01' W., bet. secs. 1 and 2.

Over nearly level land.

Point for the  $\frac{1}{4}$  sec. cor. of secs. 1 and 2.

Set an iron post, 36 ins. long, 2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T3S R11W  
 $\frac{1}{4}$   
 S 2 | S 1  
 1957

79.96 Deposit brown colored broken glass alongside the iron post.

Intersect the S. bdy. of sec. 35, T. 2 S., R. 11 W.

Point for the closing cor. of secs. 1 and 2.

Set an iron post, 36 ins. long, 2 ins. diam., 20 ins. in the ground, and in a mound of stone to top, with brass cap mkd.

T2S R11W  
S35  
 S 2 | S 1  
 T3S R11W  
 c c  
 1957

Deposit brown colored broken glass alongside the iron post.

From this corner point

The  $\frac{1}{4}$  sec. cor. of sec. 35, T. 2 S., R. 11 W., which is monumented with an iron post, 1 in. diam., set, mkd. and witnessed as described in the official record, bears W., 2.30 chs. dist.

Land, nearly level.  
 Soil, sandy loam.  
 Vegetation, paloverde, ironwood, cactus and greasewood.

The true point for the  $\frac{1}{4}$  sec. cor. on the N. bdy. of sec. 1, at midpoint, falls in wash in unsafe place for corner. Therefore, at a safe place for a witness  $\frac{1}{4}$  sec. cor. of sec. 1, from which place the true point for the corner bears E., 3.30 chs. dist.

Set an iron post, 36 ins. long, 2 ins. diam., 20 ins. in the ground, and in a mound of stone to top, with brass cap mkd.

## Subdivision of T. 3 S., R. 11 W.

Chains

T2S R11W

 $\frac{1}{4}$  S 1 WC

T3S

1957

Deposit brown colored broken glass alongside the iron post.

From this witness corner

The cor. of secs. 35 and 36, T. 2 S., R. 11 W., which is monumented with an iron post, 2 ins. diam., set, mkd. and witnessed as described in the official record, bears E., 1.06 chs. dist.

From the cor. of secs. 2, 3, 34 and 35 on the S. bdy. of the township, which is monumented by an iron post, 3 ins. diam., set, mkd. and witnessed as described in the official record.

N. 0° 01' W., bet. secs. 34 and 35.

Over nearly level land.

0.52 Power transmission line, bears E. and W.

40.00 Point for the  $\frac{1}{4}$  sec. cor. of secs. 34 and 35.

Set an iron post, 36 ins. long, 2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T3S R11W

 $\frac{1}{4}$   
S34 | S35

1957

Deposit brown colored broken glass alongside the iron post.

60.00 Wash, 20 lks. wide, 3 ft. deep, course SE.

76.30 Fence, bears S. 64° 30' E. and N. 64° 30' W.

80.00 Point for the cor. of secs. 26, 27, 34 and 35.

Set an iron post, 36 ins. long, 2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T3S R11W

S27 | S26  
S34 | S35

1957

Deposit brown colored broken glass alongside the iron post.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

From the cor. of secs. 25, 26, 35 and 36.

S. 89° 57' W., bet. secs. 26 and 35.

Over nearly level land.

Subdivision of T. 3 S., R. 11 W.

Chains

40.02

Point for the 1/4 sec. cor. of secs. 26 and 35.

Set an iron post, 36 ins. long, 2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T3S R11W  
1/4 S26  
S35  
1957

Deposit brown colored broken glass alongside the iron post.

80.04

The cor. of secs. 26, 27, 34 and 35.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

N. 0° 01' W., bet. secs. 26 and 27.

Over nearly level land.

40.00

Point for the 1/4 sec. cor. of secs. 26 and 27.

Set an iron post, 36 ins. long, 2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T3S R11W  
1/4 S27 | S26  
1957

Deposit brown colored broken glass alongside the iron post.

80.00

Point for the cor. of secs. 22, 23, 26 and 27.

Set an iron post, 36 ins. long, 2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T3S R11W  
S22 | S23  
S27 | S26  
1957

Deposit brown colored glass alongside the iron post.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

From the cor. of secs. 23, 24, 25 and 26.

S. 89°56' W., bet. secs. 23 and 26.

Over nearly level land.

39.99

Point for the 1/4 sec. cor. of secs. 23 and 26.

Set an iron post, 36 ins. long, 2 ins. diam., 28 ins. in the ground, with brass cap mkd.

Subdivision of T. 3 S., R. 11 W.

Chains

T3S R11W  
 $\frac{1}{4}$   $\frac{S23}{S26}$   
 1957

Deposit brown colored broken glass alongside the iron post.

44.90 Wash, 30 lks. wide, 3 ft. deep, drains SSE.

79.98 The cor. of secs. 22, 23, 26 and 27.

Land, nearly level.  
 Soil, sandy loam.  
 Vegetation, paloverde, ironwood, cactus and greasewood.

N. 0° 01' W., bet. secs. 22 and 23.

Over nearly level land.

40.00 Point for the  $\frac{1}{4}$  sec. cor. of secs. 22 and 23.

Set an iron post, 36 ins. long, 2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T3S R11W  
 $\frac{1}{4}$  S22 | S23  
 1957

Deposit brown colored broken glass alongside the iron post.

80.00 Point for the cor. of secs. 14, 15, 22 and 23.

Set an iron post, 36 ins. long, 2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T3S R11W  
 $\frac{1}{4}$   $\frac{S15 | S14}{S22 | S23}$   
 1957

Deposit brown colored broken glass alongside the iron post.

Land, nearly level.  
 Soil, sandy loam.  
 Vegetation, paloverde, ironwood, cactus and greasewood.

From the cor. of secs. 13, 14, 23 and 24.

S. 89° 57' W., bet. secs. 14 and 23.

Over nearly level land.

4.30 Small wash, drains S.

40.02 Point for the  $\frac{1}{4}$  sec. cor. of secs. 14 and 23.

Set an iron post, 36 ins. long, 2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T3S R11W  
 $\frac{1}{4}$   $\frac{S14}{S23}$   
 1957

Subdivision of T. 3 S., R. 11 W.

Chains

Deposit brown colored broken glass alongside the iron post.

72.00

Wash, 30 lks. wide, 5 ft. deep, drains S. 30° E.

80.04

The cor. of secs. 14, 15, 22 and 23.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

N. 0° 01' W., bet. secs. 14 and 15.

Over nearly level land.

40.00

Point for the 1/4 sec. cor. of secs. 14 and 15.

Set an iron post, 36 ins. long, 2 ins. diam., 12 ins. in the ground, and in a mound of stone, 4 1/2 ft. base to top, with brass cap mkd.

T3S R11W

1/4

S15|S14

1957.

Deposit brown colored broken glass alongside the iron post.

80.00

Point for the cor. of secs. 10, 11, 14 and 15.

Set an iron post, 36 ins. long, 2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T3S R11W

S10|S11

S15|S14

1957.

Deposit brown colored broken glass alongside the iron post.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

From the cor. of secs. 11, 12, 13 and 14.

S. 89° 57' W., bet. secs. 11 and 14.

Over nearly level land.

40.01

Point for the 1/4 sec. cor. of secs. 11 and 14.

Set an iron post, 36 ins. long, 2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T3S R11W

1/4 S11

S14

1957

Deposit brown colored broken glass alongside the iron post.

43.50

Wash, 20 lks. wide, 3 ft. deep, drains S.

80.02

The cor. of secs. 10, 11, 14 and 15.



## Subdivision of T. 3 S., R. 11 W.

Chains

Land, nearly level.  
Soil, sandy loam.  
Vegetation, paloverde, ironwood, cactus and greasewood.

N. 0° 01' W., bet. secs. 10 and 11.

Over nearly level land.

40.00 Point for the  $\frac{1}{4}$  sec. cor. of secs. 10 and 11.

Set an iron post, 36 ins. long, 2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T3S R11W

$\frac{1}{4}$

S10|S11

1957

Deposit brown colored broken glass alongside the iron post.

80.00 Point for the cor. of secs. 2, 3, 10 and 11.

Set an iron post, 36 ins. long, 2 ins. diam., 25 ins. in the ground, with brass cap mkd.

T3S R11W

S 3 | S 2

S10 | S11

1957

Deposit brown colored broken glass alongside the iron post.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

From the cor. of secs. 1, 2, 11 and 12.

S. 89° 57' W., bet. secs. 2 and 11.

Over nearly level land.

20.80 Wash, 20 lks. wide, 3 ft. deep, drains S.

40.03 Point for the  $\frac{1}{4}$  sec. cor. of secs. 2 and 11.

Set an iron post, 36 ins. long, 2 ins. diam., 18 ins. in the ground, and in a mound of stone, 3 $\frac{1}{2}$  ft. base to top, with brass cap mkd.

T3S R11W

$\frac{1}{4}$  S 2

S11

1957

Deposit brown colored glass alongside the iron post.

80.06 The cor. of secs. 2, 3, 10 and 11.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

Subdivision of T. 3 S., R. 11 W.

Chains

N. 0° 01' W., bet. secs. 2 and 3.

Over nearly level land.

29.20 Asc. over rocky S. slope.

34.80 Low ridge, bears W. and N. 70° E.; thence desc. over rocky N. slope.

37.10 End of descent; thence over nearly level, rocky land.

40.00 Point for the 1/2 sec. cor. of secs. 2 and 3.

Set an iron post, 36 ins. long, 2 ins. diam., 8 ins. in the ground, and in a mound of stone, 4 ft. base to top, with brass cap mkd.

T3S R11W  
1/2  
S 3 | S 2  
1957

Deposit brown colored broken glass alongside the iron post.

44.50 Small rocky wash, drains SW.; thence asc. over rocky SSW. slope.

64.70 Ridge spur, slopes S. 80° W.; thence desc. over rocky NW. slope.

67.80 Head of draw, drains W.; thence asc. over rocky SW. slope.

70.80 Spur ridge, slopes NW.; thence desc. over broken N. slope.

80.01 Intersect the S. bdy. of sec. 34, T. 2 N., R. 11 W.

Point for the closing cor. of secs. 2 and 3.

Set an iron post, 36 ins. long, 2 ins. diam., 12 ins. in the ground, and in a mound of stone, 5 ft. base to top, with brass cap mkd.

T2S R11W  
S34  
S 3 | S 2  
T3S R11W  
c c  
1957

Deposit brown colored broken glass alongside the iron post.

From this corner

The 1/2 sec. cor. of sec. 34, T. 2 N., R. 11 W., which is monument-  
ed with an iron post, 1 in. diam., set, mkd. and witnessed as  
described in the official record, bears W., 2.22 chs. dist.

Land, S. 29.20 chs. nearly level, remainder rough and broken.  
Soil, S. 29.20 chs. sandy loam., remainder rocky.  
Vegetation, greasewood.

At the point for the 1/2 sec. cor. on the N. bdy. of sec. 2, at  
midpoint,

Set an iron post, 36 ins. long, 2 ins. diam., 28 ins. in the ground,  
with brass cap mkd.

T2S R11W  
1/2 S 2  
T3S  
1957

## Subdivision of T. 3 S., R. 11 W.

Chains

Deposit brown colored broken glass alongside the iron post.

From this corner

The cor. of secs. 34 and 35, T. 2 S., R. 11 W., which is monumented with an iron post, 2 ins. diam., set, mkd. and witnessed as described in the official record, bears W., 2.26 chs. dist.

From the cor. of secs. 3, 4, 33 and 34 on the S. bdy. of the township, which is monumented by an iron post, 3 ins. diam., set, mkd. and witnessed as described in the official record.

N. 0° 02' W., bet. secs. 33 and 34.

Over nearly level land.

0.52 Power transmission line, bears E. and W.

40.00 Point for the  $\frac{1}{4}$  sec. cor. of secs. 33 and 34.

Set an iron post, 36 ins. long, 2 ins. diam., 22 ins. in the ground, and in a mound of stone to top, with brass cap mkd.

T3S R11W

$\frac{1}{4}$   
S33|S34  
1957

Deposit brown colored broken glass alongside the iron post.

80.00 Point for the cor. of secs. 27, 28, 33 and 34.

Set an iron post, 36 ins. long, 2 ins. in diam., 26 ins. in the ground, with brass cap mkd.

T3S R11W

S28|S27  
S33|S34  
1957

From which

A well bears S. 76° 29' E.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, greasewood.

From the cor. of secs. 26, 27, 34 and 35.

S. 89° 57' W., bet. secs. 27 and 34.

Over nearly level land.

8.90 Fence, bears S. 64° 30' E. and N. 64° 30' W.

9.80 Same fence, bears N. 87° 30' E. and S. 87° 30' W.

15.00 Wash, 50 lks. wide, 3 ft. deep, drains SSE.

40.04 Point for the  $\frac{1}{4}$  sec. cor. of secs. 27 and 34.

Subdivision of T. 3 S., R. 11 W.

Chains

Set an iron post, 30 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.

T3S R11W  
¼  $\frac{S27}{S34}$   
1957

Deposit brown colored broken glass alongside the iron post.

Raise a mound of stone, N. of corner.

From which

A well bears S. 65° 39' W.

55.30 Fence, bears N. and S.

80.08 The cor. of secs. 27, 28, 33 and 34.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood and greasewood.

N. 0° 02' W., bet. secs. 27 and 28.

Over nearly level land.

16.00 Leave nearly level land; asc. 490 ft. over rocky S. slope.

37.50 E. slope of ridge, at a point 2 chs. E. of top; thence desc. over rocky and broken N. slope.

40.00 Point for the ¼ sec. cor. of secs. 27 and 28.

Set an iron post, 36 ins. long, 2 ins. diam., 8 ins. in the ground, and in a mound of stone, 4½ ft. base to top, with brass cap mkd.

T3S R11W  
¼  
S28|S27  
1957

No accessory.

51.70 Saddle, slope changes to W. to NW. slope.

66.00 Base of descent; thence over nearly level land.

80.00 Point for the cor. of secs. 21, 22, 27 and 28.

Set an iron post, 36 ins. long, 2 ins. diam., 10 ins. in the ground, and in a mound of stone, 4 ft. base to top, with brass cap mkd.

T3S R11W  
S21|S22  
S28|S27  
1957

Deposit brown colored broken glass alongside the iron post.

Land, from 29.20 chs. to 66.00 chs. rough and rocky, remainder nearly level.

Soil, from 29.20 chs. to 66.00 chs. rocky, remainder sandy loam.

Vegetation, greasewood.

## Subdivision of T. 3 S., R. 11 W.

Chains

From the cor. of secs. 22, 23, 26 and 27.

S. 89° 57' W., bet. secs. 22 and 27.

Over nearly level land.

25.30 Wash, 50 lks. wide, 4 ft. deep, drains S.

40.05 Point for the  $\frac{1}{4}$  sec. cor. of secs. 22 and 27.

Set an iron post, 36 ins. long, 2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T3S R11W  
 $\frac{1}{4}$   $\frac{S22}{S27}$   
 1957

Deposit brown colored broken glass alongside the iron post.

74.60 Wash, 50 lks. wide, 3 ft. deep, drains SE.

80.10 The cor. of secs. 21, 22, 27 and 28.

Land, nearly level.  
 Soil, sandy loam.  
 Vegetation paloverde, ironwood and greasewood.

N. 0° 02' W., bet. secs. 21 and 22.

Over nearly level land.

1.90 Small wash, drains E.

35.20 Wash, 30 lks. wide, 3 ft. deep, drains S. 30° E.

40.00 Point for the  $\frac{1}{4}$  sec. cor. of secs. 21 and 22 falls in small wash, drains S. 15° E.

40.70 Point selected for the witness cor. of secs. 21 and 22.

Set an iron post, 36 ins. long, 2 ins. diam., 14 ins. in the ground, and in a mound of stone, 4 ft. base to top, with brass cap mkd.

T3S R11W  
 $\frac{1}{4}$   
 S21|S22  
 W C  
 1957

Deposit brown colored broken glass alongside the iron post.

80.00 Point for the cor. of secs. 15, 16, 21 and 22.

Set an iron post, 36 ins. long, 2 ins. diam., 22 ins. in the ground, and in a mound of stone, 3 ft. base to top, with brass cap mkd.

T3S R11W  
 S16|S15  
 S21|S22  
 1957

Deposit brown colored broken glass alongside the iron post.

Subdivision of T. 3 S., R. 11 W.

Chains

Land, nearly level.  
Soil, sandy loam.  
Vegetation, paloverde, ironwood and greasewood.

From the cor. of secs. 14, 15, 22 and 23.

S. 89° 56' W., bet. secs. 15 and 22.

Over nearly level land.

17.10 Wash, 50 lks. wide, 3 ft. deep, drains generally S.

40.02 Point for the 1/4 sec. cor. of secs. 15 and 22.

Set an iron post, 36 ins. long, 2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T3S R11W  
1/4 S15  
S22  
1957

Deposit brown colored broken glass alongside the iron post.

80.04 The cor. of secs. 15, 16, 21 and 22.

Land, nearly level.  
Soil, sandy loam.  
Vegetation, paloverde, ironwood and greasewood.

N. 0° 02' W., bet. secs. 15 and 16.

Over nearly level land.

40.00 Point for the 1/4 sec. cor. of secs. 15 and 16.

Set an iron post, 36 ins. long, 2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T3S R11W  
1/4 S16 | S15  
1957

Deposit brown colored broken glass alongside the iron post.

80.00 Point for the cor. of secs. 9, 10, 15 and 16.

Set an iron post, 36 ins. long, 2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T3S R11W  
S 9 | S10  
S16 | S15  
1957

Deposit broken glass alongside the iron post.

Land, nearly level.  
Soil, sandy loam.  
Vegetation, paloverde, ironwood and greasewood.

Subdivision of T. 3 S., R. 11 W.

Chains

From the cor. of secs. 10, 11, 14 and 15.

S. 89° 57' W., bet. secs. 10 and 15.

Over nearly level land.

27.00 Wash, 50 lks. wide, 5 ft. deep, drains SSE.

40.02 Point for the 1/4 sec. cor. of secs. 10 and 15.

Set an iron post, 36 ins. long, 2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T3S R11W

1/4 S10  
S15  
1957

Deposit brown colored broken glass alongside the iron post.

80.04 The cor. of secs. 9, 10, 15 and 16.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood and greasewood.

N. 0° 02' W., bet. secs. 9 and 10.

Over nearly level land.

40.00 Point for the 1/4 sec. cor. of secs. 9 and 10.

Set an iron post, 36 ins. long, 2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T3S R11W

1/4 S 9 | S10  
1957

Deposit brown colored broken glass alongside the iron post.

80.00 Point for the cor. of secs. 3, 4, 9 and 10.

Set an iron post, 30 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T3S R11W

S 4 | S 3  
S 9 | S10  
1957

Deposit brown colored broken glass alongside the iron post.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood and greasewood.

From the cor. of secs. 2, 3, 10 and 11.

S. 89° 53' W., bet. secs. 3 and 10.

Over nearly level land.

Subdivision of T. 3 S., R. 11 W.

Chains	
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 3 and 10.
	Set an iron post, 36 ins. long, 2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R11W $\frac{1}{4}$ S 3 S10 1957
	Deposit brown colored broken glass alongside the iron post.
51.80	Wash, 40 lks. wide, 3 ft. deep, drains SSW.
56.00	Wash, 40 lks. wide, 3 ft. deep, drains SSE.
80.00	The cor. of secs. 3, 4, 9 and 10.
	Land, nearly level. Soil, sandy loam. Vegetation, paloverde, ironwood and greasewood.
N. 0° 02' W., bet. secs. 3 and 4.	
	Over nearly level land.
39.10	Wash, 40 lks. wide, 3 ft. deep, drains SSE.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 3 and 4.
	Set an iron post, 36 ins. long, 2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R11W $\frac{1}{4}$ S 4   S 3 1957
	Deposit brown colored broken glass alongside the iron post.
80.09	Intersect the S. bdy. of sec. 33. T. 2 S., R. 11 W.
	Point for the closing cor. of secs. 3 and 4.
	Set an iron post, 36 ins. long, 2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T2S R11W S33 S 4   S 3 T3S R11W c c 1957
	Deposit brown colored broken glass alongside the iron post.
	From this corner
	The $\frac{1}{4}$ sec. cor. of sec. 33., T 2 S., R. 11 W., which is monument- ed with an iron post, 1 in. diam., set, mkd. and witnessed as described in the official record, bears W., 2.26 chs. dist.



Subdivision of T. 3 S., R. 11 W.

Chains

Land, nearly level.  
Soil, sandy loam.  
Vegetation, paloverde, ironwood, cactus and greasewood.

At the point for the  $\frac{1}{4}$  sec. cor. on the N. bdy. of sec. 3, at midpoint.

Set an iron post, 36 ins. long, 2 ins. diam., 24 ins. in the ground, and in a mound of stone to top, with brass cap mkd.

T2S R11W

$\frac{1}{4}$  S 3

T3S

1957

Deposit brown colored glass alongside the iron post.

From this corner

The cor. of secs. 33 and 34, T. 2 S., R. 11 W., which is monument-  
ed with an iron post, 2 ins. diam., set, mkd. and witnessed as  
described in the official record, bears W., 2.24 chs. dist.

From the cor. of secs. 4, 5, 32 and 33 on the S. bdy. of the township,  
which is monumented with an iron post, 3 ins. diam., set, mkd. and  
witnessed as described in the official record.

N. 0° 02' W., bet. secs. 32 and 33.

Over nearly level land.

0.52 Power transmission line, bears E. and W.

40.00 Point for the  $\frac{1}{4}$  sec. cor. of secs. 32 and 33.

Set an iron post, 30 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground,  
with brass cap mkd.

T3S R11W

$\frac{1}{4}$   
S32 | S33

1957

Deposit brown colored broken glass alongside the iron post.

73.50 Asc. 106 ft. over rocky SSW. slope.

80.00 Point for the cor. of secs. 28, 29, 32 and 33 falls on unsafe rocky  
ledge.

Land, S. 73.50 chs. nearly level, remainder rocky ledges.  
Soil, S. 73.50 chs. sandy loam, remainder rock.  
Vegetation, greasewood.

From the cor. of secs. 27, 28, 33 and 34.

S. 89° 59' W., bet. secs. 28 and 33.

Over nearly level land.

25.30 Wash, 50 lks. wide, 2 ft. deep, drains S.

Subdivision of T. 3 S., R. 11 W.

Chains	
40.03	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 28 and 33.</p> <p>Set an iron post, 30 ins. long, <math>2\frac{1}{2}</math> ins. diam., 20 ins. in the ground, and in a mound of stone to top, with brass cap mkd.</p> <p style="text-align: center;">T3S R11W <math>\frac{1}{4}</math> <math>\frac{S28}{S33}</math> 1957</p> <p>Deposit brown colored broken glass alongside the iron post.</p>
65.90	Enter wide wash, drains SSE.
74.30	Leave wash; thence asc. 70 ft. over rocky E. slope.
79.20	Crest of ridge, bears N. $60^\circ$ W. and S. $60^\circ$ E.; thence over rocky ledge to corner.
80.06	<p>The true point for the cor. of secs. 28, 29, 32 and 33.</p> <p>Land, E. 74.30 chs. level, remainder rocky and rough. Soil, E. 74.30 chs. sandy loam, remainder rocky. Vegetation, greasewood.</p>
	<p>N. <math>0^\circ 02'</math> W., bet. secs. 28 and 29.</p> <p>Asc. 20 ft. over rocky ledge.</p>
0.57	<p>Point selected for the witness cor. of secs. 28, 29, 32 and 33 on rocky ridge, bears S. <math>60^\circ</math> E. and NW.</p> <p>Set an iron post, 30 ins. long, <math>2\frac{1}{2}</math> ins. diam., on bedrock, and in a mound of stone, 5 ft. base to top, with brass cap mkd.</p> <p style="text-align: center;">T3S R11W <math>\frac{S29}{S32}   \frac{S28}{S33}</math> W C 1957</p>
	Desc. 107 ft. over broken and rocky NE. slope.
11.00	Small wash, drains SE.; thence asc. 328 ft. over broken rocky E. to SE. slope.
40.00	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 28 and 29.</p> <p>Set an iron post, 30 ins. long, <math>2\frac{1}{2}</math> ins. diam., on bedrock, and in a mound of stone, <math>4\frac{1}{2}</math> ft. base to top, with brass cap mkd.</p> <p style="text-align: center;">T3S R11W <math>\frac{1}{4}</math> <math>\frac{S29}{S28}</math> 1957</p>
	Asc. 77 ft. over broken and rocky SE. slope.
45.00	Broken ridge, bears N. $10^\circ$ E. and S. $10^\circ$ W.; thence desc. 261 ft. over broken and rocky N. slope.
54.50	Base of steep descent, bears SW. and SE.; thence desc. 53 ft. over gradual N. slope.

## Subdivision of T. 3 S., R. 11 W.

Chains

80.00

Point for the cor. of secs. 20, 21, 28 and 29.

Set an iron post, 30 ins. long, 2½ ins. diam., 20 ins. in the ground, and in a mound of stone to top, with brass cap mkd.

T3S R11W  
 S20|S21  
 S29|S28  
 1957

Deposit brown colored broken glass alongside the iron post.

Land, rough and broken.

Soil, rocky.

Vegetation, none.

From the cor. of secs. 21, 22, 27 and 28.

S. 89° 58' W., bet. secs. 21 and 28.

Over nearly level land.

34.20 Asc. over E. slope.

38.40 Low ridge, bears N. and S.; desc. over W. slope.

40.04 Point for the ¼ sec. cor. of secs. 21 and 28.

Set an iron post, 30 ins. long, 2½ ins. diam., 9 ins. in the ground, and in a mound of stone, 4 ft. base to top, with brass cap mkd.

T3S R11W  
 ¼ S21  
 S28  
 1957

Deposit brown colored broken glass alongside the iron post.

Desc. over W. slope to wash.

44.90 Enter wide wash, 3 ft. deep, drains S.

51.50 Leave wash.

67.70 Fence, bears S. 60° 45' E. and N. 60° 45' W.

76.00 Wash, 20 lks. wide, 5 ft. deep, drains S. 60° E.

80.08 The cor. of secs. 20, 21, 28 and 29.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood and greasewood.

N. 0° 02' W., bet. secs. 20 and 21.

Over nearly level land.

2.90 Wash, drains S. 60° E.

7.30 Fence, bears S. 60° 45' E. and N. 60° 45' W.

Subdivision of T. 3 S., R. 11 W.

Chains 40.00	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 20 and 21.</p> <p>Set an iron post, 30 ins. long, <math>2\frac{1}{2}</math> ins. diam., 20 ins. in the ground, and in a mound of stone to top, with brass cap mkd.</p> <p style="text-align: center;">T3S R11W <math>\frac{1}{4}</math> S20   S21 1957</p> <p>Deposit brown colored broken glass alongside the iron post.</p>
59.40	<p>Wash, 30 lks. wide, 3 ft. deep, drains SSE.</p>
80.00	<p>Point for the cor. of secs. 16, 17, 20 and 21.</p> <p>Set an iron post, 30 ins. long, <math>2\frac{1}{2}</math> ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R11W S17   S16 S20   S21 1957</p> <p>Deposit brown colored broken glass alongside the iron post.</p> <p>Set a wood post, 48 ins. long, 4x4 ins., 20 ins. in the ground, W. of corner.</p> <p>Land, nearly level. Soil, sandy loam. Vegetation, paloverde, ironwood and greasewood.</p>
15.00	<p>From the cor. of secs. 15, 16, 21 and 22.</p> <p>S. <math>89^{\circ} 58'</math> W., bet. secs. 16 and 21.</p> <p>Over nearly level land.</p> <p>Wash, 20 lks. wide, 5 ft. deep, drains S.</p>
40.03	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 16 and 21.</p> <p>Set an iron post, 30 ins. long, <math>2\frac{1}{2}</math> ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R11W <math>\frac{1}{4}</math> S16 S21 1957</p> <p>Deposit brown colored broken glass alongside the iron post.</p>
64.10	<p>Wash, 30 lks. wide, 3 ft. deep, drains S.</p>
68.10	<p>Wash, 30 lks. wide, 4 ft. deep, drains S.</p>
80.06	<p>The cor. of secs. 16, 17, 20 and 21.</p> <p>Land, nearly level. Soil, sandy loam. Vegetation, paloverde, ironwood and greasewood.</p>

## Subdivision of T. 3 S., R. 11 W.

Chains

N. 0° 02' W., bet. secs. 16 and 17.

Over nearly level land.

25.00 Wash, 30 lks. wide, 3 ft. deep, drains SSE.

40.00 Point for the  $\frac{1}{4}$  sec. cor. of secs. 16 and 17.Set an iron post, 30 ins. long, 2 $\frac{1}{2}$  ins. diam., 22 ins. in the ground, with brass cap mkd.

T3S R11W

 $\frac{1}{4}$ 

S17 | S16

1957

Deposit brown colored broken glass alongside the iron post.

Raise a mound of stone, 3 ft. base, 2 ft. high, W. of corner.

80.00 Point for the cor. of secs. 8, 9, 16 and 17.

Set an iron post, 30 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

T3S R11W

S 8 | S 9

S17 | S16

1957

Deposit brown colored broken glass alongside the iron post.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

From the cor. of secs. 9, 10, 15 and 16.

S. 89° 58' W., bet. secs. 9 and 16.

Over nearly level land.

40.05 Point for the  $\frac{1}{4}$  sec. cor. of secs. 9 and 16.Set an iron post, 30 ins. long, 2 $\frac{1}{2}$  ins. diam., 22 ins. in the ground, with brass cap mkd.

T3S R11W

 $\frac{1}{4}$   $\frac{S 9}{S16}$ 

1957

Deposit brown colored broken glass alongside the iron post.

69.40 Wash, 40 lks. wide, 3 ft. deep, drains S.

80.10 The cor. of secs. 8, 9, 16 and 17.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

## Subdivision of T. 3 S., R. 11 W.

Chains

N. 0° 02' W., bet. secs. 8 and 9.

Over nearly level land.

35.30 Wash, 30 lks. wide, 3 ft. deep, drains SE.

40.00 Point for the  $\frac{1}{4}$  sec. cor. of secs. 8 and 9.

Set an iron post, 30 ins. long, 2½ ins. diam., 14 ins. in the ground, and in a mound of stone, 3½ ft. base to top, with brass cap mkd.

T3S R11W

$$\frac{1}{4}$$

S 8		S 9
1957		

Deposit brown colored broken glass alongside the iron post.

42.60 Wash, 20 lks. wide, 3 ft. deep, drains SSE.

65.50 Wash, 20 lks. wide, 3 ft. deep, drains SSE.

80.00 Point for the cor. of secs. 4, 5, 8 and 9.

Set an iron post, 30 ins. long, 2½ ins. diam., 22 ins. in the ground, and in a mound of stone to top, with brass cap mkd.

T3S R11W

S 5		S 4
S 8		S 9
1957		

Deposit brown colored broken glass alongside the iron post.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

From the cor. of secs. 3, 4, 9 and 10.

S. 89° 56' W., bet. secs. 4 and 9.

Over nearly level land.

40.05 Point for the  $\frac{1}{4}$  sec. cor. of secs. 4 and 9.

Set an iron post, 30 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.

T3S R11W

$$\frac{1}{4} \frac{S 4}{S 9}$$

1957		
------	--	--

Deposit brown colored broken glass alongside the iron post.

76.00 Wash, 20 lks. wide, 3 ft. deep, drains S.

80.10 The cor. of secs. 4, 5, 8 and 9.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

## Subdivision of T. 3 S., R. 11 W.

Chains

N. 0° 02' W., bet. secs. 4 and 5.

Over nearly level land.

14.30 Wash, 40 lks. wide, 3 ft. deep, drains SSE.

40.00 Point for the  $\frac{1}{4}$  sec. cor. of secs. 4 and 5.Set an iron post, 30 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

T3S R11W

 $\frac{1}{4}$ 

S 5 | S 4

1957

Deposit brown colored broken glass alongside the iron post.

80.11 Intersect the S. bdy. of sec. 32, T. 2 S., R. 11 W.

Point for the closing cor. of secs. 4 and 5.

Set an iron post, 30 ins. long,  $2\frac{1}{2}$  ins. diam., 10 ins. in the ground, and in a mound of stone to top, with brass cap mkd.

T2S R11W

S32

S 5 | S 4

T3S R11W

c c

1957

Deposit brown colored broken glass alongside the iron post.

From this corner

The  $\frac{1}{4}$  sec. cor. of sec. 32, T. 2 S., R. 11 W., which is monument-  
ed with an iron post, 1 in. diam., set, mkd. and witnessed as  
described in the official record, bears W., 2.18 chs. dist.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

At the point for the  $\frac{1}{4}$  sec. cor. on the N. bdy. of sec. 4, at  
midpoint

Set an iron post, 30 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, and in a mound of stone to top, with brass cap mkd.

T2S R11W

 $\frac{1}{4}$  S 4

T3S

1957

Deposit brown colored broken glass alongside the iron post.

From this corner

The cor. of secs. 32 and 33, T. 2 S., R. 11 W., which is monument-  
ed with an iron post, 2 ins. diam., set, mkd. and witnessed as  
described in the official record, bears W., 2.22 chs. dist.

Subdivision of T. 3 S., R. 11 W.

Chains	<p>From the cor. of secs. 5, 6, 31 and 32 on the S. bdy. of the township, which is monumented by an iron post, 3 ins. diam., set, mkd. and witnessed as described in the official record.</p> <p>N. 0° 03' W., bet. secs. 31 and 32.</p> <p>Over nearly level land.</p>
0.52	Power transmission line, bears E. and W.
40.00	<p>Point for the ½ sec. cor. of secs. 31 and 32.</p> <p>Set an iron post, 30 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R11W ½ S31 S32 1957</p> <p>Deposit brown colored broken glass alongside the iron post.</p>
80.00	<p>Point for the cor. of secs. 29, 30, 31 and 32.</p> <p>Set an iron post, 30 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R11W S30 S29 S31 S32 1957</p> <p>Deposit colorless broken glass alongside the iron post.</p> <p>Land, nearly level. Soil, sandy loam. Vegetation, greasewood.</p>
9.20	<p>From the true point for the cor. of secs. 28, 29, 32 and 33</p> <p>S. 89° 59' W., bet. secs. 29 and 32.</p> <p>Desc. 115 ft. over rocky SW. slope.</p> <p>Base of desc., bears SE. and NW.; thence over nearly level land.</p>
40.02	<p>Point for the ½ sec. cor. of secs. 29 and 32.</p> <p>Set an iron post, 30 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R11W ½ S29 S32 1958</p> <p>Deposit colorless broken glass alongside the iron post.</p>
80.04	<p>The cor. of secs. 29, 30, 31 and 32.</p> <p>Land, E. 10.20 chs. rough; remainder nearly level. Soil, E. 10.20 chs. rocky; remainder sandy loam. Vegetation, greasewood.</p>





Subdivision of T. 3 S., R. 11 W.

Chains

S. 89° 58' W., bet. secs. 30 and 31.

Over nearly level land.

30.90 Wash, 40 lks. wide, 6 ft. deep, drains SSW.

40.00 Point for the 1/4 sec. cor. of secs. 30 and 31.

Set an iron post, 30 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.

T3S R11W  
 1/4  $\frac{S30}{S31}$   
 1958

Deposit brown colored broken glass alongside the iron post.

40.90 Elk wash, 40 lks. wide, 5 ft. deep, drains S.

68.48 The cor. of secs. 25, 30, 31 and 36 on the W. bdy. of the township.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

From the cor. of secs. 29, 30, 31 and 32.

N. 0° 03' W., bet. secs. 29 and 30.

Over nearly level land.

40.00 Point for the 1/4 sec. cor. of secs. 29 and 30.

Set an iron post, 30 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.

T3S R11W  
 1/4  $\frac{S30}{S29}$   
 1958

Deposit brown colored broken glass alongside the iron post.

62.50 Asc. over S. slope.

65.80 Small broken ridge, bears S. 80° E. and W.; desc. over N. slope.

66.70 Base of descent, bears E. and W.; thence over nearly level land.

80.00 Point for the cor. of secs. 19, 20, 29 and 30.

Set an iron post, 30 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.

T3S R11W  
 $\frac{S19}{S30} | \frac{S20}{S29}$   
 1958

Deposit brown colored broken glass alongside the iron post.

Land, nearly level.

Soil, sandy loam.

Vegetation, greasewood.

Subdivision of T. 3 S., R. 11 W.

Chains

From the cor. of secs. 20, 21, 28 and 29.

N. 89° 57' W., bet. secs. 20 and 29.

Over nearly level land.

15.20 Asc. over E. to NE. slope.

27.00 Low ridge spur, slopes NW.; thence desc. over W. to NW. slope.

40.03 Point for the ¼ sec. cor. of secs. 20 and 29.

Set an iron post, 30 ins. long, 2½ ins. diam., 8 ins. in the ground, and in a mound of stone, 5 ft. base to top, with brass cap mkd.

T3S R11W  
¼  $\frac{S20}{S29}$   
1958

Deposit brown colored broken glass alongside the iron post.

45.50 Small wash, drains NW.

58.50 Asc. over NE. to N. slope.

66.50 Ridge spur, slopes NW.; thence desc. 143 ft. over W. slope.

80.06 The cor. of secs. 19, 20, 29 and 30.

Land, rough.  
Soil, sandy loam and rocky.  
Vegetation, greasewood.

S. 89° 59' W., bet. secs. 19 and 30.

Over nearly level land.

6.10 Wash, 20 lks. wide, 3 ft. deep, drains SSW.

40.00 Point for the ¼ sec. cor. of secs. 19 and 30 falls in Elk wash, drains S.

43.30 Point selected for the witness cor. of secs. 19 and 30.

Set an iron post, 30 ins. long, 2½ ins. diam., 20 ins. in the ground, and in a mound of stone to top, with brass cap mkd.

T3S R11W  
¼  $\frac{S19}{S30}$  W  
C  
1958

Deposit brown colored broken glass alongside the iron post.

59.50 Fence, bears N. 72° 45' E. and S. 72° 45' W.

62.00 Wash, 40 lks. wide, 4 ft. deep, drains SE.

68.41 The cor. of secs. 19, 24, 25 and 30 on the W. bdy. of the township.

Land, nearly level.  
Soil, sandy loam.  
Vegetation, greasewood.

## Subdivision of T. 3 S., R. 11 W.

Chains

From the cor. of secs. 19, 20, 29 and 30.

N. 0° 03' W., bet. secs. 19 and 20.

Over nearly level land.

8.00 W. end of spur, slopes NW.

18.20 Fence, bears N. 72° 45' W. and S. 72° 45' W.

28.70 W., 50 lks. wide, 4 ft. deep, drains SW.

40.00 Point for the  $\frac{1}{4}$  sec. cor. of secs. 19 and 20.Set an iron post, 30 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

T3S R11W

 $\frac{1}{4}$ 

S19|S20

1958

Deposit brown colored broken glass alongside the iron post.

80.00 Point for the cor. of secs. 17, 18, 19 and 20.

Set an iron post, 30 ins. long, 2 $\frac{1}{2}$  ins. diam., 22 ins. in the ground, with brass cap mkd.

T3S R11W

S18|S17

S19|S20

1958

Deposit brown colored broken glass alongside the iron post.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

From the cor. of secs. 16, 17, 20 and 21.

S. 89° 58' W., bet. secs. 17 and 20.

Over nearly level land.

40.03 Point for the  $\frac{1}{4}$  sec. cor. of secs. 17 and 20.Set an iron post, 30 ins. long, 2 $\frac{1}{2}$  ins. diam., 20 ins. in the ground, with brass cap mkd.

T3S R11W

 $\frac{1}{4}$   $\frac{S17}{S20}$ 

1958

Deposit brown colored broken glass alongside the iron post.

76.20 Wash, 30 lks. wide, 3 ft. deep, drains S.

80.06 The cor. of secs. 17, 18, 19 and 20.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

Subdivision of T. 3 S., R. 11 W.

Chains

S. 89° 56' W., bet. secs. 18 and 19.

Over nearly level land.

21.10 Wash, 40 lks. wide, 4 ft. deep, drains S.

40.00 Point for the 1/4 sec. cor. of secs. 18 and 19.

Set an iron post, 30 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.

T3S R11W  
1/4 S18  
S19  
1958

Deposit brown colored broken glass alongside the iron post.

51.10 Elk Wash, 40 lks. wide, 5 ft. deep, drains SSE.

68.34 The cor. of secs. 13, 18, 19 and 24 on the W. bdy. of the township.

Land, nearly level.  
Soil, sandy loam.  
Vegetation, paloverde, ironwood, cactus and greasewood.

From the cor. of secs. 17, 18, 19 and 20.

N. 0° 03' W., bet. secs. 17 and 18.

Over nearly level land.

40.00 Point for the 1/4 sec. cor. of secs. 17 and 18.

Set an iron post, 30 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, and in a mound of stone to top, with brass cap mkd.

T3S R11W  
1/4 S18 | S17  
1958

Deposit brown colored broken glass alongside the iron post.

80.00 Point for the cor. of secs. 7, 8, 17 and 18.

Set an iron post, 36 ins. long, 3 ins. diam., 24 ins. in the ground, and in a mound of stone to top, with brass cap mkd.

T3S R11W  
S 7 | S 8  
S18 | S17  
1958

Deposit brown colored broken glass alongside the iron post.

Corner falls at the head of small wash, drains SSE.

Land, nearly level.  
Soil, sandy loam.  
Vegetation, paloverde, ironwood, cactus and greasewood.

## Subdivision of T. 3 S., R. 11 W.

Chains

From the cor. of secs. 8, 9, 16 and 17.

S. 89° 58' W., bet. secs. 8 and 17.

Over nearly level land.

40.02

Point for the  $\frac{1}{4}$  sec. cor. of secs. 8 and 17.Set an iron post, 30 ins. long, 2 $\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

T3S R11W  
 $\frac{1}{4}$   $\frac{S\ 8}{S17}$   
 1958

Deposit brown colored broken glass alongside the iron post.

80.04

The cor. of secs. 7, 8, 17 and 18.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

S. 89° 58' W., bet. secs. 7 and 18.

Over nearly level land.

30.20

Elk wash, 40 lks. wide, 4 ft. deep, drains SSW.

40.00

Point for the  $\frac{1}{4}$  sec. cor. of secs. 7 and 18.Set an iron post, 30 ins. long, 2 $\frac{1}{2}$  ins. diam., 20 ins. in the ground, with brass cap mkd.

T3S R11W  
 $\frac{1}{4}$   $\frac{S\ 7}{S18}$   
 1958

Deposit brown colored broken glass alongside the iron post.

68.29

The cor. of secs. 7, 12, 13 and 18 on the W. bdy. of the township.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

From the cor. of secs. 7, 8, 17 and 18.

N. 0° 03' W., bet. secs. 7 and 8.

Over nearly level land.

40.00

Point for the  $\frac{1}{4}$  sec. cor. of secs. 7 and 8.Set an iron post, 30 ins. long, 2 $\frac{1}{2}$  ins. diam., 20 ins. in the ground, and in a mound of stone to top, with brass cap mkd.

T3S R11W  
 $\frac{1}{4}$   
 S 7 | S 8  
 1958

Subdivision of T. 3 S., R. 11 W.

Chains

80.00 Deposit brown colored broken glass alongside the iron post.  
Point for the cor. of secs. 5, 6, 7 and 8.  
Set an iron post, 30 ins. long, 2½ ins. diam., 20 ins. in the ground, and in a mound of stone to top, with brass cap mkd.

T3S R11W	
S 6	S 5
S 7	S 8
1958	

Deposit brown colored broken glass alongside the iron post.  
Land, nearly level.  
Soil, sandy loam.  
Vegetation, paloverde, ironwood, cactus and greasewood.

38.44 From the cor. of secs. 4, 5, 8 and 9.  
S. 89° 59' W., bet. secs. 5 and 8.  
Over nearly level land.  
Point selected for the witness cor. of secs. 5 and 8.  
Set an iron post, 30 ins. long, 2½ ins. diam., 20 ins. in the ground, and in a mound of stone to top, with brass cap mkd.

T3S R11W	
¼ W	S 5
C	S 8
1958	

40.02 Deposit brown colored broken glass alongside the iron post.  
True point for the ¼ sec. cor. of secs. 5 and 8 falls in wash, 20 lks. wide, 5 ft. deep, drains S. 15° E.

80.04 The cor. of secs. 5, 6, 7 and 8.  
Land, nearly level.  
Soil, sandy loam.  
Vegetation, paloverde, ironwood, cactus and greasewood.

23.80 S. 89° 57' W., bet. secs. 6 and 7.  
Over nearly level land.  
Elk Wash, 55 lks. wide, 4 ft. deep, drains SSW.

40.00 Point for the ¼ sec. cor. of secs. 6 and 7.  
Set an iron post, 30 ins. long, 2½ ins. diam., 18 ins. in the ground, and in a mound of stone to top, with brass cap mkd.

T3S R11W	
¼	S 6
	S 7
1958	

Deposit brown colored glass alongside the iron post.

## Subdivision of T. 3 S., R. 11 W.

Chains

68.20 The cor. of secs. 1, 6, 7 and 12 on the W. bdy. of the township.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

From the cor. of secs. 5, 6, 7 and 8.

N. 0° 03' W., bet. secs. 5 and 6.

Over nearly level land.

40.00 Point for the  $\frac{1}{4}$  sec. cor. of secs. 5 and 6.Set an iron post, 30 ins. long,  $2\frac{1}{2}$  ins. diam., 22 ins. in the ground, and in a mound of stone to top, with brass cap mkd.

T3S R11W

 $\frac{1}{4}$ 

S 6 | S 5

1958

Deposit brown colored broken glass alongside the iron post.

80.15 Intersect the S. bdy. of sec. 31, T. 2 S., R. 11 W.

Point for the closing cor. of secs. 5 and 6.

Set an iron post, 30 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

T2S R11W

S31

S 6 | S 5

T3S R11W

c c

1958

Deposit brown colored broken glass alongside the iron post.

Raise a mound of stone, 3 ft. base, 2 ft. high, S. of corner.

From this corner

The  $\frac{1}{4}$  sec. cor. on the S. bdy of sec. 31, T. 2 S., R. 11 W., which is monumented with an iron post, 1 in. diam., set, mkd. and witnessed as described in the official record, bears W., 2.15 chs. dist.

Land, nearly level.

Soil, sandy loam.

Vegetation, paloverde, ironwood, cactus and greasewood.

At the point for the  $\frac{1}{4}$  sec. cor. on the N. bdy. of sec. 5, at midpointSet an iron post, 30 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap mkd.

T2S R11W

 $\frac{1}{4}$  S 5

T3S

1958

## Subdivision of T. 3 S., R. 11 W.

Chains

Deposit brown colored broken glass alongside the iron post.

Raise a mound of stone, 3 ft. base, 2 ft. high, S. of corner.

From this corner

The cor. of secs. 31 and 32, T. 2 S., R. 11 W., which is monument-  
ed with an iron post, 2 ins. diam., set, mkd. and witnessed as  
described in the official record, bears W., 2.165 chs. dist.

At the point for the  $\frac{1}{4}$  sec. cor. on the N. bdy. of sec. 6.

At a point 40.00 chs. dist. W. of the closing cor. of secs. 5 and 6.

Set an iron post, 30 ins. long, 2 $\frac{1}{2}$  ins. diam., 15 ins. in the ground,  
and in a mound of stone, 4 ft. base to top, with brass cap mkd.

T2S R11W

$\frac{1}{4}$  S 6

T3S R11W

1958

Deposit brown colored broken glass alongside the iron post.

From this corner

The cor. of Ts. 2 S., Rs. 11 and 12 W., which is monumented with  
an iron post, 3 ins. diam., set, mkd. and witnessed as described  
in the official record, bears W., 2.15 chs. dist.

## GENERAL DESCRIPTION

The land within this township, T. 3 S., R. 11 W., is principally  
level, with a south exposure and drainage toward the Gila River.

The soil is principally a rich sandy loam, with numerous rock  
outcrops, covered with an undergrowth of jumping cholla and grease-  
wood. Timber consists of a mixture of yellow paloverde, ironwood  
and saguaro cactus.

The only water noted in the township was in one well, in the  
NE $\frac{1}{4}$  NW $\frac{1}{4}$  of sec. 34.





### CERTIFICATE OF CADASTRAL ENGINEER

I, DeWitt A. Crain, HEREBY CERTIFY upon honor that, in  
pursuance of special instructions bearing date of the 31st day of October, 1957,  
I have surveyed the west boundary and the subdivisional lines of Township 3 South,  
Range 11 West

of the Gila & Salt River Meridian, in the State of Arizona, which are  
represented in the foregoing field notes as having been executed by me and under my direction; and that  
said survey has been made in strict conformity with said instructions, the Manual of Instructions for the  
Survey of the Public Lands of the United States, and in the specific manner described in the foregoing  
field notes.

April 2, 1958  
Salt Lake City, Utah

DeWitt A. Crain  
DeWitt A. Crain - Cadastral Surveyor

### CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT,  
Washington, D. C., APR 15 1958, 19

The foregoing field notes of the survey of the west boundary and the subdivisional lines  
of Township 3 South, Range 11 West, Gila and Salt River Meridian, Arizona

executed by DeWitt A. Crain  
having been critically examined and found correct, are hereby approved.

Earl G. Harrington  
Cadastral Engineering Staff Officer.

### CERTIFICATE OF TRANSCRIPT

~~I CERTIFY that the foregoing transcript of the field notes of the above described surveys in~~  
~~is a true copy of the original field notes.~~

~~Cadastral Engineering Staff Officer~~