

BOOK 4000
UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

SURVEY

of the

Subdivisional Lines

Township 36 North, Range 14 West

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Boyd S. Owens, Cadastral Surveyor

Paul G. Bauer, Surveying Technician

Wallace R. Ott, Surveying Aid

Under special instructions dated June 15, 1962, which provided for the surveys included under Group Number 375, approved June 26, 1962, and assignment instructions dated October 22, 1962.

Survey commenced October 30, 1962

Survey completed November 28, 1962

1A

BOOK 4088

INDEX DIAGRAM

Township 36 North, Range 14 West,

39($\frac{1}{4}$)	39($\frac{1}{4}$)	30($\frac{1}{4}$)	23($\frac{1}{4}$)	17($\frac{1}{4}$)	9($\frac{1}{4}$)
6 38	5 29	4 23	3 16	2 8	1
37	37	29	22	15	7
7 36	8 28	9 21	10 14	11 7	12
36	35	28	21	14	6
18 35	17 27	16 20	15 13	14 5	13
34	34	27	20	12	5
19 33	20 26	21 19	22 12	23 4	24
33	32	26	19	11	3
30 32	29 25	28 18	27 10	26 3	25
31	31	24	18	10	2
31 30	32 24	33 17	34 9	35 1	36

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

1B

CHAINS	
	Township 36 North, Range 14 West Gila and Salt River Meridian, Arizona
	<p>The north boundary, the Ninth Standard Parallel North, was surveyed in 1929 by D. R. Averill. A portion of the boundary was resurveyed in 1939 by Warner and Motch. The south boundary was surveyed in 1939 and 1940 by H. M. Muscott. The east boundary was surveyed in 1939 by Muscott, Warner and Motch. The west boundary was surveyed in 1956 by G. M. Boofer.</p> <p>The following notes are those of the survey of the subdivisional lines of Township 36 North, Range 14 West, Gila and Salt River Meridian, Arizona.</p> <p>This survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1947, and the Special Instructions dated June 15, 1962.</p> <p>Only the true line bearings and horizontal distances for the surveyed lines are given in these notes. Unless described, each corner was monumented with a standard iron post 30 inches long, 2½ inches in diameter, flanged at the base and with a brass cap riveted to the top.</p> <p>The geographical position of the southeast corner of the township is: Latitude, 36°28'11.32" North and Longitude, 113°44'09.3" West. The magnetic declination was found to be 16° East.</p>
	Survey of the Subdivisional Lines Township 36 North, Range 14 West
	<p>From the cor. of secs. 1, 2, 35 and 36 on the S. bdy. of the township, monumented by an iron post as described in the official record.</p> <p>N. 0°01' W., bet. secs. 35 and 36.</p> <p>Asc. over rolling W. slope, through scattered timber.</p>
18.30	Desc. along rolling W. slope.
28.90	Wash, 20 lks. wide, 1 ft. deep, drains W.; asc.
32.50	Rim of short bluff, bears S. 45° E. and N. 60° W.
40.00	Point for the ¼ sec. cor. of secs. 35 and 36.
	<p>Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;"> T36N R14W ¼ S35 S36 1962 </p>
50.70	Wash, 20 lks. wide, 1 ft. deep, drains W.
67.60	Wash, 30 lks. wide, 2 ft. deep, drains NW.
80.00	Point for the cor. of secs. 25, 26, 35 and 36.

CHAINS

Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.

T36N R14W
 $\frac{S26}{S35} | \frac{S25}{S36}$
 1962

from which

A pinon, 6 ins. diam., bears N. 28° E., 58 lks. dist., mkd. T36NR14WS25BT.

A pine, 5 ins. diam., bears S. 70° E., 85 lks. dist., mkd. T36NR14WS36BT.

A pine, 10 ins. diam., bears S. 53°10' W., 61 lks. dist., mkd. T36NR14WS35BT.

A pine, 8 ins. diam., bears N. 59° W., 96 lks. dist., mkd. T36NR14WS26BT.

Land, rolling W. slope.
 Soil, rocky, red clay and loam.
 Timber, scattered to moderate pinon.
 Undergrowth, blackbrush, manzanita and scrub oak.

From the cor. of secs. 25, 30, 31 and 36 on the E. bdy. of the township, monumented by an iron post as described in the official record.

S. 89°58' W., bet. secs. 25 and 36.

Over rolling land, through moderate to scattered timber.

Desc. over rolling W. slope.

- 4.40 Wash, 10 lks. wide, 1 ft. deep, drains NW.
- 12.10 Wash, 10 lks. wide, 2 ft. deep, drains N.
- 17.90 Wash, 15 lks. wide, 2½ ft. deep, drains N.
- 24.90 Red colored sand stone ridge, bears S. 30° E., and N. 30° W.
- 38.70 Top of small red sandstone knoll.
- 40.13 Point for the ¼ sec. cor. of secs. 25 and 36.

Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.

T36NR14W
 $\frac{1}{4} \frac{S 25}{S 36}$
 1962

- 77.90 Rim of short bluff, bears N. and S.; desc. over steep W. slope.
- 80.26 The cor. of secs. 25, 26, 35 and 36.

Land, moderately rolling.
 Soil, sandy clay, loam, and exposed sandstone.
 Timber, moderate pine; undergrowth, blackbrush, manzanita and oak.

4001 400

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	Subdivision, T. 36 N., R. 14 W., Arizona
40.00	<p>N. 0°01' W., bet. secs. 25 and 26.</p> <p>By triangulation, over rolling W. slope through scattered timber and undergrowth.</p> <p>Point for the $\frac{1}{4}$ sec. cor. of secs. 25 and 26.</p> <p>Set the iron post on broken bedrock, mound with stones to top, cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T36N R14W</p> <p>$\frac{1}{4}$</p> <p>S26 S25</p> <p>1962</p> </div> <p>End of triangulation.</p>
42.30	<p>Rim of short bluff, bears S. 60° E. and W.; thence over rolling land, W. drainage and exposure.</p>
80.00	<p>Point for the cor. of secs. 23, 24, 25 and 26.</p> <p>Set the iron post 22 ins. in the ground, mound with stones to top, cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T36N R14W</p> <p>S23 S24</p> <p>S26 S25</p> <p>1962</p> </div> <p>from which</p> <p style="margin-left: 40px;">A pine, 6 ins. in diam., bears S. 25° E., 106 lks. dist., mkd. T36NR14WS25BT.</p> <p style="margin-left: 40px;">A pine, 18 ins. in diam., bears S. 89°20' W., 95 lks. dist., mkd. T36NR14WS26BT.</p> <p style="margin-left: 40px;">A pine, 8 ins. in diam., bears N. 49°30' E., 47 lks. dist., mkd. T36NR14WS24BT.</p> <p>Land, rolling W. slope. Soil, sandy clay and exposed sandstone. Timber, moderate to scattered pine and juniper. Undergrowth, blackbrush, cactus, oak and manzanita.</p>
.80	<p>From the cor. of secs. 19, 24, 25 and 30 on the E. bdy. of the township, monumented by an iron post as described in the official record.</p> <p>S. 89°58' W., bet. secs. 24 and 25.</p> <p>Over rolling land, through moderate timber and undergrowth.</p> <p>Wash, 50 lks. wide, 2 ft. deep, drains N. for 2.00 chs., thence NE.</p>
10.80	<p>Wash, 40 lks. wide, 2 ft. deep, drains NE. 1.00 chain to junction with larger wash; asc. E. slope.</p>
15.40	<p>Rim of short bluff, bears S. and N. 10° E.</p>

4

CHAINS	
39.20	Wash, 20 lks. wide, 1 ft. deep, drains N.
40.17	Point for the $\frac{1}{4}$ sec. cor. of secs. 24 and 25.
	Set the iron post on broken bedrock, mound with stones to top, cap mkd.
	T36N R14W $\frac{1}{4}$ $\frac{S\ 24}{S\ 25}$ 1962
	from which
	A pine, 6 ins. diam., bears S. $48^{\circ}30'$ W., 46 lks. dist., mkd. T36NR14W $\frac{1}{4}$ S25BT.
	A pine, 6 ins. diam., bears N. 58° W., 81 lks. dist., mkd. $\frac{1}{4}$ S24BT.
62.00	Wash, 20 lks. wide, 2 ft. deep, drains N.
65.70	Wash, 20 lks. wide, 1 ft. deep, drains irregularly NE.; desc. gradual W. slope.
80.34	The cor. of secs. 23, 24, 25 and 26.
	Land, rolling, slightly broken. Soil, sandy and rocky. Timber, moderate to scattered pinon and juniper. Undergrowth, blackbrush and manzanita.
	N. $0^{\circ}01'$ W., bet. secs. 23 and 24.
	Over rolling land, through moderate timber and undergrowth.
8.40	Desc. along spur sloping N.
32.40	Wash, 10 lks. wide, 1 ft. deep, drains irregularly N. 15° E.
39.90	Point selected for the witness $\frac{1}{4}$ sec. cor. of secs. 23 and 24.
	Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.
	T36N R14W WC $\frac{1}{4}$ S23 S24 1962
	from which
	A pine, 7 ins. diam., bears S. 51° E., 9 lks. dist., mkd. WC $\frac{1}{4}$ S24BT.
	A pine, 5 ins. in diam., bears N. $1^{\circ}20'$ W., 79 lks. dist., mkd. WC $\frac{1}{4}$ S23BT.
40.00	True point for the $\frac{1}{4}$ sec. cor. of secs. 23 and 24 falls in place where cor. cannot be perpetuated.
	Thence over gently rolling hills.
80.00	Point for the cor. of secs. 13, 14, 23 and 24.
	Set the iron post on solid rock, mound with stones to top, cap mkd.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	Subdivision, T. 36 N., R. 14 W., Arizona
	<hr/> T36N R14W S14 S13 S23 S24 1962
	The cor. is located on the SE. point of hill resembling a battle ship.
	Land, rolling hills. Soil, sandy and exposed sandstone. Timber, moderate pinon and juniper. Undergrowth, blackbrush, oak and manzanita.
	<hr/> From the cor. of secs. 13, 18, 19 and 24 on the E. bdy. of the township, monumented by an iron post as described in the official record. S. 89°57' W., bet. secs. 13 and 24. By triangulation, ascend over steep E. slope.
35.80	Rim of high bluff, bears N. and S.
37.70	Top of hill, bears N. and S.
39.94	Point selected for the witness $\frac{1}{4}$ sec. cor. of secs. 13 and 24.
	Set the iron post on solid rock, mound with stones to top, cap mkd.
	T36N R14W $\frac{1}{4}$ S 13 S 24 WC 1962
40.14	True point for the $\frac{1}{4}$ sec. cor. of secs. 13 and 24 falls on the E. rim of ravine bearing N. and S., where corner cannot be perpetuated.
41.80	Ravine, 40 ft. deep, drains N.
48.40	Ridge, bears N. 10° W. and S. 10° E.; thence by triangulation over rolling land; N. drainage and exposure.
80.28	The cor. of secs. 13, 14, 23 and 24.
	Land, rolling. Soil, sandy and exposed sandstone. Timber, moderate to scattered pinon and juniper. Undergrowth, blackbrush and oak.
	<hr/> N. 0°01' W., bet. secs. 13 and 14. Over rolling and broken land along the E. side of two hills resembling battle ships.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 13 and 14.
	Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.

6

CHAINS	
	<p style="text-align: center;">T36N R14W $\frac{1}{4}$ S14 S13 1962</p> <p>Desc. over NE. slope.</p>
69.60	Wash, 10 lks. wide, 6 ft. deep, drains NE.; thence over nearly level land.
80.00	Point for the cor. of secs. 11, 12, 13 and 14. Set the iron post 12 ins. in the ground, mound with stones to top, cap mkd.
	<p style="text-align: center;">T36N R14W $\frac{1}{4}$ S11 S12 S14 S13 1962</p> <p>from which</p> <p style="padding-left: 40px;">A pine, 18 ins. diam., bears S. 74°26' W., 207 lks. dist., mkd. T36NR14WS14BT.</p> <p style="padding-left: 40px;">A pine, 14 ins. diam., bears N. 62°11' W., 326 lks. dist., mkd. S11BT.</p> <p>Land, rolling, slightly broken. Soil, sandy and exposed sandstone. Timber, moderate pinon and juniper. Undergrowth, blackbrush, oak and manzanita.</p>
	<p>From the cor. of secs. 7, 12, 13 and 18 on the E. bdy. of the township, monumented by an iron post as described in the official record.</p> <p>S. 89°50' W., bet. secs. 12 and 13.</p> <p>Desc. over NW. slope, through scattered pinon and juniper.</p>
5.10	Wash, 10 lks. wide, 1 ft. deep, drains NE.
22.50	Wash, 20 lks. wide, 1 ft. deep, drains irregularly N. from SE.
24.70	Jeep road, bears N. and S.
40.17	Point for the $\frac{1}{4}$ sec. cor. of secs. 12 and 13. Set the iron post 12 ins. in the ground, mound with stones to top, cap mkd.
	<p style="text-align: center;">T36N R14W $\frac{1}{4}$ S 12 S 13 1962</p> <p>from which</p> <p style="padding-left: 40px;">A pine, 14 ins. diam., bears N. 72°33' E., 203 lks. dist., mkd. T36N R14W$\frac{1}{4}$S12BT.</p>
49.80	Jeep track road, bears N. and S.
57.10	Wash, 30 lks. wide, 1 ft. deep, drains NW.
63.60	Wash, 10 lks. wide, 1 ft. deep, drains N.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	Subdivision, T. 36 N., R. 14 W., Arizona
70.80	Wash, 20 lks. wide, 1 ft. deep, drains N. circling to NE.; asc. over gently rolling NE. slope.
80.34	<p>The cor. of secs. 11, 12, 13 and 14.</p> <p>Land, gently rolling hills. Soil, sandy. Timber, scattered pine, juniper and joshua trees. Undergrowth, blackbrush, sage, yellow brush and cactus.</p>
	<p>N. 0°01' W., bet. secs. 11 and 12.</p> <p>Desc. over rolling land facing NE.</p>
2.70	Small draw, drains N. 70° E.; desc. along rolling spur, slopes N.
40.00	<p>Point for the ½ sec. cor. of secs. 11 and 12.</p> <p>Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.</p>
	<p style="text-align: center;">T36N R14W ½ S11 S12 1962</p>
62.40	Wash, 10 lks. wide, 1 ft. deep, drains N. 30° W.; thence along gentle W. slope.
75.90	Small spur, slopes NW.; desc. general N. slope.
80.00	<p>Point for the cor. of secs. 1, 2, 11 and 12.</p> <p>Set the iron post on solid rock, mound with stones to top, cap mkd.</p>
	<p style="text-align: center;">T36N R14W S 2 S 1 S11 S12 1962</p>
	<p>Land, gently rolling. Soil, sandy and exposed sandstone. Timber, scattered pine, juniper and joshua trees. Undergrowth, brush, oak, cactus and manzanita.</p>
	<p>From the cor. of secs. 1, 6, 7 and 12 on the E. bdy. of the township, monumented by an iron post as described in the official record.</p>
	S. 89°52' W., bet. secs. 1 and 12.
	Desc. NW. slope.
4.50	Wash, 20 lks. wide, 2 ft. deep, drains SW.; thence over rolling mountainous land.
29.90	Nutter Twist road, bears N. and S.
34.20	Wash, 20 lks. wide, 1 ft. deep, drains S.

8

CHAINS	
38.80	Nutter Twist road, bears NE. and SW.
40.15	Point for the 1/4 sec. cor. of secs. 1 and 12.
	Set the iron post 12 ins. in the ground, mound with stones to top, cap mkd.
	T36N R14W $\frac{1}{4} \frac{S \ 1}{S \ 12}$ 1962
	Raise a mound of stone N. of the cor.
46.70	Nutter Twist road bears N. 74° W. and S. 74° E.; desc. over rolling SW. slope.
65.90	Wash in bottom of Hidden Canyon, 180 lks. wide, 3 ft. deep, drains NW.; asc. over steep NE. slope.
69.30	Rim of Hidden Canyon, bears SE. and NW.; asc.
74.80	Small spur, slopes N. 15° W.; desc. gentle W. slope.
77.80	Small draw, drains N. circling to NW.
80.29	The cor. of secs. 1, 2, 11 and 12. Land, rolling and slightly broken mountainous land. Soil, rocky and sandy loam. Timber, scattered pinon and joshua trees. Undergrowth, blackbrush, cactus, yellow brush, sage and brigham tea.
	N. 0°01' W., bet. secs. 1 and 2.
	Desc. over rolling land facing N.
14.70	Wash in bottom of Hidden Canyon, 180 lks. wide, 3 ft. deep, drains W. circling to N.; asc. over S. slope.
30.80	Nutter Twist road, bears NW. and SE.
36.70	Top of small knoll.
38.40	Desc. NW. slope.
40.00	Point for the 1/4 sec. cor. of secs. 1 and 2.
	Set the iron post on solid rock, mound with stones to top, cap mkd.
	T36N R14W $\frac{1}{4} \frac{S \ 2}{S \ 1}$ 1962
	Thence over rolling W. slope.
74.70	Rim of bluff, bears irregularly NW. and E. circling to S.; thence over gently rolling land.
84.09	Intersect the S. bdy. of T. 37 N., R. 14 W.
	Point for the closing cor. of secs. 1 and 2.
	Set the iron post 8 ins. in the ground, mound with stones to top, cap mkd.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS

Subdivision, T. 36 N., R. 14 W., Arizona

T37N R14W
S 36
S 2 | S 1
T36N R14W
CC
1962

From this closing cor., the Stan. $\frac{1}{4}$ sec. cor. of sec. 36, T. 37 N., R. 14 W., bears East, 13.45 chs. dist., monumented by an iron post as described in the official record.

Land, rolling and broken.
Soil, rocky, sandy loam.
Timber, scattered pinon and juniper.
Undergrowth, blackbrush, yellow brush, cactus, sage and brigham tea.

The point for the N. $\frac{1}{4}$ sec. cor. of sec. 1 is at mid-point and on the N. bdy. of the township.

Set the iron post 8 ins. in the ground, mound with stones to top, cap mkd.

T37N R14W
 $\frac{1}{4}$ S 1
T36N
1962

From this cor. the Stan. Tp. cor. of T. 37 N., Rs. 13 and 14 W., bears East, 13.30 chs. dist., monumented by an iron post as described in the official record.

From the cor. of secs. 2, 3, 34 and 35 on the S. bdy. of the township, monumented by an iron post as described in the official record.

N. $0^{\circ}01'$ W., bet. secs. 34 and 35.

Asc. over steep S. slope.

16.10 Top of ascent on spur sloping W.; by triangulation across canyon draining W.

40.00 True point for the $\frac{1}{4}$ sec. cor. of secs. 34 and 35 falls on steep S. slope where cor. cannot be perpetuated.

48.00 Point selected for the witness $\frac{1}{4}$ sec. cor. of secs. 34 and 35.

Set the iron post on solid rock, mound with stones to top, cap mkd.

CHAINS	
	<p style="text-align: center;">T36N R14W WC $\frac{1}{4}$ S34 S35 1962</p> <p>End of triangulation.</p> <p>50.00 Crest of spur, slopes irregularly West; thence over broken land, W. drainage and exposure.</p> <p>80.00 Point for the cor. of secs. 26, 27, 34 and 35.</p> <p>Set the iron post 8 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T36N R14W S27 S26 S34 S35 1962</p> <p>Land, mountainous. Soil, rocky clay and loam. Timber, scattered pinon. Undergrowth, blackbrush and brigham tea.</p>
	<p>From the cor. of secs. 25, 26, 35 and 36.</p> <p>N. 89°54' W., bet. secs. 26 and 35.</p> <p>Over rolling W. slope, through scattered timber and moderate undergrowth.</p> <p>39.94 Point for the $\frac{1}{4}$ sec. cor. of secs. 26 and 35.</p> <p>Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T36N R14W $\frac{1}{4}$ $\frac{S\ 26}{S\ 35}$ 1962</p> <p>Continue over gently rolling W. slope.</p> <p>79.89 The cor. of secs. 26, 27, 34 and 35.</p> <p>Land, gently rolling W. slope. Soil, rocky, sandy clay and loam. Timber, scattered pinon and juniper. Undergrowth, moderate to heavy blackbrush.</p>
	<p>N. 0°01' W., bet. secs. 26 and 27.</p> <p>Over rolling land, W. drainage and exposure.</p> <p>27.40 S. rim of canyon bears irregularly E. and W.; desc. over ledges facing N.</p> <p>29.60 Point selected for the witness $\frac{1}{4}$ sec. cor. of secs. 26 and 27.</p> <p>Set the iron post 2 ins. in the ground, mound with stones to top, cap mkd.</p>

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	Subdivision, T. 36 N., R. 14 W., Arizona
	T36N R14W WC $\frac{1}{2}$ S27 S26 1962
	Desc. over steep ledgy N. slope by triangulation, topography as estimated.
40.00	True point for the $\frac{1}{2}$ sec. cor. of secs. 26 and 27, falls on steep N. slope.
40.80	Wash in bottom of canyon, 30 lks. wide, 3 ft. deep, drains irregularly W. from NE.; asc. over steep ledgy SE. slope.
47.00	Canyon rim, bears NW. and E.
50.70	End of triangulation on spur sloping NW. from E.; desc. N. slope.
66.40	Wash, 15 lks. wide, 1 ft. deep, drains W.; thence over gently rolling land.
80.00	Point for the cor. of secs. 22, 23, 26 and 27.
	Set the iron post 18 ins. in the ground, mound with stones to top, cap mkd.
	T36N R14W S22 S23 S27 S26 1962
	Land, rolling and broken. Soil, rocky and sandy clay and loam. Timber, scattered pinon and juniper. Undergrowth, sage, blackbrush and cactus.
	From the cor. of secs. 23, 24, 25 and 26.
	N. 89°55' W., bet. secs. 23 and 26.
	Desc. over rolling and broken W. slope.
12.10	Wash, 30 lks. wide, 1 ft. deep, drains N. 20° W.
13.70	Wash, 20 lks. wide, 1 ft. deep, drains irregularly N. 60° W.
39.93	Point for the $\frac{1}{2}$ sec. cor. of secs. 23 and 26.
	Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.
	T36N R14W $\frac{1}{2}$ S 23 S 26 1962
45.40	Wash, 20 lks. wide, 1 ft. deep, drains irregularly NW.
61.80	Wash, 10 lks. wide, 1 ft. deep, drains irregularly W. from S. 30° E.; desc. over gently rolling land.

CHAINS	
79.86	The cor. of secs. 22, 23, 26 and 27.
	Land, rolling. Soil, sandy clay and rocky loam. Timber, scattered to moderate pinon and juniper. Undergrowth, sage, blackbrush, cactus and manzanita.
	N. 0°01' W., bet. secs. 22 and 23.
	Desc. over rolling N. slope.
9.10	Wash, 10 lks. wide, 3 ft. deep, drains W.; asc. SE. slope.
16.80	Top of ascent; thence, over nearly level land.
24.00	Asc. along gentle W. slope.
29.00	Spur, slopes NW.; desc. NE. slope.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 22 and 23.
	Set the iron post 15 ins. in the ground, mound with stones to top, cap mkd.
	T36N R14W $\frac{1}{4}$ S22 S23 1962
	By triangulation, topography as taken from U.S.G.S. topographic sheet; desc. over N. slope.
47.00	Wash in canyon bottom, drains N. 70° W. from E.; asc. steep SW. slope.
53.00	Spur, slopes W.; desc. along broken W. slope.
61.00	Desc. over steep broken N. slope.
72.00	Wash in canyon bottom, 40 lks. wide, 3 ft. deep, drains W. circling SW.; asc. steep S. slope.
80.00	Point for the cor. of secs. 14, 15, 22 and 23.
	Set the iron post 2 ins. in the ground, mound with stones to top, cap mkd.
	T36N R14W S15 S14 S22 S23 1962
	Land, rolling and broken. Soil, sandy clay and rocky loam. Timber, scattered pinon and juniper. Undergrowth, blackbrush, sage, cactus and brigham tea.
	From the cor. of secs. 13, 14, 23 and 24.
	N. 89°54' W., bet. secs. 14 and 23.
	Asc. E. slope.
2.30	Spur, slopes S.; desc. over W. slope.
17.80	Wash, 20 lks. wide, 2 ft. deep, drains N. 10° W.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	Subdivision, T. 36 N., R. 14 W., Arizona
24.30	Wash, 10 lks. wide, 1 ft. deep, drains N.; thence over gently rolling bench land.
39.89	Point for the $\frac{1}{4}$ sec. cor. of secs. 14 and 23.
	Set the iron post 14 ins. in the ground, mound with stones to top, cap mkd.
	<p style="text-align: center;">T36N R14W $\frac{1}{4}$ $\frac{S 14}{S 23}$ 1962</p>
42.90	Top of low knoll; desc. along rolling S. slope.
74.80	Wash, 10 lks. wide, 1 ft. deep, drains S.; asc.
79.78	The cor. of secs. 14, 15, 22 and 23.
	<p>Land, rolling. Soil, sandy and rocky. Timber, scattered pinon and juniper. Undergrowth, blackbrush, cactus, sage and manzanita.</p>
	N. 0°01' W., bet. secs. 14 and 15.
	Asc. over general S. slope.
12.20	Top of ascent, bears SW. and E.; desc. over N. slope.
24.50	Canyon rim, bears E. and W.; desc. over broken ledgy N. slope.
39.90	Point selected for the witness $\frac{1}{4}$ sec. cor. of secs. 14 and 15.
	Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.
	<p style="text-align: center;">T36N R14W $\frac{1}{4}$ WC S15 S14 1962</p>
40.00	True point for the $\frac{1}{4}$ sec. cor. of secs. 14 and 15 falls on face of ledge 10 ft. high, where cor. cannot be perpetuated.
41.10	Wash in canyon bottom, 30 lks. wide, 3 ft. deep, drains N. 50° W.; asc. broken rocky SW. slope.
50.60	Spur, slopes W.
51.30	Small draw, drains N. 80° W.
56.20	Spur, slopes W.
66.50	Wash in canyon bottom, drains W.; asc. over steep broken SW. slope.
74.00	Spur, slopes W.; desc. over steep N. slope.

CHAINS		
80.00	<p>Point for the cor. of secs. 10, 11, 14 and 15.</p> <p>Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T36N R14W $\frac{S10}{S15} \frac{S11}{S14}$ 1962</p> <p>Land, gently rolling on S. 24.00 chs.; broken W. slope on remainder. Soil, rocky clay and loam. Timber, scattered pinon and juniper. Undergrowth, blackbrush, cactus, sage and manzanita on S. 24.00 chs.; scant undergrowth on remainder.</p>	
	<p>From the cor. of secs. 11, 12, 13 and 14.</p> <p>N. 89°50' W., bet. secs. 11 and 14.</p> <p>Over rolling land, through scattered timber and heavy undergrowth.</p>	
16.50	<p>Wash. 20 lks. wide, 1 ft. deep, drains N.</p>	
39.93	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 11 and 14.</p> <p>Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T36N R14W $\frac{1}{4} \frac{S 11}{S 14}$ 1962</p>	
47.80	<p>Canyon rim, bears NW. and SE.; desc. over steep SW. slope.</p>	
52.50	<p>Wash, 30 lks. wide, 3 ft. deep, drains NW.; asc. steep NE. slope.</p>	
58.80	<p>Canyon rim, bears N. 60° W. and SE.</p>	
61.40	<p>Spur, projects NW.; desc. over steep, broken NW. slope.</p>	
79.86	<p>The cor. of secs. 10, 11, 14 and 15.</p> <p>Land, rolling E. 47.00 chs.; broken on remainder. Soil, sandy and rocky clay and loam. Timber, scattered pinon, juniper and ioshua trees. Undergrowth, heavy to moderate brush and manzanita.</p>	
	<p>N. 0°01' W., bet. secs. 10 and 11.</p> <p>Desc. over steep N. slope.</p>	
2.90	<p>Wash, 30 lks. wide, 1 ft. deep, drains N. 70° W.; asc. steep SW. slope.</p>	
10.00	<p>Spur, slopes W.</p>	
12.20	<p>Wash, 20 lks. wide, 3 ft. deep, drains W.; continue along steep broken W. slope draining W. into Grand Wash.</p>	
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 10 and 11.</p> <p>Set the iron post 3 ins. in the ground, cap mkd.</p>	

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	Subdivision, T. 36 N., R. 14 W., Arizona
	<p>T36N R14W $\frac{1}{4}$ S10 S11 1962</p>
72.50	Wash in bottom of Hidden Canyon, 40 lks. wide, 2 ft. deep, drains W. circling to SW.
72.90	Fence, 5 strand barbed wire, bears W. from about 2.00 chs. East.
73.20	Blade road, follows along fence line; asc. SW. slope.
80.00	Point for the cor. of secs. 2, 3, 10 and 11. Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.
	<p>T36N R14W S 3 S 2 S10 S11 1962</p>
	<p>Land, broken. Soil, rocky clay and loam. Timber, scattered joshua trees. Undergrowth, sage, mesquite and cactus.</p>
	<p>From the cor. of secs. 1, 2, 11 and 12. N. 89°50' W., bet. secs. 2 and 11. Over mountainous land, through moderate undergrowth and scattered timber. By triangulation, topography as taken from U.S.G.S. topographic sheet.</p>
2.00	Low spur, slopes N. 60° W.; desc. SW. slope.
14.50	Draw, drains N. 70° W. into Hidden Canyon; desc. steep W. slope.
24.50	Bottom of Hidden Canyon, drains S. 15° W. circling to W.; asc. along broken S. slope.
39.91	Point for the $\frac{1}{4}$ sec. cor. of secs. 2 and 11. Set the iron post 18 ins. in the ground, mound with stones to top, cap mkd.
	<p>T36N R14W $\frac{1}{4}$ $\frac{S 2}{S 11}$ 1962</p>
	<p>The cor. is located on spur sloping S.; continue by triangulation. Desc. over steep W. slope.</p>

CHAINS		
47.00	Bottom of Hidden Canyon, drains N.; thence along broken S. side of canyon.	
61.00	Bottom of Hidden Canyon, drains S. 15° W.; asc. over steep broken SE. slope.	
73.20	End of triangulation on spur sloping S. 15° W.; desc. over steep W. slope.	
76.60	Fence, barbed wire, bears N. and S.	
79.81	<p>The cor. of secs. 2, 3, 10 and 11.</p> <p>Land, rough and broken. Soil, rocky and sandy clay and loam. Timber, scattered pinon, juniper and joshua trees. Undergrowth, blackbrush, sage, mesquite and cactus.</p>	
	<p>N. 0°01' W., bet. secs. 2 and 3.</p> <p>Asc. along broken W. slope.</p>	
21.80	Nutter Twist road (jeep road) bears W. and S. 30° E.; small draw, drains SW.	
37.00	Spur, slopes S. 80° W.; desc. NW. slope.	
40.00	<p>Point for the ¼ sec. cor. of secs. 2 and 3.</p> <p>Set the iron post 20 ins. in the ground, mound with stones to top, cap mkd.</p>	
	<p style="text-align: center;">T36N R14W S 3 S 2 1962</p>	
41.40	Wash, 10 lks. wide, 1 ft. deep, drains W.	
43.30	Small spur, slopes W.	
45.30	Wash, 30 lks. wide, 1 ft. deep, drains S. 70° W.; asc. steep S. slope.	
56.60	Slope changes to W.; asc.	
83.90	<p>Intersect the S. bdy. of T. 37 N., R. 14 W.</p> <p>Point for the closing cor. of secs. 2 and 3.</p> <p>Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.</p>	
	<p style="text-align: center;">T37N R14 S35 S 3 S 2 T36N R14W CC 1962</p>	
	<p>From this closing cor. of secs. 2 and 3, the Stan. ¼ sec. cor. of sec. 35, T. 37 N., R. 14 W., bears East, 13.38 chs. dist., monumented by an iron post as described in the official record.</p> <p>Land, mountainous. Soil, rocky and sandy clay and loam. Timber, scattered pinon, juniper and joshua trees. Undergrowth, blackbrush, cactus, mesquite, sage and manzanita.</p>	

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS

Subdivision, T. 36 N., R. 14 W., Arizona

The point for the N. $\frac{1}{4}$ sec. cor. of sec. 2 is at mid-point and on the N. bdy. of the township.

Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.

T37N R14W

$\frac{1}{4}$ S 2
T36N R14W
1962

From this cor., the Stan. witness cor. of secs. 35 and 36, T. 37 N., R. 14 W., bears East, 12.42 chs. dist., monumented by an iron post as described in the official record. The true point for the Stan. cor. of secs. 35 and 36 is 1.00 chain East.

From the cor. of secs. 3, 4, 33 and 34 on the S. bdy. of the township, monumented by an iron post as described in the official record.

N. $0^{\circ}02'$ W., bet. secs. 33 and 34.

Over rolling and rocky hills, through moderate undergrowth.

- 6.90 Wash, 10 lks. wide, 2 ft. deep, drains irregularly W.
- 11.70 Spur, slopes N. 60° W.
- 15.30 Wash, 20 lks. wide, 1 ft. deep, drains W.
- 22.00 Spur, slopes W.
- 29.30 Wash, 10 lks. wide, 2 ft. deep, drains N. 70° W.
- 35.90 Spur, slopes W.
- 40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 33 and 34.

Set the iron post 12 ins. in the ground, mound with stones to top, cap mkd.

T36N R14W
 $\frac{1}{4}$
S33|S34
1962

- 43.40 Wash, 40 lks. wide, 2 ft. deep, drains W.
- 59.20 Wash, 30 lks. wide, 2 ft. deep, drains N. 30° W.
- 70.90 Wash, 10 lks. wide, 1 ft. deep, drains W.
- 80.00 Point for the cor. of secs. 27, 28, 33 and 34.

Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.

T36N R14W
S28|S27
S33|S34
1962

CHAINS	
	<p>Land, rolling. Soil, gravel and sandy loam. Timber, scattered joshua trees. Undergrowth, blackbrush and cactus.</p> <hr/> <p>From the cor. of secs. 26, 27, 34 and 35. N. 89°52' W., bet. secs. 27 and 34. Desc. over rolling mountainous land facing W. By triangulation, desc. over steep W. slope. Point for the ¼ sec. cor. of secs. 27 and 34. Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T36N R14W ¼ S 27 S 34 1962</p> <p>From this cor. a natural cave bears S. 60° E., 28.00 chs. dist. The cave is 5 ft. by 6 ft., extending East into the hill about 8.00 chs. dist. Stalactites and stalagmites are present and still forming. Note: The cave was not investigated until after the survey was completed, therefore dist. and bearing approximate.</p>
20.60	
40.16	
40.20	End of triangulation.
43.30	Wash, 50 lks. wide, 1 ft. deep, drains NW.
55.40	Descend along side of wash draining irregularly W.
80.32	The cor. of secs. 27, 28, 33 and 34.
	<p>Land, steep and rolling W. slope. Soil, rocky and sandy clay and loam. Timber, scattered joshua trees. Undergrowth, cactus, greasewood, sage brush and cholla.</p> <hr/> <p>N. 0°02' W., bet. secs. 27 and 28. Over gently rolling W. slope. Wash, 10 lks. wide, 1 ft. deep, drains W. Point for the ¼ sec. cor. of secs. 27 and 28. Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T36N R14W ¼ S28 S27 1962</p> <p>Wash, 40 lks. wide, 3 ft. deep, drains W. Point for the cor. of secs. 21, 22, 27 and 28. Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T36N R14W S21 S22 S28 S27 1962</p>
1.90	
40.00	
56.50	
80.00	

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	<p style="text-align: center;">Subdivision, T. 36 N., R. 14 W., Arizona</p> <hr/>
	<p>Land, rolling. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, blackbrush, sage and cactus.</p> <hr/>
	<p>From the cor. of secs. 22, 23, 26 and 27.</p>
	<p>N. 89°50' W., bet. secs. 22 and 27.</p>
	<p>Over gently rolling land, through moderate undergrowth.</p>
21.00	<p>Rim of Grand Wash cliffs, bears NE. and SE.; desc. along spur sloping W.</p>
37.80	<p>Point selected for the witness $\frac{1}{4}$ sec. cor. of secs. 22 and 27.</p>
	<p>Set the iron post on solid rock, mound with stones to top, cap mkd.</p>
	<p style="text-align: center;">T36N R14W $\frac{1}{4}$ W S 22 C S 27 1962</p>
40.16	<p>True point for the $\frac{1}{4}$ sec. cor. of secs. 22 and 27 falls on vertical ledge.</p>
	<p>By triangulation, desc. over ledges and steep slope facing W.</p>
80.32	<p>The cor. of secs. 21, 22, 27 and 28.</p>
	<p>Land, gently rolling on E. 21.00 chs., steep and broken on remainder. Soil, sandy and rocky clay and loam. Timber, none; undergrowth, blackbrush, sage and cactus.</p> <hr/>
	<p>N. 0°02' W., bet. secs. 21 and 22.</p>
	<p>Over rolling foothills near the base of Grand Wash cliffs.</p>
11.50	<p>Wash, 15 lks. wide, 1 ft. deep, drains NW.</p>
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 21 and 22.</p>
	<p>Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.</p>
	<p style="text-align: center;">T36N R14W $\frac{1}{4}$ S21 S22 1962</p>
42.30	<p>Wash, 30 lks. wide, 2 ft. deep, drains SW.; asc. over SE. slope.</p>
79.00	<p>Spur, slopes SW.</p>
80.00	<p>Point for the cor. of secs. 15, 16, 21 and 22.</p>

CHAINS	
	<p>Set the iron post 15 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T36N R14W $\frac{S16}{S21} \frac{S15}{S22}$ 1962</p> <p>Land, rolling foothills. Soil, sandy loam and malpai. Timber, moderate joshua trees. Undergrowth, blackbrush, cholla, and cactus.</p>
	<hr/>
	<p>From the cor. of secs. 14, 15, 22 and 23.</p> <p>N. 89°46' W., bet. secs. 15 and 22.</p> <p>Asc. over SE. slope.</p>
11.70	<p>Spur, slopes SW.; by triangulation, desc. over Grand Wash cliffs, W. drainage and exposure.</p>
40.15	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 15 and 22.</p>
	<p>Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.</p>
	<p style="text-align: center;">T36N R14W $\frac{1}{4} \frac{S 15}{S 22}$ 1962</p>
	<p>End of triangulation, desc. gradual W. slope.</p>
51.30	<p>Bottom of draw, drains SW.; asc. steep SE. slope.</p>
62.90	<p>Top of ascent on rolling spur sloping SW.; desc. gradual W. slope.</p>
80.31	<p>The cor. of secs. 15, 16, 21 and 22.</p>
	<p>Land, rolling and broken. Soil, rocky and sandy clay and loam. Timber, moderate to scattered joshua trees, scattered pinon. Undergrowth, blackbrush, yellow brush, sage and cactus.</p>
	<hr/>
	<p>N. 0°02' W., bet. secs. 15 and 16.</p>
	<p>Over rolling spur sloping SW.</p>
9.50	<p>S. rim of Grand Wash canyon, bears SW. and NE.; by triangulation, topography as taken from U.S.G.S. topographic sheet; desc. over steep NW. slope.</p>
30.00	<p>Grand Wash, drains SW.; asc. gentle S. slope.</p>
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 15 and 16.</p>
	<p>Set the iron post 20 ins. in the ground, mound with stones to top, cap mkd.</p>
	<p style="text-align: center;">T36N R14W $\frac{1}{4} \frac{S16}{S15}$ 1962</p>
	<p>End of triangulation.</p>
47.50	<p>Asc. over rocky SE. slope.</p>

BOOK 1000

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	Subdivision, T. 36 N., R. 14 W., Arizona
64.20	N. rim of Grand Wash canyon, bears irregularly SW. and NE.; thence, over nearly level land.
80.00	Point for the cor. of secs. 9, 10, 15 and 16. Set the iron post 18 ins. in the ground, mound with stones to top, cap mkd. <div style="text-align: center;">T36N R14W S 9 S10 S16 S15 1962</div> Land, rolling and broken. Soil, sandy loam and malpai. Timber, moderate joshua trees; undergrowth, blackbrush and cactus.
	From the cor. of secs. 10, 11, 14 and 15.
	N. 89°47' W., bet. secs. 10 and 15. By triangulation, topography as taken from U.S.G.S. topographic sheet; desc. over general NW. slope of the Grand Wash Cliffs.
13.50	Wash, drains N. 15° E.; asc. over E. slope.
21.00	Spur, slopes sharply N.; desc. over steep W. slope.
35.00	Grand Wash, drains SW.; asc. over SE. slope.
40.17	Point for the ¼ sec. cor. of secs. 10 and 15. Set the iron post 12 ins. in the ground, mound with stones to top, cap mkd. <div style="text-align: center;">T36N R14W ¼ S 10 S 15 1962</div> End of triangulation.
51.80	Top of steep ascent.
55.80	Ridge, bears N. and SW.; desc. over gently rolling land, N. drainage.
80.34	The cor. of secs. 9, 10, 15 and 16. Land, rolling and broken on E. 52 chs., gently rolling on remainder. Soil, sandy and rocky loam. Timber, scattered joshua trees. Undergrowth, blackbrush, sage, yellow brush and cactus.
	N. 0°02' W., bet. secs. 9 and 10. Over gently rolling land, through moderate undergrowth and scattered joshua trees.

CHAINS		
.90	Wash, 10 lks. wide, 1 ft. deep, drains N. 30° E.	
19.70	Wash, 10 lks. wide, 2 ft. deep, drains E.	
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 9 and 10.	
	Set the iron post 15 ins. in the ground, mound with stones to top, cap mkd.	
	T36N R14W $\frac{1}{4}$ S 9 S10 1962	
52.10	Wash, 10 lks. wide, 2 ft. deep, drains E. circling to NE.	
57.30	Unimproved dirt road, bears W. and N. 15° E.	
80.00	Point for the cor. of secs. 3, 4, 9 and 10.	
	Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.	
	T36N R14W S 4 S 3 S 9 S10 1962	
	Land, gently rolling. Soil, gravel. Timber, scattered joshua trees. Undergrowth, blackbrush, sage and cactus.	
	From the cor. of secs. 2, 3, 10 and 11.	
	N. 89°46' W., bet. secs. 3 and 10.	
	By triangulation, topography as taken from U.S.G.S. topographic sheet; desc. over steep W. slope.	
7.00	Small draw, drains S.; thence, over gently rolling land.	
22.00	Jeep road, bears NW. and SE. Note: not shown on topographical sheet - estimated.	
25.50	Wash, drains S.	
30.50	Grand Wash, drains SE.; asc. over NE. slope.	
40.16	Point for the $\frac{1}{4}$ sec. cor. of secs. 3 and 10.	
	Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.	
	T36N R14W $\frac{1}{4}$ $\frac{S 3}{S 10}$ 1962	
	End of triangulation.	
43.30	Spur, slopes N. about 3.00 chs. to end.	
49.60	Wash, 10 lks. wide, 2 ft. deep, drains NE.; asc. gentle E. slope.	
64.00	Low spur, slopes N. 15° E.	

4633
UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	Subdivision, T. 36 N., R. 14 W., Arizona
72.23	Set a redwood post, 4 ins. square, 4 ft. long, 2 ft. in the ground, with metal location marker attached.
72.40	Dirt road, bears N. 30° E. and S. 30° W.
72.80	Wash, 10 lks. wide, 1 ft. deep, drains NE.
80.32	The cor. of secs. 3, 4, 9 and 10. Land, rolling. Soil, gravel. Timber, scattered joshua trees. Undergrowth, blackbrush, yellow brush, sage and cactus.
	N. 0°02' W., bet. secs. 3 and 4. Over gently rolling land, through scattered joshua trees.
8.60	Wash, 10 lks. wide, 2 ft. deep, drains SE.
40.00	Point for the ¼ sec. cor. of secs. 3 and 4. Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.
	<div style="text-align: center;"> T36N R14W $\frac{1}{4}$ S 4 S 3 1962 </div>
40.90	Wash, 10 lks. wide, 2 ft. deep, drains E.
49.00	Wash, 10 lks. wide, 2 ft. deep, drains SE.
83.61	Intersect the S. bdy. of T. 37 N., R. 14 W. Point for the closing cor. of secs. 3 and 4. Set the iron post 3 ins. in the ground, mound with stones to top, cap mkd.
	<div style="text-align: center;"> T37N R14W S 34 S 4 S 3 T36N R14W CC 1962 </div>
	From this cor., the Stan. ¼ sec. cor. of sec. 34, T. 37 N., R. 14 W., bears East, 13.83 chs. dist., monumented by an iron post as described in the official record. Land, gently rolling. Soil, gravel. Timber, scattered joshua trees. Undergrowth, blackbrush, yellow brush, sage and cactus.
	The point for the N. ¼ sec. cor. of sec. 3 is mid-point and on the N. bdy. of the Tp.

CHAINS	
	<p>Set the iron post 12 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T37N R14W $\frac{1}{4}$ S 3 T36N R14W 1962</p> <p>From this cor. the Stan. Cor. of secs. 34 and 35, T. 37 N., R. 14 W., bears East, 13.61 chs. dist., monumented by an iron post as described in the official record.</p> <hr/> <p>From the cor. of secs. 4, 5, 32 and 33 on the S. bdy. of the Tp., monumented by an iron post as described in the official record.</p> <p>N. 0°03' W., bet. secs. 32 and 33.</p> <p>Over low rolling hills, through moderate undergrowth.</p>
34.80	Small wash, drains NW.
35.40	Old track road, bears NE. and SW.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 32 and 33.
	<p>Set the iron post 18 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T36N R14W $\frac{1}{4}$ S32 S33 1962</p>
43.50	Wash, 10 lks. wide, 1 ft. deep, drains W.
65.80	Dirt road, bears NE. and S. 10° W.
80.00	Point for the sec. cor. of secs. 28, 29, 32 and 33.
	<p>Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T36N R14W S29 S28 S32 S33 1962</p> <p>Land, gently rolling. Soil, gravel. Timber, scattered joshua trees. Undergrowth, creosote brush, blackbrush, sage and cactus.</p> <hr/> <p>From the cor. of secs. 27, 28, 33 and 34.</p> <p>N. 89°54' W., bet. secs. 28 and 33.</p> <p>Desc. over gently rolling W. slope.</p>
13.30	Wash, 20 lks. wide, 2 ft. deep, drains NW.'
39.80	Jeep road, bears NE. and SW.
39.97	Point for the $\frac{1}{4}$ sec. cor. of secs. 28 and 33.
	<p>Set the iron post 13 ins. in the ground, mound with stones to top, cap mkd.</p>

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	Subdivision, T. 36 N., R. 14 W., Arizona
	<p>T36N R14W $\frac{1}{2}$ $\frac{S\ 28}{S\ 33}$ 1962</p>
43.00	Wash, 10 lks. wide, 1 ft. deep, drains NW.
64.30	Wash, 20 lks. wide, 1 ft. deep, drains NW.
73.85	Set a redwood post, 4 ins. square, 4 ft. long, 18 ins. in the ground with a metal location marker attached.
74.10	Road, bears NE. and SW.
79.95	The cor. of secs. 28, 29, 32 and 33.
	<p>Land, gently rolling. Soil, sandy and rocky. Timber, scattered joshua trees. Undergrowth, creosote brush, blackbrush and cactus.</p>
	<p>N. 0°03' W., bet. secs. 28 and 29.</p> <p>Over low rolling hills and washes.</p>
32.50	Wash, 40 lks. wide, 1 ft. deep, drains N. 30° W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 28 and 29.
	Set the iron post 12 ins. in the ground, mound with stones to top, cap mkd.
	<p>T36N R14W $\frac{1}{4}$ S29 S28 1962</p>
42.40	Wash, 50 lks. wide, 2 ft. deep, drains W. circling to NW.
50.30	Wash, 10 lks. wide, 1 ft. deep, drains W.
60.90	Wash, 10 lks. wide, 2 ft. deep, drains W. circling to N.
75.00	Road, bears NW. curving to N. and SE. curving to S.
75.20	Set a redwood post, 4 ins. square, 4 ft. long, 18 ins. in the ground with an aluminum location marker attached.
80.00	Point for the cor. of secs. 20, 21, 28 and 29.
	Set the iron post 15 ins. in the ground, mound with stones to top, cap mkd.
	<p>T36N R14W $\frac{1}{4}$ S20 S21 S29 S28 1962</p>
	<p>Land, gently rolling. Soil, sandy and rocky loam. Timber, moderate joshua trees. Undergrowth, creosote brush, cactus, blackbrush and sage.</p>

CHAINS		
	<p>From the cor. of secs. 21, 22, 27 and 28.</p> <p>N. 89°54' W., bet. secs. 21 and 28.</p> <p>Desc. over gentle W. slope.</p>	
34.70	Wash, 20 lks. wide, 1 ft. deep, drains NW.	
39.97	Point for the ¼ sec. cor. of secs. 21 and 28.	
	<p>Set the iron post 8 ins. in the ground, mound with stones to top, cap mkd.</p>	
	<p style="text-align: center;">T36N R14W $\frac{1}{4}$ $\frac{S\ 21}{S\ 28}$ 1962</p>	
51.00	Wash, 30 lks. wide, 2 ft. deep, drains NW.	
66.30	Wash, 15 lks. wide, 1 ft. deep, drains NW.	
79.95	The cor. of secs. 20, 21, 28 and 29.	
	<p>Land, gently rolling. Soil, rocky and sandy loam. Timber, moderate joshua trees. Undergrowth, creosote brush, blackbrush, mesquite and cactus.</p>	
	<p>N. 0°03' W., bet. secs. 20 and 21.</p>	
	<p>Over gently rolling land, through moderate joshua trees.</p>	
4.60	Wash, 20 lks. wide, 2 ft. deep, drains W.	
15.40	Road, bears NE. and SW.	
22.60	Channel of Grand Wash, 10 lks. wide, 1 ft. deep, drains W.	
27.70	Grand Wash, 80 lks. wide, 2 ft. deep, drains S. 70° W.	
40.00	Point for the ¼ sec. cor. of secs. 20 and 21.	
	<p>Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.</p>	
	<p style="text-align: center;">T36N R14W $\frac{1}{4}$ S20 S21 1962</p>	
51.40	Set a fir post, 4 ins. square, 4 ft. long, 20 ins. in the ground with metal location marker attached.	
51.70	Dirt road, bears NW. and SE.	
62.70	Wash, 10 lks. wide, 1 ft. deep, drains SW.	
78.30	Wash, 10 lks. wide, 1 ft. deep, drains SW.	
80.00	Point for the cor. of secs. 16, 17, 20 and 21.	
	<p>Set the iron post 12 ins. in the ground, mound with stones to top, cap mkd.</p>	
	<p style="text-align: center;">T36N R14W S17 S16 S20 S21 1962</p>	

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	Subdivision, T. 36 N., R. 14 W., Arizona
	<p>Land, rolling. Soil, rocky and sandy. Timber, scattered to moderate joshua trees. Undergrowth, creosote brush, blackbrush and cactus.</p>
	<p>From the cor. of secs. 15, 16, 21 and 22. N. 89°55' W., bet. secs. 16 and 21. Over gently rolling land, through scattered joshua trees.</p>
7.20	Draw, drains SW.
9.50	Rim of Grand Wash Canyon, bears NE. and SW.; desc. over steep, rocky NW. slope.
39.99	Point for the $\frac{1}{4}$ sec. cor. of secs. 16 and 21. Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.
	T36N R14W $\frac{1}{4}$ $\frac{S\ 16}{S\ 21}$ 1962
40.50	Grand Wash, 80 lks. wide, 2 ft. deep, drains SW.; thence over gently rolling land.
79.97	The cor. of secs. 16, 17, 20 and 21. Land, rolling and broken. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, blackbrush and cactus.
	<p>N. 0°03' W., bet. secs. 16 and 17. Asc. over gently rolling land, through scattered joshua trees.</p>
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 16 and 17. Set the iron post 2 ins. in the ground, mound with stones to top, cap mkd.
	T36N R14W $\frac{1}{4}$ S17 S16 1962
44.90	Wash, 10 lks. wide, 1 ft. deep, drains SW.
71.20	Dirt road, bears NE. and SW.
80.00	Point for the cor. of secs. 8, 9, 16 and 17. Set the iron post 16 ins. in the ground, mound with stones to top, cap mkd.

CHAINS

T36N R14W
 S 8 | S 9
 S17 | S16
 1962

Land, rolling.
 Soil, rocky and sandy loam.
 Timber, scattered joshua trees.
 Undergrowth, creosote brush, blackbrush and cactus.

From the cor. of secs. 9, 10, 15 and 16.

N. 89°56' W., bet. secs. 9 and 16.

Over gently rolling land, through scattered joshua trees.

32.00 Wash, 20 lks. wide, 1 ft. deep, drains S. 10° E.

39.98 Point for the 1/4 sec. cor. of secs. 9 and 16.

Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.

T36N R14W
 1/4 S 9
 S 16
 1962

50.30 Wash, near head, drains S.

62.60 Wash, 10 lks. wide, 1 ft. deep, drains S. circling to SE.

75.30 Dirt road, bears irregularly NE. and SW.

79.96 The cor. of secs. 8, 9, 16 and 17.

Land, gently rolling.
 Soil, rocky and sandy loam.
 Timber, scattered to moderate joshua trees.
 Undergrowth, creosote brush, blackbrush and cactus.

N. 0°03' W., bet. secs. 8 and 9.

Asc. over gently rolling land.

40.00 Point for the 1/4 sec. cor. of secs. 8 and 9.

Set the iron post 14 ins. in the ground, mound with stones to top, cap mkd.

T36N R14W
 1/4 S 8 | S 9
 1962

40.40 Road to Pakoon Springs, bears N. 55° E. and S. 40° W.

50.80 Wash, 10 lks. wide, 2 ft. deep, drains W.; asc. over gentle S. slope.

64.60 Top of ascent; desc. along gentle W. slope.

80.00 Point for the cor. of secs. 4, 5, 8 and 9.

Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	Subdivision, T. 36 N., R. 14 W., Arizona
	<div style="text-align: center;"> T36N R14W S 5 S 4 S 8 S 9 1962 </div>
	<p>Land, gently rolling. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush and cactus.</p>
	From the cor. of secs. 3, 4, 9 and 10.
	N. 89°57' W., bet. secs. 4 and 9.
	Over gently rolling desert land.
28.00	Head of wash, drains N.
39.95	Point for the $\frac{1}{4}$ sec. cor. of secs. 4 and 9.
	Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.
	<div style="text-align: center;"> T36N R14W $\frac{1}{4}$ S 4 S 9 1962 </div>
63.90	Unimproved road, bears N. and S.
79.90	The cor. of secs. 4, 5, 8 and 9.
	<p>Land, gently rolling. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, blackbrush and cactus.</p>
	N. 0°03' W., bet. secs. 4 and 5.
	Over gently rolling land, through scattered joshua trees.
4.30	Wash, 10 lks. wide, 1 ft. deep, drains S. 15° W. from NE.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 4 and 5.
	Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.
	<div style="text-align: center;"> T36N R14W $\frac{1}{4}$ S 5 S 4 1962 </div>
49.80	Wash, 20 lks. wide, 2 ft. deep, drains SW.; asc. over gentle SE. slope.
83.56	Intersect the S. bdy. of T. 37 N., R. 14 W.
	Point for the closing cor. of secs. 4 and 5.

CHAINS

Set the iron post 8 ins. in the ground, mound with stones to top, cap mkd.

T37N R14W
S 33
S 5 | S 4
T36N R14W
CC
1962

From this closing cor. the Stan. 1/4 sec. cor. of sec. 33, T. 37 N., R. 14 W., bears East, 13.67 chs. dist., monumented by an iron post as described in the official record.

Land, rolling.
Soil, rocky and sandy loam.
Timber, scattered joshua trees.
Undergrowth, creosote brush, blackbrush and cactus.

The point for the N. 1/4 sec. cor. of sec. 4 is at mid-point and on the N. bdy. of the township.

Set the iron post 8 ins. in the ground, mound with stones to top, cap mkd.

1/4 S 4
T36N R14W
1962

From this cor., the Stan. cor. of secs. 33 and 34, T. 37 N., R. 14 W., bears East, 13.75 chs. dist., monumented by an iron post as described in the official record.

From the cor. of secs. 5, 6, 31 and 32 on the S. bdy. of the township, monumented by an iron post as described in the official record.

N. 0°03' W., bet. secs. 31 and 32.

Over gently rolling land, through moderate joshua trees.

1.50 Dirt road, bears NE. and SW.

18.20 Wash, 50 lks. wide, 1 ft. deep, drains SW.

39.00 Wash, 10 lks. wide, 1 ft. deep, drains NE.

40.00 Point for the 1/4 sec. cor. of secs. 31 and 32.

Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.

T36N R14W
1/4
S31 | S32
1962

80.00 Point for the cor. of secs. 29, 30, 31 and 32.

Set the iron post 15 ins. in the ground, mound with stones to top, cap mkd.

T36N R14W
S30 | S29
S31 | S32
1962

BOOK 4958
UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	<p>Subdivision, T. 36 N., R. 14 W., Arizona</p>
	<p>Land, gently rolling. Soil, rocky and sandy loam. Timber, moderate joshua trees.</p>
	<p>From the cor. of secs. 28, 29, 32 and 33.</p>
	<p>N. 89°49' W., bet. secs. 29 and 32.</p>
	<p>Over gently rolling desert land, through moderate joshua trees.</p>
34.40	<p>Wash, 10 lks. wide, 1 ft. deep, drains SW.</p>
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 29 and 32.</p>
	<p>Set the iron post 20 ins. in the ground, mound with stones to top, cap mkd.</p>
	<p>T36N R14W $\frac{1}{4}$ $\frac{S\ 29}{S\ 32}$ 1962</p>
40.60	<p>Wash, 5 lks. wide, 1 ft. deep, drains SE.</p>
65.30	<p>Wash, 20 lks. wide, 1 ft. deep, drains SE.</p>
80.00	<p>The cor. of secs. 29, 30, 31 and 32.</p>
	<p>Land, rolling. Soil, rocky and sandy loam. Timber, moderate joshua trees. Undergrowth, creosote brush, blackbrush and cactus.</p>
	<p>N. 89°54' W., bet. secs. 30 and 31.</p>
	<p>Over gently rolling land, through moderate joshua trees.</p>
7.90	<p>Wash, 10 lks. wide, 1 ft. deep, drains NW.</p>
28.50	<p>Wash, 10 lks. wide, 1 ft. deep, drains N.</p>
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 30 and 31.</p>
	<p>Set the iron post 14 ins. in the ground, mound with stones to top, cap mkd.</p>
	<p>T36N R14W $\frac{1}{4}$ $\frac{S\ 30}{S\ 31}$ 1962</p>
41.60	<p>Road, bears NE. and SW.</p>
68.90	<p>Wash, 80 lks. wide, 2 ft. deep, drains NW.</p>
79.24	<p>The cor. of secs. 25, 30, 31 and 36 on the W. bdy. of the township, monumented by an iron post as described in the official record.</p>

32

CHAINS

Land, gently rolling.
Soil, rocky and sandy loam.
Timber, moderate joshua trees.
Undergrowth, creosote brush, blackbrush and cactus.

From the cor. of secs. 29, 30, 31 and 32.

N. 0°03' W., bet. secs. 29 and 30.

Over gently rolling desert land, through moderate joshua trees.

8.60 Wash, 10 lks. wide, 1 ft. deep, drains W.

40.00 Point for the ¼ sec. cor. of secs. 29 and 30.

Set the iron post 15 ins. in the ground, mound with stones to top, cap mkd.

T36N R14W
¼
S30|S29
1962

43.80 Grand Wash, 140 lks. wide, 2 ft. deep, drains S. 80° W., circling to SW.

65.80 Dirt road, bears NE. and SW.

80.00 Point for the cor. of secs. 19, 20, 29 and 30.

Set the iron post 14 ins. in the ground, mound with stones to top, cap mkd.

T36N R14W
S19|S20
S30|S29
1962

Land, gently rolling.
Soil, rocky and sandy loam.
Timber, scattered to moderate joshua trees.
Undergrowth, creosote brush, blackbrush and cactus.

From the cor. of secs. 20, 21, 28 and 29.

N. 89°49' W., bet. secs. 20 and 29.

Over gently rolling desert land, through moderate joshua trees.

6.30 Dirt road, bears SE. and NW.

36.70 Grand Wash, 1.00 chain wide, 2 ft. deep, drains SW.; asc. SE. slope.

39.99 Point for the ¼ sec. cor. of secs. 20 and 29.

Set the iron post 24 ins. in the ground, mound with stones to top, cap mkd.

T36N R14W
¼ S 20
S 29
1962

52.60 Wash, 10 lks. wide, 1 ft. deep, drains SW.

67.30 Dirt road, bears NE. and SW.

4088
UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	Subdivision, T. 36 N., R. 14 W., Arizona
79.98	<p>The cor. of secs. 19, 20, 29 and 30.</p> <p>Land, gently rolling. Soil, rocky and sandy loam. Timber, moderate joshua trees. Undergrowth, creosote brush, blackbrush and cactus.</p>
	<p>N. 89°52' W., bet. secs. 19 and 30.</p> <p>Over gently rolling land, through scattered to moderate joshua trees.</p>
11.60	Wash, 80 lks. wide, 2 ft. deep, drains SW.
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 19 and 30.</p> <p>Set the iron post 8 ins. in the ground, mound with stones to top, cap mkd.</p>
	<p>T36N R14W $\frac{1}{4}$ $\frac{S\ 19}{S\ 30}$ 1962</p>
42.20	Wash, 10 lks. wide, 1 ft. deep, drains SW.
48.80	Wash, 10 lks. wide, 1 ft. deep, drains SW.
58.70	Wash, 15 lks. wide, 1 ft. deep, drains SE.
79.20	<p>The cor. of secs. 19, 24, 25 and 30 on the W. bdy. of the township, monumented by an iron post as described in the official record.</p> <p>Land, gently rolling. Soil, rocky and sandy loam. Timber, scattered to moderate joshua trees. Undergrowth, creosote brush, blackbrush and cactus.</p>
	<p>From the cor. of secs. 19, 20, 29 and 30.</p> <p>N. 0°03' W., bet. secs. 19 and 20.</p> <p>Over gently rolling desert land, through scattered joshua trees.</p>
9.70	Wash, 40 lks. wide, 1 ft. deep, drains SW.
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 19 and 20.</p> <p>Set the iron post 21 ins. in the ground, mound with stones to top, cap mkd.</p>
	<p>T36N R14W $\frac{1}{4}$ S19 S20 1962</p>
80.00	<p>Point for the cor. of secs. 17, 18, 19 and 20.</p> <p>Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.</p>

CHAINS		
	<p style="text-align: center;">T36N R14W $\frac{S18}{S19} \frac{S17}{S20}$ 1962</p> <p>Land, gently rolling. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, blackbrush and cactus.</p> <hr/> <p>From the cor. of secs. 16, 17, 20 and 21. N. 89°47' W., bet. secs. 17 and 20.</p> <p>Over gently rolling land, through scattered joshua trees.</p>	
8.70	Wash, 10 lks. wide, 1 ft. deep, drains S. 30° W.	
18.90	Wash, 10 lks. wide, 1 ft. deep, drains SW.	
26.70	Wash, 15 lks. wide, 1 ft. deep, drains S.	
37.10	Dirt road, bears NE. circling to N. and SW., curving to SE.	
39.98	Point for the $\frac{1}{4}$ sec. cor. of secs. 17 and 20. Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.	
	<p style="text-align: center;">T36N R14W $\frac{1}{4} \frac{S 17}{S 20}$ 1962</p>	
45.70	Wash, 10 lks. wide, 2 ft. deep, drains SW. circling to S.	
48.30	Dirt road, bears NW. and SE.	
48.51	Set a fir post 4 ins. square, 4 ft. long, 18 ins. in the ground, with metal location marker attached.	
59.20	Wash, 5 lks. wide, 1 ft. deep, drains SE.	
69.20	Wash, 30 lks. wide, 2 ft. deep, drains SE.	
79.97	The cor. of secs. 17, 18, 19 and 20. Land, gently rolling. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, blackbrush and cactus.	
	<p>N. 89°51' W., bet. secs. 18 and 19.</p> <p>Over gently rolling desert land, through scattered joshua trees.</p>	
6.30	Wash, 20 lks. wide, 1 ft. deep, drains SW.	
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 18 and 19. Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.	
	<p style="text-align: center;">T36N R14W $\frac{1}{4} \frac{S 18}{S 19}$ 1962</p>	

4688
UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	Subdivision, T. 36 N., R. 14 W., Arizona
46.20	Wash, 15 lks. wide, 1 ft. deep, drains S.
59.40	Road, bears NE. and SW.
79.17	<p>The cor. of secs. 13, 18, 19 and 24 on the W. bdy. of the township, monumented by an iron post as described in the official record.</p> <p>Land, gently rolling. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, blackbrush and cactus.</p>
	<p>From the cor. of secs. 17, 18, 19 and 20.</p> <p>N. 0°03' W., bet. secs. 17 and 18.</p> <p>Over gently rolling desert land, through scattered joshua trees.</p>
26.10	Wash, 25 lks. wide, 1 ft. deep, drains SW.
40.00	<p>Point for the $\frac{1}{2}$ sec. cor. of secs. 17 and 18.</p> <p>Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T36N R14W $\frac{1}{2}$ S18 S17 1962</p>
58.80	Wash, 10 lks. wide, 1 ft. deep, drains SW.
80.00	<p>Point for the cor. of secs. 7, 8, 17 and 18.</p> <p>Set the iron post 18 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T36N R14W S 7 S 8 ----- S18 S17 1962</p> <p>Land, gently rolling. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, blackbrush and cactus.</p>
	<p>From the cor. of secs. 8, 9, 16 and 17.</p> <p>N. 89°48' W., bet. secs. 8 and 17.</p> <p>Over rolling land, through scattered joshua trees.</p> <p>Desc. over gentle W. slope.</p>
24.50	Wash, 10 lks. wide, 1 ft. deep, drains SW.; thence over gently rolling land, S. drainage and exposure.

CHAINS		
39.98	Point for the $\frac{1}{4}$ sec. cor. of secs. 8 and 17. Set the iron post 5 ins. in the ground, mound with stones to top, cap mkd.	
	T36N R14W $\frac{1}{4} \frac{S \ 8}{S \ 17}$ 1962	
46.00	Wash, 10 lks. wide, 2 ft. deep, drains S. 30° E.	
79.97	The cor. of secs. 7, 8, 17 and 18. Land, rolling. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, black brush and cactus.	
	N. 89°53' W., bet. secs. 7 and 18.	
	Over gently rolling desert land, through scattered joshua trees.	
8.20	Wash, 10 lks. wide, 2 ft. deep, drains S.	
19.10	Wash, 10 lks. wide, 1 ft. deep, drains S. 15° W.	
32.40	Head of wash, drains S.	
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 7 and 18. Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.	
	T36N R14W $\frac{1}{4} \frac{S \ 7}{S \ 18}$ 1962	
42.90	Road to Pakoon Springs, bears N. 70° E. and S. 30° W.	
72.70	Wash, 40 lks. wide, 3 ft. deep, drains SW.	
79.14	The cor. of secs. 7, 12, 13 and 18 on the W. bdy. of the township, monumented by an iron post as described in the official record. Land, rolling. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, blackbrush and cactus.	
	From the cor. of secs. 7, 8, 17 and 18.	
	N. 0°03' W., bet. secs. 7 and 8.	
	Asc. over gently rolling SW. slope, through scattered joshua trees.	
17.20	Road to Pakoon Springs, bears S. 60° W. and N. 60° E.; set a fir post, 4 ins. square, 4 ft. long, 18 ins. in the ground with location marker attached, on the S. side of the road.	
26.00	Wash, 30 lks. wide, 3 ft. deep, drains SW.	
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 7 and 8.	

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS	
	<p>Subdivision, T. 36 N., R. 14 W., Arizona</p> <hr/> <p>Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T36N R14W $\frac{1}{4}$ S 7 S 8 1962</p>
66.00	Wash, 10 lks. wide, 1 ft. deep, drains SW.
80.00	Point for the cor. of secs. 5, 6, 7 and 8.
	<p>Set the iron post 15 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T36N R14W S 6 S 5 S 7 S 8 1962</p> <p>Land, rolling. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, blackbrush and cactus.</p> <hr/> <p>From the cor. of secs. 4, 5, 8 and 9.</p> <p>N. 89°48' W., bet. secs. 5 and 8.</p> <p>Over rolling land, through scattered joshua trees.</p>
1.60	Wash, 10 lks. wide, 2 ft. deep, drains S. 10° W.
16.60	Wash, 20 lks. wide, 1 ft. deep, drains S.
29.70	Wash, 20 lks. wide, 2 ft. deep, drains S. 30° W.
39.97	Point for the $\frac{1}{4}$ sec. cor. of secs. 5 and 8.
	<p>Set the iron post 3 ins. in the ground, mound with stones to top, cap mkd.</p> <p style="text-align: center;">T36N R14W $\frac{1}{4}$ S 5 S 8 1962</p>
54.00	Wash, 10 lks. wide, 2 ft. deep, drains S. 30° W.
66.30	Wash, 10 lks. wide, 1 ft. deep, drains S.
79.95	The cor. of secs. 5, 6, 7 and 8.
	<p>Land, rolling. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, creosote brush, blackbrush and cactus.</p> <hr/> <p>N. 89°54' W., bet. secs. 6 and 7.</p> <p>Over rolling hills and washes, through scattered joshua trees and undergrowth.</p>

CHAINS		
	Desc. over SW. slope.	
15.00	Desc. over W. slope.	
24.10	Wash, 30 lks. wide, 2 ft. deep, drains S. 30° W.; thence over rolling S. slope.	
36.00	Wash, 20 lks. wide, 1 ft. deep, drains S. 15° E.	
40.00	Point for the ¼ sec. cor. of secs. 6 and 7.	
	Set the iron post 4 ins. in the ground, mound with stones to top, cap mkd.	
	<p style="text-align: center;">T36N R14W $\frac{1}{4} \frac{S \ 6}{S \ 7}$ 1962</p>	
63.90	Canyon rim, bears S. 20° W., and N. 20° E.; desc. over W. slope.	
74.50	Wash, 60 lks. wide, 3 ft. deep, drains S. 20° W.; asc. over SE. slope.	
79.07	The cor. of secs. 1, 6, 7 and 12 on the W. bdy. of the township, monumented by an iron post as described in the official record.	
	<p>Land, rolling and broken. Soil, rocky and sandy loam. Timber, scattered joshua trees. Undergrowth, blackbrush, cactus and creosote brush.</p>	
	From the cor. of secs. 5, 6, 7 and 8.	
	N. 0°03' W., bet. secs. 5 and 6.	
	Over low rolling hills and washes.	
23.50	Wash, 10 lks. wide, 2 ft. deep, drains irregularly SW.	
31.90	Spur, slopes SW.	
40.00	Point for the ¼ sec. cor. of secs. 5 and 6.	
	Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.	
	<p style="text-align: center;">T36N R14W $\frac{1}{4} \frac{S \ 6 S \ 5}{1962}$</p>	
41.00	Wash, 20 lks. wide, 3 ft. deep, drains SW.	
82.30	Canyon rim, bears N. 10° E. and SW.; desc. along steep W. slope.	
83.34	Intersect the S. bdy. of T. 37 N., R. 14 W.	
	Point for the closing cor. of secs. 5 and 6,	
	Set the iron post 10 ins. in the ground, mound with stones to top, cap mkd.	
	<p style="text-align: center;">T37N R14W $\frac{S \ 32}{S \ 6 S \ 5}$ T36N R14W CC 1962</p>	

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTE PAPER

CHAINS

Subdivision, T. 36 N., R. 14 W., Arizona

From this closing cor. the Stan. $\frac{1}{4}$ sec. cor. of sec. 32, T. 37 N., R. 14 W., bears East, 13.57 chs. dist., monumented by an iron post as described in the official record.

Land, rolling.
Soil, rocky and sandy loam.
Timber, scattered joshua trees.
Undergrowth, cactus, creosote brush and black brush.

The point for the N. $\frac{1}{4}$ sec. cor. of sec. 5 is at mid-point and on the N. bdy. of the Tp.

Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.

T37N R14W

 $\frac{1}{4}$ S 5
T36N R14W
1962

From this cor. the Stan. cor. of secs. 32 and 33, T. 37 N., R. 14 W., bears East, 13.62 chs. dist., monumented by an iron post as described in the official record.

The point for the N. $\frac{1}{4}$ sec. cor. of sec. 6 is on the N. bdy., 40.00 chs. West of the closing cor. of secs. 5 and 6.

Set the iron post 6 ins. in the ground, mound with stones to top, cap mkd.

T37N R14W

 $\frac{1}{4}$ S 6
T36N R14W
1962

From this cor., the Stan. cor. of secs. 31 and 32, T. 37 N., R. 14 W., bears East, 13.57 chs. dist., monumented by an iron post as described in the official record.

General Description

Most of the land in T. 36 N., R. 14 W., is gently rolling hills cut by numerous washes and gullies with the exception of the eastern part in the immediate vicinity of the Grand Wash Cliffs. The land along the cliffs is extremely rough, broken by walled canyons and steep slopes.

With the exception of a small seep in Hidden Canyon, there was no live water noted in the township. Grand Wash and its tributaries drains the area southerly, emptying into Lake Mead.

The soil is mostly a shallow sandy loam, overlaid with malpais. Pinon and juniper with moderate undergrowth

40

CHAINS

and grass is found on the mesa above the Grand Wash Cliffs. Joshua trees, cactus, creosote and black brush are predominant over the remainder. Grazing of livestock is at present the predominating interest, limited to a large extent by the lack of water.

There are two main roads, unimproved, within the township; one entering in section 18 and extending northeast, the other entering in section 31 and extending north, joining in section 9 and leaving the township in section 3.

5000 4103
UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY
Alan R. Crockett	Note Keeper
Harold Chemas	Front Chainman
Tom Carter	Flagman
Albert H. Emett	Cornerman
Jimmie V. Schmutz	Axeman
Gary Oviatt	Transitman
Dan Bauer	Note Keeper
Gordon Black	Front Chainman
Robert Monasmith	Flagman
George Chemas	Cornerman

42

CERTIFICATE OF SURVEY

Boyd S. Owens
Paul G. Bauer
I, Wallace R. Ott

, HEREBY CERTIFY upon honor that,

in pursuance of special instructions bearing date of the 5th day of June, 1962,
I have surveyed the subdivisional lines of Township 36 North, Range 14
West

of the Gila and Salt River Meridian, in the State of Arizona, which
are represented in the foregoing field notes as having been executed by me and under my direction;
and that said survey has been made in strict conformity with said special instructions, the Manual
of Instructions for the Survey of the Public Lands of the United States, and in specific manner
described in the foregoing field notes.

April 8, 1963
(Date)

Boyd S Owens
(Cadastral Surveyor)

April 8, 1963
(Date)

Paul G Bauer
Surveying (Cadastral Surveyor) Technician

April 8, 1963

Wallace R Ott
Surveying Aid

CERTIFICATE OF APPROVAL
Bureau of Land Management

The foregoing field notes of the survey of the subdivisional lines of Township
36 North, Range 14 West

executed by Boyd S. Owens, Paul G. Bauer, and Wallace R. Ott
having been critically examined and found correct, are hereby approved.
Washington, D. C.

OCT 7 1963
(Date)

Clark I Lumm
Acting (Chief, Division of Engineering)

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of the field notes of the above-described surveys in
Arizona, is a true copy of the original field notes.

(Date)

(Chief, Division of Engineering)