

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

of

REMONUMENTATION

of the

WEST BOUNDARY OF THE FORT APACHE INDIAN RESERVATION

TOWNSHIP 7 NORTH, RANGE 15 EAST

TOWNSHIP 6 NORTH, RANGE 15 EAST

TOWNSHIP 5 NORTH, RANGE 15 EAST

Of the Gila and Salt River Meridian,
In the State of Arizona

EXECUTED BY

John H. Witmer, Cadastral Surveyor

Under special instructions dated July 1, 19 69, which provided for the surveys
included under Group Number 514, approved July 2, 1969,
and assignment instructions dated July 2, 19 69.

Survey commenced July 8, 19 69

Survey completed September 11, 19 69

BOOK 4887

INDEX DIAGRAM

Township _____, Range _____,

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

INDEX TO SECTION
CORNER MONUMENTS

Tp. 7 N. R. 15 E. Mer. G&SR

6	5	4	3	2	22M	INDIAN RESERVATION APACHE FORT
					23M	
7	8	9	10	11	23½M	
					24M	
18	17	16	15	14	24½M	
					25M	
19	20	21	22	23	25½M	
					26M	
30	29	28	27	26	26½M	
					27M	
31	32	33	34	35	27½M	

Corner	Page
Mile Corner 22	1
" " 23	2
" " 23½	2
" " 24	3
" " 24½	3
" " 25	4
" " 25½	4
" " 26	5
" " 26½	6
" " 27	6
" " 27½	7

Tp. 6 N. R. 15 E. Mer. G&SR

6	5	4	3	2	28M	INDIAN RESERVATION APACHE FORT
					28½M	
7	8	9	10	11	29M	
					29½M	
18	17	16	15	14	30M	
					30½M	
19	20	21	22	23	31M	
					32M	
30	29	28	27	26	32½M	
					33M	
31	32	33	34	35	33½M	

Corner	Page
Mile Corner 28	8
" " 28½	8
" " 29	9
" " 29½	10
" " 30	10
" " 30½	11
" " 31	11
" " 32	12
" " 33	12
" " 33½	13

Tp. 5 N. R. 15 E. Mer. G&SR

6	5	4	3	2	34M	INDIAN RESERVATION APACHE FORT
					35M	
7	8	9	10	11	35½M	
					36M	
18	17	16	15	14	36½M	
					37M	
19	20	21	22	23	37½M	
					38M	
30	29	28	27	26		
31	32	33	34	35		

Corner	Page
Mile Corner 34	13
" " 35	14
" " 35½	14
" " 36	14
" " 36½	14
" " 37	15
" " 37½	15
" " 38	15

Township 7 North, Range 15 East
 Township 6 North, Range 15 East
 Township 5 North, Range 15 East
 Gila and Salt River Meridian, Arizona

CHAINS

The following field notes are those of remonumentation of cadastral survey corners by agreement with the U. S. Forest Service. The detailed cooperative agreement was approved by the Director, Bureau of Land Management, by memorandum (5.04b) dated October 16, 1958.

The approval of the Special Instructions on July 2, 1969 gave authority to proceed with the remonumentation in accordance with the Director's Order No. 541, dated April 21, 1961.

Unless described, each corner was monumented with a standard iron post, 30 inches long, 2½ inches in diameter, flanged at the base, with a brass cap riveted to the top.

The assistants furnished by the Forest Service remonumented the original corner positions after verification. An open sight compass was used to obtain the bearings and a standard steel tape was used to measure the distances to corner accessories.
 The magnetic declination used was 14° East.

Township 7 North, Range 15 East, G&SR M., Arizona

The west boundary of the Fort Apache Indian Reservation was surveyed in 1890 by J. C. Smith.

Remonumentation, W. Bdy., Fort Apache Indian
 Reservation, T. 7 N., R. 15 E., Arizona

The 22 mile cor., monumented by a granite stone, 16 x 12 x 10 ins., firmly set 8 ins. in the ground, mkd. with faint scribe mks., from which the remains of the orig. bearing trees

An oak, 20 ins. diam., bears N. 24° E., 170 lks. dist., mkd. WMIR WB 2M.

A stump hole, bears S. 47° E., 83 lks. dist.

A dead oak snag, 12 ins. diam., bears S. 3° E., 110 lks. dist., mkd. with an overgrown blaze. I cut into blaze and find scribe mks. B 22M.

A dead oak snag, 13 ins. diam., bears S. 77½° W., 102 lks. dist., mkd. WMIR WB 22M BT.

At the cor. point

Set the iron post, 12 ins. in the ground, mound of stone to top, brass cap mkd.

T7N |
 R15E | FAIR
 S2 | 22M
 1969

from which

A juniper, 5 ins. diam., bears N. 47° E., 50 lks. dist., mkd. 22M FAIR BT.

A juniper, 8 ins. diam., bears S. 64° E., 63½ lks. dist., mkd. 22M FAIR BT.

A juniper, 11 ins. diam., bears S. 19° W., 126 lks. dist., mkd. 22M BT.

Remonumentation, W. Bdy., Fort Apache Indian Reservation
T. 7 N., R. 15 E.

CHAINS

A juniper, 8 ins. diam., bears S. 72° W., 69 lks. dist., mkd. 22M BT.

Raise a mound of stone E. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is 29 lks. W. of a fence bearing N. and S., and 30 lks. E. of a wash, 40 lks. wide, draining N. 30° E.

The 23 mile cor., monumented by an igneous stone, 17 x 17 x 12 ins., set 6 ins. in the ground, mkd. 23, with a large mound of stone to the W.

At the cor. point

Set the iron post, 22 ins. in the ground, in a collar of stone, brass cap mkd.

T7N	
R15E	FAIR
S11	23M
1969	

Raise a mound of stone E. of the iron post.

Rebuild the mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is on a SE. slope in dense oakbrush and manzanita, 4 lks. W. of a fence bearing N. and S.

The 23½ mile cor., reestablished by record course and dist. from an orig. bearing tree

A juniper, 15 ins. diam., bears S. 74° E., 108 lks. dist., mkd. WMIR WB 23½M BT.

No evidence found of an oak, 9 ins. diam., bearing N. 2° W., 24 lks. dist., as called for in record.

At the cor. point

Set the iron post, 12 ins. in the ground to bedrock, mound of stone to top, brass cap mkd.

T7N	
R15E	FAIR
S11	23½M
1969	

from which

A juniper, 8 ins. diam., bears N. 59° E., 99 lks. dist., mkd. 23½M FAIR BT.

A juniper, 7 ins. diam., bears N. 45° W., 80½ lks. dist., mkd. 23½M BT.

Cor. is 10 lks. W. of a fence bearing N. and S.

Remonumentation, W. Bdy., Fort Apache Indian Reservation
T. 7 N., R. 15 E.

CHAINS

The 24 mile cor., monumented by a sandstone, 24 x 20 x 12 ins., set 4 ins. in the ground, mkd. WMIR WB 24M on E. face, with scattered mound of stone to the W., from which the original bearing trees

An oak, 20 ins. diam., bears N. 47° E., 26 lks. dist., mkd. with a rotted out blaze.

An oak, 22 ins. diam., bears S. 24° E., 181 lks. dist., mkd. WB 24M.
(Note: record bearing S. 24° W.).

A juniper, 18 ins. diam., bears S. 13° W., 52 lks. dist., mkd. with an overgrown blaze.

An oak, 16 ins. diam., bears West 1 lk. dist., mkd. with an overgrown blaze.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T7N		
R15E		FAIR
S14		24M
1969		

from which

A juniper, 7 ins. diam., bears N. 3° W., 30 lks. dist., mkd. 24M BT.

Raise a mound of stone E. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is 50 lks. W. of a fence bearing N. and S.

The 24½ mile cor., monumented by a limestone, 17 x 13 x 7 ins., firmly set 6 ins. in the ground, mkd. WMIR WB 24 on one face, with mound of stone to the W., from which the remains of the orig. bearing trees

A stump hole, bears S. 68° E., 40 lks. dist.

A stump hole, bears West, 66 lks. dist.

At the cor. point

Set the iron post, 18 ins. in the ground, in a collar of stone, brass cap mkd.

T7N		
R15E		FAIR
S14		24½M
1969		

from which

A juniper, 20 ins. diam., bears N. 62½° E., 57 lks. dist., mkd. 24½M FAIR BT.

A juniper, 10 ins. diam., bears N. 73° W., 36 lks. dist., mkd. 24½M BT.

Rebuild the mound of stone W. of the iron post.

Remonumentation, W. Bdy., Fort Apache Indian Reservation
T. 7 N., R. 15 E.

CHAINS

Bury orig. cor. stone alongside the iron post.

Cor. is on a W. slope.

The 25 mile cor., monumented by a sandstone, 28 x 12 x 8 ins., firmly set 7 ins. in the ground, mkd. WMIR WB on one face, with mound of stone to the W., from which the remains of the orig. bearing trees

A dead oak, 14 ins. diam., bears N. 13° E., 109 lks. dist., mkd. with an overgrown blaze.

A juniper, 18 ins. diam., bears N. 25½° E., 78 lks. dist., mkd. with an overgrown blaze.
(Note: record bearing N. 35½° E.).

A stump hole, with a decayed oak tree, alongside, bears N. 51½° W., 106 lks. dist., no mks.

A stump hole, with a fallen oak tree, 18 ins. diam., alongside, bears N. 37° W., 123 lks. dist., no mks.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T7N		
R15E		FAIR
S23		25M

1969

from which

A juniper, 10 ins. diam., bears N. 62½° E., 81 lks. dist., mkd. 25M FAIR BT.

A juniper, 6 ins. diam., bears N. 82° W., 49 lks. dist., mkd. 25M BT.

A juniper, 10 ins. diam., bears N. 48° W., 117 lks. dist., mkd. 25M BT.

Rebuild the mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is 11 lks. E. of a fence bearing N. and S.

The 25½ mile cor., monumented by a limestone, 14 x 14 x 8 ins., firmly set 5 ins. in the ground, mkd. WMIR WB 25½M on E. face, with mound of stone to the W., from which the orig. bearing trees

A dead oak stump, 23 ins. diam., 8 ft. high, bears N. 7° E., 99 lks. dist., mkd. with an overgrown blaze.

A dead juniper, 10 ins. diam., bears S. 70° W., 40 lks. dist., mkd. WMIR WB 25½M BT.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

Remonumentation, W. Bdy., Fort Apache Indian Reservation
T. 7 N., R. 15 E.

CHAINS

T7N	
R15E	FAIR
S23	25½M
1969	

from which

A juniper, 8 ins. diam., bears N. 17½° E., 47 lks. dist., mkd. 25½M FAIR BT.

A juniper, 6 ins. diam., bears N. 65° W., 35 lks. dist., mkd. 25½M BT.

Bury orig. cor. stone alongside the iron post.

Cor. is 75 lks. E. of a fence bearing N. and S.

The 26 mile cor., monumented by a limestone, 24 x 10 x 6 ins., set 4 ins. in the ground, mkd. WMIR WB 26M on E. face, with mound of stone to the N., from which the remains of the orig. bearing trees

An oak, 15 ins. diam., bears N. 18° E., 69 lks. dist., mkd. with an overgrown blaze.

A dead oak, 20 ins. diam., bears S. 72° E., 24 lks. dist., mkd. with an overgrown blaze.

A dead oak, 18 ins. diam., bears S. 47½° W., 33 lks. dist., mkd. with an overgrown blaze. I cut into blaze and find scribe mks. BT.
(Note: record dist. 23 lks.).

A dead oak, 15 ins. diam., bears N. 70° W., 38 lks. dist., mkd. with an overgrown blaze.

At the cor. point

Set the iron post, 14 ins. in the ground to solid bedrock, mound of stone to top, brass cap mkd.

T7N	
R15E	FAIR
S26	26M
1969	

from which

An alligator juniper, 6 ins. diam., bears S. 64° E., 68 lks. dist., mkd. 26M FAIR BT.

An alligator juniper, 7 ins. diam., bears S. 27° E., 45½ lks. dist., mkd. 26M FAIR BT.

An alligator juniper, 8 ins. diam., bears N. 39° W., 37 lks. dist., mkd. 26M BT.

Bury orig. cor. stone alongside the iron post.

Cor. is 75 lks. E. of a fence bearing N. and S.

Remonumentation, W. Bdy., Fort Apache Indian Reservation
T. 7 N., R. 15 E.

CHAINS

The 26½ mile cor., monumented by a limestone, 16 x 13 x 10 ins., set 3 ins. in the ground, mkd. WMIR WB 26½M on E. face, with mound of stone to the W., from which the remains of the orig. bearing trees

A stump hole, with a rotted uprooted oak tree, alongside, bears S. 15° E., 53 lks. dist., tree mkd. with a partial blaze.

A stump hole, with a rotted uprooted oak tree, alongside, bears N. 45° W., 110 lks. dist. tree mkd. with a partial blaze.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T7N		
R15E		FAIR
S26		26½M
1969		

from which

An alligator juniper, 10 ins. diam., bears S. 5° E., 34 lks. dist., mkd. 26½M FAIR BT.

An alligator juniper, 8 ins. diam., bears S. 83° W., 65 lks. dist., mkd. 26½M BT.

Raise a mound of stone E. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is 1 ch. E. of a fence bearing irregularly N. and S.

The 27 mile cor., monumented by a sandstone, 18 x 13 x 10 ins., lying loose on the ground, mkd. WMIR WB 27M on one face, with large mound of stone to the W., verified by record course and dist. from the remains of the orig. bearing trees

A stump hole, with an uprooted oak tree, 15 ins. diam., alongside, bears S. 62° E., 131 lks. dist., mkd. with an overgrown blaze.

A dead oak snag, 18 ins. diam., bears S. 36° E., 102 lks. dist., mkd. with an overgrown blaze.

A stump hole, with an uprooted oak tree, 12 ins. diam., alongside, bears S. 53° W., 35 lks. dist., tree mkd. with an overgrown blaze.

No evidence found of an oak, bearing S. 53° W., 87 lks. dist., as called for in record.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T7N		
R15E		FAIR
S35		27M
1969		

Remonumentation W. Bdy., Fort Apache Indian Reservation
T. 7 N., R. 15 E.

CHAINS

from which

An alligator juniper, 4 ins. diam., bears N. 34° E.,
6 lks. dist., mkd. X BT.

An alligator juniper, 5 ins. diam., bears S. 68°
W., 42 lks. dist., mkd. 27M BT.

Rebuild the mound of stone to the W. of the iron post.

Deposit the orig. cor. stone alongside the iron post.

Cor. is 88 lks. E. of a fence bearing irregularly N.
and S.

27½ mile cor., monumented by a sandstone, 16 x 14 x 9
ins., set 4 ins. in the ground, mkd. 27½M, with mound
of stone to the W., from which the remains of the orig.
bearing trees

An oak, 10 ins., diam., bears S. 53° E., 75 lks.
dist., mkd. with an overgrown blaze.

A stump hole, with an uprooted rotted oak tree,
15 ins. diam., alongside, bears S. 48° W., 18
lks. dist., no mks.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of
stone, brass cap mkd.

T7N		
R15E		FAIR
S35		27½M
		1969

from which

An oak, 10 ins. diam., bears S. 68° E., 62 lks.
dist., mkd. 27½M FAIR BT.

A juniper, 5 ins. diam., bears N. 62° W., 7 lks.
dist., mkd. 27½M BT.

Rebuild mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

Remonumentation, W. Bdy., Fort Apache Indian Reservation
T. 6 N., R. 15 E.

CHAINS

Township 6 North, Range 15 East, G&SRM., Arizona

The west boundary of the Fort Apache Indian Reservation was surveyed in 1890 by J. C. Smith.

Remonumentation, W. Bdy., Fort Apache Indian Reservation, T. 6 N., R. 15 E., Arizona

The 28 mile cor., monumented by a sandstone, 17 x 13 x 11 ins., set 2 ins. in the ground, mkd. WMIR WB 28M on E. face, with mound of stone to the W., from which the remains of the orig. bearing trees

A stump hole, with an uprooted oak tree, 8 ins. diam., alongside, bears N. $10\frac{1}{2}^\circ$ E., 86 lks. dist., tree mkd. with an overgrown blaze.

An oak, 24 ins. diam., bears N. 62° E., 58 lks. dist., mkd. with an overgrown blaze.

A stump hole, with a rotted uprooted oak tree, 12 ins. diam., alongside, bears S. 18° W., 30 lks. dist., no mks.

An oak stump, 10 ins. diam., bears N. 9° W., 32 lks. dist., mkd. with a blaze.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T6N R15E
S2 | FAIR
| 28M
1969

from which

An alligator juniper, 5 ins. diam., bears S. 88° E., 53 lks. dist., mkd. 28M FAIR BT.

An alligator juniper, 9 ins. diam., bears N. 79° W., 134 lks. dist., mkd. 28M BT.

Rebuild mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is 116 lks. W. of a fence bearing N. and S.

The $28\frac{1}{2}$ mile cor., monumented by a sandstone, 18 x 12 x 10 ins., set 6 ins. in the ground, mkd. WMIR WB $28\frac{1}{2}$ M on E. face, with mound of stone to the W., from which the orig. bearing trees.

A juniper, 28 ins. diam., bears S. 27° E., 89 lks. dist., mkd. with an overgrown blaze.

A dead juniper, 28 ins. diam., bears N. 16° W., 40 lks. dist., mkd. WMIR WB $28\frac{1}{2}$ M BT.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

Remonumentation, W. Bdy., Fort Apache Indian Reservation
T. 6 N., R. 15 E.

CHAINS

T6N R15E
S2 | FAIR
| 28½M
1969

from which

A juniper, 8 ins. diam., bears S. 80½° E., 77 lks. dist., mkd. 28½M BT.

A yellow pine, 9 ins. diam., bears S. 15½° W., 87 lks. dist., mkd. 28½M BT.

Rebuild the mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is 30 lks. W. of a fence bearing N. and S.

The 29 mile cor., monumented by a sandstone, 18 x 16 x 8 ins., lying loose on the ground, mkd. WMIR WB 29M on one face, with mound of stone to the W., verified by record course and dist. from the remains of the orig. bearing trees

A dead oak, 10 ins. diam., bears N. 15° E., 55 lks. dist., mkd. with an overgrown blaze.

A juniper, 32 ins. diam., bears N. 63° E., 64 lks. dist., mkd. WB.

An oak, 15 ins. diam., bears S. 75° E., 53 lks. dist., mkd. with an overgrown blaze.

A juniper, 26 ins. diam., bears S. 73° W., 90 lks. dist., mkd. with an overgrown blaze.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T6N R15E
S11 | FAIR
| 29M
1969

from which

A juniper, 6 ins. diam., bears S. 48½° E., 59½ lks. dist., mkd. 29M FAIR BT.

A juniper, 7 ins. diam., bears N. 59° W., 65 lks. dist., mkd. 29M BT.

Rebuild the mound of stone W. of the iron post.

Bury orig. cor. stone alongside iron post.

Cor. is 6 lks. W. of a fence bearing N. and S.

Remonumentation, W. Bdy., Fort Apache Indian Reservation
T. 6 N., R. 15 E.

CHAINS

The 29½ mile cor., monumented by a sandstone, 19 x 12 x 10 ins., lying loose on the ground, mkd. WB 29½M, with large mound of stone to the W., verified by record dist. from the remains of the orig. bearing trees

A stump hole, with a burned pine log, alongside, bears N. 85° E., 50 lks. dist., no mks.

A yellow pine, 24 ins. diam., bears S. 24° W., 25 lks. dist., mkd. with an overgrown blaze.

(I cut into blaze and find scribe mks. WB 2).

Note: record bearing and dist. S. 24° E., 25 lks.).

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T6N R15E
S11 | FAIR
| 29½M
1969

from which

A juniper, 6 ins. diam., bears S. 23½° E., 12 lks. dist., mkd. 29½M FAIR BT.

A juniper, 5 ins. diam., bears N. 61° W., 55 lks. dist., mkd. 29½M BT.

Rebuild mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is 58 lks. W. of a fence bearing N. and S.

The 30 mile cor., monumented by a sandstone, 23 x 20 x 6 ins., lying loose on ground, with large mound of stone to the W., verified by record course and dist. from the remains of the orig. bearing trees

An oak snag, 18 ins. diam., bears N. 27½° E., 64 lks. dist., mkd. with an overgrown blaze.

An oak snag, 24 ins. diam., bears S. 84° E., 60 lks. dist., mkd. with an overgrown blaze.

An oak, 15 ins. diam., bears N. 89° W., 40 lks. dist., mkd. with an overgrown blaze.

A juniper, 25 ins. diam., bears N. 13½° W., 32 lks. dist., mkd. WMIR WB 30M BT.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T6N R15E
S14 | FAIR
| 30M
1969

from which

A juniper, 10 ins. diam., bears S. 37° E., 32 lks. dist., mkd. 30M FAIR BT.

Remonumentation, W. Bdy., Fort Apache Indian Reservation
T. 6 N., R. 15 E.

CHAINS

A juniper, 8 ins. diam., bears S. 73° W., 16 lks. dist., mkd. 30M BT.

Rebuild the mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is 83 lks. W. of a fence bearing N. and S.

The 30½ mile cor., monumented by a sandstone, 16 x 16 x 11 ins., set 6 ins. in the ground, mkd. WMIR WB 30½M on E. face, with large mound of stone to the W., from which the orig. bearing trees

A juniper, 36 ins. diam., bears N. 5° E., 81 lks. dist., mkd. with an overgrown blaze. I cut into blaze and find scribe mks. 30½.

A juniper, 18 ins. diam., bears S. 72° E., 152 lks. dist., mkd. with an overgrown blaze.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T6N R15E

S14 | FAIR
| 30½M

1969

from which

A juniper, 5 ins. diam., bears S. 48° E., 30 lks. dist., mkd. 30½M FAIR BT.

A juniper, 7 ins. diam., bears S. 83° W., 54 lks. dist., mkd. 30½M BT.

Rebuild the mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is 11 lks. W. of a fence bearing N. and S.

The 31 mile cor., monumented by a sandstone, 16 x 14 x 10 ins., set 2 ins. in the ground, mkd. WMIR WB 31M on E. face, with large mound of stone to the W., from which the remains of the orig. bearing trees

An oak, 25 ins. diam., bears N. 14° E., 57 lks. dist., mkd. with an overgrown blaze.

A juniper, 60 ins. diam., bears N. 55° E., 65 lks. dist., mkd. WMIR WB 31M

A dead oak snag, 18 ins. diam., bears S. 22° W., 40 lks. dist., mkd. with an overgrown blaze.

A stump hole, with an uprooted rotted oak tree, alongside, bears S. 64° W., 81 lks. dist., mkd. with an overgrown blaze.

At the cor. point

Remonumentation, W. Bdy., Fort Apache Indian Reservation
T. 6 N., R. 15 E.

CHAINS

Set the iron post, 18 ins. in the ground, in a collar of stone, brass cap mkd.

T6N R15E

S23 | FAIR
| 31M

1969

from which

A juniper, 10 ins. diam., bears S. 88° E., 59½ lks. dist., mkd. 31M FAIR BT.

A juniper, 11 ins. diam., bears S. 66° W., 50 lks. dist., mkd. 31M BT.

Rebuild the mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is on the N. slope of Somebrero Butte, 2 lks. W. of a fence bearing N. and S.

The 32 mile cor., monumented by a sandstone, 18 x 12 x 10 ins., loosely set 2 ins. in the ground, mkd. WMIR WB 32M on E. face, with mound of stone to the W.

At the cor. point

Set the iron post, 10 ins. in the ground, mound of stone to top, brass cap mkd.

T6N R15E

FAIR
32M

1969

No new bearing trees available.

Rebuild the mound of stone W. of the iron post.

Bury orig. cor. stone alongside iron post.

Cor. is on a steep rocky E. slope.

The 33 mile cor., monumented by a granite stone, 15 x 12 x 12 ins., firmly set 8 ins. in the ground, mkd. faintly WMIR WB 33 on E. face, with mound of stone to the W.

At the cor. point

Set the iron post, 10 ins. in the ground to solid bed-rock, mound of stone to top, brass cap mkd.

T6N R15E

FAIR
33M

1969

Raise a mound of stone E. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is 4 lks. W. of a fence bearing irregularly N. and S.

13.

Remonumentation, W. Bdy., Fort Apache Indian Reservation
T. 6 N., R. 15 E.

CHAINS

The 33½ mile cor., monumented by a granite stone, 14 x 14 x 14 ins., firmly set in the ground, in a collar of stone, mkd. WMIR WB 33½M on E. face, with small mound of stone to the W.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

T6N R15E

 FAIR
 33½M
 1969

No new bearing trees available.

Raise a mound of stone E. of the iron post.

Bury original cor. stone alongside the iron post.

Cor. is on the S. side, about 50 lks. dist. from a rocky ridge bearing E. and W., and 11 lks. W. of a fence bearing N. 12¼° W. and S. 12¼° E.

Township 5 North, Range 15 East, G&SR M., Arizona

The west boundary of the Fort Apache Indian Reservation was surveyed in 1890 by J. C. Smith.

Remonumentation, W. Bdy., Fort Apache Indian
Reservation, T. 5 N., R. 15 E., Arizona

The 34 mile cor., monumented by a granite stone, 19 x 13 x 10 ins., firmly set 6 ins. in the ground, mkd. WMIR WB 34M on E. face, with mound of stone to the W.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.


 FAIR
 34M
 1969

No new bearing trees available.

Rebuild mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is on level land, 15 lks. W. of a fence bearing S. 12¼° E., and N. 12¼° W.

Remonumentation, W. Bdy., Fort Apache Indian Reservation
T. 5 N., R. 15 E.

CHAINS

The 35½ mile cor., monumented by a granite stone, 26 x 12 x 10 ins., firmly set 6 ins. in the ground, mkd. WMIR WB 35½M on E. face, with mound of stone to the W.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

FAIR
35½M
1969

No new bearing trees available.

Rebuild mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is on top of a ridge bearing E. and W., 19 lks. W. of a fence bearing S. 12¼° E., and N. 12¼° W.

The 36 mile cor., monumented by a sandstone, 17 x 13 x 10 ins., firmly set 8 ins. in the ground, mkd. WMIR WB 36M on E. face, with mound of stone to the W.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

FAIR
36M
1969

No new bearing trees available.

Rebuild mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is on top of a ridge bearing E. and W., 2 lks. W. of a fence bearing S. 12¼° E., and N. 12¼° W.

The 36½ mile cor., monumented by a sandstone, 20 x 12 x 9 ins., loosely set 2 ins. in the ground, mkd. WMIR WB 36½M on E. face, with mound of stone to the W.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

FAIR
36½M
1969

from which

A cedar, 8 ins. diam., bears N. 71° E., 33 lks. dist., mkd. 36½M FAIR BT.

A cedar, 8 ins. diam., bears N. 66° W., 44 lks. dist., mkd. 36½M BT.

Remonumentation, W. Bdy., Fort Apache Indian Reservation
T. 5 N., R. 15 E.

CHAINS

Rebuild the mound of stone W. of the iron post.
Bury orig. cor. stone alongside the iron post.
Cor. is on a steep N. slope.

The 37½ mile cor., monumented by a sandstone, 17 x 13 x 10 ins., firmly set 10 ins. in the ground, mkd. WMIR WB 37½M on E. face, with large mound of stone to the W.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

FAIR
37½M
1969

No new bearing trees available.

Rebuild mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is on top of a ridge bearing N. 70° E., and S. 70° W.

The 38 mile cor., monumented by a sandstone, 16 x 8 x 5 ins., loosely set 2 ins. in the ground, mkd. WMIR WB 38M on E. face, with mound of stone to the W.

At the cor. point

Set the iron post, 20 ins. in the ground, in a collar of stone, brass cap mkd.

FAIR
38M
1969

No new bearing trees available.

Rebuild mound of stone W. of the iron post.

Bury orig. cor. stone alongside the iron post.

Cor. is on the steep N. slope of a spur sloping NW.

CERTIFICATE OF SURVEY

(I) ~~(We)~~ John H. Witmer, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 1st day of July, 1969, (I) ~~(We)~~ have remonumented a portion of the cadastral survey corners of the West Boundary of the Fort Apache Indian Reservation in Townships 7, 6 and 5 North, Range 15 East,

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by (me), ~~(us)~~ and under (my) ~~(our)~~ direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

October 1, 1969

(Date)

John H. Witmer

(Cadastral Surveyor)

(Date)

(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

SUBMITTED FOR APPROVAL
Date FEB 18 1970

BUREAU OF LAND MANAGEMENT
Washington, D.C.

The foregoing field notes of the remonumentation of a portion of the cadastral survey corners of the West Boundary of the Fort Apache Indian Reservation in Townships 7, 6 and 5 North, Range 15 East, of the Gila and Salt River Meridian, Arizona,

executed by John H. Witmer, Cadastral Surveyor,

having been critically examined and found correct, are hereby approved.

JUN 2 1971

(Date)

Clark F. Luman

(Chief, Division of Cadastral Survey)

CERTIFICATE OF TRANSCRIPT

~~CERTIFY That the foregoing transcript of the field notes of the above-described surveys is a true copy of the original field notes.~~

(Date)

(Chief, Division of Cadastral Survey) GPO 849-626