

Form 9180-6
(April 1965)
(formerly 4-679)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

DEPENDENT RESURVEY

of a

PORTION OF THE SUBDIVISIONAL LINES

and

COMPLETION SURVEY

of the

SUBDIVISIONAL LINES

TOWNSHIP 29 NORTH, RANGE 19 WEST

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Gary T. Oviatt

Cadastral Surveyor

Jerrold E. Knight

Cadastral Surveyor

Under special instructions dated July 15, 1968, which provided for the surveys
included under Group Number 450, approved July 15, 1968,
and assignment instructions dated Sept. 12, 1968.

Survey commenced November 1, 1968

Survey completed November 21, 1968

BOOK 4926

INDEX DIAGRAM

Township 29 North, Range 19 West

6 22	23 5 22	15 4 15	12 3 11	9 2 8	6 1 5
7 20	21 8 20	14 9 13	11 10 10	8 11 7	4 12 4
18 18	19 17	13 16	9 15	6 14	3 13
19 17	1 20	21	22	23	24
30 16	29	28	27	26	25
31	32	33	34	35	36

Township 29 North, Range 19 West
Gila and Salt River Meridian, Arizona

CHAINS

The south three miles of the east boundary, the east five miles of the south boundary (Seventh Standard Parallel North) and a portion of the subdivisional lines were surveyed in 1916 by Lange and Walters. The west one mile of the south boundary (Seventh Standard Parallel North) was surveyed in 1930 by D. R. Averill. The north three miles of the east boundary, the west boundary and the north boundary were surveyed in 1957 by D. E. Harding. The north three miles of the west boundary were dependently resurveyed concurrently under this same group by Oviatt and Knight. Original corners were altered to function as Angle Points and new corners were established at regular intervals of 40.00 and 80.00 chains to control the subdivision of Townships 29 North, Ranges 19 and 20 West. The record thereof is included in the field notes of Township 29 North, Range 20 West, G&SRM, Arizona.

The following notes are those of a dependent resurvey of a portion of the subdivisional lines and of the completion survey of the subdivisional lines in Township 29 North, Range 19 West, Gila and Salt River Meridian, Arizona.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1947, and the Special Instructions dated July 15, 1968.

Only the true line bearings and horizontal distances for the surveyed lines are given in these notes. Unless described, each corner was monumented with a standard iron post 30 inches long, 2½ inches in diameter, flanged at the base, with a brass cap riveted to the top.

The geographic position of the Southeast corner of section 13, as scaled from U. S. Geological Survey Quadrangle, SENATOR MOUNTAIN, ARIZONA, scale 1:62500, is as follows: Latitude, 35°53'40" North and Longitude, 114°15'49" West.

The mean magnetic declination was found to be 15°30' E.

Dependent Resurvey of a Portion of the Subdivisional Lines, T. 29 N., R. 19 W., G&SRM, Arizona

Reestablishment of the Survey executed by Lange and Walters in 1916

During the subdivisional survey, the line between Sections 19 and 20 was found out of limits for controlling new subdivision. This line was resurveyed and new corners established at regular intervals of 40.00 and 80.00 chs. to control the subdivision of Sections 18 and 19. Original corners were altered to function for Sections 17 and 20 only.

Beginning at the cor. of secs. 19, 20, 29 and 30, monumented by an iron post 2 ins. diam., firmly set in a

Dependent Resurvey, T. 29 N., R. 19 W.

CHAINS	
	<p>mound of stone, with 10 ins. projecting above the mound, brass cap mkd.</p> <p style="text-align: center;">T29N R19W $\frac{S19}{S30} \frac{S20}{S29}$ 1916</p> <p>N. 0°05' E., bet. secs. 19 and 20.</p> <p>Over rolling land, through scattered joshua trees.</p>
5.20	Spur, slopes NW.
12.90	Track road, bears N. 63° E. and S. 63° W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of sec. 19 only.
	<p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R19W $\frac{1}{4}$ S19 1968</p> <p>Raise a mound of stone W. of the cor.</p>
40.29	<p>The cor. originally set to function as the $\frac{1}{4}$ sec. cor. of secs. 19 and 20, monumented by an iron post 1 ins. diam., firmly set, projecting 20 ins. above the ground, mound of stone to W. This cor. now functions as the $\frac{1}{4}$ sec. cor. of sec. 20 only, remarked:</p> <p style="text-align: center;">T29N R19W $\frac{1}{4}$ S20 1968 1916</p> <p>Removed the mound of stone W. of the cor. and raised a mound of stone E. of the cor.</p> <hr/> <p>North, beginning new measurement.</p> <p>Over rolling land, through scattered joshua trees.</p>
17.20	Track road, bears SE. and NW.
27.50	Bladed road, bears N. 83° E. and S. 83° W., ascend S. slope.
39.71	Point for the cor. of secs. 18 and 19 only.
	<p>Set the iron post 12 ins. in the ground, mound with stone to the top, brass cap mkd.</p> <p style="text-align: center;">T29N R19W $\frac{S18}{S19} S20$ 1968</p>

Dependent Resurvey, T. 29 N., R. 19 W.

CHAINS		
40.10	<p>The cor. originally set to function as the cor. of secs. 17, 18, 19 and 20, monumented by an iron post 2 ins. diam., firmly set in a mound of stone to top. This cor. now functions as the cor. of secs. 17 and 20 only, re-marked:</p> <p style="text-align: center;">T29N R19W S18 S17 S20 1968 1916</p> <p>Land, rolling. Soil, rocky loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>	
<p>Completion Survey, Subdivisional Lines, T. 29 N., R. 19 W., G&SRM, Arizona</p>		
	<p>From the cor. of secs. 13, 14, 23 and 24, monumented by an iron post 2 ins. diam., firmly set with 12 ins. projecting above the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R19W S13 S14 S23 S24 1916</p> <p>Original mound of stone W. of the cor.</p> <p>Remark the cor. to read:</p> <p style="text-align: center;">T29N R19W S14 S13 S23 S24 1968 1916</p> <p>N. 0°01' W., bet. secs. 13 and 14.</p> <p>Ascend S. slope, through widely scattered joshua trees.</p>	
6.70	Top of ridge, bears E. and W.	
23.40	Draw, drains irregular NW.	
40.00	<p>Point for the ¼ sec. cor. of secs. 13 and 14.</p> <p>Set the iron post 14 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T29N R19W ¼ S14 S13 1968</p>	
80.00	<p>Point for the cor. of secs. 11, 12, 13 and 14.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R19W S11 S12 S14 S13 1968</p>	

Subdivision, T. 29 N., R. 19 W.

CHAINS	
	<p>Raise a mound of stone W. of the cor.</p> <p>The cor. is located in a small wash, draining NE.</p> <p>Land, rolling. Soil, rocky sandy loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p> <hr/> <p>From the cor. of secs. 7, 12, 13 and 18 on the E. bdy. of the Tp., monumented by an iron post 2 ins. diam., firmly set in a mound of stone to the top, brass cap mkd.</p> <p style="text-align: center;">T29N R19W R18W <u>S12</u> <u>S 7</u> S13 S18 1957</p> <p>S. 89°58' W., bet. secs. 12 and 13.</p> <p>Over rolling land, through widely scattered joshua trees.</p> <p>16.00 Wash, 30 lks. wide, 5 ft. deep, drains N. 10° E. from SW.</p> <p>37.40 Spur, slopes N. 20° W.</p> <p>40.05 Point for the ¼ sec. cor. of secs. 12 and 13.</p> <p>Set the iron post 16 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T29N R19W ¼ <u>S12</u> S13 1968</p> <p>44.30 Wash, 20 lks. wide, 1 ft. deep, drains N. 10° E.</p> <p>54.50 Salt Spring Wash, 60 lks. wide, 2 ft. deep, drains NE.</p> <p>80.10 The cor. of secs. 11, 12, 13 and 14.</p> <p>Land, rolling. Soil, rocky loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, catclaw, yucca and cacti.</p> <hr/> <p>N. 0°01' W., bet. secs. 11 and 12.</p> <p>Over rolling land, through widely scattered joshua trees.</p> <p>18.70 Bladed road, bears irregular NE. and SW.</p> <p>40.00 Point for the ¼ sec. cor. of secs. 11 and 12.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p>

Subdivision, T. 29 N., R. 19 W.

CHAINS	
	<p style="text-align: center;">T29N R19W $\frac{1}{4}$ S11 S12 1968</p> <p>Raise a mound of stone W. of the cor. The cor. is located on a NW. slope.</p> <p>49.40 Wash, 50 lks. wide, 2 ft. deep, drains NE.</p> <p>80.00 Point for the cor. of secs. 1, 2, 11 and 12.</p> <p>Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T29N R19W S 2 S 1 S11 S12 1968</p> <p>The cor. is located on a SE. slope.</p> <p>Land, rolling. Soil, rocky sandy loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p> <hr/> <p>From the cor. of secs. 1, 6, 7 and 12 on the E. bdy. of the Tp., monumented by an iron post 2 ins. diam., firmly set in a mound of stone to the top, brass cap mkd.</p> <p style="text-align: center;">T29N R19W R18W S 1 S 6 S12 S 7 1957</p> <p>N. 89°58' W., bet. secs. 1 and 12.</p> <p>Over mountainous land, through widely scattered joshua trees.</p> <p>3.00 Wash, 20 lks. wide, 4 ft. deep, drains irregularly N.</p> <p>23.20 Draw, drains N.</p> <p>34.80 Salt Spring Wash, 80 lks. wide, 2 ft. deep, drains N.</p> <p>39.10 Bladed road, bears N. and S.</p> <p>40.10 Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 12.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R19W $\frac{1}{4}$ S 1 S12 1968</p> <p>Raise a mound of stone N. of the cor.</p> <p>57.80 Wash, 60 lks. wide, 2 ft. deep, drains NE.</p> <p>66.50 Wash, 40 lks. wide, 2 ft. deep, drains N. 30° E.</p> <p>77.10 Wash, 20 lks. wide, 1 ft. deep, drains N.</p> <p>80.20 The cor. of secs. 1, 2, 11 and 12.</p>

Subdivision, T. 29 N., R. 19 W.

CHAINS		
	<p>Land, mountainous. Soil, gravelly loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>	
40.00	<p>N. 0°12' E., bet. secs. 1 and 2. Over mountainous land, through scattered joshua trees. Point for the ¼ sec. cor. of secs. 1 and 2. Set the iron post 18 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R19W ¼ S 2 S 1 1968</p>	
51.50	<p>Raise a mound of stone W. of the cor. The cor. is located on the SW. slope of a knoll.</p>	
57.00	<p>Draw, drains NE.</p>	
57.00	<p>Wash, 40 lks. wide, 3 ft. deep, drains NE.</p>	
80.70	<p>The cor. of secs. 1, 2, 35 and 36, on the N. bdy. of the Tp., monumented by an iron post 2 ins. diam., firmly set in a mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T30N R19W S35 S36 S 2 S 1 T29N 1957</p>	
	<p>Land, mountainous. Soil, gravelly sandy loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>	
	<p>From the cor. of secs. 14, 15, 22 and 23, monumented by an iron post 2 ins. diam., firmly set with 15 ins. projecting above the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R19W S15 S14 S22 S23 1916</p>	
16.75	<p>Original mound of stone W. of the cor. N. 0°01' W., bet. secs. 14 and 15. Over rolling land, through scattered joshua trees. Bladed road, bears N. 65° E. and S. 65° W.</p>	

Subdivision, T. 29 N., R. 19 W.

CHAINS	
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 14 and 15.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R19W $\frac{1}{4}$ S15 S14 1968</p> <p>Raise a mound of stone W. of the cor.</p>
70.20	<p>Wash, 40 lks. wide, 1 ft. deep, drains N. 50° E.</p>
80.00	<p>Point for the cor. of secs. 10, 11, 14 and 15.</p> <p>Set the iron post 16 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T29N R19W S10 S11 S15 S14 1968</p> <p>Land, rolling and gently rolling. Soil, rocky loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>From the cor. of secs. 11, 12, 13 and 14.</p> <p>N. 89°55' W., bet. secs. 11 and 14.</p> <p>Over rolling land, through widely scattered joshua trees.</p>
10.00	<p>Bladed road, bears N. 15° E. and S. 15° W.</p>
24.70	<p>Wash, 40 lks. wide, 2 ft. deep, drains N. 10° E.</p>
32.50	<p>Jeep road, bears N. and S. 20° W.</p>
40.06	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 11 and 14.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R19W $\frac{1}{4}$ $\frac{S11}{S14}$ 1968</p> <p>Raise a mound of stone N. of the cor.</p>
43.00	<p>Wash, 20 lks. wide, 1 ft. deep, drains N. 20° E.</p>
80.12	<p>The cor. of secs. 10, 11, 14 and 15.</p> <p>Land, rolling. Soil, rocky loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>

Subdivision, T. 29 N., R. 19 W.

CHAINS		
	<p>N. 0°01' W., bet. secs. 10 and 11.</p>	
	<p>Over rolling land, through widely scattered joshua trees.</p>	
19.50	<p>Wash, 40 lks. wide, 2 ft. deep, drains N. 30° E.</p>	
40.00	<p>Point for the ¼ sec. cor. of secs. 10 and 11.</p>	
	<p>Set the iron post 20 ins. in the ground, brass cap mkd.</p>	
	<p style="text-align: center;">T29N R19W</p>	
	<p style="text-align: center;">¼</p>	
	<p style="text-align: center;">S10 S11</p>	
	<p style="text-align: center;">1968</p>	
	<p>Raise a mound of stone W. of the cor.</p>	
	<p>The cor. is located on a NW. slope, 40 lks. E. of a wash draining N.</p>	
80.00	<p>Point for the cor. of secs. 2, 3, 10 and 11.</p>	
	<p>Set the iron post 20 ins. in the ground, brass cap mkd.</p>	
	<p style="text-align: center;">T29N R19W</p>	
	<p style="text-align: center;">S 3 S 2</p>	
	<p style="text-align: center;">S10 S11</p>	
	<p style="text-align: center;">1968</p>	
	<p>Raise a mound of stone W. of the cor.</p>	
	<p>Land, rolling and mountainous.</p>	
	<p>Soil, rocky loam.</p>	
	<p>Timber, widely scattered joshua trees.</p>	
	<p>Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>	
	<p>From the cor. of secs. 1, 2, 11 and 12.</p>	
	<p>N. 89°54' W., bet. secs. 2 and 11.</p>	
	<p>Over rolling land, through widely scattered joshua trees.</p>	
20.60	<p>Wash, 20 lks. wide, 1 ft. deep, drains N. 30° E.</p>	
27.00	<p>Jeep road on top of spur, bears NE. and SW.</p>	
40.06	<p>Point for the ¼ sec. cor. of secs. 2 and 11.</p>	
	<p>Set the iron post 14 ins. in the ground, mound of stone to top, brass cap mkd.</p>	
	<p style="text-align: center;">T29N R19W</p>	
	<p style="text-align: center;">¼ S 2</p>	
	<p style="text-align: center;">S11</p>	
	<p style="text-align: center;">1968</p>	
41.00	<p>Wash, 10 lks. wide, 1 ft. deep, drains N. 30° E.</p>	

Subdivision, T. 29 N., R. 19 W.

CHAINS		
74.60	Wash, 60 lks. wide, 2 ft. deep, drains N. 15° W.	
80.12	<p>The cor. of secs. 2, 3, 10 and 11.</p> <p>Land, rolling. Soil, rocky loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>	
23.30	Wash, 25 lks. wide, 2 ft. deep, drains N. 15° W.	
30.10	Wash, 100 lks. wide, 2 ft. deep, drains N. 20° W.	
40.00	<p>Point for the $\frac{1}{2}$ sec. cor. of secs. 2 and 3.</p> <p>Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.</p>	
80.48	<p style="text-align: center;">T29N R19W $\frac{1}{2}$ S 3 S 2 1968</p> <p>The cor. is located on top of a narrow spur, sloping NW.</p> <p>The cor. of secs. 2, 3, 34 and 35 on the N. bdy. of the Tp., monumented by an iron post 2 ins. diam., firmly set with 18 ins. projecting above the ground, brass cap mkd.</p> <p style="text-align: center;">T30N R19W S34 S35 S 3 S 2 T29N 1957</p> <p>Original mound of stone W. of the cor.</p> <p>Land, rolling. Soil, rocky loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>	
	<p>From the cor. of secs. 15, 16, 21 and 22, monumented by an iron post 2 ins. diam., firmly set with 15 ins. projecting above the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R19W S16 S15 S21 S22 1916</p>	

Subdivision, T. 29 N., R. 19 W.

CHAINS		
	Original mound of stone W. of the cor.	
	N. 0°02' W., bet. secs. 15 and 16.	
	Over rolling land, through widely scattered joshua trees.	
3.30	Track road, bears S. 25° E., and N. 25° W.	
4.80	Bladed road, bears S. 65° E., and N. 65° W.	
6.20	Wash, 50 lks. wide, 1 ft. deep, drains NW.	
38.80	Spur, slopes W.	
40.00	Point for the ¼ sec. cor. of secs. 15 and 16.	
	Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.	
	<div style="text-align: center;"> T29N R19W ¼ S16 S15 1968 </div>	
	The cor. is located on a steep W. slope in a small draw, draining W.	
49.20	Descend NW. slope.	
80.00	Point for the cor. of secs. 9, 10, 15 and 16.	
	Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.	
	<div style="text-align: center;"> T29N R19W S 9 S10 S16 S15 1968 </div>	
	Land, rolling.	
	Soil, rocky loam.	
	Timber, widely scattered joshua trees.	
	Undergrowth, creosote bush, rabbit brush, yucca and cacti.	
	From the cor. of secs. 10, 11, 14 and 15.	
	N. 89°57' W., bet. secs. 10 and 15.	
	Over rolling land, through widely scattered joshua trees.	
8.80	Wash, 50 lks. wide, 2 ft. deep, drains N.	
39.99	Point for the ¼ sec. cor. of secs. 10 and 15.	
	Set the iron post 20 ins. in the ground, brass cap mkd.	
	<div style="text-align: center;"> T29N R19W ¼ S10 S15 1968 </div>	

Subdivision, T. 29 N., R. 19 W.

CHAINS	
<p>Raise a mound of stone N. of the cor.</p> <p>47.30 Wash, 20 lks. wide, 1 ft. deep, drains N. 30° W.</p> <p>62.50 Spur, slopes N., descend NW. slope.</p> <p>79.98 The cor. of secs. 9, 10, 15 and 16.</p>	<p>Land, rolling. Soil, rocky loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
<p>30.80 Draw, drains NW.</p> <p>40.00 Point for the $\frac{1}{2}$ sec. cor. of secs. 9 and 10.</p> <p>41.70 Wash, 15 lks. wide, 2 ft. deep, drains W.</p> <p>72.70 Draw, drains W.</p> <p>80.00 Point for the cor. of secs. 3, 4, 9 and 10.</p>	<p>N. 0°02' W., bet. secs. 9 and 10.</p> <p>Over rolling land, through widely scattered joshua trees.</p> <p>Set the iron post 14 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T29N R19W $\frac{1}{2}$ S 9 S10 1968</p> <p>Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T29N R19W S 4 S 3 S 9 S10 1968</p> <p>Cor. is located on a W. slope.</p> <p>Land, rolling. Soil, rocky loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>From the cor. of secs. 2, 3, 10 and 11.</p> <p>S. 89°59' W., bet. secs. 3 and 10.</p> <p>Over rolling land, through widely scattered joshua trees.</p>

Subdivision, T. 29 N., R. 19 W.

CHAINS	
5.10	Wash, 50 lks. wide, 2 ft. deep, drains N. 25° W.
39.97	Point for the ¼ sec. cor. of secs. 3 and 10. Set the iron post 20 ins. in the ground, brass cap mkd. T29N R19W $\frac{1}{4} \frac{S 3}{S 10}$ 1968
	Raise a mound of stone N. of the cor.
50.30	Wash, 20 lks. wide, 1 ft. deep, drains N.
54.70	Spur, slopes N. 10° E.
59.60	Draw, drains N. 10° E.
67.70	Spur, slopes N. 20° W.
79.94	The cor. of secs. 3, 4, 9 and 10. Land, rolling. Soil, rocky loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	N. 0°06' E., bet. secs. 3 and 4. Over rolling land, through widely scattered joshua trees.
27.90	Wash, 15 lks. wide, 1 ft. deep, drains N. 60° W.
39.50	Wash, 20 lks. wide, 1 ft. deep, drains N. 40° W.
40.00	Point for the ¼ sec. cor. of secs. 3 and 4. Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd. T29N R19W $\frac{1}{4} S 4 S 3$ 1968
	The cor. is located on a S. slope.
65.70	Wash, 40 lks. wide, 2 ft. deep, drains N. 50° W.
70.55	Wash, 30 lks. wide, 1 ft. deep, drains NW.
80.44	The cor. of secs. 3, 4, 33 and 34 on the N. bdy. of the Tp., monumented by an iron post 2 ins. diam., firmly set, projecting 14 ins. above the ground, brass cap mkd. T30N R19W $\frac{S 33 S 34}{S 4 S 3}$ T29N 1957

Subdivision, T. 29 N., R. 19 W.

CHAINS

Original mound of stone W. of the cor.

Land, rolling.

Soil, rocky loam.

Timber, widely scattered joshua trees.

Undergrowth, creosote bush, rabbit brush, yucca and cacti.

From the cor. of secs. 16, 17, 20 and 21, monumented by an iron post 2 ins. diam., firmly set, projecting 22 ins. above the ground, brass cap mkd.

T29N R19W
 $\frac{S17}{S20} | \frac{S16}{S21}$
 1916

Original mound of stone W. of the cor.

N. 0°03' W., bet. secs. 16 and 17.

Over rolling land, through widely scattered joshua trees.

29.90 Draw, drains N. 80° E.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 16 and 17.

Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.

T29N R19W
 $\frac{1}{4}$
 $S17 | S16$
 1968

49.50 Draw, drains N. 60° E.

80.00 Point for the cor. of secs. 8, 9, 16 and 17.

Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.

T29N R19W
 $\frac{S8}{S17} | \frac{S9}{S16}$
 1968

The cor. is located above a vertical ledge 6 ft. high on a steep E. slope.

Land, rolling.

Soil, rocky loam.

Timber, widely scattered joshua trees.

Undergrowth, creosote bush, rabbit brush, yucca and cacti.

From the cor. of secs. 9, 10, 15 and 16.

S. 89°57' W., bet. secs. 9 and 16.

Over rolling land, through widely scattered joshua trees.

Subdivision, T. 29 N., R. 19 W.

CHAINS	
2.60	Draw, drains N. 25° W.
26.10	Wash, 25 lks. wide, 1 ft. deep, drains N. 15° E.
40.12	Point for the ¼ sec. cor. of secs. 9 and 16.
	Set the iron post over an X chiseled in solid rock, mound of stone to top, brass cap mkd.
	T29N R19W
	$\frac{1}{4} \begin{array}{r} S 9 \\ S 16 \\ 1968 \end{array}$
43.50	Ridge, bears N. and S.
62.70	Base of hill, bears N. and S., enter a wash area.
68.50	Wash, 30 lks. wide, 1 ft. deep, drains N.
75.00	Wash, 80 lks. wide, 2 ft. deep, drains N. 10° E., leave wash area.
80.24	The cor. of secs. 8, 9, 16 and 17.
	Land, rolling. Soil, rocky loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	N. 0°03' W., bet. secs. 8 and 9.
	Over rolling land, through widely scattered joshua trees.
14.40	Ridge, bears N. 25° E. and S. 25° W.
40.00	Point for the ¼ sec. cor. of secs. 8 and 9.
	Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.
	T29N R19W
	$\frac{1}{4} \begin{array}{r} S 8 S 9 \\ 1968 \end{array}$
	The cor. falls on a steep rocky W. slope.
47.90	Rocky knoll.
80.00	Point for the cor. of secs. 4, 5, 8 and 9.
	Set the iron post 14 ins. in the ground, mound with stone to top, brass cap mkd.
	T29N R19W
	$\begin{array}{r} S 5 S 4 \\ S 8 S 9 \\ 1968 \end{array}$

Subdivision, T. 29 N., R. 19 W.

CHAINS	
	<p>Land, rolling. Soil, rocky loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>From the cor. of secs. 3, 4, 9 and 10. S. 89°59' W., bet. secs. 4 and 9. Over rolling land, through scattered joshua trees.</p>
9.00	Wash, 40 lks. wide, 2 ft. deep, drains N. 10° E.
19.50	Spur, slopes N.
28.80	Wash, 30 lks. wide, 2 ft. deep, drains N.
40.14	Point for the $\frac{1}{4}$ sec. cor. of secs. 4 and 9. Set the iron post 20 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T29N R19W $\frac{1}{4}$ $\frac{S\ 4}{S\ 9}$ 1968</p>
	<p>Raise a mound of stone N. of the cor.</p>
48.90	Wash, 100 lks. wide, 2 ft. deep, drains N.
58.50	Low spur, slopes NW.
70.60	Wash, 20 lks. wide, 2 ft. deep, drains N. 60° W.
75.80	Wash, 20 lks. wide, 2 ft. deep, drains N. 60° W.
80.28	The cor. of secs. 4, 5, 8 and 9. Land, rolling. Soil, rocky loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	<p>N. 0°21' E., bet. secs. 4 and 5. Over rolling land, through widely scattered joshua trees.</p>
2.50	Wash, 30 lks. wide, 2 ft. deep, drains N. 50° W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 4 and 5. Set the iron post 22 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T29N R19W $\frac{1}{4}$ S 5 S 4 1968</p>

Subdivision, T. 29 N., R. 19 W.

CHAINS	
	<p>Raise a mound of stone W. of the cor.</p>
42.50	Wash, 20 lks. wide, 1 ft. deep, drains NW.
76.30	Wash, 30 lks. wide, 2 ft. deep, drains N. 30° W.
80.34	<p>The cor. of secs. 4, 5, 32 and 33 on the N. bdy. of the Tp., monumented by an iron post 2 ins. diam., firmly set, projecting 12 ins. above ground, brass cap mkd.</p> <p style="text-align: center;"> T30N R19W <u>S32 S33</u> S 5 S 4 T29N 1957 </p> <p>Original mound of stone W. of the cor.</p> <p>Land, rolling. Soil, rocky loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>From the cor. of secs. 29, 30, 31 and 32, monumented by an iron post 2 ins. diam., firmly set, projecting 16 ins. above ground, brass cap mkd.</p> <p style="text-align: center;"> T29N R19W <u>S30 S29</u> S31 S32 1916 </p> <p>Original mound of stone W. of the cor.</p> <p>S. 89°57' W., bet. secs. 30 and 31:</p> <p>Over rolling land, through scattered joshua trees.</p>
13.10	Wash, 25 lks. wide, 2 ft. deep, drains N. 20° W.
37.80	Low spur, slopes N.
40.00	<p>Point for the ¼ sec. cor. of secs. 30 and 31.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;"> T29N R19W ¼ <u>S30</u> S31 1968 </p> <p>Raise a mound of stone N. of the cor.</p>
40.50	Small draw, drains N.
48.50	Ridge, bears SE. and NW.
68.20	Wash, 15 lks. wide, 2 ft. deep, drains NW.

Subdivision, T. 29 N., R. 19 W.

CHAINS	
79.93	<p>The cor. of secs. 25, 30, 31 and 36 on the W. bdy. of the Tp., monumented by an iron post 2 ins. diam., projecting 12 ins. above ground, brass cap mkd.</p> <p style="text-align: center;">T29N R20W R19W <u>S25 S30</u> <u>S36 S31</u> 1957</p> <p>Original mound of stone W. of the cor.</p> <p>Land, rolling. Soil, rocky loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>From the cor. of secs. 19, 20, 29 and 30, monumented by an iron post 2 ins. diam., firmly set in a mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T29N R19W <u>S19 S20</u> <u>S30 S29</u> 1916</p>
	<p>S. 89°50' W., bet. secs. 19 and 30.</p>
	<p>Over rolling land, through scattered joshua trees.</p>
5.60	<p>Wash, 100 lks. wide, 2 ft. deep, drains N. 60° W.</p>
13.80	<p>Spur, slopes N. 60° W.</p>
19.90	<p>Track road, bears N. 65° E. and S. 65° W.</p>
38.80	<p>Wash, 40 lks. wide, 2 ft. deep, drains N. 55° W.</p>
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 19 and 30.</p>
	<p>Set the iron post 16 ins. in the ground, mound with stone to top, brass cap mkd.</p>
	<p style="text-align: center;">T29N R19W $\frac{1}{4}$ <u>S19</u> <u>S30</u> 1968</p>
	<p>The cor. is located in a wash area, draining NW.</p>
49.70	<p>Wash, 30 lks. wide, 2 ft. deep, drains NW.</p>
76.90	<p>Spur, slopes N. 60° W.</p>
79.95	<p>The cor. of secs. 19, 24, 25 and 30 on the W. bdy. of the Tp., monumented by an iron post 2 ins. diam., firmly set, projecting 12 ins. above ground, brass cap mkd.</p>

Subdivision, T. 29 N., R. 19 W.

CHAINS	
	T29N R20W R19W <u>S24 S19</u> <u>S25 S30</u> 1957
	Original mound of stone W. of the cor.
	Land, rolling. Soil, rocky loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	From the cor. of secs. 18 and 19 only, previously described.
	S. 89°52' W., bet. secs. 18 and 19.
	Over rolling land.
3.10	Spur, slopes SE.
17.20	Bladed road, bears S. 60° E., and N. 60° W.
18.20	Wash, 100 lks. wide, 2 ft. deep, drains N. 50° W.
21.40	Wash, 30 lks. wide, 1 ft. deep, drains N. 40° W.
27.80	Spur, slopes N.
32.00	Junction of draws draining N. 20° E. from S. 10° E. and SW.
40.00	Point for the ¼ sec. cor. of secs. 18 and 19.
	Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.
	T29N R19W ¼ <u>S18</u> S19 1968
49.70	Bladed road, bears NE. and SW.
51.50	Draw, drains SW.
56.40	Spur, slopes S.
72.60	Wash, 50 lks. wide, 2 ft. deep, drains NW.
79.95	The cor. of secs. 13, 18, 19 and 24 on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set, projecting 10 ins. above ground, brass cap mkd.
	T29N R20W R19W <u>S13 S18</u> <u>S24 S19</u> 1957

Subdivision, T. 29 N., R. 19 W.

CHAINS	
	Original mound of stone W. of the cor. Land, rolling. Soil, rocky loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	From the cor. of secs. 17 and 20 only, previously described. N. 0°03' W., bet. secs. 17 and 18. Over rolling land.
1.60	Spur, slopes N. 80° E.
8.70	Draw, drains N. 80° E.
12.80	Spur, slopes E.
23.20	Base of hill, bears SE. and NW.; enter wash area.
33.20	Wash, 30 lks. wide, 2 ft. deep, drains NW.; leave wash area.
39.61	Point for the 1/4 sec. cor. of secs. 17 and 18 at 40.00 chs. in northing from the cor. of secs. 18 and 19, only. Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd. T29N R19W 1/4 S18 S17 1968
	Cor. is located on a steep rocky W. slope.
63.20	Base of hill, bears N. 25° E., and S. 25° W.; enter wash area.
64.85	Drift fence, bears S. 75° E. for approximately 8.00 chs. and N. 75° W. for approximately 7.00 chs.
72.30	Wash, 60 lks. wide, 2 ft. deep, drains N. 15° E.; leave wash area.
79.61	Point for the cor. of secs. 7, 8, 17 and 18 at 80.00 chs. in northing from the cor. of secs. 18 and 19, only. Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd. T29N R19W S 7 S 8 S18 S17 1968
	Raise a mound of stone W. of the cor.

Subdivision, T. 29 N., R. 19 W.

CHAINS	
	<p>Land, rolling. Soil, rocky loam. No timber; undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>From the cor. of secs. 8, 9, 16 and 17. N. 89°57' W., bet. secs. 8 and 17. Over rolling land, through widely scattered joshua trees.</p>
4.00	Ridge, bears N. and S.
12.90	Draw, drains N. 30° E.
23.10	Ridge, bears N. 15° E. and S. 15° W.
34.70	Draw, drains N.
39.80	Point for the ¼ sec. cor. of secs. 8 and 17. Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.
	<p>T29N R19W S 8 ¼ ——— S17 1968</p>
	Cor. is located on a steep E. slope.
50.00	Ridge, bears S. 30° E. and N. 30° W.
62.00	Descend steep W. slope.
72.30	Base of hill, bears N. and S.; enter wash area.
77.80	Wash, 100 lks. wide, 1 ft. deep, drains N. 10° E.; leave wash area.
79.60	The cor. of secs. 7, 8, 17 and 18. Land, rolling. Soil, rocky loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	<p>S. 89°53' W., bet. secs. 7 and 18. Over rolling land, through widely scattered joshua trees.</p>
18.10	Ridge, bears N. and S.
40.00	Point for the ¼ sec. cor. of secs. 7 and 18.

Subdivision, T. 29 N., R. 19 W.

CHAINS	
	<p>Set the iron post 14 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T29N R19W $\frac{1}{4} \frac{S 7}{S 18}$ 1968</p> <p>42.20 Wash, 20 lks. wide, 2 ft. deep, drains N. 20° W.</p> <p>43.90 Wash, 35 lks. wide, 2 ft. deep, drains NW.</p> <p>74.60 Draw, drains NW.</p> <p>76.60 Draw, drains N.</p> <p>79.86 The cor. of secs. 7, 12, 13 and 18, on the W. bdy. of the Tp., monumented by an iron post 2½ ins. diam., firmly set in a mound of stone to the top, brass cap mkd.</p> <p style="text-align: center;">T29N R20W R19W $\frac{S 12 S 7}{S 13 S 18}$ 1968</p> <p>Land, rolling. Soil, rocky loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>From the cor. of secs. 7, 8, 17 and 18.</p> <p>N. 0°03' W., bet. secs. 7 and 8.</p> <p>Over rolling land, through scattered joshua trees.</p> <p>40.00 Point for the ¼ sec. cor. of secs. 7 and 8.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R19W $\frac{1}{4} \frac{S 7 S 8}{1968}$</p> <p>Raise a mound of stone W. of the cor.</p> <p>80.00 Point for the cor. of secs. 5, 6, 7 and 8.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R19W $\frac{S 6 S 5}{S 7 S 8}$ 1968</p> <p>Raise a mound of stone W. of the cor.</p>

Subdivision, T. 29 N., R. 19 W.

CHAINS	
	<p>Land, rolling. Soil, rocky loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>From the cor. of secs. 4, 5, 8 and 9. N. 89°56' W., bet. secs. 5 and 8. Over rolling land, through scattered joshua trees.</p>
1.00	Spur, slopes N. 20° W.
11.60	Spur, slopes N.
18.50	Wash, 25 lks. wide, 1 ft. deep, drains NW.
27.60	Spur, slopes N. 30° W.
39.81	Point for the ¼ sec. cor. of secs. 5 and 8.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	<p>T29N R19W ¼ $\frac{S\ 5}{S\ 8}$ 1968</p>
	Raise a mound of stone N. of the cor.
40.60	Wash, 15 lks. wide, 2 ft. deep, drains N. 10° E.
69.00	Wash, 50 lks. wide, 2 ft. deep, drains N.
73.20	Wash, 60 lks. wide, 2 ft. deep, drains N.
79.62	The cor. of secs. 5, 6, 7 and 8.
	<p>Land, rolling. Soil, rocky loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>S. 89°53' W., bet. secs. 6 and 7. Over rolling land, through scattered joshua trees.</p>
1.70	Spur, slopes N.
12.20	Spur, slopes N.
20.00	Wash, 20 lks. wide, 1 ft. deep, drains N. 30° W.
30.30	Spur, slopes NW.
35.90	Wash, 20 lks. wide, 1 ft. deep, drains NW.
40.00	Point for the ¼ sec. cor. of secs. 6 and 7.

Subdivision, T. 29 N., R. 19 W.

CHAINS	
<p>46.80</p> <p>79.80</p>	<p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R19W $\frac{1}{4}$ $\frac{S\ 6}{S\ 7}$ 1968</p> <p>Raise a mound of stone N. of the cor.</p> <p>Wash, 50 lks. wide, 2 ft. deep, drains irregularly N.</p> <p>The cor. of secs. 1, 6, 7 and 12 on the W. bdy. of the Tp., monumented by an iron post 2½ ins. diam., firmly set in a mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T29N R20W R19W $\frac{S\ 1}{S12} \frac{S\ 6}{S\ 7}$ 1968</p> <p>Mound of stone W. of the cor.</p> <p>Land, rolling. Soil, rocky loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
<p>29.90</p> <p>40.00</p> <p>49.50</p> <p>80.09</p>	<p>From the cor. of secs. 5, 6, 7 and 8.</p> <p>N. 0°07' E., bet. secs. 5 and 6.</p> <p>Over rolling land, through scattered joshua trees.</p> <p>Wash, 35 lks. wide, 2 ft. deep, drains NW.</p> <p>Point for the ¼ sec. cor. of secs. 5 and 6.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R19W $\frac{1}{4}$ S 6 S 5 1968</p> <p>Raise a mound of stone W. of the cor.</p> <p>Wash, 40 lks. wide, 2 ft. deep, drains NW.</p> <p>The cor. of secs. 5, 6, 31 and 32 on the N. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set, projecting 12 ins. above ground, brass cap mkd.</p> <p style="text-align: center;">T30N R19W $\frac{S31}{S\ 6} \frac{S32}{S\ 5}$ T29N 1957</p> <p>Original mound of stone W. of the cor.</p>

Subdivision, T. 29 N., R. 19 W.

CHAINS

Land, rolling.
 Soil, rocky loam.
 Timber, scattered joshua trees.
 Undergrowth, creosote bush, rabbit brush, yucca and cacti.

GENERAL DESCRIPTION

The elevation of the portion surveyed in Township 29 North, Range 19 West, ranges from 2300 feet to 3700 feet above sea level. The land varies from mountainous to low rolling hills with many small washes. The soil is rocky and gravelly loam. The vegetation consists of creosote bush, rabbit brush, yucca and cacti. The timber consists of scattered joshua trees.

A bladed road leading to Pierce Ferry, runs through the southern portion of the area surveyed with several track and jeep roads branching off throughout the eastern portion. There are no access roads in the Northwestern portion.

There are no settlers or developed water in the surveyed area. The water supply for livestock, which is at present the primary use, is hauled into portable troughs and storage tanks. There are several abandoned mining claims in the area, but no active mining noted.

Form 9180-8
(March 1969)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY
John H. Witmer	Cadastral Surveyor
Ray E. Thiessen	Survey Aid
Steve J. Hall	Survey Aid
Harry K. Smith	Survey Aid
Jerry Messick	Survey Aid

CERTIFICATE OF SURVEY

~~XX~~ (We), Gary T. Oviatt and Jerrold E. Knight, HEREBY

CERTIFY upon honor that, in pursuance of special instructions bearing date of the 15th day of July, 1968, ~~XX~~ (We) have dependently resurveyed a portion of the subdivision lines and completed the survey of the subdivisional lines of Township 29 North, Range 19 West,

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by ~~XX~~ (us) and under ~~XX~~ (our) direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

August 12, 1970
(Date)

Gary T. Oviatt
(Cadastral Surveyor)

August 12, 1970
(Date)

Jerrold E. Knight
(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

SUBMITTED FOR APPROVAL
Date JUN 16 1971

BUREAU OF LAND MANAGEMENT
Washington, D.C.

The foregoing field notes of the dependent resurvey of a portion of the subdivisional lines and the survey completing the subdivision of Township 29 North, Range 19 West, Gila and Salt River Meridian, Arizona,

executed by Gary T. Oviatt and Jerrold E. Knight, Cadastral Surveyors, having been critically examined and found correct, are hereby approved.

MAY 30 1972
(Date)

Clark F. Humm
(Chief, Division of Cadastral Survey)

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of the field notes of the above-described surveys in _____, is a true copy of the original field notes.

(Date)

(Chief, Division of Cadastral Survey) GPO 849 - 626