

BOOK 4927

Form 9180-6  
(April 1965)  
(formerly 4-679)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

1

# FIELD NOTES

OF THE DEPENDENT RESURVEY OF

A PORTION OF THE EAST BOUNDARY

AND THE

SURVEY COMPLETING THE SUBDIVISION OF

TOWNSHIP 29 NORTH, RANGE 20 WEST

[Lined area for field notes]

Of the Gila and Salt River Meridian,

In the State of Arizona

### EXECUTED BY

Jerrold E. Knight

Cadastral Surveyor

Under special instructions dated July 15, 1968, which provided for the surveys included under Group Number 450, approved July 15, 1968, and assignment instructions dated September 12, 1968.

Survey commenced October 11, 1968

Survey completed November 21, 1968

5A

BOOK 4927

# INDEX DIAGRAM

Township 29 North, Range 20 West

6	5 37 37	4 27 36	3 20 26	2 12 19	1 4 12
7	8 35 35	9 26 34	10 18 25	11 11 18	12 3 10
18	17 33 33	16 24 32	15 17 24	14 10 17	13 1 9
19	20 32 31	21 23 30	22 16 23	23 8 15	24 7
30	29 30 29	28 22 29	27 14 21	26 7 14	25 6
31	32 28	33 20	34 13	35 5	36

Township 29 North, Range 20 West,  
Gila and Salt River Meridian, Arizona

CHAINS

The south boundary (Seventh Standard Parallel North) was surveyed in 1930 by D. R. Averill. The east, west and north boundaries were surveyed in 1957 by D. E. Harding. The west tier of sections was surveyed in 1960 by Yundt and Spratt.

The following notes are those of a dependent resurvey of the north three miles of the east boundary and the completion survey of the subdivisional lines in Township 29 North, Range 20 West, Gila and Salt River Meridian, Arizona.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1947, and the Special Instructions dated July 15, 1968.

Only the true line bearings and horizontal distances for the surveyed lines are given in these notes. Unless described, each corner was monumented with a standard iron post 30 ins. long, 2½ ins. in diam., flanged at the base and with a brass cap riveted to the top.

The geographic position of the southeast corner of the township, as determined by traverse from USC&GS triangulation station "Young Mountain" located in section 4 is: Latitude 35°51'03.8" North and Longitude 114°22'13.3" West.

The mean magnetic declination was found to be 15°30' East.

---

Dependent Resurvey of a Portion of the East Boundary  
of T. 29 N., R. 20 W., G&SRM, Arizona

---

Reestablishment of the Survey executed  
by D. E. Harding in 1957

---

During the preliminary stages of the completion survey of the subdivisional lines, the north three miles of the east boundary were found out of limits in latitudinal distance. Therefore, new corners were established at regular intervals of 40.00 and 80.00 chs. to control the subdivision of Township 29 North, Ranges 19 and 20 West. Original corners were marked to function as Angle Points only.

Beginning at the cor. of secs. 13, 18, 19 and 24 on the E. bdy. of the Tp., monumented by an iron post 2 ins. diam., firmly set with 10 ins. projecting above the ground, mound of stone W., brass cap mkd.

T29N  
R20W R19W  
S13 | S18  
S24 | S19  
1957

North, bet. secs. 13 and 18.

Over rolling land with high volcanic ridges, through widely scattered joshua trees.

6.70 Wash, 1 chain wide with 4 ft. banks, drains NW.

9.00 Asc. over SW. slope.

Dependent Resurvey, T. 29 N., R. 20 W.

CHAINS		
28.30	Spur, slopes N. 30° W.	
34.15	Draw, drains N. 30° W.; asc. over SW. slope.	
39.52	The cor. originally set as the ¼ sec. cor. of secs. 13 and 18, monumented by an iron post 2 ins. diam., firmly set in a mound of stone to top. This cor. now functions as an Angle Point only, remarked:	
	<p style="text-align: center;">T29N R20W R19W A P S13 S18 1968 1957</p> <hr style="width: 20%; margin: auto;"/>	
	North, beginning new measurement.	
0.48	Point for the ¼ sec. cor. of secs. 13 and 18.	
	Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.	
	<p style="text-align: center;">T29N R20W R19W ¼ S13 S18 1968</p>	
0.80	Saddle, bears S. 50° E. and N. 50° W.; desc. over NE. slope.	
27.70	Draw, drains N. 60° E.; thence along an E. slope.	
40.07	The cor. originally set as the cor. of secs. 7, 12, 13 and 18, monumented by an iron post 2 ins. diam., firmly set in a mound of stone to top. This cor. now functions as an Angle Point only, remarked:	
	<p style="text-align: center;">T29N R20W R19W A P S13 S18 1968 1957</p>	
	<p>Land, rolling. Soil, rocky loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p> <hr/>	
	North, bet. secs. 13 and 18, beginning new measurement.	
0.41	Point for the cor. of secs. 7, 12, 13 and 18.	
	Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.	
	<p style="text-align: center;">T29N R20W R19W S12 S 7 S13 S18 1968</p>	

## Dependent Resurvey, T. 29 N., R. 20 W.

CHAINS	
	North, bet. secs. 7 and 12, continuing measurement.
	Over rolling land, through widely scattered joshua trees.
23.50	Wash, 20 lks. wide, 1 ft. deep, drains N. 65° W.
40.04	The cor. originally set as the $\frac{1}{2}$ sec. cor. of secs. 7 and 12, monumented by an iron post 2 ins. diam., firmly set with 12 ins. projecting above the ground, mound of stone W. This cor. now functions as an Angle Point only; remarked:
	T29N R20W R19W A P S12   S 7 1968 1957
	North, beginning new measurement.
0.20	Small wash, drains E. about 1.00 ch., thence N.
0.37	Point for the $\frac{1}{2}$ sec. cor. of secs. 7 and 12.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	T29N R20W R19W $\frac{1}{2}$ S12   S 7 1968
	Raise a mound of stone W. of the cor.
9.70	Wash, 20 lks. wide, 1 ft. deep, drains NE. from SE.
22.00	Wash, 30 lks. wide, 2 ft. deep, drains N. 60° W.
40.04	The cor. originally set as the cor. of secs. 1, 6, 7 and 12, monumented by an iron post 2 ins. diam., firmly set in a mound of stone to top. This cor. now functions as an Angle Point only; remarked:
	T29N R20W R19W A P S12   S 7 1968 1957
	Land, rolling. Soil, rocky loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	North, bet. secs. 7 and 12, beginning new measurement.
0.33	Point for the cor. of secs. 1, 6, 7 and 12.
	Set the iron post 16 ins. in the ground, collar of stone to top, brass cap mkd.
	T29N R20W R19W S 1   S 6 S12   S 7 1968

Dependent Resurvey, T. 29 N., R. 20 W.

CHAINS		
	<p>Raise a mound of stone W. of the cor.                      North, bet. secs. 1 and 6, continuing measurement.                      Over low rolling ridges and spurs, through widely scattered joshua trees.</p>	
36.10	<p>Wash, 20 lks. wide, 2 ft. deep, drains NW.</p>	
40.01	<p>The cor. originally set as the <math>\frac{1}{4}</math> sec. cor. of secs. 1 and 6, monumented by an iron post 2 ins. diam., firmly set in a mound of stone to top. This cor. now functions as an Angle Point only; remarked:</p> <p style="text-align: center;">T29N                      R20W R19W                      A P                      S 1   S 6                      1968                      1957</p> <hr style="width: 20%; margin: auto;"/> <p>North, beginning new measurement.</p>	
0.32	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 1 and 6.</p>	
	<p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N                      R20W R19W  <math>\frac{1}{4}</math>                      S 1   S 6                      1968</p>	
	<p>Raise a mound of stone W. of the cor.</p>	
7.80	<p>Wash, 50 lks. wide, 2 ft. deep, drains N. 80° W.</p>	
40.50	<p>The cor. of Tps. 29 and 30 N., Rs. 19 and 20 W., monumented by an iron post 3 ins. diam., firmly set with 12 ins. projecting above the ground, mound of stone W., brass cap mkd.</p> <p style="text-align: center;">T30N                      R20W R19W                      S36   S31                      S 1   S 6                      T29N                      1957</p>	
	<p>Land, low rolling hills.                      Soil, rocky loam.                      Timber, widely scattered joshua trees.                      Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>	

## Subdivision, T. 29 N., R. 20 W.

## CHAINS

Completion Survey, Subdivisional Lines,  
T. 29 N., R. 20 W., G&SRM, Arizona

From the standard cor. of secs. 35 and 36 on the S. bdy. of the Tp. (the Seventh Standard Parallel North), monumented by an iron post 2 ins. diam., firmly set with 9 ins. projecting above the ground, with mound of stone N., brass cap mkd.

S C  
T29N R20W  
S35 | S36  
1930

N. 0°01' W., bet. secs. 35 and 36.

Over gently rolling land, through widely scattered joshua trees.

- 0.90 Spur, slopes W.
- 11.00 Wash, 30 lks. wide, 1 ft. deep, drains NW.
- 24.30 Wash, 80 lks. wide, 1 ft. deep, drains W.
- 31.20 Spur, slopes W.
- 37.50 Draw, drains W.
- 40.00 Point for the  $\frac{1}{4}$  sec. cor. of secs. 35 and 36.  
Set the iron post 18 ins. in the ground, brass cap mkd.

T29N R20W  
 $\frac{1}{4}$   
S35 | S36  
1968

Raise a mound of stone W. of the cor.

The cor. is located on a SW. slope.

- 44.00 Spur, slopes N. 60° W.
- 53.00 Wash, 30 lks. wide, 1 ft. deep, drains NW.
- 63.30 Spur, slopes N. 60° W.
- 65.50 Track road, bears S. 60° E. and N. 60° W.
- 77.30 Small spur, slopes N. 60° W.
- 80.00 Point for the cor. of secs. 25, 26, 35 and 36.  
Set the iron post 20 ins. in the ground, brass cap mkd.

T29N R20W  
S26 | S25  
S35 | S36  
1968

Raise a mound of stone W. of the cor.

Subdivision, T. 29 N., R. 20 W.

CHAINS	
	<p>Land, rolling. Soil, gravelly and sandy loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>From the cor. of secs. 25, 30, 31 and 36, on the E. bdy. of the Tp., monumented by an iron post 2 ins. diam., firmly set with 14 ins. projecting above the ground, mound of stone W., brass cap mkd.</p>
	<p style="text-align: center;">T29N R20W R19W <u>S25</u>   <u>S30</u> <u>S36</u>   <u>S31</u> 1957</p>
	<p>N. 89°54' W., bet. secs. 25 and 36.</p>
	<p>Over rolling land, through widely scattered joshua trees.</p>
2.70	Ridge, bears N. and S., desc. W. slope.
17.10	Wash, 40 lks. wide, 1 ft. deep, drains N. 30° W.
18.20	Bladed road, bears N. and S.
19.10	Telephone line, bears S. 8° E. and N. 8° W.
29.30	Ridge, bears N. and S.
37.80	Wash, 40 lks. wide, 1 ft. deep, drains NW.
40.04	Point for the ¼ sec. cor. of secs. 25 and 36.
	<p>Set the iron post 20 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T29N R20W ¼ <u>S25</u>       <u>S36</u> 1968</p>
	<p>Raise a mound of stone N. of the cor.</p>
46.00	Small spur, slopes NW.
56.60	Wash, 80 lks. wide, 1 ft. deep, drains NW.
63.30	Spur, slopes N. 25° W.
75.30	Wash, 50 lks. wide, 1 ft. deep, drains N. 60° W.
80.08	The cor. of secs. 25, 26, 35 and 36.
	<p>Land, rolling. Soil, gravelly, sandy loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>



## Subdivision, T. 29 N., R. 20 W.

CHAINS	
<p>6.00</p> <p>32.50</p> <p>40.00</p>	<p>N. 0°01' W., bet. secs. 25 and 26.</p> <p>Over rolling land, through widely scattered joshua trees.</p> <p>Wash, 90 lks. wide, 1 ft. deep, drains N. 10° W.</p> <p>Same wash, drains N. 15° E.</p> <p>Point for the <math>\frac{1}{2}</math> sec. cor. of secs. 25 and 26.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p>
<p>42.40</p> <p>52.00</p> <p>71.00</p> <p>80.00</p>	<p style="text-align: center;">T29N R20W <math>\frac{1}{2}</math> S26   S25 1968</p> <p>Raise a mound of stone W. of the cor.</p> <p>Same wash, drains N. 40° W.</p> <p>Wash, 30 lks. wide, 1 ft. deep, drains NW.</p> <p>Track road, bears S. 85° E. and N. 85° W.</p> <p>Point for the cor. of secs. 23, 24, 25 and 26.</p> <p>Set the iron post 18 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T29N R20W S23   S24 S26   S25 1968</p> <p>Raise a mound of stone W. of the cor.</p> <p>Land, rolling. Soil, gravelly and sandy loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
<p>1.50</p>	<p>From the cor. of secs. 19, 24, 25 and 30 on the E. bdy. of the Tp., monumented by an iron post 2 ins. diam., firmly set with 12 ins. projecting above the ground, mound of stone West, brass cap mkd.</p> <p style="text-align: center;">T29N R20W R19W S24   S19 S25   S30 1957</p> <p>N. 89°50' W., bet. secs. 24 and 25.</p> <p>Over rolling land, through scattered joshua trees.</p> <p>Wash, 90 lks. wide, 3 ft. deep, drains N. 50° W.</p>

Subdivision, T. 29 N., R. 20 W.

CHAINS	
14.00	Wash, 90 lks. wide, 1 ft. deep, drains N.
22.00	Bladed road, bears N. and S.
22.50	Wash, 70 lks. wide, 1 ft. deep, drains N. 30° W.
24.90	Telephone line, bears S. 5° E. and N. 5° W.
31.60	Small ridge, bears S. 20° E. and N. 20° W.
40.01	Point for the ¼ sec. cor. of secs. 24 and 25.
	Set the iron post 18 ins. in the ground, brass cap mkd.
	T29N R20W ¼ $\frac{S24}{S25}$ 1968
	Raise a mound of stone N. of the cor.
44.00	Small ridge, bears S. 35° E. and N. 35° W.
48.80	Wash, 80 lks. wide, 2 ft. deep, drains N. 35° W.
58.20	Small ridge, bears S. 25° E. and N. 25° W.
67.90	Wash, 50 lks. wide, 1 ft. deep, drains N. 10° W.
80.02	The cor. of secs. 23, 24, 25 and 26.
	Land, rolling. Soil, gravelly and sandy loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	N. 0°01' W., bet. secs. 23 and 24.
	Over rolling land, through scattered joshua trees.
33.80	Track road, bears NE. and SW.
34.70	Wash, 50 lks. wide, 1 ft. deep, drains N. 40° W.
40.00	Point for the ¼ sec. cor. of secs. 23 and 24.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	T29N R20W ¼ $\frac{S23}{S24}$ 1968
	Raise a mound of stone W. of the cor.
44.20	Track road, bears S. 75° E. and N. 75° W.
51.00	Desc. N. slope.

Subdivision, T. 29 N., R. 20 W.

CHAINS	
66.70	Wash, 50 lks. wide, 1 ft. deep, drains N. 40° W.
80.00	Point for the cor. of secs. 13, 14, 23 and 24.
	Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.
	T29N R20W <u>S14</u>   <u>S13</u> <u>S23</u>   <u>S24</u> 1968
	Land, rolling. Soil, gravelly, sandy loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	From the cor. of secs. 13, 18, 19 and 24 on the E. bdy. of the Tp., previously described.
	N. 89°49' W., bet. secs. 13 and 24.
	Over rolling land, through scattered joshua trees.
8.40	Bladed road to Pierce Ferry, bears S. 70° E. and N. 70° W.
22.10	SE. corner of a corral, bears South, 24 lks. dist.
26.50	SW. corner of corral, bears North, 18 lks. dist.
28.30	Wash, 90 lks. wide, 4 ft. deep, drains N.
32.55	Telephone line, bears S. 15° E. and N. 15° W.
35.20	Bladed road to Pierce Ferry, bears N. 60° E. and S. 60° W.
39.70	Bladed road to Temple Bar, bears N. and S. about 1.50 chs. to junction with Pierce Ferry Road.
40.00	Point for the ¼ sec. cor. of secs. 13 and 24.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	T29N R20W ¼   <u>S13</u>   <u>S24</u> 1968
	Raise a mound of stone N. of the cor.
41.70	Wash, 90 lks. wide, 1 ft. deep, drains N. 15° W.
48.10	Wash, 60 lks. wide, 1 ft. deep, drains N. 15° W.
69.60	Wash, 40 lks. wide, 1 ft. deep, drains N. 15° W.
79.00	Ridge, bears N. and S.

Subdivision, T. 29 N., R. 20 W.

CHAINS	
80.00	<p>The cor. of secs. 13, 14, 23 and 24.</p> <p>Land, rolling. Soil, gravelly and rocky loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
29.70	<p>N. 0°01' W., bet. secs. 13 and 14.</p> <p>Over rolling land, through scattered joshua trees.</p> <p>Wash, 90 lks. wide, 2 ft. deep, drains N. 30° W.</p>
40.00	<p>Point for the ¼ sec. cor. of secs. 13 and 14.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R20W ¼ S14   S13 1968</p>
57.30	<p>Raise a mound of stone W. of the cor.</p> <p>Ridge, bears SE. and NW.</p>
80.00	<p>Point for the cor. of secs. 11, 12, 13 and 14.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R20W S11   S12 S14   S13 1968</p>
1.80	<p>Raise a mound of stone W. of the cor.</p> <p>The cor. is located on a NE. slope.</p> <p>Land, rolling. Soil, gravelly and rocky loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
25.70	<p>From the cor. of secs. 7, 12, 13 and 18 on the E. bdy. of the Tp.</p> <p>N. 89°46' W., bet. secs. 12 and 13.</p> <p>Over rolling land, through scattered joshua trees.</p> <p>Ridge, bears S. 15° E. and N. 15° W.; desc. W. slope.</p> <p>Wash, 40 lks. wide, 2 ft. deep, drains N.</p>
33.40	<p>Bladed road, bears N. and S.</p>

Subdivision, T. 29 N., R. 20 W.

CHAINS	
34.60	Telephone line, bears S. 10° E. and N. 10° W.
38.70	Wash, 70 lks. wide, 2 ft. deep, drains N. 10° W.
40.00	Point for the ¼ sec. cor. of secs. 12 and 13.
	Set the iron post 18 ins. in the ground, collar of stone to top, brass cap mkd.
	T29N R20W ¼ $\frac{S12}{S13}$ 1968
	Raise a mound of stone N. of the cor.
68.40	Wash, 60 lks. wide, 1 ft. deep, drains N. 40° W.
79.50	Wash, 50 lks. wide, 1 ft. deep, drains N.
80.00	The cor. of secs. 11, 12, 13 and 14.
	Land, rolling. Soil, gravelly and rocky loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	N. 0°01' W., bet. secs. 11 and 12.
	Over rolling land, through scattered joshua trees.
0.90	Enter wash area, 60 lks. wide, 1 ft. deep, draining N. from S. 15° E.
12.90	Leave wash, drains N. 15° W.
38.00	Same wash, drains N. 35° E.
40.00	Point for the ¼ sec. cor. of secs. 11 and 12.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	T29N R20W ¼ $\frac{S11}{S12}$ 1968
	Raise a mound of stone W. of the cor.
61.20	Same wash, drains N. 5° W.
80.00	Point for the cor. of secs. 1, 2, 11 and 12.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	T29N R20W $\frac{S2}{S11}   \frac{S1}{S12}$ 1968

Subdivision, T. 29 N., R. 20 W.

CHAINS	
	<p>Raise a mound of stone W. of the cor.</p> <p>The cor. is located on a low spur, sloping N. 20° W.</p> <p>Land, rolling. Soil, gravelly and rocky loam. Timber, widely scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p> <hr/> <p>From the cor. of secs. 1, 6, 7 and 12, on the E. Bdy. of the Tp.</p> <p>N. 89°42' W., bet. secs. 1 and 12.</p> <p>Over rolling land, through scattered joshua trees.</p> <p>8.50 Wash, 90 lks. wide, 1 ft. deep, drains N. 15° W.</p> <p>28.00 Telephone line, bears N. and S.</p> <p>29.30 Bladed road, bears S. 15° E. and N. 15° W.</p> <p>37.20 Ridge, bears S. 35° E. and N. 35° W.</p> <p>40.00 Point for the ¼ sec. cor. of secs. 1 and 12.</p> <p>Set the iron post 18 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T29N R20W ¼ <math>\frac{S 1}{S 12}</math> 1968</p> <p>Raise a mound of stone N. of the cor.</p> <p>48.00 Wash, 150 lks. wide, 1 ft. deep, drains irregularly N.</p> <p>56.70 Wash, 50 lks. wide, 2 ft. deep, drains irregularly N.</p> <p>64.00 Wash, 90 lks. wide, 1 ft. deep, drains irregularly N.</p> <p>72.30 Ridge, bears N. and S.</p> <p>80.00 The cor. of secs. 1, 2, 11 and 12.</p> <p>Land, rolling. Soil, gravelly and rocky loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p> <hr/> <p>N. 0°05' W., bet. secs. 1 and 2.</p> <p>Over rolling land, through scattered joshua trees.</p> <p>30.10 Wash, 40 lks. wide, 2 ft. deep, drains N. 40° W.</p>

Subdivision, T. 29 N., R. 20 W.

CHAINS	
40.00	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 1 and 2.</p> <p>Set the iron post 18 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R20W <math>\frac{1}{4}</math> S 2   S 1 1968</p> <p>Raise a mound of stone W. of the cor.</p>
79.78	<p>The cor. of secs. 1, 2, 35 and 36, on the N. bdy. of the Tp., monumented by an iron post 2 ins. diam., firmly set 20 ins. in the ground, collar of stone to top, brass cap mkd.</p> <p style="text-align: center;">T30N R20W <u>S35   S36</u> S 2   S 1 T29N 1957</p> <p>Land, rolling. Soil, gravelly and sandy loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>From the standard cor. of secs. 34 and 35 on the S. bdy. of the Tp. (the Seventh Standard Parallel North), monumented by an iron post 2 ins. diam., firmly set with 6 ins. projecting above the ground, mound of stone N., brass cap mkd.</p> <p style="text-align: center;">S C T29N R20W <u>S34   S35</u> 1930</p>
	<p>N. 0°01' W., bet. secs. 34 and 35.</p> <p>Over rolling land, through scattered joshua trees.</p>
9.40	<p>Wash, 30 lks. wide, 1 ft. deep, drains N. 50° W.; asc. NW. slope.</p>
17.50	<p>Spur, slopes NE.</p>
36.00	<p>Spur, slopes SW.</p>
40.00	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 34 and 35.</p> <p>Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T29N R20W <math>\frac{1}{4}</math> S34   S35 1968</p>

Subdivision, T. 29 N., R. 20 W.

CHAINS	
41.60	Ridge, bears SE. and NW.
53.20	Track road in center of a wash, 60 lks. wide, 1 ft. deep, draining NW.; road bears SE. and NW.
80.00	Point for the cor. of secs. 26, 27, 34 and 35.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	<div style="text-align: center;">                     T29N R20W  <u>S27   S26</u>                      S34   S35                      1968                 </div>
	Raise a mound of stone W. of the cor.
	Land, rolling. Soil, gravelly and sandy loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	From the cor. of secs. 25, 26, 35 and 36.
	N. 89°57' W., bet. secs. 26 and 35.
11.70	Track road, bears S. 35° E. and N. 35° W., on top of a spur sloping N. 35° W.
29.60	Wash, 40 lks. wide, 1 ft. deep, drains N. 50° W.
40.02	Point for the ¼ sec. cor. of secs. 26 and 35.
	Set the iron post 18 ins. in the ground, brass cap mkd.
	<div style="text-align: center;">                     T29N R20W                      ¼ <u>S26</u>                      S35                      1968                 </div>
	Raise a mound of stone N. of the cor.
43.70	Wash, 30 lks. wide, 1 ft. deep, drains N. 30° W.
57.40	Ridge, bears N. and S.
80.04	The cor. of secs. 26, 27, 34 and 35.
	Land, rolling. Soil, gravelly and sandy loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	N. 0°01' W., bet. secs. 26 and 27.
	Over rolling land, through scattered joshua trees.
29.00	Ridge, bears S. 35° E. and N. 35° W.



Subdivision, T. 29 N., R. 20 W.

CHAINS	
40:00	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 26 and 27.</p> <p>Set the iron post 18 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R20W <math>\frac{1}{4}</math> S27   S26 1968</p> <p>Raise a mound of stone W. of the cor.</p> <p>The cor. is located on a NW. slope.</p>
52.00	Asc. S. slope.
63.60	Ridge, bears S. 40° E. and N. 40° W.
80.00	<p>Point for the cor. of secs. 22, 23, 26 and 27.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R20W S22   S23 S27   S26 1968</p> <p>Raise a mound of stone W. of the cor.</p> <p>Land, rolling. Soil, gravelly, and sandy loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>From the cor. of secs. 23, 24, 25 and 26.</p> <p>West, bet. secs. 23 and 26.</p> <p>Over rolling land, through scattered joshua trees.</p>
3.00	Ridge, bears S. 60° E. and N. 60° W.
7.90	Wash, 80 lks. wide, 1 ft. deep, drains N. 35° W.
19.50	Track road in center of a wash, 40 lks. wide, 1 ft. deep, draining N. 70° W.; road bears S. 70° E. and N. 70° W.
33.10	Track road, bears NE. and SW.
39.99	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 23 and 26.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R20W <math>\frac{1}{4}</math> S23 S26 1968</p> <p>Raise a mound of stone N. of the cor.</p>

Subdivision, T. 29 N., R. 20 W.

CHAINS	
	The cor. is located on a low ridge, bearing E. and W.
56.10	Ridge, bears S. 10° E. and N. 10° W.
76.10	Wash, 40 lks. wide, 1 ft. deep, drains NW.
79.10	Track road, bears S. 55° E. and N. 55° W.
79.98	The cor. of secs. 22, 23, 26 and 27.
	Land, rolling. Soil, gravelly and sandy loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	N. 0°01' W., bet. secs. 22 and 23.
	Over rolling land, through scattered joshua trees.
0.60	Track road, bears S. 55° E. and N. 55° W.
2.60	Wash, 40 lks. wide, 1 ft. deep, drains NW.
23.30	Ridge, bears S. 55° E. and N. 55° W.
40.00	Point for the ¼ sec. cor. of secs. 22 and 23.
	Set the iron post 18 ins. in the ground, brass cap mkd.
	T29N R20W ¼ S22   S23 1968
	Raise a mound of stone W. of the cor.
	The cor. is located on a NE. slope.
42.00	Track road, bears E. and W.
59.50	Wash, 50 lks. wide, 1 ft. deep, drains N. 80° W.
80.00	Point for the cor. of secs. 14, 15, 22 and 23.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	T29N R20W S15   S14 S22   S23 1968
	Raise a mound of stone W. of the cor.
	The cor. is located on a gentle N. slope.
	Land, rolling. Soil, gravelly and silty loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.

Subdivision, T. 29 N., R. 20 W.

CHAINS	
	From the cor. of secs. 13, 14, 23 and 24. West, bet. secs. 14 and 23. Over rolling land, through scattered joshua trees.
4.90	Asc. E. slope.
13.20	Ridge, bears S. 20° E. and N. 20° W., desc. W. slope.
29.70	Wash, 90 lks. wide, 1 ft. deep, drains N. 20° W.
38.60	Small ridge, bears S. 30° E. and N. 30° W.
40.00	Point for the ¼ sec. cor. of secs. 14 and 23. Set the iron post 20 ins. in the ground, brass cap mkd.
	T29N R20W ¼ $\frac{S14}{S23}$ 1968
	Raise a mound of stone N. of the cor.
70.90	Ridge, bears S. 25° E. and N. 25° W.
80.00	The cor. of secs. 14, 15, 22 and 23. Land, rolling. Soil, gravelly and sandy loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	N. 0°01' W., bet. secs. 14 and 15. Over rolling land, through scattered joshua trees.
0.30	Small draw, drains W.
9.00	Low ridge, bears SE. and NW.
40.00	Point for the ¼ sec. cor. of secs. 14 and 15. Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.
	T29N R20W ¼ $\frac{S15}{S14}$ 1968
44.00	Desc. N. slope.
61.55	Wash, 40 lks. wide, 1 ft. deep, drains N. 25° W.
76.00	Small ridge, bears S. 20° E. and N. 20° W.
80.00	Point for the cor. of secs. 10, 11, 14 and 15.

Subdivision, T. 29 N., R. 20 W.

CHAINS	
	<p>Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T29N R20W  <math>\frac{S10}{S15}   \frac{S11}{S14}</math>                      1968</p> <p>Land, rolling.                      Soil, gravelly and silty loam.                      Timber, scattered joshua trees.                      Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>From the cor. of secs. 11, 12, 13 and 14.</p> <p>S. 89°57' W., bet. secs. 11 and 14.</p> <p>Over rolling land, through scattered joshua trees.</p>
21.50	Ridge, bears S. 20° E. and N. 20° W.
28.50	Wash, 70 lks. wide, 1 ft. deep, drains N. 10° W.
37.50	Ridge, bears S. 15° E. and N. 15° W.
39.98	Point for the $\frac{1}{4}$ sec. cor. of secs. 11 and 14.
	<p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R20W  <math>\frac{1}{4} \frac{S11}{S14}</math>                      1968</p> <p>Raise a mound of stone N. of the cor.</p>
44.80	Wash, 80 lks. wide, 1 ft. deep, drains N. 40° W.
51.60	Ridge, bears S. 25° E. and N. 25° W.
73.60	Wash, 40 lks. wide, 1 ft. deep, drains N. 10° W.
79.96	The cor. of secs. 10, 11, 14 and 15.
	<p>Land, rolling.                      Soil, gravelly and silty loam.                      No timber; Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>N. 0°01' W., bet. secs. 10 and 11.</p> <p>Over rolling land, through scattered joshua trees.</p>
22.70	Enter wash, 90 lks. wide, 1 ft. deep, drains Northerly.
33.20	Leave wash, drains N. 15° E.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 10 and 11.

## Subdivision, T. 29 N., R. 20 W.

CHAINS	
	<p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R20W  <math>\frac{1}{4}</math>            S10   S11            1968</p> <p>Raise a mound of stone W. of the cor.</p>
43.10	Same wash, as one at 33.20, drains Northerly.
64.00	Same wash, drains N. 15° E.
80.00	Point for the cor. of secs. 2, 3, 10 and 11.
	<p>Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T29N R20W  <math>\frac{S\ 3}{S10}</math>   <math>\frac{S\ 2}{S11}</math>            1968</p> <p>The cor. is located on an E. slope.</p> <p>Land, rolling.            Soil, gravelly and sandy loam.            Timber, scattered joshua trees.            Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>From the cor. of secs. 1, 2, 11 and 12.</p> <p>S. 89°56' W., bet. secs. 2 and 11.</p> <p>Over rolling land, through scattered joshua trees.</p>
1.50	Wash, 50 lks. wide, 1 ft. deep, drains N. 20° W.
9.30	Wash, 80 lks. wide, 1 ft. deep, drains N.
39.97	Point for the $\frac{1}{4}$ sec. cor. of secs. 2 and 11.
	<p>Set the iron post 18 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R20W  <math>\frac{1}{4}</math> <math>\frac{S\ 2}{S11}</math>            1968</p> <p>Raise a mound of stone N. of the cor.</p>
46.10	Ridge, bears S. 30° E. and N. 30° W.
54.20	Wash, 60 lks. wide, 1 ft. deep, drains N. 40° W.
73.00	Wash, 50 lks. wide, 1 ft. deep, drains N.
79.50	Wash, 40 lks. wide, 1 ft. deep, drains N.
79.94	The cor. of secs. 2, 3, 10 and 11.

Subdivision, T. 29 N., R. 20 W.

CHAINS	
	<p>Land, rolling. Soil, gravelly and sandy loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
<p>40.00</p>	<p>N. 0°06' W., bet. secs. 2 and 3. Over rolling land, through scattered joshua trees. Point for the ½ sec. cor. of secs. 2 and 3. Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R20W ½ S 3   S 2 1968</p>
<p>45.30</p>	<p>Raise a mound of stone W. of the cor. Wash, 40 lks. wide, 1 ft. deep, drains N. 35° W.</p>
<p>79.92</p>	<p>The cor. of secs. 2, 3, 34 and 35 on the N. bdy. of the Tp., monumented by an iron post 2 ins. diam., firmly set in a mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T30N R20W S34   S35 S 3   S 2 T29N 1957</p>
	<p>Land, rolling. Soil, gravelly and sandy loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>From the standard cor. of secs. 33 and 34 on the S. bdy. of the Tp. (the Seventh Standard Parallel North), monumented by an iron post 2 ins. diam., firmly set in a mound of stone, brass cap mkd.</p> <p style="text-align: center;">S C T29N R20W S33   S34 1930</p>
<p>14.60</p>	<p>N. 0°02' W., bet. secs. 33 and 34. Over rolling land, through scattered joshua trees. Wash, 60 lks. wide, 1 ft. deep, drains N. 75° W., asc. S. slope.</p>
<p>26.60</p>	<p>Ridge, bears E. and W., desc. steep NE. slope.</p>

Subdivision, T. 29 N., R. 20 W.

CHAINS	
40.00	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 33 and 34.</p> <p>Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T29N R20W <math>\frac{1}{4}</math> S33   S34 1968</p>
53.80	<p>Base of slope, bears E. and W.</p>
62.00	<p>Wash, 70 lks. wide, 1 ft. deep, drains NW.</p>
71.50	<p>Asc. S. slope.</p>
79.10	<p>Small ridge, bears S. 65° E. and N. 45° W., desc. NE. slope.</p>
80.00	<p>Point for the cor. of secs. 27, 28, 33 and 34.</p> <p>Set the iron post 16 ins. in the ground, in a collar of stone, brass cap mkd.</p> <p style="text-align: center;">T29N R20W S28   S27 S33   S34 1968</p> <p>Raise a mound of stone W. of the cor.</p> <p>Land, rolling. Soil, gravelly and rocky loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>From the cor. of secs. 26, 27, 34 and 35.</p>
	<p>N. 89°58' W., bet. secs. 27 and 34.</p>
	<p>Over rolling land, through scattered joshua trees.</p>
12.70	<p>Ridge, bears S. 10° E. and N. 10° W., desc. W. slope.</p>
40.01	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 27 and 34.</p> <p>Set the iron post 18 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R20W <math>\frac{1}{4}</math> <math>\frac{S27}{S34}</math> 1968</p> <p>Raise a mound of stone N. of the cor.</p> <p>The cor. is located on a SW. slope.</p>
40.40	<p>Wash, 60 lks. wide, 2 ft. deep, drains NW.</p>

Subdivision, T. 29 N., R. 20 W.

CHAINS		
46.50	Ridge, bears S. 30° E. and N. 30° W., desc. W. slope.	
49.30	Track road, bears SE. and NW.	
50.30	Wash, 60 lks. wide, 1 ft. deep, drains N. 40° W.	
63.60	Wash, 50 lks. wide, 1 ft. deep, drains N. 40° W.	
80.02	The cor. of secs. 27, 28, 33 and 34.	
	Land, rolling. Soil, gravelly and rocky loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.	
	N. 0°02' W., bet. secs. 27 and 28.	
	Over rolling land, through scattered joshua trees.	
15.50	Wash, 80 lks. wide, 1 ft. deep, drains N. 50° W.	
18.30	Small ridge, bears S. 75° E. and N. 75° W.	
21.40	Wash, 90 lks. wide, 1 ft. deep, drains N. 65° W.; track road follows along the bottom of the wash.	
27.30	Ridge, bears S. 70° E. and N. 70° W.	
39.80	Wash, 80 lks. wide, 1 ft. deep, drains N. 80° W.	
40.00	Point for the ¼ sec. cor. of secs. 27 and 28.	
	Set the iron post 18 ins. in the ground, brass cap mkd.	
	T29N R20W ¼ S28   S27 1968	
	Raise a mound of stone W. of the cor.	
80.00	Point for the cor. of secs. 21, 22, 27 and 28.	
	Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd..	
	T29N R20W S21   S22 S28   S27 1968	
	The cor. is located on the N. slope of a low spur.	
	Land, rolling.	
	Soil, gravelly and rocky loam.	
	Timber, scattered joshua trees.	
	Undergrowth, creosote bush, rabbit brush, yucca and cacti.	



Subdivision, T. 29 N., R. 20 W.

CHAINS	
	From the cor. of secs. 22, 23, 26 and 27.
	N. 89°59' W., bet. secs. 22 and 27.
	Over rolling land, through scattered joshua trees.
7.90	Wash, 20 lks. wide, 2 ft. deep, drains N. 15° W.
23.60	Ridge, bears S. 20° E. and N. 20° W.
35.90	Wash, 30 lks. wide, 2 ft. deep, drains N. 10° W.
39.99	Point for the ¼ sec. cor. of secs. 22 and 27.
	Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.
	<p style="text-align: center;">T29N R20W  <math>\frac{1}{4}</math> <math>\frac{S22}{S27}</math>                      1968</p>
57.90	Ridge, bears S. 10° E. and N. 10° W.
64.00	Ridge, bears S. 40° E. and N. 40° W.
79.98	The cor. of secs. 21, 22, 27 and 28.
	Land, rolling. Soil, gravelly and silty loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	N. 0°02' W., bet. secs. 21 and 22.
	Over rolling land, through scattered undergrowth.
15.40	Leave rolling land, enter mountainous land, bears E. and W.
40.00	Point for the ¼ sec. cor. of secs. 21 and 22.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T29N R20W  <math>\frac{1}{4}</math>                      S21   S22                      1968</p>
	Raise a mound of stone W. of the cor.
45.10	Track road in bottom of a wash, 2 chs. wide, 1 ft. deep, draining W.; asc. over steep rocky S. slope.
80.00	Point for the cor. of secs. 15, 16, 21 and 22.
	Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.

Subdivision, T. 29 N., R. 20 W.

CHAINS	
	T29N R20W $\frac{S16}{S21}   \frac{S15}{S22}$ 1968
	from which  U.S.C.&G.S. "SQUAW PEAK HIGH POINT" triangulation station, Lat. 35°53'44.41" N.; Long. 114°25'32.91" W., bears N. 55°49' W., 10.765 chs. dist.; this is a high point on Squaw Peak.  Land, mountainous. Soil, gravelly, lava rock and loam. No timber; Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	<hr/> From the cor. of secs. 14, 15, 22 and 23.  N. 89°59' W., bet. secs. 15 and 22.  Over rolling land, through scattered joshua trees.
18.20	Wash, 50 lks. wide, 1 ft. deep, drains N. 25° W.
33.60	Ridge, bears S. 15° E. and N. 15° W.
40.02	Point for the $\frac{1}{4}$ sec. cor. of secs. 15 and 22.  Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.
	T29N R20W $\frac{1}{4} \frac{S15}{S22}$ 1968
40.10	Enter mountainous land, asc. E. slope.
66.00	Spur, slopes S. 30° E.
73.70	Draw, drains S. 30° E.
79.50	Spur, slopes S.
80.04	The cor. of secs. 15, 16, 21 and 22.  Land, rolling and mountainous. Soil, gravelly and rocky loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	<hr/> N. 0°02' W., bet. secs. 15 and 16.  Over mountainous land, through scattered undergrowth, asc. along W. slope through a saddle.
7.30	Slope changes from W. to E. slope.

Subdivision, T. 29 N., R. 20 W.

CHAINS	
36.70	Desc. N. slope.
39.70	Small draw, drains N. 70° W.
40.00	Point for the ¼ sec. cor. of secs. 15 and 16.
	Set the iron post 16 ins. in the ground, mound of stone to top, brass cap mkd.
	T29N R20W $\frac{1}{4}$ S16   S15 1968
	Continue over rolling land.
79.80	Small draw, drains E.
80.00	Point for the cor. of secs. 9, 10, 15 and 16.
	Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.
	T29N R20W $\frac{S\ 9}{S16}$   $\frac{S10}{S15}$ 1968
	Land, mountainous and rolling. Soil, gravelly and rocky loam. No timber; Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	From the cor. of secs. 10, 11, 14 and 15.
	N. 89°58' W., bet. secs. 10 and 15.
	Over rolling land, through scattered undergrowth.
0.80	Low ridge, bears S. 30° E. and N. 30° W.
6.90	Wash, 50 lks. wide, 2 ft. deep, drains N. 40° W.
21.20	Wash, 90 lks. wide, 1 ft. deep, drains N. 10° W.
28.60	Wash, 50 lks. wide, 1 ft. deep, drains irregularly N. 30° E.
38.30	Same wash, 50 lks. wide, 1 ft. deep, drains irregularly E. from SW.
40.00	Point for the ¼ sec, cor. of secs. 10 and 15.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	T29N R20W $\frac{1}{4}$ $\frac{S10}{S15}$ 1968
	Raise a mound of stone N. of the cor.

Subdivision, T. 29 N., R. 20 W.

CHAINS	
42.80	Wash, 50 lks. wide, 1 ft. deep, drains N. 30° E., asc. E. slope.
80.00	<p>The cor. of secs. 9, 10, 15 and 16.</p> <p>Land, rolling. Soil, gravelly and rocky loam. No timber; Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
<hr/>	
	N. 0°02' W., bet. secs. 9 and 10.
	Over broken mountainous land, through scattered undergrowth.
12.20	Ravine, drains S. 30° E.
29.30	Ridge, bears E. and W., desc. N. slope.
40.00	Point for the ¼ sec. cor. of secs. 9 and 10.
	Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.
	<p>T29N R20W ¼ S 9   S10 1968</p>
	Raise a mound of stone W. of the cor.
	Thence by triangulation; topography as scaled from U.S.G.S. topographic sheet, Senator Mountain, Ariz., dated 1960.
50.00	Draw, drains S. 70° E.
61.90	End of triangulation.
66.10	Ridge, bears E. and W., desc. N. slope.
79.80	Draw, drains S. 60° E.
80.00	Point for the cor. of secs. 3, 4, 9 and 10.
	Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.
	<p>T29N R20W S 4   S 3 S 9   S10 1968</p>
	<p>Land, mountainous. Soil, rocky and loam. No timber; Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
<hr/>	
	From the cor. of secs. 2, 3, 10 and 11.
	N. 89°58' W., bet. secs. 3 and 10.

Subdivision, T. 29 N., R. 20 W.

CHAINS	
	Over mountainous land, through scattered undergrowth, desc. E. slope.
15.40	Wash, 40 lks. wide, 2 ft. deep, drains N. 10° E.
38.60	Ravine, drains S. 70° E.
40.03	Point for the ¼ sec. cor. of secs. 3 and 10.  Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.  T29N R20W ¼ $\frac{S\ 3}{S10}$ 1968
80.06	The cor. of secs. 3, 4, 9 and 10.  Land, mountainous. Soil, rocky and loam. No timber; Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	N. 0°14' W., bet. secs. 3 and 4.  Over mountainous land, through scattered undergrowth, asc. S. slope.
4.00	Spur, slopes E.
12.70	Draw, drains E.
23.30	Spur, slopes E.; thence by triangulation, topography as scaled from U.S.G.S. topographic sheet, Senator Mountain, Arizona, dated 1960.
30.00	Draw, drains E.
39.90	End of triangulation.
40.00	Point for the ¼ sec. cor. of secs. 3 and 4.  Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.  T29N R20W ¼ S 4   S 3 1968
43.78	Spur, slopes E.; thence by triangulation to the sec. cor.
58.00	Ravine, drains E.
72.00	Ravine, drains S. 80° E., asc. S. slope.
79.98	The cor. of secs. 3, 4, 33 and 34 on the N. bdy. of the Tp., monumented by an iron post 2 ins. diam., firmly set in a mound of stone to top, brass cap mkd.

Subdivision, T. 29 N., R. 20 W.

CHAINS

T30N R20W  
S33 | S34  
 S 4 | S 3  
 T29N  
 1957

Land, mountainous.  
 Soil, gravelly and rocky and loam.  
 No timber; Undergrowth, creosote bush, rabbit brush,  
 yucca and cacti.

From the standard cor. of secs. 32 and 33 on the S. bdy.  
 of the Tp. (the Seventh Standard Parallel North), monu-  
 mented by an iron post 2 ins. diam., firmly set with  
 6 ins. projecting above the ground, mound of stone N.,  
 brass cap mkd,

S C  
 T29N R20W  
S32 | S33  
 1930

N. 0°03' W., bet. secs. 32 and 33.

Over rolling land, through scattered joshua trees.

20.00 Small wash, drains W.

37.80 Rocky spur, slopes E.

40.00 Point for the 1/4 sec. cor. of secs. 32 and 33.

Set the iron post 6 ins. in the ground, mound of stone  
 to top, brass cap mkd.

T29N R20W  
 1/4  
S32 | S33  
 1968

40.30 Draw, drains E.

51.60 Wash, 40 lks. wide 2 ft. deep, drains NW.

58.10 Low spur, slopes West.

68.40 Desc. over NW. slope.

80.00 Point for the cor. of secs. 28, 29, 32 and 33.

Set the iron post 14 ins. in the ground, mound of stone  
 to top, brass cap mkd.

T29N R20W  
S29 | S28  
S32 | S33  
 1968

Subdivision, T. 29 N., R. 20 W.

CHAINS	
	<p>Land, rolling. Soil, gravelly and silty loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>From the cor. of secs. 27, 28, 33 and 34. N. 89°58' W., bet. secs. 28 and 33. Over rolling land, through scattered joshua trees.</p>
1.80	Ridge, bears S. 65° E. and N. 45° W.
15.10	Wash, 90 lks. wide, 1 ft. deep, drains NW.
40.03	Point for the ¼ sec. cor. of secs. 28 and 33. Set the iron post 20 ins. in the ground, brass cap mkd.
	<p>T29N R20W     S28   ¼ S33     1968</p>
	Raise a mound of stone N. of the cor.
52.50	Asc. E. slope.
62.10	Spur, slopes N.; desc. W. slope.
68.90	Draw, drains N. 50° W., asc. E. slope.
71.90	Spur, slopes N.; desc. W. slope.
80.06	The cor. of secs. 28, 29, 32 and 33. Land, rolling. Soil, gravelly loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	<p>N. 89°57' W., bet. secs. 29 and 32. Over gently rolling land, through scattered joshua trees.</p>
37.40	Wash, 40 lks. wide, 1 ft. deep, drains N. 50° W.
39.97	Point for the ¼ sec. cor. of secs. 29 and 32. Set the iron post 20 ins. in the ground, brass cap mkd.
	<p>T29N R20W     S29   ¼ S32     1968</p>
	Raise a mound of stone N. of the cor.
49.50	Wash, 50 lks. wide, 1 ft. deep, drains N. 40° W.

Subdivision, T. 29 N., R. 20 W.

CHAINS	
56.80	Wash, 90 lks. wide, 2 ft. deep, drains NW.
79.94	The cor. of secs. 29, 30, 31 and 32, monumented by an iron post 2½ ins. diam., firmly set in a mound of stone to top, brass cap mkd.
	T29N R20W <u>S30 S29</u> <u>S31 S32</u> 1960
	Land, gently rolling. Soil, gravelly and silty loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	<hr/> From the cor. of secs. 28, 29, 32 and 33.
	N. 0°03' W., bet. secs. 28 and 29.
	Over gently rolling land, through scattered joshua trees.
32.50	Wash, 50 lks. wide, 1 ft. deep, drains W.
40.00	Point for the ¼ sec. cor. of secs. 28 and 29.
	Set the iron post 18 ins. in the ground, brass cap mkd.
	T29N R20W ¼ <u>S29 S28</u> 1968
	Raise a mound of stone W. of the cor.
43.00	Wash, 40 lks. wide, 1 ft. deep, drains NW.
49.50	Wash, 40 lks. wide, 1 ft. deep, drains NW.
80.00	Point for the cor. of secs. 20, 21, 28 and 29.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	T29N R20W <u>S20 S21</u> <u>S29 S28</u> 1968
	Raise a mound of stone W. of the cor.
	Land, gently rolling. Soil, gravelly and rocky loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	<hr/> From the cor. of secs. 21, 22, 27 and 28.
	N. 89°59' W., bet. secs. 21 and 28.
	Over rolling land, through scattered joshua trees.



Subdivision, T. 29 N., R. 20 W.

CHAINS	
22.10	Ridge, bears S. 20° E. and N. 20° W.
39.99	Point for the ¼ sec. cor. of secs. 21 and 28.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	$\begin{array}{r} \text{T29N R20W} \\ \frac{1}{4} \frac{\text{S21}}{\text{S28}} \\ 1968 \end{array}$
	Raise a mound of stone N. of the cor.
64.60	Wash, 40 lks. wide, 1 ft. deep, drains NW.
79.98	The cor. of secs. 20, 21, 28 and 29.
	Land, rolling. Soil, gravelly and silty loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.
	S. 89°59' W., bet. secs. 20 and 29.
	Over rolling land, through scattered joshua trees.
29.60	Track road, bears NE. and SW.
38.00	Track road, bears NE. and S. 30° W.
39.97	Point for the ¼ sec. cor. of secs. 20 and 29.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	$\begin{array}{r} \text{T29N R20W} \\ \frac{1}{4} \frac{\text{S20}}{\text{S29}} \\ 1968 \end{array}$
	Raise a mound of stone N. of the cor.
41.50	Wash, 40 lks. wide, 1 ft. deep, drains N. 20° W.
59.70	Wash, 90 lks. wide, 1 ft. deep, drains N. 60° W.
79.94	The cor. of secs. 19, 20, 29 and 30, monumented by an iron post 2½ ins. diam., firmly set with 12 ins. projecting above the ground and in a collar of stone, with mound of stone N., brass cap mkd.
	$\begin{array}{r} \text{T29N R20W} \\ \frac{\text{S19}}{\text{S30}} \frac{\text{S20}}{\text{S29}} \\ 1960 \end{array}$
	Land, rolling. Soil, gravelly loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.

Subdivision, T. 29 N., R. 20 W.

CHAINS	
	<p>From the cor. of secs. 20, 21, 28 and 29.</p> <p>N. 0°03' W., bet. secs. 20 and 21.</p> <p>Over rolling land, through scattered joshua trees.</p>
15.40	Track road, bears S. 65° E. and N. 65° W.
20.00	Track road, bears S. 65° E. and N. 65° W. and wash, 70 lks. wide, 2 ft. deep, drains SW.
38.40	Ravine, drains NW.
40.00	Point for the ½ sec. cor. of secs. 20 and 21.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	<p>T29N R20W</p> <p>½</p> <p>S20   S21</p> <p>1968</p>
	Raise a mound of stone W. of the cor.
56.80	Ridge, bears S. 65° E. and N. 65° W.
60.50	Wash, 50 lks. wide, 1 ft. deep, drains N. 65° W.
80.00	Point for the cor. of secs. 16, 17, 20 and 21.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	<p>T29N R20W</p> <p>S17   S16</p> <p>S20   S21</p> <p>1968</p>
	Raise a mound of stone W. of the cor.
	<p>Land, rolling.</p> <p>Soil, gravelly and silty loam.</p> <p>Timber, scattered joshua trees.</p> <p>Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<p>From the cor. of secs. 15, 16, 21 and 22.</p> <p>N. 89°56' W., bet. secs. 16 and 21.</p> <p>Over mountainous land, through scattered undergrowth, desc. W. slope.</p>
2.50	Draw, near head, drains S.; asc. SE. slope.
10.30	Spur, slopes S., desc. over W. slope.
40.00	Point for the ½ sec. cor. of secs. 16 and 21.
	Set the iron post 16 ins. in the ground, mound of stone to top, brass cap mkd.

Subdivision, T. 29 N., R. 20 W.

CHAINS		
<p>73.30</p> <p>80.00</p>	<p style="text-align: center;">T29N R20W  <math>\frac{1}{4}</math> <math>\frac{S16}{S21}</math>                      1968</p> <p>Raise a mound of stone N. of the cor.</p> <p>Wash, 40 lks. wide, 1 ft. deep, drains N. 25° W.</p> <p>The cor. of secs. 16, 17, 20 and 21.</p> <p>Land, mountainous.                      Soil, gravelly and rocky clay loam.                      No timber; Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>	
<p>15.00</p> <p>29.00</p> <p>39.97</p>	<p>West, bet. secs. 17 and 20.</p> <p>Over rolling land, through scattered joshua trees.</p> <p>Wash, 80 lks. wide, 1 ft. deep, drains N. 65° W.</p> <p>Wash, 80 lks. wide, 1 ft. deep, drains N. 55° W.</p> <p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 17 and 20.</p> <p>Set the iron post 18 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T29N R20W  <math>\frac{1}{4}</math> <math>\frac{S17}{S20}</math>                      1968</p> <p>Raise a mound of stone N. of the cor.</p>	
<p>79.94</p>	<p>The cor. of secs. 17, 18, 19 and 20, monumented by an iron post 2½ ins. diam., firmly set with 10 ins. projecting above the ground, mound of stone to N., brass cap mkd.</p> <p style="text-align: center;">T29N R20W  <math>\frac{S18}{S19}</math>   <math>\frac{S17}{S20}</math>                      1960</p> <p>Land, rolling.                      Soil, gravelly, and rocky clay loam.                      Timber, scattered joshua trees.                      Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>	
	<p>From the cor. of secs. 16, 17, 20 and 21.</p> <p>N. 0°03' W., bet. secs. 16 and 17.</p> <p>Over rolling land, through scattered joshua trees.</p>	

Subdivision, T. 29 N., R. 20 W.

CHAINS		
3.70	Wash, 30 lks. wide, 2 ft. deep, drains W.	
12.90	Ridge, bears S. 55° E. and N. 55° W.	
17.90	Wash, 80 lks. wide, 2 ft. deep, drains N. 65° W.	
21.90	Ridge, bears S. 65° E. and N. 65° W.	
36.40	Ridge, bears S. 35° E. and N. 35° W.	
40.00	Point for the ½ sec. cor. of secs. 16 and 17.	
	Set the iron post 18 ins. in the ground, brass cap mkd.	
	T29N R20W ½ S17 S16 1968	
	Raise a mound of stone W. of the cor.	
64.90	Ridge, bears S. 65° E. and N. 65° W.	
69.80	Wash, 70 lks. wide, 3 ft. deep, drains N. 50° W.	
80.00	Point for the cor. of secs. 8, 9, 16 and 17.	
	Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.	
	T29N R20W S 8   S 9 S17   S16 1968	
	Land, rolling. Soil, gravelly loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.	
	From the cor. of secs. 9, 10, 15 and 16.	
	West, bet. secs. 9 and 16.	
	Over mountainous land, through scattered undergrowth, asc. steep E. slope.	
22.40	S. end of high mountain, bears N., slopes sharply S.	
27.40	High spur, slopes sharply S. 15° W.; desc. steep W. slope.	
40.07	Point for the ½ sec. cor. of secs. 9 and 16.	
	Set the iron post over an X cut in solid rock, mound of stone to top, brass cap mkd.	
	T29N R20W ½    S 9 S16 1968	

Subdivision, T. 29 N., R. 20 W.

CHAINS	
80.14	<p>The cor. of secs. 8, 9, 16 and 17.</p> <p>Land, mountainous. Soil, gravelly and rocky loam. No timber; Undergrowth, rabbit brush, scrub mesquite, yucca and cacti.</p>
11.10	<p>West, bet. secs. 8 and 17.</p> <p>Over rolling land, through scattered undergrowth.</p> <p>Wash, 50 lks. wide, 1 ft. deep, drains NW.</p>
39.96	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 8 and 17.</p> <p>Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T29N R20W <math>\frac{1}{4}</math> <math>\frac{S 8}{S17}</math> 1968</p>
45.00	<p>Wash, 60 lks. wide, 2 ft. deep, drains N. 35° W.</p>
59.00	<p>Wash, 90 lks. wide, 1 ft. deep, drains N. 70° W.</p>
79.92	<p>The cor. of secs. 7, 8, 17 and 18, monumented by an iron post 2½ ins. diam., firmly set with 8 ins. projecting above the ground, mound of stone W., brass cap mkd.</p> <p style="text-align: center;">T29N R20W <math>\frac{S 7}{S18}   \frac{S 8}{S17}</math> 1960</p> <p>Land, rolling. Soil, gravelly and rocky loam. No timber; Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
8.00	<p>From the cor. of secs. 8, 9, 16 and 17.</p> <p>N. 0°03' W., bet. secs. 8 and 9.</p> <p>Over rolling land, through scattered undergrowth.</p> <p>Ridge, bears S. 75° E. and N. 75° W.</p>
22.50	<p>Ridge, bears S. 65° E. and N. 65° W.</p>
39.00	<p>Ridge, bears S. 70° E. and N. 70° W.</p>
40.00	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 8 and 9.</p> <p>Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T29N R20W <math>\frac{1}{4}</math> S 8   S 9 1968</p>

Subdivision, T. 29 N., R. 20 W.

CHAINS	
67.00	Ridge, bears S. 65° E. and N. 65° W.
71.30	Wash, 30 lks. wide, 2 ft. deep, drains N. 70° W.
80.00	Point for the cor. of secs. 4, 5, 8 and 9.
	Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.
	<p>T29N R20W  <math>\frac{S\ 5}{S\ 8}   \frac{S\ 4}{S\ 9}</math>                      1968</p>
	<p>Land, rolling.                      Soil, gravelly and rocky loam.                      Timber, scattered joshua trees.                      Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
	<hr/> From the cor. of secs. 3, 4, 9 and 10.
	West, bet. secs. 4 and 9.
	Over mountainous land, through scattered undergrowth; asc. steep rocky E. slope.
15.85	Spur, slopes SE.
24.20	Draw, drains SE.; asc. E. slope.
32.06	Point selected for the witness $\frac{1}{2}$ sec. cor. of secs. 4 and 9.
	Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.
	<p>T29N R20W  <math>\frac{1}{2} \leftarrow \frac{S\ 4}{S\ 9} \rightarrow W\ C</math>                      1968</p>
	<p>from which</p> <p style="padding-left: 40px;">U.S.C.&amp;G.S. triangulation station "YOUNG MOUNTAIN",                      lat. 35°55'34.673" N., long. 114°25'47.944" W., bears                      N. 17°23'20" E., 15.757 chs. dist., monumented by a                      bronze tablet mkd. YOUNG MT. 1934.</p>
	The cor. is located on top of a ridge bearing N. 15° E. and S. 15° E.; by triangulation, desc. W. slope.
34.10	Top of rock ledge, 100 ft. high, bears N. and S.; desc. steep, rocky W. slope.
40.06	True point for the $\frac{1}{2}$ sec. cor. of secs. 4 and 9 falls on a steep rocky slide area where a monument could not be safely perpetuated; end of triangulation.
80.12	The cor. of secs. 4, 5, 8 and 9.

Subdivision, T. 29 N., R. 20 W.

CHAINS					
	<p>Land, mountainous. Soil, rocky loam. No timber; Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>				
	<p>S. 89°57' W., bet. secs. 5 and 8.</p> <p>Over rolling land, through scattered undergrowth.</p>				
13.40	Wash, 90 lks. wide, 2 ft. deep, drains NW.				
20.10	Wash, 40 lks. wide, with 4 ft. banks, drains N. curving to N. 20° W.				
39.99	<p>Point for the cor. of secs. 5 and 8.</p> <p>Set the iron post 18 ins. in the ground, brass cap mkd.</p> <div style="text-align: center;"> <p>T29N R20W</p> <table style="margin: auto;"> <tr> <td style="padding: 0 10px;">¼</td> <td style="border: 1px solid black; padding: 2px;">S 5</td> </tr> <tr> <td></td> <td style="border: 1px solid black; padding: 2px;">S 8</td> </tr> </table> <p>1968</p> </div> <p>Raise a mound of stone N. of the cor.</p>	¼	S 5		S 8
¼	S 5				
	S 8				
44.50	Low ridge, bears SE. and NW.				
69.80	Wash, 150 lks. wide, 1 ft. deep, drains N. curving NW.				
79.98	<p>The cor. of secs. 5, 6, 7 and 8, monumented by an iron post 2½ ins. diam., firmly set in a mound of stone to top, brass cap mkd.</p> <div style="text-align: center;"> <p>T29N R20W</p> <table style="margin: auto;"> <tr> <td style="border: 1px solid black; padding: 2px;">S 6</td> <td style="border: 1px solid black; padding: 2px;">S 5</td> </tr> <tr> <td style="border: 1px solid black; padding: 2px;">S 7</td> <td style="border: 1px solid black; padding: 2px;">S 8</td> </tr> </table> <p>1960</p> </div> <p>Land, rolling. Soil, gravelly and rocky loam. Timber, scattered joshua trees. Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>	S 6	S 5	S 7	S 8
S 6	S 5				
S 7	S 8				
	<p>From the cor. of secs. 4, 5, 8 and 9.</p> <p>N. 0°08' W., bet. secs. 4 and 5.</p> <p>Over rolling land, through scattered undergrowth.</p>				
5.60	Wash, 30 lks. wide, 2 ft. deep, drains W., asc. S. slope.				
17.80	Spur, slopes W.				
34.70	Wash, 40 lks. wide, 2 ft. deep, drains NW.				
40.00	Point for the ¼ sec. cor. of secs. 4 and 5.				

Subdivision, T. 29 N., R. 20 W.

CHAINS	
	<p>Set the iron post 14 ins. in the ground, mound of stone to top, brass cap mkd.</p>
	<p style="text-align: center;">T29N R20W  <math>\frac{1}{4}</math>            S 5   S 4            1968</p>
45.80	<p>Spur, slopes W.</p>
80.02	<p>The cor. of secs. 4, 5, 32 and 33 on the N. bdy. of the Tp., monumented by an iron post 2 ins. diam., firmly set with 10 ins. projecting above the ground, mound of stone W., brass cap mkd.</p>
	<p style="text-align: center;">T30N R20W  <u>S32   S33</u>            S 5   S 4            T29N            1957</p>
	<p>Land, rolling.            Soil, gravelly and rocky loam.            Timber, scattered joshua trees.            Undergrowth, creosote bush, rabbit brush, yucca and cacti.</p>
<p>General Description</p>	
<p>The elevation of the portion surveyed in Township 29 North, Range 20 West, ranges from 1920 ft. to 3410 ft. above sea level. The land is rolling with many small draws and washes, except for the broken, mountainous area around Squaw Peak and Young Mountain. The soil is rocky in the mountainous area and high hills with gravelly loam throughout the rest of the Township. The vegetation consists of creosote bush, rabbit brush, yucca and cacti.</p>	
<p>A bladed dirt road from Highway 93 near Boulder Inn to Temple Bar and Pierce Ferry, runs through the eastern portion of the Township with several track roads branching out through the southern half of the Township. A telephone line runs parallel with the Temple Bar road, entering in section 36 and leaving in section 1.</p>	
<p>There are no settlers, mining activities, or permanent water within the surveyed area. The water supply for livestock use is trucked into portable troughs and storage tanks.</p>	
<p>The land is used primarily for limited grazing of livestock.</p>	





40

BOOK 4927

CERTIFICATE OF SURVEY

(I) (~~Was~~), Jerrold E. Knight, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 15th day of July, 1968, (I) (~~Was~~) have dependently resurveyed a portion of the East Boundary and completed the survey of the subdivisional lines of Township 29 North, Range 20 West,

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by (me), (~~us~~) and under (my) (~~our~~) direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

August 12, 1970  
(Date)

*Jerrold E. Knight*  
(Cadastral Surveyor)

(Date)

(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

SUBMITTED FOR APPROVAL  
Date JUN 16 1971

BUREAU OF LAND MANAGEMENT  
Washington, D.C.

The foregoing field notes of the dependent resurvey of a portion of the East Boundary and completion survey of the subdivisional lines, Township 29 North, Range 20 West, Gila and Salt River Meridian, Arizona,

executed by Jerrold E. Knight, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

MAY 30 1972  
(Date)

*Clark F. Lumm*  
(Chief, Division of Cadastral Survey)

~~CERTIFICATE OF TRANSCRIPT~~

I CERTIFY That the foregoing transcript of the field notes of the above-described surveys in, is a true copy of the original field notes.

(Date)

(Chief, Division of Cadastral Survey) GPO 849-626