

Form 9180-6
(April 1965)
(formerly 4-679)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISIONAL LINES OF

TOWNSHIP 35 NORTH, RANGE 12 WEST

[Lined area for field notes]

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Jerrold E. Knight Cadastral Surveyor

Ira M. Thiessen Cadastral Surveyor

Under special instructions dated July 24, 19 69, which provided for the surveys
included under Group Number 512, approved July 25, 1969,
and assignment instructions dated August 26, 19 69.

Survey commenced September 12, 19 69
Survey completed November 26, 19 69

1A

BOOK 4944

INDEX DIAGRAM

Township 35 North, Range 12 West

6 52 51	5 38 51	4 29 37	3 20 28	2 11 20	1 10
7 50 49	8 36 48	9 28 36	10 19 27	11 9 18	12 9
18 47 46	17 35 45	16 26 34	15 17 26	14 8 16	13 6
19 44 43	20 33 43	21 25 33	22 16 24	23 6 15	24 5
30 42 41	29 32 40	28 23 31	27 14 22	26 4 13	25 3
31 39	32 30	33 21	34 12	35 1	36

Township 35 North, Range 12 West
Gila and Salt River Meridian, Arizona

CHAINS

The east boundary was surveyed in 1924 by W. E. Hiester and C. E. Hunter.
The south boundary was surveyed in 1926 by B. J. Kinsey.
The west boundary was surveyed in 1929 by D. R. Averill.
The north boundary was surveyed in 1932 by B. J. Kinsey.

The following field notes are those of the survey of subdivisional lines of Township 35 North, Range 12 West, G&SRM, Arizona.

The survey was executed in accordance with specifications as set forth in the Manual of Surveying Instructions, 1947, and the Special Instructions dated July 24, 1969.

Only the true line bearings and horizontal distances for the surveyed lines are given in these notes. Unless described, each corner was monumented with a standard iron post 30 inches long, 2½ inches in diameter, flanged at the base, with a brass cap riveted to the top.

The geographic position of the southeast cor. of the Township is: Latitude 36°22'57.9" North, and Longitude 113°31'17.9" West, as determined by traverse from U.S.C&GS triangulation station "NORTH" located in Section 33, T. 34 N., R. 11 W.

The mean magnetic declination was found to be 14°30' E.

Subdivision, T. 35 N., R. 12 W., G&SRM, Arizona

Beginning at the cor. of secs. 1, 2, 35 and 36 on the S. bdy. of the Tp., monumented by an iron post, 2 ins. diam. projecting 14 ins. above ground, brass cap mkd.

T35N R12W
S35 | S36
S 2 | S 1
T34N
1926

from which the original bearing trees:

A pinon, 14 ins. diam., bears N. 34° E.,
44 lks. dist., mkd. T35NR12WS36BT.

A cedar, 16 ins. diam., bears S. 28° E.,
128 lks. dist., mkd. T34NR12WS1BT.

A pinon, 11 ins. diam., bears S. 67° W.,
30 lks. dist., mkd. T34NR12WS2BT.

A pinon, 11 ins. diam., bears N. 73° W.,
24 lks. dist., mkd. T35NR12WS35BT.

N. 0°01' W., bet. secs. 35 and 36.

Over rolling land, through moderate timber.

2.00

Fence, bears N. 85° E. and S. 85° W.

Subdivision, T. 35 N., R. 12 W.

CHAINS	
4.80	Spur, slopes W.
28.60	Wash, 50 lks. wide, 6 ft. deep, drains W.
31.40	Track road, bears N. 50° E. and S. 50° W.
40.00	Point for the $\frac{1}{2}$ sec. cor. of secs. 35 and 36.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T35N R12W $\frac{1}{2}$ S35 S36 1969
	from which
	A pinon, 6 ins. diam., bears N. 36° E., 55 lks. dist., mkd. T35NR12W $\frac{1}{2}$ S36BT.
	A pinon, 12 ins. diam., bears N. 62 $\frac{3}{4}$ ° W., 46 lks. dist., mkd. T35NR12W $\frac{1}{2}$ S35BT.
	Raise a mound of stone W. of the cor.
50.00	Spur, slopes E.
53.70	Track road, bears E. and W.
80.00	Point for the cor. of secs. 25, 26, 35 and 36.
	Set the iron post 18 ins. in the ground, mound with stone to the top, brass cap mkd.
	T35N R12W S26 S25 S35 S36 1969
	from which
	A pinon, 6 ins. diam., bears S. 59 $\frac{3}{4}$ ° E., 87 lks. dist., mkd. T35NR12WS36BT.
	A juniper, 10 ins. diam., bears S. 26° W., 30 lks. dist., mkd. T35NR12WS35BT.
	A juniper, 8 ins. diam., bears N. 70 $\frac{3}{4}$ ° W., 49 lks. dist., mkd. T35NR12WS26BT.
	Sims pond, and earthen stock tank, bears S. 54° W., 47.00 chs. dist.
	Land, rolling. Soil, rocky clay loam. Timber, moderate juniper and scattered pinon. Undergrowth, buckbrush and oak brush.

Subdivision, T. 35 N., R. 12 W.

CHAINS	
	<p>From the cor. of secs. 25, 30, 31 and 36 on the E. bdy. of the Tp., monumented by an iron post 2 ins. diam., firmly set in a mound of stone to the top, brass cap mkd.</p> <p style="text-align: center;">T35N R12W R11W <u>S25</u> <u>S30</u> <u>S36</u> <u>S31</u> 1924</p> <p>from which the original bearing trees:</p> <p style="padding-left: 40px;">A pinon, 8 ins. diam., bears N. 75½° E., 35 lks. dist., scribe mks. visible but not legible.</p> <p style="padding-left: 40px;">A pinon, 10 ins. diam., bears S. 23½° E., 57 lks. dist., mkd. T35NR11WS31BT.</p> <p style="padding-left: 40px;">A pinon, 15 ins. diam., bears S. 84° W., 17 lks. dist., mkd. T35NR12WS36BT.</p> <p style="padding-left: 40px;">A cedar, 6 ins. diam., bears N. 51½° W., 13 lks. dist., mkd. T35NR12WS25BT.</p> <p>S. 89°52' W., bet. secs. 25 and 36.</p> <p>Over rolling land, through moderate timber.</p> <p>4.50 Draw, drains SW.</p> <p>14.60 Rim of mesa, bears N. and S.; thence across mesa.</p> <p>27.70 Rim of mesa, bears N. and S.</p> <p>36.40 Draw, drains SW.</p> <p>40.03 Point for the ¼ sec. cor. of secs. 25 and 36.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T35N R12W ¼ <u>S25</u> <u>S36</u> 1969</p> <p>from which</p> <p style="padding-left: 40px;">A pinon, 6 ins. diam., bears N. 37° E., 50 lks. dist., mkd. T35NR12W¼S25BT.</p> <p style="padding-left: 40px;">A pinon, 4 ins. diam., bears S. 30° E., 26 lks. dist., mkd. X BT.</p> <p>Raise a mound of stone N. of the cor.</p> <p>51.50 Top of rocky knoll.</p> <p>57.70 Wash, 20 lks. wide, 4 ft. deep, drains S.</p>

Subdivision, T. 35 N., R. 12 W.

CHAINS		
65.60	Rim of mesa, bears NE. and SW.	
80.06	The cor. of secs. 25, 26, 35 and 36. Land, rolling. Soil, rocky clay loam. Timber, moderate juniper and scattered pinon. Undergrowth, manzanita, buckbrush and oak brush.	
15.32	N. 0°01' W., bet. secs. 25 and 26. Over rolling land, through moderate timber.	
31.80	Track road, bears irregular N. 35° E. and S. 35° W.	
40.00	Draw, drains SW. Point for the ¼ sec. cor. of secs. 25 and 26. Set the iron post 20 ins. in the ground, in a collar of stone, brass cap mkd. <div style="text-align: center;"> T35N R12W $\frac{1}{4}$ S26 S25 1969 </div> from which A juniper, 6 ins. diam., bears S. 39° E., 95 lks. dist., mkd. T35NR12W¼S25BT. A juniper, 9 ins. diam., bears N. 76° W., 65 lks. dist., mkd. ¼S26BT.	
50.30	Ridge, bears N. 75° E. and S. 75° W.	
66.80	Draw, drains S. 80° W.	
80.00	Point for the cor. of secs. 23, 24, 25 and 26. Set the iron post 22 ins. in the ground, brass cap mkd. <div style="text-align: center;"> T35N R12W <u>S23 S24</u> S26 S25 1969 </div> from which A juniper, 10 ins. diam., bears N. 69½° E., 120 lks. dist., mkd. T35NR12WS24BT. A juniper, 13 ins. diam., bears S. 59½° E., 59 lks. dist., mkd. T35NR12WS25BT. A juniper, 8 ins. diam., bears S. 14½° W., 56 lks. dist., mkd. T35NR12WS26BT. A juniper, 10 ins. diam., bears N. 67½° W., 87 lks. dist., mkd. T35NR12WS23BT.	

Subdivision, T. 35 N., R. 12 W.

CHAINS	
	<p>Raise a mound of stone W. of the cor.</p> <p>Land, rolling. Soil, rocky clay loam. Timber, moderate juniper and scattered pinon. Undergrowth, buckbrush and oakbrush.</p>
	<p>From the cor. of secs. 19, 24, 25 and 30 on the E. bdy. of the Tp., monumented by an iron post 2 ins. diam., firmly set, projecting 16 ins. above ground, brass cap mkd.</p> <p style="text-align: center;"> T35N R12W R11W <u>S24 S19</u> <u>S25 S30</u> 1924 </p> <p>from which the original bearing trees:</p> <p style="padding-left: 40px;">A juniper, 7 ins. diam., bears N. 72½° E., 111 lks. dist., mkd. T35NR11WS19BT.</p> <p style="padding-left: 40px;">A pinon, 10 ins. diam., bears S. 9¼° E., 124 lks. dist., mkd. T35NR11WS30BT.</p> <p style="padding-left: 40px;">A juniper, 6 ins. diam., bears S. 60½° W., 93 lks. dist., with an overgrown blaze.</p> <p style="padding-left: 40px;">A juniper, 16 ins. diam., bears N. 79¾° W., 60 lks. dist., mkd. T35NR12WS24BT.</p> <p>S. 89°54' W., bet. secs. 24 and 25.</p> <p>Over rolling land, through dense timber.</p>
36.50	Track road, bears N. 5° E. and S. 5° W.
40.01	Point for the ¼ sec. cor. of secs. 24 and 25.
	<p>Set the iron post 16 ins. in the ground, mound with stones to the top, brass cap mkd.</p> <p style="text-align: center;"> T35N R12W ¼ <u>S24</u> S25 1969 </p> <p>from which</p> <p style="padding-left: 40px;">A juniper, 5 ins. diam., bears S. 25¼° W., 67 lks. dist., mkd. ¼S25BT.</p> <p style="padding-left: 40px;">A juniper, 5 ins. diam., bears N. 44½° W., 103 lks. dist., mkd. ¼S24BT.</p>
80.02	<p>The cor. of secs. 23, 24, 25 and 26.</p> <p>Land, rolling. Soil, rocky clay loam. Timber, dense juniper and scattered pinon. Undergrowth, scattered oakbrush and cacti.</p>

Subdivision, T. 35 N., R. 12 W.

CHAINS	
	<p>N. 0°01' W., bet. secs. 23 and 24.</p>
	<p>Over rolling land, through dense timber.</p>
9.70	<p>Ridge, bears E. and W.</p>
26.30	<p>Draw, drains W.</p>
37.00	<p>Track road, bears E. and W.</p>
40.00	<p>Point for the ¼ sec. cor. of secs. 23 and 24.</p>
	<p>Set the iron post 22 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T35N R12W</p>
	<p style="text-align: center;"> ¼</p>
	<p style="text-align: center;"> S23 S24</p>
	<p style="text-align: center;"> 1969</p>
	<p>No suitable bearing trees available.</p>
	<p>Raise a mound of stone W. of the cor.</p>
42.50	<p>Ridge, bears E. and W.</p>
48.60	<p>N. rim of Poverty Mountain, bears S. 60° E. and N. 60° W., begin steep descent of NE slope.</p>
80.00	<p>Point for the cor. of secs. 13, 14, 23 and 24.</p>
	<p>Set the iron post 20 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T35N R12W</p>
	<p style="text-align: center;"> S14 S13</p>
	<p style="text-align: center;"> S23 S24</p>
	<p style="text-align: center;"> 1969</p>
	<p>from which</p>
	<p style="padding-left: 40px;">A pinon, 5 ins. diam., bears N. 57½° E.,</p>
	<p style="padding-left: 40px;">42 lks. dist., mkd. T35NR12WS13BT.</p>
	<p style="padding-left: 40px;">A juniper, 7 ins. diam., bears S. 65½° E.,</p>
	<p style="padding-left: 40px;">28 lks. dist., mkd. T35NR12WS24BT.</p>
	<p style="padding-left: 40px;">A pinon, 8 ins. diam., bears S. 72½° W.,</p>
	<p style="padding-left: 40px;">99 lks. dist., mkd. T35NR12WS23BT.</p>
	<p style="padding-left: 40px;">A pinon, 9 ins. diam., bears N. 44° W.,</p>
	<p style="padding-left: 40px;">50 lks. dist., mkd. S14BT.</p>
	<p>Raise a mound of stone W. of the cor.</p>
	<p>Land, rolling to mountainous.</p>
	<p>Soil, rocky clay loam.</p>
	<p>Timber, dense juniper and scattered pinon.</p>
	<p>Undergrowth, sagebrush, oakbrush and scattered cacti.</p>
	<hr/>
	<p>From the cor. of secs. 13, 18, 19 and 24 on the E. bdy. of the Tp., monumented by an iron post 2 ins. diam., firmly set, projecting 14 ins. above ground, brass cap mkd.</p>

Subdivision, T. 35 N., R. 12 W.

CHAINS

T35N
R12W R11W
S13 | S18
S24 | S19
1924

from which the original bearing trees:

A pinon, 15 ins. diam., bears N. 13° E.,
83 lks. dist., scribe mks. visible but not
legible.

A cedar, 13 ins. diam., bears S. 27° E.,
74 lks. dist., mkd. T35NR11WS19BT.

A cedar, 28 ins. diam., bears S. 29½° W.,
84 lks. dist., mkd. T35NR12WS24BT.

A cedar, 11 ins. diam., bears N. 13¼° W.,
56 lks. dist., mkd. T35NR12WS13BT.

S. 89°48' W., bet. secs. 13 and 24.

Over rolling to mountainous land, through moderate timber.

1.00 Wash, 10 lks. wide, 3 ft. deep, drains N. 10° E.

9.50 Wash, 20 lks. wide, 2 ft. deep, drains N.

40.01 Point for the ¼ sec. cor. of secs. 13 and 24.

Set the iron post 18 ins. in the ground, mound with stone
to the top, brass cap mkd.

T35N R12W
¼ S13
S24
1969

from which

A juniper, 15 ins. diam., bears N. 71° E.,
43 lks. dist., mkd. T35NR12W¼S13BT.

A pinon, 9 ins. diam., bears S. 1° E.,
81 lks. dist., mkd. T35NR12W¼S24BT.

40.10 Wash, 20 lks. wide, 2 ft. deep, drains NE.

54.80 Spur, slopes N.

80.02 The cor. of secs. 13, 14, 23 and 24.

Land, rolling to mountainous.
Soil, rocky loam.
Timber, dense juniper and scattered pinon.
Undergrowth, buckbrush, oakbrush and scattered cacti.

Subdivision, T. 35 N., R. 12 W.

CHAINS	
	<p>N. 0°01' W., bet. secs. 13 and 14.</p>
	<p>Over mountainous land, through dense timber.</p>
30.00	<p>Enter railed area, base of Poverty Mountain, bears E. and W., thence over rolling land.</p>
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 13 and 14.</p>
	<p>Set the iron post 28 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T35N R12W</p>
	<p style="text-align: center;">$\frac{1}{4}$</p>
	<p style="text-align: center;">S14 S13</p>
	<p style="text-align: center;">1969</p>
	<p>No suitable bearing trees available.</p>
	<p>Raise a mound of stone W. of the cor.</p>
52.00	<p>Wash, 20 lks. wide, 4 ft. deep, drains NE.</p>
55.90	<p>Fence, bears N. 50° E. and S. 50° W.</p>
69.40	<p>Track road, bears N. 70° E. and S. 70° W.</p>
71.00	<p>Low ridge, bears E. and W.</p>
76.40	<p>Enter timber, bears SE. and NW.</p>
80.00	<p>Point for the cor. of secs. 11, 12, 13 and 14.</p>
	<p>Set the iron post 24 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T35N R12W</p>
	<p style="text-align: center;"><u>S11 S12</u></p>
	<p style="text-align: center;">S14 S13</p>
	<p style="text-align: center;">1969</p>
	<p>from which</p>
	<p style="padding-left: 40px;">A juniper, 5 ins. diam., bears N. 15° E., 77 lks. dist.; mkd. X BT.</p>
	<p style="padding-left: 40px;">A juniper, 13 ins. diam., bears S. 45° E., 112 lks. dist., mkd. T35NR12WS13BT.</p>
	<p style="padding-left: 40px;">A juniper, 8 ins. diam., bears S. 62$\frac{3}{4}$° W., 103 lks. dist., mkd. T35NR12WS14BT.</p>
	<p>No other suitable bearing trees available.</p>
	<p>Raise a mound of stone W. of the cor.</p>
	<p>Land, mountainous to rolling.</p>
	<p>Soil, rocky clay loam.</p>
	<p>Timber, dense juniper and scattered pine.</p>
	<p>Undergrowth, scattered oakbrush, sagebrush and cacti.</p>

Subdivision, T. 35 N., R. 12 W.

CHAINS	
	<p>From the cor. of secs. 7, 12, 13 and 18 on the E. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set, projecting 14 ins. above ground, brass cap mkd.</p> <p style="text-align: center;">T35N R12W R11W S12 S 7 S13 S18 1924</p> <p>The cor. is located at the cor. of fences, extending NE. and W.</p> <p>S. 89°52' W., bet. secs. 12 and 13.</p> <p>Over rolling land, through scattered to moderate timber, along the S. side of a fence extending W.</p>
1.40	Wash, 30 lks. wide, 5 ft. deep, drains N. 30° E.
24.90	Low ridge, bears N. and SW.
39.60	Track road, bears N. and S.
39.99	Point for the ¼ sec. cor. of secs. 12 and 13.
	<p>Set the iron post 6 ins. in the ground, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T35N R12W ¼ · S12 S13 1969</p> <p>from which</p> <p style="padding-left: 40px;">The corner of fences extending E. and NW., bears N. 15° E., 25 lks. dist.</p> <p style="padding-left: 40px;">Jones pond, an earthen stock tank, bears N. 65½° W., 5.20 chs. dist.</p>
47.50	Wash, 20 lks. wide, 3 ft. deep, drains NE.
50.60	Fence, bears NE. and SW.
60.80	Track road, bears NE. and SW.
79.98	The cor. of secs. 11, 12, 13 and 14.
	<p>Land, rolling. Soil, rocky clay loam. Timber, moderate to scattered juniper. Undergrowth, sagebrush, scattered oakbrush and cacti.</p>
	<p>N. 0°01' W., bet. secs. 11 and 12.</p> <p>Over rolling land, through moderate timber.</p>
6.40	Wash, 20 lks. wide, 1 ft. deep, drains NE.
24.70	Wash, 20 lks. wide, 1 ft. deep, drains SE.
40.00	Point for the ¼ sec. cor. of secs. 11 and 12.

Subdivision, T. 35 N., R. 12 W.

CHAINS	
	<p>Set the iron post 8 ins. in the ground, mound with stone to top, brass cap mkd.</p>
	<p style="text-align: center;">T35N R12W $\frac{1}{2}$ S11 S12 1969</p>
	<p>from which</p>
	<p style="padding-left: 40px;">A juniper, 9 ins. diam., bears N. $64\frac{1}{2}^{\circ}$ E., 85 lks. dist., mkd. T35NR12W$\frac{1}{2}$S12BT.</p>
	<p style="padding-left: 40px;">A juniper, 7 ins. diam., bears S. $82\frac{1}{2}^{\circ}$ W., 76 lks. dist., mkd. T35NR12W$\frac{1}{2}$S11BT.</p>
46.00	<p>Ridge, bears E. and W.</p>
77.40	<p>Wash, 20 lks. wide, 1 ft. deep, drains E.</p>
80.00	<p>Point for the cor. of secs. 1, 2, 11 and 12.</p>
	<p>Set the iron post 25 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T35N R12W $\frac{S\ 2\ S\ 1}{S11\ S12}$ 1969</p>
	<p>from which</p>
	<p style="padding-left: 40px;">4-Bits pond, bears N. $42^{\circ}30'$ W., 24.70 chs. dist.</p>
	<p>No suitable bearing trees available.</p>
	<p>Raise a mound of stone W. of the cor.</p>
	<p>Land, rolling. Soil, rocky clay loam. Timber, moderate juniper and scattered pine. Undergrowth, sagebrush, bunchgrass and cacti.</p>
	<p>From the cor. of secs. 1, 6, 7 and 12 on the E. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set, projecting 6 ins. above ground, with brass cap missing.</p>
	<p>At the cor. point</p>
	<p>Set the iron post 28 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T35N R12W R11W $\frac{S\ 1\ S\ 6}{S12\ S\ 7}$ 1969</p>
	<p>Invert and bury original iron post alongside the cor.</p>
	<p>Raise a mound of stone W. of the cor.</p>

Subdivision, T. 35 N., R. 12 W.

CHAINS	
<p>40.00</p>	<p>S. 89°51' W., bet. secs. 1 and 12. Over rolling land, through scattered timber. Point for the ¼ sec. cor. of secs. 1 and 12. Set the iron post 23 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T35N R12W ¼ $\frac{S 1}{S 12}$ 1969</p> <p>No suitable bearing trees available. Raise a mound of stone N. of the cor.</p> <p>45.30 Wash, 10 lks. wide, 1 ft. deep, drains N. 72.00 Wash, 20 lks. wide, 1 ft. deep, drains NE. 80.00 The cor. of secs. 1, 2, 11 and 12. Land, rolling. Soil, rocky clay loam. Timber, moderate to scattered juniper. Undergrowth, sagebrush, bunchgrass and cacti.</p>
<p>11.80</p> <p>22.80</p> <p>25.90</p> <p>40.00</p> <p>73.30</p> <p>80.19</p>	<p>N. 0°06' E., bet. secs. 1 and 2. Over rolling land, through moderate timber. Ridge, bears E. and W. Wash, 30 lks. wide, 3 ft. deep, drains NE. Bladed road, bears NE. and SW. Point for the ¼ sec. cor. of secs. 1 and 2. Set the iron post 8 ins. in the ground, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T35N R12W ¼ S 2 S 1 1969</p> <p>from which</p> <p style="text-align: center;">A juniper, 9 ins. diam., bears N. 70¾° W., 37 lks. dist., mkd. ¼S2BT.</p> <p>No other suitable bearing trees available.</p> <p>Ridge, bears E. and SW. The cor. of secs. 1, 2, 35 and 36 on the N. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a collar of stone, brass cap mkd.</p>

Subdivision, T. 35 N., R. 12 W.

CHAINS

T37N R12W
 $\frac{S35}{S 2} | \frac{S36}{S 1}$
 T36N
 1932

I remark the iron post to read:

T36N R12W
 $\frac{S35}{S 2} | \frac{S36}{S 1}$
 T35N
 1969
 1932

Cor. is located under a fence extending E. and W.

Land, rolling.
 Soil, rocky clay loam.
 Timber, moderate juniper and scattered pine.
 Undergrowth, sagebrush, bunchgrass and cacti.

From the cor. of secs. 2, 3, 34 and 35 on the S. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone to top, brass cap mkd.

T35N R12W
 $\frac{S34}{S 3} | \frac{S35}{S 2}$
 T34N
 1926.

from which the original bearing trees:

A juniper limb, 9 ins. diam., bears N. 81½° E., 235 lks. dist., with a partially overgrown blaze, scribe marks visible but not legible. (Record, N. 82° E., 234 lks.)

A juniper, 10 ins. diam., bears S. 7½° E., 69 lks. dist., with a partially overgrown blaze, scribe marks visible but not legible. (Record, S. 9° E., 62 lks.)

A juniper, 12 ins. diam., bears S. 80½° W., 126 lks. dist., mkd. T34NR12WS3BT. (Record, 125 lks.)

A juniper, 10 ins. diam., bears N. 32½° W., 84 lks. dist., mkd. T35NR12WS34BT.

N. 0°01' W., bet. secs. 34 and 35.

Over rolling land, through moderate timber.

22.40 Track road, bears E. and W.

40.00 Point for the ¼ sec. cor. of secs. 34 and 35.

Set the iron post 22 ins. in the ground, brass cap mkd.

T35N R12W
 $\frac{1}{4}$
 $\frac{S34}{S 3} | \frac{S35}{S 2}$
 1969

Subdivision, T. 35 N., R. 12 W.

CHAINS	
	<p>from which</p> <p>A pinon, 6 ins. diam., bears N. 46° E., 53 lks. dist., mkd. T35NR12W$\frac{1}{4}$S35BT.</p> <p>A pinon, 10 ins. diam., bears S. 78° W., 44 lks. dist., mkd. T35NR12W$\frac{1}{4}$S34BT.</p> <p>Raise a mound of stone W. of the cor.</p>
60.00	Ridge, bears NE. and SW.
63.40	Track road, bears NE. and SW.
63.70	Underground water pipeline, bears NE. and SW.
80.00	Point for the cor. of secs. 26, 27, 34 and 35.
	<p>Set the iron post 20 ins. in the ground, in a collar of stone, brass cap mkd.</p> <p style="text-align: center;">T35N R12W $\frac{S27}{S34} \frac{S26}{S35}$ 1969</p>
	<p>from which</p> <p>A pinon, 11 ins. diam., bears S. 32$\frac{1}{2}$° E., 104 lks. dist., mkd. T35NR12WS35BT.</p> <p>A juniper, 8 ins. diam., bears S. 24$\frac{1}{2}$° W., 164 lks. dist., mkd. T35NR12WS34BT.</p> <p>A pinon, 4 ins. diam., bears N. 53° W., 63 lks. dist., mkd. T35NR12WS27BT.</p> <p>A metal water tank, bears S. 40° W., 53.00 chs. dist.</p> <p>Land, rolling. Soil, rocky clay loam. Timber, moderate juniper and scattered pinon. Undergrowth, oakbrush and sagebrush.</p>
	<p>From the cor. of secs. 25, 26, 35 and 36.</p> <p>S. 89°57' W., bet. secs. 26 and 35.</p> <p>Over rolling land, through moderate timber.</p>
17.00	Track road, bears N. 55° E. and S. 55° W.
36.80	Fence, bears N. 65° E. and S. 65° W.
39.00	Wash, 40 lks. wide, 2 ft. deep, drains SW.
39.30	Track road, bears N. 55° E. and S. 55° W.

Subdivision, T. 35 N., R. 12 W.

CHAINS	
39.50	Underground water pipeline, bears N. 55° E. and S. 55° W.
40.02	<p>Point for the ¼ sec. cor. of secs. 26 and 35.</p> <p>Set the iron post 10 ins. in the ground, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T35N R12W $\frac{1}{4}$ $\frac{S26}{S35}$ 1969</p> <p>from which</p> <p>A juniper, 8 ins. diam., bears N. 12½° E., 43 lks. dist., mkd. T35NR12W½S26BT.</p> <p>A pinon, 9 ins. diam., bears S. 69° W., 24 lks. dist., mkd. T35NR12W½S35BT.</p> <p>Poverty spring, bears N. 30¾° E., 10.90 chs. dist.</p>
80.04	<p>The cor. of secs. 26, 27, 34 and 35.</p> <p>Land, rolling. Soil, rocky clay loam. Timber, moderate juniper and scattered pine. Undergrowth, oakbrush, buckbrush and sagebrush.</p>
<p>N. 0°01' W., bet. secs. 26 and 27.</p> <p>Over rolling land, through dense timber.</p>	
17.70	Ridge, bears E. and W.
26.40	Fence, bears E. and W.
33.50	Wash, 20 lks. wide, 2 ft. deep, drains W.
40.00	<p>Point for the ¼ sec. cor. of secs. 26 and 27.</p> <p>Set the iron post 12 ins. in the ground, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T35N R12W $\frac{1}{4}$ $\frac{S27}{S26}$ 1969</p> <p>from which</p> <p>A juniper, 10 ins. diam., bears S. 14¾° E., 29 lks. dist., mkd. ¼S26BT.</p> <p>A juniper, 7 ins. diam., bears N. 17° W., 18 lks. dist., mkd. ¼S27BT.</p>
58.10	Spur, slopes W.

Subdivision, T. 35 N., R. 12 W.

CHAINS	
76.70	Draw, drains W.
80.00	Point for the cor. of secs. 22, 23, 26 and 27.
	Set the iron post 14 ins. in the ground, mound with stone to top, brass cap mkd.
	T35N R12W <u>S22 S23</u> <u>S27 S26</u> 1969
	from which
	A juniper, 4 ins. diam., bears N. 34½° E., 63 lks. dist., mkd. T35NR12WS23BT.
	A juniper, 12 ins. diam., bears S. 59¾° E., 69 lks. dist., mkd. T35NR12WS26BT.
	A pinon, 5 ins. diam., bears S. 14½° W., 71.1 lks. dist., mkd. T35NR12WS27BT.
	A pinon, 9 ins. diam., bears N. 43½° W., 109 lks. dist., mkd. T35NR12WS22BT.
	Land, rolling. Soil, rocky clay loam. Timber, dense juniper and scattered pine. Undergrowth, sagebrush, oakbrush and cacti.
	From the cor. of secs. 23, 24, 25 and 26.
	S. 89°58' W., bet. secs. 23 and 26.
	Over rolling land, through dense timber.
40.02	Point for the ¼ sec. cor. of secs. 23 and 26.
	Set the iron post 16 ins. in the ground, mound with stone to top, brass cap mkd.
	T35N R12W ¼ <u>S23</u> S26 1969
	No suitable bearing trees available.
51.50	Draw, drains SW.
69.10	Spur, slopes S.
80.04	The cor. of secs. 22, 23, 26 and 27.
	Land, rolling. Soil, rocky clay loam. Timber, dense juniper and scattered pine. Undergrowth, oakbrush, sagebrush and cacti.

Subdivision, T. 35 N., R. 12 W.

CHAINS	
	N. 0°01' W., bet. secs. 22 and 23.
	Over rolling land, through dense timber.
15.90	Ridge, bears N. 70° E. and S. 70° W.
37.80	Draw, drains NW.
40.00	Point for the ½ sec. cor. of secs. 22 and 23.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T35N R12W $\frac{1}{2}$ S22 S23 1969</p>
	from which
	<p style="text-align: center;">A juniper, 7 ins. diam., bears N. 73° E., 33 lks. dist., mkd. ½S23BT.</p>
	<p style="text-align: center;">A juniper, 13 ins. diam., bears S. 58° W., 14 lks. dist., mkd. T35NR12W½S22BT.</p>
51.60	Track road, bears N. 70° E. and S. 70° W.
58.40	Draw, drains W.
66.80	Spur, slopes W.; thence descend N. slope of Poverty Mountain.
80.00	Point for the cor. of secs. 14, 15, 22 and 23.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T35N R12W <u>S15 S14</u> S22 S23 1969</p>
	from which
	<p style="text-align: center;">A juniper, 5 ins. diam., bears N. 18½° E., 118 lks. dist., mkd. S14BT.</p>
	<p style="text-align: center;">A juniper, 10 ins. diam., bears S. 31½° E., 12 lks. dist., mkd. S23BT.</p>
	<p style="text-align: center;">A pinon, 6 ins. diam., bears N. 15° W., 17 lks. dist., mkd. T35NR12WS15BT.</p>
	No other suitable bearing trees available.
	Raise a mound of stone W. of the cor.
	Land, rolling.
	Soil, rocky clay loam.
	Timber, dense juniper and scattered pine.
	Undergrowth, sagebrush, oakbrush and cacti.
	<hr/>
	From the cor. of secs. 13, 14, 23 and 24.

Subdivision, T. 35 N., R. 12 W.

CHAINS	
	S. 89°58' W., bet. secs. 14 and 23.
	Over rolling land, through moderate timber.
40.02	Point for the ¼ sec. cor. of secs. 14 and 23.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T35N R12W</p> <p style="text-align: center;"> S14</p> <p style="text-align: center;">¼ S23</p> <p style="text-align: center;"> 1969</p>
	from which
	<p style="text-align: center;">A pinon, 12 ins. diam., bears S. 33° E.,</p> <p style="text-align: center;">12 lks. dist., mkd. T35NR12W¼S23BT.</p>
	No other suitable bearing trees available.
	Raise a mound of stone N. of the cor.
52.10	Draw, drains N.
54.50	Track road, bears N. and S.
80.04	The cor. of secs. 14, 15, 22 and 23.
	Land, rolling.
	Soil, rocky clay loam.
	Timber, moderate juniper and scattered pine.
	Undergrowth, sagebrush, oakbrush and cacti.
	N. 0°01' W., bet. secs. 14 and 15.
	Over rolling land, through moderate timber.
7.60	Enter railed area, bears NE. and SW.
10.10	Base of Poverty Mountain, bears NE. and SW., draw, drains NE.
20.60	Wash, 20 lks. wide, 1 ft. deep, drains N. 60° E.
38.70	Wash, 20 lks. wide, 1 ft. deep, drains N. 60° E.
40.00	Point for the ¼ sec. cor. of secs. 14 and 15.
	Set the iron post 25 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T35N R12W</p> <p style="text-align: center;"> S15 S14</p> <p style="text-align: center;"> ¼</p> <p style="text-align: center;"> 1969</p>
	No suitable bearing trees available.
	Set a juniper post, 4 ft. long, 6 ins. diam., alongside the cor.

Subdivision, T. 35 N., R. 12 W.

CHAINS	
55.50	Bladed road, bears N. 70° E. and S. 70° W.
58.90	Fence, bears N. 80° E. and S. 80° W.
62.80	Wash, 10 lks. wide, 1 ft. deep, drains N. 80° E.
63.90	Track road, bears E. and W.
74.50	Low ridge, bears E. and W.
80.00	Point for the cor. of secs. 10, 11, 14 and 15.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p>T35N R12W <u>S10 S11</u> <u>S15 S14</u> 1969</p>
	from which
	<p>M and M pond, an earthen stock tank, bears S. 30¾° E., 18.70 chs. dist.</p>
	No suitable bearing trees available.
	Raise a mound of stone W. of the cor.
	Land, mountainous to gently rolling.
	Soil, rocky clay loam.
	Timber, dense juniper and scatter pine for first 10.00 chs., thence none.
	Undergrowth, scrub juniper, sagebrush, and cacti.
	From the cor. of secs. 11, 12, 13 and 14.
	S. 89°58' W., bet. secs. 11 and 14.
	Over rolling land, through moderate timber.
1.00	Enter railed area, bears S. 15° E. and N. 15° W.
9.90	Wash, 30 lks. wide, 2 ft. deep, drains NE.
23.30	Low ridge, bears N. and SW.
40.02	Point for the ¼ sec. cor. of secs. 11 and 14.
	Set the iron post 6 ins. in the ground, mound with stone to top, brass cap mkd.
	<p>T35N R12W ¼ <u>S11</u> S14 1969</p>
	from which
	<p>Quarter pond, an earthen stock tank, bears N. 53½° W., 13.50 chs. dist.</p>

Subdivision, T. 35 N., R. 12 W.

CHAINS	
	No suitable bearing trees available.
45.80	Bladed road, bears N. 10° E. and S. 10° W.
47.00	Wash, 20 lks. wide, 2 ft. deep, drains N. 10° E.
47.10	Enter moderate timber, bears N. and S.
75.40	Enter railed area, bears SE. and NW.
75.50	Fence, bears SE. and NW.
80.04	The cor. of secs. 10, 11, 14 and 15. Land, gently rolling. Soil, rocky clay loam. Timber, moderate juniper. Undergrowth, sagebrush, bunchgrass and cacti.
	N. 0°01' W., bet. secs. 10 and 11. Over rolling land, through railed area.
6.70	Fence, bears SE. and NW.
6.80	Enter timber, bears SE. and NW.
31.30	Wash, 20 lks. wide, 1 ft. deep, drains E.
40.00	Point for the ½ sec. cor. of secs. 10 and 11. Set the iron post 8 ins. in the ground, mound with stone to top, brass cap mkd. T35N R12W ½ S10 S11 1969
	No suitable bearing trees available.
44.20	Wash, 10 lks. wide, 1 ft. deep, drains E.
80.00	Point for the cor. of secs. 2, 3, 10 and 11. Set the iron post 12 ins. in the ground, mound with stone to top, brass cap mkd. T35N R12W S 3 S 2 S10 S11 1969
	from which A pinon, 8 ins. diam., bears N. 62½° E., 111 lks. dist., mkd. T35NR12WS2BT. A juniper, 8 ins. diam., bears S. 59¾° E., 74 lks. dist., mkd. S11BT.

Subdivision, T. 35 N., R. 12 W.

CHAINS	
	<p>A piron, 6 ins. diam., bears S. 3¼° W., 103 lks. dist., mkd. T35NR12WS10BT.</p> <p>No other suitable bearing trees available.</p> <p>Land, rolling. Soil, rocky clay loam. Timber, moderate juniper and scattered pine. Undergrowth, sagebrush, bunchgrass and cacti.</p>
	<p>From the cor. of secs. 1, 2, 11 and 12. S. 89°58' W., bet. secs. 2 and 11. Over gently rolling land, through scattered timber.</p>
39.00	Wash, 20 lks. wide, 3 ft. deep, drains N.
40.02	Point for the ¼ sec. cor. of secs. 2 and 11.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T35N R12W ¼ $\frac{S 2}{S11}$ 1969</p>
	No suitable bearing trees available.
	Raise a mound of stone N. of the cor.
40.50	Bladed road, bears N. and S.
61.70	Low spur, slopes N.
74.00	Draw, drains N.
80.04	The cor. of secs. 2, 3, 10 and 11.
	<p>Land, gently rolling. Soil, rocky clay loam. Timber, scattered to moderate juniper and scattered pine. Undergrowth, sagebrush, bunchgrass and cacti.</p>
	N. 0°10' E., bet. secs. 2 and 3.
	Over rolling land, through moderate timber.
19.30	Wash, 10 lks. wide, 1 ft. deep, drains N. 60° E.
40.00	Point for the ¼ sec. cor. of secs. 2 and 3.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T35N R12W ¼ $S 3 \left \begin{array}{l} S 2 \\ 1969 \end{array} \right.$</p>
	No suitable bearing trees available.

Subdivision, T. 35 N., R. 12 W.

CHAINS	
	Raise a mound of stone W. of the cor.
59.50	Track road, bears SE. and NW.
72.40	Wash, 10 lks. wide, 1 ft. deep, drains E.
80.11	The cor. of secs. 2, 3, 34 and 35 on the N. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a collar of stone, brass cap mkd.
	T36N R12W S34 S35 S 3 S 2 T35N 1932
	The cor. is located 1 lk. S. of a fence, extending E. and W.
	Land, rolling. Soil, rocky clay loam. Timber, moderate to scattered juniper and scattered pine. Undergrowth, sagebrush, bunchgrass and cacti.
	From the cor. of secs. 3, 4, 33 and 34 on the S. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone to top, brass cap mkd.
	T35N R12W S33 S34 S 4 S 3 T34N 1926
	from which the original bearing trees:
	A juniper, 8 ins. diam., bears N. $66\frac{1}{2}^{\circ}$ E., 150 lks. dist., with a partially overgrown blaze, scribe mks. visible but not legible.
	A juniper, 10 ins. diam., bears S. 74° E., 281 lks. dist., mkd. T34NR12WS3BT.
	A juniper, 10 ins. diam., bears S. $44\frac{1}{2}^{\circ}$ W., 78 lks. dist., with a partially overgrown blaze, scribe mks. visible but not legible.
	A juniper, 21 ins. diam., bears N. 18° W., 298 lks. dist., mkd. T35NR12WS33BT. (Record 301 lks.)
	N. $0^{\circ}02'$ W., bet. secs. 33 and 34.
	Over gently rolling land, through moderate timber.
15.60	Draw, drains E.
26.50	Old road to St. George, Utah (abandoned), bears S. 55° E. and N. 55° W.
26.80	Wash, 25 lks. wide, 6 ft. deep, drains S. 55° E.
33.90	Spur, slopes W.
40.00	Point for the $\frac{1}{2}$ sec. cor. of secs. 33 and 34.

Subdivision, T. 35 N., R. 12 W.

CHAINS		
	Set the iron post 24 ins. in the ground, brass cap mkd.	
	T35N R12W	
	$\frac{1}{4}$	
	S33 S34	
	1969	
	from which	
	A juniper, 6 ins. diam., bears N. 29 $\frac{1}{2}$ ° E.,	
	48 lks. dist., mkd. T35NR12W $\frac{1}{4}$ S34BT.	
	A juniper, 13 ins. diam., bears S. 36 $\frac{1}{2}$ ° W.,	
	117 lks. dist., mkd. T35NR12W $\frac{1}{4}$ S33BT.	
	Raise a mound of stone W. of the cor.	
41.00	Wash, 30 lks. wide, 1 ft. deep, drains S. 30° W.	
43.80	Track road, bears S. 40° E. and N. 40° W.	
61.50	Wash, 10 lks. wide, 3 ft. deep, drains SW.	
80.00	Point for the cor. of secs. 27, 28, 33 and 34.	
	Set the iron post 24 ins. in the ground, brass cap mkd.	
	T35N R12W	
	S28 S27	
	S33 S34	
	1969	
	from which	
	A juniper, 10 ins. diam., bears N. 23 $\frac{1}{2}$ ° E.,	
	45 lks. dist., mkd. T35NR12WS27BT.	
	A juniper, 7 ins. diam., bears S. 19 $\frac{1}{2}$ ° E.,	
	78 lks. dist., mkd. T35NR12WS34BT.	
	A pinon, 7 ins. diam., bears S. 52 $\frac{1}{2}$ ° W.,	
	95 lks. dist., mkd. T35NR12WS33BT.	
	A pinon, 6 ins. diam., bears N. 53 $\frac{1}{2}$ ° W.,	
	16 lks. dist., mkd. T35NR12WS28BT.	
	Raise a mound of stone W. of the cor.	
	Land, gently rolling.	
	Soil, rocky clay loam.	
	Timber, moderate juniper and scattered pine.	
	Undergrowth, sagebrush and buckbrush.	
	From the cor. of secs. 26, 27, 34 and 35.	
	S. 89°47' W., bet. secs. 27 and 34.	
	Over rolling land, through moderate timber.	
20.00	Ridge, bears N. and S.	

Subdivision, T. 35 N., R. 12 W.

CHAINS	
35.90	Head of draw, drains S.
40.02	Point for the $\frac{1}{4}$ sec. cor. of secs. 27 and 34.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T35N R12W $\frac{1}{4}$ $\frac{S27}{S34}$.1969
	from which
	A juniper, 7 ins. diam., bears S. $40\frac{1}{2}^\circ$ E., 47 lks. dist., mkd. T35NR12W $\frac{1}{4}$ S34BT.
	A juniper, 8 ins. diam., bears N. $55\frac{1}{2}^\circ$ W., 40 lks. dist., mkd. T35NR12W $\frac{1}{4}$ S27BT.
	Raise a mound of stone N. of the cor.
41.70	Ridge, bears N. and S.
51.40	Head of draw, drains SE.
60.70	Spur, slopes S.
80.04	The cor. of secs. 27, 28, 33 and 34.
	Land, rolling. Soil, rocky clay loam. Timber, moderate juniper and scattered pine. Undergrowth, sagebrush, buckbrush and cacti.
	N. $0^\circ 02'$ W., bet. secs. 27 and 28.
	Over rolling land, through dense timber.
27.60	Wash, 10 lks. wide, 1 ft. deep, drains W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 27 and 28.
	Set the iron post 16 ins. in the ground, mound with stone to top, brass cap mkd.
	T35N R12W $\frac{1}{4}$ S28 S27 .1969
	from which
	A juniper, 9 ins. diam., bears N. 42° E., 15 lks. dist., mkd. T35NR12W $\frac{1}{4}$ S27BT.
	A juniper, 8 ins. diam., bears N. 70° W., 21 lks. dist., mkd. T35NR12W $\frac{1}{4}$ S28BT.
43.00	Spur, slopes W.
69.70	Fence, bears SW. and NE. for 1 chain dist., thence S. 60° E.

Subdivision, T. 35 N., R. 12 W.

CHAINS	
70.40	Wash, 30 lks. wide, 1 ft. deep, drains W.
71.90	Track road, bears E. and W.
74.90	Bladed road, bears N. 80° E. and S. 80° W.
80.00	Point for the cor. of secs. 21, 22, 27 and 28. Set the iron post 12 ins. in the ground, mound with stone to the top, brass cap mkd. <div style="text-align: center;"> T35N R12W <u>S21 S22</u> <u>S28 S27</u> 1969 </div> from which A juniper, 5 ins. diam., bears N. 24 $\frac{3}{4}$ ° E., 77 lks. dist., mkd. T35NR12WS22BT. A juniper, 7 ins. diam., bears S. 35 $\frac{1}{2}$ ° E., 50 lks. dist., mkd. T35NR12WS27BT. A juniper, 5 ins. diam., bears S. 58 $\frac{3}{4}$ ° W., 87 lks. dist., mkd. S28BT. A juniper, 6 ins. diam., bears N. 65 $\frac{3}{4}$ ° W., 31 lks. dist., mkd. T35NR12WS21BT. Empty pond, an earthen stock tank, bears S. 46 $\frac{3}{4}$ ° E., 15.10 chs. dist. Land, rolling. Soil, rocky clay loam. Timber, dense juniper and scattered pine. Undergrowth, sagebrush, bunchgrass and cacti.
	From the cor. of secs. 22, 23, 26 and 27. S. 89°46' W., bet. secs. 22 and 27. Over rolling land, through dense timber.
13.40	Wash, 25 lks. wide, 1 ft. deep, drains S. 30° W.
30.30	Spur, slopes S.
40.02	Point for the $\frac{1}{4}$ sec. cor. of secs. 22 and 27. Set the iron post 20 ins. in the ground, in a collar of stone, brass cap mkd. <div style="text-align: center;"> T35N R12W $\frac{1}{4}$ <u>S22</u> $\frac{1}{4}$ <u>S27</u> 1969 </div> from which A juniper, 5 ins. diam., bears North, 8 lks. dist., mkd. T35NR12W $\frac{1}{4}$ S22BT.

Subdivision, T. 35 N., R. 12 W.

CHAINS		
	A juniper, 10 ins. diam., bears S. 18° E., 2 lks. dist., mkd. T35NR12W $\frac{1}{4}$ S27BT.	
60.00	Rim of mesa, bears N. and S.; descend steep W. slope.	
64.30	Track road, bears N. and S.	
68.70	Draw, drains S.	
73.20	Bladed road, bears N. and S.	
80.04	The cor. of secs. 21, 22, 27 and 28.	
	Land, rolling. Soil, rocky clay loam. Timber, dense juniper and scattered pine. Undergrowth, sagebrush, bunchgrass and cacti.	
	N. 0°02' W., bet. secs. 21 and 22.	
	Over rolling land, through dense timber.	
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 21 and 22.	
	Set the iron post 16 ins. in the ground, mound with stone to top, brass cap mkd.	
	T35N R12W $\frac{1}{4}$ S21 S22 1969	
	from which	
	A juniper, 6 ins. diam., bears N. 60° E., 20 lks. dist., mkd. $\frac{1}{4}$ S22BT.	
	A juniper, 8 ins. diam., bears N. 77° W., 96 lks. dist., mkd. T35NR12W $\frac{1}{4}$ S21BT.	
	Raise a mound of stone W. of the cor.	
44.20	Wash, 10 lks. wide, 1 ft. deep, drains N. 70° W.	
80.00	Point for the cor. of secs. 15, 16, 21 and 22.	
	Set the iron post 22 ins. in the ground, brass cap mkd.	
	T35N R12W S16 S15 S21 S22 1969	
	from which	
	A juniper, 5 ins. diam., bears N. 49 $\frac{1}{2}$ ° E., 41 lks. dist., mkd. T35NR12WS15BT.	
	A juniper, 7 ins. diam., bears S. 38 $\frac{3}{4}$ ° E., 126 lks. dist., mkd. T35NR12WS22BT.	
	A juniper, 6 ins. diam., bears S. 24 $\frac{1}{4}$ ° W., 23 lks. dist., mkd. T35NR12WS21BT.	
	A juniper, 8 ins. diam., bears N. 67 $\frac{1}{2}$ ° W., 81 lks. dist., mkd. T35NR12WS16BT.	

Subdivision, T. 35 N., R. 12 W.

CHAINS	
	<p>Raise a mound of stone W. of the cor.</p> <p>Land, rolling. Soil, rocky clay loam. Timber, dense juniper and scattered pine. Undergrowth, sagebrush, oakbrush and cacti.</p>
	<p>From the cor. of secs. 14, 15, 22 and 23.</p> <p>S. 89°46' W., bet. secs. 15 and 22.</p> <p>Over rolling land, through dense timber.</p>
25.80	Enter railed area, bears N. 35° E. and S. 35° W.
36.80	Wash, 20 lks. wide, 2 ft. deep, drains NW.
38.80	Bladed road, bears N. 20° E. and S. 20° W.
40.04	Point for the ¼ sec. cor. of secs. 15 and 22. Set the iron post 24 ins. in the ground, brass cap mkd.
	<p>T35N R12W</p> <p>¼ $\frac{S15}{S22}$</p> <p>1969</p>
	<p>No suitable bearing trees available.</p> <p>Raise a mound of stone N. of the cor.</p>
43.80	Wash, 20 lks. wide, 2 ft. deep, drains NW.
68.30	Enter timber, bears SE. and NW.
76.70	Ridge, bears N. and S.
80.08	The cor. of secs. 15, 16, 21 and 22.
	<p>Land, rolling. Soil, rocky clay loam. Timber, dense juniper and scattered pine. Undergrowth, sagebrush, scrub juniper, bunchgrass and cacti.</p>
	<p>N. 0°02' W., bet. secs. 15 and 16.</p> <p>Over rolling land, through dense timber.</p>
19.10	Enter railed area, bears SE. and NW.
33.00	Fence, bears N. 85° E. and S. 85° W.
39.70	Wash, 10 lks. wide, 1 ft. deep, drains N. 70° E.
40.00	Point for the ¼ sec. cor. of secs. 15 and 16.

Subdivision, T. 35 N., R. 12 W.

CHAINS	
	<p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T35N R12W $\frac{1}{4}$ S16 S15 1969</p> <p>No suitable bearing trees available.</p> <p>Raise a mound of stone W. of the cor.</p> <p>49.50 Ridge, bears E. and W.</p> <p>80.00 Point for the cor. of secs. 9, 10, 15 and 16.</p>
	<p>Set the iron post 16 ins. in the ground, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T35N R12W S 9 S10 S16 S15 1969</p> <p>No suitable bearing trees available.</p> <p>Land, rolling. Soil, rocky clay loam. Timber, dense juniper for first 20.00 chs. Undergrowth, sagebrush, scrub juniper and bunchgrass.</p>
	<p>From the cor. of secs. 10, 11, 14 and 15.</p> <p>S. 89°45' W., bet. secs. 10 and 15.</p> <p>Over rolling land, through railed area.</p> <p>25.40 Track road, bears SE. and NW.</p> <p>40.02 Point for the $\frac{1}{4}$ sec. cor. of secs. 10 and 15.</p> <p>Set the iron post 8 ins. in the ground, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T35N R12W $\frac{1}{4}$ $\frac{S10}{S15}$ 1969</p> <p>No suitable bearing trees available.</p> <p>75.80 Wash, 20 lks. wide, 2 ft. deep, drains N. 10° E.</p> <p>80.04 The cor. of secs. 9, 10, 15 and 16.</p> <p>Land, rolling. Soil, rocky clay loam. Timber, none; Undergrowth, scrub juniper, sagebrush, bunchgrass and cacti.</p>

Subdivision, T. 35 N., R. 12 W.

CHAINS	
	<p>N. 0°02' W., bet. secs. 9 and 10.</p>
	<p>Over rolling land, through railed area.</p>
40.00	<p>Point for the $\frac{1}{2}$ sec. cor. of secs. 9 and 10.</p>
	<p>Set the iron post 22 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T35N R12W</p>
	<p style="text-align: center;">$\frac{1}{2}$</p>
	<p style="text-align: center;">S 9 S10</p>
	<p style="text-align: center;">1969</p>
	<p>No suitable bearing trees available.</p>
	<p>Raise a mound of stone W. of the cor.</p>
78.55	<p>Track road, bears S. 35° E. and N. 35° W.</p>
80.00	<p>Point for the cor. of secs. 3, 4, 9 and 10.</p>
	<p>Set the iron post 24 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T35N R12W</p>
	<p style="text-align: center;">S 4 S 3</p>
	<p style="text-align: center;">S 9 S10</p>
	<p style="text-align: center;">1969</p>
	<p>from which</p>
	<p style="padding-left: 40px;">An earthen stock pond, bears N. 85° E.,</p>
	<p style="padding-left: 40px;">13.40 chs. dist.</p>
	<p>No suitable bearing trees available.</p>
	<p>Raise a mound of stone W. of the cor.</p>
	<p>Land, rolling.</p>
	<p>Soil, rocky clay loam.</p>
	<p>Timber, none; Undergrowth, scrub juniper, sagebrush,</p>
	<p>bunchgrass and catti.</p>
	<p>From the cor. of secs. 2, 3, 10 and 11.</p>
	<p>S. 89°45' W., bet. secs. 3 and 10.</p>
	<p>Over gently rolling land, through moderate timber.</p>
4.70	<p>Ridge, bears N. and S.</p>
18.90	<p>Fence, bears S. 10° E. and N. 10° W.; enter railed area,</p>
	<p>bears N. and S.</p>
28.20	<p>Leave railed area, bears N. and S.</p>
40.01	<p>Point for the $\frac{1}{2}$ sec. cor. of secs. 3 and 10.</p>
	<p>Set the iron post 18 ins. in the ground, in a collar</p>
	<p>of stone, brass cap mkd.</p>

Subdivision, T. 35 N., R. 12 W.

CHAINS

T35N R12W

$\frac{1}{4}$ $\frac{S\ 3}{S10}$

1969

from which

A juniper, 8 ins. diam., bears N. $50\frac{3}{4}^{\circ}$ E.,
152 lks. dist., mkd. $\frac{1}{2}$ S3BT.

A juniper, 5 ins. diam., bears S. $10\frac{1}{4}^{\circ}$ E.,
119 lks. dist., mkd. T35NR12W $\frac{1}{2}$ S10BT.

41.30 Enter railed area, bears N. and S.

54.10 Spur, slopes NE.

65.30 Track road, bears N. 10° E. and S. 10° W.

80.02 The cor. of secs. 3, 4, 9 and 10.

Land, gently rolling.

Soil, rocky clay loam.

Timber, moderate juniper and scattered pine.

Undergrowth, scrub juniper, sagebrush, bunchgrass and cacti.

N. $0^{\circ}11'$ E., bet. secs. 3 and 4.

Over rolling land, through railed area.

0.55 Track road, bears S. 75° E. and N. 75° W.

14.70 Leave railed area, enter timber, bears E. and W.

40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 3 and 4.

Set the iron post 20 ins. in the ground, brass cap mkd.

T35N R12W

$\frac{1}{4}$
S 4 | S 3

1969

No suitable bearing trees available.

Raise a mound of stone W. of the cor.

55.50 Leave timber, enter railed area, bears E. and W.

80.36 The cor. of secs. 3, 4, 33 and 34 on the N. bdy. of the
Tp., monumented by an iron post, 2 ins. diam., firmly
set, projecting 12 ins. above ground, brass cap mkd.

T36N R12W

S33 | S34
S 4 | S 3

T35N

1932

Subdivision, T. 35 N., R. 12 W.

CHAINS	
	<p>The original bearing trees have been railed out.</p> <p>Land, rolling. Soil, rocky clay loam. Timber, scattered juniper and pine. Undergrowth, scrub juniper, sagebrush, bunchgrass and cacti.</p>
	<p>From the cor. of secs. 4, 5, 32 and 33 on the S. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone to the top, brass cap mkd.</p> <p style="text-align: center;">T35N R12W S32 S33 S 5 S 4 T34N 1926</p> <p>from which the original bearing trees:</p> <p style="padding-left: 40px;">A juniper, 10 ins. diam., bears N. 79° E., 130 lks. dist., mkd. T35NR12WS33BT.</p> <p style="padding-left: 40px;">A juniper, 11 ins. diam., bears S. 45° E., 20 lks. dist., mkd. T34NR12WS4BT.</p> <p style="padding-left: 40px;">A juniper, 8 ins. diam., bears S. 68° W., 84 lks. dist., mkd. T34NR12WS5BT.</p> <p style="padding-left: 40px;">A juniper, 16 ins. diam., bears N. 41° W., 88 lks. dist., mkd. T35NR12WS32BT.</p> <p>N. 0°03' W., bet. secs. 32 and 33.</p> <p>Over gently rolling land, through moderate timber.</p>
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 32 and 33.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T35N R12W $\frac{1}{4}$ S32 S33 1969</p> <p>from which</p> <p style="padding-left: 40px;">A juniper, 10 ins. diam., bears S. 31° E., 76 lks. dist., mkd. T35NR12W$\frac{1}{4}$S33BT.</p> <p style="padding-left: 40px;">A juniper, 11 ins. diam.; bears N. 62$\frac{1}{2}$° W., 57 lks. dist., mkd. T35NR12W$\frac{1}{4}$S32BT.</p> <p>Raise a mound of stone W. of the cor.</p>
40.20	Bladed road, bears N. 70° E. and S. 70° W.
68.80	Wash, 20 lks. wide, 1 ft. deep, drains E.

Subdivision, T. 35 N., R. 12 W.

CHAINS	
80.00	<p>Point for the cor. of secs. 28, 29, 32 and 33.</p> <p>Set the iron post 8 ins. in the ground, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T35N R12W $\frac{S29}{S32} \frac{S28}{S33}$ 1969.</p> <p>from which</p> <p>A juniper, 6 ins. diam., bears N. $32\frac{1}{2}^{\circ}$ E., 90 lks. dist., mkd. T35NR12WS28BT.</p> <p>A juniper, 7 ins. diam., bears S. $48\frac{3}{4}^{\circ}$ E., 38 lks. dist., mkd. T35NR12WS33BT.</p> <p>A juniper, 6 ins. diam., bears S. $38\frac{1}{2}^{\circ}$ W., 51 lks. dist., mkd. T35NR12WS32BT.</p> <p>A juniper, 5 ins. diam., bears N. $27\frac{1}{2}^{\circ}$ W., 72 lks. dist., mkd. T35NR12WS29BT.</p> <p>Land, gently rolling. Soil, rocky clay loam. Timber, moderate to dense juniper and scattered pine. Undergrowth, sagebrush.</p>
	<p>From the cor. of secs. 27, 28, 33 and 34.</p> <p>S. $89^{\circ}53'$ W., bet. secs. 28 and 33.</p> <p>Over gently rolling land, through moderate timber.</p>
14.40	Bladed road, bears irregular N. and S.
20.70	Leave timber, bears N. and S.
21.60	Draw, drains S.
24.00	Enter timber, bears N. and S.
39.99	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 28 and 33.</p> <p>Set the iron post 18 ins. in the ground, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T35N R12W $\frac{1}{4} \frac{S28}{S33}$ 1969</p> <p>from which</p> <p>A juniper, 8 ins. diam., bears S. 15° E., 132 lks. dist., mkd. T35NR12W$\frac{1}{4}$S33BT.</p> <p>A juniper, 8 ins. diam., bears N. $23\frac{3}{4}^{\circ}$ W., 157 lks. dist., mkd. T35NR12W$\frac{1}{4}$S28BT.</p> <p>Raise a mound of stone N. of the cor.</p>

Subdivision, T. 35 N., R. 12 W.

CHAINS	
79.98	<p>The cor. of secs. 28, 29, 32 and 33.</p> <p>Land, gently rolling. Soil, rocky clay loam. Timber, moderate juniper and scattered pine. Undergrowth, sagebrush and bunchgrass.</p>
19.20	<p>N. 0°03' W., bet. secs. 28 and 29.</p> <p>Over rolling land, through dense timber.</p> <p>Wash, 10 lks. wide, 2 ft. deep, drains N. 80° E.</p>
40.00	<p>Point for the ¼ sec. cor. of secs. 28 and 29.</p> <p>Set the iron post 15 ins. in the ground, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T35N R12W ¼ S29 S28 1969</p>
41.30	<p>from which</p> <p>A juniper, 7 ins. diam., bears S. 44½° E., 98 lks. dist., mkd. T35NR12W¼S28BT.</p> <p>A juniper, 7 ins. diam., bears S. 10¾° W., 68 lks. dist., mkd. T35NR12W¼S29BT.</p> <p>An earthen stock pond, bears N. 32½° E., 16.80 chs. dist.</p>
46.20	<p>Fence, bears E. and W.</p>
49.40	<p>Hidden Wash, 40 lks. wide, with 8 ft. banks, drains N. 80° E.</p>
69.40	<p>Track road, bears N. 70° E., and S. 70° W.</p>
80.00	<p>Wash, 10 lks. wide, 1 ft. deep, drains NE.</p> <p>Point for the cor. of secs. 20, 21, 28 and 29.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T35N R12W S20 S21 S29 S28 1969</p>
	<p>from which</p> <p>A juniper, 8 ins. diam., bears N. 44½° E., 93 lks. dist., mkd. T35NR12WS21BT.</p> <p>A juniper, 6 ins. diam., bears S. 22½° E., 48 lks. dist., mkd. T35NR12WS28BT.</p>

Subdivision, T. 35 N., R. 12 W.

CHAINS	
	<p>A juniper, 5 ins. diam., bears S. 56° W., 52 lks. dist., mkd. T35NR12WS29BT.</p> <p>A juniper, 6 ins. diam., bears N. 25° W., 66 lks. dist., mkd. T35NR12WS20BT.</p> <p>Land, rolling. Soil, rocky clay loam. Timber, dense to moderate juniper and scattered pine. Undergrowth, sagebrush and bunchgrass.</p>
	<p>From the cor. of secs. 21, 22, 27 and 28.</p> <p>S. 89°54' W., bet. secs. 21 and 28.</p> <p>Over rolling land, through dense timber.</p> <p>3.60 Spur, slopes S.</p> <p>30.00 Fence, bears S. 20° E. and N. 20° W.</p> <p>32.90 Bladed road, bears SE. and NW.</p> <p>39.98 Point for the ¼ sec. cor. of secs. 21 and 28.</p> <p>Set the iron post 8 ins. in the ground, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T35N R12W ¼ $\frac{S21}{S28}$ 1969</p> <p>from which</p> <p>A juniper, 9 ins. diam., bears N. 74° E., 104 lks. dist., mkd. T35NR12W¼S21BT.</p> <p>A juniper, 12 ins. diam., bears S. 57° E., 66 lks. dist., mkd. ¼S28BT.</p> <p>42.20 Wash, 20 lks. wide, 1 ft. deep, drains N.</p> <p>43.50 Hidden Wash, 50 lks. wide, with 8 ft. banks, drains N.</p> <p>79.96 The cor. of secs. 20, 21, 28 and 29.</p> <p>Land, rolling. Soil, rocky clay loam. Timber, moderate juniper and scattered pine. Undergrowth, bunchgrass and sagebrush.</p>
	<p>N. 0°03' W., bet. secs. 20 and 21.</p> <p>Over rolling land, through moderate timber.</p> <p>11.80 Spur, slopes E.</p> <p>30.40 Draw, drains E.</p>

Subdivision, T. 35 N., R. 12 W.

CHAINS	
38.00	Spur, slopes E.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 20 and 21.
	Set the iron post 10 ins. in the ground, mound with stone to top, brass cap mkd.
	<p style="text-align: center;">T35N R12W $\frac{1}{4}$ S20 S21 1969</p>
	from which
	<p style="text-align: center;">A pinon, 7 ins. diam., bears N. $84\frac{1}{2}^\circ$ E., 73 lks. dist., mkd. T35NR12W$\frac{1}{4}$S21BT.</p>
	<p style="text-align: center;">A juniper, 10 ins. diam., bears S. $45\frac{1}{2}^\circ$ W., 30 lks. dist., mkd. T35NR12W$\frac{1}{4}$S20BT.</p>
43.20	Draw, drains E.
55.30	Spur, slopes E.
68.00	Draw, drains E.
80.00	Point for the cor. of secs. 16, 17, 20 and 21.
	Set the iron post 10 ins. in the ground, mound with stone to top, brass cap mkd.
	<p style="text-align: center;">T35N R12W S17 S16 S20 S21 1969</p>
	No suitable bearing trees available.
	<p>Land, rolling. Soil, rocky clay loam. Timber, moderate to scattered juniper and scattered pine. Undergrowth, bunchgrass, sagebrush and cacti.</p>
	From the cor. of secs. 15, 16, 21 and 22.
	S. $89^\circ 54'$ W., bet. secs. 16 and 21.
	Over rolling land, through moderate timber.
16.00	Enter railed area, bears N. and S.
23.00	Fence, bears N. and S.
39.98	Point for the $\frac{1}{4}$ sec. cor. of secs. 16 and 21.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T35N R12W $\frac{1}{4}$ $\frac{S16}{S21}$ 1969</p>

Subdivision, T. 35 N., R. 12 W.

CHAINS		
	<p>from which</p> <p>A juniper, 4 ins. diam., bears N. $44\frac{3}{4}^{\circ}$ E., 24 lks. dist., mkd. $\frac{1}{2}$S16BT.</p> <p>A pinon, 10 ins. diam., bears S. 21° E., 24 lks. dist., mkd. T35NR12W$\frac{1}{2}$S21BT.</p> <p>Raise a mound of stone N. of the cor.</p>	
54.20	Bladed road, bears S. 10° E. and N. 10° W.	
55.20	Hidden Wash, 50 lks. wide, with 8 ft. banks, drains N. 10° W.	
64.60	Spur, slopes NE.	
79.96	The cor. of secs. 16, 17, 20 and 21.	
	<p>Land, rolling. Soil, rocky clay loam. Timber, moderate juniper and scattered pine. Undergrowth, sagebrush, bunchgrass and cacti.</p>	
	<p>N. $0^{\circ}03'$ W., bet. secs. 16 and 17.</p> <p>Over rolling land, through scattered to moderate timber.</p>	
8.40	Draw, drains E.	
31.90	Wash, 10 lks. wide, with 5 ft. banks, drains E.	
33.50	Track road, bears irregular E. and W.	
40.00	Point for the $\frac{1}{2}$ sec. cor. of secs. 16 and 17.	
	<p>Set the iron post over an X chiseled in solid rock, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T35N R12W $\frac{1}{2}$ S17 S16 1969</p>	
	<p>from which</p> <p>A juniper, 8 ins. diam., bears N. $54\frac{1}{2}^{\circ}$ E., 41 lks. dist., mkd. T35NR12W$\frac{1}{2}$S16BT.</p> <p>A pinon, 8 ins. diam., bears N. $16\frac{1}{2}^{\circ}$ W., 67 lks. dist., mkd. T35NR12W$\frac{1}{2}$S17BT.</p>	
49.50	Spur, slopes E.	
73.30	Bladed road, bears E. and W.	
74.90	Hidden Wash, 45 lks. wide, 3 ft. deep, drains W.	
77.20	Spur, slopes SW.	

Subdivision, T. 35 N., R. 12 W.

CHAINS		
80.00	<p>Point for the cor. of secs. 8, 9, 16 and 17.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T35N R12W $\frac{S\ 8}{S17} \frac{S\ 9}{S16}$ 1969</p> <p>No suitable bearing trees available.</p> <p>Raise a mound of stone W. of the cor.</p> <p>Land, rolling. Soil, rocky clay loam. Timber, moderate juniper and scattered pine. Undergrowth, sagebrush, buckbrush, bunchgrass and cacti.</p>	
39.98	<p>From the cor. of secs. 9, 10, 15 and 16.</p> <p>S. 89°51' W., bet. secs. 9 and 16.</p> <p>Over gently rolling land, through railed area.</p> <p>Point for the $\frac{1}{4}$ sec. cor. of secs. 9 and 16.</p> <p>Set the iron post 16 ins. in the ground, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T35N R12W $\frac{1}{4} \frac{S\ 9}{S16}$ 1969</p> <p>No suitable bearing trees available.</p>	
47.60	<p>Fence, bears N. and S.; leave railed area, enter moderate timber.</p>	
56.10	<p>Descend W. slope.</p>	
77.10	<p>Spur, slopes SW.</p>	
79.96	<p>The cor. of secs. 8, 9, 16 and 17.</p> <p>Land, gently rolling to rolling. Soil, rocky clay loam. Timber, moderate juniper and scattered pine. Undergrowth, sagebrush, bunchgrass and cacti.</p>	
1.20	<p>N. 0°03' W., bet. secs. 8 and 9.</p> <p>Over rolling land, through scattered to moderate timber.</p> <p>Hidden Wash, 35 lks. wide, with 5 ft. banks, drains NE.</p>	
8.90	<p>Bladed road, bears NE. and SW.</p>	

Subdivision, T. 35 N., R. 12 W.

CHAINS	
22.30	Hidden Wash, 25 lks. wide, with 8 ft. banks, drains NW.
24.80	Bladed road, bears SE. and NW.
36.50	Track road, bears N. 30° E. and S. 30° W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 8 and 9.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T35N R12W $\frac{1}{4}$ S 8 S 9 1969</p>
	from which
	<p style="text-align: center;">A juniper, 6 ins. diam., bears N. 49$\frac{1}{2}$° E., 20 lks. dist., mkd. T35NR12W$\frac{1}{4}$S9BT.</p>
	<p style="text-align: center;">A juniper, 8 ins. diam., bears S. 28$\frac{3}{4}$° W., 46 lks. dist., mkd. T35NR12W$\frac{1}{4}$S8BT.</p>
	Raise a mound of stone W. of the cor.
42.60	Draw, drains SW.
56.80	Spur, slopes W.
63.70	Fence, bears S. 50° E. and N. 50° W.
71.20	Spur, slopes W.
79.50	Draw, drains W.
80.00	Point for the cor. of secs. 4, 5, 8 and 9.
	Set the iron post 10 ins. in the ground, mound with stone to top, brass cap mkd.
	<p style="text-align: center;">T35N R12W S 5 S 4 S 8 S 9 1969</p>
	No suitable bearing trees available.
	<p>Land, rolling. Soil, rocky clay loam. Timber, moderate to scattered juniper and pine. Undergrowth, sagebrush, bunchgrass and cacti.</p>
	From the cor. of secs. 3, 4, 9 and 10.
	S. 89°49' W., bet. secs. 4 and 9.
	Over gently rolling land, through railed area.
1.00	Track road, bears SE. and NW.

Subdivision, T. 35 N., R. 12 W.

CHAINS	
.39.99	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 4 and 9.</p> <p>Set the iron post 20 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T35N R12W $\frac{1}{4}$ $\frac{S\ 4}{S\ 9}$ 1969</p> <p>No suitable bearing trees available.</p> <p>Set a juniper post, 4 ft. long, 4 ins. diam., alongside the iron post.</p>
69.60	Track road, bears irregular N. and S.
69.80	Leave railed area, enter moderate timber, bears N. and S.
79.98	<p>The cor. of secs. 4, 5, 8 and 9.</p> <p>Land, gently rolling. Soil, rocky clay loam. Timber, moderate juniper and scattered pine the last 10.00 chs. Undergrowth, scrub juniper, sagebrush, bunchgrass and cacti.</p>
	<p>N. 0°08' E., bet. secs. 4 and 5.</p> <p>Over rolling land, through scattered to moderate timber.</p>
3.00	Draw, drains SW.
10.60	Rim of mesa, bears E. and W.
19.60	Track road, bears SE. and NW.
19.80	Enter railed area, bears SE. and NW.
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 4 and 5.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T35N R12W $\frac{1}{4}$ S 5 S 4 1969</p> <p>No suitable bearing trees available.</p> <p>Raise a mound of stone W. of the cor.</p>
80.44	<p>The cor. of secs. 4, 5, 32 and 33 on the N. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set, projecting 16 ins. above ground, in a collar of stone, brass cap mkd.</p> <p style="text-align: center;">T36N R12W S32 S33 S 5 S 4 T35N 1932</p>

Subdivision, T. 35 N., R. 12 W.

CHAINS

from which the remains of the original bearing trees:

The stump hole of a fallen pinon, bears S. 36½° E., 224 lks. dist., scribe marks visible but not legible on the tree.

The remaining bearing trees have been railed out.

Land, rolling to gently rolling.
Soil, rocky clay loam.
Timber, moderate to scattered juniper and scattered pine for the first 20.00 chs.
Undergrowth, sagebrush, bunchgrass and cacti.

From the cor. of secs. 5, 6, 31 and 32 on the S. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone to top, brass cap mkd.

T35N R12W
S31 | S32
S 6 | S 5
T34N
1926

from which the original bearing trees:

A juniper, 10 ins. diam., bears N. 85° E., 20 lks. dist., mkd. T35NR12WS32BT.

A juniper, 12 ins. diam., bears S. 23° E., 143 lks. dist., mkd. T34NR12WS5BT.

A juniper, 14 ins. diam., bears S. 71° W., 89 lks. dist., mkd. T34NR12WS6BT. (Record, 99 lks.)

A juniper, 10 ins. diam., bears N. 50° W., 63 lks. dist., mkd. T35NR12WS31BT.

N. 0°03' W., bet. secs. 31 and 32.

Over gently rolling land, through moderate timber.

- 3.80 Draw, drains E.
- 24.00 Descend gentle N. slope.
- 36.00 Draw, drains W.
- 40.00 Point for the ¼ sec. cor. of secs. 31 and 32.

Set the iron post 16 ins. in the ground, mound with stone to top, brass cap mkd.

T35N R12W
¼
S31 | S32
1969

from which

A juniper, 10 ins. diam., bears N. 78½° E., 115 lks. dist., mkd. T35NR12W¼S32BT.

Subdivision, T. 35 N., R. 12 W.

CHAINS		
	<p>A juniper, 10 ins. diam., bears S. $89\frac{1}{2}^{\circ}$ W., 23 lks. dist., mkd. T35NR12W$\frac{1}{2}$S31BT.</p>	
45.50	Descend a gradual N. slope.	
52.00	Enter a valley draining E.	
61.40	Hidden Wash, 30 lks. wide, with 5 ft. banks, drains E.	
65.50	Track road, bears N. 55° E. and S. 55° W.	
67.00	Leave valley, drains E.	
80.00	Point for the cor. of secs. 29, 30, 31 and 32.	
	Set the iron post 25 ins. in the ground, brass cap mkd.	
	<p style="text-align: center;">T35N R12W $\frac{S30}{S31}$ $\frac{S29}{S32}$ 1969</p>	
	from which	
	<p>A juniper, 9 ins. diam., bears N. $75\frac{1}{2}^{\circ}$ E., 80 lks. dist., mkd. T35NR12WS29BT.</p>	
	<p>A juniper, 6 ins. diam., bears S. $26\frac{1}{2}^{\circ}$ E., 87 lks. dist., mkd. T35NR12WS32BT.</p>	
	<p>A juniper, 6 ins. diam., bears S. $3\frac{1}{2}^{\circ}$ W., 59 lks. dist., mkd. T35NR12WS31BT.</p>	
	<p>A juniper, 7 ins. diam., bears N. $19\frac{3}{4}^{\circ}$ W., 51 lks. dist., mkd. T35NR12WS30BT.</p>	
	Raise a mound of stone W. of the cor.	
	Land, gently rolling. Soil, rocky clay loam. Timber, moderate juniper and scattered pine. Undergrowth, sagebrush, bunchgrass and cacti.	
	From the cor. of secs. 28, 29, 32 and 33.	
	West, bet. secs. 29 and 32.	
	Over gently rolling land, through moderate timber.	
11.50	Draw, drains N.	
39.99	Point for the $\frac{1}{4}$ sec. cor. of secs. 29 and 32.	
	Set the iron post 8 ins. in the ground, mound with stone to top, brass cap mkd.	
	<p style="text-align: center;">T35N R12W $\frac{1}{4}$ $\frac{S29}{S32}$ 1969</p>	

Subdivision, T. 35 N., R. 12 W.

CHAINS	
	<p>from which</p> <p>A juniper, 5 ins. diam., bears N. 56½° E., 88 lks. dist., mkd. T35NR12W½S29BT.</p> <p>A juniper, 5 ins. diam., bears S. 9° E., 51 lks. dist., mkd. T35NR12W½S32BT.</p>
61.70	Hidden Wash, 25 lks. wide, 4 ft. deep, drains N.
62.50	Track road, bears N. 35° E. and S. 35° W.
79.98	<p>The cor. of secs. 29, 30, 31 and 32.</p> <p>Land, rolling. Soil, rocky clay loam. Timber, moderate juniper and scattered pine. Undergrowth, sagebrush, buckbrush and cacti.</p>
21.50	<p>S. 89°58' W., bet. secs. 30 and 31.</p> <p>Over gently rolling land, through moderate timber.</p> <p>Spur, slopes S.</p>
40.00	<p>Point for the ¼ sec. cor. of secs. 30 and 31.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T35N R12W ¼ · $\frac{S30}{S31}$ 1969</p>
	<p>from which</p> <p>A juniper, 10 ins. diam., bears N. 46¾° E., 63 lks. dist. mkd. T35NR12W½S30BT.</p> <p>A juniper, 10 ins. diam., bears S. 20° W., 45 lks. dist. mkd. T35NR12W½S31BT.</p>
45.50	Wash, 25 lks. wide, with 7 ft. banks, drains S.
63.90	Spur, slopes S.
65.50	Track road, bears N. 10° E. and S. 10° W.
78.25	<p>The cor. of secs. 25, 30, 31 and 36 on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T35N R13W R12W S25 S30 S36 S31 1929</p>
	from which the original bearing trees:

Subdivision, T. 35 N., R. 12 W.

CHAINS	
	<p>A pinon, 10 ins. diam., bears N. 21° E., 88 lks. dist., mkd. T35NR12WS30BT.</p> <p>A juniper, 10 ins. diam., bears S. 45° E., 60 lks. dist., scribe marks visible but not legible.</p> <p>A juniper, 10 ins. diam., bears S. 77° W., 20 lks. dist., mkd. T35NR13WS36BT.</p> <p>A pinon, 10 ins. diam., bears N. 9° W., 76 lks. dist., mkd. T35NR13WS25BT.</p> <p>Land, rolling. Soil, rocky clay loam. Timber, moderate juniper and scattered pine. Undergrowth, sagebrush, bunchgrass and cacti.</p>
	<p>From the cor. of secs. 29, 30, 31 and 32. N. 0°03' W., bet. secs. 29 and 30. Over gently rolling land, through moderate timber.</p>
9.10	Spur, slopes E.
27.40	Draw, drains E.
40.00	Point for the ¼ sec. cor. of secs. 29 and 30. Set the iron post 10 ins. in the ground, mound with stone to top, brass cap mkd.
	<p style="text-align: center;">T35N R12W ¼ S30 S29 1969</p>
	from which
	<p>A juniper, 5 ins. diam., bears S. 19½° E., 36 lks. dist., mkd. T35NR12W¼S29BT.</p> <p>A juniper, 8 ins. diam., bears S. 53½° W., 55 lks. dist., mkd. T35NR12W¼S30BT.</p>
40.90	Fence, bears E. and W.
44.00	Track road, bears N. 55° E. and S. 55° W.
47.40	Wash, 10 lks. wide, with 4 ft. banks, drains SE.
64.80	Draw, drains E.
80.00	Point for the cor. of secs. 19, 20, 29 and 30. Set the iron post 12 ins. in the ground, mound with stone to top, brass cap mkd.
	<p style="text-align: center;">T35N R12W S19 S20 S30 S29 1969</p>

Subdivision, T. 35 N., R. 12 W.

CHAINS	
	<p>from which</p> <p>A juniper, 8 ins. diam., bears N. $32\frac{1}{2}^{\circ}$ E., 68 lks. dist., mkd. T35NR12WS20BT.</p> <p>A juniper, 9 ins. diam., bears S. $57\frac{1}{2}^{\circ}$ E., 26 lks. dist., mkd. S29BT.</p> <p>A juniper, 5 ins. diam., bears S. 68° W., 47 lks. dist., mkd. T35NR12WS30BT.</p> <p>A juniper, 8 ins. diam., bears N. $20\frac{3}{4}^{\circ}$ W., 72 lks. dist., mkd. S19BT.</p> <p>Land, gently rolling. Soil, gravelly clay loam. Timber, moderate juniper and scattered pine. Undergrowth, sagebrush, bunchgrass and cacti.</p>
39.98	<p>From the cor. of secs. 20, 21, 28 and 29.</p> <p>N. $89^{\circ}58'$ W., bet. secs. 20 and 29.</p> <p>Over rolling land, through moderate timber.</p> <p>Point for the $\frac{1}{4}$ sec. cor. of secs. 20 and 29.</p> <p>Set the iron post 12 ins. in the ground, mound with stone to top, brass cap mkd.</p> <p style="text-align: center;">T35N R12W $\frac{1}{4}$ $\frac{S20}{S29}$ 1969</p>
50.60	<p>from which</p> <p>A juniper, 7 ins. diam., bears S. 35° W., 20 lks. dist.; mkd. $\frac{1}{4}$S29BT.</p> <p>A pinon, 4 ins. diam., bears N. 16° W., 67 lks. dist., mkd. X BT.</p> <p>Track road, bears N. and S.</p>
79.96	<p>The cor. of secs. 19, 20, 29 and 30.</p> <p>Land, rolling. Soil, rocky clay loam. Timber, moderate juniper and scattered pine. Undergrowth, sagebrush, bunchgrass and cacti.</p>
25.30	<p>S. $89^{\circ}57'$ W., bet. secs. 19 and 30.</p> <p>Over rolling land, through moderate timber.</p> <p>Track road, bears NE. and SW.</p>

Subdivision, T. 35 N., R. 12 W.

CHAINS	
30.50	Track road, bears SE. and NW.
40.00	Point for the $\frac{1}{2}$ sec. cor. of secs. 19 and 30.
	Set the iron post 8 ins. in the ground, mound with stone to top, brass cap mkd.
	<p style="text-align: center;">T35N R12W $\frac{1}{2}$ $\frac{S19}{S30}$ 1969</p>
	from which
	<p style="text-align: center;">A juniper, 6 ins. diam., bears S. 5° W., 46 lks. dist., mkd. T35NR12W$\frac{1}{2}$S30BT.</p>
	No other suitable bearing trees available.
46.30	Track road, bears NE. and SW.
73.10	Track road, bears SE. and NW.
78.05	The cor. of secs. 19, 24, 25 and 30 on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone to top, brass cap mkd.
	<p style="text-align: center;">T35N R13W R12W $\frac{S24}{S25}$ $\frac{S19}{S30}$ 1929</p>
	from which the original bearing trees:
	<p style="text-align: center;">A pinon, 14 ins. diam., bears N. 31° E., 36 lks. dist., mkd. T35NR12WS19BT.</p>
	<p style="text-align: center;">A juniper, 14 ins. diam., bears S. 77$\frac{1}{2}$° E., 147 lks. dist., mkd. T35NR12WS30BT. (Record, 136 lks)</p>
	<p style="text-align: center;">A pinon, 18 ins. diam., bears S. 58° W., 236 lks. dist., mkd. T35NR13WS25BT.</p>
	<p style="text-align: center;">A pinon, 13 ins. diam., bears N. 63$\frac{1}{2}$° W., 363 lks. dist., mkd. T35NR13WS24BT.</p>
	<p>Land, rolling. Soil, rocky clay loam. Timber, moderate juniper and scattered pine. Undergrowth, sagebrush, bunchgrass and cacti.</p>
	From the cor. of secs. 19, 20, 29 and 30.
	N. 0°03' W., bet. secs. 19 and 20.
	Over rolling land, through moderate timber.
2.60	Dim track road, bears irregular SE. and NW.
11.40	Dim track road, bears N. 30° E. and S. 30° W.

Subdivision, T. 35 N., R. 12 W.

CHAINS	
23.40	Draw, drains E.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 19 and 20.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T35N R12W $\frac{1}{4}$ S19 S20 1969</p>
	from which
	<p style="text-align: center;">A juniper, 10 ins. diam., bears N. $37\frac{3}{4}^{\circ}$ E., 29 lks. dist., mkd. T35NR12W$\frac{1}{4}$S20BT.</p>
	<p style="text-align: center;">A juniper, 5 ins. diam., bears N. 57° W., 27 lks. dist., mkd. T35NR12W$\frac{1}{4}$S19BT.</p>
80.00	Point for the cor. of secs. 17, 18, 19 and 20.
	Set the iron post over an X chiseled in solid rock, mound with stone to top, brass cap mkd.
	<p style="text-align: center;">T35N R12W S18 S17 S19 S20 1969</p>
	from which
	<p style="text-align: center;">A juniper, 10 ins. diam., bears S. $28\frac{1}{2}^{\circ}$ W., 57 lks. dist., mkd. T35NR12WS19BT.</p>
	No other suitable bearing trees available.
	<p>Land, rolling. Soil, rocky clay loam. Timber, moderate to scattered juniper and pine. Undergrowth, sagebrush, buckbrush, bunchgrass and cacti.</p>
	From the cor. of secs. 16, 17, 20 and 21.
	N. $89^{\circ}58'$ W., bet. secs. 17 and 20.
	Over rolling land, through scattered timber.
3.90	Spur, slopes N.
4.90	Track road, bears N. 20° E. and S. 20° W.
28.00	Wash, 10 lks. wide, 4 ft. deep, drains NE.
39.60	Ridge, bears N. and S.
39.98	Point for the $\frac{1}{4}$ sec. cor. of secs. 17 and 20.
	Set the iron post 14 ins. in the ground, mound with stone to top, brass cap mkd.

Subdivision, T. 35 N., R. 12 W.

CHAINS		
	<p style="text-align: center;">T35N R12W $\frac{1}{4} \frac{S17}{S20}$ 1969</p> <p>from which</p> <p style="padding-left: 40px;">A pinon, 6 ins. diam., bears S. 76° E., 64 lks. dist., mkd. $\frac{1}{4}S20BT$.</p> <p style="padding-left: 40px;">A juniper, 4 ins. diam., bears N. 56° W., 36 lks. dist., mkd. $\frac{1}{4}S17BT$.</p>	
56.60	Enter dense timber, bears N. and S.	
79.00	Ridge, bears N. and S.	
79.96	The cor. of secs. 17, 18, 19 and 20.	
	<p>Land, rolling. Soil, rocky clay loam. Timber, moderate to dense juniper and scattered pine. Undergrowth, sagebrush, bunchgrass and cacti.</p>	
	<p>S. 89°54' W., bet. secs. 18 and 19.</p> <p>Over rolling land, through moderate timber.</p>	
7.10	Wash, 10 lks. wide, 2 ft. deep, drains N. 10° W.	
13.50	Wash, 20 lks. wide, 2 ft. deep, drains N. 55° E.	
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 18 and 19.	
	<p>Set the iron post 18 ins. in the ground, mound with stone to top, brass cap mkd.</p>	
	<p style="text-align: center;">T35N R12W $\frac{1}{4} \frac{S18}{S19}$ 1969</p> <p>from which</p> <p style="padding-left: 40px;">A juniper, 5 ins. diam., bears N. 74° E., 75 lks. dist., mkd. $\frac{1}{4}S18BT$.</p> <p style="padding-left: 40px;">A juniper, 4 ins. diam., bears S. 52° W., 85 lks. dist., mkd. $\frac{1}{4}S19BT$.</p>	
42.20	Ridge, bears E. and W.	
52.80	Wash, 20 lks. wide, with 5 ft. banks, drains N.	
58.70	Wash, 20 lks. wide, with 4 ft. banks, drains N. 70° E.	
64.30	Wash, 20 lks. wide, with 6 ft. banks, drains S. 70° E.	

Subdivision, T. 35 N., R. 12 W.

CHAINS

78.07 The cor. of secs. 13, 18, 19 and 24 on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set, in a mound of stone to the top, brass cap mkd.

T35N
R13W R12W
S13 | S18
S24 | S19
1929

from which the original bearing trees:

A juniper, 13 ins. diam., bears N. 75° E.,
53 lks. dist., mkd. T35NR12WS18BT.

A juniper, 18 ins. diam., bears S. 73° E.,
82 lks. dist., mkd. R12WS19BT.

A juniper, 11 ins. diam., bears S. 23½° W.,
319 lks. dist., mkd. T35NR13WS24BT.

A juniper, 9 ins. diam., bears N. 11° W.,
71 lks. dist., mkd. T35NR13WS13BT. (Record N. 11½° W.)

Land, rolling.

Soil, rocky clay loam.

Timber, moderate juniper and scattered pinon.

Undergrowth, sagebrush, bunchgrass and cacti.

From the cor. of secs. 17, 18, 19 and 20.

N. 0°03' W., bet. secs. 17 and 18.

Over rolling land, through moderate timber.

19.60 Wash, 40 lks. wide, with 7 ft. banks, drains E.

38.00 Track road, bears E. and W.

40.00 Point for the ½ sec. cor. of secs. 17 and 18.

Set the iron post 22 ins. in the ground, brass cap mkd.

T35N R12W
½
S18 | S17
1969

from which

A pinon, 7 ins. diam., bears N. 39½° E.,
99 lks. dist., mkd. T35NR12W½S17BT.

A juniper, 8 ins. diam., bears S. 75½° W.,
82 lks. dist., mkd. ½S18BT.

Raise a mound of stone W. of the cor.

The cor. is located on a ridge bearing E. and W.

Subdivision, T. 35 N., R. 12 W.

CHAINS					
49.20	Draw, drains E.				
58.40	Spur, slopes E.				
66.20	Draw, drains E.				
74.20	Spur, slopes E.				
80.00	<p>Point for the cor. of secs. 7, 8, 17 and 18.</p> <p>Set the iron post 14 ins. in the ground, mound with stone to top, brass cap mkd.</p> <div style="text-align: center;"> <p>T35N R12W</p> <table border="1" style="margin: auto;"> <tr> <td style="padding: 2px;">S 7</td> <td style="padding: 2px;">S 8</td> </tr> <tr> <td style="padding: 2px;">S18</td> <td style="padding: 2px;">S17</td> </tr> </table> <p>1969</p> </div> <p>No suitable bearing trees available.</p> <p>Land, rolling. Soil, rocky clay loam. Timber, moderate to scattered juniper and pine. Undergrowth, sagebrush, buckbrush, bunchgrass and cacti.</p>	S 7	S 8	S18	S17
S 7	S 8				
S18	S17				
	<p>From the cor. of secs. 8, 9, 16 and 17.</p> <p>N. 89°54' W., bet. secs. 8 and 17.</p> <p>Over rolling land, through moderate timber.</p>				
1.70	Hidden Wash, 35 lks. wide, with 5 ft. banks, drains NE.				
3.90	Bladed road, bears N. and S.				
39.98	<p>Point for the ¼ sec. cor. of secs. 8 and 17.</p> <p>Set the iron post 22 ins. in the ground, brass cap mkd.</p> <div style="text-align: center;"> <p>T35N R12W</p> <table border="1" style="margin: auto;"> <tr> <td style="padding: 2px;">¼ S 8</td> </tr> <tr> <td style="padding: 2px;">S17</td> </tr> </table> <p>1969</p> </div> <p>from which</p> <p style="padding-left: 40px;">A juniper, 12 ins. diam., bears N. 73½° E., 97 lks. dist., mkd. T35NR12W¼S8BT.</p> <p style="padding-left: 40px;">A juniper, 5 ins. diam., bears S. 54½° W., 25 lks. dist., mkd. ¼S17BT.</p> <p>Raise a mound of stone N. of the cor.</p>	¼ S 8	S17		
¼ S 8					
S17					
50.20	Wash, 25 lks. wide, with 8 ft. banks, drains NE.				
79.96	The cor. of secs. 7, 8, 17 and 18.				

Subdivision, T. 35 N., R. 12 W.

CHAINS

Land, rolling.
Soil, rocky clay loam.
Timber, moderate juniper and scattered pine.
Undergrowth, sagebrush, buckbrush, bunchgrass and cacti.

S. 89°56' W., bet. secs. 7 and 18.

Over rolling land, through moderate timber.

- 3.90 Draw, drains N.
- 10.00 Spur, slopes NE.
- 16.50 Draw, drains NE.
- 40.00 Point for the $\frac{1}{4}$ sec. cor. of secs. 7 and 18.
Set the iron post 20 ins. in the ground, brass cap mkd.

T35N R12W
 $\frac{1}{4}$ $\frac{S 7}{S18}$
1969

from which

A juniper, 5 ins. diam., bears S. 5° W.,
7 lks. dist., mkd. $\frac{1}{2}$ S18BT.

No other suitable bearing trees available.

- 54.10 Track road, bears N. and S. (top of ridge).
- 62.50 Draw, drains NW.
- 74.70 Draw, drains NE.
- 78.07 The cor. of secs. 7, 12, 13 and 18 on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set, projecting 8 ins. above ground, brass cap mkd.

T35N
R13W R12W
 $\frac{S12}{S13} | \frac{S 7}{S18}$
1929

from which the original bearing trees:

A juniper, 8 ins. diam., bears N. 35° E.,
232 lks. dist., mkd. with an overgrown blaze.

A pinon, 15 ins. diam., bears S. 9° E.,
132 lks. dist., scribe marks visible but not legible.

A juniper, 20 ins. diam., bears S. 4 $\frac{1}{2}$ ° W.,
250 lks. dist., mkd. T35NR13WS13BT.

A juniper, 12 ins. diam., bears N. 48 $\frac{1}{2}$ ° W.,
124 lks. dist., scribe marks visible but not legible.

Subdivision, T. 35 N., R. 12 W.

CHAINS	
	<p>Land, rolling. Soil, rocky clay loam. Timber, moderate juniper and scattered pine. Undergrowth, sagebrush, buckbrush, bunchgrass and cacti.</p> <hr/> <p>From the cor. of secs. 7, 8, 17 and 18. N. 0°03' W., bet. secs. 7 and 8. Over rolling land, through moderate timber.</p>
8.20	Draw, drains NE.
22.70	Spur, slopes NE.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 7 and 8. Set the iron post 24 ins. in the ground, brass cap mkd.
	<p>T35N R12W $\frac{1}{4}$ S 7 S 8 1969</p>
	<p>from which</p> <p style="padding-left: 40px;">A pinon, 13 ins. diam., bears N. 72$\frac{1}{2}$° E., 30 lks. dist., mkd. T35NR12W$\frac{1}{4}$S8BT.</p> <p style="padding-left: 40px;">A juniper, 8 ins. diam., bears S. 45$\frac{1}{4}$° W., 99 lks. dist., mkd. T35NR12W$\frac{1}{4}$S7BT.</p> <p>Raise a mound of stone W. of the cor.</p>
40.30	Small draw, drains W.
80.00	Point for the cor. of secs. 5, 6, 7 and 8. Set the iron post 12 ins. in the ground, mound with stone to top, brass cap mkd.
	<p>T35N R12W S 6 S 5 S 7 S 8 1969</p>
	<p>from which</p> <p style="padding-left: 40px;">A juniper, 7 ins. diam., bears S. 52$\frac{3}{4}$° W., 100 lks. dist., mkd. S7BT.</p> <p style="padding-left: 40px;">A pinon, 10 ins. diam., bears N. 76$\frac{1}{2}$° W., 86 lks. dist., mkd. T35NR12WS6BT.</p> <p>No other suitable bearing trees available.</p> <p>Land, rolling. Soil, rocky clay loam. Timber, moderate juniper and scattered pine. Undergrowth, sagebrush, buckbrush, bunchgrass and cacti.</p> <hr/>

Subdivision, T. 35 N., R. 12 W.

CHAINS		
	From the cor. of secs. 4, 5, 8 and 9.	
	N. 89°51' W., bet. secs. 5 and 8.	
	Over rolling land, through moderate timber.	
9.80	Ravine, drains NW.	
13.80	Spur, slopes N.	
20.30	Fence, in a draw draining N., bears N. and S.	
25.00	Spur, slopes NW.	
33.60	Bladed road, bears N. and S.	
35.60	Hidden Wash, 30 lks. wide, with 6 ft. banks, drains NW.	
39.94	Point for the ¼ sec. cor. of secs. 5 and 8.	
	Set the iron post 20 ins. in the ground, in a collar of stone, brass cap mkd.	
	<p style="text-align: center;">T35N R12W</p> <p style="text-align: center;"> $\frac{1}{4} \frac{S 5}{S 8}$ </p> <p style="text-align: center;">1969</p>	
	from which	
	<p style="padding-left: 40px;">A juniper, 9 ins. diam., bears N. 61½° E., 48 lks. dist., mkd. T35NR12W¼S5BT.</p>	
	<p style="padding-left: 40px;">A juniper, 6 ins. diam., bears S. 46° W., 53 lks. dist., mkd. T35NR12W¼S8BT.</p>	
70.30	Spur, slopes NE.	
79.88	The cor. of secs. 5, 6, 7 and 8.	
	Land, rolling.	
	Soil, rocky clay loam.	
	Timber, moderate juniper and scattered pine.	
	Undergrowth, sagebrush, bunchgrass and cacti.	
	S. 89°55' W., bet. secs. 6 and 7.	
	Over rolling land, through moderate timber.	
5.20	Wash, 15 lks. wide, 2 ft. deep, drains NE.	
28.30	Spur, slopes NE.	
40.00	Point for the ¼ sec. cor. of secs. 6 and 7.	
	Set the iron post 22 ins. in the ground, brass cap mkd.	
	<p style="text-align: center;">T35N R12W</p> <p style="text-align: center;"> $\frac{1}{4} \frac{S 6}{S 7}$ </p> <p style="text-align: center;">1969</p>	

Subdivision, T. 35 N., R. 12 W.

CHAINS		
	<p>from which</p>	
	<p>A juniper, 6 ins. diam., bears N. $36\frac{1}{2}^{\circ}$ E., 35 lks. dist., mkd. T35NR12W$\frac{1}{2}$S6BT.</p>	
	<p>A pinon, 7 ins. diam., bears S. $\frac{1}{2}^{\circ}$ E., 52 lks. dist., mkd. T35NR12W$\frac{1}{2}$S7BT.</p>	
	<p>Raise a mound of stone N. of the cor.</p>	
50.00	<p>Draw, drains NE.</p>	
67.00	<p>Ridge, bears N. and S.</p>	
77.93	<p>The cor. of secs. 1, 6, 7 and 12 on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set, projecting 10 ins. above ground, brass cap mkd.</p>	
	<p style="text-align: center;">T35N R13W R12W S 1 S 6 S 12 S 7 1929</p>	
	<p>from which the original bearing trees:</p>	
	<p>A pinon, 10 ins. diam., bears N. 22° E., 88 lks. dist., mkd. T35NR12WS6BT.</p>	
	<p>A juniper, 8 ins. diam., bears S. $49\frac{1}{2}^{\circ}$ E., 67 lks. dist., mkd. T35NR12WS7BT.</p>	
	<p>A juniper, 11 ins. diam., bears S. 65° W., 53 lks. dist., mkd. T35NR13WS12BT.</p>	
	<p>A juniper, 10 ins. diam., bears N. 21° W., 37 lks. dist., mkd. T35NR13WS1BT.</p>	
	<p>Land, rolling. Soil, rocky clay loam. Timber, moderate juniper and scattered pine. Undergrowth, sagebrush, bunchgrass and cacti.</p>	
	<p>From the cor. of secs. 5, 6, 7 and 8.</p>	
	<p>N. $0^{\circ}05'$ E., bet. secs. 5 and 6.</p>	
	<p>Over rolling land, through moderate timber.</p>	
38.10	<p>Bladed road, bears S. 60° E. and N. 60° W.</p>	
38.60	<p>Hidden Wash, 45 lks. wide, with 5 ft. banks, drains N. 60° W.</p>	
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 5 and 6.</p>	
	<p>Set the iron post 22 ins. in the ground, brass cap mkd.</p>	
	<p style="text-align: center;">T35N R12W $\frac{1}{4}$ S 6 S 5 1969</p>	

Subdivision, T. 35 N., R. 12 W.

CHAINS	
	<p>No suitable bearing trees available.</p> <p>Raise a mound of stone W. of the cor.</p>
40.25	Rock cliff, 45 ft. high, bears E. and W.
43.70	Track road, bears E. and NW.
48.10	Fence, bears E. and W.
53.80	Wash, 25 lks. wide, 2 ft. deep, drains SW.
54.80	Track road, bears NE. and SW.
56.10	Base of hill, ascend S. slope.
79.20	Spur, slopes SE.
80.07	<p>The cor. of secs. 5, 6, 31 and 32 on the N. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone to top, brass cap mkd.</p> <p style="text-align: center;"> T36N R12W S32 S31 S 5 S 6 T35N 1932 </p> <p>I remark the brass cap to read:</p> <p style="text-align: center;"> T36N R12W S31 S32 S 6 S 5 T35N 1932 1969 </p> <p>from which the original bearing trees:</p> <p style="margin-left: 40px;">A juniper, 17 ins. diam., bears N. 5° E., 293 lks. dist., mkd. T36NR12WS32BT.</p> <p style="margin-left: 40px;">A juniper, 10 ins. diam., bears N. 21° W., 122 lks. dist., mkd. T36NR12WS31BT.</p> <p>Land, rolling. Soil, rocky clay loam. Timber, moderate juniper and scattered pine. Undergrowth, sagebrush, buckbrush, bunchgrass and cacti.</p>
GENERAL DESCRIPTION	
<p>Township 35 North, Range 12 West is located about 65 miles south of St. George, Utah. The township is traversed by a maintained road entering in section 1 and leaving in section 32. There are a number of side roads which vary from track roads to partially maintained roads.</p>	

General Description, T. 35 N., R. 12 W.

CHAINS

The elevation ranges from about 6400 ft. above sea level on the east boundary of sections 24 and 25 to about 5000 ft. in the northwest corner of the township. The drainage is from south to north in most of the township, the main drainage being Hidden Wash, which enters the township in section 31 and leaves in section 6. The land is mostly rolling except for the broken west slope of Poverty Mountain in sections 24 and 25. The soil is rocky clay loam. Timber consists of juniper trees and scattered pine with sagebrush, bunchgrass and cacti the predominant vegetation.

There are numerous stock ponds throughout the township. Poverty Spring, located in section 26, flows all year long. Dew Drop Spring, located in section 36 was completely dry. Grazing is the principle use of the land. There is no evidence of mining claims or mining activity or occupied dwellings in the township.

56

CERTIFICATE OF SURVEY

~~(X)~~(We), Jerrold E. Knight and Ira M. Thiessen, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 24th day of July, 1969, ~~(X)~~(We) have surveyed the subdivisional lines of Township 35 North, Range 12 West,

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by ~~(me)~~, (us) and under ~~(my)~~ (our) direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

August 5, 1970
(Date)

Jerrold E. Knight
(Cadastral Surveyor)

July 23, 1970
(Date)

Ira M. Thiessen
(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

SUBMITTED FOR APPROVAL
Date APR 24 1972

BUREAU OF LAND MANAGEMENT
Washington, D.C.

The foregoing field notes of the survey of the subdivisional lines of Township 35 North, Range 12 West, Gila and Salt River Meridian, Arizona,

executed by Jerrold E. Knight and Ira M. Thiessen having been critically examined and found correct, are hereby approved.

OCT 2 1972
(Date)

Clark L. Gorman
(Chief, Division of Cadastral Survey)

~~CERTIFICATE OF TRANSCRIPT~~

I CERTIFY That the foregoing transcript of the field notes of the above-described surveys in _____, is a true copy of the original field notes.

(Date) (Chief, Division of Cadastral Survey) GPO 849-626