

Form 9180-6
(April 1965)
(formerly 4-679)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

SURVEY

of the

SOUTH BOUNDARY

and

SUBDIVISIONAL LINES

TOWNSHIP 4 SOUTH, RANGE 2 WEST

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Louis D. Gilbert

Cadastral Surveyor

Under special instructions dated January 20, 19 70, which provided for the surveys
included under Group Number 520, approved January 20, 1970,
and assignment instructions dated February 6, 19 70.

Survey commenced February 11, 19 70

Survey completed April 8, 19 70

1A

BOOK 4974

INDEX DIAGRAM

Township 4 South, Range 2 West,

6 40	41 5 40	32 4 31	25 8 25	19 2 18	12 1 12
7 39	39 8 38	31 9 30	24 10 24	18 11 17	11 12 10
18 37	37 17 36	30 16 29	23 15 22	16 14 16	10 13 9
19 35	36 20 35	28 21 28	22 22 21	15 23 15	8 24 8
30 34	34 29 33	27 28 27	20 27 20	14 26 14	7 25 6
31 5	32 32 4	26 33 3	19 34 3	13 35 2	6 36 1

Township 4 South, Range 2 West
Gila and Salt River Meridian, Arizona

CHAINS

Portions of the east and south boundaries and subdivisional lines were surveyed in 1871 by S. W. Foreman; however, there is no plat of this Foreman survey and no areas were ever created in this township based on the Foreman surveys. The east and north boundaries were surveyed in 1916 by Thorn and Shapcott. The west boundary was surveyed in 1938 by H. M. Muscott.

The following field notes are those of the survey of the south boundary and subdivisional lines of Township 4 South, Range 2 West, Gila and Salt River Meridian, Arizona.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1947, and the Special Instructions dated January 20, 1970. The direction of all lines were determined by solar observations and all lines refer to the true meridian.

Only the true line bearings and horizontal distances for the surveyed lines are given in these notes. Unless described, each corner was monumented with a standard iron post, 30 inches long, 2½ inches in diameter, flanged at the base, with a brass cap riveted to the top.

The geographic position of the southeast corner of the township, as determined by traverse from USC&GS Triangulation Station ESTRELLA, located in the southwest portion of section 33 of this township is: Latitude, 33°01'44.7" North and Longitude, 112°24'31.7" West.

The mean magnetic declination was found to be 14½° East.

Survey of the South Boundary
Township 4 South, Range 2 West

Beginning at the cor. of Tps. 4 and 5 S., Rs. 1 and 2 W., monumented by an iron post, 3 ins. diam., firmly set, projecting 8 ins. above ground, brass cap mkd.

T4S
R2W R1W
S36 | S31
S 1 | S 6
T5S
1916

West, bet. secs. 1 and 36.

Over nearly level land.

32.20 Wash, 25 lks. wide, 2 ft. deep, drains N. 70° E.

40.00 Point for the ½ sec. cor. of secs. 1 and 36.

Set the iron post 26 ins. in the ground, brass cap mkd.

T4S R2W
½ S36
S 1
T5S
1970

Survey of the South Boundary
Township 4 South, Range 2 West

CHAINS		
	<p>Set a wooden post, 6 ft. long, 4 ins. diam., alongside the iron post.</p>	
80.00	<p>Point for the cor. of secs. 1, 2, 35 and 36.</p>	
	<p>Set the iron post 25 ins. in the ground, brass cap mkd.</p>	
	<p style="text-align: center;">T4S R2W S35 S36 S 2 S 1 T5S 1970</p>	
	<p>Set a wooden post, 4 ft. long, 3 ins. diam., alongside the iron post.</p>	
	<p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>	
	<p>West, bet. secs. 2 and 35.</p>	
	<p>Over nearly level land.</p>	
13.90	<p>Wash, 5 lks. wide, 1 ft. deep, drains SE.</p>	
33.00	<p>Wash, 5 lks. wide, 2 ft. deep, drains S. 65° E.</p>	
40.00	<p>Point for the 1/2 sec. cor. of secs. 2 and 35.</p>	
	<p>Set the iron post 24 ins. in the ground, brass cap mkd.</p>	
	<p style="text-align: center;">T4S R2W 1/2 S35 S 2 T5S 1970</p>	
	<p>Raise a mound of stone N. of the iron post.</p>	
50.20	<p>Wash, 5 lks. wide, 1 ft. deep, drains SE.</p>	
57.10	<p>Track road, bears S. 3° E. and N. 3° W.</p>	
59.70	<p>Jeep trail, bears SE. and NW.</p>	
67.70	<p>Enter Maricopa Mountain Range, bears N. and S.</p>	
80.00	<p>Point for the cor. of secs. 2, 3, 34 and 35.</p>	
	<p>Set the iron post over a + chiseled in solid rock, mound of stone to top, brass cap mkd.</p>	
	<p style="text-align: center;">T4S R2W S34 S35 S 3 S 2 T5S 1970</p>	

Survey of the South Boundary
Township 4 South, Range 2 West

CHAINS	
	<p>Land, nearly level to mountainous. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p> <hr/> <p>West, bet. secs. 3 and 34.</p> <p>Over mountainous land.</p>
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 3 and 34.</p> <p>Set the iron post over a + chiseled in solid rock, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T4S R2W $\frac{1}{4}$ $\frac{S34}{S 3}$ T5S 1970</p>
77:70	<p>Draw, drains SW.</p>
80.00	<p>Point for the cor. of secs. 3, 4, 33 and 34.</p> <p>Set the iron post over a + chiseled in solid rock, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T4S R2W $\frac{S33}{S 4}$ $\frac{S34}{S 3}$ T5S 1970</p> <p>Land, mountainous. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p> <hr/> <p>West, bet. secs. 4 and 33.</p> <p>Over mountainous land.</p>
11.50	<p>Draw, drains S.</p>
14.60	<p>Wash, 40 lks. wide, 2 ft. deep, drains SE.</p>
32.60	<p>Draw, drains N. curving to NE.</p>
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 4 and 33.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T4S R2W $\frac{1}{4}$ $\frac{S33}{S 4}$ T5S 1970</p> <p>Raise a mound of stone N. of the iron post.</p>
80.00	<p>Point for the cor. of secs. 4, 5, 32 and 33.</p>

Survey of the South Boundary
Township 4 South, Range 2 West

CHAINS	
	<p>Set the iron post over a + chiseled in solid rock, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T4S R2W <u>S32 S33</u> S 5 S 4 T5S 1970</p> <p>from which</p> <p>USC&GS Triangulation Station ESTRELLA, Latitude, 33°01'56.69132" N., Longitude, 112°28'33.58730" W., bears N. 23°30' E., 20.04 chs. dist., monumented by a standard disk, cemented in a drill hole in a boulder, mkd. ESTRELLA 1936. This station was tied to by traverse and cannot be seen from the sec. cor.</p> <p>Land, mountainous. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>West, bet. secs. 5 and 32.</p> <p>Over mountainous land.</p>
5.20	High spur, slopes S. from N. 20° E.
40.00	Point for the ¼ sec. cor. of secs. 5 and 32.
	<p>Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T4S R2W <u>¼ S32</u> S 5 T5S 1970</p>
56.00	Leave Maricopa Mountain Range, bears N. and S.; thence over gently rolling land.
59.50	Wash, 10 lks. wide, 2 ft. deep, drains S. 30° W.
61.70	Wash, 10 lks. wide, with 8 ft. banks, drains S. 55° W.
79.95	Wash, 6 lks. wide, 6 ins. deep, drains S. 50° W.
80.00	Point for the cor. of secs. 5, 6, 31 and 32.
	<p>Set the iron post 26 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T4S R2W <u>S31 S32</u> S 6 S 5 T5S 1970</p> <p>Raise a mound of stone NE. of the iron post.</p>

Survey of the South Boundary
Township 4 South, Range 2 West

CHAINS	
	<p>Land, mountainous to nearly level. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p> <hr/> <p>West, bet. secs. 6 and 31. Over nearly level land.</p>
3.00	Wash, 40 lks. wide, 3 ft. deep, drains S. 70° W.
27.70	Wash, 100 lks. wide, 2 ft. deep, drains S. 62° W.
31.60	Jeep trail, bears N. 75° E. and S. 75° W. (Probable route of Butterfield Stage).
38.20	Wash, 25 lks. wide, 1 ft. deep, drains W. along line from N. 85° E.
40.00	True point for the ¼ sec. cor. of secs. 6 and 31, falls in wash, impractical to monument.
41.80	Leave wash; drains N. 85° W. from the E.
42.00	Point selected for the witness ¼ sec. cor. of secs. 6 and 31. Set the iron post 16 ins. in the ground, mound of stone to top, brass cap mkd.
	<p>T4S R2W WC ¼ $\frac{S31}{S6}$ → T5S 1970</p>
65.00	Wash, 30 lks. wide, 2 ft. deep, drains SW.
73.00	Wash, 10 lks. wide, 2 ft. deep, drains S. 37° W.
79.77	The cor. of Tps. 4 and 5 S., Rs. 2 and 3 W., monumented by an iron post, 3 ins. diam., firmly set, projecting 10 ins. above ground, brass cap mkd.
	<p>T4S R3W R2W $\frac{S36}{S1} \frac{S31}{S6}$ T5S 1938</p>
	<p>from which the orig. bearing trees:</p> <p>An ironwood, 8 ins. diam., bears N. 21½° E., 734 lks. dist., mkd. T4SR2WS31BT.</p> <p>An ironwood (dead), 20 ins. diam., bears S. 5¾° E., 418 lks. dist., mkd. T5SR2WS6BT.</p> <p>An ironwood limb, 14 ins. diam., bears S. 11¾° W., 433 lks. dist., mkd. T5SR3WS1BT.</p> <p>An ironwood, 8 ins. diam., bears N. 19½° W., 494 lks. dist., mkd. T4SR3WS36BT.</p>

Survey of the South Boundary
Township 4 South, Range 2 West

CHAINS	
	<p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p> <hr/> <p style="text-align: center;">Survey, Subdivisional Lines Township 4 South, Range 2 West</p> <hr/> <p>From the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of the Tp.</p> <p>N. 0°01' W., bet. secs. 35 and 36.</p> <p>Over nearly level land.</p>
15.60	Jeep trail, bears S. 30° E. and N. 30° W.
17.10	Wash, 20 lks. wide, 2 ft. deep, drains NE.
32.80	Wash, 10 lks. wide, 2 ft. deep, drains N. 60° E.
40.00	Point for the $\frac{1}{2}$ sec. cor. of secs. 35 and 36.
	Set the iron post 25 ins. in the ground, brass cap mkd.
	T4S R2W $\frac{1}{2}$ S35 S36 1970
	Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.
62.50	Wash, 15 lks. wide, 2 ft. deep, drains E.
76.90	Wash, 10 lks. wide, 3 ft. deep, drains N. 80° E.
80.00	Point for the cor. of secs. 25, 26, 35 and 36.
	Set the iron post 25 ins. in the ground, brass cap mkd.
	T4S R2W S26 S25 S35 S36 1970
	Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.
	<p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p> <hr/> <p>From the cor. of secs. 25, 30, 31 and 36, on the E. bdy. of the Tp., monumented by an iron post, 3 ins. diam., firmly set, projecting 6 ins. above ground, brass cap mkd.</p>
	T4S R2W R1W S25 S30 S36 S31 1916

Survey, Subdivisional Lines
Township 4 South, Range 2 West

CHAINS	
	N. 89°58' W., bet. secs. 25 and 36.
	Over nearly level land.
17.00	Wash, 50 lks. wide, 1 ft. deep, drains N. 65° E.
39.98	Point for the $\frac{1}{4}$ sec. cor. of secs. 25 and 36.
	Set the iron post 25 ins. in the ground, brass cap mkd.
	T4S R2W $\frac{1}{4}$ $\frac{S25}{S36}$ 1970
	Deposit glass at the base of the iron post.
79.96	The cor. of secs. 25, 26, 35 and 36.
	Land, nearly level.
	Soil, sandy loam.
	Timber, scattered mesquite, ironwood and palo verde.
	Undergrowth, creosote bush and cañti.
	N. 0°01' W., bet. secs. 25 and 26.
	Over nearly level land.
29.50	Wash, 20 lks. wide, 3 ft. deep, drains N. 70° E.
38.40	Wash, 10 lks. wide, 1 ft. deep, drains E.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 25 and 26.
	Set the iron post 26 ins. in the ground, brass cap mkd.
	T4S R2W $\frac{1}{4}$ S26 S25 1970
	Set a wooden post, 5 ft. long, 5 ins. diam., alongside the iron post.
59.60	Wash, 50 lks. wide, 1 ft. deep, drains N. 80° E.
61.50	Wash, 10 lks. wide, 1 ft. deep, drains S. 70° E.
77.80	Wash, 5 lks. wide, 2 ft. deep, drains N. 80° E.
80.00	Point for the cor. of secs. 23, 24, 25 and 26.
	Set the iron post 26 ins. in the ground, brass cap mkd.
	T4S R2W S23 S24 S26 S25 1970
	Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.

Survey, Subdivisional Lines
Township 4 South, Range 2 West

CHAINS		
	<p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p> <hr/> <p>From the cor. of secs. 19, 24, 25 and 30, on the E. bdy. of the Tp., monumented by an iron post, 3 ins. diam.; firmly set, projecting 6 ins. above ground, brass cap mkd.</p> <p style="text-align: center;">T4S R2W R1W <u>S24 S19</u> <u>S25 S30</u> 1916</p> <p>from which the remains of the orig. bearing trees:</p> <p style="padding-left: 40px;">A mesquite, 20 ins. diam., bears S. 7° E., 277 lks. dist., no visible markings.</p> <p style="padding-left: 40px;">A mesquite stump, 16 ins. diam., bears S. 6° W., 252 lks. dist., no visible markings.</p> <p>N. 89°57' W., bet. secs. 24 and 25.</p> <p>Over nearly level land.</p>	
39.98	<p>Point for the 1/4 sec. cor. of secs. 24 and 25.</p> <p>Set the iron post 26 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T4S R2W 1/4 <u>S24</u> S25 1970</p> <p>Set a wooden post, 3 ft. long, 4 ins. diam., alongside the iron post.</p>	
54.70	Wash, 10 lks. wide, 2 ft. deep, drains S. 60° E.	
73.50	Wash, 5 lks. wide, 1 ft. deep, drains N. 75° E.	
79.96	The cor. of secs. 23, 24, 25 and 26.	
	<p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p> <hr/> <p>N. 0°01' W., bet. secs. 23 and 24.</p> <p>Over nearly level land.</p>	
2.70	Wash, 20 lks. wide, 3 ft. deep, drains N. 85° E.	
15.50	Intersection of jeep trails, bears N. 75° E., S. 60° W. and S. 75° W.	
26.40	Wash, 30 lks. wide, 2 ft. deep, drains E.	

Survey, Subdivisional Lines
Township 4 South, Range 2 West

CHAINS	
40.00	<p>Point for the $\frac{1}{2}$ sec. cor. of secs. 23 and 24.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T4S R2W $\frac{1}{2}$ S23 S24 1970</p> <p>Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.</p>
51.50	Wash, 20 lks. wide, 1 ft. deep, drains N. 80° E.
62.30	Wash, 15 lks. wide, 3 ft. deep, drains N. 55° E.
72.90	Jeep trail, bears E. and W.
75.00	Wash, 30 lks. wide, 2 ft. deep, drains N. 70° E.
80.00	<p>Point for the cor. of secs. 13, 14, 23 and 24.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T4S R2W S14 S13 S23 S24 1970</p> <p>Deposit glass at the base of the iron post.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p> <hr/> <p>From the cor. of secs. 13, 18, 19 and 24 on the E. bdy. of the Tp., monumented by an iron post, 3 ins. diam., firmly set, projecting 6 ins. above ground, brass cap mkd.</p> <p style="text-align: center;">T4S R2W R1W S13 S18 S24 S19 1916</p> <p>There is no remaining evidence of the original bearing tree called for in the old record.</p> <p>N. 89°55' W., bet. secs. 13 and 24.</p> <p>Over nearly level land.</p>
39.98	<p>Point for the $\frac{1}{2}$ sec. cor. of secs. 13 and 24.</p> <p>Set the iron post 25 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T4S R2W $\frac{1}{2}$ S 13 S 24 1970</p> <p>Raise a mound of stone N. of the iron post.</p>

Survey, Subdivisional Lines
Township 4 South, Range 2 West

CHAINS		
62.70	Wash, 15 lks. wide, 4 ft. deep, drains SE.	
71.20	Same wash, 20 lks. wide, 2 ft. deep, drains NE.	
75.60	Wash, 10 lks. wide, 2 ft. deep, drains S.	
79.96	The cor. of secs. 13, 14, 23 and 24.	
	Land, nearly level. Soil, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.	
	N. 0°01' W., bet. secs. 13 and 14.	
	Over gently rolling land.	
19.00	Wash, 10 lks. wide, 3 ft. deep, drains S. 75° E.	
40.00	Point for the $\frac{1}{2}$ sec. cor. of secs. 13 and 14.	
	Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.	
	<p style="text-align: center;">T4S R2W $\frac{1}{2}$ S14 S13 1970</p>	
80.00	Point for the cor. of secs. 11, 12, 13 and 14.	
	Set the iron post 22 ins. in the ground, brass cap mkd.	
	<p style="text-align: center;">T4S R2W S11 S12 S14 S13 1970</p>	
	Raise a mound of stone W. of the iron post.	
	Land, gently rolling.	
	Soil, rocky, sandy loam.	
	Timber, scattered mesquite, ironwood and palo verde.	
	Undergrowth, creosote bush and cacti.	
	From the cor. of secs. 7, 12, 13 and 18, on the E. bdy. of the Tp., monumented by an iron post, 3 ins. diam., firmly set in a mound of stone to top, with mound of stone W., brass cap mkd.	
	<p style="text-align: center;">T4S R2W R1W S12 S 7 S13 S18 1916</p>	
	S. 89°57' W., bet. secs. 12 and 13.	
	Over mountainous land.	
39.80	Point selected for the witness $\frac{1}{2}$ sec. cor. of secs. 12 and 13.	

Survey, Subdivisional Lines
Township 4 South, Range 2 West

CHAINS	
	<p>Set the iron post 18 ins. in the ground, collar of stone to top, brass cap mkd.</p> <p style="text-align: center;">T4S R2W $\frac{1}{2} \left\langle \begin{array}{c} S 12 \\ S 13 \end{array} \right\rangle WC$ 1970</p>
40.10	True point for the $\frac{1}{2}$ sec. cor. of secs. 12 and 13, falls on precipitous W. slope where a monument cannot be perpetuated.
56.20	Leave mountainous land, bears S. 20° E. and N. 20° W.; thence over gently rolling land.
80.20	The cor. of secs. 11, 12, 13 and 14.
	<p>Land, mountainous to gently rolling. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>N. 0°01' W., bet. secs. 11 and 12.</p> <p>Over gently rolling land.</p>
34.40	Enter mountainous land, bears irreg. E. and W.
37.30	Wash, 30 lks. wide, 2 ft. deep, drains N. 35° E.
40.00	Point for the $\frac{1}{2}$ sec. cor. of secs. 11 and 12.
	<p>Set the iron post over a + chiseled in solid rock, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T4S R2W $\frac{1}{2}$ S11 S12 1970</p>
51.90	Leave mountainous land, bears SE. and NW.; thence over gently rolling land.
80.00	Point for the cor. of secs. 1, 2, 11 and 12.
	<p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T4S R2W S 2 S 1 S11 S12 1970</p> <p>Set a wooden post, 3 ft. long, 4 ins. diam., alongside the iron post.</p> <p>Land, gently rolling to mountainous. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>

Survey, Subdivisional Lines
Township 4 South, Range 2 West

CHAINS	
	<p>From the cor. of secs. 1, 6, 7 and 12, on the E. bdy. of the Tp., monumented by an iron post, 3 ins. diam., firmly set, projecting 8 ins. above ground, brass cap mkd.</p> <p style="text-align: center;">T4S R2W R1W S 1 S 6 S12 S 7 1916</p> <p>from which the orig. bearing trees:</p> <p style="padding-left: 40px;">An ironwood, 10 ins. diam., bears N. 26½° E., 152 lks. dist., mkd. T4SR1WS6BT.</p> <p style="padding-left: 40px;">An ironwood, 10 ins. diam., bears S. 10¾° E., 44 lks. dist., mkd. T4SR1WS7BT.</p> <p>There is no remaining evidence of the other orig. bearing tree called for in the old record.</p> <p>S. 89°53' W., bet. secs. 1 and 12.</p> <p>Over nearly level land.</p>
24.20	Wash, 10 lks. wide, 2 ft. deep, drains N. 50° E.
40.11	Point for the ¼ sec. cor. of secs. 1 and 12.
	Set the iron post 25 ins. in the ground, brass cap mkd.
	T4S R2W ¼ $\frac{S 1}{S12}$ 1970
	Set a wooden post, 4 ft. long, 3 ins. diam., alongside the iron post.
80.22	The cor. of secs. 1, 2, 11 and 12.
	Land, nearly level. Soil, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.
	N. 0°17' E., bet. secs. 1 and 2.
	Over nearly level land.
5.10	Wash, 30 lks. wide, 2 ft. deep, drains E.
30.30	Wash, 15 lks. wide, 2 ft. deep, drains S. 75° E.
40.00	Point for the ¼ sec. cor. of secs. 1 and 2.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T4S R2W ¼ S 2 S 1 1970

Survey, Subdivisional Lines
Township 4 South, Range 2 West

CHAINS	
	Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.
65.60	Wash, 15 lks. wide, 2 ft. deep, drains N. 60° E.
80.11	The cor. of secs. 1, 2, 35 and 36, on the N. bdy. of the Tp., monumented by an iron post, 3 ins. diam., firmly set, projecting 6 ins. above ground, brass cap mkd.
	T3S R2W S35 S36 S 2 S 1 T4S 1916
	This cor. is located in a 4 strand barbed wire fence bearing S. 89°50' E. and N. 89°50' W.
	Land, nearly level. Soil, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.
	From the cor. of secs. 2, 3, 34 and 35, on the S. bdy. of the Tp.
	N. 0°01' W., bet. secs. 34 and 35.
	Desc. over mountainous land.
7.40	Enter gently rolling land, bears E. and S. 65° W.
9.40	Jeep trail, bears E. and W.
17.40	Wash, 100 lks. wide, 1 ft. deep, drains N. 75° E.
29.00	Low ridge, bears S. 60° E. and N. 60° W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 34 and 35.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T4S R2W $\frac{1}{4}$ S34 S35 1970
	Raise a mound of stone W. of the iron post.
41.90	Wash, 20 lks. wide, 3 ft. deep, drains E.
58.40	Wash, 40 lks. wide, 2 ft. deep, drains NE.
69.20	Wash, 5 lks. wide, 1 ft. deep, drains N. 65° E.
80.00	Point for the cor. of secs. 26, 27, 34 and 35.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	T4S R2W S27 S26 S34 S35 1970

Survey, Subdivisional Lines
Township 4 South, Range 2 West

CHAINS	
	<p>Raise a mound of stone W. of the iron post.</p> <p>Land, mountainous to gently rolling. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>From the cor. of secs. 25, 26, 35 and 36.</p> <p>West, bet. secs. 26 and 35.</p> <p>Over nearly level land.</p>
22.50	Wash, 5 lks. wide, 3 ft. deep, drains N. 40° E.
39.98	Point for the ¼ sec. cor. of secs. 26 and 35.
	<p>Set the iron post 25 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T4S R2W ¼ $\frac{S\ 26}{S\ 35}$ 1970</p>
	<p>Deposit glass at the base of the iron post.</p>
59.80	Wash, 5 lks. wide, 2 ft. deep, drains N. 60° E.
74.00	Track road, bears S. 15° E. and N. 15° W.
79.96	The cor. of secs. 26, 27, 34 and 35.
	<p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>N. 0°01' W., bet. secs. 26 and 27.</p> <p>Over nearly level land.</p>
12.50	Wash, 10 lks. wide, 2 ft. deep, drains N. 85° E.
28.50	Track road, bears S. 22° E. and N. 22° W.
40.00	Point for the ¼ sec. cor. of secs. 26 and 27.
	<p>Set the iron post 26 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T4S R2W ¼ $\frac{S27}{S26}$ 1970</p>
	<p>Raise a mound of stone W. of the iron post.</p>
47.20	Wash, 15 lks. wide, 2 ft. deep, drains N. 80° E.
57.40	Wash, 30 lks. wide, 1 ft. deep, drains S. 70° E.
80.00	Point for the cor. of secs. 22, 23, 26 and 27.

Survey, Subdivisional Lines
Township 4 South, Range 2 West

CHAINS	
	<p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T4S R2W S22 S23 S27 S26 1970</p> <p>Set a wooden post, 3 ft. long, 4 ins. diam., alongside the iron post.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>From the cor. of secs. 23, 24, 25 and 26.</p> <p>West, bet. secs. 23 and 26.</p> <p>Over nearly level land.</p>
39.99	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 23 and 26.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T4S R2W $\frac{1}{4}$ S 23 S 26 1970</p> <p>Set a wooden post, 4 ft. long, 5 ins. diam., alongside the iron post.</p>
79.98	<p>The cor. of secs. 22, 23, 26 and 27.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>N. 0°01' W., bet. secs. 22 and 23.</p> <p>Over nearly level land.</p>
5.30	Wash, 10 lks. wide, 2 ft. deep, drains N. 70° E.
12.50	Wash, 20 lks. wide, 2 ft. deep, drains S. 75° E.
15.40	Jeep trail, bears E. and W.
19.20	Wash, 50 lks. wide, 3 ft. deep, drains N. 60° E.
28.50	Jeep trail, bears irregularly E. and W.
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 22 and 23.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T4S R2W $\frac{1}{4}$ S22 S23 1970</p>

Survey, Subdivisional Lines
Township 4 South, Range 2 West

CHAINS	
	Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.
41.90	Wash, 10 lks. wide, 2 ft. deep, drains S. 75° E.
55.80	Wash, 10 lks. wide, 1 ft. deep, drains N. 80° E.
62.60	Jeep trail, bears S. 70° E. and N. 70° W.
69.00	Same jeep trail, bears NE. and SW.
77.10	Same jeep trail, bears SE. and NW.
78.80	Jeep trail, bears E. and W.
80.00	Point for the cor. of secs. 14, 15, 22 and 23.
	Set the iron post 25 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T4S R2W <u>S15 S14</u> <u>S22 S23</u> 1970</p>
	Set a wooden post, 4 ft. long, 3 ins. diam., alongside the iron post.
	Land, nearly level. Soil, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.
	From the cor. of secs. 13, 14, 23 and 24.
	West, bet. secs. 14 and 23.
	Over nearly level land.
35.20	Wash, 10 lks. wide, 2 ft. deep, drains N. 30° E.
39.98	Point for the ¼ sec. cor. of secs. 14 and 23.
	Set the iron post 25 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T4S R2W ¼ <u>S14</u> S23 1970</p>
	Raise a mound of stone N. of the iron post.
68.00	Wash, 10 lks. wide, 3 ft. deep, drains N. 25° E.
79.96	The cor. of secs. 14, 15, 22 and 23.
	Land, nearly level. Soil, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.
	N. 0°01' W., bet. secs. 14 and 15.
	Over nearly level land.

Survey, Subdivisional Lines
Township 4 South, Range 2 West

CHAINS	
30.10	Wash, 15 lks. wide, 2 ft. deep, drains NE.
39.70	Wash, 10 lks. wide, 1 ft. deep, drains E. from the SW.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 14 and 15.
	Set the iron post 25 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T4S R2W $\frac{1}{4}$ S15 S14 1970</p>
	Set a wooden post, 5 ft. long, 3 ins. diam., alongside the iron post.
44.20	Wash, 40 lks. wide, 2 ft. deep, drains N. 65° E.
55.00	Wash, 20 lks. wide, 1 ft. deep, drains NE.
62.70	Wash, 20 lks. wide, 1 ft. deep, drains N. 65° E.
74.90	Wash, 30 lks. wide, 2 ft. deep, drains NE.
80.00	Point for the cor. of secs. 10, 11, 14 and 15.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T4S R2W S10 S11 S15 S14 1970</p>
	Set a wooden post, 4 ft. long, 3 ins. diam., alongside the iron post.
	<p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	From the cor. of secs. 11, 12, 13 and 14.
	S. 89°58' W., bet. secs. 11 and 14.
	Over gently rolling land.
6.90	Wash, 20 lks. wide, 2 ft. deep, drains S.
19.20	Low ridge, bears N. and S.
39.39	Point selected for the witness $\frac{1}{4}$ sec. cor. of secs. 11 and 14.
	Set the iron post 18 ins. in the ground, collar of stone to top, brass cap mkd.
	<p style="text-align: center;">T4S R2W $\frac{1}{4}$ ← S 11 WC S 14 1970</p>

Survey, Subdivisional Lines
Township 4 South, Range 2 West

CHAINS	
39.99	True point for the $\frac{1}{4}$ sec. cor. of secs. 11 and 14, falls in wash, 30 lks. wide, 2 ft. deep, drains N. 30° W., impractical to monument.
55.00	Wash, 20 lks. wide, 1 ft. deep, drains N. 50° E.
73.70	Wash, 50 lks. wide, 1 ft. deep, drains NE.
79.98	The cor. of secs. 10, 11, 14 and 15. Land, gently rolling to nearly level. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.
	N. 0°01' W., bet. secs. 10 and 11.
	Over nearly level land.
33.10	Wash, 10 lks. wide, 1 ft. deep, drains E.
34.40	Track road, bears N. 55° E. and S. 55° W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 10 and 11.
	Set the iron post 22 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T4S R2W $\frac{1}{4}$ S10 S11 1970</p>
	Set a wooden post, 5 ft. long, 3 ins. diam., alongside the iron post.
41.60	Wash, 20 lks. wide, 2 ft. deep, drains NE.
80.00	Point for the cor. of secs. 2, 3, 10 and 11.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T4S R2W S 3 S 2 S10 S11 1970</p>
	Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.
	Land, nearly level.
	Soil, sandy loam.
	Timber, scattered mesquite, ironwood and palo verde.
	Undergrowth, creosote bush and cacti.
	From the cor. of secs. 1, 2, 11 and 12.
	S. 89°57' W., bet. secs. 2 and 11.
	Over nearly level land.
31.70	Wash, 40 lks. wide, 2 ft. deep, drains N. 65° E.

Survey, Subdivisional Lines
Township 4 South, Range 2 West

CHAINS	
39.98	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 2 and 11.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T4S R2W $\frac{1}{4}$ $\frac{S 2}{S11}$ 1970</p> <p>Set a wooden post, 4 ft. long, 3 ins. diam., alongside the iron post.</p>
43.30	Wash, 20 lks. wide, 2 ft. deep, drains N.
49.50	Wash, 50 lks. wide, 2 ft. deep, drains N. 30° E.
54.40	Wash, 30 lks. wide, 2 ft. deep, drains N. 10° E.
57.20	Track road, bears N. 5° E. and S. 5° W.
79.96	<p>The cor. of secs. 2, 3, 10 and 11.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>N. 0°16' E., bet. secs. 2 and 3.</p> <p>Over nearly level land.</p>
7.40	Wash, 20 lks. wide, 1 ft. deep, drains E.
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 2 and 3.</p> <p>Set the iron post 25 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T4S R2W $\frac{1}{4}$ S 3 S 2 1970</p> <p>Set a wooden post, 7 ft. long, 6 ins. diam., alongside the iron post.</p>
43.50	Wash, 30 lks. wide, 1 ft. deep, drains N. 15° E.
80.41	<p>The cor. of secs. 2, 3, 34 and 35, on the N. bdy. of the Tp., monumented by an iron post, 3 ins. diam., firmly set, projecting 10 ins. above ground, brass cap mkd.</p> <p style="text-align: center;">T3S R2W S34 S35 S 3 S 2 T4S 1916</p> <p>This cor. is located in a cor. of a 4 strand barbed wire fence bearing S. 89°30' E. and S. 70° W.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of the Tp.</p> <p>N. 0°02' W., bet. secs. 33 and 34.</p>

Survey, Subdivisional Lines
Township 4 South, Range 2 West

CHAINS		
	Over mountainous land (Maricopa Mountains).	
11.80	Ridge, bears SE. and NW.	
33.40	Wash, 20 lks. wide, 2 ft. deep, drains S. 75° E.	
40.00	Point for the ¼ sec. cor. of secs. 33 and 34.	
	Set the iron post 4 ins. in the ground, mound of stone to top, brass cap mkd.	
	<div style="text-align: center;"> T4S R2W ¼ S33 S34 1970 </div>	
61.10	Ridge, bears S. 80° E. and N. 80° W.	
80.00	Point for the cor. of secs. 27, 28, 33 and 34.	
	Set the iron post 4 ins. in the ground, mound of stone to top, brass cap mkd.	
	<div style="text-align: center;"> T4S R2W S28 S27 S33 S34 1970 </div>	
	Land, mountainous. Soil, rocky, clay loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.	
	From the cor. of secs. 26, 27, 34 and 35.	
	West, bet. secs. 27 and 34.	
	Over nearly level land.	
18.00	Enter Maricopa Mountains, bears S. 15° E. and NW.	
39.98	Point for the ¼ sec. cor. of secs. 27 and 34.	
	Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.	
	<div style="text-align: center;"> T4S R2W ¼ S27 S34 1970 </div>	
79.96	The cor. of secs. 27, 28, 33 and 34.	
	Land, mountainous to nearly level. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.	
	N. 0°02' W., bet. secs. 27 and 28.	
	Over mountainous land (Maricopa Mountains), bears N. 70° E. and irreg. W.	
16.50	Leave mountainous land, thence over nearly level land.	

Survey, Subdivisional Lines
Township 4 South, Range 2 West

CHAINS	
34.20	Wash, 30 lks. wide, 4 ft. deep, drains N. 50° E.
35.90	Jeep trail, probable Butterfield Stage Line Route, bears E. and W.
40.00	Point for the ¼ sec. cor. of secs. 27 and 28.
	Set the iron post 25 ins. in the ground, brass cap mkd.
	T4S R2W
	S28 S27
	1970
	Raise a mound of stone W. of the iron post.
46.70	Low ridge, bears E. and W.
57.60	Wash, 40 lks. wide, 4 ft. deep, drains N. 80° E.
80.00	Point for the cor. of secs. 21, 22, 27 and 28.
	Set the iron post 12 ins. in the ground, mound of stone to top, brass cap mkd.
	T4S R2W
	S21 S22
	S28 S27
	1970
	Land, mountainous to nearly level. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.
	From the cor. of secs. 22, 23, 26 and 27.
	West, bet. secs. 22 and 27.
	Over nearly level land.
9.10	Track road, bears N. and S.
34.10	Wash, 30 lks. wide, 1 ft. deep, drains NE.
37.20	Wash, 10 lks. wide, 3 ft. deep, drains N. 20° E.
39.98	Point for the ¼ sec. cor. of secs. 22 and 27.
	Set the iron post 25 ins. in the ground, brass cap mkd.
	T4S R2W
	S22
	¼ S27
	1970
	Set a wooden post, 2 ft. long, 5 ins. diam., alongside the iron post.
69.60	Wash, 20 lks. wide, 2 ft. deep, drains S. 40° E.

Survey, Subdivisional Lines,
Township 4 South, Range 2 West

CHAINS	
79.96	<p>The cor. of secs. 21, 22, 27 and 28.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>N. 0°02' W., bet. secs. 21 and 22.</p> <p>Over nearly level land.</p>
3.30	<p>Wash, 10 lks. wide, 3 ft. deep, drains S. 75° E.</p>
33.30	<p>Wash, 10 lks. wide, 2 ft. deep, drains E.</p>
39.90	<p>Point selected for the witness $\frac{1}{4}$ sec. cor. of secs. 21 and 22.</p> <p>Set the iron post 25 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T4S R2W $\frac{1}{4}$ S21 ↑ S22 W C 1970</p>
	<p>Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.</p>
40.00	<p>True point for the $\frac{1}{4}$ sec. cor. of secs. 21 and 22 falls on the trunk of an ironwood tree.</p>
46.10	<p>Wash, 60 lks. wide, 2 ft. deep, drains N. 80° E.</p>
79.40	<p>Wash, 15 lks. wide, 2 ft. deep, drains S. 80° E.</p>
80.00	<p>Point for the cor. of secs. 15, 16, 21 and 22.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T4S R2W S16 S15 S21 S22 1970</p>
	<p>Set a wooden post, 4 ft. long, 3 ins. diam., alongside the iron post.</p>
	<p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>From the cor. of secs. 14, 15, 22 and 23.</p>
	<p>West, bet. secs. 15 and 22.</p>
	<p>Over nearly level land.</p>
9.70	<p>Track road, bears irregularly N. and S.</p>

Survey, Subdivisional Lines,
Township 4 South, Range 2 West

CHAINS	
32.30	Wash, 15 lks. wide, 2 ft. deep, drains NE.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 15 and 22.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	$\begin{array}{r} \text{T4S R2W} \\ \frac{1}{4} \begin{array}{l} \text{S 15} \\ \text{S 22} \end{array} \\ 1970 \end{array}$
	Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.
41.70	Wash, 10 lks. wide, 2 ft. deep, drains NE.
55.80	Wash, 30 lks. wide, 1 ft. deep, drains N. 60° E.
80.00	The cor. of secs. 15, 16, 21 and 22.
	<p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	N. 0°02' W., bet. secs. 15 and 16.
	Over nearly level land.
6.40	Wash, 40 lks. wide, 2 ft. deep, drains S. 75° E.
9.00	Wash, 40 lks. wide, 2 ft. deep, drains N. 50° E.
26.90	Jeep trail, bears N. 60° E. and S. 60° W.
33.00	Wash, 20 lks. wide, 2 ft. deep, drains N. 65° E.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 15 and 16.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	$\begin{array}{r} \text{T4S R2W} \\ \frac{1}{4} \begin{array}{l} \text{S16} \text{S15} \\ \text{S16} \text{S15} \end{array} \\ 1970 \end{array}$
	Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.
46.50	Wash, 20 lks. wide, 1 ft. deep, drains E.
67.70	Enter rolling land.
80.00	Point for the cor. of secs. 9, 10, 15 and 16.
	Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.
	$\begin{array}{r} \text{T4S R2W} \\ \begin{array}{l} \text{S 9} \text{S10} \\ \text{S16} \text{S15} \end{array} \\ 1970 \end{array}$

Survey, Subdivisional Lines,
Township 4 South, Range 2 West

CHAINS	
	<p>Land, nearly level to rolling. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>From the cor. of secs. 10, 11, 14 and 15. S. 89°58' W., bet. secs. 10 and 15. Over nearly level land.</p>
15.70	Track road, bears N. 65° E. and S. 65° W.
17.30	Jeep trail, bears N. and S.
26.10	Same jeep trail, bears N. 65° E. and SW.
37.00	Enter rolling land.
39.99	Point for the $\frac{1}{4}$ sec. cor. of secs. 10 and 15. Set the iron post 15 ins. in the ground, mound of stone to top, brass cap mkd.
	<p>T4S R2W $\frac{1}{4}$ $\frac{S\ 10}{S\ 15}$ 1970</p>
48.40	Ridge, bears S. 80° E. and N. 80° W.
66.80	Wash, 50 lks. wide, 1 ft. deep, drains N. 30° E.
79.98	The cor. of secs. 9, 10, 15 and 16. Land, nearly level to rolling. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote and cacti.
	<p>N. 0°02' W., bet. secs. 9 and 10. Over rolling land.</p>
10.00	Wash, 30 lks. wide, 1 ft. deep, drains E.
22.20	Enter nearly level land.
37.40	Wash, 15 lks. wide, 1 ft. deep, drains N. 60° E.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 9 and 10. Set the iron post 25 ins. in the ground, brass cap mkd.
	<p>T4S R2W $\frac{1}{4}$ S 9 S10 1970</p>
	Set a wooden post, 4 ft. long, 3 ins. diam., alongside the iron post.

Survey, Subdivisional Lines,
Township 4 South, Range 2 West

CHAINS	
56.50	Wash, 40 lks. wide, 1 ft. deep, drains NE.
80.00	Point for the cor. of secs. 3, 4, 9 and 10.
	Set the iron post 25 ins. in the ground, brass cap mkd.
	T4S R2W $\frac{S\ 4}{S\ 9} \frac{S\ 3}{S10}$ 1970
	Set a wooden post, 5 ft. long, 3 ins. diam., alongside the iron post.
	Land, rolling to nearly level. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.
	From the cor. of secs. 2, 3, 10 and 11.
	S. 89°55' W., bet. secs. 3 and 10.
	Over nearly level land.
5.20	Wash, 10 lks. wide, 1 ft. deep, drains N. 70° E.
16.70	Wash, 50 lks. wide, 2 ft. deep, drains N. 35° E.
39.98	Point for the $\frac{1}{4}$ sec. cor. of secs. 3 and 10.
	Set the iron post 20 ins. in the ground, brass cap mkd.
	T4S R2W $\frac{1}{4} \frac{S\ 3}{S10}$ 1970
	Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.
47.60	Wash, 20 lks. wide, 2 ft. deep, drains N. 30° E.
65.60	Wash, 20 lks. wide, 1 ft. deep, drains N. 15° E.
79.96	The cor. of secs. 3, 4, 9 and 10.
	Land, nearly level. Soil, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.
	N. 0°13' E., bet. secs. 3 and 4.
	Over nearly level land.
21.00	Wash, 10 lks. wide, 1 ft. deep, drains NE.
31.30	Wash, 15 lks. wide, 2 ft. deep, drains NE.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 3 and 4.

Survey, Subdivisional Lines,
Township 4 South, Range 2 West

CHAINS		
	<p>Set the iron post 25 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T4S R2W $\frac{1}{4}$ S 4 S 3 1970</p> <p>Set a wooden post, 2 ft. long, 3 ins. diam., alongside the iron post.</p>	
51.20	Fence, 4 strand barbed wire, bears N. 70° E. and S. 70° W.	
56.00	Wash, 30 lks. wide, 2 ft. deep, drains irregularly N. 30° E.	
80.74	<p>The cor. of secs. 3, 4, 33 and 34, on the N. bdy. of the Tp., monumented by an iron post, 3 ins. diam., firmly set, projecting 10 ins. above ground, brass cap mkd.</p> <p style="text-align: center;">T3S R2W S33 S34 S 4 S 3 T4S 1916</p> <p>from which the orig. bearing tree:</p> <p style="text-align: center;">An ironwood, 14 ins. diam., bears N. 40$\frac{3}{4}$° W., 137 lks. dist., mkd. T3SR2WS33BT.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>	
	<p>From the cor. of secs. 4, 5, 32 and 33, on the S. bdy. of the Tp.</p> <p>N. 0°02' W., bet. secs. 32 and 33.</p> <p>Over mountainous land (Maricopa Mountains).</p>	
4.60	Spur, slopes SW.	
30.50	Ridge, bears NE. and SE.	
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 32 and 33.</p> <p>Set the iron post 4 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T4S R2W $\frac{1}{4}$ S32 S33 1970</p>	
79.50	Jeep trail, probable Butterfield Stage Line Route, bears N. 65° E. and S. 65° W. and wash, 30 lks. wide, 2 ft. deep, drains S. 65° W.	
80.00	Point for the cor. of secs. 28, 29, 32 and 33.	

Survey, Subdivisional Lines,
Township 4 South, Range 2 West

CHAINS	
	<p>Set the iron post 25 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T4S R2W S29 S28 S32 S33 1970</p> <p>Set a wooden post, 4 ft. long, 3 ins. diam., alongside the iron post.</p> <p>Land, mountainous. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>From the cor. of secs. 27, 28, 33 and 34.</p> <p>West, bet. secs. 28 and 33.</p> <p>Over mountainous land, (Maricopa Mountains).</p>
26.40	Spur, slopes NW.
39.98	Point for the 1/4 sec. cor. of secs. 28 and 33.
	<p>Set the iron post 15 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T4S R2W 1/4 S 28 S 33 1970</p>
48.00	Wash, 10 lks. wide, 2 ft. deep, drains N. 5° W.
74.00	Wash, 40 lks. wide, 2 ft. deep, drains S. 55° W., and jeep trail bears N. 55° E. and S. 55° W.
79.96	The cor. of secs. 28, 29, 32 and 33.
	<p>Land, mountainous. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>N. 0°02' W., bet. secs. 28 and 29.</p> <p>Over mountainous land, (Maricopa Mountains).</p>
23.90	Spur, slopes SE.
40.00	Point for the 1/4 sec. cor. of secs. 28 and 29.
	<p>Set the iron post 15 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T4S R2W 1/4 S29 S28 1970</p>

Survey, Subdivisional Lines,
Township 4 South, Range 2 West

CHAINS	
61.00	Draw, drains SW.
78.60	Ridge, bears S. 80° E. and N. 80° W.
80.00	Point for the cor. of secs. 20, 21, 28 and 29.
	Set the iron post 4 ins. in the ground, mound of stone to top, brass cap mkd.
	T4S R2W $\frac{S20}{S29} \frac{S21}{S28}$ 1970
	Land, mountainous. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.
	From the cor. of secs. 21, 22, 27 and 28.
	N. 89°55' W., bet. secs. 21 and 28.
	Over nearly level land.
11.00	Wash, 10 lks. wide, 3 ft. deep, drains N. 60° E.
22.00	Enter mountainous land, (Maricopa Mountains).
39.97	Point for the $\frac{1}{4}$ sec. cor. of secs. 21 and 28.
	Set the iron post 4 ins. in the ground, mound of stone to top, brass cap mkd.
	T4S R2W $\frac{1}{4} \frac{S 21}{S 28}$ 1970
41.60	Spur, slopes NE.
79.94	The cor. of secs. 20, 21, 28 and 29.
	Land, nearly level to mountainous. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.
	N. 0°02' W., bet. secs. 20 and 21.
	Over mountainous land, (Maricopa Mountains).
14.20	Wash, 60 lks. wide, 6 ft. deep, drains E. Enter gently rolling land.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 20 and 21.
	Set the iron post 25 ins. in the ground, brass cap mkd.
	T4S R2W $\frac{1}{4} \frac{S20}{S21}$ 1970

Survey, Subdivisional Lines,
Township 4 South, Range 2 West

CHAINS	
	<p>Set a wooden post, 6 ft. long, 6 ins. diam., alongside the iron post.</p>
64.00	Wash, 40 lks. wide, 2 ft. deep, drains N. 75° E.
78.20	Wash, 25 lks. wide, 1 ft. deep, drains N. 80° E.
80.00	Point for the cor. of secs. 16, 17, 20 and 21.
	<p>Set the iron post 25 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;"> T4S R2W S17 S16 S20 S21 1970 </p>
	<p>Set a wooden post, 5 ft. long, 3 ins. diam., alongside the iron post.</p> <p>Land, mountainous to gently rolling. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>From the cor. of secs. 15, 16, 20 and 22.</p> <p>N. 89°59' W., bet. secs. 16 and 21.</p> <p>Over nearly level land.</p>
12.70	Wash, 30 lks. wide, 1 ft. deep, drains NE.
15.00	Wash, 50 lks. wide, 1 ft. deep, drains NE.
39.40	Enter wash, 20 lks. wide, 1 ft. deep, drains N. 85° E. from the W.
39.96	True point for the ¼ sec. cor. of secs. 16 and 21, falls in wash, impractical to monument.
41.00	Leave wash, 20 lks. wide, 1 ft. deep, drains E. from N. 85° W.
41.66	Point selected for the witness ¼ sec. cor. of secs. 16 and 21.
	<p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;"> T4S R2W WC ¼ S 16 → S 21 1970 </p>
	<p>Set a wooden post, 4 ft. long, 4 ins. diam., alongside the iron post.</p>
79.92	<p>The cor. of secs. 16, 17, 20 and 21.</p> <p>Land, nearly level. Soil, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>

Survey, Subdivisional Lines,
Township 4 South, Range 2 West

CHAINS	
	<p>N. 0°02' W., bet. secs. 16 and 17.</p> <p>Over gently rolling land.</p>
10.40	Wash, 50 lks. wide, 1 ft. deep, drains E.
21.20	Wash, 20 lks. wide, 1 ft. deep, drains S. 50° E.
40.00	<p>Point for the ¼ sec. cor. of secs. 16 and 17.</p> <p>Set the iron post 25 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T4S R2W ¼ S17 S16 1970</p> <p>from which</p> <p style="text-align: center;">SE. cor. of an Arizona Game and Fish water catchment, bears N. 57°53' W., 15.73 chs. dist.</p> <p>Set a wooden post, 4 ft. long, 3 ins. diam., alongside the iron post.</p>
42.30	Jeep trail, bears E. and W.
66.00	Enter Maricopa Mountains, bears N. 70° E. and S. 70° W.
80.00	<p>Point for the cor. of secs. 8, 9, 16 and 17.</p> <p>Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T4S R2W S 8 S 9 S17 S16 1970</p> <p>Land, gently rolling to mountainous. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>From the cor. of secs. 9, 10, 15 and 16.</p> <p>N. 89°59' W., bet. secs. 9 and 16.</p> <p>Over rolling land.</p>
17.00	Wash, 20 lks. wide, 2 ft. deep, drains NE.
36.00	Enter Maricopa Mountains, bears N. 70° E. and S. 70° W.
39.96	<p>Point for the ¼ sec. cor. of secs. 9 and 16.</p> <p>Set the iron post 4 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T4S R2W ¼ S 9 S16 1970</p>

Survey, Subdivisional Lines
Township 4 South, Range 2 West

CHAINS	
62.60	Saddle in spur, bears SE. and NW.
79.92	<p>The cor. of secs. 8, 9, 16 and 17.</p> <p>Land, rolling to mountainous. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>N. 0°02' W., bet. secs. 8 and 9.</p> <p>Over mountainous land, (Maricopa Mountains).</p>
2.50	Spur, slopes E.
19.80	Leave Maricopa Mountains, bears S. 70° E. and N. 70° W.; enter rolling land.
40.00	<p>Point for the ½ sec. cor. of secs. 8 and 9.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T4S R2W ½ S 8 S 9 1970</p>
	Raise a mound of stone W. of the iron post.
62.00	Wash, 50 lks. wide, with 5 ft. banks, drains S. 80° E.
80.00	<p>Point for the cor. of secs. 4, 5, 8 and 9.</p> <p>Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T4S R2W S 5 S 4 S 8 S 9 1970</p>
	<p>Land, mountainous to rolling. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	From the cor. of secs. 3, 4, 9 and 10.
	S. 89°58' W., bet. secs. 4 and 9.
	Over gently rolling land.
34.80	Wash, 20 lks. wide, 2 ft. deep, drains N. 20° E.
39.90	Wash, 10 lks. wide, 1 ft. deep, drains N. 10° E.
39.95	True point for the ½ sec. cor. of secs. 4 and 9, falls in wash; impractical to monument.
40.15	Point selected for the witness ½ sec. cor. of secs. 4 and 9.

Survey, Subdivisional Lines
Township 4 South, Range 2 West

CHAINS	
<p>47.30</p> <p>79.90</p>	<p>Set the iron post 26 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T4S R2W WC ¼ $\frac{S\ 4}{S\ 9}$ → 1970</p> <p>Raise a mound of stone N. of the cor.</p> <p>Wash, 15 lks. wide, 1 ft. deep, drains NE.</p> <p>The cor. of secs. 4, 5, 8 and 9.</p> <p>Land, gently rolling to rolling. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
<p>7.80</p> <p>40.00</p> <p>45.10</p> <p>47.40</p> <p>80.92</p>	<p>N. 0°07' E., bet. secs. 4 and 5.</p> <p>Over rolling land.</p> <p>Enter gently rolling land.</p> <p>Point for the ¼ sec. cor. of secs. 4 and 5.</p> <p>Set the iron post 25 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T4S R2W ½ S 5 S 4 1970</p> <p>Set a wooden post, 4 ft. long, 3 ins. diam., alongside the iron post.</p> <p>Wash, 50 lks. wide, 1 ft. deep, drains NE.</p> <p>Fence, 4 strand barbed wire, bears S. 70° E. and N. 70° W.</p> <p>The cor. of secs. 4, 5, 32 and 33, on the N. bdy. of the Tp., monumented by an iron post, 3 ins. diam., firmly set, projecting 6 ins. above ground, brass cap mkd.</p>
<p>6.80</p>	<p style="text-align: center;">T3S R2W S32 S33 S 5 S 4 T4S 1916</p> <p>Land, rolling to gently rolling. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p> <hr/> <p>From the cor. of secs. 5, 6, 31 and 32, on the S. bdy. of the Tp.</p> <p>N. 0°03' W., bet. secs. 31 and 32.</p> <p>Over gently rolling land.</p> <p>Wash, 30 lks. wide, 1 ft. deep, drains S. 75° W.</p>

Survey, Subdivisional Lines,
Township 4 South, Range 2 West

CHAINS	
13.20	Wash, 30 lks. wide, 2 ft. deep, drains S. 70° W.
23.70	Jeep trail, probable Butterfield Stage Line Route, bears N. 80° E. and S. 80° W.
25.70	Wash, 100 lks. wide, 2 ft. deep, drains S. 85° W.
29.20	Enter Maricopa Mountains, bears N. 70° E. and S. 70° W., asc. abrupt S. slope.
39.90	Point selected for the witness $\frac{1}{4}$ sec. cor. of secs. 31 and 32. Set the iron post 4 ins. in the ground, mound of stone to top, brass cap mkd. <div style="text-align: center;"> T4S R2W $\frac{1}{4}$ S31 ↑ S32 W C 1970 </div>
40.00	True point for the $\frac{1}{4}$ sec. cor. of secs. 31 and 32, falls on boulder; impracticable to monument.
57.00	Draw, drains W.
80.00	True point for the cor. of secs. 29, 30, 31 and 32, falls on side of boulder; impracticable to monument. from which The witness cor. of secs. 29, 30, 31 and 32, bears N. 0°03' W., 5 lks. dist., hereinafter described. Land, gently rolling to mountainous. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.
	From the cor. of secs. 28, 29, 32 and 33. N. 89°59' W., bet. secs. 29 and 32. Over gently rolling land.
3.20	Wash, 40 lks. wide, 1 ft. deep, drains S.
14.20	Wash, 30 lks. wide, 1 ft. deep, drains S.; enter Maricopa Mountains, bears S. 10° E. and N. 10° W., asc. abrupt E. slope.
40.02	Point for the $\frac{1}{4}$ sec. cor. of secs. 29 and 32. Set the iron post 16 ins. in the ground, mound of stone to top, brass cap mkd. <div style="text-align: center;"> T4S R2W $\frac{1}{4}$ $\frac{S\ 29}{S\ 32}$ 1970 </div>

Survey, Subdivisional Lines,
Township 4 South, Range 2 West

CHAINS	
80.04	<p>True point for the cor. of secs. 29, 30, 31 and 32.</p> <p>Land, gently rolling to mountainous. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>N. 89°57' W., bet. secs. 30 and 31.</p> <p>Over mountainous land, (Maricopa Mountains).</p>
4.50	Draw, drains S. 5° W.
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 30 and 31.</p> <p>Set the iron post over a + chiseled in solid rock, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T4S R2W $\frac{1}{4}$ $\frac{S\ 30}{S\ 31}$ 1970</p>
79.10	Spur, slopes S. 40° W.
79.71	<p>The cor. of secs. 25, 30, 31 and 36, on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone on top of bedrock, brass cap mkd.</p> <p style="text-align: center;">T4S R3W R2W $\frac{S25\ S30}{S36\ S31}$ 1938</p> <p>Land, mountainous. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>From the true point for the cor. of secs. 29, 30, 31 and 32.</p> <p>N. 0°03' W., bet. secs. 29 and 30.</p> <p>Over mountainous land.</p>
0.05	<p>Point selected for the witness cor. of secs. 29, 30, 31 and 32.</p> <p>Set the iron post 18 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T4S R2W W C $\frac{S30\ S29}{S31\ S32}$ 1970</p>
37.70	Wash, 20 lks. wide, 2 ft. deep, drains S. 70° E.

Survey, Subdivisional Lines
Township 4 South, Range 2 West

CHAINS	
39.60	Wash, 20 lks. wide, 2 ft. deep, drains S. 30° W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 29 and 30. Set the iron post 22 ins. in the ground, brass cap mkd. T4S R2W $\frac{1}{4}$ S30 S29 1970
80.00	Point for the cor. of secs. 19, 20, 29 and 30. Set the iron post 4 ins. in the ground, mound of stone to top, brass cap mkd. T4S R2W S19 S20 S30 S29 1970 Land, mountainous. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.
	From the cor. of secs. 20, 21, 28 and 29. West, bet. secs. 20 and 29. Over mountainous land, (Maricopa Mountains).
16.80	Draw, drains N. 10° W.
40.03	Point for the $\frac{1}{4}$ sec. cor. of secs. 20 and 29. Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd. T4S R2W $\frac{1}{4}$ $\frac{S 20}{S 29}$ 1970
80.06	The cor. of secs. 19, 20, 29 and 30. Land, mountainous. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.
	N. 89°53' W., bet. secs. 19 and 30. Over mountainous land, (Maricopa Mountains).
8.60	Draw, drains S. 75° W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 19 and 30. Set the iron post 4 ins. in the ground, mound of stone to top, brass cap mkd. T4S R2W $\frac{1}{4}$ $\frac{S 19}{S 30}$ 1970

Survey, Subdivisional Lines
Township 4 South, Range 2 West

CHAINS	
79.68	<p>The cor. of secs. 19, 24, 25 and 30, on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone on top of bedrock, brass cap mkd.</p> <p style="text-align: center;">T4S R3W R2W <u>S24 S19</u> <u>S25 S30</u> 1938</p> <p>Land, mountainous. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>From the cor. of secs. 19, 20, 29 and 30.</p> <p>N. 0°03' W., bet. secs. 19 and 20.</p> <p>Over mountainous land, (Maricopa Mountains).</p>
4.20	<p>Draw, drains S. 50° W.</p>
37.80	<p>Draw, drains W. curving to the NW.</p>
40.00	<p>Point for the $\frac{1}{2}$ sec. cor. of secs. 19 and 20.</p> <p>Set the iron post 4 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T4S R2W $\frac{1}{2}$ <u>S19 S20</u> 1970</p>
51.90	<p>Draw, drains W.</p>
80.00	<p>Point for the cor. of secs. 17, 18, 19 and 20.</p> <p>Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T4S R2W <u>S18 S17</u> <u>S19 S20</u> 1970</p> <p>Land, mountainous. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>From the cor. of secs. 16, 17, 20 and 21.</p> <p>S. 89°58' W., bet. secs. 17 and 20.</p> <p>Over gently rolling land.</p>
18.20	<p>Wash, 30 lks. wide, 1 ft. deep, drains S. 20° E.</p>

Survey, Subdivisional Lines,
Township 4 South, Range 2 West

CHAINS		
39.60	Wash, 20 lks. wide, 1 ft. deep, drains N. 60° E.	
40.00	Point for the ¼ sec. cor. of secs. 17 and 20.	
	Set the iron post 26 ins. in the ground, brass cap mkd.	
	<p style="text-align: center;">T4S R2W $\frac{1}{4}$ $\frac{S 17}{S 20}$ 1970</p>	
	Set a wooden post, 5 ft. long, 3 ins. diam., alongside the iron post.	
41.30	Wash, 20 lks. wide, 1 ft. deep, drains S. 70° E.	
69.20	Enter Maricopa Mountains, bears N. and S.	
79.50	Ridge, bears S. 10° E. and N. 10° W.	
80.00	The cor. of secs. 17, 18, 19 and 20.	
	Land, gently rolling to mountainous.	
	Soil, rocky, sandy loam.	
	Timber, scattered mesquite, ironwood and palo verde.	
	Undergrowth, creosote bush and cacti.	
	N. 89°55' W., bet. secs. 18 and 19.	
	Over mountainous land, (Maricopa Mountains).	
40.00	Point for the ¼ sec. cor. of secs. 18 and 19.	
	Set the iron post 4 ins. in the ground, mound of stone to top, brass cap mkd.	
	<p style="text-align: center;">T4S R2W $\frac{1}{4}$ $\frac{S 18}{S 19}$ 1970</p>	
79.56	The cor. of secs. 13, 18, 19 and 24, on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone, projecting 30 ins. above ground, brass cap mkd.	
	<p style="text-align: center;">T4S R3W R2W $\frac{S13}{S24}$ $\frac{S18}{S19}$ 1938</p>	
	Land, mountainous.	
	Soil, rocky, sandy loam.	
	Timber, scattered mesquite, ironwood and palo verde.	
	Undergrowth, creosote bush and cacti.	
	From the cor. of secs. 17, 18, 19 and 20.	

Survey, Subdivisional Lines,
Township 4 South, Range 2 West

CHAINS	
	N. 0°03' W., bet. secs. 17 and 18. Over mountainous land, (Maricopa Mountains).
1.10	Ridge, bears S. 10° E. and N. 10° W.
28.20	Leave Maricopa Mountains, bears S. 30° E. and N. 30° W.; enter rolling land.
35.20	Wash, 20 lks. wide, 2 ft. deep, drains S. 70° E.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 17 and 18. Set the iron post 20 ins. in the ground, collar of stone to top, brass cap mkd. <div style="text-align: center;"> T4S R2W $\frac{1}{4}$ S18 S17 1970 </div>
42.50	Enter Maricopa Mountains, bears NE. and SW.
57.00	Spur, slopes S. 80° E.
69.00	Leave Maricopa Mountains, bears S. 70° E. and N. 70° W., enter rolling land.
77.30	Wash, 40 lks. wide, 2 ft. deep, drains S. 80° E.
80.00	Point for the cor. of secs. 7, 8, 17 and 18. Set the iron post 20 ins. in the ground, collar of stone to top, brass cap mkd. <div style="text-align: center;"> T4S R2W S 7 S 8 S18 S17 1970 </div> <p>Land, mountainous to rolling. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	From the cor. of secs. 8, 9, 16 and 17. S. 89°58' W., bet. secs. 8 and 17. Over mountainous land, (Maricopa Mountains).
2.00	Spur, slopes SW.
40.04	Point for the $\frac{1}{4}$ sec. cor. of secs. 8 and 17, falls in draw draining S., where a monument would be in an unsafe position. Leave Maricopa Mountains, bears SE. and NW., enter rolling land.
40.34	Point selected for the witness $\frac{1}{4}$ sec. cor. of secs. 8 and 17.

Survey, Subdivisional Lines,
Township 4 South, Range 2 West

CHAINS	
	Set the iron post 25 ins. in the ground, brass cap mkd.
	$\begin{array}{c} \text{T4S R2W} \\ \text{WC } \frac{1}{4} \frac{\text{S } 8}{\text{S17}} \rightarrow \\ 1970 \end{array}$
	Raise a mound of stone N. of the iron post.
72.00	Wash, 20 lks. wide, with 5 ft. banks, drains S. 20° W.
80.08	The cor. of secs. 7, 8, 17 and 18.
	Land, mountainous to rolling. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.
	N. 89°54' W., bet. secs. 7 and 18.
	Over rolling land.
6.80	Wash, 40 lks. wide, 2 ft. deep, drains S. 40° E.
31.60	Enter Maricopa Mountains, bears S. 20° E. and N. 20° W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 7 and 18.
	Set the iron post 4 ins. in the ground, mound of stone to top, brass cap mkd.
	$\begin{array}{c} \text{T4S R2W} \\ \frac{1}{4} \frac{\text{S } 7}{\text{S18}} \\ 1970 \end{array}$
79.38	The cor. of secs. 7, 12, 13 and 18, on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone, on top of bedrock, brass cap mkd.
	$\begin{array}{c} \text{T4S} \\ \text{R3W R2W} \\ \frac{\text{S12} \text{S } 7}{\text{S13} \text{S18}} \\ 1938 \end{array}$
	Land, rolling to mountainous. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.
	From the cor. of secs. 7, 8, 17 and 18.
	N. 0°03' W., bet. secs. 7 and 8.
	Over rolling land.
13.20	Wash, 10 lks. wide, with 5 ft. banks, drains SE.
22.70	Wash, 30 lks. wide, 2 ft. deep, drains S. 80° W.

Survey, Subdivisional Lines,
Township 4 South, Range 2 West

CHAINS	
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 7 and 8.</p> <p>Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T4S R2W $\frac{1}{4}$ S 7 S 8 1970</p> <p>47.90 Wash, 20 lks. wide, 2 ft. deep, drains S. 60° W.; asc. steep S. slope.</p> <p>68.90 Wash, 10 lks. wide, 2 ft. deep, drains W.</p> <p>80.00 True point for the cor. of secs. 5, 6, 7 and 8, falls on side of a large boulder.</p> <p>from which</p> <p style="padding-left: 40px;">The witness cor. of secs. 5, 6, 7 and 8, bears N. 0°02' E., 10 lks. dist., hereinafter described.</p> <p>Land, rolling to mountainous. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
40.02	<p>From the cor. of secs. 4, 5, 8 and 9.</p> <p>N. 89°58' W., bet. secs. 5 and 8.</p> <p>Over mountainous land, (Maricopa Mountains).</p> <p>Point for the $\frac{1}{4}$ sec. cor. of secs. 5 and 8.</p> <p>Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T4S R2W $\frac{1}{4}$ $\frac{S 5}{S 8}$ 1970</p> <p>80.04 True point for the cor. of secs. 5, 6, 7 and 8.</p> <p>Land, mountainous. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
40.00	<p>West, bet. secs. 6 and 7.</p> <p>Over mountainous land, (Maricopa Mountains).</p> <p>Point for the $\frac{1}{4}$ sec. cor. of secs. 6 and 7.</p> <p>Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.</p>

Survey, Subdivisional Lines,
Township 4 South, Range 2 West

CHAINS		
	<p style="text-align: center;">T4S R2W $\frac{1}{4}$ $\frac{S\ 6}{S\ 7}$ 1970</p>	
47.60	Ridge, bears N. 20° E. and S. 20° W.	
79.21	The cor. of secs. 1, 6, 7 and 12, on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone, projecting 28 ins. above ground, brass cap mkd.	
	<p style="text-align: center;">T4S R3W R2W $\frac{S\ 1}{S12} \frac{S\ 6}{S\ 7}$ 1938</p> <p>Land, mountainous. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>	
	<p>From the true point for the cor. of secs. 5, 6, 7 and 8. N. 0°02' E., bet. secs. 5 and 6. Over mountainous land, (Maricopa Mountains).</p>	
0.10	<p>Point selected for the witness cor. of secs. 5, 6, 7 and 8. Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.</p>	
	<p style="text-align: center;">T4S R2W W C $\frac{S\ 6}{S\ 7} \frac{S\ 5}{S\ 8}$ 1970</p>	
12.60	Ridge, bears E. and W.	
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 5 and 6. Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.</p>	
	<p style="text-align: center;">T4S R2W $\frac{1}{4}$ $\frac{S\ 6}{S\ 7} \frac{S\ 5}{S\ 8}$ 1970</p>	
81.28	The cor. of secs. 5, 6, 31 and 32, on the N. bdy. of the Tp., monumented by an iron post, 3 ins. diam., firmly set projecting 6 ins. above ground, mound of stone to W., brass cap mkd.	
	<p style="text-align: center;">T3S R2W $\frac{S31}{S\ 6} \frac{S32}{S\ 5}$ T4S 1916</p>	

Survey, Subdivisional Lines,
Township 4 South, Range 2 West

<p>CHAINS</p>	<p>Land, mountainous to rolling. Soil, rocky, sandy loam. Timber, scattered mesquite, ironwood and palo verde. Undergrowth, creosote bush and cacti.</p>
	<p>General Description</p>
	<p>The area encompassed by this survey is nearly level to mountainous. Elevations range from 1317 feet to 2811 feet above sea level. The soil is mostly sandy to rocky loam. Vegetation consists of creosote bush, bunchgrass, mesquite and several varieties of cacti.</p> <p>The probable old Butterfield Stage Line Route was noticeable in places in the southern portion of the township.</p> <p>There is no one living within the surveyed area. The only life encountered were a few big horn sheep and deer, gila monsters, jack rabbits and an over abundance of rattlesnakes.</p> <p>There is no evidence of mineral activity in the area.</p>

44

CERTIFICATE OF SURVEY

(I) ~~(WE)~~, Louis D. Gilbert, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 20th day of January, 1970, (I) ~~(WE)~~ have surveyed the south boundary and subdivisional lines of Township 4 South, Range 2 West,

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by (me), ~~(US)~~ and under (my) ~~(US)~~ direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

November 5, 1970
(Date)

Louis D. Gilbert
(Cadastral Surveyor)

(Date)

(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

SUBMITTED FOR APPROVAL
Date FEB 22 1973

BUREAU OF LAND MANAGEMENT
Washington, D.C.

The foregoing field notes of the survey of the south boundary and subdivisional lines of Township 4 South, Range 2 West, of the Gila and Salt River Meridian, Arizona,

executed by Louis D. Gilbert

having been critically examined and found correct, are hereby approved.

MAY 29 1973
(Date)

Clark F. Humm
(Chief, Division of Cadastral Survey)

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of the field notes of the above-described surveys in _____, is a true copy of the original field notes.

(Date)

(Chief, Division of Cadastral Survey) GPO 849-626