

Form 9180-6
(April 1965)
(formerly 4-679)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

SURVEY

of the

EAST BOUNDARY

and

SUBDIVISIONAL LINES

of

TOWNSHIP 5 SOUTH, RANGE 2 WEST

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Louis D. Gilbert

Cadastral Surveyor

Under special instructions dated January 20, 19 70, which provided for the surveys
included under Group Number 520, approved January 20, 1970,
and assignment instructions dated February 6, 19 70.

Survey commenced April 9, 19 70

Survey completed June 2, 19 70

BOOK 4975

INDEX DIAGRAM

Township 5 South, Range 2 West,

6 43	44 5 43	33 4 32	26 3 25	19 2 19	12 1 12	5
7 41	42 8 40	31 9 31	25 10 24	18 11 18	11 12 10	4
18 39	39 17 38	30 16 29	23 15 23	17 14 16	9 13 9	3
19 37	37 20 36	29 21 28	22 22 22	15 23 15	8 24 8	3
30 35	35 29 34	28 28 27	21 27 21	14 26 14	7 25 6	2
31	33 32	26 33	20 34	13 35	6 36	1

Township 5 South, Range 2 West
Gila and Salt River Meridian, Arizona

CHAINS

A portion of the north boundary was surveyed in 1871 by S. W. Foreman; however, there is no plat of this Foreman survey and no areas were ever created in this township based on the Foreman surveys. The south boundary (the 1st Standard Parallel South) and the west boundary were surveyed in 1938 by H. M. Muscott. The north boundary was concurrently surveyed under this same Group No. by Louis D. Gilbert. The field notes are included in Township 4 South, Range 2 West.

The following field notes are those of the survey of the east boundary and the subdivisional lines of Township 5 South, Range 2 West, Gila and Salt River Meridian, Arizona.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1947, and the Special Instructions dated January 20, 1970.

The direction of all lines were determined by solar observation and all lines refer to the true meridian. Only the true bearings and horizontal distances for the surveyed lines are given in these notes. Unless described, each corner was monumented with a standard iron post, 30 inches long, 2½ inches in diameter, flanged at the base, with a brass cap riveted to the top.

The geographic position of the southeast corner of the township, as determined by traverse from USC&GS triangulation station Ocapos, located in the southeast portion of section 18 is: Latitude, 32°56'31.2" North and Longitude, 112°24'31.8" West.

The mean magnetic declination was found to be 14½° East.

Survey of the East Boundary
Township 5 South, Range 2 West

Beginning at the Stan. cor. of secs. 31 and 36, Tp. 5 S., Rs. 1 and 2 W., monumented by an iron post, 3 ins. diam., firmly set, projecting 10 ins. above the ground, brass cap mkd.

SC
T5S
R2W | R1W
S36 | S31
1938

from which the original bearing trees:

An ironwood, 7 ins. diam., bears N. 75¼° E.,
222 lks. dist.; mkd. T5SR1WS31SCBT.

An ironwood, 6 ins. diam., bears N. 38¾° W.,
336 lks. dist., mkd. T5SR2WS36SCBT.

N. 0°02' E., bet. secs. 31 and 36.

Over gently rolling land.

25.10

Wash, 30 lks. wide, 2 ft. deep, drains S. 75° W.

Survey of the East Boundary
Township 5 South, Range 2 West

CHAINS		
39.50	Wash, 20 lks. wide, 2 ft. deep, drains SW.	
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 31 and 36.	
	Set the iron post 20 ins. in the ground, collar of stone to top, brass cap mkd.	
	<p style="text-align: center;">T5S R2W R1W $\frac{1}{4}$ S36 S31 1970</p>	
	Raise a mound of stone W. of the iron post.	
	Enter mountainous land.	
71.70	Ridge, bears E. and W.; desc. N. slope.	
80.00	Point for the cor. of secs. 25, 30, 31 and 36.	
	Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.	
	<p style="text-align: center;">T5S R2W R1W S25 S30 S36 S31 1970</p>	
	Land, gently rolling to mountainous.	
	Soil, rocky, sandy loam.	
	Timber, palo verde and ironwood.	
	Undergrowth, creosote bush and cacti.	
	N. 0°02' E., bet. secs. 25 and 30.	
	Over mountainous land.	
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 25 and 30.	
	Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.	
	<p style="text-align: center;">T5S R2W R1W $\frac{1}{4}$ S25 S30 1970</p>	
70.00	Enter gently rolling land.	
80.00	Point for the cor. of secs. 19, 24, 25 and 30.	
	Set the iron post 20 ins. in the ground, collar of stone to top, brass cap mkd.	

Survey of the East Boundary
Township 5 South, Range 2 West

CHAINS	
	<p style="text-align: center;">T5S R2W R1W <u>S24</u> <u>S19</u> <u>S25</u> <u>S30</u> 1970</p> <p>Land, mountainous to gently rolling. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	<p>N. 0°02' E., bet. secs. 19 and 24.</p> <p>Over gently rolling land.</p>
20.20	Wash, 30 lks. wide, 2 ft. deep, drains N. 20° E.
40.00	Point for the ¼ sec. cor. of secs. 19 and 24.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R2W R1W ½ <u>S24</u> <u>S19</u> 1970</p> <p>Raise a mound of stone W. of the iron post.</p>
45.00	Wash, 20 lks. wide, 2 ft. deep, drains N. 20° W.
68.60	Wash, 15 lks. wide, 2 ft. deep, drains N. 10° W.
80.00	Point for the cor. of secs. 13, 18, 19 and 24.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R2W R1W <u>S13</u> <u>S18</u> <u>S24</u> <u>S19</u> 1970</p> <p>Raise a mound of stone W. of the iron post.</p> <p>Land, gently rolling to nearly level. Soil, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	<p>N. 0°02' E., bet. secs. 13 and 18.</p> <p>Over nearly level land.</p>
25.70	Track road, bears S. 75° E. and N. 75° W.

Survey of the East Boundary
Township 5 South, Range 2 West

CHAINS	
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 13 and 18.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R2W R1W $\frac{1}{4}$ S13 S18 1970</p> <p>Raise a mound of stone W. of the iron post.</p>
43.40	<p>Wash, 20 lks. wide, 2 ft. deep, drains NW.</p>
80.00	<p>Point for the cor. of secs. 7, 12, 13 and 18.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R2W R1W S12 S 7 S13 S18 1970</p> <p>Raise a mound of stone W. of the iron post.</p> <p>Land, nearly level. Soil, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	<p>N. $0^{\circ}02'$ E., bet. secs. 7 and 12.</p>
	<p>Over nearly level land.</p>
24.80	<p>Track road, bears N. $58^{\circ}13'$ E. and S. $58^{\circ}13'$ W.</p>
25.05	<p>Telephone line, bears N. $58^{\circ}13'$ E. and S. $58^{\circ}13'$ W.</p>
25.10	<p>R-0-W fence, bears N. $58^{\circ}13'$ E. and S. $58^{\circ}13'$ W.</p>
25.30	<p>Telephone line, bears N. $58^{\circ}13'$ E. and S. $58^{\circ}13'$ W.</p>
26.90	<p>Southern Pacific Railroad track, bears N. $58^{\circ}13'$ E. and S. $58^{\circ}13'$ W.</p>
27.20	<p>Southern Pacific Railroad track, bears N. $58^{\circ}13'$ E. and S. $58^{\circ}13'$ W.</p>
27.70	<p>Telephone line, bears N. $58^{\circ}13'$ E. and S. $58^{\circ}13'$ W.</p>
28.00	<p>Track road, parallels the railroad track.</p>
28.80	<p>R-0-W fence, parallels the railroad track.</p>
38.20	<p>Bladed road (Gila Bend-Maricopa), bears N. $72\frac{3}{4}^{\circ}$ E. and S. $72\frac{3}{4}^{\circ}$ W.</p>
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 7 and 12.</p>

Survey of the East Boundary
Township 5 South, Range 2 West

CHAINS	
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R2W R1W $\frac{1}{4}$ S12 S 7 1970</p>
	Raise a mound of stone W. of the iron post.
48.00	Wash, 50 lks. wide, 3 ft. deep, drains N. 75° E.
80.00	Point for the cor. of secs. 1, 6, 7 and 12.
	Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.
	<p style="text-align: center;">T5S R2W R1W <u>S 1 S 6</u> S12 S 7 1970</p>
	Land, nearly level.
	Soil, sandy loam.
	Timber, palo verde and ironwood.
	Undergrowth, creosote bush and cacti.
	N. 0°02' E., bet. secs. 1 and 6.
	Over nearly level land.
11.50	Wash, 10 lks. wide, 2 ft. deep, drains S. 75° E.
25.20	Wash, 15 lks. wide, 2 ft. deep, drains N. 80° E.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 6.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R2W R1W $\frac{1}{4}$ S 1 S 6 1970</p>
	Raise a mound of stone W. of the iron post.
40.40	Wash, 10 lks. wide, 2 ft. deep, drains E.
70.00	Wash, 10 lks. wide, 2 ft. deep, drains N. 75° E.
80.00	The cor. of Tps. 4 and 5 S., Rs. 1 and 2 W., monumented by an iron post, 3 ins. diam., firmly set, projecting 8 ins. above ground, brass cap mkd.
	<p style="text-align: center;">T4S R2W R1W <u>S36 S31</u> S 1 S 6 T5S 1916</p>
	Land, nearly level.
	Soil, sandy loam.
	Timber, palo verde and ironwood.
	Undergrowth, creosote bush and cacti.

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
	<p>From the Stan. cor. of secs. 35 and 36 on the S. bdy. of the Tp., monumented by an iron post, 2 ins. in diam., firmly set in a mound of stone, brass cap mkd.</p> <p style="text-align: center;">SC T5S R2W <u>S35 S36</u> 1938</p> <p>There is no remaining evidence of the original bearing trees.</p> <p>N. 0°01' E., bet. secs. 35 and 36.</p> <p>Over mountainous land.</p>
10.30	Ridge, bears SE. and NW.
18.00	Wash, 10 lks. wide, 1 ft. deep, drains SE.
25.00	Ridge, bears E. and W.
30.00	Ravine, drains W.
40.00	Point for the ¼ sec. cor. of secs. 35 and 36.
	<p>Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R2W ¼ <u>S35 S36</u> 1970</p>
40.90	Ridge, bears E. and W.
46.00	Ravine, drains N. 75° W.
80.00	Point for the cor. of secs. 25, 26, 35 and 36.
	<p>Set the iron post 4 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R2W <u>S26 S25</u> <u>S35 S36</u> 1970</p> <p>Land, mountainous. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
1.40	<p>From the cor. of secs. 25, 30, 31 and 36 on the E. bdy. of the Tp.</p> <p>N. 89°59' W., bet. secs. 25 and 36.</p> <p>Over mountainous land.</p> <p>Spur, slopes N.</p>

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
11.70	Draw, drains N.
34.00	Draw, drains N.
40.03	Point for the $\frac{1}{4}$ sec. cor. of secs. 25 and 36.
	Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.
	T5S R2W $\frac{1}{4}$ $\frac{S25}{S36}$ 1970
45.10	Draw, drains N.
58.60	Draw, drains N.
76.40	Rocky Knoll.
80.06	The cor. of secs. 25, 26, 35 and 36.
	Land, mountainous. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.
	N. 0°01' E., bet. secs. 25 and 26.
	Over mountainous land.
1.30	Ridge, bears S. 60° E. and NW.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 25 and 26.
	Set the iron post 4 ins. in the ground, mound of stone to top, brass cap mkd.
	T5S R2W $\frac{1}{4}$ S26 S25 1970
62.50	Enter nearly level land.
80.00	Point for the cor. of secs. 23, 24, 25 and 26.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T5S R2W S23 S24 S26 S25 1970
	Raise a mound of stone W. of the iron post.
	Land, mountainous to gently rolling. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
	<p>From the cor. of secs. 19, 24, 25 and 30 on the E. bdy. of the Tp.</p>
	<p>West, bet. secs. 24 and 25.</p>
	<p>Over gently rolling land.</p>
7.00	<p>Wash, 50 lks. wide, 2 ft. deep, drains N.</p>
8.10	<p>Track road, bears N. 10° E. and S. 10° W.</p>
28.20	<p>Wash, 20 lks. wide, 1 ft. deep, drains N.</p>
40.02	<p>Point for the ¼ sec. cor. of secs. 24 and 25.</p>
	<p>Set the iron post 24 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T5S R2W $\frac{1}{4} \frac{S24}{S25}$ 1970</p>
	<p>Raise a mound of stone N. of the iron post.</p>
63.60	<p>Wash, 20 lks. wide, 2 ft. deep, drains N. 10° W.</p>
80.04	<p>The cor. of secs. 23, 24, 25 and 26.</p>
	<p>Land, gently rolling. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	<p>N. 0°01' E., bet. secs. 23 and 24.</p>
	<p>Over nearly level land.</p>
40.00	<p>Point for the ¼ sec. cor. of secs. 23 and 24.</p>
	<p>Set the iron post 24 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T5S R2W $\frac{1}{4}$ S23 S24 1970</p>
	<p>Raise a mound of stone W. of the iron post.</p>
80.00	<p>Point for the cor. of secs. 13, 14, 23 and 24.</p>
	<p>Set the iron post 24 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T5S R2W $\frac{S14}{S23} \frac{S13}{S24}$ 1970</p>
	<p>Raise a mound of stone W. of the iron post.</p>

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
	<p>Land, nearly level. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	<p>From the cor. of secs. 13, 18, 19 and 24 on the E. bdy. of the Tp. N. 89°58' W., bet. secs. 13 and 24. Over nearly level land.</p>
32.30	Track road, bears S. 30° E. and N. 30° W.
38.00	Wash, 10 lks. wide, 1 ft. deep, drains N.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 13 and 24. Set the iron post 24 ins. in the ground, brass cap mkd.
	T5S R2W $\frac{1}{4}$ $\frac{S13}{S24}$ 1970
	Set a wooden post, 5 ft. long, 4 ins. squared, alongside the iron post.
80.00	The cor. of secs. 13, 14, 23 and 24. Land, nearly level. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.
	<p>N. 0°01' E., bet. secs. 13 and 14. Over nearly level land.</p>
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 13 and 14. Set the iron post 24 ins. in the ground, brass cap mkd.
	T5S R2W $\frac{1}{4}$ S14 S13 1970
	Raise a mound of stone W. of the iron post.
43.20	Wash, 15 lks. wide, 1 ft. deep, drains N. 60° W.
54.20	Track road, bears N. 80° E. and S. 80° W.
57.20	Telephone line, bears N. 71 $\frac{3}{4}$ ° E., curving NE., and S. 71 $\frac{3}{4}$ ° W., curving NW.
57.60	R.O.W. fence, bears N. 71 $\frac{3}{4}$ ° E., curving NE., and S. 71 $\frac{3}{4}$ ° W., curving NW.

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
58.45	Telephone line, bears N. $71\frac{3}{4}^{\circ}$ E., curving NE., and S. $71\frac{3}{4}^{\circ}$ W., curving SW.
59.20	Southern Pacific Railroad track, bears N. $71\frac{3}{4}^{\circ}$ E., curving NE., and S. $71\frac{3}{4}^{\circ}$ W., curving SW.
59.50	Track road, parallels the railroad track.
59.90	Telephone line, parallels the railroad track.
60.00	R-0-W fence, parallels the railroad track.
60.80	Bladed road (Gila Bend-Maricopa), parallels the railroad track.
63.80	Dyke, bears E. and W.
80.00	Point for the cor. of secs. 11, 12, 13 and 14.
	Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.
	<p>T5S R2W $\frac{S11}{S14} \frac{S12}{S13}$ 1970</p>
	from which:
	<p>A bench mark, bears S. $43^{\circ}31'$ E., 19.14 chs. dist., monumented by a brass tablet, 3" diam., set in cement, projecting 4" above ground, tablet mkd. G 360 1967, with a steel fence post alongside.</p>
	<p>A bench mark, bears S. $85^{\circ}18'$ E., 12.24 chs. dist., monumented by a brass tablet, 3" diam., set in a boulder, in place, projecting 5'x3'x6" above ground, tablet mkd. Z 362 1967, with steel fence post alongside.</p>
	<p>Land, nearly level. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	<p>From the cor. of secs. 7, 12, 13 and 18 on the E. bdy. of the Tp.</p>
	<p>West, bet. secs. 12 and 13.</p>
	<p>Over nearly level land.</p>
20.90	Wash, 15 lks. wide, 1 ft. deep, drains N. 10° E.
37.00	Track road, bears N. $58\frac{1}{4}^{\circ}$ E. and S. $58\frac{1}{4}^{\circ}$ W.
37.50	Telephone line, bears N. $58\frac{1}{4}^{\circ}$ E. and S. $58\frac{1}{4}^{\circ}$ W.

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
38.90	R-0-W fence, bears S. 30° E. and N. 30° W.
39.99	Point for the ½ sec. cor. of secs. 12 and 13.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T5S R2W ½ $\frac{S12}{S13}$ 1970
	Set a wooden post, 3½ ft. long, 4 ins. squared, alongside the iron post.
40.80	Telephone line, bears N. 58¼° E. and S. 58¼° W.
43.40	Southern Pacific Railroad track, bears N. 58¼° E. and S. 58¼° W.
43.90	Southern Pacific Railroad track, bears N. 58¼° E. and S. 58¼° W.
44.60	Telephone line, parallels the railroad track.
45.00	Track road, parallels the railroad track.
57.20	Fence, parallels the railroad track.
59.70	Graded road (Gila Bend-Maricopa), bears N. 36° E. and S. 36° W.
60.30	Dyke, bears N. 36° E. and S. 36° W.
71.90	Wash, 10 lks. wide, 1 ft. deep, drains SW.
79.98	The cor. of secs. 11, 12, 13 and 14. Land, nearly level. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.
	N. 0°01' E., bet. secs. 11 and 12.
	Over rolling land.
7.50	Top of low knoll.
12.00	Enter nearly level land.
21.40	Wash, 60 lks. wide, 1 ft. deep, drains SE.
25.70	Track road, bears SE. and NW.
40.00	Point for the ½ sec. cor. of secs. 11 and 12.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T5S R2W ½ $\frac{S11}{S12}$ 1970

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS		
	<p>Raise a mound of stone W. of the iron post.</p>	
65.90	Wash, 20 lks. wide, 2 ft. deep, drains E.	
80.00	Point for the cor. of secs. 1, 2, 11 and 12.	
	<p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R2W S 2 S 1 S11 S12 1970</p>	
	<p>Raise a mound of stone W. of the iron post.</p> <p>Land, rolling to nearly level. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>	
	<p>From the cor. of secs. 1, 6, 7 and 12 on the E. bdy. of the Tp.</p> <p>N. 89°59' W., bet. secs. 1 and 12.</p> <p>Over nearly level land.</p>	
23.70	Wash, 20 lks. wide, 2 ft. deep, drains N. 75° E.	
39.30	Jeep trail, bears N. 10° E. and S. 10° W.	
39.99	Point for the ¼ sec. cor. of secs. 1 and 12.	
	<p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R2W ¼ S 1 S12 1970</p>	
79.98	<p>Raise a mound of stone N. of the iron post.</p> <p>The cor. of secs. 1, 2, 11 and 12.</p> <p>Land, nearly level. Soil, rocky, sandy loam. Timber, scattered palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>	
	<p>N. 0°01' W., bet. secs. 1 and 2.</p> <p>Over nearly level land.</p>	
5.00	Wash, 15 lks. wide, 2 ft. deep, drains N. 75° E.	
40.00	Point for the ¼ sec. cor. of secs. 1 and 2.	

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
	<p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R2W S 2 $\frac{1}{4}$ S 1 1970</p> <p>Raise a mound of stone W. of the iron post.</p>
45.50	Wash, 15 lks. wide, 2 ft. deep, drains N. 75° E.
79.96	<p>The cor. of secs. 1, 2, 35 and 36 on the N. bdy. of the Tp., monumented by an iron post as described in the field notes of the survey of the S. bdy. of Tp. 4 South, Range 2 West, concurrently surveyed under this same Group No.</p> <p>Land, nearly level. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	<p>From the Stan. cor. of secs. 34 and 35 on the S. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set, projecting 8 ins. above the ground, brass cap mkd.</p> <p style="text-align: center;">SC T5S R2W <u>S34 S35</u> 1938</p> <p>from which the original bearing trees:</p> <p style="padding-left: 40px;">An ironwood, 10 ins. diam., bears N. 12$\frac{3}{4}$° E., 104 lks. dist., mkd. T5SR2WS35SCBT.</p> <p style="padding-left: 40px;">A palo verde, 8 ins. diam., bears N. 52° W., 170 lks. dist., mkd. T5SR2WS34SCBT.</p> <p>N. 0°01' E., bet. secs. 34 and 35.</p> <p>Over rolling land.</p>
5.40	Ridge, bears NE. and SW.
9.70	Enter nearly level land.
24.00	Enter rolling land.
31.20	Spur, slopes SW.
39.50	Top of rocky knoll.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 34 and 35.
	<p>Set the iron post 4 ins. in the ground, mound of stone to top, brass cap mkd.</p>

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS		
	<p style="text-align: center;">T5S R2W $\frac{1}{4}$ S34 S35 1970</p>	
80.00	<p>Point for the cor. of secs. 26, 27, 34 and 35.</p>	
	<p>Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.</p>	
	<p style="text-align: center;">T5S R2W <u>S27 S26</u> <u>S34 S35</u> 1970</p>	
	<p>Land, rolling. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>	
	<hr/>	
	<p>From the cor. of secs. 25, 26, 35 and 36.</p>	
	<p>N. 89°59' W., bet. secs. 26 and 35.</p>	
	<p>Over mountainous land.</p>	
39.98	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 26 and 35.</p>	
	<p>Set the iron post over a + chiseled in solid rock, mound of stone to top, brass cap mkd.</p>	
	<p style="text-align: center;">T5S R2W $\frac{1}{4}$ <u>S26</u> S35 1970</p>	
79.96	<p>The cor. of secs. 26, 27, 34 and 35.</p>	
	<p>Land, mountainous. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>	
	<hr/>	
	<p>N. 0°01' E., bet. secs. 26 and 27.</p>	
	<p>Over mountainous land.</p>	
16.70	<p>Ridge, bears E. and W.</p>	
38.70	<p>Ravine, drains E., thence curves NE.</p>	
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 26 and 27.</p>	
	<p>Set the iron post 4 ins. in the ground, mound of stone to top, brass cap mkd.</p>	
	<p style="text-align: center;">T5S R2W $\frac{1}{4}$ S27 S26 1970</p>	

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
79.00	Enter nearly level land.
80.00	Point for the cor. of secs. 22, 23, 26 and 27.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R2W $\frac{S22}{S27} \frac{S23}{S26}$ 1970</p>
	Raise a mound of stone W. of the iron post.
	<p>Land, mountainous to nearly level. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	From the cor. of secs. 23, 24, 25 and 26.
	S. 89°55' W., bet. secs. 23 and 26.
	Over nearly level land.
1.00	Wash, 10 lks. wide, 1 ft. deep, drains N. 25° W.
29.70	Wash, 10 lks. wide, 1 ft. deep, drains NE.
35.70	Wash, 20 lks. wide, with 4 ft. banks, drains N.
40.01	Point for the $\frac{1}{4}$ sec. cor. of secs. 23 and 26.
	Set the iron post 22 ins. in the ground, collar of stone to top, brass cap mkd.
	<p style="text-align: center;">T5S R2W $\frac{1}{4} \frac{S23}{S26}$ 1970</p>
44.20	Wash, 20 lks. wide, 3 ft. deep, drains NW.
48.00	Enter mountainous land.
64.60	Wash, 20 lks. wide, 1 ft. deep, drains N.
70.30	Wash, 100 lks. wide, with 7 ft. banks, drains N.
77.50	Wash, 100 lks. wide, with 5 ft. banks, drains N.
80.02	The cor. of secs. 22, 23, 26 and 27.
	<p>Land, nearly level to mountainous. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	N. 0°01' E., bet. secs. 22 and 23.

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
	Over nearly level land.
1.00	Wash, 20 lks. wide, 1 ft. deep, drains N. 10° W.
40.00	Point for the ¼ sec. cor. of secs. 22 and 23.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R2W ¼ S22 S23 1970</p>
	Raise a mound of stone W. of the iron post.
80.00	Point for the cor. of secs. 14, 15, 22 and 23.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R2W S15 S14 S22 S23 1970</p>
	Raise a mound of stone W. of the iron post.
	Land, nearly level.
	Soil, rocky, sandy loam.
	Timber, palo verde and ironwood.
	Undergrowth, creosote bush and cacti.
	From the cor. of secs. 13, 14, 23 and 24.
	N. 89°58' W., bet. secs. 14 and 23.
	Over nearly level land.
8.00	Wash, 10 lks. wide, 1 ft. deep, drains N. 30° W.
37.00	Wash, 15 lks. wide, 1 ft. deep, drains N. 10° E.
39.80	Wash, 10 lks. wide, 1 ft. deep, drains N. 10° W.
39.99	Point for the ¼ sec. cor. of secs. 14 and 23.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R2W ¼ S14 S23 1970</p>
	Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.
47.80	Wash, 10 lks. wide, 1 ft. deep, drains N. 10° W.
54.40	Wash, 15 lks. wide, 1 ft. deep, drains N. 20° W.

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
64.00	Wash, 20 lks. wide, 1 ft. deep, drains N. 10° W.
79.98	The cor. of secs. 14, 15, 22 and 23. Land, nearly level. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cañi.
	<hr/> N. 0°01' E., bet. secs. 14 and 15.
	Over nearly level land.
40.00	Point for the ¼ sec. cor. of secs. 14 and 15. Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R2W ¼ S15 S14 1970</p>
	Set a wooden post, 5 ft. long, 4 ins. squared, alongside the iron post.
40.60	Track road, bears N. 88°40' E. and S. 88°40' W.
40.80	Telephone line, bears N. 88°40' E. and S. 88°40' W.
43.40	Track road, bears S. 88°46' E. and N. 88°46' W.
45.10	Wash, 40 lks. wide, 1 ft. deep, drains N. 88°46' W.
45.80	Dyke, bears S. 88°46' E. and N. 88°46' W.
46.10	R-O-W fence, bears S. 88°46' E. and N. 88°46' W.
46.90	Telephone line, bears S. 88°46' E. and N. 88°46' W.
47.60	Southern Pacific Railroad track, bears S. 88°46' E. and N. 88°46' W.
48.00	Track road, parallels the railroad track.
48.20	Telephone line, parallels the railroad track.
48.40	R-O-W fence, parallels the railroad track.
48.90	Graded road (Gila Bend-Maricopa), parallels the railroad track.
51.30	Dyke, parallels the railroad track.
53.80	Wash, 100 lks. wide, 2 ft. deep, drains E.
72.80	Wash, 15 lks. wide, 2 ft. deep, drains S. 75° W.
80.00	Point for the cor. of secs. 10, 11, 14 and 15. Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.
	<p style="text-align: center;">T5S R2W S10 S11 S15 S14 1970</p>

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS		
	<p>Land, nearly level. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p> <hr/> <p>From the cor. of secs. 11, 12, 13 and 14. S. 89°57' W., bet. secs. 11 and 14. Over rolling land.</p>	
29.20	Spur, slopes S.	
40.00	Point for the ¼ sec. cor. of secs. 11 and 14. Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.	
	<p>T5S R2W ¼ $\frac{S11}{S14}$ 1970</p>	
80.00	The cor. of secs. 10, 11, 14 and 15. Land, rolling. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.	
	<p>N. 0°01' E., bet. secs. 10 and 11. Over mountainous land.</p>	
17.70	Ridge, bears NE. and SW.	
40.00	Point for the ¼ sec. cor. of secs. 10 and 11: Set the iron post over a + chiseled in solid rock, mound of stone to top, brass cap mkd.	
	<p>T5S R2W ¼ S10 S11 1970</p>	
51.80	Enter nearly level land.	
61.10	Wash, 10 lks. wide, 1 ft. deep, drains S. 75° E.	
73.20	Wash, 15 lks. wide, 1 ft. deep, drains E.	
80.00	Point for the cor. of secs. 2, 3, 10 and 11. Set the iron post 24 ins. in the ground, brass cap mkd.	
	<p>T5S R2W S 3 S 2 S10 S11 1970</p>	

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
	<p>Deposit glass at the base of the iron post.</p> <p>Land, mountainous to nearly level. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	<p>From the cor. of secs. 1, 2, 11 and 12.</p> <p>S. 89°59' W., bet. secs. 2 and 11.</p> <p>Over nearly level land.</p>
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 2 and 11.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R2W $\frac{1}{4}$ $\frac{S 2}{S 11}$ 1970</p>
	<p>Raise a mound of stone N. of the iron post.</p>
55.60	<p>Track road, bears N. and S.</p>
65.90	<p>Jeep trail, bears S. 80° E. and N. 4° W.</p>
80.00	<p>The cor. of secs. 2, 3, 10 and 11.</p> <p>Land, nearly level. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	<p>N. 0°01' W., bet. secs. 2 and 3.</p> <p>Over nearly level land.</p>
9.50	<p>Jeep trail, bears E. and W..</p>
13.50	<p>Wash, 30 lks. wide, 2 ft. deep, drains N. 70° E.</p>
24.30	<p>Wash, 30 lks. wide, 2 ft. deep, drains E.</p>
25.60	<p>Wash, 50 lks. wide, 3 ft. deep, drains E.</p>
31.40	<p>Wash, 25 lks. wide, 2 ft. deep, drains S. 80° E.</p>
32.30	<p>Enter mountainous land.</p>
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 2 and 3.</p> <p>Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R2W $\frac{1}{4}$ S 3 S 2 1970</p>

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS		
80.00	<p>The cor. of secs. 2, 3, 34 and 35 on the N. bdy. of the Tp., monumented by an iron post, as described in the field notes of the survey of the S. bdy. of Tp. 4 S., Range 2 W., concurrently surveyed under this same Group No.</p>	
	<p>Land, nearly level to mountainous. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>	
	<p>From the Stan. cor. of secs. 33 and 34 on the S. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set, projecting 8 ins. above the ground, brass cap mkd.</p>	
	<p style="text-align: center;">.SC T5S R2W <u>S33 S34</u> 1938</p>	
	<p>from which the original bearing trees:</p>	
	<p style="padding-left: 40px;">An ironwood, 4 ins. diam., bears N. 25$\frac{3}{4}$° E., 53 lks. dist., mkd. T5SR2WS34SCBT.</p>	
	<p style="padding-left: 40px;">An ironwood, 6 ins. diam., bears N. 49° W., 169 lks. dist., mkd. T5SR2WS33SCBT.</p>	
	<p>North, bet. secs. 33 and 34.</p>	
	<p>Over nearly level land.</p>	
23.80	<p>Wash, 30 lks. wide, 1 ft. deep, drains S. 80° W., thence over rolling land.</p>	
28.30	<p>Top of small hill.</p>	
31.40	<p>Wash, 10 lks. wide, 1 ft. deep, drains NW., thence over gently rolling land.</p>	
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 33 and 34.</p>	
	<p>Set the iron post 24 ins. in the ground, brass cap mkd.</p>	
	<p style="text-align: center;">T5S R2W $\frac{1}{4}$ <u>S33 S34</u> 1970</p>	
	<p>Raise a mound of stone W. of the iron post.</p>	
42.70	<p>Wash, 20 lks. wide, 1 ft. deep, drains W.</p>	
80.00	<p>Point for the cor. of secs. 27, 28, 33 and 34.</p>	
	<p>Set the iron post 24 ins. in the ground, brass cap mkd.</p>	
	<p style="text-align: center;">T5S R2W <u>S28 S27</u> <u>S33 S34</u> 1970</p>	

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
	<p>Raise a mound of stone W. of the iron post.</p> <p>Land, from nearly level to rolling. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
<p>40.02</p>	<p>From the cor. of secs. 26, 27, 34 and 35.</p> <p>West, bet. secs. 27 and 34.</p> <p>Over mountainous land.</p> <p>Point for the $\frac{1}{4}$ sec. cor. of secs. 27 and 34.</p> <p>Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R2W $\frac{1}{4}$ $\frac{S27}{S34}$ 1970</p>
<p>57.80</p>	<p>Wash, 50 lks. wide, 1 ft. deep, drains S., thence over nearly level land.</p>
<p>80.04</p>	<p>The cor. of secs. 27, 28, 33 and 34.</p> <p>Land, mountainous to nearly level. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
<p>34.40</p>	<p>North, bet. secs. 27 and 28.</p> <p>Over gently rolling land.</p>
<p>40.00</p>	<p>Ravine, drains SE., thence over mountainous land.</p>
<p>40.00</p>	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 27 and 28.</p> <p>Set the iron post 20 ins. in the ground, collar of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R2W $\frac{1}{4}$ S28 S27 1970</p>
<p>61.20</p>	<p>Ridge, bears E. and W.</p>
<p>66.40</p>	<p>Ravine, drains E.</p>
<p>73.50</p>	<p>Spur, slopes E.</p>
<p>80.00</p>	<p>Point for the cor. of secs. 21, 22, 27 and 28.</p>

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS		
	<p>Set the iron post over a + chiseled in solid rock, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R2W <u>S21</u> <u>S22</u> <u>S28</u> <u>S27</u> 1970</p> <p>Land, gently rolling to mountainous. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>	
40.03	<p>From the cor. of secs. 22, 23, 26 and 27.</p> <p>N. 89°56' W., bet. secs. 22 and 27.</p> <p>Over mountainous land.</p> <p>Point for the 1/4 sec. cor. of secs. 22 and 27.</p> <p>Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R2W 1/4 <u>S22</u> <u>S27</u> 1970</p>	
80.06	<p>The cor. of secs. 21, 22, 27 and 28.</p> <p>Land, mountainous. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>	
30.70	<p>North, bet. secs. 21 and 22.</p> <p>Over mountainous land.</p> <p>Enter gently rolling land.</p>	
40.00	<p>Point for the 1/4 sec. cor. of secs. 21 and 22.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R2W 1/4 <u>S21</u> <u>S22</u> 1970</p>	
80.00	<p>Raise a mound of stone W. of the iron post.</p> <p>Point for the cor. of secs. 15, 16, 21 and 22.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R2W <u>S16</u> <u>S15</u> <u>S21</u> <u>S22</u> 1970</p>	

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
	<p>Raise a mound of stone W. of the iron post.</p> <p>Land, mountainous to gently rolling. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
39.99	<p>From the cor. of secs. 14, 15, 22 and 23.</p> <p>N. 89°57' W., bet. secs. 15 and 22.</p> <p>Over nearly level land.</p> <p>Point for the ¼ sec. cor. of secs. 15 and 22.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R2W ¼ $\frac{S15}{S22}$ 1970</p>
79.98	<p>Raise a mound of stone N. of the iron post.</p> <p>The cor. of secs. 15, 16, 21 and 22.</p> <p>Land, nearly level. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
33.00	<p>North, bet. secs. 15 and 16.</p> <p>Over nearly level land.</p> <p>Track road, bears N. 79°52' E. and S. 79°52' W.</p> <p>Telephone line, bears N. 79°52' E. and S. 79°52' W.</p> <p>Point for the ¼ sec. cor. of secs. 15 and 16.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R2W ¼ $\frac{S16}{S15}$ 1970</p>
46.10	<p>Raise a mound of stone W. of the iron post.</p> <p>Wash, 50 lks. wide, 1 ft. deep, drains W.</p>
48.00	<p>Wash, 20 lks. wide, 1 ft. deep, drains W.</p>
48.90	<p>Wash, 25 lks. wide, 2 ft. deep, drains W.</p>
67.80	<p>Wash, 30 lks. wide, 2 ft. deep, drains N. 80° W.</p>
72.70	<p>R-0-W fence, bears S. 55°34' E. and N. 55°34' W.</p>

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
73.70	Telephone line, bears S. 55°34' E. and N. 55°34' W.
74.50	Southern Pacific Railroad track, bears S. 55°34' E. and N. 55°34' W.
75.00	Track road, parallels the railroad track.
75.10	Telephone line, parallels the railroad track.
76.40	R-0-W fence, parallels the railroad track.
78.70	Graded road (Gila Bend-Maricopa), bears S. 67° E. and N. 67° W.
80.00	Point for the cor. of secs. 9, 10, 15 and 16.
	Set the iron post 22 ins. in the ground, collar of stone to top, brass cap mkd.
	<p style="text-align: center;">T5S R2W $\frac{S\ 9}{S16} \frac{S10}{S15}$ 1970</p>
	Raise a mound of stone W. of the iron post.
	The cor. is located on the SW. slope of a dyke, bearing S. 67° E. and N. 67° W.
	Land, nearly level. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.
	From the cor. of secs. 10, 11, 14 and 15.
	N. 89°58' W., bet. secs. 10 and 15.
	Over rolling land.
29.00	Wash, 70 lks. wide, 2 ft. deep, drains S. 40° W., thence over nearly level land.
40.00	Point for the $\frac{1}{2}$ sec. cor. of secs. 10 and 15.
	Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.
	<p style="text-align: center;">T5S R2W $\frac{1}{2} \frac{S10}{S15}$ 1970</p>
66.40	Wash, 10 lks. wide, 1 ft. deep, drains SW.
80.00	The cor. of secs. 9, 10, 15 and 16.
	Land, rolling to nearly level. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
	North, bet. secs. 9 and 10.
	Over nearly level land.
0.10	Dyke, bears S. 67° E. and N. 67° W.
1.00	Wash, 100 lks. wide, with 4 ft. banks, drains N. 67° W.
28.90	Top of rocky knoll.
39.50	Wash, 40 lks. wide, with 4 ft. banks, drains S. 20° W.
40.00	Point for the ¼ sec. cor. of secs. 9 and 10.
	Set the iron post 4 ins. in the ground, mound of stone to top, brass cap mkd.
	<p style="text-align: center;">T5S R2W ¼ S 9 S10 1970</p>
47.20	Spur, slopes SW.
50.80	Draw, drains S. 20° W.
71.20	Wash, 15 lks. wide, with 5 ft. banks, drains E.
78.00	Spur, slopes E.
80.00	Point for the cor. of secs. 3, 4, 9 and 10.
	Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.
	<p style="text-align: center;">T5S R2W S 4 S 3 S 9 S10 1970</p>
	Land, nearly level to mountainous.
	Soil, rocky, sandy loam.
	Timber, palo verde and ironwood.
	Undergrowth, creosote bush and cacti.
	From the cor. of secs. 2, 3, 10 and 11.
	N. 89°59' W., bet. secs. 3 and 10.
	Over nearly level land.
39.99	Point for the ¼ sec. cor. of secs. 3 and 10.
	Set the iron post 26 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R2W ¼ S 3 S10 1970</p>

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
	Raise a mound of stone N. of the iron post.
45.10	Wash, 20 lks. wide, 1 ft. deep, drains SE.
49.50	Jeep trail, bears N. 80° E. and S. 80° W.
56.00	Enter mountainous land.
73.00	Wash, 20 lks. wide, with 7 ft. banks, drains S. 65° E.
79.98	The cor. of secs. 3, 4, 9 and 10.
	Land, nearly level to mountainous. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.
	N. 0°01' W., bet. secs. 3 and 4.
	Over mountainous land.
0.10	Draw, drains E.
25.10	Wash, 40 lks. wide, 3 ft. deep, drains E.
40.00	Point for the ¼ sec. cor. of secs. 3 and 4.
	Set the iron post 4 ins. in the ground, mound of stone to top, brass cap mkd.
	T5S R2W ¼ S 4 S 3 1970
62.60	Wash, 100 lks. wide, with 5 ft. banks, drains SE.
77.80	Draw, drains SW.
80.11	The cor. of secs. 3, 4, 33 and 34 on the N. bdy. of the Tp., monumented by an iron post, as described in the field notes of the survey of the S. bdy. of Tp. 4 S., Range 2 W., concurrently surveyed under this same Group No.
	Land, mountainous. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.
	From the Stan. cor. of secs. 32 and 33 on the S. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set, projecting 8 ins. above ground, brass cap mkd.
	S C T5S R2W S32 S33 1938
	from which the original bearing trees:

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
	<p>A dead ironwood limb, 4 ins. diam., bears N. 63½° E., 229 lks. dist., no marks visible.</p> <p>An ironwood limb, 4 ins. diam., bears N. 69½° W., 54 lks. dist., mkd. T5SR2WS32SCBT.</p> <p>North, bet. secs. 32 and 33.</p> <p>Over gently rolling land.</p>
40.00	<p>Point for the ¼ sec. cor. of secs. 32 and 33.</p> <p>Set the iron post 20 ins. in the ground, collar of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R2W ¼ S32 S33 1970</p>
80.00	<p>Point for the cor. of secs. 28, 29, 32 and 33.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R2W S29 S28 S32 S33 1970</p> <p>Raise a mound of stone W. of the iron post.</p> <p>Land, gently rolling. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
8.00	<p>From the cor. of secs. 27, 28, 33 and 34.</p> <p>S. 89°57' W., bet. secs. 28 and 33.</p> <p>Over gently rolling land.</p> <p>Enter mountainous land.</p>
40.01	<p>Point for the ¼ sec. cor. of secs. 28 and 33.</p> <p>Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R2W ¼ — S28 S33 1970</p>
43.90	<p>Enter gently rolling land.</p>
80.02	<p>The cor. of secs. 28, 29, 32 and 33.</p> <p>Land, gently rolling to mountainous. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
	North, bet. secs. 28 and 29.
	Over gently rolling land.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 28 and 29.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R2W $\frac{1}{4}$ S29 S28 1970</p>
	Raise a mound of stone W. of the iron post.
47.20	Wash, 40 lks. wide, 1 ft. deep, drains SW., thence over mountainous land.
58.10	Spur, slopes W.
70.40	Ravine, drains W.
80.00	Point for the cor. of secs. 20, 21, 28 and 29.
	Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.
	<p style="text-align: center;">T5S R2W S20 S21 S29 S28 1970</p>
	Land, gently rolling to mountainous.
	Soil, rocky, sandy loam.
	Timber, palo verde and ironwood.
	Undergrowth, creosote bush and cacti.
	From the cor. of secs. 21, 22, 27 and 28.
	S. 89°57' W., bet. secs. 21 and 28.
	Over mountainous land.
4.40	Ravine, drains N.
40.02	Point for the $\frac{1}{4}$ sec. cor. of secs. 21 and 28.
	Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.
	<p style="text-align: center;">T5S R2W $\frac{1}{4}$ $\frac{S21}{S28}$ 1970</p>
80.04	The cor. of secs. 20, 21, 28 and 29.

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
	<p>Land, mountainous. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	<p>North, bet. secs. 20 and 21. Over mountainous land.</p>
31.50	Ridge, bears E. and W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 20 and 21. Set the iron post 6 ins. in the ground, mound of stone to top, brass cap mkd.
	<p>T5S R2W $\frac{1}{4}$ S20 S21 1970</p>
69.80	Ravine, drains N. for 2 chains, thence N. 5° W.
80.00	Point for the cor. of secs. 16, 17, 20 and 21. Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.
	<p>T5S R2W S17 S16 S20 S21 1970</p>
	<p>Land, mountainous. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	<p>From the cor. of secs. 15, 16, 21 and 22. S. 89°52' W., bet. secs. 16 and 21. Over nearly level land.</p>
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 16 and 21. Set the iron post 24 ins. in the ground, brass cap mkd.
	<p>T5S R2W $\frac{1}{4}$ $\frac{S16}{S21}$ 1970</p>
	Raise a mound of stone N. of the iron post.
54.40	Fence, bears N. and S.
55.00	Wash, 100 lks. wide, 1 ft. deep, drains N. 22° E.

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
60.30	Wash, 100 lks. wide, 1 ft. deep, drains N. 22° E.
80.00	The cor. of secs. 16, 17, 20 and 21.
	Land, nearly level. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.
	North, bet. secs. 16 and 17.
	Over gently rolling land.
18.70	Track road, bears N. 80° E. and S. 80° W.
18.90	Telephone line, bears N. 80° E. and S. 80° W.
22.30	Wash, 30 lks. wide, 1 ft. deep, drains W.
23.70	Enter nearly level land.
40.00	Point for the ¼ sec. cor. of secs. 16 and 17.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T5S R2W ¼ S17 S16 1970
	Raise a mound of stone W. of the iron post.
46.80	Wash, 30 lks. wide, 1 ft. deep, drains W.
51.10	Wash, 20 lks. wide, 1 ft. deep, drains W.
66.40	Wash, 20 lks. wide, 1 ft. deep, drains W.
68.80	Wash, 50 lks. wide, 2 ft. deep, drains W.
72.70	Wash, 70 lks. wide, 2 ft. deep, drains S. 75° W.
80.00	Point for the cor. of secs. 8, 9, 16 and 17.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	T5S R2W S 8 S 9 S17 S16 1970
	from which:
	A bench mark, bears N. 67°22' W., 4.79 chs. dist., monumented by a brass tablet, 3" diam., set in cement, projecting 4" above ground, tablet mkd. J360 + 1967.
	Raise a mound of stone W. of the iron post.

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
	<p>Land, gently rolling to nearly level. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	<p>From the cor. of secs. 9, 10, 15 and 16.</p> <p>S. 89°54' W., bet. secs. 9 and 16.</p> <p>Over nearly level land.</p>
2.70	Bladed road (Gila Bend-Maricopa), bears S. 67° E. and N. 67° W.
5.50	R-0-W fence, bears S. 73°33' E. and N. 73°33' W.
7.20	Telephone line, bears S. 73°33' E. and N. 73°33' W.
8.40	Southern Pacific Railroad track, bears N. 73°33' W. and S. 73°33' E., curving to S. 55°34' E.
9.60	Telephone line, parallels the railroad track.
11.40	R-0-W fence, parallels the railroad track.
27.50	Wash, 10 lks. wide, 2 ft. deep, drains NE.
39.99	Point for the ½ sec. cor. of secs. 9 and 16. Set the iron post 24 ins. in the ground, brass cap mkd.
	<p>T5S R2W ½ $\frac{S 9}{S 16}$ 1970</p>
	Set a wooden post, 4 ft. long, 4 ins. squared, alongside the iron post.
44.50	Track road, bears N. and S.
46.40	Track road, bears N. and S.
61.60	Wash, 100 lks. wide, with 6 ft. banks, drains SW.
62.70	Fence, bears S. 67° E. and N. 67° W.
79.98	The cor. of secs. 8, 9, 16 and 17. Land, nearly level. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.
	<p>North, bet. secs. 8 and 9.</p> <p>Over nearly level land.</p>
0.65	R-0-W fence in curve, bears N. 73°33' E. and S. 77°29' W.

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS		
1.45	Telephone line in curve, bears N. 73°33' E. and S. 77°29' W.	
2.17	Southern Pacific Railroad track in curve, bears N. 73°33' E. and S. 77°29' W.	
2.76	Telephone line in curve, parallels the railroad track.	
3.70	R-0-W fence in curve, parallels the railroad track.	
11.10	Bladed road (Gila Bend-Maricopa) in curve, bears N. 83°20' E. and N. 85°15' W.	
11.70	Dyke in curve, bears N. 83°20' E. and N. 85°15' W.	
12.50	Wash, 20 lks. wide, with 6 ft. banks, drains W.	
29.00	Wash, 20 lks. wide, with 6 ft. banks, drains S. 67° W.	
40.00	Point for the ½ sec. cor. of secs. 8 and 9. Set the iron post 24 ins. in the ground, brass cap mkd.	
	T5S R2W ½ S 8 S 9 1970	
	Raise a mound of stone W. of the iron post.	
48.60	Wash, 10 lks. wide, 3 ft. deep, drains SW.	
60.20	Wash, 20 lks. wide, with 6 ft. banks, drains SW.	
68.40	Wash, 170 lks. wide, with 15 ft. banks, drains SW.	
73.00	Enter mountainous land.	
80.00	Point for the cor. of secs. 4, 5, 8 and 9. Set the iron post 4 ins. in the ground, mound of stone to top, brass cap mkd.	
	T5S R2W S 5 S 4 S 8 S 9 1970	
	Land, nearly level to mountainous. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.	
	From the cor. of secs. 3, 4, 9 and 10.	
	S. 89°57' W., bet. secs. 4 and 9.	

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
	Over mountainous land.
8.00	Spur, slopes S.
31.20	Ravine, drains NW.
40.01	Point for the $\frac{1}{2}$ sec. cor. of secs. 4 and 9. Set the iron post 14 ins. in the ground, mound of stone to top, brass cap mkd. T5S R2W $\frac{1}{2}$ $\frac{S\ 4}{S\ 9}$ 1970
61.70	Ravine, drains S. 30° W.
66.90	Ravine, drains S.
80.02	The cor. of secs. 4, 5, 8 and 9. Land, mountainous. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.
	N. 0°03' W., bet. secs. 4 and 5. Over mountainous land.
40.00	Point for the $\frac{1}{2}$ sec. cor. of secs. 4 and 5. Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd. T5S R2W $\frac{1}{2}$ S 5 S 4 1970
80.05	The cor. of secs. 4, 5, 32 and 33 on the N. bdy. of the Tp., monumented by an iron post, as described in the field notes of the survey of the S. bdy. of Tp. 4 S., R. 2 W., concurrently surveyed under this same Group No. Land, mountainous. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.
	From the Stan. cor. of secs. 31 and 32 on the S. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set, projecting 6 ins. above the ground, brass cap mkd. S C T5S R2W <u>S31 S32</u> 1938

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
	There is no remaining evidence of the orig. bearing trees.
	N. 0°01' W., bet. secs. 31 and 32.
	Over nearly level land.
36.90	Wash; 10 lks. wide, 3 ft. deep, drains W.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 31 and 32.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R2W $\frac{1}{4}$ S31 S32 1970</p>
	Set a wooden post, 5 ft. long, 4 ins. squared, alongside the iron post.
45.80	Wash, 10 lks. wide, 2 ft. deep, drains W.
74.50	Wash, 10 lks. wide, 6 ins. deep, drains W.
80.00	Point for the cor. of secs. 29, 30, 31 and 32.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R2W <u>S30 S29</u> S31 S32 1970</p>
	Set a wooden post, 5 ft. long, 4 ins. squared, alongside the iron post.
	Land, nearly level.
	Soil, rocky, sandy loam.
	Timber, palo verde and ironwood.
	Undergrowth, creosote bush and cacti.
	From the cor. of secs. 28, 29, 32 and 33.
	S. 89°56' W., bet. secs. 29 and 32.
	Over nearly level land.
39.99	Point for the $\frac{1}{4}$ sec. cor. of secs. 29 and 32.
	Set the iron post 24 ins. in the ground, brass cap mkd.
	<p style="text-align: center;">T5S R2W $\frac{1}{4}$ <u>S29</u> S32 1970</p>
	Raise a mound of stone N. of the iron post.
79.98	The cor. of secs. 29, 30, 31 and 32.

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
	<p>Land, nearly level. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	<p>S. 89°58' W., bet. secs. 30 and 31.</p>
	<p>Over nearly level land.</p>
4.60	<p>Wash, 10 lks. wide, 2 ft. deep, drains NW.</p>
40.00	<p>Point for the ¼ sec. cor. of secs. 30 and 31.</p>
	<p>Set the iron post 24 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T5S R2W ¼ $\frac{S30}{S31}$ 1970</p>
	<p>Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.</p>
65.80	<p>Wash, 15 lks. wide, 1 ft. deep, drains N. 85° W.</p>
79.99	<p>The cor. of secs. 25, 30, 31 and 36 on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set, projecting 10 ins. above the ground, brass cap mkd.</p>
	<p style="text-align: center;">T5S R3W R2W $\frac{S25}{S36} \frac{S30}{S31}$ 1938</p>
	<p>from which the original bearing trees remain:</p>
	<p>An ironwood, 6 ins. diam., bears N. 72½° E., 222 lks. dist., mkd. T5SR2WS30BT.</p>
	<p>An ironwood limb, 6 ins. diam., bears S. 16° E., 29 lks. dist., mkd. T5SR2WS31BT.</p>
	<p>An ironwood, 8 ins. diam., bears S. 44° W., 351 lks. dist., mkd. T5SR3WS36BT.</p>
	<p>An ironwood, 5 ins. diam., bears N. 72½° W., 68 lks. dist., mkd. T5SR3WS25BT.</p>
	<p>Land, nearly level. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	<p>From the cor. of secs. 29, 30, 31 and 32.</p>
	<p>N. 0°01' W., bet. secs. 29 and 30.</p>
	<p>Over nearly level land.</p>
36.60	<p>Wash, 10 lks. wide, 1 ft. deep, drains W.</p>

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 29 and 30.</p> <p>Set the iron post 20 ins. in the ground, collar of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R2W $\frac{1}{4}$ S30 S29 1970</p>
47.80	<p>Wash, 10 lks. wide, 1 ft. deep, drains S. 35° W.</p>
60.00	<p>Wash, 30 lks. wide, 1 ft. deep, drains W.</p>
70.70	<p>Wash, 20 lks. wide, 3 ft. deep, drains S. 25° W.</p>
80.00	<p>Point for the cor. of secs. 19, 20, 29 and 30.</p> <p>Set the iron post 14 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R2W S19 S20 S30 S29 1970</p> <p>Land, nearly level. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
25.00	<p>From the cor. of secs. 20, 21, 28 and 29.</p> <p>N. 89°59' W., bet. secs. 20 and 29.</p> <p>Over mountainous land.</p>
40.02	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 20 and 29.</p> <p>Set the iron post 8 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R2W $\frac{1}{4}$ S20 S29 1970</p>
58.30	<p>Wash, 120 lks. wide, with 5 ft. banks, drains S.</p>
80.04	<p>The cor. of secs. 19, 20, 29 and 30.</p> <p>Land, mountainous. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
	S. 89°59' W., bet. secs. 19 and 30.
	Over mountainous land.
4.70	Rocky spur, slopes S. 40° W.
12.20	Top of rocky knoll.
21.70	Wash, 15 lks. wide, 3 ft. deep, drains S.
40.00	Point for the 1/4 sec. cor. of secs. 19 and 30.
	Set the iron post 16 ins. in the ground, mound of stone to top, brass cap mkd.
	T5S R2W 1/4 S19 S30 1970
	Enter nearly level land.
57.90	Wash, 100 lks. wide, 3 ft. deep, drains SW.
79.96	The cor. of secs. 19, 24, 25 and 30 on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set, projecting 8 ins. above the ground, brass cap mkd.
	T5S R3W R2W S24 S19 S25 S30 1938
	There is no remaining evidence of original bearing trees.
	Land, rolling to nearly level.
	Soil, rocky, sandy loam.
	Timber, palo verde and ironwood.
	Undergrowth, creosote bush and cacti.
	From the cor. of secs. 19, 20, 29 and 30.
	N. 0°01' W., bet. secs. 19 and 20.
	Over mountainous land.
12.76	Thence by triangulation.
27.42	End of triangulation.
40.00	Point for the 1/4 sec. cor. of secs. 19 and 20.
	Set the iron post over a + chiseled in solid rock, mound of stone to top, brass cap mkd.
	T5S R2W 1/4 S19 S20 1970

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
50.00	Enter rolling land.
52.50	Wash, 20 lks. wide, 3 ft. deep, drains N. 20° E.
55.80	Wash, 15 lks. wide, with 5 ft. banks, drains Northerly.
63.60	Wash, 20 lks. wide, 2 ft. deep, drains N. 35° W.
79.90	Point selected for the witness cor. of secs. 17, 18, 19 and 20.
	Set the iron post 20 ins. in the ground, collar of stone to top, brass cap mkd.
	<p style="text-align: center;">T5S R2W $\frac{S18 \uparrow S17}{S19 S20}$ W C 1970</p>
80.00	True point for the cor. of secs. 17, 18, 19 and 20, falls in a wash, 10 lks. wide, 3 ft. deep, drains W. from N. 70° E., where a monument cannot be perpetuated.
	Land, mountainous to rolling.
	Soil, rocky, sandy loam.
	Timber, palo verde and ironwood.
	Undergrowth, creosote bush and cacti.
	From the cor. of secs. 16, 17, 20 and 21.
	S. 89°58' W., bet. secs. 17 and 20.
	Over gently rolling land.
1.00	Wash, 25 lks. wide, 3 ft. deep, drains N.
14.00	Wash, 10 lks. wide, 3 ft. deep, drains N. 30° W.
27.80	Wash, 10 lks. wide, 1 ft. deep, drains N.
39.90	Wash, 10 lks. wide, 1 ft. deep, drains N. 65° W.
39.96	Point for the $\frac{1}{4}$ sec. cor. of secs. 17 and 20,
	Set the iron post 10 ins. in the ground, mound of stone to top, brass cap mkd.
	<p style="text-align: center;">T5S R2W $\frac{1}{4} \frac{S17}{S20}$ 1970</p>
45.00	Wash, 20 lks. wide, 10 ins. deep, drains N. 60° W.
72.90	Wash, 20 lks. wide, 3 ft. deep, drains NW.
79.92	The true point for the cor. of secs. 17, 18, 19 and 20.

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
	<p>Land, gently rolling. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	<p>S. 89°55' W., bet. secs. 18 and 19.</p> <p>Over gently rolling land along wash draining W.</p>
2.90	Wash, 10 lks. wide, 1 ft. deep, drains S. 85° W. from E.
8.50	Wash, 25 lks. wide, 3 ft. deep, drains N.
12.30	Wash, 40 lks. wide, with 5 ft. banks, drains N. 10° W.
20.00	Telephone line, bears N. 80° E. and S. 80° W., track road parallels the telephone line.
31.30	Wash, 10 lks. wide, 2 ft. deep, drains NW.
40.00	Point for the 1/4 sec. cor. of secs. 18 and 19.
	<p>Set the iron post 16 ins. in the ground, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R2W 1/4 <u>S18</u> S19 1970</p>
40.80	Wash, 20 lks. wide, with 4 ft. banks, drains NW.
44.20	Wash, 10 lks. wide, 10 ins. deep, drains N. 15° W.
60.70	Wash, 15 lks. wide, 8 ins. deep, drains N. 35° W.
63.20	Wash, 10 lks. wide, 2 ft. deep, drains NE.
69.00	Spur, slopes Northerly.
73.30	Jeep trail, bears S. 40° E. and N. 40° W.
79.95	<p>The cor. of secs. 13, 18, 19 and 24 on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set in a mound of stone, brass cap mkd.</p> <p style="text-align: center;">T5S R3W R2W <u>S13</u> <u>S18</u> <u>S24</u> <u>S19</u> 1938</p> <p>There is no remaining evidence of original bearing trees.</p> <p>Land, gently rolling to rolling. Soil, rocky, sandy loam. Timber, palo verde and ironwood. Undergrowth, creosote bush and cacti.</p>
	<p>From the true point for the cor. of secs. 17, 18, 19 and 20.</p>

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
	N. 0°01' W., bet. secs. 17 and 18. Over rolling land.
3.30	Track road, bears N. 80° E. and S. 80° W.
3.50	Telephone line, bears N. 80° E. and S. 80° W.
26.90	Wash, 10 lks. wide, 8 ins. deep, drains N. 50° W.
37.40	Wash, 20 lks. wide, 3 ft. deep, drains E.
40.00	Point for the 1/4 sec. cor. of secs. 17 and 18. Set the iron post 24 ins. in the ground, brass cap mkd. T5S R2W 1/4 S18 S17 1970 from which USC&GS triangulation station Ocapos, bears S. 41°57' W., 13.10 chs. dist., monumented by a standard bronze disk, set in the top of out- cropping bedrock flush with the rock, mkd. Ocapos 1936. Latitude 32°59'27.63499" N., Longitude 112°29'48.50162" W. Set a wooden post, 5 ft. long, 4 ins. diam., alongside the iron post.
45.00	Wash, 50 lks. wide, 1 ft. deep, drains E.
68.60	Wash, 50 lks. wide, 1 ft. deep, drains W.
76.27	Fence, bears N. 59°23' E. and S. 59°23' W.
77.59	Southern Pacific Railroad track, bears N. 59°23' E. and S. 59°23' W.
78.10	Track road, parallels railroad track.
80.00	Point for the cor. of secs. 7, 8, 17 and 18. Set the iron post 24 ins. in the ground, in a collar of stone, brass cap mkd. T5S R2W S 7 S 8 S18 S17 1970 Land, rolling to gently rolling. Soil, rocky, sandy loam. Timber, palo verde and mesquite. Undergrowth, creosote bush and cacti.
	From the cor. of secs. 8, 9, 16 and 17. S. 89°53' W., bet. secs. 8 and 17. Over nearly level land.
3.70	Wash, 100 lks. wide, 1 ft. deep, drains N.

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
40.01	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 8 and 17.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R2W $\frac{1}{4} \frac{S 8}{S17}$ 1970</p> <p>Set a wooden post, 5 ft. long, 4 ins. squared, alongside the iron post.</p>
73.60	Fence, bears N. 59°23' E. and S. 59°23' W.
75.87	Southern Pacific Railroad track, bears N. 59°23' E. and S. 59°23' W.
76.67	Track road, parallels railroad track.
80.02	<p>The cor. of secs. 7, 8, 17 and 18.</p> <p>Land, nearly level. Soil, rocky, sandy loam. Timber, palo verde and mesquite. Undergrowth, creosote bush and cacti.</p>
	<p>S. 89°57' W., bet. secs. 7 and 18.</p> <p>Over nearly level land.</p>
3.10	Wash, 20 lks. wide, 1 ft. deep, drains SW.
22.10	Dike, bears NE. and SW.
22.30	Telephone line, bears N. 15½° E. and S. 15½° W.
23.30	Southern Pacific Railroad track, bears N. 15½° E. and S. 15½° W.
24.90	Track road, parallels the railroad track.
25.00	Telephone line, parallels the railroad track.
25.60	Track road, parallels the railroad track.
25.90	R-0-W fence, parallels the railroad track.
27.40	Bladed road (Gila Bend-Maricopa), parallels the railroad track.
39.70	Wash, 10 lks. wide, 1 ft. deep, drains NW.
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 7 and 18.</p> <p>Set the iron post 24 ins. in the ground, brass cap mkd.</p> <p style="text-align: center;">T5S R2W $\frac{1}{4} \frac{S 7}{S18}$ 1970</p> <p>Raise a mound of stone N. of the iron post.</p>
61.40	Wash, 20 lks. wide, 2 ft. deep, drains NW.
71.30	Wash, 10 lks. wide, 1 ft. deep, drains N. 70° W.

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS		
79.96	<p>The cor. of secs. 7, 12, 13 and 18 on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set, projecting 6 ins. above the ground, brass cap mkd.</p>	
	<p style="text-align: center;">T5S R3W R2W <u>S12 S 7</u> <u>S13 S18</u> 1938</p>	
	<p>Land, nearly level. Soil, sandy loam. Timber, palo verde and mesquite. Undergrowth, creosote bush and cacti.</p>	
	<hr/> <p>From the cor. of secs. 7, 8, 17 and 18.</p>	
	<p>N. 0°01' W., bet. secs. 7 and 8.</p>	
	<p>Over nearly level land.</p>	
8.00	<p>Jeep trail, bears NE. and SW.</p>	
15.40	<p>Telephone line, bears S. 69°30' E. and N. 69°30' W.</p>	
16.50	<p>Southern Pacific Railroad tracks, bears S. 69°30' E. and N. 69°30' W.</p>	
17.00	<p>Track road, parallels the railroad track.</p>	
17.20	<p>Telephone line, parallels the railroad track.</p>	
17.50	<p>Dike, parallels the railroad track.</p>	
18.10	<p>R-0-W fence, bears N. 83° E. and S. 83° W.</p>	
19.00	<p>Bladed road (Gila Bend-Maricopa), parallels the fence line.</p>	
20.00	<p>Dike, parallels the bladed road.</p>	
20.90	<p>Wash, 80 lks. wide, with 5 ft. banks, drains S. 83° W.</p>	
40.00	<p>Point for the ¼ sec. cor. of secs. 7 and 8.</p>	
	<p>Set the iron post 24 ins. in the ground, in a collar of stone, brass cap mkd.</p>	
	<p style="text-align: center;">T5S R2W ¼ <u>S 7 S 8</u> .1970</p>	
80.00	<p>Point for the cor. of secs. 5, 6, 7 and 8.</p>	
	<p>Set the iron post 8 ins. in the ground, brass cap mkd.</p>	
	<p style="text-align: center;">T5S R2W <u>S 6 S 5</u> <u>S 7 S 8</u> .1970</p>	

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
	<p>Land, nearly level to rolling. Soil, rocky, sandy loam. Timber, palo verde and mesquite. Undergrowth, creosote bush and cacti.</p>
	<p>From the cor. of secs. 4, 5, 8 and 9.</p>
	<p>S. 89°54' W., bet. secs. 5 and 8.</p>
	<p>Over mountainous land.</p>
39.98	<p>Point for the ¼ sec. cor. of secs. 5 and 8.</p>
	<p>Set the iron post 12 ins. in the ground, in a mound of stone to top, brass cap mkd.</p>
	<p style="text-align: center;">T5S R2W</p>
	<p style="text-align: center;">¼ $\frac{S\ 5}{S\ 8}$</p>
	<p style="text-align: center;">1970</p>
43.50	<p>Wash, 20 lks. wide, 3 ft. deep, drains S. 70° W.</p>
79.96	<p>The cor. of secs. 5, 6, 7 and 8.</p>
	<p>Land, rolling.</p>
	<p>Soil, rocky, sandy loam.</p>
	<p>Timber, palo verde and mesquite.</p>
	<p>Undergrowth, creosote bush and cacti.</p>
	<p>S. 89°59' W., bet. secs. 6 and 7.</p>
	<p>Over rolling land.</p>
18.10	<p>Wash, 10 lks. wide, 2 ft. deep, drains SW.</p>
40.00	<p>Point for the ¼ sec. cor. of secs. 6 and 7.</p>
	<p>Set the iron post 26 ins. in the ground, brass cap mkd.</p>
	<p style="text-align: center;">T5S R2W</p>
	<p style="text-align: center;">¼ $\frac{S\ 6}{S\ 7}$</p>
	<p style="text-align: center;">1970</p>
	<p>Set a wooden post, 5 ft. long, 5 ins. diam., alongside the iron post.</p>
41.30	<p>Wash, 10 lks. wide, 1 ft. deep, drains S.</p>
55.00	<p>Wash, 50 lks. wide, 1 ft. deep, drains S.</p>
74.60	<p>Wash, 30 lks. wide, 1 ft. deep, drains S.</p>
79.95	<p>The cor. of secs. 1, 6, 7 and 12 on the W. bdy. of the Tp., monumented by an iron post, 2 ins. diam., firmly set, projecting 8 ins. above the ground, brass cap mkd.</p>
	<p style="text-align: center;">T5S</p>
	<p style="text-align: center;">R3W R2W</p>
	<p style="text-align: center;">$\frac{S\ 1}{S\ 12} \mid \frac{S\ 6}{S\ 7}$</p>
	<p style="text-align: center;">1938</p>

Survey, Subdivisional Lines
Township 5 South, Range 2 West

CHAINS	
40.00	<p>Land, gently rolling. Soil, rocky, sandy loam. Timber, palo verde and mesquite. Undergrowth, creosote bush and cacti.</p> <hr/> <p>From the cor. of secs. 5, 6, 7 and 8. N. 0°08' W., bet. secs. 5 and 6. Over mountainous land. Point for the ½ sec. cor. of secs. 5 and 6. Set the iron post over a + chiseled in solid rock, mound of stone to top, brass cap mkd.</p> <p style="text-align: center;">T5S R2W ½ S 6 S 5 1970</p>
55.30	Enter gently rolling land.
57.30	Wash, 20 lks. wide, 3 ft. deep, drains SW.
79.97	<p>The cor. of secs. 5, 6, 31 and 32 on the N. bdy. of the Tp., monumented by an iron post, as described in the notes of the survey of the S. bdy. of Tp. 4 S., R. 2 W., concurrently surveyed under this same Group No.</p> <p>Land, mountainous to gently rolling. Soil, rocky, sandy loam. Timber, palo verde and mesquite. Undergrowth, creosote bush and cacti.</p>
	General Description
	<p>The area encompassed by this survey varies from nearly level to mountainous land. Elevations range from 1247 feet to 3272 feet above sea level. The soil is mostly sandy loam. Vegetation consists of creosote bush, bunchgrass, mesquite and several varieties of cacti.</p> <p>The Southern Pacific Railroad enters the township on the West boundary of section 18 and leaves the township on the East boundary of section 12.</p> <p>There is no one living within the surveyed area. No livestock was noted. The area is primarily habitat for desert wildlife.</p> <p>There is evidence of past mineral exploration but no activity noted at present.</p>

45

Form 9180-8
(March 1969)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY
Ronald G. Williams	Cadastral Surveyor
William H. Herbst	Survey Aid
Michael L. Minear	" "
Randy M. Tipsword	" "
Woodrow J. Fields	" "
Charles E. Hughes	" "
John Read	" "
Richard S. Taylor	" "

46

CERTIFICATE OF SURVEY

(I) ~~(WE)~~, Louis D. Gilbert, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 20th day of January, 1970, (I) ~~(WE)~~ have surveyed the East boundary and the subdivisional lines, Township 5 South, Range 2 West,

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by (me), ~~(US)~~ and under (my) ~~(OUR)~~ direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

November 4, 1970 (Date) Louis D. Gilbert (Cadastral Surveyor)

CERTIFICATE OF APPROVAL

SUBMITTED FOR APPROVAL Date FEB 22 1973

BUREAU OF LAND MANAGEMENT Washington, D.C.

The foregoing field notes of the survey of the East boundary and the subdivisional lines, Township 5 South, Range 2 West, Gila and Salt River Meridian, Arizona,

executed by Louis D. Gilbert having been critically examined and found correct, are hereby approved.

MAY 29 1973 (Date) Clark F. Sumner (Chief, Division of Cadastral Survey)

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of the field notes of the above-described surveys in, is a true copy of the original field notes.

(Date) (Chief, Division of Cadastral Survey) GPO 849-626