

Form 9180-6
(April 1965)
(formerly 4-679)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

of

REMONUMENTATION

in

TOWNSHIP 22 NORTH, RANGE 7 EAST

TOWNSHIP 22 NORTH, RANGE 8 EAST

TOWNSHIP 22 NORTH, RANGE 9 EAST

Of the Gila and Salt River Meridian,

In the State of Arizona

EXECUTED BY

Harry K. Smith, Cadastral Surveyor

Under special instructions dated April 7, 19 72, which provided for the surveys
included under Group Number 547, approved April 7, 1972,
and assignment instructions dated April 7, 19 72.

Survey commenced April 24, 19 72

Survey completed May 22, 19 72

INDEX DIAGRAM

Township _____, Range _____,

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

INDEX TO SECTION CORNER MONUMENTS

Tp. 22 N. R. 7 E. Mer. G&SR

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	● ² 33	34	● ¹ 35	36

Tp. 22 N. R. 8 E. Mer. G&SR

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
● ⁸	● ⁸	● ⁶ 7			
● ⁷ 20	● ⁵ 21	● ⁵	22	23	24
30	29	● ⁴ 28	27	26	25
31	32	33	34	● ⁴ 35	36
					● ³

Tp. 22 N. R. 9 E. Mer. G&SR

6	5	4	3	2	1
7	8	9	10	11	12
● ²⁰	● ¹⁹ 20	● ¹⁵			
● ¹⁸	● ¹⁸ 17	● ¹⁴ 16	15	14	13
● ¹⁸	● ¹⁷ 17	● ¹⁴			
19	20	21	22	23	24
		● ¹³	● ¹¹ 12	● ⁹	
30	● ¹⁶ 29	● ¹³ 28	27	● ⁹ 26	25
● ¹⁶	● ¹⁵		● ¹⁰ 11		
31	32	● ¹ 233	34	35	36

Township 22 North, Range 7 East
 Township 22 North, Range 8 East
 Township 22 North, Range 9 East
 Gila and Salt River Meridian, Arizona

CHAINS

The following field notes are those of remonumentation of cadastral survey corners by agreement with the U. S. Forest Service. The detailed cooperative agreement was approved by the Director, Bureau of Land Management, by memorandum (5.04b) dated October 16, 1958.

The approval of the Special Instructions on April 7, 1972 gave authority to proceed with the remonumentation in accordance with the Director's Order No. 541, dated April 21, 1961.

Unless described, each corner was monumented with a standard iron post, 30 inches long, 2½ inches in diameter, flanged at the base, with a brass cap riveted to the top.

The assistants, furnished by the Forest Service, remonumented the original corner positions after verification. An open sight compass was used to obtain the bearings and a standard steel tape was used to measure the distances to corner accessories.

The magnetic declination used was 14½° East.

Township 22 North, Range 7 East, G&SR M., Arizona

In 1878 J. L. Harris surveyed a portion of the south boundary.

In 1883 O. D. Wheeler surveyed the east boundary and W. R. Fitzgerald surveyed the west boundary.

In 1894 Oury Perkins surveyed portions of the north and south boundaries, resurveyed a portion of the south boundary and surveyed the subdivisional lines.

In 1903 J. A. Lamport completed the survey of the north and south boundaries, and resurveyed portions of the east, south and north boundaries and subdivisional lines.

Remonumentation, T. 22 N., R. 7 E., Arizona

The ¼ sec. cor. of secs. 34 and 35, monumented by a granite stone, 16 x 16 x 12 ins., firmly set 8 ins. in the ground, mkd. ¼ on the W. face, with a mound of stone to the W., from which the only remaining bearing tree

A ponderosa pine, 20 ins. diam., bears S. 73° E., 110 lks. dist., mkd. ¼ S BT.
 (Record bearing and dist., S. 69°34' E., 111 lks.)

At the cor. point

Set the iron post, 18 ins. in the ground, mound of stone to top, brass cap mkd.

T22N R7E

¼
 S34|S35
 1972

Rebuild the mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Remonumentation, T. 22 N., R. 7 E., Arizona

CHAINS

The $\frac{1}{4}$ sec. cor. of secs. 32 and 33, monumented by a local corner, an open end pipe, $\frac{1}{2}$ in. diam., 18 ins. long, firmly set 12 ins. in the ground in a mound of stone, substantiated by the original bearing trees

A ponderosa pine, 26 ins. diam., bears S. $39^{\circ}30'$ E., 40 lks. dist., mkd. with visible scribe mks. partially overgrown. (Record bearing S. $41^{\circ}29'$ E.)

A ponderosa pine, 25 ins. diam., bears N. 16° W., 59 lks. dist., mkd. $\frac{1}{4}$ S BT.
(Record bearing and dist., N. $13^{\circ}26'$ W., 60 lks.).

At the cor. point

Set the iron post, 20 ins. in the ground, brass cap mkd.

T22N R7E

$\frac{1}{4}$

S32|S33

1972

Raise a mound of stone W. of the iron post.

Bury the local cor. open end pipe alongside the iron post.

Cor. is 40 lks. W. of a draw draining southerly.

Remonumentation, T. 22 N., R. 8 E., Arizona

CHAINS

Township 22 North, Range 8 East, G&SR M., Arizona

In 1879 J. L. Harris surveyed the east 5 miles of the south boundary.

In 1883 O. D. Wheeler resurveyed the east 5 miles of the south boundary and surveyed the west 1 mile of the south boundary, the east, west and north boundaries and subdivisinal lines.

In 1902 F. B. Jacobs resurveyed the east boundary.

In 1903 J. A. Lamport resurveyed the west 1 mile of the south boundary, the south 3 miles of the west boundary, the north boundary, and a portion of the subdivisinal lines.

In 1966 Wallace R. Ott remonumented a portion of the subdivisinal corners.

Remonumentation, T. 22 N., R. 8 E., Arizona

The cor. of secs. 1, 2, 35 and 36, Tps. 21 and 22 N., R. 8 E., monumented by a local corner, an iron pipe, $\frac{1}{2}$ in. diam., 2 ft. long, firmly set 22 ins. in the ground, with a piece of iron 2 ins. square, welded to the top, mkd.

$$\begin{array}{c} \text{T22N R8E} \\ \text{S35|S36} \\ \text{S 2|S 1} \\ \text{T21N} \end{array}$$

with a mound of stone to the NE., verified by record bearing and dist. from the remains of the orig. bearing trees

A stump hole, bears N. 60° E., 38 lks. dist.

A pine stump, 32 ins. diam., bears S. 15° E., 285 lks. dist., no scribe mks.

A yellow pine, 26 ins. diam., bears S. 50° W., 100 lks. dist., mkd. T21N R8E S2 BT.

A stump hole, bears N. 74°30' W., 162 lks. dist.

At the cor. point

Set the iron post, 18 ins. in the ground, mound of stone to top, brass cap mkd.

$$\begin{array}{c} \text{T22N R8E} \\ \text{S35|S36} \\ \text{S 2|S 1} \\ \text{T21N} \\ \text{1972} \end{array}$$

from which

A ponderosa pine, 20 ins. diam., bears N. 52° E., 168 lks. dist., mkd. T22N R8E S36 BT.

Raise a mound of stone W. of the iron post.

Bury the local cor. iron pipe alongside the iron post.

Remonumentation, T. 22 N., R. 8 E., Arizona

CHAINS

The $\frac{1}{4}$ sec. cor. of secs. 26 and 35, monumented by a volcanic stone, 16 x 12 x 10 ins., firmly set 5 ins. in the ground, mkd. $\frac{1}{4}$ on the N. face. (Record calls for a post).

At the cor. point

Set the iron post, 22 ins. in the ground, brass cap mkd.

T22N R8E

$\frac{1}{4}$ $\frac{S26}{S35}$

1972

Raise a mound of stone N. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is S. 20° E., 24 lks. dist., from a fence cor., from which fences bear N., and SE. for approximately 60 lks. dist., thence S.

The $\frac{1}{4}$ sec. cor. of secs. 28 and 29, monumented by a sandstone, 14 x 10 x 8 ins., firmly set 5 ins. in the ground, mkd. $\frac{1}{4}$ on the W. face, with old mound of stone to the E., from which the orig. bearing tree

A yellow pine, 36 ins. diam., bears S. 60° W., 193 lks. dist., mkd. with a healed blaze. (Record dist. 190 lks.).

I also found the following remains of a BT not called for in the record

A pine stump, bears S. 41° E., 97 lks. dist., mkd. XX8 BT.

At the cor. point

Set the iron post, 24 ins. in the ground, brass cap mkd.

T22N R8E

$\frac{1}{4}$ S29|S28

1972

from which

A ponderosa pine, 10 ins. diam., bears N. 44° 30' E., 5 lks. dist., mkd. T22N R8E $\frac{1}{4}$ S28 BT.

A ponderosa pine, 14 ins. diam., bears N. 73° W., 77 lks. dist., mkd. T22N R8E $\frac{1}{4}$ S29 BT.

Raise a mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is 164 lks. W. of a fence, bearing N. and S.

Remonumentation, T. 22 N., R. 8 E., Arizona

CHAINS

The cor. of secs. 20, 21, 28 and 29, monumented by a local cor., an open end pipe, 1 in. diam., 26 ins. long, set 14 ins. in the ground, and in a mound of stone, with pieces of a rotted post buried in the ground alongside the pipe, from which the remains of the orig. bearing trees

A pine tree stump, 30 ins. diam., bears N. 61° E., 110 lks. dist., mkd. T at the bottom of the blaze. (Record bearing and dist., N. 83° E., 109 lks.).

A yellow pine, 36 ins. diam., bears N. 67° W., 134 lks. dist., mkd. T22N R8E S20 BT. (Record bearing and dist., N. 80° W., 132 lks.).

At the cor. point

Set the iron post, 22 ins. in the ground, brass cap mkd.

T22N R8E
 S20 | S21
 S29 | S28
 1972

from which

A ponderosa pine, 14 ins. diam., bears N. 4°30' E., 56 lks. dist., mkd. T22N R8E S21 BT.

A ponderosa pine, 12 ins. diam., bears S. 62° E., 19 lks. dist., mkd. T22N R8E S28 BT.

A ponderosa pine, 8 ins. diam., bears S. 52° W., 45 lks. dist., mkd. T22N R8E S29 BT.

Raise a mound of stone W. of the iron post.

Bury the local pipe cor. alongside the iron post.

Cor. is 110 lks. S. of a draw, draining irregularly E.

The $\frac{1}{4}$ sec. cor. of secs. 20 and 21, monumented by a malpais stone (record calls for a sandstone), 14 x 10 x 10 ins., firmly set 4 ins. in the ground, and in a mound of stone, mkd. $\frac{1}{4}$ on the W. face, from which the orig. bearing tree

A yellow pine, 37 ins. diam., bears N. 67° E., 50 lks. dist., mkd. with a partially healed blaze and scribe mks. $\frac{1}{4}$ S20 BT. (Record bearing and dist., N. 15° E., 48 lks.).

At the cor. point

Set the iron post, 8 ins. in the ground, mound of stone to top, brass cap mkd.

T22N R8E
 $\frac{1}{4}$
 S20 | S21
 1972

from which

A pinyon pine, 10 ins. diam., bears S. 78° W., 39 lks. dist., mkd. T22N R8E S20 BT.

Bury the orig. cor. stone in the mound of stone alongside the iron post.

Remonumentation, T. 22 N., R. 8 E., Arizona

CHAINS

The point for the cor. of secs. 16, 17, 20 and 21, reestablished from the remains of the orig. bearing trees. There is no evidence of the orig. cor. post, as called for in the record.

A yellow pine, 40 ins. diam., bears N. 17° E., 62 lks. dist., mkd. with a partially overgrown blaze with scribe mks. visible but not legible. (Record bearing and dist., N. 43° E., 60 lks.).

A pine tree stump, 22 ins. diam., cut off 18 ins. above ground, with the sawed off pine tree, 22 ins. diam., lying alongside on the ground, bears S. 67° E., 86 lks. dist., tree mkd. with rotted blaze and scribe mks. T22N R8E S21 BT. (Record bearing and dist., S. 65° E., 84 lks.).

A pine tree stump, 32 ins. diam., bears S. 33° W., 95 lks. dist., no scribe mks. visible. (Record bearing and dist., S. 50° W., 93 lks.).

A pine tree stump, 38 ins. diam., cut off 3 ft. above ground, bears N. 56° W., 51 lks. dist., mkd. with a healed blaze. (Record bearing and dist., N. 49°30' W., 50 lks.).

At the cor. point

Set the iron post, 8 ins. in the ground, mound of stone to top, brass cap mkd.

T22N R8E	
S17	S16
S20	S21
1972	

from which

A ponderosa pine, 6 ins. diam., bears S. 4° E., 128 lks. dist., mkd. T22N R8E S21 BT.

A ponderosa pine, 16 ins. diam., bears S. 64° W., 150 lks. dist., mkd. T22N R8E S20 BT.

A ponderosa pine, 6 ins. diam., bears N. 76° W., 113 lks. dist., mkd. T22N R8E S17 BT.

A local cor., an open end pipe, 1½ ins. diam., projecting 3 ins. above ground, bears North 03.7 lks. dist.

Remonumentation, T. 22 N., R. 8 E., Arizona

CHAINS

The $\frac{1}{2}$ sec. cor. of secs. 16 and 21, monumented by a local corner, an open end pipe, $\frac{1}{2}$ in. diam., 21 ins. long, firmly set 19 ins. in the ground, in a mound of stone, verified by record bearing and dist. from the remains of the orig. bearing trees

A stump hole, with an uprooted yellow pine tree, 30 ins. diam., lying alongside on the ground, bears S. 70° W., 76 lks. dist.; tree mkd. with a rotted blaze.

A pine stump, 32 ins. diam., bears N. $7^{\circ}30'$ W., 28 lks. dist., no mks. visible.

At the cor. point

Set the iron post, 22 ins. in the ground, collar of stone to top, brass cap mkd.

T22N R8E

$\frac{1}{2}$ $\frac{S16}{S21}$

1972

from which

A ponderosa pine, 8 ins. diam., bears North, 107 lks. dist., mkd. $\frac{1}{2}$ S16 BT.

A ponderosa pine, 14 ins. diam., bears S. $50^{\circ}30'$ E., 128 lks. dist., mkd. T22N R8E S21 BT.

Bury the local pipe cor. alongside the iron post.

The $\frac{1}{2}$ sec. cor. of secs. 19 and 20, monumented by a granite stone, 18 x 10 x 10 ins., firmly set flush with the ground, mkd. $\frac{1}{2}$ on the W. face, from which the remains of the bearing trees as recorded in the 1903 re-survey

A pine stump, 41 ins. diam., bears S. 67° E., 128 lks. dist., no mks. visible.
(Record bearing S. 65° E.).

An oak, 14 ins. diam., bears S. 39° W., 58 lks. dist., mkd. with a partially healed blaze with scribe mks. visible.
(Record bearing and dist., S. 43° W., 59 lks.).

At the cor. point

Set the iron post, 24 ins. in the ground, brass cap mkd.

T22N R8E

$\frac{1}{2}$
S19 | S20

1972

from which

A ponderosa pine, 10 ins. diam., bears N. 17° E., 59 lks. dist., mkd. T22N R8E S20 BT.

Raise a mound of stone W. of the iron pipe.

Bury the orig. cor. stone alongside the iron post.

Cor. is 100 lks. S. of a track road, bearing S. 75° E., and N. 75° W.

Remonumentation, T. 22 N., R. 8 E., Arizona

CHAINS

The point for the cor. of secs. 17, 18, 19 and 20, reestablished from the remains of the bearing trees as recorded in the 1903 resurvey. There is no evidence of the orig. cor. pine stake and mound of stone as recorded in the 1903 resurvey.

An oak, 10 ins. diam., bears N. 83° E., 133 lks. dist., mkd. with a partially healed blaze with scribe mks. visible.
(Record bearing and dist., N. 85° E., 135 lks.).

A pine stump, 20 ins. diam., bears S. 12° E., 110 lks. dist., no marks visible.
(Record bearing S. 10° E.).

An oak, 15 ins. diam., bears S. 48° W., 89 lks. dist., mkd. with an overgrown blaze.
(Record bearing and dist., S. 50° W., 90 lks.).

At the cor. point

Set the iron post, 24 ins. in the ground, brass cap mkd.

$$\begin{array}{c} \text{T22N R8E} \\ \hline \text{S18 | S17} \\ \hline \text{S19 | S20} \\ \hline 1972 \end{array}$$

from which

A ponderosa pine, 14 ins. diam., bears S. 14° E., 41 lks. dist., mkd. T22N R8E S20 BT.

A ponderosa pine, 10 ins. diam., bears N. 58° W., 23 lks. dist., mkd. T22N R8E S18 BT.

Raise a mound of stone W. of the iron post.

Cor. is N. 20° W., 9 lks. dist., from a fence cor., from which fences bear North and S. 55° E.

The $\frac{1}{2}$ sec. cor. of secs. 17 and 20, monumented by a mound of stone, with the orig. cor., a weathered wooden post, 3 ins. diam., 2 $\frac{1}{2}$ ft. long, lying on the ground alongside, mkd. with dim scribe mks., from which the remains of the orig. bearing trees

A yellow pine, 24 ins. diam., bears S. 78° E., 42 lks. dist., mkd. with a partially healed blaze with scribe mks. visible.
(Record bearing S. 83° W.).

A yellow pine, 30 ins. diam., bears N. 69°30' W., 16 lks. dist., mkd. with a healed blaze.

At the cor. point

Set the iron post, 20 ins. in the ground, brass cap mkd.

$$\begin{array}{c} \text{T22N R8E} \\ \hline \frac{1}{2} \frac{\text{S17}}{\text{S20}} \\ \hline 1972 \end{array}$$

Raise a mound of stone N. of the iron post.

Bury the orig. cor. post alongside the iron post.

Remonumentation, T. 22 N., R. 9 E., Arizona

CHAINS

Township 22 North, Range 9 East, G&SR M., Arizona

In 1883 O. D. Wheeler surveyed the west boundary.

In 1902 Caudle and Caudle surveyed the south boundary, and F. B. Jacobs resurveyed the west boundary, and surveyed the east and north boundaries and subdivisional lines.

In 1916 Matthews and Clark resurveyed the east boundary.

Remonumentation, T. 22 N., R. 9 E., Arizona

The $\frac{1}{4}$ sec. cor. of secs. 26 and 27, monumented by a volcanic stone, 18 x 15 x 11 ins., firmly set 14 ins. in the ground, mkd. $\frac{1}{4}$ on the W. face, from which the remains of the orig. bearing trees

A stump hole, bears S. 7° E., 50 lks. dist.

A cedar stump, 8 ins. diam., bears N. 86°30' W., 59 lks. dist., no scribe mks.

At the cor. point

Set the iron post, 24 ins. in the ground, brass cap mkd.

T22N R9E
 $\frac{1}{4}$
 S27|S26
 1972

from which

A pinyon, 8 ins. diam., bears S. 78° E., 58 lks. dist., mkd. T22N R9E $\frac{1}{4}$ S26 BT.

A pinyon, 5 ins. diam., bears S. 44° W., 57 lks. dist., mkd. $\frac{1}{4}$ S27 BT.

Raise a mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is N. 73°30' E., 16 lks. dist., from a cor. of fences, from which fences bear N. and W.

The cor. of secs. 22, 23, 26 and 27, monumented by a volcanic stone, 18 x 15 x 12 ins., firmly set 8 ins. in the ground, mkd. with 2 notches each on the E. and S. faces, from which the remains of the orig. bearing trees

A pinyon, 10 ins. diam., bears S. 84° E., 15 lks. dist., mkd. with visible scribe mks.
 (Record bearing and dist., N. 85° E., 16 lks.).

A pinyon, 12 ins. diam., bears S. 47° W., 72 lks. dist., mkd. with a healed blaze.
 (Record bearing and dist., S. 44°30' W., 73 lks.).

A pinyon stump, 8 ins. diam., bears N. 23°30' W., 10 lks. dist., mkd. T22N R9E S22 BT.

Remonumentation, T. 22 N., R. 9 E., Arizona

CHAINS

At the cor. point

Set the iron post, 22 ins. in the ground, brass cap mkd.

T22N R9E
S22|S23
S27|S26
 1972

from which

A pinyon, 5 ins. diam., bears N. 41° E., 26 lks. dist., mkd. T22N R9E S23 BT.

A pinyon, 14 ins. diam., bears N. 73°30' W., 38 lks. dist., mkd. T22N R9E S22 BT.

Raise a mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is E., 13 lks. dist., from a fence bearing N. and S.

The cor. of secs. 27, 28, 33 and 34, monumented by a volcanic stone, 18 x 15 x 12 ins., firmly set 14 ins. in the ground, mkd. with 3 notches on the E. face and 1 notch on the S. face, from which the original bearing trees

A ponderosa pine, 43 ins. diam., bears N. 43°30' E., 88 lks. dist., mkd. with a healed blaze.

A pinyon, 35 ins. diam., bears S. 29° E., 155 lks. dist., mkd. T22N R9E S34 BT.

A ponderosa pine, 65 ins. diam., bears S. 38°15' W., 352 lks. dist., mkd. with a healed blaze.

A ponderosa pine, 54 ins. diam., bears N. 42°15' W., 140 lks. dist., mkd. with a healed blaze.

At the cor. point

Set the iron post, 24 ins. in the ground, brass cap mkd.

T22N R9E
S28|S27
S33|S34
 1972

Raise a mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Remonumentation, T. 22 N., R. 9 E., Arizona

CHAINS

The $\frac{1}{4}$ sec. cor. of secs. 27 and 34, monumented by a volcanic stone, 18 x 14 x 13 ins., firmly set 12 ins. in the ground, mkd. $\frac{1}{4}$ on the N. face, from which the orig. bearing trees

A ponderosa pine, 18 ins. diam., bears S. 45° E., 54 lks. dist., mkd. with a healed blaze.
(Record bearing S. 45°30' E.).

A ponderosa pine, 22 ins. diam., bears N. 74° W., 29 lks. dist., mkd. with a healed blaze.
(Record dist., 30 lks.).

At the cor. point

Set the iron post, 24 ins. in the ground, brass cap mkd.

T22N R9E

$\frac{1}{4}$ $\frac{S27}{S34}$
1972

Raise a mound of stone N. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is 30 lks. S. of a track road, bearing irregularly E. and W.

The cor. of secs. 21, 22, 27 and 28, monumented by a volcanic stone, 24 x 17 x 12 ins., firmly set 12 ins. in the ground, mkd. with 3 notches on the E. face and 2 notches on the S. face, from which the remains of the orig. bearing trees

A ponderosa pine, 14 ins. diam., bears N. 57° E., 75 lks. dist., mkd. with visible scribe mks.
(Record dist., 73 lks.).

A ponderosa pine, 16 ins. diam., bears S. 66°45' E., 92 lks. dist., mkd. with visible scribe mks.
(Record dist., 91 lks.).

A stump hole, with a dead pine, 20 ins. diam., lying alongside on the ground, bears S. 32° W., 68 lks. dist., tree mkd. with visible scribe mks.

A ponderosa pine, 20 ins. diam., bears N. 2° W., 98 lks. dist., mkd. with visible scribe mks.
(Record dist., 101 lks.).

At the cor. point

Set the iron post, 24 ins. in the ground, brass cap mkd.

T22N R9E

$\frac{S21|S22}{S28|S27}$
1972

from which

A ponderosa pine, 34 ins. diam., bears S. 89° W., 189 lks. dist., mkd. T22N R9E S28 BT.

Raise a mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Remonumentation, T. 22 N., R. 9 E., Arizona

CHAINS

The $\frac{1}{4}$ sec. cor. of secs. 22 and 27, monumented by a volcanic stone, 16 x 11 x 10 ins., firmly set 14 ins. in the ground, mkd. $\frac{1}{4}$ on N. face, from which the remains of the orig. bearing trees

A yellow pine, 30 ins. diam., bears S. $84^{\circ}45'$ W., 133 lks. dist., mkd. with an overgrown blaze.

A pine stump, 27 ins. diam., bears N. 43° W., 65 lks. dist., no scribe mks.

At the cor. point

Set the iron post, 24 ins. in the ground, brass cap mkd.

T22N R9E

$\frac{1}{4}$ $\frac{S22}{S27}$

1972

from which

A ponderosa pine, 14 ins. diam., bears N. 7° W., 92.5 lks. dist., mkd. T22N R9E $\frac{1}{4}$ S22 BT.

Raise a mound of stone N. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is in a small draw, draining southerly.

The $\frac{1}{4}$ sec. cor. of secs. 32 and 33, monumented by a volcanic stone, 20 x 12 x 8 ins., firmly set 15 ins. in the ground, mkd. $\frac{1}{4}$ on the W. face, from which the orig. bearing trees

A pinyon, 10 ins. diam., bears N. $27^{\circ}30'$ E., 101 lks. dist., mkd. with visible scribe mks. (Record dist., 102 lks.).

A pinyon, 14 ins. diam., bears S. 33° W., 74 lks. dist., mkd. with visible scribe mks. (Record dist., 73 lks.).

At the cor. point

Set the iron post, 24 ins. in the ground, brass cap mkd.

T22N R9E

$\frac{1}{4}$ S32|S33

1972

Raise a mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is approximately 450 lks. N. of a power line, bearing N. 80° E., and S. 80° W.

Remonumentation, T. 22 N., R. 9 E., Arizona

CHAINS

The 1/4 sec. cor. of secs. 28 and 29, monumented by a malpais stone, 16 x 13 x 8 ins., firmly set 13 ins. in the ground, mkd. 1/4 on the W. face, from which the only remaining orig. bearing tree

A ponderosa pine, 26 ins. diam., bears N. 75° E., 36 lks. dist., mkd. with a healed blaze.
(Record dist., 35 lks.).

At the cor. point

Set the iron post, 24 ins. in the ground, brass cap mkd.

T22N R9E
1/4
S29|S28
1972

from which

A ponderosa pine, 24 ins. diam., bears S. 65° W., 92 lks. dist., mkd. T22N R9E 1/4 S29 BT.

Raise a mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

The cor. of secs. 20, 21, 28 and 29, monumented by a volcanic stone, 21 x 12 x 12 ins., firmly set 12 ins. in the ground, mkd. with 4 notches on the E. face and 2 notches on the S. face, from which the orig. bearing trees

A ponderosa pine, 22 ins. diam., bears N. 67°45' E., 104 lks. dist., mkd. with visible scribe mks.
(Record dist., 103 lks.).

A ponderosa pine, 26 ins. diam., bears S. 40°45' E., 83 lks. dist., mkd. with a healed blaze.

A dead pine, 24 ins. diam., bears S. 49°30' W., 140 lks. dist., mkd. T22N R9E S29 BT.

A ponderosa pine, 34 ins. diam., bears N. 76° W., 74 lks. dist., mkd. T22N R9E.
(Record bearing and dist., N. 76 1/2° W., 75 lks.).

At the cor. point

Set the iron post, 24 ins. in the ground, brass cap mkd.

T22N R9E
S20|S21
S29|S28
1972

from which

A ponderosa pine, 14 ins. diam., bears S. 41° W., 106 lks. dist., mkd. T22N R9E S29 BT.

Bury the orig. cor. stone alongside the iron post.

Remonumentation, T. 22 N., R. 9 E., Arizona

CHAINS

The cor. of secs. 16, 17, 20 and 21, monumented by a volcanic stone, 22 x 15 x 9 ins., firmly set 15 ins. in the ground, mkd. with 4 notches on the E. face and 3 notches on the S. face, from which the remains of the orig. bearing trees

A stump hole, bears N. 20° E., 10 lks. dist.

A stump hole, with a fallen pine tree, 26 ins. diam., lying alongside, bears S. 40° E., 60 lks. dist., tree mkd. with a partially healed blaze.

A ponderosa pine, 22 ins. diam., bears S. 85°30' W., 34 lks. dist., mkd. with a burned blaze. (Record dist., 36 lks.).

A ponderosa pine, 20 ins. diam., bears N. 9°30' W., 43 lks. dist., mkd. with a healed blaze. (Record bearing and dist., N. 9°45' W., 42 lks.).

At the cor. point

Set the iron post, 24 ins. in the ground, brass cap mkd.

T22N R9E
S17|S16
S20|S21
 1972

from which

A ponderosa pine, 10 ins. diam., bears S. 12°30' E., 71 lks. dist., mkd. T22N R9E S21 BT.

Raise a mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

The ¼ sec. cor. of secs. 16 and 17, monumented by a volcanic stone, 16 x 10 x 5 ins., firmly set 10 ins. in the ground, mkd. ¼ on the W. face, from which the orig. bearing trees

A ponderosa pine, 30 ins. diam., bears S. 20° E., 73 lks. dist., mkd. with a partially healed blaze. (Record bearing and dist., S. 24½° E., 68 lks.).

A ponderosa pine, 28 ins. diam., bears N. 80° W., 119 lks. dist., mkd. with a healed blaze. (Record bearing and dist., N. 75°45' W., 117 lks.).

At the cor. point

Set the iron post, 24 ins. in the ground, brass cap mkd.

T22N R9E
 ¼
S17|S16
 1972

Raise a mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Remonumentation, T. 22 N., R. 9 E., Arizona

CHAINS

The cor. of secs. 8, 9, 16 and 17, monumented by a volcanic stone, 23 x 12 x 8 ins., firmly set 18 ins. in the ground, mkd. with 4 notches each on the E. and S. faces, from which the remains of the orig. bearing trees

A stump hole, bears N. 18° E., 169 lks. dist.

A ponderosa pine, 20 ins. diam., bears S. 23°30' E., 56 lks. dist., mkd. with a healed blaze. (Record dist., 57 lks.).

A ponderosa pine, 24 ins. diam., bears S. 79° W., 101 lks. dist., mkd. with visible scribe mks. (Record bearing S. 89° W.).

A stump hole, bears N. 3° W., 64 lks. dist.

At the cor. point

Set the iron post, 24 ins. in the ground, brass cap mkd.

T22N R9E
 S 8 | S 9
 S17 | S16
 1972

from which

A ponderosa pine, 10 ins. diam., bears N. 37° E., 67 lks. dist., mkd. T22N R9E S9 BT.

A ponderosa pine, 14 ins. diam., bears N. 76° W., 34 lks. dist., mkd. T22N R9E S8 BT.

Bury the orig. cor. stone alongside the iron post.

Cor. is 170 lks. N. of a road, bearing E. and W.

The cor. of secs. 29, 30, 31 and 32, monumented by a volcanic stone, 21 x 12 x 11 ins., firmly set 18 ins. in the ground, mkd. with 5 notches on the E. face and 1 notch on the S. face, from which the remains of the orig. bearing trees

A stump hole, bears N. 21° E., 139 lks. dist.

A pine stump, 31 ins. diam., bears S. 87° E., 53 lks. dist., no scribe mks. visible.

A pine stump, 16 ins. diam., bears S. 62°15' W., 91 lks. dist., no scribe mks. visible.

A stump hole, with a pine tree, 10 ins. diam., lying alongside on the ground, bears N. 23°45' W., 106 lks. dist., tree mkd. T22N R9E S30 BT.

At the cor. point

Set the iron post, 24 ins. in the ground, brass cap mkd.

T22N R9E
 S30 | S29
 S31 | S32
 1972

from which

Remonumentation, T. 22 N., R. 9 E., Arizona

CHAINS

A ponderosa pine, 15 ins. diam., bears N. 80° E., 97 lks. dist., mkd. T22N R9E S29 BT.

A ponderosa pine, 10 ins. diam., bears S. 14° W., 34 lks. dist., mkd. T22N R9E S31 BT.

A ponderosa pine, 8 ins. diam., bears N. 15° W., 37 lks. dist., mkd. T22N R9E S30 BT.

Raise a mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

The $\frac{1}{4}$ sec. cor. of secs. 30 and 31, monumented by a volcanic stone, 14 x 9 x 6 ins., firmly set 10 ins. in the ground, mkd. $\frac{1}{4}$ on the N. face, from which the orig. bearing trees

A ponderosa pine, 18 ins. diam., bears S. 0°30' E., 137 lks. dist., mkd. with a partially healed blaze, with scribe mks. visible.
(Record dist., 136 lks.).

A ponderosa pine, 20 ins. diam., bears N. 32° W., 65 lks. dist., mkd. with a healed blaze.
(Record dist., 62 lks.).

At the cor. point

Set the iron post, 24 ins. in the ground, brass cap mkd.

T22N R9E
 $\frac{1}{4}$ $\frac{S30}{S31}$
1972

Raise a mound of stone N. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is 22 lks. W. of a fence, bearing S. 12° E., and N. 12° W., for approximately 60 lks. dist., thence N. 55° W.

The $\frac{1}{4}$ sec. cor. of secs. 29 and 30, monumented by a volcanic stone, 22 x 12 x 12 ins., firmly set 6 ins. in the ground, mkd. $\frac{1}{4}$ on the W. face. Unable to find any evidence of the original bearing trees as called for in record.

At the cor. point

Set the iron post, 22 ins. in the ground, brass cap mkd.

T22N R9E
 $\frac{1}{4}$
S30|S29
1972

from which

A pinyon, 4 ins. diam., bears S. 5° E., 28 lks. dist., mkd. T22N R9E $\frac{1}{4}$ S29 BT.

A pinyon, 5 ins. diam., bears S. 34° W., 61 lks. dist., mkd. $\frac{1}{4}$ S30 BT.

Remonumentation, T. 22 N., R. 9 E., Arizona

CHAINS

Raise a mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is on a steep SE. slope, approximately 250 lks. W. of the W. edge of a cinder pit.

The cor. of secs. 17, 18, 19 and 20, monumented by a volcanic stone, 19 x 9 x 8 ins., firmly set 12 ins. in the ground, mkd. with 5 notches on the E. face and 3 notches on the S. face, from which the remains of the orig. bearing trees

A ponderosa pine, 38 ins. diam., bears N. 39° E., 67 lks. dist., mkd. T22N R9E S17 BT.
(Record bearing and dist., N. 39°15' E., 66 lks.).

A pine stump, 42 ins. diam., bears S. 16° E., 8 lks. dist., no scribe mks. visible.
(Record dist., 9 lks.).

A ponderosa pine, 36 ins. diam., bears S. 66° W., 116 lks. dist., mkd. with a healed blaze.
(Record bearing S. 66°30' W.).

At the cor. point

Set the iron post, 22 ins. in the ground, brass cap mkd.

T22N R9E
S18|S17
S19|S20
1972

from which

A ponderosa pine, 13 ins. diam., bears S. 44°30' E., 79 lks. dist., mkd. T22N R9E S20 BT.

A ponderosa pine, 15 ins. diam., bears N. 19°30' W., 99 lks. dist., mkd. T22N R9E S18 BT.

Deposit glass at the base of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is 450 lks. S. of a track road, bearing irregularly E. and W.

The point for the ¼ sec. cor. of secs. 17 and 20 reestablished by record bearing and dist. from the remains of the orig. bearing trees

A pine stump, 14 ins. diam., bears S. 1° E., 81 lks. dist., no scribe mks. visible.

A stump hole, with a fallen pine tree, 18 ins. diam., on the ground alongside, bears N. 85° W., 41 lks. dist., tree mkd. with a partially burned blaze and visible scribe mks.

At the cor. point

Set the iron post, 22 ins. in the ground, brass cap mkd.

Remonumentation, T. 22 N., R. 9 E., Arizona

CHAINS

T22N R9E

 $\frac{1}{4}$ $\frac{S17}{S20}$

1972

from which

A ponderosa pine, 28 ins. diam., bears S. 82° E.,
95 lks. dist., mkd. T22N R9E $\frac{1}{4}$ S20 BT.

A ponderosa pine, 10 ins. diam., bears N. 77° W.,
74 lks. dist., mkd. T22N R9E $\frac{1}{4}$ S17 BT.

Deposit brown glass at the base of the iron post.

The $\frac{1}{4}$ sec. cor. of secs. 18 and 19, monumented by a
volcanic stone, 20 x 14 x 12 ins., firmly set 16 ins.
in the ground, mkd. $\frac{1}{4}$ on the N. face, from which the
orig. bearing trees

A ponderosa pine, 35 ins. diam., bears S. 62° W.,
76 lks. dist., mkd. $\frac{1}{4}$ S19 BT.
(Record bearing and dist., S. 67° W., 84 lks.).

A ponderosa pine, 40 ins. diam., bears N. 7°30' W.,
84 lks. dist., mkd. with a healed blaze.
(Record bearing and dist., N. 3°15' W., 76 lks.).

At the cor. point

Set the iron post, 24 ins. in the ground, brass cap mkd.

T22N R9E

 $\frac{1}{4}$ $\frac{S18}{S19}$

1972

Raise a mound of stone N. of the iron post.

Bury the orig. cor. stone alongside the iron post.

The $\frac{1}{4}$ sec. cor. of secs. 17 and 18, monumented by a
volcanic stone, 24 x 14 x 12 ins., firmly set 18 ins.
in the ground, mkd. $\frac{1}{4}$ on the W. face, from which the
remains of the orig. bearing trees

A pine stump, 44 ins. diam., bears S. 22° E.,
95 lks. dist., no scribe mks. visible.

A pine stump, 35 ins. diam., bears S. 31°30' W.,
80 lks. dist., no scribe mks. visible.

At the cor. point

Set the iron post, 20 ins. in the ground, brass cap mkd.

T22N R9E

 $\frac{1}{4}$ S18|S17

1972

from which

Remonumentation, T. 22 N., R. 9 E., Arizona

CHAINS

A ponderosa pine, 14 ins. diam., bears N. 35° E.,
83 lks. dist., mkd. T22N R9E ¼ S17 BT.

A ponderosa pine, 12 ins. diam., bears N. 72° W.,
90 lks. dist., mkd. T22N R9E ¼ S18 BT.

Bury the orig. cor. stone alongside the iron post.

The cor. of secs. 7, 8, 17 and 18, monumented by a
volcanic stone, 20 x 15 x 14 ins., firmly set 14 ins.
in the ground, mkd. with 5 notches on the E. face and
4 notches on the S. face, from which the remains of
the orig. bearing trees

A ponderosa pine, 16 ins. diam., bears N. 49° E.,
32 lks. dist., mkd. with a healed blaze.

A pine stump, 30 ins. diam., bears S. 66°30' W.,
70 lks. dist., no scribe mks. visible.

A pine stump, 26 ins. diam., bears N. 25° W.,
118 lks. dist., no scribe mks. visible.
(Record dist., 119 lks.).

At the cor. point

Set the iron post, 24 ins. in the ground, brass cap
mkd.

T22N R9E
S 7 | S 8
S18 | S17
1972

from which

A ponderosa pine, 16 ins. diam., bears S. 73° W.,
145 lks. dist., mkd. T22N R9E S18 BT.

A ponderosa pine, 14 ins. diam., bears N. 19° W.,
193½ lks. dist., mkd. T22N R9E S7 BT.

Raise a mound of stone W. of the iron post.

Bury the orig. cor. stone alongside the iron post.

Cor. is 80 lks. N. of a pipeline, bearing E. and W.

Remonumentation, T. 22 N., R. 9 E., Arizona

CHAINS

The $\frac{1}{4}$ sec. cor. of secs. 8 and 17, monumented by a post, 4 ins. diam., 3 ft. long, firmly set 24 ins. in the ground, mkd. $\frac{1}{4}$ S8, from which the remains of the orig. bearing trees

A pine stump, 34 ins. diam., with a pine tree, 34 ins. diam., lying alongside on the ground, bears N. $48^{\circ}30'$ E., 65 lks. dist., tree mkd. with a healed blaze.

A pine stump, 14 ins. diam., with a pine tree, 14 ins. diam., lying alongside on the ground, bears S. 48° E., 8 lks. dist., tree mkd. with a healed blaze.

At the cor. point

Set the iron post, 24 ins. in the ground, brass cap mkd.

T22N R9E

$$\frac{1}{4} \frac{S 8}{S17}$$

1972

from which

A ponderosa pine, 6 ins. diam., bears N. 77° E., 97 lks. dist., mkd. T22N R9E $\frac{1}{4}$ S8 BT.

A ponderosa pine, 14 ins. diam., bears S. 79° W., 11.5 lks. dist., mkd. T22N R9E $\frac{1}{4}$ S17 BT.

Raise a mound of stone N. of the iron post.

Bury the orig. cor. post alongside the iron post.

Cor. is 110 lks. S. of a pipeline road, bearing E. and W.

The $\frac{1}{4}$ sec. cor. of secs. 7 and 18, monumented by a wooden post, 2 ins. diam., rotted off at ground level, with the base of the post set in a mound of stone (record calls for a volcanic stone), from which the orig. bearing trees

A ponderosa pine, 16 ins. diam., bears N. 63° E., 32 lks. dist., mkd. with visible scribe mks. (Record bearing and dist., N. $60^{\circ}30'$ E., 33 lks.).

A ponderosa pine, 12 ins. diam., bears S. 6° W., 19 lks. dist., mkd. $\frac{1}{4}$ S BT. (Record bearing S. 7° W.).

At the cor. point

Set the iron post, 24 ins. in the ground, brass cap mkd.

T22N R9E

$$\frac{1}{4} \frac{S 7}{S18}$$

1972

Raise a mound of stone N. of the iron post.

Bury the orig. cor. post alongside the iron post.

Cor. is approximately 300 lks. N. of a pipeline road, bearing E. and W.

CERTIFICATE OF SURVEY

(I) (We), Harry K. Smith, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 7th day of April, 1972, (I) (We) have remonumented a portion of the cadastral survey corners in Township 22 North, Ranges 7, 8 and 9 East,

of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by (me), (us) and under (my) (our) direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

October 12, 1972 (Date)

Harry K. Smith (Cadastral Surveyor)

(Date)

(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

SUBMITTED FOR APPROVAL Date NOV 3 1972

BUREAU OF LAND MANAGEMENT Washington, D.C.

The foregoing field notes of the remonumentation of a portion of the cadastral survey corners in Township 22 North, Ranges 7, 8 and 9 East, of the Gila and Salt River Meridian, Arizona,

executed by Harry K. Smith, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

OCT 29 1973 (Date)

Clark F. Gamm (Chief, Division of Cadastral Survey)

~~CERTIFICATE OF TRANSCRIPT~~

I CERTIFY That the foregoing transcript of the field notes of the above-described surveys in, is a true copy of the original field notes.

(Date)

(Chief, Division of Cadastral Survey) GPO 849 - 626