

Form 9600-9
(December 1979)
(formerly 9180-6)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

BOOK 5156

1

FIELD NOTES

OF THE

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES

AND A PORTION OF THE SUBDIVISION LINES WITHIN SECTION 26;

THE SURVEY OF A PORTION OF THE SUBDIVISION LINES WITHIN SECTION 26,

AND THE METES AND BOUNDS SURVEY OF TRACT 42

TOWNSHIP 7 SOUTH, RANGE 15 WEST

Of the GILA AND SALT RIVER Meridian,

In the State of ARIZONA

EXECUTED BY

PAUL J. FISHER

CADASTRAL SURVEYOR

Under special instructions dated OCTOBER 14, 19 69, approved OCTOBER 27, 1969,
SUPPLEMENTAL SPECIAL INSTRUCTIONS DATED NOVEMBER 20, 1969, APPROVED NOVEMBER 21,
1969, AND SUPPLEMENTAL SPECIAL INSTRUCTIONS DATED OCTOBER 20, 1980, APPROVED
OCTOBER 27, 1980, which provided for the surveys included under ~~XXXX SURVEY~~ Group
Number 517, and assignment instructions dated OCTOBER 14, 19 80.

Survey commenced APRIL 23, 19 81

Survey completed MAY 14, 19 81

INDEX DIAGRAM

Township 7 SOUTH, Range 15 WEST

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26 2	25 1
31	32	33	34	35	36

Dependent resurvey of subdivision lines within section 26 . . . pp. 3-4
 Survey of subdivision lines within section 26 p. 4
 Metes and bounds survey of Tract 42 pp. 5-6

Township 7 South, Range 15 West
Gila and Salt River Meridian, Arizona

CHAINS

The following field notes are those of the dependent resurvey of a portion of the subdivisional lines and a portion of the subdivision lines within section 26; the survey of a portion of the subdivision lines within section 26 and the metes and bounds survey of Tract 42, Township 7 South, Range 15 West, Gila and Salt River Meridian, Arizona.

History of Previous Surveys: The township exterior boundaries and subdivisional lines were surveyed by T. F. White, U. S. Deputy Surveyor, in 1877, as shown upon the official plat approved July 30, 1877. A portion of the south boundary was dependently resurveyed by Francis E. Joy, in 1934, as described in the official record of the north boundary of Township 8 South, Range 15 West, and shown upon the official plat for that survey approved February 23, 1935, and accepted April 2, 1935. A portion of the west boundary and a portion of the subdivisional lines were dependently resurveyed, and a portion of the subdivision lines within sections 19 and 31 were surveyed by Albin H. Wadin, Engineer, Bureau of Reclamation, in 1953, as shown upon the official plat, examined and approved by the Bureau of Reclamation, Washington, D. C., March 17, 1955, and was accepted by the Bureau of Land Management, Cadastral Engineering Staff Officer, March 17, 1955. The dependent resurvey of a portion of the south, east, and west boundaries of the township, a portion of the subdivisional lines, and a portion of the subdivision lines within section 31; the survey of a portion of the subdivision lines within a number of sections and the survey of Tracts 37, 38, 39, 40, and 41, were executed by James P. Scott and Ray Harpin, Cadastral Surveyors, 1969 - 1979, as shown upon the official plat (two sheets) accepted January 28, 1980.

The dependent resurvey and surveys were executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1973 Edition, and the Special Instructions dated October 14, 1969, Supplemental Special Instructions dated November 20, 1969, and Supplemental Special Instructions dated October 20, 1980, for Group No. 517, Arizona.

The direction of all lines of these surveys were determined from direct altitude observations on the sun for azimuth, and these directions refer to the true meridian. The lines were carried forward by normal transit traverse. Distances are expressed in chains.

The geographic position of the cor. of secs. 25, 26, 35, and 36, determined by scaling from a U.S. Geological Survey Quadrangle Map, "Growler, Ariz. 1955", is as follows: Latitude 32° 46.9' N. and Longitude 113° 45.8' W. The mean magnetic declination is 14° East.

Dependent Resurvey, Portion of the Subdivisional Lines
Township 7 South, Range 15 West
Gila and Salt River Meridian, Arizona

Restoring the Resurvey Executed
by James P. Scott and Ray Harpin
Cadastral Surveyors, in 1969 and 1979

Dependent Resurvey, Portion of the Subdivisional Lines
Township 7 South, Range 15 West
Gila and Salt River Meridian, Arizona

4

CHAINS	
14.84	<p>The cor. of secs. 25, 26, 35, and 36, marked with an iron pipe, undetermined length, 2 ins. diam., with the top 12 ins. below the surface of the road.</p> <p>At the corner point</p> <p>Set an iron post, 28 ins. long, 2 1/2 ins. diam., over the above iron pipe cor. marker, with brass cap 9 ins. below the surface of the road, mkd.</p> <p style="text-align: center;">T7S R15W S 26 S 25 S 35 S 36</p> <p style="text-align: center;">1981</p> <p>There are no suitable accessories nor locations available for reference monuments.</p> <p>N. 0° 11' E., between secs. 25 and 26.</p> <p>The point for Angle Point No. 8, Tract 42.</p> <p>Set an aluminum rod, 48 ins. long, 5/8 in. diam., with aluminum cap, 3 1/4 ins. diam., 12 ins. below the surface of the road, mkd.</p> <p style="text-align: center;">T7S R15W S 26 S 25 AP 8 TR 42 </p> <p style="text-align: center;">1981</p> <p>There are no suitable accessories nor locations available for reference monuments.</p>
40.09	<p>The 1/4 sec. cor. of secs. 25 and 26, marked with an iron pipe, 2 ins. diam., with brass cap 9 ins. below the surface of the road, set and mkd. as described in the official field-note record of the dependent resurvey executed by James P. Scott and Ray Harpin, Cadastral Surveyors, in 1969 - 1979.</p>
20.01	<p>The cor. of secs. 26, 27, 34, and 35, monumented with an iron post, 2 1/2 ins. diam., with brass cap 5 ins. below the surface of the road, set and mkd. as described in the official field-note record of the dependent resurvey executed by James P. Scott and Ray Harpin, Cadastral Surveyors, in 1969 - 1979.</p> <p>N. 0° 01' E., between secs. 26 and 27.</p> <p>The point for the S 1/16 sec. cor. of secs. 26 and 27.</p>

Dependent Resurvey, Portion of the Subdivisional Lines
Township 7 South, Range 15 West
Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set an aluminum rod, 48 ins. long, 5/8 in. diam., with aluminum cap, 3 1/4 ins. diam., 12 ins. below the surface of the road, mkd.</p> <p style="text-align: center;">T7S R15W S 1/16</p> <p style="text-align: center;">S 27 S 28</p> <p style="text-align: center;">1981</p> <p>There are no suitable accessories nor locations available for reference monuments.</p>
40.02	<p>The 1/4 sec. cor. of secs. 26 and 27, monumented with an iron post, 2 1/2 ins. diam., with brass cap 6 ins. below the surface of the road, set and mkd. as described in the official field-note record of the dependent resurvey executed by James P. Scott and Ray Harpin, Cadastral Surveyors, in 1969 - 1979.</p>
	<hr/> <p style="text-align: center;">Dependent Resurvey of a Portion of the Subdivision Lines Township 7 South, Range 15 West Gila and Salt River Meridian, Arizona</p> <hr/>
	<p>The 1/4 sec. cor. of secs. 26 and 35, monumented with an iron post, 2 1/2 ins. diam., with brass cap 8 ins. below the surface of the road, set, mkd. and witnessed as described in the official field-note record of the dependent resurvey executed by James P. Scott and Ray Harpin, Cadastral Surveyors, in 1969 - 1979.</p> <p>N. 0° 06' E., on the N. and S. centre line of sec. 26.</p> <p>Thence, on a blank line across hereinafter described Tract 42.</p>
20.035	<p>The point for C-S 1/16 sec. cor. of sec. 26.</p> <p>Set an iron post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T7S R15W C S 1/16 S 26 C</p> <p style="text-align: center;">1981</p>
26.835	<p>Intersect line 8 - 9, Tract 42 (hereinafter described). From this point of intersection Angle Point No. 9, Tract 42 bears N. 73° 29' W., 1.115 chs. dist.</p>
40.07	<p>The Center 1/4 sec. cor. of sec. 26, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 5 ins. above the surface of the ground, set and mkd. as described in the official field-note record of the survey of a portion of the subdivision lines within sec. 26, executed by James P. Scott and Ray Harpin, Cadastral Surveyors, in 1969 - 1979.</p> <p>Discontinue the regular order of survey at this corner.</p>

Dependent Resurvey, Portion of the Subdivision Lines
Township 7 South, Range 15 West
Gila and Salt River Meridian, Arizona

CHAINS		
	S. 89° 47' W., on the E. and W. center line of sec. 26.	
10.175	The point for Angle Point No. 1, Tract 42. Set an iron post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap, mkd.	
	<p style="text-align: center;">T7S R15W S 26 AP 1 TR 42</p>	
	1981	
17.28	The point for Angle Point No. 2, Tract 42. Set an iron post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.	
	<p style="text-align: center;">T7S R15W S 26 AP 2 TR 42</p>	
	1981	
40.06	The 1/4 sec. cor. of secs. 26 and 27.	
	<p>Survey of a Portion of the Subdivision Lines Within Section 26 Township 7 South, Range 15 West Gila and Salt River Meridian, Arizona</p>	
	From the C-S 1/16 sec. cor. of sec. 26.	
	S. 89° 49' W., on the E. and W. center line of the SW 1/4, sec. 26	
	Thence, on a blank line across hereinafter described Tract 42.	
17.28	The point for Angle Point No. 3, Tract 42. Set an iron post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.	
	<p style="text-align: center;">T7S R15W S 26 AP 3 TR 42</p>	
	1981	
40.04	The S 1/16 sec. cor. of secs. 26 and 27.	

Metes and Bounds Survey of Tract 42
Township 7 South, Range 15 West
Gila and Salt River Meridian, Arizona

CHAINS	
	Beginning at Angle Point No. 1, Tract 42.
7.105	S. 89° 47' W., on line 1 - 2, Tract 42, which is identical with the E. and W. center line of sec. 26. Angle Point No. 2, Tract 42. <hr/>
20.02	S. 0° 05' W., on line 2 - 3, Tract 42. Angle Point No. 3, Tract 42. <hr/>
22.76	S. 89° 49' W., on line 3 - 4, Tract 42, which is identical with the E. and W. center line of the SW 1/4, sec. 26. The S 1/16 sec. cor. of secs. 26 and 27, which is designated to function for Angle Point No. 4, Tract 42. <hr/>
20.01	S. 0° 01' W., on line 4 - 5, Tract 42, which is identical with the sec. line between secs. 26 and 27. The cor. of secs. 26, 27, 34, and 35, which is designated to function for Angle Point No. 5, Tract 42 <hr/>
40.01	N. 89° 51' E., on line 5 - 6, Tract 42, which is identical with the sec. line between secs. 26 and 35. The 1/4 sec. cor. of secs. 26 and 35, which is designated to function for Angle Point No. 6, Tract 42. <hr/>
40.00	N. 89° 49' E., on line 6 - 7, Tract 42, which is identical with the sec. line between secs. 26 and 35. The cor. of secs. 25, 26, 35, and 36, which is designated to function for Angle Point No. 7, Tract 42. <hr/>
14.84	N. 0° 11' E., on line 7 - 8, Tract 42, which is identical with the sec. line between secs. 25 and 26. Angle Point No. 8, Tract 42. <hr/>
41.725	N. 73° 29' W., on line 8 - 9, Tract 42. Intersect the N. and S. center line of sec. 26, heretofore described.
42.84	The point for Angle Point No. 9, Tract 42.

Metes and Bounds Survey of Tract 42
 Township 7 South, Range 15 West
 Gila and Salt River Meridian, Arizona

CHAINS

Set an iron post, 28 ins. long, 2 1/2 ins. diam., with
 brass cap 5 ins. below the surface of the road, mkd.

T7S R15W
 S 26
 AP 9
 TR 42
 1981

N. 35° 14' W., on line 9 - 1, Tract 42.

15.76

Angle Point No. 1, Tract 42, and the place of
 beginning.

GENERAL DESCRIPTION

The land embraced by this survey is primarily sandy
 desert land, from nearly level to rolling. Timber
 consists of mesquite, paloverde, tesota and French
 tamarisk trees; undergrowth, young trees, creosote
 (shrub) brush, and cacti.

Irrigated farms are being developed in and near the
 area of this survey with many canals and laterals which
 are constructed of concrete. Improved roads have been
 constructed along certain section lines.

Game birds, coyotes, and rodents abound throughout the
 vicinity.

CERTIFICATE OF SURVEY

(I) ~~XXX~~ Paul J. Fisher, HEREBY
 CERTIFY upon honor that, in pursuance of special instructions bearing date of the 14th day
 of October, 1969, ~~XXXXXX~~ Supplemental Special Instructions dated
 November 20, 1969, and Supplemental Special Instructions dated October 20,
 1980, (I) have dependently resurveyed a portion of the subdivisional lines
 and a portion of the subdivision lines within section 26; and surveyed a
 portion of the subdivision lines within section 26, and the metes-and-bounds
 survey of Tract 42, Township 7 South, Range 15 West,

of the Gila and Salt River Meridian, in the State of Arizona, which
 are represented in the foregoing field notes as having been executed by (me), ~~XXX~~ and under (my)
~~XXX~~ direction; and that said survey has been made in strict conformity with said special instruc-
 tions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in
 specific manner described in the foregoing field notes.

September 22, 1981
 (Date)

Paul J. Fisher
 (Cadastral Surveyor)

(Date)

(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT
 Denver, Colorado

The foregoing field notes of the dependent resurvey of a portion of the subdivisional
 lines and a portion of the subdivision lines within section 26; the survey
 of a portion of the subdivision lines within section 26, and the metes-and-
 bounds survey of Tract 42, Township 7 South, Range 15 West, of the Gila and
 Salt River Meridian, Arizona

executed by Paul J. Fisher, Cadastral Surveyor

having been critically examined and found correct, are hereby approved.

NOV 23 1981
 (Date)

Mary S. Speight
 ACTING (Chief, Cadastral Survey Examination and Approval Staff)

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of the field notes of the above-described surveys in
 _____, is a true copy of the original field notes.

(Date)

(Chief, Cadastral Survey Examination and Approval Staff)