

ORIGINAL

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FIELD NOTES
OF THE
DEPENDENT RESURVEY OF A PORTION OF
THE SUBDIVISIONAL LINES
AND THE SURVEY
OF A PORTION THE FIRST GUIDE MERIDIAN WEST (WEST BOUNDARY),
THE EAST AND NORTH BOUNDARIES
AND A PORTION OF THE SUBDIVISIONAL LINES
TOWNSHIP 41 NORTH, RANGE 4 WEST,
OF THE GILA AND SALT RIVER MERIDIAN,
IN THE STATE OF ARIZONA.

EXECUTED BY

Adrien J. Rodriguez, Cadastral Surveyor

Under Special Instructions dated July 24, 2003, approved July 24, 2003, which provided for the surveys included under Group No. 911, and assignment instructions dated July 24, 2003.

Survey commenced August 25, 2003

Survey completed November 13, 2003

INDEX DIAGRAM

**TOWNSHIP 41 NORTH RANGE 4 WEST
GILA AND SALT RIVER MERIDIAN**

	19	18	17	16	15	14
7	6	56 5	47 4	41 3	34 2	26 1 13
	55	55	46	40	33	26
7	7	54 8	45 9	39 10	33 11	25 12 12
	53	53	45	39	32	25
6	18	52 17	44 16	38 15	31 14	24 13 11
	51	51	44	37	31	23
5	19	50 20	43 21	36 22	30 23	23 24 10
4	49	48 48	42 42	35 36	29	22
	30	29	28	27	28 26	21 25 9
				4		
	31	32	33	35	28	21
				34	27 35	20 36 9

T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona

CHAINS

The following field notes describe the dependent resurvey of a portion of the subdivisional lines and the survey of a portion of the First Guide Meridian West (West Boundary), the east and north boundaries and a portion of the subdivisional lines, Township 41 North, Range 4 West, Gila and Salt River Meridian, Arizona.

The history of surveys pertaining to this survey is as follows:

Joseph C. Thoma surveyed the Tenth Standard Parallel North (South Boundary), a portion of the First Guide Meridian West (West Boundary) and a portion of the subdivisional lines in 1914. Gilbert V. Olson dependently resurveyed a portion of the Tenth Standard Parallel North (South Boundary), a portion of the First Guide Meridian West (West Boundary), a portion of the subdivision lines and the subdivision of sections 31 and 32, in 1975. Harry S. Pierce correctively dependently resurveyed a portion of the Tenth Standard Parallel North (South Boundary), a portion of the First Guide Meridian West (West Boundary), a portion of the subdivision lines and the corrective survey of the subdivision of sections 31 and 32, in 1979. W. William Foster dependently resurveyed a portion of the Tenth Standard Parallel North (South Boundary) in 2003.

The survey was executed in accordance with the specifications as set forth in the Manual of Instructions for the Survey of the Public Lands of the United States, 1973, and the Special Instructions dated JULY 24, 2003, for Group No. 911, Arizona.

The true meridian direction and length of all lines were determined by real time kinematic global positioning system observations using Trimble Navigation 5800 model receivers.

Geodetic control was derived from Global Positioning System (GPS) static post observations processed by National Geodetic Survey, Online Positioning User Service (OPUS), utilizing Continuously Operating Reference Stations (CORS) ECHO CANYON S.P. CORS ARP, FREDONIA CORS ARP and FERNO MESA CORS ARP. The NAD 83 (CORS96)(EPOCH: 2002), geographic position of the southeast corner of the township, is as follows:

Latitude: 36°54'12.13" North Longitude: 112°40'00.75" West

The mean magnetic declination is 12 3/4° East.

**Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Restoring the survey executed by Jos. C. Thoma in 1914</p> <hr/>
	<p>From the cor. of secs. 27, 28, 33 and 34, monumented with an iron post, 2 ins. diam., firmly set, projecting 5 ins. above ground, with brass cap mkd. T41N R4W S28 S27 S33 S34 1914.</p> <p>Add the marks 2003 to the brass cap.</p> <p>N. 0°07' W., bet. secs. 27 and 28.</p>
4.60	Graded road, 15 ft. wide, bears N. 30° E. and S. 30° W.
40.02	<p>The 1/4 sec. cor. of secs. 27 and 28, monumented with an iron post, 1 in. diam., firmly set, projecting 19 ins. above ground, in a supporting mound of stone, 3 ft. base, 1 ft. high, with brass cap mkd. S28 1/4 S27 1914.</p> <p>Add the marks T41N R4W 2003 to the brass cap.</p> <hr/>
	<p>Survey of a Portion of the First Guide Meridian West (West Boundary), T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona</p> <hr/>
	<p>Beginning at 1/4 sec. cor. of secs. 25 and 30, monumented with an iron post, 1 in. diam., firmly set, projecting 14 ins. above ground, with brass cap mkd. S25 1/4 S30 1914, from which</p> <p style="padding-left: 40px;">A snag, 18 ins. diam., bears N. 64° E., 121 lks. dist., with a healed blaze.</p> <p style="padding-left: 40px;">A pine, 12 ins. diam., bears S. 33 1/2° W., 10 lks. dist., with scribe marks 1/4 S25 BT visible on partially open blaze.</p> <p>Add the marks T41N R5W R4W 2003 to the brass cap.</p> <p>North, bet. secs. 25 and 30.</p> <p>Over rolling and broken land covered with juniper, pine and sage.</p>
40.00	<p>Point for the cor. of secs. 19, 24, 25 and 30.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

Survey of a Portion of the
 First Guide Meridian West (West Boundary),
 T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona

CHAINS									
	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td colspan="2" style="text-align: center;">T 41 N</td></tr> <tr><td style="text-align: center;">R 5 W</td><td style="text-align: center;">R 4 W</td></tr> <tr><td style="text-align: center;">S 24</td><td style="text-align: center;">S 19</td></tr> <tr><td style="text-align: center;">S 25</td><td style="text-align: center;">S 30</td></tr> </table>	T 41 N		R 5 W	R 4 W	S 24	S 19	S 25	S 30
T 41 N									
R 5 W	R 4 W								
S 24	S 19								
S 25	S 30								
	<p style="text-align: center;">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Cor. is located on a spur, slopes N. 70° E.</p> <p>Land, rolling and broken. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p>								
	<hr/> <p>North, bet. secs. 19 and 24.</p> <p>Descending over rolling and broken land, covered with juniper, pine and sage.</p>								
<p>40.00</p>	<p>Point for the 1/4 sec. cor. of secs. 19 and 24, falls on a sandstone rock face, 400 x 300 x 300 ft.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole in solid rock, with top mkd.</p>								
	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td colspan="2" style="text-align: center;">T 41 N</td></tr> <tr><td style="text-align: center;">R 5 W</td><td style="text-align: center;">R 4 W</td></tr> <tr><td colspan="2" style="text-align: center;">1/4</td></tr> <tr><td style="text-align: center;">S 24</td><td style="text-align: center;">S 19</td></tr> </table> <p style="text-align: center;">2003</p>	T 41 N		R 5 W	R 4 W	1/4		S 24	S 19
T 41 N									
R 5 W	R 4 W								
1/4									
S 24	S 19								
	<p>from which</p> <p style="padding-left: 40px;">A pine, 18 ins. diam., bears N. 3° W., 1.54 chs. dist., mkd. 1/4 S24 BT.</p>								
<p>80.00</p>	<p>Deposit a magnet at the base of the brass tablet.</p> <p>Point for the cor. of secs. 13, 18, 19 and 24.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 6 ins. in the ground to bedrock, in a supporting mound of stone, 4 ft. base, to top, with brass cap mkd.</p>								

Survey of a Portion of the
 First Guide Meridian West (West Boundary),
 T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona

CHAINS									
	<table border="1"> <tr><td colspan="2">T 41 N</td></tr> <tr><td>R 5 W</td><td>R 4 W</td></tr> <tr><td>S 13</td><td>S 18</td></tr> <tr><td>S 24</td><td>S 19</td></tr> </table> <p>2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Cor. is located on a spur, slopes S. 70° E.</p> <p>Land, rolling and broken. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>North, bet. secs. 13 and 18.</p> <p>Over rolling and broken land, covered with juniper, pine and sage.</p>	T 41 N		R 5 W	R 4 W	S 13	S 18	S 24	S 19
T 41 N									
R 5 W	R 4 W								
S 13	S 18								
S 24	S 19								
40.00	<p>Point for 1/4 sec. cor. of secs. 13 and 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>								
	<table border="1"> <tr><td colspan="2">T 41 N</td></tr> <tr><td>R 5 W</td><td>R 4 W</td></tr> <tr><td colspan="2">1/4</td></tr> <tr><td>S 13</td><td>S 18</td></tr> </table> <p>2003</p> <p>Deposit four iron nails, 5 ins. long, 1/4 in. diam., at the base of the stainless steel post.</p>	T 41 N		R 5 W	R 4 W	1/4		S 13	S 18
T 41 N									
R 5 W	R 4 W								
1/4									
S 13	S 18								
56.00	<p>Trail road, bears N. 70° E. and S. 70° W.</p>								
80.00	<p>Point for the cor. of secs. 7, 12, 13 and 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>								
	<table border="1"> <tr><td colspan="2">T 41 N</td></tr> <tr><td>R 5 W</td><td>R 4 W</td></tr> <tr><td>S 12</td><td>S 7</td></tr> <tr><td>S 13</td><td>S 18</td></tr> </table> <p>2003</p>	T 41 N		R 5 W	R 4 W	S 12	S 7	S 13	S 18
T 41 N									
R 5 W	R 4 W								
S 12	S 7								
S 13	S 18								

Survey of a Portion of the
First Guide Meridian West (West Boundary),
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona

CHAINS	
40.00	<p>Deposit four iron nails, 5 ins. long, 1/4 in. diam., at the base of the stainless steel post.</p> <p>Land, rolling and broken. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>North, bet. secs. 7 and 12.</p> <p>Over rolling land covered with juniper, pine and sage.</p> <p>Point for the 1/4 sec. cor. of secs. 7 and 12.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 41 N R 5 W R 4 W 1/4 S 12 S 7</p> <p>2003</p> </div> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Cor. is located on the NW. face of a sandy hill.</p>
80.00	<p>Point for the cor. of secs. 1, 6, 7 and 12.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 41 N R 5 W R 4 W S 1 S 6 S 12 S 7</p> <p>2003</p> </div> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Land, rolling. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>North, bet. secs. 1 and 6.</p>

Survey of a Portion of the
 First Guide Meridian West (West Boundary),
 T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona

CHAINS	
	Over rolling land covered with juniper, pine and sage.
8.00	Barbed wire fence, bears N. 40° E. and S. 40° W. A trail road, runs along N. side of fence.
40.00	Point for the 1/4 sec. cor. of secs. 1 and 6. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. <div style="text-align: center;"> T 41 N R 5 W R 4 W 1/4 S 1 S 6 2003 </div> Deposit a magnet in a white plastic case at the base of the stainless steel post.
80.00	Point for the cor. of Tps. 41 and 42 N. Rs. 4 and 5 W. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. <div style="text-align: center;"> T 42 N R 5 W R 4 W S 36 S 31 S 1 S 6 T 41 N 2003 </div> Deposit a magnet in a white plastic case at the base of the stainless steel post. From this cor. point, U.S.G.S. triangulation station Moccasin AZ MK, bears N. 62°37' W., 52.53 chs. dist., monumented with a brass disk, 3 1/2 ins. diam., firmly set in concrete, mkd. MOCCASIN 1938 and an arrow. Land, rolling. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.


**Survey of the East Boundary,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	
40.00	<p>From the cor. of Tp. 41 N., Rs. 3 and 4 W., monumented with an iron post, 3 ins. diam., firmly set, projecting 9 ins. above ground, with brass cap mkd. T41N R4W S36 S31 R3W 2003 1914.</p> <p>North, bet. secs. 31 and 36.</p> <p>Over rolling land covered with juniper, pine and sage.</p> <p>Point for the 1/4 sec. cor. of secs. 31 and 36.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T 41 N R 4 W R 3 W 1/4 S 36 S 31 2003</p> </div> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 25, 30, 31 and 36.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T 41 N R 4 W R 3 W S 25 S 30 ----- S 36 S 31 2003</p> </div> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Land, rolling. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr style="width: 60%; margin: 10px auto;"/> <p>North, bet. secs. 25 and 30.</p> <p>Over rolling and mountainous land covered with juniper, pine and sage.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 25 and 30.</p>

**Survey of the East Boundary,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 4 W R 3 W 1/4 S 25 S 30</p> <p style="text-align: center;">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>
79.15	Trail road, bears N. and S.
80.00	<p>Point for the cor. of secs. 19, 24, 25 and 30.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 4 W R 3 W S 24 S 19 ----- S 25 S 30</p> <p style="text-align: center;">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Land, rolling and broken. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>North, bet. secs. 19 and 24.</p> <p>Over rolling and broken land covered with juniper, pine and sage.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 19 and 24.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 4 W R 3 W 1/4 S 24 S 19</p> <p style="text-align: center;">2003</p>

Survey of the East Boundary,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 13, 18, 19 and 24, falls in drain, 300 ft. wide, 100 ft. deep, where it is impracticable to establish a permanent monument.</p>
	<p>From this point, point selected for the witness cor. of secs. 13, 18, 19 and 24 bears N. 41°55' W., 4.23 chs. dist.</p>
	<p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole in solid rock, 50 x 25 x 10 ft. high, with top mkd.</p>
	<div style="text-align: center;"> <p>WC T 41 N R 4 W R 3 W S 13 S 18 S 24 S 19</p>  <p>2003</p> </div>
	<p>Deposit a magnet at the base of the brass tablet.</p>
	<p>Land, rolling and broken. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p>
	<hr/> <p>North, bet. secs. 13 and 18.</p>
	<p>Over rolling and broken land covered with juniper, pine and sage.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 13 and 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
	<div style="text-align: center;"> <p>T 41 N R 4 W R 3 W 1/4 S 13 S 18</p> <p>2003</p> </div>
	<p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>
40.40	<p>Trail road, bears S. 70° E. and N. 60° W.</p>

**Survey of the East Boundary,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS									
56.00	Graded road, 15 ft. wide, bears N. 70° E. and S. 70° W.								
80.00	<p>Point for the cor. of secs. 7, 12, 13 and 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto; border-collapse: collapse;"> <tr><td colspan="2">T 41 N</td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">R 4 W</td><td style="padding: 0 5px;">R 3 W</td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">S 12</td><td style="padding: 0 5px;">S 7</td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">S 13</td><td style="padding: 0 5px;">S 18</td></tr> </table> <p>2003</p> </div> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Land, rolling and broken. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr style="width: 50%; margin: 20px auto;"/> <p>North, bet. secs. 7 and 12.</p> <p>Over rolling land covered with juniper, pine and sage.</p>	T 41 N		R 4 W	R 3 W	S 12	S 7	S 13	S 18
T 41 N									
R 4 W	R 3 W								
S 12	S 7								
S 13	S 18								
40.00	<p>Point for the 1/4 sec. cor. of secs. 7 and 12.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto; border-collapse: collapse;"> <tr><td colspan="2">T 41 N</td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">R 4 W</td><td style="padding: 0 5px;">R 3 W</td></tr> <tr><td colspan="2" style="text-align: center; padding: 0 5px;">1/4</td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">S 12</td><td style="padding: 0 5px;">S 7</td></tr> </table> <p>2003</p> </div> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>	T 41 N		R 4 W	R 3 W	1/4		S 12	S 7
T 41 N									
R 4 W	R 3 W								
1/4									
S 12	S 7								
80.00	<p>Point for the cor. of secs. 1, 6, 7 and 12.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>								

Survey of the East Boundary,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona

CHAINS									
	<div style="text-align: center;"> <table border="1"> <tr><td colspan="2">T 41 N</td></tr> <tr><td>R 4 W</td><td>R 3 W</td></tr> <tr><td>S 1</td><td>S 6</td></tr> <tr><td>S 12</td><td>S 7</td></tr> </table> <p>2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Land, rolling. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>North, bet. secs. 1 and 6.</p> <p>Over rolling and mountainous land covered with juniper, pine and sage.</p> </div>	T 41 N		R 4 W	R 3 W	S 1	S 6	S 12	S 7
T 41 N									
R 4 W	R 3 W								
S 1	S 6								
S 12	S 7								
<p>40.00</p>	<p>Point for the 1/4 sec. cor. of secs. 1 and 6, falls on steep and eroding slope, where it is impracticable to establish a permanent monument.</p> <p>From this point, point selected for the witness 1/4 sec. cor. of secs. 1 and 6 bears S. 23°46' E., 37 lks. dist.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole in a sandstone boulder, 5 x 4 x 3 ft. high, with top mkd.</p> <div style="text-align: center;"> <p>WC T 41 N R 4 W R 3 W 1/4 S 1 S 6</p> </div> <p>2003</p>								
<p>80.00</p>	<p>Point for the cor. of Tps. 41 and 42 N., Rs. 3 and 4 W.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 8 ins. in the ground to bedrock, in a supporting mound of stone, 3 ft. base, to top, with brass cap mkd.</p>								

**Survey of the East Boundary,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	<div style="text-align: center; margin-bottom: 20px;"> <table style="margin: auto; border-collapse: collapse;"> <tr><td colspan="2">T 42 N</td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">R 4 W</td><td style="padding: 0 5px;">R 3 W</td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">S 36</td><td style="padding: 0 5px;">S 31</td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">S 1</td><td style="padding: 0 5px;">S 6</td></tr> <tr><td colspan="2">T 41 N</td></tr> </table> <p style="margin-top: 10px;">2003</p> </div> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Land, broken and mountainous. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr style="border: 0.5px solid black; margin: 20px 0;"/> <div style="text-align: center; margin-bottom: 20px;"> <p>Survey of the North Boundary, T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona</p> </div> <p>From the cor. of Tps. 41 and 42 N., Rs. 3 and 4 W., hereinbefore described.</p> <p>S. 89°59' W., bet. secs. 1 and 36.</p> <p>Ascend over rough and mountainous land covered with juniper, pine and sage.</p> <p>40.00 Point for the 1/4 sec. cor. of secs. 1 and 36.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole in solid rock, 100 x 100 x 15 ft. high, with top mkd.</p> <div style="text-align: center; margin-bottom: 20px;"> <table style="margin: auto; border-collapse: collapse;"> <tr><td>T 42 N</td><td>R 4 W</td></tr> <tr><td colspan="2" style="text-align: center;">S 36</td></tr> <tr><td colspan="2" style="text-align: center;">1/4 ———</td></tr> <tr><td colspan="2" style="text-align: center;">S 1</td></tr> <tr><td colspan="2">T 41 N</td></tr> </table> <p style="margin-top: 10px;">2003</p> </div> <p>Deposit a magnet at the base of the brass tablet.</p> <p>40.15 Edge of Moquith Mountains, bears S. 20° E. and N. 20° W., thence descend over mountainous and broken land.</p> <p>80.00 Point for the cor. of secs. 1, 2, 35 and 36.</p>	T 42 N		R 4 W	R 3 W	S 36	S 31	S 1	S 6	T 41 N		T 42 N	R 4 W	S 36		1/4 ———		S 1		T 41 N	
T 42 N																					
R 4 W	R 3 W																				
S 36	S 31																				
S 1	S 6																				
T 41 N																					
T 42 N	R 4 W																				
S 36																					
1/4 ———																					
S 1																					
T 41 N																					

Survey of the North Boundary,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona

CHAINS	<p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole in solid rock face, 100 x 100 x 50 ft. high, with top mkd.</p> <div style="text-align: center;"> <table style="border-collapse: collapse; margin: auto;"> <tr> <td style="padding: 2px;">T 42 N</td> <td style="padding: 2px;">R 4 W</td> </tr> <tr> <td style="padding: 2px;">S 35</td> <td style="padding: 2px;">S 36</td> </tr> <tr> <td style="padding: 2px;">S 2</td> <td style="padding: 2px;">S 1</td> </tr> <tr> <td colspan="2" style="padding: 2px;">T 41 N</td> </tr> </table> <p>2003</p> </div> <p>Deposit a magnet at the base of the brass tablet.</p> <p>Cor. is located on edge of cliff, slopes S.</p> <p>Land, broken and mountainous. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr style="width: 80%; margin: 10px auto;"/> <p>S. 89°59' W., bet. secs. 2 and 35.</p> <p>Descend over rough and mountainous land covered with juniper, pine and sage.</p>	T 42 N	R 4 W	S 35	S 36	S 2	S 1	T 41 N			
T 42 N	R 4 W										
S 35	S 36										
S 2	S 1										
T 41 N											
40.00	<p>Point for the 1/4 sec. cor. of secs. 2 and 35, falls on precipitous and eroding slope, where it is impracticable to establish a permanent monument.</p> <p>From this point, point selected for the witness 1/4 sec. cor. of secs. 2 and 35 bears N. 73°42' W., 5.79 chs. dist.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole in solid rock, 100 x 50 x 20 ft. high, with top mkd.</p> <div style="text-align: center;"> <p>WC</p> <table style="border-collapse: collapse; margin: auto;"> <tr> <td style="padding: 2px;">T 42 N</td> <td style="padding: 2px;">R 4 W</td> </tr> <tr> <td style="padding: 2px;">S 35</td> <td></td> </tr> <tr> <td style="padding: 2px;">1/4</td> <td style="padding: 2px;">—→</td> </tr> <tr> <td style="padding: 2px;">S 2</td> <td></td> </tr> <tr> <td colspan="2" style="padding: 2px;">T 41 N</td> </tr> </table> <p>2003</p> </div> <p>Deposit a magnet at the base of the brass tablet.</p>	T 42 N	R 4 W	S 35		1/4	—→	S 2		T 41 N	
T 42 N	R 4 W										
S 35											
1/4	—→										
S 2											
T 41 N											

**Survey of the North Boundary,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	<p>From the witness cor., U.S.G.S. triangulation station Moquitch, bears N. 7°01' W., 42.43 chs. dist., monumented with an iron post, 2 1/2 in. diam., loosely set, projecting 16 ins. above ground, with brass cap, 3 1/2 ins. diam., mkd. MOQUITCH 1938 and a triangle.</p>												
80.00	<p>Point for the cor. of secs. 2, 3, 34 and 35.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="padding: 0 5px;">T 42 N</td> <td style="padding: 0 5px;">R 4 W</td> </tr> <tr> <td style="padding: 0 5px; border-right: 1px solid black;">S 34</td> <td style="padding: 0 5px;">S 35</td> </tr> <tr> <td style="padding: 0 5px; border-right: 1px solid black;">S 3</td> <td style="padding: 0 5px;">S 2</td> </tr> <tr> <td colspan="2" style="padding: 0 5px;">T 41 N</td> </tr> </table> <p style="margin: 5px 0;">2003</p> </div> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Land, broken and mountainous. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr style="width: 80%; margin: 10px auto;"/>	T 42 N	R 4 W	S 34	S 35	S 3	S 2	T 41 N					
T 42 N	R 4 W												
S 34	S 35												
S 3	S 2												
T 41 N													
40.00	<p>S. 89°59' W., bet. secs. 3 and 34.</p> <p>Descend over broken and mountainous land covered with juniper, pine and sage.</p> <p>Point for the 1/4 sec. cor. of secs. 3 and 34, falls on steep and eroding slope, where it is impracticable to establish a permanent monument.</p> <p>From this point, point selected for the witness 1/4 sec. cor. of secs. 3 and 34 bears N. 15°27' E., 2.33 chs. dist.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto; border-collapse: collapse;"> <tr> <td colspan="2" style="padding: 0 5px;">WC</td> </tr> <tr> <td style="padding: 0 5px;">T 42 N</td> <td style="padding: 0 5px;">R 4 W</td> </tr> <tr> <td colspan="2" style="padding: 0 5px;">S 34</td> </tr> <tr> <td colspan="2" style="padding: 0 5px;">1/4 ———</td> </tr> <tr> <td colspan="2" style="padding: 0 5px;">S 3</td> </tr> <tr> <td colspan="2" style="padding: 0 5px;">T 41 N</td> </tr> </table> <p style="margin: 5px 0;">2003</p> </div>	WC		T 42 N	R 4 W	S 34		1/4 ———		S 3		T 41 N	
WC													
T 42 N	R 4 W												
S 34													
1/4 ———													
S 3													
T 41 N													

**Survey of the North Boundary,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS											
	<p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Cor. is located 2.70 chs. S. of a drain, 5 ft. wide, 10 ft. deep, drains W.</p>										
80.00	<p>Point for the cor. of secs. 3, 4, 33 and 34.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground to bedrock, in a supporting mound of stone, 2 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr> <td>T 42 N</td> <td>R 4 W</td> </tr> <tr> <td>S 33</td> <td>S 34</td> </tr> <tr> <td>S 4</td> <td>S 3</td> </tr> <tr> <td colspan="2">T 41 N</td> </tr> </table> <p>2003</p> </div> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Land, broken and mountainous. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>S. 89°59' W., bet. secs. 4 and 33.</p> <p>Over rolling land covered with juniper, pine and sage.</p>	T 42 N	R 4 W	S 33	S 34	S 4	S 3	T 41 N			
T 42 N	R 4 W										
S 33	S 34										
S 4	S 3										
T 41 N											
8.00	<p>Graded road, 15 ft. wide, bears S. 10° E. and N. 10° W.</p>										
15.45	<p>Graded road, 15 ft. wide, bears S. 70° E. and N. 30° W.</p>										
40.00	<p>Point for the 1/4 sec. cor. of secs. 4 and 33.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 10 ins. in the ground to bedrock, in a supporting mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr> <td>T 42 N</td> <td>R 4 W</td> </tr> <tr> <td>S 33</td> <td></td> </tr> <tr> <td>1/4</td> <td>—</td> </tr> <tr> <td>S 4</td> <td></td> </tr> <tr> <td colspan="2">T 41 N</td> </tr> </table> <p>2003</p> </div> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>	T 42 N	R 4 W	S 33		1/4	—	S 4		T 41 N	
T 42 N	R 4 W										
S 33											
1/4	—										
S 4											
T 41 N											

**Survey of the North Boundary,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS											
80.00	<p>Point for the cor. of secs. 4, 5, 32 and 33.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table style="border-collapse: collapse; margin: auto;"> <tr> <td style="padding: 0 5px;">T 42 N</td> <td style="padding: 0 5px;">R 4 W</td> </tr> <tr> <td style="padding: 0 5px; border-right: 1px solid black;">S 32</td> <td style="padding: 0 5px;">S 33</td> </tr> <tr> <td style="padding: 0 5px; border-right: 1px solid black;">S 5</td> <td style="padding: 0 5px;">S 4</td> </tr> <tr> <td colspan="2" style="padding: 0 5px;">T 41 N</td> </tr> </table> <p>2003</p> </div> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Land, rolling and broken. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>S. 89°59' W., bet. secs. 5 and 32.</p> <p>Descend over rolling land covered with juniper, pine and sage.</p>	T 42 N	R 4 W	S 32	S 33	S 5	S 4	T 41 N			
T 42 N	R 4 W										
S 32	S 33										
S 5	S 4										
T 41 N											
2.70	<p>Wash, 10 ft. wide, 50 ft. deep, drains N. 20° E, thence ascend over rolling land.</p>										
40.00	<p>Point for the 1/4 sec. cor. of secs. 5 and 32.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table style="border-collapse: collapse; margin: auto;"> <tr> <td style="padding: 0 5px;">T 42 N</td> <td style="padding: 0 5px;">R 4 W</td> </tr> <tr> <td colspan="2" style="padding: 0 5px;">S 32</td> </tr> <tr> <td colspan="2" style="padding: 0 5px;">1/4 ———</td> </tr> <tr> <td colspan="2" style="padding: 0 5px;">S 5</td> </tr> <tr> <td colspan="2" style="padding: 0 5px;">T 41 N</td> </tr> </table> <p>2003</p> </div> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>	T 42 N	R 4 W	S 32		1/4 ———		S 5		T 41 N	
T 42 N	R 4 W										
S 32											
1/4 ———											
S 5											
T 41 N											
80.00	<p>Point for the cor. of secs. 5, 6, 31 and 32.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>										

**Survey of the North Boundary,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>T 42 N R 4 W S 31 S 32 S 6 S 5 T 41 N</p> <p>2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Land, rolling and broken. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>S. 89°59' W., bet. secs. 6 and 31.</p> <p>Over rolling land covered with juniper, pine and sage.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 6 and 31.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p align="center"> T 42 N R 4 W S 31 1/4 ——— S 6 T 41 N </p> <p align="center">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>
42.70	Trail road, bears N. 40° E. and S. 40° W.
56.00	Trail road, bears S. 60° E. and N. 60° W.
79.24	<p>The cor. of Tps. 42 and 41 N., Rs. 4 and 5 W., hereinbefore described.</p> <p>Land, rolling. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/>

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS							
	<p>From the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of the Tp., monumented with an iron post, 3 ins. diam., firmly set, projecting 33 ins. above ground, in a supporting mound of stone, 3 ft. base, to top, with brass cap mkd. T41N R4W S35 S36 2003 1914, from which</p> <p style="padding-left: 40px;">A juniper, 31 ins. diam., bears N. 89° E., 45 lks. dist., with a healed blaze.</p> <p style="padding-left: 40px;">A piñon, 15 ins. diam., bears N. 32 1/2° W., 41 lks. dist., with scribe marks T41N R4W S35 BT visible on partially open blaze.</p> <p>N. 0°01' W., bet. secs. 35 and 36.</p> <p>Over rolling and broken land covered with juniper, pine and sage.</p>						
40.00	<p>Point for the 1/4 sec. cor. of secs. 35 and 36.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 6 ins. in the ground to bedrock, in a supporting mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto; border-collapse: collapse;"> <tr><td>T 41 N</td><td>R 4 W</td></tr> <tr><td colspan="2" style="text-align: center;">1/4</td></tr> <tr><td>S 35</td><td> S 36</td></tr> </table> <p>2003</p> </div> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>	T 41 N	R 4 W	1/4		S 35	S 36
T 41 N	R 4 W						
1/4							
S 35	S 36						
80.00	<p>Point for the cor. of secs. 25, 26, 35 and 36.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole in solid rock, with top mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto; border-collapse: collapse;"> <tr><td>T 41 N</td><td>R 4 W</td></tr> <tr><td>S 26</td><td> S 25</td></tr> <tr><td>S 35</td><td> S 36</td></tr> </table> <p>2003</p> </div> <p>Deposit a magnet at the base of the brass tablet.</p> <p>Cor. is located on N. edge of a drain, 10 ft. wide, 10 ft. deep, drains S. 40° E.</p>	T 41 N	R 4 W	S 26	S 25	S 35	S 36
T 41 N	R 4 W						
S 26	S 25						
S 35	S 36						

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Land, rolling and broken. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>From the cor. of secs. 25, 30, 31 and 36, on the E. bdy. of the Tp., hereinbefore described.</p> <p>S. 89°58' W., bet. secs. 25 and 36.</p> <p>Over rolling and broken land covered with juniper, pine and sage.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 25 and 36.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T 41 N R 4 W</p> <p style="margin-left: 100px;">S 25</p> <p style="margin-left: 100px;">1/4 ———</p> <p style="margin-left: 100px;">S 36</p> </div> <p style="text-align: center; margin: 5px 0;">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>
80.00	<p>The cor. of secs. 25, 26, 35 and 36.</p> <p>Land, rolling and broken. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>N. 0°01' W., bet. secs. 25 and 26.</p> <p>Over rolling land covered with juniper, pine and sage.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 25 and 26.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T 41 N R 4 W</p> <p style="margin-left: 100px;">1/4</p> <p style="margin-left: 100px;">S 26 S 25</p> </div> <p style="text-align: center; margin: 5px 0;">2003</p>

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS									
80.00	<p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Point for the cor. of secs. 23, 24, 25 and 26.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table border="1"> <tr> <td>T 41 N</td> <td>R 4 W</td> </tr> <tr> <td>S 23</td> <td>S 24</td> </tr> <tr> <td>S 26</td> <td>S 25</td> </tr> </table> <p>2003</p> </div> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Land, rolling. Soil, sandy and clay. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p>	T 41 N	R 4 W	S 23	S 24	S 26	S 25		
T 41 N	R 4 W								
S 23	S 24								
S 26	S 25								
40.00	<hr/> <p>From the cor. of secs. 19, 24, 25 and 30, on the E. bdy. of the Tp., hereinbefore described.</p> <p>S. 89°58' W., bet. secs. 24 and 25.</p> <p>Over rolling land covered with juniper, pine and sage.</p> <p>Point for the 1/4 sec. cor. of secs. 24 and 25.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table border="1"> <tr> <td>T 41 N</td> <td>R 4 W</td> </tr> <tr> <td></td> <td>S 24</td> </tr> <tr> <td>1/4</td> <td>—</td> </tr> <tr> <td></td> <td>S 25</td> </tr> </table> <p>2003</p> </div>	T 41 N	R 4 W		S 24	1/4	—		S 25
T 41 N	R 4 W								
	S 24								
1/4	—								
	S 25								
80.00	<p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>The cor. of secs. 23, 24, 25 and 26.</p> <p>Land, rolling. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/>								

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	N. 0°01' W., bet. secs. 23 and 24. Over rolling land covered with juniper, pine and sage.
40.00	Point for the 1/4 sec. cor. of secs. 23 and 24. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. <div style="text-align: center;"> T 41 N R 4 W 1/4 S 23 S 24 2003 </div>
	Deposit a magnet in a white plastic case at the base of the stainless steel post.
80.00	Point for the cor. of secs. 13, 14, 23 and 24. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. <div style="text-align: center;"> T 41 N R 4 W S 14 S 13 S 23 S 24 2003 </div>
	Deposit a magnet in a white plastic case at the base of the stainless steel post.
	Land, rolling. Soil, sandy and clay. Timber, scattered juniper and pine; undergrowth, sage and native grasses.
	From the cor. of secs. 13, 18, 19 and 24, on the E. bdy. of the Tp., hereinbefore described.
	S. 89°58' W., bet. secs. 13 and 24.
	Ascend over rolling and broken land covered with juniper, pine and sage.
40.00	Point for the 1/4 sec. cor. of secs. 13 and 24. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona

CHAINS	
	T 41 N R 4 W S 13 1/4 ——— S 24 2003
80.00	Deposit a magnet in a white plastic case at the base of the stainless steel post. The cor. of secs. 13, 14, 23 and 24. Land, rolling and broken. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.
17.10	N. 0°01' W., bet. secs. 13 and 14. Over rolling land covered with juniper, pine and sage. Graded road, 15 ft. wide, bears N. 30° E. and S. 30° W.
40.00	Point for the 1/4 sec. cor. of secs. 13 and 14. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T 41 N R 4 W 1/4 S 14 S 13 2003
80.00	Deposit a magnet in a white plastic case at the base of the stainless steel post. Point for the cor. of secs. 11, 12, 13 and 14. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T 41 N R 4 W S 11 S 12 S 14 S 13 2003
	Deposit a magnet in a white plastic case at the base of the stainless steel post.

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Land, rolling. Soil, sandy and clay. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>From the cor. of secs. 7, 12, 13 and 18, on the E. bdy. of the Tp., hereinbefore described.</p> <p>S. 89°58' W., bet. secs. 12 and 13.</p>
39.85	Trail road, bears N. and S.
40.00	<p>Point for the 1/4 sec. cor. of secs. 12 and 13.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p align="center">T 41 N R 4 W S 12 1/4 ——— S 13</p> <p align="center">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>
80.00	<p>The cor. of secs. 11, 12, 13 and 14.</p> <p>Land, rolling. Soil, sandy and clay. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>N. 0°01' W., bet. secs. 11 and 12.</p> <p>Over rolling land covered with juniper, pine and sage.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 11 and 12.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p align="center">T 41 N R 4 W 1/4 S 11 S 12</p> <p align="center">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>

Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona

CHAINS							
80.00	<p>Point for the cor. of secs. 1, 2, 11 and 12.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <table border="1" data-bbox="820 514 1031 619"> <tr> <td>T 41 N</td> <td>R 4 W</td> </tr> <tr> <td>S 2</td> <td>S 1</td> </tr> <tr> <td>S 11</td> <td>S 12</td> </tr> </table> <p>2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Land, rolling. Soil, sandy and clay. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p>	T 41 N	R 4 W	S 2	S 1	S 11	S 12
T 41 N	R 4 W						
S 2	S 1						
S 11	S 12						
	<hr/> <p>From the cor. of secs. 1, 6, 7 and 12, on the E. bdy. of the Tp., hereinbefore described.</p> <p>S. 89°58' W., bet. secs. 1 and 12.</p> <p>Over rolling land covered with juniper, pine and sage.</p>						
40.00	<p>Point for the 1/4 sec. cor. of secs. 1 and 12.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <table border="1" data-bbox="820 1323 1031 1449"> <tr> <td>T 41 N</td> <td>R 4 W</td> </tr> <tr> <td>S 1</td> <td>1/4 —</td> </tr> <tr> <td>S 12</td> <td></td> </tr> </table> <p>2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>	T 41 N	R 4 W	S 1	1/4 —	S 12	
T 41 N	R 4 W						
S 1	1/4 —						
S 12							
80.00	<p>The cor. of secs. 1, 2, 11 and 12.</p> <p>Land, rolling. Soil, sandy and clay. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>N. 0°01' W., bet. secs. 1 and 2.</p>						

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	Over rolling and mountainous land covered with juniper, pine and sage.
40.00	Point for the 1/4 sec. cor. of secs. 1 and 2. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd. <div style="text-align: center;">T 41 N R 4 W 1/4 S 2 S 1 2003</div>
80.02	Deposit a magnet in a white plastic case at the base of the stainless steel post. The cor. of secs. 1, 2, 35 and 36, on the N. bdy. of the Tp., hereinbefore described. Land, rolling and broken. Soil, sandy and clay. Timber, scattered juniper and pine; undergrowth, sage and native grasses.
	From the cor. of secs. 2, 3, 34 and 35, on the S. bdy. of the Tp., monumented with an iron post, 3 ins. diam., firmly set, projecting 14 ins. above ground, with brass cap mkd. T41N R4W S34 S33 2003 1914, from which <div style="text-align: center;">A juniper, 36 ins. diam., bears N. 43° W., 76 lks. dist., with scribe marks T41N R4W S34 BT visible on partially open blaze.</div>
	N. 0°01' W., bet. secs. 34 and 35. Over rolling land covered with juniper, pine and sage.
40.00	Point for the 1/4 sec. cor. of secs. 34 and 35. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. <div style="text-align: center;">T 41 N R 4 W 1/4 S 34 S 35 2003</div>
	Deposit a magnet in a white plastic case at the base of the stainless steel post.

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS									
80.00	<p>Point for the cor. of secs. 26, 27, 34 and 35.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="padding: 0 10px;">T 41 N</td> <td style="padding: 0 10px;">R 4 W</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 27</td> <td style="padding: 0 5px;">S 26</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 34</td> <td style="padding: 0 5px;">S 35</td> </tr> </table> </div> <p style="text-align: center; margin: 10px 0;">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Land, rolling. Soil, sandy and clay. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr style="border: 0.5px solid black; margin: 20px 0;"/> <p>From the cor. of secs. 26, 25, 35 and 36.</p> <p>S. 89°59' W., bet. secs. 26 and 35.</p> <p>Descend over rolling and broken land covered with juniper, pine and sage.</p>	T 41 N	R 4 W	S 27	S 26	S 34	S 35		
T 41 N	R 4 W								
S 27	S 26								
S 34	S 35								
39.95	<p>Point for the 1/4 sec. cor. of secs. 26 and 35.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="padding: 0 10px;">T 41 N</td> <td style="padding: 0 10px;">R 4 W</td> </tr> <tr> <td style="padding: 0 10px;">S 26</td> <td></td> </tr> <tr> <td style="padding: 0 10px;">1/4</td> <td style="border-top: 1px solid black; border-bottom: 1px solid black; padding: 0 10px;"></td> </tr> <tr> <td></td> <td style="padding: 0 10px;">S 35</td> </tr> </table> </div> <p style="text-align: center; margin: 10px 0;">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>	T 41 N	R 4 W	S 26		1/4			S 35
T 41 N	R 4 W								
S 26									
1/4									
	S 35								
79.90	<p>The cor. of secs. 26, 27, 34 and 35.</p> <p>Land, rolling and broken. Soil, sandy and gravel. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr style="border: 0.5px solid black; margin: 20px 0;"/> <p>N. 0°01' W., bet. secs. 26 and 27.</p>								

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	Over rolling land covered with juniper, pine and sage.
40.00	Point for the 1/4 sec. cor. of secs. 26 and 27. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd. <div style="text-align: center;"> T 41 N R 4 W 1/4 S 27 S 26 2003 </div>
	Deposit a magnet in a white plastic case at the base of the stainless steel post.
80.00	Point for the cor. of secs. 22, 23, 26 and 27. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. <div style="text-align: center;"> T 41 N R 4 W S 22 S 23 S 27 S 26 2003 </div>
	Deposit a magnet in a white plastic case at the base of the stainless steel post.
	Land, rolling. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.
	From the cor. of secs. 23, 24, 25 and 26. S. 89°59' W., bet. secs. 23 and 26. Over rolling land covered with juniper, pine and sage.
39.95	Point for the 1/4 sec. cor. of secs. 23 and 26. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 41 N R 4 W S 23 1/4 ——— S 26 2003
	Deposit a magnet in a white plastic case at the base of the stainless steel post.
79.90	The cor. of secs. 22, 23, 26 and 27. Land, rolling. Soil, sandy and clay. Timber, scattered juniper and pine; undergrowth, sage and native grasses.
	N. 0°01' W., bet. secs. 22 and 23.
	Over rolling land covered with juniper, pine and sage.
21.10	Graded road, 15 ft. wide, bears E. and W.
40.00	Point for the 1/4 sec. cor. of secs. 22 and 23. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 41 N R 4 W 1/4 S 22 S 23 2003
	Deposit a magnet in a white plastic case at the base of the stainless steel post.
79.05	Graded road, 15 ft. wide, bears N. 20° E. and S. 20° W.
80.00	Point for the cor. of secs. 14, 15, 22 and 23. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 41 N R 4 W S 15 S 14 ———— S 22 S 23 2003

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Land, rolling. Soil, sandy and clay. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>From the cor. of secs. 13, 14, 23 and 24.</p> <p>S. 89°59' W., bet. secs. 14 and 23.</p> <p>Over rolling land covered with juniper, pine and sage.</p>
15.25	Graded road, 15 ft. wide, bears N. 40° E., S. 40° W. and W.
25.85	Graded road, 15 ft. wide, bears E. and N. 65° W.
39.95	Point for the 1/4 sec. cor. of secs. 14 and 23.
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p align="center">T 41 N R 4 W S 14 1/4 ——— S 23</p> <p align="center">2003</p>
	<p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>
79.45	Graded road, 15 ft. wide, bears N. 20° E. and S. 20° W.
79.90	<p>The cor. of secs. 14, 15, 22 and 23.</p> <p>Land, rolling. Soil, sandy and clay. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>N. 0°01' W., bet. secs. 14 and 15.</p> <p>Over rolling land covered with juniper, pine and sage.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 14 and 15.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	<p align="center">T 41 N R 4 W 1/4 S 15 S 14</p> <p align="center">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>57.35 Graded road, 15 ft. wide, bears S. 25° E. and N. 25° W.</p> <p>80.00 Point for the cor. of secs. 10, 11, 14 and 15.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p align="center">T 41 N R 4 W S 10 S 11 S 15 S 14</p> <p align="center">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Land, rolling. Soil, sandy and clay. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>From the cor. of secs. 11, 12, 13 and 14.</p> <p>S. 89°59' W., bet. secs. 11 and 14.</p> <p>Over rolling land covered with juniper, pine and sage.</p> <p>39.95 Point for the 1/4 sec. cor. of secs. 11 and 14.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p align="center">T 41 N R 4 W S 11 1/4 ——— S 14</p> <p align="center">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>
--------	--

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	
79.90	<p>The cor. of secs. 10, 11, 14 and 15.</p> <p>Land, rolling. Soil, sandy and clay. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/>
40.00	<p>N. 0°01' W., bet. secs. 10 and 11.</p> <p>Over rolling land covered with juniper, pine and sage.</p> <p>Point for the 1/4 sec. cor. of secs. 10 and 11.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p align="center">T 41 N R 4 W 1/4 S 10 S 11</p> <p align="center">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 2, 3, 10 and 11.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p align="center">T 41 N R 4 W S 3 S 2 S 10 S 11</p> <p align="center">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Land, rolling. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/>
	<p>From the cor. of secs. 1, 2, 11 and 12.</p> <p>S. 89°59' W., bet. secs. 2 and 11.</p> <p>Over rolling land covered with juniper, pine and sage.</p>

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	
39.95	<p>Point for the 1/4 sec. cor. of secs. 2 and 11.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 4 W S 2 1/4 ——— S 11</p> <p style="text-align: center;">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>
78.20	Wash, 30 ft. wide, 15 ft. deep, drains S.
79.90	<p>The cor. of secs. 2, 3, 10 and 11.</p> <p>Land, rolling. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>N. 0°05' W., bet. secs. 2 and 3.</p> <p>Over rolling and mountainous land covered with juniper, pine and sage.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 2 and 3.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 4 W 1/4 S 3 S 2</p> <p style="text-align: center;">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>
77.20	Edge of cliff, bears S. 30° W. and N. 60° W.
80.01	The cor. of secs. 2, 3, 34 and 35, on the N. bdy. of the Tp., hereinbefore described.

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	
39.93	<p>Land, rolling and mountainous. Soil, sandy and clay. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>From the cor. of secs. 26, 27, 34 and 35.</p> <p>N. 89°55' W., bet. secs. 27 and 34.</p> <p>Over rolling land covered with juniper, pine and sage.</p> <p>Point for the 1/4 sec. cor. of secs. 27 and 34.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p align="center">T 41 N R 4 W S 27 1/4 ——— S 34</p> <p align="center">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>
79.86	<p>The cor. of secs. 27, 28, 33 and 34, hereinbefore described.</p> <p>Land, rolling. Soil, sandy and clay. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 27 and 28, hereinbefore described.</p> <p>N. 0°02' W., bet. secs. 27 and 28.</p> <p>Ascend over mountainous land covered with juniper, pine and sage.</p>
40.00	<p>Point for the cor. of secs. 21, 22, 27 and 28.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS							
	<table border="0"> <tr> <td>T 41 N</td> <td>R 4 W</td> </tr> <tr> <td>S 21</td> <td>S 22</td> </tr> <tr> <td>S 28</td> <td>S 27</td> </tr> </table>	T 41 N	R 4 W	S 21	S 22	S 28	S 27
T 41 N	R 4 W						
S 21	S 22						
S 28	S 27						
	2003						
	Deposit a magnet in a white plastic case at the base of the stainless steel post.						
	Land, mountainous. Soil, sandy and clay. Timber, scattered juniper and pine; undergrowth, sage and native grasses.						
	<hr/>						
	From the cor. of secs. 22, 23, 26 and 27.						
	N. 89°54' W., bet. secs. 22 and 27.						
	Over rolling and mountainous land covered with juniper, pine and sage.						
35.35	Graded road, 15 ft. wide, bears N. 20° E. and S. 20° W.						
39.96	Point the 1/4 sec. cor. of secs. 22 and 27.						
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.						
	<table border="0"> <tr> <td>T 41 N</td> <td>R 4 W</td> </tr> <tr> <td>S 22</td> <td>1/4 ———</td> </tr> <tr> <td>S 27</td> <td></td> </tr> </table>	T 41 N	R 4 W	S 22	1/4 ———	S 27	
T 41 N	R 4 W						
S 22	1/4 ———						
S 27							
	2003						
	Deposit a magnet in a white plastic case at the base of the stainless steel post.						
79.92	The cor. of secs. 21, 22, 27 and 28.						
	Land, rolling and mountainous. Soil, sandy and clay. Timber, scattered juniper and pine; undergrowth, sage and native grasses.						
	<hr/>						
	N. 0°02' W., bet. secs. 21 and 22.						
	Over mountainous land covered with juniper, pine and sage.						

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	
40.00	<p>Point for the 1/4 sec. cor. of secs. 21 and 22, falls on steep and eroding slope, where it is impracticable to establish a permanent monument.</p> <p>From this point, point selected for the witness 1/4 sec. cor. of secs. 21 and 22 bears N. 27°52' W., 15 lks. dist.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole in sandstone rock face, 10 x 5 x 2 ft. high, with top mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>WC</p> <p>T 41 N R 4 W</p> <p>1/4</p> <p>S 21 S 22</p> <p>2003 </p> </div> <p>Deposit a magnet at the base of the brass tablet.</p> <p>Cor. is located on E. face of a ridge, bearing N. and S.</p>
80.00	<p>Point for the cor. of secs. 15, 16, 21 and 22.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 11 ins. in the ground to bedrock, in a supporting mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T 41 N R 4 W</p> <p>S 16 S 15</p> <hr style="width: 50%; margin: 0 auto;"/> <p>S 21 S 22</p> <p>2003</p> </div> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Cor. is located on top of ridge, bears N. and S.</p> <p>Land, mountainous. Soil, sandy and clay. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr style="width: 80%; margin: 10px auto;"/> <p>From the cor. of secs. 14, 15, 22 and 23.</p> <p>N. 89°54' W., bet. secs. 15 and 22.</p> <p>Over rolling and mountainous land covered with juniper, pine and sage.</p>

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	
39.96	<p>Point for the 1/4 sec. cor. of secs. 15 and 22.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 4 W S 15 1/4 ——— S 22</p> <p style="text-align: center;">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>
79.92	<p>The cor. of secs. 15, 16, 21 and 22.</p> <p>Land, rolling and mountainous. Soil, sandy and clay. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>N. 0°02' W., bet. secs. 15 and 16.</p> <p>Over mountainous land covered with juniper, pine and sage.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 15 and 16.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground to bedrock, in a supporting mound of stone, 2 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 4 W 1/4 S 16 S 15</p> <p style="text-align: center;">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Cor. is located on top of a ridge, bearing N. and S.</p>
80.00	<p>Point for the cor. of secs. 9, 10, 15 and 16, falls on steep and eroding slope, where it is impracticable to establish a permanent monument.</p> <p>From this point, point selected for the witness cor. of secs. 9, 10, 15 and 16 bears S. 77°10' W., 1.56 chs. dist.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona

CHAINS							
	<div style="text-align: center;"> <p>WC</p> <table border="1"> <tr> <td>T 41 N</td> <td>R 4 W</td> </tr> <tr> <td>S 9</td> <td>S 10</td> </tr> <tr> <td>S 16</td> <td>S 15</td> </tr> </table> <p>→</p> <p>2003</p> </div> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Land, mountainous. Soil, sandy and clay. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p>	T 41 N	R 4 W	S 9	S 10	S 16	S 15
T 41 N	R 4 W						
S 9	S 10						
S 16	S 15						
	<hr/> <p>From the cor. of secs. 10, 11, 14 and 15.</p> <p>N. 89°54' W., bet. secs. 10 and 15.</p> <p>Over rolling and mountainous land covered with juniper, pine and sage.</p>						
<p>39.96</p>	<p>Point for the 1/4 sec. cor. of secs. 10 and 15.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 41 N R 4 W</p> <p>S 10</p> <p>1/4 ———</p> <p>S 15</p> <p>2003</p> </div> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>						
<p>79.92</p>	<p>The cor. of secs. 9, 10, 15 and 16.</p> <p>Land, rolling and mountainous. Soil, sandy and clay. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p>						
<p>40.00</p>	<hr/> <p>N. 0°02' W., bet. secs. 9 and 10.</p> <p>Descend over mountainous land covered with juniper, pine and sage.</p> <p>Point for the 1/4 sec. cor. of secs. 9 and 10.</p>						

Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole in sandstone rock outcrop, 25 x 20 x 8 ft. high, with top mkd.</p> <p style="text-align: center;">T 41 N R 4 W 1/4 S 9 S 10</p> <p style="text-align: center;">2003</p> <p>Deposit a magnet in a white plastic case at the base of the brass tablet.</p>
80.00	<p>Point for the cor. of secs. 3, 4, 9 and 10.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 4 W S 4 S 3 S 9 S 10</p> <p style="text-align: center;">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Cor. is located on a spur, slopes N. 50° E.</p> <p>Land, mountainous. Soil, sandy and clay. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>From the cor. of secs. 2, 3, 10 and 11.</p> <p>N. 89°54' W., bet. secs. 3 and 10.</p> <p>Over rolling land covered with juniper, pine and sage.</p>
39.96	<p>Point for the 1/4 sec. cor. of secs. 3 and 10.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 32 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 4 W S 3 1/4 — S 10</p> <p style="text-align: center;">2003</p>


**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Cor. is located on a sandy SW slope.</p>
55.85	Graded road, 15 ft. wide, bears S. 50° E. and N. 60° W.
79.92	The cor. of secs. 3, 4, 9 and 10.
	<p>Land, rolling. Soil, sandy and clay. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/>
	N. 0°09' W., bet. secs. 3 and 4.
	Over rolling land covered with juniper, pine and sage.
38.70	Graded road, 20 ft. wide, bears S. 30° E. and N. 30° W.
40.00	Point for the 1/4 sec. cor. of secs. 3 and 4.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 38 ins. in the ground, with brass cap mkd.
	<p>T 41 N R 4 W 1/4 S 4 S 3 2003</p>
	Deposit a magnet in a white plastic case at the base of the stainless steel post.
	Cor. is located on E. edge of a graded road, 20 ft. wide, bearing S. 30° E. and N. 30° W.
79.85	The cor. of secs. 3, 4, 33 and 34, on the N. bdy. of the Tp., hereinbefore described.
	<p>Land, rolling. Soil, sandy and clay. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/>
	From the 1/4 sec. cor. of secs. 28 and 29, monumented with an iron post, 1 in. diam., projecting 14 ins. above ground, with an accessory mound of stone, 2 ft. base, 1 ft. high to the W., with brass cap mkd. S29 1/4 S28 1914.
	Add the marks T41N R4W 2003 to the brass cap.

Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona

CHAINS	<p>N. 0°03' W., bet. secs. 28 and 29.</p> <p>Over rolling land covered with juniper, pine and sage.</p>				
40.00	<p>Point for the cor. of secs. 20, 21, 28 and 29, falls in drain, 10 ft. wide, 20 ft. deep, where it is impracticable to establish a permanent monument.</p> <p>From this point, point selected for the witness cor. of secs. 20, 21, 28 and 29 bears S. 80°05' E., 1.67 chs. dist.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole in sandstone rock face, 25 x 20 x 10 ft. high, with top mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>WC</p> <p>T 41 N R 4 W</p> <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">S 20</td> <td style="padding: 2px 10px;">S 21</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">S 29</td> <td style="padding: 2px 10px;">S 28</td> </tr> </table> <p>2003</p> </div> <p>Land, rolling. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr style="width: 60%; margin: 10px auto;"/> <p>From the cor. of secs. 21, 22, 27 and 28.</p> <p>S. 89°55' W., bet. secs. 21 and 28.</p> <p>Descend over mountainous land covered with juniper, pine and sage.</p>	S 20	S 21	S 29	S 28
S 20	S 21				
S 29	S 28				
40.04	<p>Point for the 1/4 sec. cor. of secs. 21 and 28.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole in sandstone rock face, 25 x 25 x 2 ft. high, with top mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T 41 N R 4 W</p> <p style="margin-left: 40px;">S 21</p> <p style="margin-left: 30px;">1/4 ———</p> <p style="margin-left: 40px;">S 28</p> <p>2003</p> </div> <p>Deposit a magnet at the base of the brass tablet.</p>				
80.08	<p>The cor. of secs. 20, 21, 28 and 29.</p>				

Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Land, mountainous. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>N. 0°03' W., bet. secs. 20 and 21.</p> <p>Ascend over mountainous land covered with juniper, pine and sage.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 20 and 21.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 4 W 1/4 S 20 S 21</p> <p style="text-align: center;">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 16, 17, 20 and 21, falls on an eroding sandstone ledge, where it is impracticable to establish a permanent monument.</p> <p>From this point, point selected for the witness cor. of secs. 16, 17, 20 and 21 bears S. 43°32' E., 1 lk. dist.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole in solid rock face, 100 x 50 x 25 ft., with top mkd.</p> <p style="text-align: center;">  </p> <p style="text-align: center;">2003</p> <p>Deposit a magnet at the base of the brass tablet.</p> <p>Land, mountainous and broken. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>From the cor. of secs. 15, 16, 21 and 22.</p>

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>S. 89°55' W., bet. secs. 16 and 21.</p> <p>Descend over mountainous and broken land covered with juniper, pine and sage.</p>
40.04	<p>Point for the 1/4 sec. cor. of secs. 16 and 21.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground, in a supporting mound of stone, 2 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 4 W S 16 1/4 ——— S 21</p> <p style="text-align: center;">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>
80.08	<p>The cor. of secs. 16, 17, 20 and 21.</p> <p>Land, mountainous and broken. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>N. 0°03' W., bet. secs. 16 and 17.</p> <p>Over mountainous and broken land covered with juniper, pine and sage.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 16 and 17.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole in sandstone rock face, 200 x 200 x 50 ft. high, with top mkd.</p> <p style="text-align: center;">T 41 N R 4 W 1/4 S 17 S 16</p> <p style="text-align: center;">2003</p> <p>Deposit a magnet at the base of the brass tablet.</p>
80.00	<p>Point for the cor. of secs. 8, 9, 16 and 17.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p>

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS									
	<table style="margin-left: auto; margin-right: auto;"> <tr> <td>T 41 N</td> <td>R 4 W</td> </tr> <tr> <td style="border-right: 1px solid black;">S 8</td> <td>S 9</td> </tr> <tr> <td style="border-right: 1px solid black;">S 17</td> <td>S 16</td> </tr> </table>	T 41 N	R 4 W	S 8	S 9	S 17	S 16		
T 41 N	R 4 W								
S 8	S 9								
S 17	S 16								
	2003								
	<p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Cor. is located on E. edge of a drain, 10 ft. wide, 50 ft. deep, drains N. 40° E.</p> <p>Land, mountainous and broken. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>From the cor. of secs. 9, 10, 15 and 16.</p> <p>S. 89°55' W., bet. secs. 9 and 16.</p> <p>Ascend over mountainous and broken land covered with juniper, pine and sage.</p>								
40.04	<p>Point for the 1/4 sec. cor. of secs. 9 and 16.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>								
	<table style="margin-left: auto; margin-right: auto;"> <tr> <td>T 41 N</td> <td>R 4 W</td> </tr> <tr> <td></td> <td style="text-align: center;">S 9</td> </tr> <tr> <td></td> <td style="text-align: center;">1/4 ———</td> </tr> <tr> <td></td> <td style="text-align: center;">S 16</td> </tr> </table>	T 41 N	R 4 W		S 9		1/4 ———		S 16
T 41 N	R 4 W								
	S 9								
	1/4 ———								
	S 16								
	2003								
	<p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>								
80.08	<p>The cor. of secs. 8, 9, 16 and 17.</p> <p>Land, mountainous and broken. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>N. 0°03' W., bet. secs. 8 and 9.</p> <p>Over mountainous and broken land covered with juniper, pine and sage.</p>								

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	
36.80	Drain, 5 ft. wide, 10 ft. deep, drains N. 40° E.
40.00	<p>Point for the 1/4 sec. cor. of secs. 8 and 9.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 14 ins. in the ground, in a supporting mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 4 W 1/4 S 8 S 9</p> <p style="text-align: center;">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 4, 5, 8 and 9.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole in sandstone rock face, 300 x 300 x 40 ft. high, with top mkd.</p> <p style="text-align: center;">T 41 N R 4 W S 5 S 4 S 8 S 9</p> <p style="text-align: center;">2003</p> <p>Deposit a magnet at the base of the brass tablet.</p> <p>Land, mountainous and broken. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>From the cor. of secs. 3, 4, 9 and 10.</p> <p>S. 89°55' W., bet. secs. 4 and 9.</p> <p>Over mountainous and broken land covered with juniper, pine and sage.</p>
40.04	<p>Point for the 1/4 sec. cor. of secs. 4 and 9.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona

CHAINS	
80.08	<p style="text-align: center;">T 41 N R 4 W S 4 1/4 ——— S 9</p> <p style="text-align: center;">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Cor. is located on top of ridge, bears N. 50° E. and S. 50° W.</p> <p>The cor. of secs. 4, 5, 8 and 9.</p> <p>Land, mountainous and broken. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p>
40.00	<hr/> <p>N. 0°06' W., bet. secs. 4 and 5.</p> <p>Over rolling and broken land covered with juniper, pine and sage.</p> <p>Point for the 1/4 sec. cor. of secs. 4 and 5.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
79.94	<p style="text-align: center;">T 41 N R 4 W 1/4 S 5 S 4</p> <p style="text-align: center;">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>The cor. of secs. 4, 5, 32 and 33, on the N. bdy. of the Tp., hereinbefore described.</p> <p>Land, rolling and broken. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 29 and 30, monumented with an iron post, 1 in. diam., firmly set, flush with the ground, badly rusted, with brass cap mkd. S30 1/4 S29 1914.</p> <p>At the corner point</p>

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,
24 ins. in the ground, with brass cap mkd.

T 41 N R 4 W
1/4
S 30 | S 29

2003

Deposit a magnet in a white plastic case at the base of the
stainless steel post and insert original iron post inside of it.

N. 0°03' W., bet. secs. 29 and 30.

Over rolling land covered with juniper, pine and sage.

40.00

Point for the cor. of secs. 19, 20, 29 and 30.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,
24 ins. in the ground, with brass cap mkd.

T 41 N R 4 W
S 19 | S 20

S 30 | S 29

2003

Deposit a magnet in a white plastic case at the base of the
stainless steel post.

Land, rolling.

Soil, sandy.

Timber, scattered juniper and pine; undergrowth, sage and native
grasses.

From the cor. of secs. 20, 21, 28 and 29.

S. 89°59' W., bet. secs. 20 and 29.


Ascend over rough mountainous land covered with juniper, pine
and sage.

40.03

Point for the 1/4 sec. cor. of secs. 20 and 29, falls on
precipitous and eroding slope, where it is impracticable to
establish a permanent monument.

From this point, point selected for the witness 1/4 sec. cor. of
secs. 20 and 29 bears N. 23°19' E., 1.52 chs. dist.

Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole in sandstone rock ledge, 25 x 25 x 50 ft. high, with top mkd.</p> <div style="text-align: center;"> <p>WC T 41 N R 4 W S 20 1/4 ——— S 29</p>  <p>2003</p> </div>
80.06	<p>Deposit a magnet at the base of the brass tablet.</p> <p>Cor. is located on W. face of ridge, bears N. and S.</p> <p>The cor. of secs. 19, 20, 29 and 30.</p> <p>Land, rough and mountainous. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p>
	<hr/> <p>S. 89°56' W., bet. secs. 19 and 30.</p> <p>Over rolling and mountainous land covered with juniper, pine and sage.</p>
2.80	<p>Trail road, bears N. 10° E. and S. 10° W.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 19 and 30.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 41 N R 4 W S 19 1/4 ——— S 30</p> <p>2003</p> </div>
79.64	<p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>The cor. of secs. 19, 24, 25 and 30, on the W. bdy. of the Tp., hereinbefore described.</p> <p>Land, rolling. Soil, sandy.</p>

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>From the cor. of secs. 19, 20, 29 and 30.</p> <p>N. 0°03' W., bet. secs. 19 and 20.</p> <p>Over rolling and mountainous land covered with juniper, pine and sage.</p>
2.70	Trail road, bears S. 55° W. and N. 10° W.
36.85	Trail road, bears N. 60° E. and S. 60° W.
40.00	<p>Point for the 1/4 sec. cor. of secs. 19 and 20.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 4 W 1/4 S 19 S 20</p> <p style="text-align: center;">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 17, 18, 19 and 20.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground, in a collar of stone, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 4 W S 18 S 17 S 19 S 20</p> <p style="text-align: center;">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Cor. is located on the W. face of a ridge.</p> <p>Land, rolling and mountainous. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>From the cor. of secs. 16, 17, 20 and 21.</p>

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>S. 89°59' W., bet. secs. 17 and 20.</p> <p>Ascend over mountainous and broken land covered with juniper, pine and sage.</p>
40.03	<p>Point for the 1/4 sec. cor. of secs. 17 and 20.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 4 W S 17 1/4 ——— S 20</p> <p style="text-align: center;">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Cor. is located on W. face of a ridge, bears N. and S.</p>
80.06	<p>The cor. of secs. 17, 18, 19 and 20.</p> <p>Land, mountainous and broken. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>S. 89°56' W., bet. secs. 18 and 19.</p> <p>Descend over mountainous and broken land covered with juniper, pine and sage.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 18 and 19.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole in solid rock, with top mkd.</p> <p style="text-align: center;">T 41 N R 4 W S 18 1/4 ——— S 19</p> <p style="text-align: center;">2003</p> <p>Deposit a magnet at the base of the brass tablet.</p> <p>Cor. is located on the W. edge of a drain, 4 ft. wide, 20 ft. deep, drains S. 30° E.</p>

Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona

CHAINS	
79.55	<p>The cor. of secs. 13, 18, 19 and 24, on the W. bdy. of the Tp., hereinbefore described.</p> <p>Land, mountainous and broken. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>From the cor. of secs. 17, 18, 19 and 20.</p> <p>N. 0°03' W., bet. secs. 17 and 18.</p> <p>Descend over mountainous and broken land covered with juniper, pine and sage.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 17 and 18, falls on precipitous and eroding slope, where it is impracticable to establish a permanent monument.</p> <p>From this point, point selected for the witness 1/4 sec. cor. of secs. 17 and 18 bears N. 43°51' E., 69 lks. dist.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole in sandstone rock face, 50 x 50 x 20 ft. high, with top mkd.</p> <div style="text-align: center;"> <p>WC T 41 N R 4 W 1/4 S 18 S 17 ↙ 2003</p> </div> <p>Deposit a magnet at the base of the brass tablet.</p> <p>Cor. is located on W. slope of a drain.</p>
80.00	<p>Point for the cor. of secs. 7, 8, 17 and 18, falls on precipitous slope, where it is impracticable to establish a permanent monument.</p> <p>From this point, point selected for the witness cor. of secs. 7, 8, 17 and 18 bears N. 72°45' W., 86 lks. dist.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole in sandstone rock face, 50 x 25 x 50 ft. high, with top mkd.</p>

Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona

CHAINS							
	<div style="text-align: center;"> <p>WC</p> <table border="1" style="margin: auto;"> <tr> <td>T 41 N</td> <td>R 4 W</td> </tr> <tr> <td>S 7</td> <td>S 8</td> </tr> <tr> <td>S 18</td> <td>S 17</td> </tr> </table> <p>2003</p> </div> <p>Deposit a magnet at the base of the brass tablet.</p> <p>Land, mountainous and broken. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/>	T 41 N	R 4 W	S 7	S 8	S 18	S 17
T 41 N	R 4 W						
S 7	S 8						
S 18	S 17						
40.03	<p>From the cor. of secs. 8, 9, 16 and 17.</p> <p>S. 89°59' W., bet. secs. 8 and 17.</p> <p>Ascend over rolling and broken land covered with juniper, pine and sage.</p> <p>Point for the 1/4 sec. cor. of secs. 8 and 17.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 41 N R 4 W</p> <p>S 8</p> <p>1/4 ———</p> <p>S 17</p> <p>2003</p> </div> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>						
80.06	<p>The cor. of secs. 7, 8, 17 and 18.</p> <p>Land, rolling and broken, with scattered burnt out areas. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/>						
40.00	<p>S. 89°56' W., bet. secs. 7 and 18.</p> <p>Over rolling and broken land covered with juniper, pine and sage.</p> <p>Point for the 1/4 sec. cor. of secs. 7 and 18.</p>						

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p align="center">T 41 N R 4 W S 7 1/4 ——— S 18</p> <p align="center">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>
79.46	<p>The cor. of secs. 7, 12, 13 and 18, on the W. bdy. of the Tp., hereinbefore described.</p> <p>Land, rolling and broken, with scattered burnt out areas. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/>
40.00	<p>From the cor. of secs. 7, 8, 17 and 18.</p> <p>N. 0°03' W., bet. secs. 7 and 8.</p> <p>Over rolling land covered with juniper, pine and sage.</p> <p>Point for the 1/4 sec. cor. of secs. 7 and 8.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p align="center">T 41 N R 4 W 1/4 S 7 S 8</p> <p align="center">2003</p> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p>
80.00	<p>Cor. is located 80 lks. E. of a drain, 5 ft. wide, 15 ft. deep, drains N.</p> <p>Point for the cor. of secs. 5, 6, 7 and 8.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS								
	<div style="text-align: center;"> <p>T 41 N R 4 W</p> <table border="1" style="margin: auto;"> <tr> <td style="padding: 2px;">S 6</td> <td style="padding: 2px;">S 5</td> </tr> <tr> <td style="padding: 2px;">S 7</td> <td style="padding: 2px;">S 8</td> </tr> </table> <p>2003</p> </div> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>Cor. is located 1.90 chs. E. of a barbed wire fence, bears S. 30° E. and N. 30° W. A trail road runs along W. side of fence.</p> <p>Land, rolling, with scattered burnt out areas. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>From the cor. of secs. 4, 5, 8 and 9.</p> <p>S. 89°59' W., bet. secs. 5 and 8.</p> <p>Over rolling and broken land covered with juniper, pine and sage.</p> <p>40.03 Point for the 1/4 sec. cor. of secs. 5 and 8.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, in a supporting mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 41 N R 4 W</p> <table border="1" style="margin: auto;"> <tr> <td style="padding: 2px;">S 5</td> <td style="padding: 2px;">1/4</td> <td style="padding: 2px;">S 8</td> </tr> </table> <p>2003</p> </div> <p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>80.06 The cor. of secs. 5, 6, 7 and 8.</p> <p>Land, rolling, with scattered burnt out areas. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/> <p>S. 89°56' W., bet. secs. 6 and 7.</p>	S 6	S 5	S 7	S 8	S 5	1/4	S 8
S 6	S 5							
S 7	S 8							
S 5	1/4	S 8						

**Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona**

CHAINS	
40.00	<p>Over rolling land covered with juniper, pine and sage.</p> <p>Point for the 1/4 sec. cor. of secs. 6 and 7.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
	<p align="center">T 41 N R 4 W S 6 1/4 ——— S 7</p> <p align="center">2003</p>
79.36	<p>Deposit a magnet in a white plastic case at the base of the stainless steel post.</p> <p>The cor. of secs. 1, 6, 7 and 12, on the W. bdy. of the Tp., hereinbefore described.</p>
	<p>Land, rolling. Soil, sandy. Timber, scattered juniper and pine; undergrowth, sage and native grasses.</p> <hr/>
	<p>From the cor. of secs. 5, 6, 7 and 8.</p> <p>N. 0°04' W., bet. secs. 5 and 6.</p> <p>Over rolling and broken land covered with juniper, pine and sage.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 5 and 6.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole in sandstone rock face, 100 x 50 x 25 ft. high, with top mkd.</p>
	<p align="center">T 41 N R 4 W 1/4 S 6 S 5</p> <p align="center">2003</p>
79.93	<p>Deposit a magnet at the base of the brass tablet.</p> <p>The cor. of secs. 5, 6, 31 and 32, on the N. bdy. of the Tp., hereinbefore described.</p>

Survey of the Subdivisional Lines,
T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona

CHAINS

Land, rolling and broken.

Soil, sandy.

Timber, scattered juniper and pine; undergrowth, sage and native grasses.

GENERAL DESCRIPTION

Township 41 north, range 4 west is situated on the Kaibab Paiute Indian Reservation, approximately 14 miles northwest of Fredonia, Arizona. The elevation varies from 5000 to 7000 feet above sea level. The soil varies from mostly sandy to hard clay. The terrain is mountainous in the north, west and northwest, and mostly rolling in the east and south.

The main access to the area is Arizona State Highway 389. Further access to the township is provided by numerous secondary and desert trail roads.

The mean magnetic declination of $12\frac{3}{4}^{\circ}$ E. was derived from the computer program GEOMAGIX, utilizing the World Magnetic Model for Epoch WMM-2000 for the dates of survey.

CERTIFICATE OF SURVEY

I, ADRIEN J. RODRIGUEZ, Cadastral Surveyor, HEREBY CERTIFY upon honor, that in pursuance of special instructions bearing date of the 24th day of July, 2003, I have dependently resurveyed a portion of the subdivisional lines and surveyed a portion of the First Guide Meridian West (West Boundary), the east and north boundaries and a portion of the subdivisional lines, T. 41 N., R. 4 W., of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction. Said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, 1973, and in specific manner described in the foregoing field notes.

OCTOBER 18, 2004
(Date)

Adrien J. Rodriguez
(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT
Phoenix, Arizona

The foregoing field notes of the dependent resurvey of a portion of the subdivisional lines and the survey of a portion of the First Guide Meridian West (West Boundary), the east and north boundaries and a portion of the subdivisional lines, T. 41 N., R. 4 W., Gila and Salt River Meridian, in the State of Arizona, executed by Adrien J. Rodriguez, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

2/16/2006
(Date)

Stephen K. Hansen
(Acting Chief Cadastral Surveyor of Arizona)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY That the foregoing transcript of the field notes of the above described surveys in T. 41 N., R. 4 W., Gila and Salt River Meridian, Arizona, is a true copy of the original field notes.~~

~~(Date)~~

~~(Acting Chief Cadastral Surveyor of Arizona)~~