

ORIGINAL

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FIELD NOTES
OF THE
DEPENDENT RESURVEY OF
PORTIONS OF THE WEST AND NORTH BOUNDARIES,
A PORTION OF THE SUBDIVISIONAL LINES
AND
MINERAL SURVEY NO. 904,
THE SUBDIVISION OF SECTIONS 3 AND 4
AND THE METES-AND-BOUNDS SURVEY OF THE
WABAYUMA PEAK WILDERNESS AREA BOUNDARY,
TOWNSHIP 17 NORTH, RANGE 16 WEST
OF THE GILA AND SALT RIVER MERIDIAN
IN THE STATE OF ARIZONA

EXECUTED BY

Nathan C. Erickson and Nathan H. Price, Cadastral Surveyors

Under Special Instructions dated February 8, 2006, approved February 8, 2006, which provided for the surveys included under Group No. 981, Arizona, and assignment instructions dated February 8, 2006.

Survey commenced February 15, 2006

Survey completed March 28, 2006

INDEX DIAGRAM

TOWNSHIP 17 NORTH RANGE 16 WEST
GILA AND SALT RIVER MERIDIAN, ARIIZONA

4	6	5	4	5 3	2	1
	11	9	8	8		
7	8	9	10	11	12	
18	17	16	15	14	13	
19	20	21	22	23	24	
30	29	28	27	26	25	
31	32	33	34	35	36	

Resurvey of Mineral Survey No. 904.....	Pages 13-18
Subdivision of Section 3.....	Pages 18-21
Subdivision of Section 4.....	Pages 21-23
Metes-and-Bounds Survey of the WPWA Boundary.....	Pages 23-26

T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona

Chains

The following field notes describe the dependent resurvey of portions of the west and north boundaries, a portion of the subdivisional lines and Mineral Survey No. 904, the subdivision of sections 3 and 4 and the metes-and-bounds survey of the Wabayuma Peak Wilderness Area Boundary, Township 17 North, Range 16 West, of the Gila and Salt River Meridian, Arizona.

The history of surveys pertaining to this survey is as follows:

C. B. Foster surveyed Mineral Survey No. 904, Antler and Mineral Survey No. 906, Spuyten Duyvil in 1889. Fred N. Wardwell surveyed the west and north boundaries in 1915. Fred N. Wardwell and Howard G. Mason surveyed the subdivisional lines in 1915.

This survey was executed in accordance with the specifications set forth in the Manual of Instructions for the Survey of the Public Lands of the United States, 1973, and Special Instructions for Group No. 981, Arizona, dated February 8, 2006.

The true meridian direction and length of all lines were determined by static relative and real time kinematic global positioning system observations using Trimble Navigation Model 5700 receivers.

Preliminary to the resurvey, the lines of the prior surveys were retraced and a diligent search was made for all evidence of the original corners and other calls of record. Identified corners were remonumented in their original positions. Lost corners were reestablished and remonumented at proportionate positions based on the original record. The retracement data were thoroughly verified, and only the true line field notes are given herein.

Geodetic control was derived from first order United States Coast and Geodetic Survey triangulation station "CAN AZ MK 1961", as published by the National Geodetic Survey, NAD 83 (1992). The geographic position of the corner of Townships 17 and 18 North, Ranges 16 and 17 West, is as follows:

Latitude: 34°53'30.42" N. Longitude: 114°01'15.06" W.

The mean magnetic declination is 12 1/2° E.

Dependent Resurvey of a Portion of the West Boundary,
T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona

Chains	
	<p style="text-align: center;">Restoring the survey executed by Fred N. Wardwell in 1915</p> <hr style="width: 20%; margin: auto;"/> <p>Beginning at the cor. of secs. 1, 6, 7 and 12, on the W. bdy. of the Tp., monumented with an iron post, 3 ins. diam, firmly set, projecting 4 ins. above ground, with brass cap mkd. T17N R17W R16W S1 S6 S12 S7 1915. Add the marks 2006 to the brass cap.</p> <p>N. 0°02' W., bet. secs. 1 and 6, on the W. bdy. of the Tp.</p> <p>Over nearly level to broken, rocky land, through cholla, ocotillo and catclaw.</p> <p>Along the Wabayuma Peak Wilderness Area Boundary.</p>
8.73	<p>Point for a witness point, on the line bet. secs. 1 and 6, on the Wabayuma Peak Wilderness Area Boundary.</p> <p>Set an aluminum drive rod, 36 ins. long, 3/4 in. diam., 18 ins. in the ground, in a mound of stone, 3 1/2 ft. base, to top, with aluminum cap mkd.</p> <div style="text-align: center;"> <pre> WP T 17 N R 17 W R 16 W WPWA S6 2006 </pre> </div>
31.10	<p>Cor. is located at the base of a steep S. slope.</p> <p>Point for a witness point, on the line bet. secs. 1 and 6, on the Wabayuma Peak Wilderness Area Boundary.</p> <p>Set an aluminum drive rod, 36 ins. long, 3/4 in. diam., 34 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <pre> WP T 17 N R 17 W R 16 W WPWA S6 2006 </pre> </div> <p>Raise a mound of stone, 3 ft. base, 2 1/2 ft. high, N. of cor.</p> <p>Cor. is located on a moderate SE slope, 1.00 ch. W. of a drainage.</p>

**Dependent Resurvey of a Portion of the West Boundary,
T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona**

Chains 40.00	<p>The 1/4 sec. cor. of secs. 1 and 6, monumented with an iron post, 1 in. diam., loosely set and leaning, projecting 36 ins. above ground, in a scattered mound of stone, with brass cap mkd. 1/4 S1 S6 1915, with a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.</p> <p>Straighten the iron post and rebuild the supporting mound of stone, 3 ft. base, 2 ft. high.</p> <p>Rebuild the mound of stone W. of cor., 2 1/2 ft. base, 2 ft. high.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 0°01' E., beginning new measurement.</p> <p>Over broken, rocky land, through cholla and ocotillo.</p> <p>Continue along the Wabayuma Peak Wilderness Area Boundary.</p>
39.69	<p>The cor. of Tps. 17 and 18 N., Rs. 16 and 17 W., monumented with an iron post, 3 ins. diam., loosely set and leaning, projecting 30 ins. above ground, in a scattered mound of stone, with brass cap mkd. T18N R17W R16W S36 S31 S1 S6 T17N 1915.</p> <p>Straighten the iron post and rebuild the supporting mound of stone, 2 1/2 ft. base, 1 1/2 ft. high.</p> <hr style="width: 80%; margin: 10px auto;"/> <p style="text-align: center;">Dependent Resurvey of a Portion of the North Boundary, T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona</p> <hr style="width: 80%; margin: 10px auto;"/> <p style="text-align: center;">Restoring the survey executed by Fred N. Wardwell in 1915</p> <hr style="width: 20%; margin: 10px auto;"/> <p>From the cor. of secs. 2, 3, 34 and 35, on the N. bdy. of the Tp., monumented with an iron post, 3 ins. diam., loosely set and leaning, projecting 36 ins. above ground, in a scattered mound of stone, with brass cap mkd. T18N R16W S34 S35 S3 S2 T17N 1915, with a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.</p> <p>Straighten the iron post and rebuild the supporting mound of stone, 3 1/2 ft. base, 2 ft. high.</p> <p>Rebuild the mound of stone W. of cor., 3 ft. base, 2 ft. high.</p> <p>N. 89°59' W., bet. secs. 3 and 34, on the N. bdy. of the Tp.</p> <p>Over nearly level to broken, rocky land, through Crucifixion Thorn trees and prickly pear cactus.</p>

Dependent Resurvey of a Portion of the North Boundary,
T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona

Chains	
4.77	Boriana Mine Road, 30 lks. wide, bears N. 20° E. and S. 20° W.
6.27	Point for AP 1, sec. 3, on the line bet. secs. 3 and 34, on the N. bdy. of the Tp., on the Wabayuma Peak Wilderness Area Boundary.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, encircled with a collar of stone, with brass cap mkd.
	<p style="text-align: center;">T 18 N R 16 W WPWA S34</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP1 / S3</p> <p style="text-align: center;">T 17 N</p> <p style="text-align: center;">2006</p>
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	Raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.
	Cor. is located on a gentle W. slope.
40.00	The 1/4 sec. cor. of secs. 3 and 34, monumented with an iron post, 1 in. diam., loosely set and leaning, projecting 36 ins. above ground, in a scattered mound of stone, with brass cap mkd. 1/4 S34 S3 1915, with a mound of stone, 2 ft. base, 1 1/2 ft. high, N. of cor.
	Straighten the iron post and rebuild the supporting mound of stone, 3 ft. base, 2 ft. high.
	<hr style="width: 20%; margin: auto;"/> <p>N. 89°50' W., beginning new measurement.</p>
	Over broken, rocky land, through Crucifixion Thorn trees and sage brush.
4.10	Point for AP 6, sec. 3, on the line bet. secs. 3 and 34, on the N. bdy. of the Tp., on the Wabayuma Peak Wilderness Area Boundary.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, encircled with a collar of stone, with brass cap mkd.

Dependent Resurvey of a Portion of the North Boundary,
T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona

Chains	
	<div style="text-align: center;"> <p>T 18 N R 16 W</p> <p>S34</p> <p>WPWA</p> <hr style="width: 50%; margin: 0 auto;"/> <p>S3 AP6</p> <p style="margin-left: 100px;">\</p> <p>T 17 N</p> <p>2006</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.</p> <p>Cor. is located on a gentle W. slope, 60 lks E. of a saddle in a ridge.</p> <p>Thence along the Wabayuma Peak Wilderness Area Boundary.</p>
10.42	<p>Point for AP 7, sec. 3, on the line bet. secs. 3 and 34, on the N. bdy. of the Tp., on the Wabayuma Peak Wilderness Area Boundary.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 18 N R 16 W</p> <p>WPWA S34</p> <hr style="width: 50%; margin: 0 auto;"/> <p>AP7 / S3</p> <p style="margin-left: 100px;">\</p> <p>T 17 N</p> <p>2006</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Raise a mound of stone, 3 1/2 ft. base, 2 1/2 ft. high, E. of cor.</p> <p>Cor. is located on a moderate S. slope.</p> <p>Leave the Wabayuma Peak Wilderness Area Boundary.</p>

**Dependent Resurvey of a Portion of the North Boundary,
T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona**

<p>Chains 39.87</p>	<p>The cor. of secs. 3, 4, 33 and 34, on the N. bdy. of the Tp., monumented with an iron post, 3 ins. diam., firmly set, projecting 30 ins. above ground, in a supporting mound of stone, 3 ft. base, 2 ft. high, with brass cap mkd. T18N R16W S33 S34 S4 S3 T17N 1915, with a mound of stone, 2 ft. base, 1 1/2 ft. high, N. of cor.</p>
<hr/> <p align="center">Dependent Resurvey of a Portion of the Subdivisional Lines, T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona</p> <hr/>	
<p align="center">Restoring the survey executed by Fred N. Wardwell and Howard G. Mason in 1915</p> <hr/>	
<p>From the 1/4 sec. cor. of secs. 2 and 3, monumented with an iron post, 1 in. diam., loosely set and leaning, projecting 36 ins. above ground, in a scattered mound of stone, with brass cap mkd. S3 1/4 S2 1915, with a scattered mound of stone, W. of cor.</p>	
<p>Straighten the iron post and rebuild the supporting mound of stone, 3 ft. base, 2 ft. high.</p>	
<p>Rebuild the mound of stone W. of cor., 3 ft. base, 2 1/2 ft. high.</p>	
<p>N. 0°02' W., bet. secs. 2 and 3.</p>	
<p>Over nearly level land, through Crucifixion Thorn trees and prickly pear cactus.</p>	
<p>19.995</p>	<p>Point for the N 1/16 sec. cor. of secs. 2 and 3, at proportionate distance. Point not monumented.</p>
<p>39.80</p>	<p>The cor. of secs. 2, 3, 34 and 35, on the N. bdy. of the Tp., hereinbefore described.</p>
<hr/> <p>From the cor. of secs. 3, 4, 9 and 10, monumented with an iron post, 2 ins. diam., firmly set, projecting 11 ins. above the ground, with brass cap mkd. T17N R16W S4 S3 S9 S10 1915, with a steel fence post set nearby.</p>	
<p>North, bet. secs. 3 and 4.</p>	
<p>Over nearly level to broken, rocky land, through Crucifixion Thorn trees, prickly pear cactus and sage brush.</p>	
<p>28.21</p>	<p>Point for a witness point, at intersection with line 5-6 of M.S. No. 904, hereinafter described.</p>

**Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona**

Chains	
	From this cor. point, cor. A No. 6 of M.S. No. 904, identical to cor. SD No. 6 of M.S. No. 906, bears S. 18°47' W., 11.15 chs. dist, hereinafter described.
40.09	Point for the 1/4 sec. cor. of secs. 3 and 4, at proportionate dist.; there is no remaining evidence of the orig. cor. Point not monumented.
40.67	Point for AP 12, sec. 3, identical to AP 1, sec. 4, on the Wabayuma Peak Wilderness Area Boundary, at intersection with line 4-5 of M.S. No. 904, hereinafter described. From this cor. point, cor. A No. 4 of M.S. No. 904, bears N. 68°38' W., 0.53 chs. dist, hereinafter described.
60.135	Point for the N 1/16 sec. cor. of secs. 3 and 4, at proportionate distance. Point not monumented.
80.10	The cor. of secs. 3, 4, 33 and 34, on the N. bdy. of the Tp., hereinbefore described.
	From the cor. of secs. 4, 5, 8 and 9, monumented with an iron post, 2 ins. diam., firmly set, projecting 12 ins. above ground, with brass cap mkd. T17N R16W S5 S4 S8 S9 1915, with a steel fence post with an attached survey marker sign and a white PVC pipe, 1 in. diam., projecting 8 ft. above ground, both set nearby. Add the marks 2006 to the brass cap. N. 0°01' E., bet. secs. 4 and 5. Over nearly level land, through sage brush, yucca, palo verde and cactus. Along the Wabayuma Peak Wilderness Area Boundary.
13.32	Point for a witness point, on the line bet. secs. 4 and 5, on the Wabayuma Peak Wilderness Area Boundary. Set an aluminum drive rod, 108 ins. long, 3/4 in. diam., 108 ins. in the ground, with aluminum cap mkd. <div style="text-align: center;"> WP T 17 N R 16 W WPWA S5 S4 2006 </div>
26.63	Point for a witness point, on the line bet. secs. 4 and 5, on the Wabayuma Peak Wilderness Area Boundary.

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona

Chains	
	<p>Set an aluminum drive rod, 72 ins. long, 3/4 in. diam., 72 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;"> WP T 17 N R 16 W WPWA S5 S4 </p> <p style="text-align: center;">2006</p>
39.95	<p>The 1/4 sec. cor. of secs. 4 and 5, monumented with an iron post, 1 in. diam., firmly set, projecting 36 ins. above ground, in a supporting mound of stone, 3 ft. base, 2 1/2 ft. high, with brass cap mkd. 1/4 S5 S4 1915, with a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of cor.</p> <hr/> <p>From the cor. of secs. 4, 5, 8 and 9.</p> <p>S. 89°54' W., bet. secs. 5 and 8.</p> <p>Over nearly level to broken, rocky land, through cactus, sage brush and palo verde trees.</p> <p>Along the Wabayuma Peak Wilderness Area Boundary.</p>
4.22	<p>Point for a witness point, on the line bet. secs. 5 and 8, on the Wabayuma Peak Wilderness Area Boundary.</p> <p>Set an aluminum drive rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;"> WP T 17 N R 16 W WPWA S5 <hr style="width: 50px; margin: 0 auto;"/> S8 </p> <p style="text-align: center;">2006</p> <p>Raise a mound of stone, 4 ft. base, 3 ft. high, S. of cor.</p> <p>Cor. is located on a moderate E. slope, 1.00 ch. W. of base of slope.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona

<p>Chains 39.91</p>	<p>The 1/4 sec. cor. of secs. 5 and 8, monumented with an iron post, 1 in. diam., firmly set, projecting 36 ins. above ground, in a mound of stone, 2 1/2 ft. base, 2 1/2 ft. high, with brass cap mkd. 1/4 S5 S8 1915, with a mound of stone, 2 ft. base, 1 1/2 ft. high, N. of cor.</p> <hr/> <p>S. 89°57' W., beginning new measurement.</p> <p>Over broken, rocky land, through cactus, sage brush and palo verde trees.</p> <p>Continue along the Wabayuma Peak Wilderness Area Boundary.</p>
<p>12.91</p>	<p>Point for a witness point, on the line bet. secs. 5 and 8, on the Wabayuma Peak Wilderness Area Boundary.</p> <p>Set an aluminum drive rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, in a mound of stone, 2 ft. base, to top, with aluminum cap mkd.</p> <p style="text-align: center;">WP T 17 N R 16 W WPWA S5</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">S8</p> <p style="text-align: center;">2006</p> <p>Cor. is located on a steep, rocky E. slope.</p>
<p>40.00</p>	<p>The cor. of secs. 5, 6, 7 and 8, monumented with an iron post, 2 ins. diam., loosely set and leaning, projecting 36 ins. above ground, in a scattered mound of stone, with brass cap mkd. T17N R16W S6 S5 S7 S8 1915, with a mound of stone, 2 ft. base, 1 1/2 ft. high, S. of cor.</p> <p>Straighten the iron post and rebuild the supporting mound of stone, 3 ft. base, 2 ft. high.</p> <hr/> <p>N. 89°40' W., bet. secs. 6 and 7.</p> <p>Over broken, rocky land, through cactus, sage brush and palo verde trees.</p> <p>Along the Wabayuma Peak Wilderness Area Boundary.</p>
<p>26.79</p>	<p>Point for a witness point, on the line bet. secs. 6 and 7, on the Wabayuma Peak Wilderness Area Boundary.</p> <p>Set an aluminum drive rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p>



Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona

Chains	
	<p style="text-align: center;">WP T 17 N R 16 W WPWA S6 <hr/>S7 2006</p>
	<p>Raise a mound of stone, 3 ft. base, 2 1/2 ft. high, N. of cor. Cor. is located on a gentle S. slope, at the base of a steep S. slope.</p>
39.82	<p>The 1/4 sec. cor. of secs. 6 and 7, monumented with an iron post, 1 in. diam., loosely set and leaning, projecting 36 ins. above ground, in a scattered mound of stone, with brass cap mkd. S6 1/4 S7 1915.</p> <p>Straighten the iron post and rebuild the supporting mound of stone, 3 ft. base, 2 ft. high.</p> <p>Raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor. <hr/>S. 89°52' W., beginning new measurement.</p> <p>Over nearly level land, through sage brush, yucca and cactus.</p> <p>Continue along the Wabayuma Peak Wilderness Area Boundary.</p>
13.23	<p>Point for a witness point, on the line bet. secs. 6 and 7, on the Wabayuma Peak Wilderness Area Boundary.</p> <p>Set an aluminum drive rod, 36 ins. long, 3/4 in. diam., 12 ins. in the ground, in a mound of stone, 3 ft. base, to top, with aluminum cap mkd.</p>
	<p style="text-align: center;">WP T 17 N R 16 W WPWA S6 <hr/>S7 2006</p>
	<p>Cor. is located on a steep, rocky N. slope.</p>
14.50	<p>Barbed wire fence, 4 strand, bears East and West.</p>
26.45	<p>Point for a witness point, on the line bet. secs. 6 and 7, on the Wabayuma Peak Wilderness Area Boundary.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona

Chains	
	<p>Set an aluminum drive rod, 36 ins. long, 3/4 in. diam., 34 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">WP T 17 N R 16 W WPWA S6</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">S7</p> <p style="text-align: center;">2006</p> <p>Cor. is located 8 1/2 lks. N. of a barbed wire fence, 4 strand, bears East and West.</p>
39.68	<p>The cor. of secs. 1, 6, 7 and 12, on the W. bdy. of the Tp., hereinbefore described.</p>
	<hr/> <p style="text-align: center;">Dependent Resurvey of Mineral Survey No. 904, T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona</p> <hr/>
	<p style="text-align: center;">Restoring the survey executed by C. B. Foster in 1889</p> <hr/> <p>From cor. I.M.A. No. 1 of M.S. No. 904, identical to cor. I.M.S.D. No. 1 of M.S. No. 906, monumented with a sandstone 30 x 18 x 12 ins., firmly set, projecting 8 ins. above ground, mkd. IMA No 1 on the E. side and IMSD No 1 upside-down on the W. side.</p> <p>N. 70°49' W., on line 1-2 of M.S. No. 904, identical to line 1-2 of M.S. No. 906.</p>
4.51	<p>Cor. A No. 2 of M.S. No. 904, identical to cor. SD No. 2 of M.S. No. 906, monumented with a sandstone, 20 x 10 x 8 ins., firmly set, projecting 8 ins. above ground, in a mound of stone, 2 1/2 ft. base, to top, mkd. A No 2 on the S. side and No 5 on the N. side.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p>

Dependent Resurvey of Mineral Survey No. 904,
T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona

Chains	
	<div style="text-align: center;"> <p>T 17 N R 16 W</p>  <p>2006</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the orig. stone alongside the stainless steel post.</p> <hr/> <p>N. 18°42' E., on line 2-3 of M.S. No. 904.</p> <p>18.95 Trail road, 12 ft. wide, bears N. 75° E. and S. 75° W.</p> <p>20.56 Point for AP 3, sec. 4, on the Wabayuma Peak Wilderness Area Boundary, at intersection with the E. and W. center line of sec. 4, hereinafter described.</p> <p>From this cor. point, the point for the 1/4 sec. cor. of secs. 3 and 4, bears S. 89°51' E., 5.54 chs. dist.</p> <p>Thence along the Wabayuma Peak Wilderness Area Boundary.</p> <p>23.11 Cor. A No. 3 of M.S. No. 904, monumented with a granite stone 18 x 16 x 14 ins., firmly set, projecting 4 ins. above ground, mkd. A No 3. This cor. now also functions as AP 2, sec. 4, of the Wabayuma Peak Wilderness Area Boundary,</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 17 N R 16 W</p>  <p>2006</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the orig. stone alongside the stainless steel post.</p>

Dependent Resurvey of Mineral Survey No. 904,
T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona

Chains	
	<p>Raise a mound of stone, 2 1/2 ft. base, 2 ft. high, N. of cor.</p> <hr/> <p>S. 68°38' E., on line 3-4 of M.S. No. 904.</p> <p>Along the Wabayuma Peak Wilderness Area Boundary.</p>
4.54	<p>Cor. A No. 4 of M.S. No. 904, at proportionate dist., there is no remaining evidence of the orig. cor.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 17 N R 16 W</p> <p>WPWA</p> <p>S4</p> <hr style="width: 50px; margin: 0 auto;"/> <p>ANO4</p> <p>MS 904</p> <p>2006</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Cor. is located on a gentle S. slope, 21 lks. W. of the bottom of a wash, drains S. 35° W.</p> <p>Thence on line 4-5 of M.S. No. 904.</p> <p>Continue along the Wabayuma Peak Wilderness Area Boundary.</p>
5.07	<p>Point for AP 12, sec. 3, identical to AP 1, sec. 4, on the Wabayuma Peak Wilderness Area Boundary, at intersection with the line bet. secs. 3 and 4.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 17 N R 16 W</p> <p>WPWA</p> <p>S4 S3</p> <p>AP 1 AP 12</p> <hr style="width: 50px; margin: 0 auto;"/> <p>MS 904</p> <p>2006</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Cor. is located near the top of the E. bank of a wash.</p>


Dependent Resurvey of Mineral Survey No. 904,
T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona

Chains	
6.68	<p>From this cor. point, the point for the 1/4 sec. cor. of secs. 3 and 4, bears South, 0.58 chs. dist., hereinbefore described.</p> <p>Intersect the E. and W. center line of sec. 3. Point not monumented.</p> <p>From this point, the point for the 1/4 sec. cor. of secs. 3 and 4, bears S. 89°56' W., 1.50 chs. dist., hereinbefore described.</p>
6.99	<p>Point for AP 11, sec. 3, on the Wabayuma Peak Wilderness Area Boundary.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 17 N R 16 W</p> <p>WPWA</p> <p>AP11 / S3</p> <p>MS 904</p> <p>2006</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor.</p> <p>Leave the Wabayuma Peak Wilderness Area Boundary.</p>
9.08	<p>Cor. A No. 5 of M.S. No. 904, monumented with a sandstone 20 x 18 x 6 ins., firmly set, projecting 8 ins. above ground, in a scattered mound of stone, mkd. A No 5.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 17 N R 16 W</p> <p>S 3</p> <p>A NO5</p> <p>MS 904</p> <p>2006</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the orig. stone alongside the stainless steel post.</p>

Dependent Resurvey of Mineral Survey No. 904,
T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona

Chains	
	Raise a mound of stone, 3 ft. base, 3 ft. high, E. of cor.
	S. 18°47' W., on line 5-6 of M.S. No. 904.
10.00	Wash, drains S. 35° E.
11.61	Point for a witness point, at intersection with the line bet. secs. 3 and 4
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	<p style="text-align: center;">WP T 17 N R 16 W MS 904 S4 S3 2006</p>
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	Raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.
	Cor. is located on a steep E. slope, near the base of a mine tailings pile.
	From this cor. point, the point for the 1/4 sec. cor. of secs. 3 and 4, bears North, 11.88 chs. dist., hereinbefore described.
19.00	Trail road, 15 lks. wide, bears N. 5° E. and S. 5° W.
21.80	Trail road, 15 lks. wide, bears N. 25° E. and S. 25° W.
22.76	Cor. A No. 6 of M.S. No. 904, identical to cor. SD No. 6 of M.S. No. 906, monumented with an iron post, set by persons unknown, 20 ins. long, 1 in. diam., firmly set, 6 ins. below the surface of the ground. This monument has been accepted by local landowners and appears to have been placed with due regard to the original survey, and is accepted as the best attainable evidence of the original corner.
	At the corner point
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

Dependent Resurvey of Mineral Survey No. 904,
T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona

Chains	
	<div style="text-align: center;">  <p>T 17 N R 16 W MS 904 A NO 6 / S4 SD NO6 MS 906</p> </div> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the iron post alongside the stainless steel post.</p> <p>Raise a mound of stone, 3 ft. base, 2 ft. high, E. of cor.</p> <p>Cor. is located on level ground in mine tailings, 10 lks. E. of a trail road, 15 lks. wide, bears N. 25° E. and S. 25° W.</p> <hr/> <p>N. 70°49' W., on line 6-1 of M.S. No. 904, identical to line 6-1 of M. S. No. 906.</p>
0.10	Trail road, 15 lks. wide, bears N. 25° E. and S. 25° W.
4.54	Cor. I.M.A. No. 1 of M.S. No. 904, identical to cor. I.M.S.D. No. 1 of M.S. No. 906.
	<p>Subdivision of Section 3, T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona</p> <hr/>
	<p>From the 1/4 sec. cor. of secs. 3 and 10, monumented with an iron post, 1 in. diam., firmly set, projecting 24 ins. above ground, in a scattered mound of stone, with brass cap mkd. S3 1/4 S10 1915.</p> <p>Rebuild the supporting mound of stone, 2 1/2 ft. base, 1 ft. high.</p> <p>Raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.</p> <p>N. 0°07' W., on the N. and S. center line of sec. 3.</p> <p>Over nearly level to broken, rocky land, through Crucifixion Thorn trees, prickly pear cactus, sage brush and palo verde.</p>
40.08	Point for the center 1/4 sec. cor., at intersection with the E. and W. center line of sec. 3. Point not monumented.

**Subdivision of Section 3,
T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona**

Chains	
60.07	Point for the center N 1/16 sec. cor. of sec. 3, at proportionate dist., on the Wabayuma Peak Wilderness Area Boundary. Point not monumented.
79.93	The 1/4 sec. cor. of secs. 3 and 34. <hr/>
	From the 1/4 sec. cor. of secs. 2 and 3. S. 89°56' W., on the E. and W. center line of sec. 3. Over nearly level to broken, rocky land, through Crucifixion Thorn trees, prickly pear cactus, sage brush and palo verde.
39.95	The point for the center 1/4 sec. cor., at intersection with the N. and S. center line of sec. 3.
78.04	Intersect line 10-11 on the Wabayuma Peak Wilderness Area Boundary. Point not monumented. From this point, AP 11 on the Wabayuma Peak Wilderness Area Boundary, bears S. 29°47' W., 0.13 chs. dist.
78.40	Intersect line 11-12 on the Wabayuma Peak Wilderness Area Boundary, identical to a portion of line 4-5 of MS 904. Point not monumented. From this point, AP 11 on the Wabayuma Peak Wilderness Area Boundary, bears S. 68°38' E., 0.31 chs. dist.
79.90	The point for the 1/4 sec. cor. of secs. 3 and 4. <hr/>
	NE 1/4 <hr/>
	From the point for the N 1/16 sec. cor. of secs. 2 and 3. S. 89°56' W., on the E. and W. center line of the NE 1/4 of sec. 3. Over nearly level to broken, rocky land, through Crucifixion Thorn trees, ocotillo, sage brush and palo verde.
9.60	Boriana Mine Road, 20 ft. wide, bears North and South.
11.10	Point for AP 3, sec. 3, on the Wabayuma Peak Wilderness Area Boundary. Set an aluminum drive rod, 36 ins. long, 3/4 in. diam., 12 ins. in the ground, in a mound of stone, 3 ft. base, to top, with aluminum cap mkd.

Subdivision of Section 3,
T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona

Chains	
	<div style="text-align: center;"> <p>T 17 N R 16 W</p> <p>AP3</p> <p>WPWA</p> <p>N ——— S3</p> <p>2006</p> </div>
	<p>Thence along the Wabayuma Peak Wilderness Area Boundary.</p>
13.20	<p>Mackenzie Creek, 25 ft. wide, 3 ins. deep, flows S. 35° W.</p>
24.41	<p>Point for a witness point on the Wabayuma Peak Wilderness Area Boundary.</p>
	<p>Set an aluminum drive rod, 36 ins. long, 3/4 in. diam., 26 ins. in the ground, with aluminum cap mkd.</p>
	<div style="text-align: center;"> <p>WP</p> <p>T 17 N R 16 W</p> <p>WPWA</p> <p>N ——— S3</p> <p>2006</p> </div>
	<p>Cor. is located on a moderate N. slope, 1.05 chs. S. of a dry wash.</p>
39.98	<p>The point for the center N 1/16 sec. cor. of sec. 3, on the Wabayuma Peak Wilderness Area Boundary.</p>
	<div style="text-align: center;"> <p>NW 1/4</p> <p>—————</p> </div> <p>N. 89°59' W., on the E. and W. center line of the NW 1/4 of sec. 3.</p> <p>Over broken, rocky land, through cactus and Crucifixion Thorn trees.</p> <p>Along the Wabayuma Peak Wilderness Area Boundary.</p>
5.10	<p>Point for AP 4, sec 3, on the Wabayuma Peak Wilderness Area Boundary.</p> <p>Set an aluminum drive rod, 36 ins. long, 3/4 in. diam., 26 ins. in the ground, with aluminum cap mkd.</p>

Subdivision of Section 3,
T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona

Chains	
27.40	<p style="text-align: center;">T 17 N R 16 W</p> <div style="text-align: center;"> </div> <p style="text-align: center;">2006</p> <p>Cor. is located on a steep N. slope.</p> <p>Leave the Wabayuma Peak Wilderness Area Boundary.</p> <p>Point for AP 9, sec 3, on the Wabayuma Peak Wilderness Area Boundary.</p> <p>Set an aluminum drive rod, 36 ins. long, 3/4 in. diam., 26 ins. in the ground, with aluminum cap mkd.</p>
39.91	<p style="text-align: center;">T 17 N R 16 W</p> <div style="text-align: center;"> </div> <p style="text-align: center;">2006</p> <p>Cor. is located 45 lks. W. of a trail road.</p> <p>The point for the N 1/16 sec. cor. of secs. 3 and 4.</p> <hr/> <p style="text-align: center;">Subdivision of Section 4, T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona</p> <hr/> <p>From the point for the 1/4 sec. cor. of secs. 3 and 4.</p> <p>N. 89°51' W., on the E. and W. center line of sec. 4.</p> <p>Over broken, rocky land, through cactus and sage brush and palo verde trees.</p>
5.54	<p>Point for AP 3, sec. 4, on the Wabayuma Peak Wilderness Area Boundary, at intersection with line 2-3 of M.S. No. 904.</p> <p>Set a stainless steel post, 28 ins. long, 24 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p>

Subdivision of Section 4,
T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona

Chains	
	<div style="text-align: center;"> <p>T 17 N R 16 W</p> <p>WPWA</p> <p>AP3</p> <p>C ————— C</p> <p> S4</p> <p> / MS 904</p> <p>2006</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.</p> <p>From this cor. point, cor. A No. 3 of M.S. No. 904, identical to AP 2, sec. 4, on the Wabayuma Peak Wilderness Area Boundary, bears N. 18°42' E., 2.55 chs. dist.</p> <p>Thence along the Wabayuma Peak Wilderness Area Boundary.</p>
15.15	Trail road, 12 ft. wide, bears N. 5° E. and S. 5° W.
15.52	<p>Point for a witness point on the Wabayuma Peak Wilderness Area Boundary.</p> <p>Set an aluminum drive rod, 36 ins. long, 3/4 in. diam., 33 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>WP</p> <p>T 17 N R 16 W</p> <p>WPWA</p> <p>C ————— C</p> <p> S4</p> <p>2006</p> </div> <p>Cor. is located on a steep E. slope, 35 lks. W. of a trail road.</p>
53.69	<p>Point for a witness point on the Wabayuma Peak Wilderness Area Boundary.</p> <p>Set an aluminum drive rod, 36 ins. long, 3/4 in. diam., 34 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>WP</p> <p>T 17 N R 16 W</p> <p>WPWA</p> <p>C ————— C</p> <p> S4</p> <p>2006</p> </div>


**Subdivision of Section 4,
T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona**

Chains	
	Raise a mound of stone, 4 ft. base, 2 1/2 ft. high, N. of cor. Cor. is located at the base of a steep W. slope.
59.70	Dry wash, 50 ft. wide, bears N. 40° E. and S. 40° W.
63.75	Point for a witness point on the Wabayuma Peak Wilderness Area Boundary. Set an aluminum drive rod, 36 ins. long, 3/4 in. diam., 26 ins. in the ground, with aluminum cap mkd. <div style="text-align: center;"> WP T 17 N R 16 W WPWA C ————— C S4 2006 </div>
79.99	Raise a mound of stone, 3 ft. base, 3 ft. high, N. of cor. Cor. is located on a gentle E. slope, W. of a dry wash. The 1/4 sec. cor. of secs. 4 and 5.
<hr/> Metes-and-Bounds Survey of the Wabayuma Peak Wilderness Area Boundary, T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona <hr/>	
Section 3 <hr/>	
14.49	From AP 1, sec. 3, on the line bet. secs. 3 and 34, on the N. bdy. of the Tp., hereinbefore described. S. 28°47' W., on line 1-2, sec. 3, on the Wabayuma Peak Wilderness Area Boundary. Over nearly level land, through Crucifixion Thorn trees, sage brush and prickly pear cactus. Point for AP 2, sec. 3. Set an aluminum drive rod, 36 ins. long, 3/4 in. diam., 33 ins. in the ground, encircled with a collar of stone, with aluminum cap mkd.

**Metes-and-Bounds Survey of the
Wabayuma Peak Wilderness Area Boundary,
T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona**

Chains	
7.44	<div style="text-align: center; margin-bottom: 10px;"> <p>T 17 N R 16 W</p> <p>AP2 /</p> <p>WPWA /</p> <p> \ S3</p> <p> \</p> <p>2006</p> </div> <p>Cor. is located on a SW slope, 1.20 chs. N. of Mackenzie Creek.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 16°58' E., on line 2-3, sec. 3, on the Wabayuma Peak Wilderness Area Boundary.</p> <p>Over nearly level land, through Crucifixion Thorn trees and prickly pear cactus.</p> <p>AP 3, sec. 3, on the E. and W. center line of the NE 1/4 of sec. 3, hereinbefore described.</p> <hr style="width: 80%; margin: 10px auto;"/> <p>From AP 4, sec. 3, on the E. and W. center line of the NW 1/4 of sec. 3, hereinbefore described.</p> <p>N. 10°13' E., on line 4-5, sec. 3, on the Wabayuma Peak Wilderness Area Boundary.</p> <p>Over broken, rocky land, through cactus and Crucifixion Thorn trees.</p>
13.94	<p>Point for AP 5, sec. 3.</p> <p>Set an aluminum drive rod, 36 ins. long, 3/4 in. diam., 33 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center; margin-bottom: 10px;"> <p>T 17 N R 16 W</p> <p>WPWA /</p> <p>AP5 /</p> <p> \ S3</p> <p> \</p> <p>2006</p> </div> <p>Cor. is located near the top of a rocky knob.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 13°49' W., on line 5-6, sec. 3, on the Wabayuma Peak Wilderness Area Boundary.</p> <p>Over broken, rocky land, through cactus and Crucifixion Thorn trees.</p>

**Metes-and-Bounds Survey of the
Wabayuma Peak Wilderness Area Boundary,
T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona**

Chains 6.33	<p>AP 6, sec. 3, on the line bet. secs. 3 and 34, on the N. bdy. of the Tp., hereinbefore described.</p> <hr/> <p>From AP 7, sec. 3, on the line bet. secs. 3 and 34, on the N. bdy. of the Tp., hereinbefore described.</p> <p>S. 32°00' W., on line 7-8, sec. 3, on the Wabayuma Peak Wilderness Area Boundary.</p> <p>Over broken, rocky land, through cactus and Crucifixion Thorn trees.</p>
9.60	<p>Point for AP 8, sec. 3.</p> <p>Set an aluminum drive rod, 36 ins. long, 3/4 in. diam., 33 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 17 N R 16 W</p>  </div> <p>Cor. is located on a gentle S. slope, near the center of a low ridge, 45 lks. W. of a trail road.</p> <hr/> <p>S. 45°16' W., on line 8-9, sec. 3, on the Wabayuma Peak Wilderness Area Boundary.</p> <p>Over broken, rocky land, through cactus and Crucifixion Thorn trees.</p>
16.68	<p>AP 9, sec. 3, on the E. and W. center line of the NW 1/4 of sec. 3, hereinbefore described.</p> <hr/> <p>S. 25°13' W., on line 9-10, sec. 3, on the Wabayuma Peak Wilderness Area Boundary.</p> <p>Over broken, rocky land, through cactus, palo verde and sage brush.</p>
8.89	<p>Point for AP 10, sec. 3.</p> <p>Set an aluminum drive rod, 36 ins. long, 3/4 in. diam., 33 ins. in the ground, with aluminum cap mkd.</p>

**Metes-and-Bounds Survey of the
Wabayuma Peak Wilderness Area Boundary,
T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona**

Chains	<p>T 17 N R 16 W</p> <p>WPWA / AP10 S3</p> <p>2006</p>
	<p>Cor. is located 45 lks. W. of a trail road.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 29°47' W., on line 10-11, sec. 3, on the Wabayuma Peak Wilderness Area Boundary.</p> <p>Over broken, rocky land, through cactus, palo verde and sage brush.</p>
13.83	<p>Intersect the E. and W. center line of sec. 3. Point not monumented.</p> <p>From this point, the point for the 1/4 sec. cor. of secs. 3 and 4, bears S. 89°56' W., 1.86 chs. dist., hereinbefore described.</p>
13.96	<p>AP 11, sec. 3, at intersection with line 4-5 of M.S. No. 904, hereinbefore described.</p> <p>From this cor. point, cor. A No. 5 of M.S. No. 904, bears S. 68°38' E., 2.09 chs. dist., hereinbefore described.</p>
	<hr/> <p>General Description</p> <hr/>
	<p>This area embraced by this survey is situated approximately 22 miles south of Kingman Arizona. Access is by way of Interstate Highway 40 to Yucca, Arizona then utilizing Alamo Road and Borianna Mine Road.</p> <p>The terrain varies from level and sandy, to steep rocky mountains. There are a few residences in section 4 and an abandoned mine in sections 3 and 4.</p> <p>The mean magnetic declination of 12 1/2° E. was derived from the computer program GEOMAGIX, utilizing the World Magnetic Model for Epoch 2005 for the dates of survey.</p> <hr/>

T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona

Chains

Description of the Wabayuma Peak Wilderness Area Boundary,
T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona

The following is for informational purposes only.

Beginning at AP 1, on the line bet. secs. 3 and 34, on the N. bdy. of the Tp.;

thence S. 28°47' W., 14.49 chs. dist., to AP 2, sec. 3;

thence S. 16°58' E., 7.44 chs. dist., to AP 3, sec. 3, on the E. and W. center line of the NE 1/4 of sec. 3;

thence S. 89°56' W., 13.31 chs. dist., to a WP, on the E. and W. center line of the NE 1/4 of sec. 3;

thence S. 89°56' W., 15.57 chs. dist., to the point for the center N 1/16 sec. cor. of sec. 3;

thence N. 89°59' W., 5.10 chs. dist., to AP 4, sec. 3, on the E. and W. center line of the NW 1/4 of sec. 3;

thence N. 10°13' E., 13.94 chs. dist., to AP 5, sec. 3;

thence N. 13°49' W., 6.33 chs. dist., to AP 6, sec. 3, on the line bet. secs. 3 and 34, on the N. bdy. of the Tp.;

thence N. 89°50' W., 6.32 chs. dist., to AP 7, sec. 3, on the line bet. secs. 3 and 34, on the N. bdy. of the Tp.;

thence S. 32°00' W., 9.60 chs. dist., to AP 8, sec. 3;

thence S. 45°16' W., 16.68 chs. dist., to AP 9, sec. 3, on the E. and W. center line of the NW 1/4 of sec. 3;

thence S. 25°13' W., 8.89 chs. dist., to AP 10, sec. 3;

thence S. 29°47' W., 13.96 chs. dist., to AP 11, sec. 3, on line 4-5 of M.S. No. 904;

thence N. 68°38' W., 1.92 chs. dist., to AP 12, sec. 3, identical to AP 1, sec. 4; on the line bet. secs. 3 and 4 and on a portion of line 4-5 of M.S. No. 904;

thence N. 68°38' W., 0.53 chs. dist., to cor. A NO 4, M.S. No. 904;

thence N. 68°38' W., 4.54 chs. dist., to AP 2, identical to cor. A NO 3, M.S. No. 904, on line 3-4 of M.S. No. 904;

thence S. 18°42' W., 2.55 chs. dist., to AP 3, sec. 4, on a portion of line 2-3 of M.S. No. 904;

thence N. 89°51' W., 9.98 chs. dist., to a WP, on the E. and W. center line of sec. 4;

thence N. 89°51' W., 38.17 chs. dist., to a WP, on the E. and W. center line of sec. 4;

thence N. 89°51' W., 10.06 chs. dist., to a WP, on the E. and W. center line of sec. 4;

thence N. 89°51' W., 16.24 chs. dist., to the 1/4 sec. cor. of secs. 4 and 5;

thence S. 0°01' W., 13.32 chs. dist., to a WP, on the line bet. secs. 4 and 5;

thence S. 0°01' W., 13.31 chs. dist., to a WP, on the line bet. secs. 4 and 5;

thence S. 0°01' W., 13.32 chs. dist., to the cor. of secs. 4, 5, 8 and 9;

T. 17 N., R. 16 W., Gila and Salt River Meridian, Arizona

Chains

thence S. 89°54' W., 4.22 chs. dist., to a WP, on the line bet.
 secs. 5 and 8;
 thence S. 89°54' W., 35.69 chs. dist., to the 1/4 sec. cor. of
 secs. 5 and 8;
 thence S. 89°57' W., 12.91 chs. dist., to a WP, on the line
 bet. secs. 5 and 8;
 thence S. 89°57' W., 27.09 chs. dist., to the cor. of secs. 5,
 6, 7 and 8;
 thence N. 89°40' W., 26.79 chs. dist., to a WP, on the line
 bet. secs. 6 and 7;
 thence N. 89°40' W., 13.03 chs. dist., to the 1/4 sec. cor. of
 secs. 6 and 7;
 thence S. 89°52' W., 13.23 chs. dist., to a WP, on the line
 bet. secs. 6 and 7;
 thence S. 89°52' W., 13.22 chs. dist., to a WP, on the line
 bet. secs. 6 and 7;
 thence S. 89°52' W., 13.23 chs. dist., to the cor. of secs. 1,
 6, 7 and 12, on the W. bdy. of the Tp.;
 thence N. 0°02' W., 8.73 chs. dist., to a WP, on the line bet.
 secs. 1 and 6, on the W. bdy. of the Tp.;
 thence N. 0°02' W., 22.37 chs. dist., to a WP, on the line bet.
 secs. 1 and 6, on the W. bdy. of the Tp.;
 thence N. 0°02' W., 8.90 chs. dist., to the 1/4 sec. cor. of
 secs. 1 and 6, on the W. bdy. of the Tp.;
 thence N. 0°01' E., 39.69 chs. dist., to the cor. of Tps. 17
 and 18 N., Rs. 16 and 17 W.

CERTIFICATE OF SURVEY

We, Nathan C. Erickson and Nathan H. Price, Cadastral Surveyors, HEREBY CERTIFY upon honor that, in pursuance of Special Instructions bearing date of the 8th day of February, 2006, we have dependently resurveyed portions of the west and north boundaries, a portion of the subdivisional lines and Mineral Survey No. 904, subdivided sections 3 and 4 and surveyed the metes-and-bounds survey of the Wabayuma Peak Wilderness Area Boundary, Township 17 North, Range 16 West of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by us and under our direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, 1973, and in the specific manner described in the foregoing field notes.

9/1/06
(Date)

[Signature]
(Cadastral Surveyor)

9/1/06
(Date)

Nat H R
(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT
Phoenix, Arizona

The foregoing field notes of the dependent resurvey of portions of the west and north boundaries, a portion of the subdivisional lines and Mineral Survey No. 904, the subdivision of sections 3 and 4 and the metes-and-bounds survey of the Wabayuma Peak Wilderness Area Boundary, Township 17 North, Range 16 West, Gila and Salt River Meridian, Arizona, executed by Nathan C. Erickson and Nathan H. Price, Cadastral Surveyors, having been critically examined and found correct, are hereby approved.

11/8/06
(Date)

Stephen K. Hansen
(Chief Cadastral Surveyor of Arizona)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY That the foregoing transcript of the field notes of the above described surveys in Township 17 North, Range 16 West, Gila and Salt River Meridian, Arizona, is a true copy of the original field notes.~~

~~_____
(Date)~~

~~_____
(Chief Cadastral Surveyor of Arizona)~~