

ORIGINAL

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT**

FIELD NOTES

OF THE

DEPENDENT RESURVEY

OF A PORTION OF THE ARIZONA-UTAH STATE LINE (NORTH BOUNDARY),  
THE SURVEY OF THE TENTH STANDARD PARALLEL NORTH (SOUTH BOUNDARY),

THE FIFTH GUIDE MERIDIAN EAST (EAST BOUNDARY),

THE WEST BOUNDARY,

THE SUBDIVISIONAL LINES

AND A METES-AND-BOUNDS SURVEY OF A PORTION OF  
THE MONUMENT VALLEY TRIBAL PARK (MVTP) BOUNDARY,

**TOWNSHIP 41 NORTH, RANGE 20 EAST,**

OF THE GILA AND SALT RIVER MERIDIAN,

IN THE STATE OF ARIZONA

**EXECUTED BY**

**JOE R. SALAZAR, Cadastral Surveyor**

Under Special Instructions dated April 12, 2006, approved April 12, 2006, which provided for the surveys included under Group No. 989, and assignment instructions dated April 12, 2006.

**Survey commenced April 24, 2006**

**Survey completed August 7, 2006**

**INDEX DIAGRAM**

TOWNSHIP 41 NORTH                      RANGE 20 EAST  
 GILA AND SALT RIVER MERIDIAN, ARIZONA

**ARIZONA-UTAH STATE LINE**

211	3	212	5	213	6	214	6	215	7	216	8	217	8	218
	23	6	62	5	52	4	44	3	37	2	30	1	18	
		62		61		51		44		36		29		
	22	7	61	8	51	9	43	10	36	11	28	12	17	
		60		60		50		43		35		28		
	21	18	59	17	49	16	42	15	35	14	27	13	16	
		59		58		49		41		34		27		
	21	19	57	20	48	21	41	22	34	23	26	24	15	
		57		56		48		40		33		26		
	20	30	55	29	47	28	40	27	32	26	25	25	15	
		55		54		47		39		32		25		
	19	31	53	32	46	33	39	34	31	35	24	36	14	
		13		12		11		11		10		9		

Metes-and-Bounds Survey of the Monument Valley Tribal Park  
 Boundary.....Pages 64-72

**T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

## CHAINS

The following field notes describe the dependent resurvey of a portion of the Arizona-Utah State Line (north boundary), the survey of the Tenth Standard Parallel North (south boundary), the Fifth Guide Meridian East (east boundary), the west boundary, the subdivisional lines and a metes-and-bounds survey of a portion of the Monument Valley Tribal Park (MVTP) Boundary, Township 41 North, Range 20 East, Gila and Salt River Meridian, Arizona.

The history of surveys pertaining to this survey is as follows:

Howard B. Carpenter surveyed the Arizona-Utah State Line in 1901. Chas F. Moore and Willis W. Bandy resurveyed a portion of the Arizona-Utah State Line and surveyed the west boundaries and subdivisional lines of Townships 43 South, Ranges 15 and 16 East, Salt Lake Meridian, Utah, in 1924.

The survey was executed in accordance with the specifications as set forth in the Manual of Instructions for the Survey of the Public Lands of the United States, 1973, and the Special Instructions dated April 12, 2006, for Group No. 989, Arizona.

The true meridian direction and length of all lines were determined by real time kinematic global positioning system observations using Trimble Navigation 5700 model receivers.

Geodetic control was derived from Global Positioning System (GPS) static observations post processed by the National Geodetic Survey, Online Positioning User Service (OPUS), utilizing Continuously Operating Reference Stations (CORS) Fredonia, Aztec and Chacocnhp\_NM2005. The NAD 83 (1996), geographic position of the standard corner of Townships 41 North, Ranges 20 and 21 East, is as follows:

Latitude: 36°54'41.50" N.                      Longitude: 110°07'26.84" W.

The mean magnetic declination is 11 1/4° E.

---

**Dependent Resurvey of a Portion of the Arizona-Utah State Line  
(North Boundary),  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

---

Restoring the survey executed by  
Howard B. Carpenter, in 1901 and the  
resurvey by Chas F. Moore and Willis W. Bandy, in 1924

---

Beginning at the true point for the 211th mile post of the Arizona-Utah State Line, falls on the steep E. face of a sandstone bluff, where it is impracticable to establish a monument.

**Dependent Resurvey of a Portion of the Arizona-Utah State Line  
(North Boundary),  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS

From this true point, the witness cor. to the 211th mile post, originally identified as the 210.99th mile cor. in the 1901 survey, of the Arizona-Utah State Line, bears S. 89°52' W., 80 lks. dist., monumented with a broken sandstone, 34 X 10 X 6 ins., reassembled size, loosely set, in the center of a supporting mound of stone, 2 ft. base, 1 ft. high, mkd. UTAH on the N. face, 37NL on the E. face, ARIZ on the S. face and 211M on the W. face, with a mound of stone, 3 ft. base, 2 1/2 ft. high, E. of the cor.

At the corner point

Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole, on a sandstone ridge, with top mkd.

WC  
UTAH  
211M  
———→  
ARIZ

2006

Deposit a cylindrical magnet, 3/4 X 1 in., in the drill hole, beneath the brass tablet.

Deposit the original stone in and rebuild the mound of stone, 4 ft. base, 3 ft. high, E. of the cor.

From this same true point, the 210th mile post, of the Arizona-Utah State Line, bears S. 89°52' W., 79.36 chs. dist, monumented with a sandstone 38 X 11 X 10 ins., firmly set, in the center of a supporting mound of stone, 4 ft. base, 1 1/2 ft. high, mkd. UTAH on the N. face, 37NL on the E. edge, ARIZ on the S. face and 110M on the W. edge, with a mound of stone, 3 ft. base, 2 ft. high, N. of the cor.

At the corner point

Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole, on a sandstone ledge, with top mkd.

UTAH  
210M  
———  
ARIZ

2006

Deposit a cylindrical magnet, 3/4 X 1 in., in the drill hole, beneath the brass tablet.

Dependent Resurvey of a Portion of the Arizona-Utah State Line  
(North Boundary),  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Deposit the original stone in and rebuild the mound of stone, 4 ft. base, 2 ft. high, N. of the cor.</p>
	<p>N. 89°43' E., on the 212th mile of the Arizona-Utah State Line.</p>
	<p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>
17.57	<p>From this point, the closing cor. of secs. 34 and 35, T. 43 S., R. 15 E., Salt Lake Meridian, Utah, bears North, 4 lks. dist., monumented with an iron post, 2 ins. diam, firmly set, 4 ins. below the surface of the ground, with brass cap mkd. U T43S R15E CC S34 S35 ARIZ 1924.</p>
23.90	<p>Center of a paved road, 16 ft. wide, bears N. 45° E. and S. 45° W.</p>
79.00	<p>The 212th mile post of the Arizona-Utah State Line, determined at record bearing and distance from the original bearing object</p> <p style="padding-left: 40px;">A + and the mks. ARIZ 212M BO alongside, chiseled on the face of a sandstone cliff, bears South, 4.36 chs. dist.</p> <p>There is no remaining evidence of the 1924 iron post.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;">       UTAH        212M  <hr style="width: 20%; margin: 0 auto;"/>       ARIZ          2006     </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
	<p>S. 89°59' E., on the 213th mile of the Arizona-Utah State Line.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>

**Dependent Resurvey of a Portion of the Arizona-Utah State Line  
(North Boundary),  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
80.00	<p>The 213th mile post of the Arizona-Utah State Line, monumented with an iron post, 3 ins. diam., loosely set, projecting 28 ins. above the ground, in a supporting mound of stone, 3 ft. base, 1 ft. high, with brass cap mkd. UTAH 213M ARIZ and erroneously mkd. 1914, with a sandstone, 28 X 19 X 16 ins., lying alongside, mkd. UTAH on one face ARIZ on the opposite face, 213M on one edge and 37NL on the opposite edge. This is accepted as the best available evidence of the position of the original cor.</p> <p>At the corner point</p> <p>Reset the iron post, 30 ins. long, 20 ins. in the ground, in a supporting mound of stone, 3 ft. base, to top.</p> <p>Add the marks 2006 to the brass cap.</p> <p>Deposit a magnet, in a white plastic case, at the base of the iron post.</p> <p>Deposit the original stone in the supporting mound of stone.</p> <hr/> <p>N. 89°45' E., on the 214th mile of the Arizona-Utah State Line.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>
18.64	<p>From this point, the closing cor. of Tps. 43 S. Rs. 15 and 16 E., Salt Lake Meridian, Utah, bears South, 2 lks. dist., monumented with an iron post, 3 ins. diam., firmly set, projecting 14 ins. above the ground, with brass cap mkd. T43S CC R15E R16E S36 S31 UTAH ARIZ 1924.</p>
79.67	<p>The 214th mile post of the Arizona-Utah State Line, monumented with an iron post, 3 ins. diam., firmly set, projecting 9 ins. above the ground, encircled with a collar of stone, mkd. UT 214M ARIZ 1924; there is no remaining evidence of the 1901 monument. This is accepted as the best available evidence of the position of the original cor.</p> <p>Add the marks 2006 to the brass cap.</p> <hr/> <p>N. 89°58' E., on the 215th mile of the Arizona-Utah State Line.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>
17.92	<p>The closing cor. of secs. 31 and 32, T. 43 S., R. 16 E., Salt Lake Meridian, Utah, monumented with an iron post, 3 ins. diam, firmly set, projecting 2 ins. above the ground, with brass cap mkd. UTAH T43S R16E S31 S32 ARIZONA 1924, with a steel fence post set alongside.</p>

Dependent Resurvey of a Portion of the Arizona-Utah State Line  
(North Boundary),

T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>From this cor. point, a rebar, 5/8 in. diam., firmly set, projecting 4 ins. above the ground, bears N. 85°20' W., 2 lks. dist., with plastic cap mkd. FISHER AND SON UTAH 4094.</p>
37.05	<p>Westerly right-of-way fence of U. S. Highway 163, parallels highway.</p>
38.25	<p>Center of the pavement of U. S. Highway 163, 36 ft. wide, bears N. 17° E. and S. 17° W.</p>
39.45	<p>Easterly right-of-way fence of U. S. Highway 163, parallels highway.</p>
57.77	<p>The 1/4 sec. cor. of sec. 32, T. 43 S., R. 16 E., Salt Lake Meridian, Utah, monumented with an iron post, 1 in. diam, firmly set, projecting 10 ins. above the ground, with brass cap mkd. 1/4 U S32 ARIZ 1924, with a steel fence post set alongside.</p> <p>From this cor. point, a brass tablet 3 1/2 ins. diam., encased in concrete, 8 ins. diam., firmly set, projecting 6 ins. above the ground, bears N. 86°18' W., 2 lks. dist., mkd. UTAH STATE PARK.</p>
80.10	<p>The 215th mile post of the Arizona-Utah State Line, monumented with an iron post, 3 ins. diam., loosely set, projecting 31 ins. above the ground, with brass cap mkd. with raised letters UTAH on the N., ARIZ on the S. and 215M stamped in the center, there is no remaining evidence of the 1924 monument.</p> <p>At the corner point</p> <p>Reset the iron post, 60 ins. long, 45 ins. in the ground.</p> <p>Add the marks 2006 to the brass cap.</p> <p>Deposit a magnet, in a white plastic case, at the base of the iron post.</p> <hr/>
	<p>N. 89°53' E., on the 216th mile of the Arizona-Utah State Line.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>
17.52	<p>The closing cor. of secs. 32 and 33, T. 43 S., R. 16 E., Salt Lake Meridian, Utah, bears South, 5 lks. dist., monumented with an iron post, 2 ins. diam, firmly set, projecting 6 ins. above the ground, with brass cap mkd. T43S R16E CC S32 S33 UTAH AR 192.</p>
47.60	<p>South-westerly right-of-way fence for the road to the MVTP visitors center, bears S. 69°39' E. and N. 69°39' W.</p>

**Dependent Resurvey of a Portion of the Arizona-Utah State Line  
(North Boundary),  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
50.30	Center of the pavement of the road to MVTP visitors center, 36 ft. wide, bears S. 69°39' E. and N. 69°39' W.
53.00	North-easterly right-of-way fence for the road to the MVTP visitors center, bears S. 69°39' E. and N. 69°39' W.
53.43	From this point, a right-of-way monument, bears South, 16 lks. dist., monumented with a brass tablet, 3 ins. diam., encased in concrete, 6 ins. diam., firmly set, flush with the surface of the ground, mkd. BIA ROAD 19, with an L shaped angle iron, projecting 18 ins. above the ground alongside, mkd. ROW TA 58 + 44, located in the right-of-way fence.
80.18	The 216th mile post of the Arizona-Utah State Line, monumented with an iron post, 3 ins. diam., firmly set, projecting 2 ins. above the ground, with brass cap mkd. UTAH 216M ARIZ 1924.  Add the marks 2006 to the brass cap. <hr/>
	N. 89°59' E., on the 217th mile of the Arizona-Utah State Line.  Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
80.02	The 217th mile post of the Arizona-Utah State Line, monumented with an iron post, 3 ins. diam., firmly set, projecting 14 ins. above the ground, with brass cap mkd. UT 217M ARIZ 1924.  Add the marks 2006 to the brass cap. <hr/>
	N. 89°57' E., on the 218th mile of the Arizona-Utah State Line.  Over rolling, desert terrain, through scattered sagebrush and Mormon Tea.
16.98	From this point, the closing cor. of secs. 34 and 35, T. 43 S., R. 16 E., Salt Lake Meridian, Utah, bears South, 3 lks. dist., monumented with an iron post, 2 ins. diam, firmly set, projecting 18 ins. above the ground, with brass cap mkd. U T43S R16E CC S34 S35 AZ 1924.
79.86	The 218th mile post of the Arizona-Utah State Line, monumented with a sandstone, 32 X 12 X 6 ins., firmly set, projecting 24 ins. above the ground, mkd. UTAH on the N. face, 37NL on the E. edge, ARIZ on the S. face and 218M on the W. edge, with a mound of stone, 4 ft. base, 2 ft. high, E. of the cor.  At the corner point  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



**Dependent Resurvey of a Portion of the Arizona-Utah State Line  
(North Boundary),  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	<div style="text-align: center;">           UTAH            218M  <hr style="width: 20%; margin: 0 auto;"/>           ARIZ              2006         </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Deposit the original stone in and rebuild the mound of stone, 5 ft. base, 2 ft. high, E. of the cor.</p> <hr/> <p style="text-align: center;"><b>Survey of the Tenth Standard Parallel North (South Boundary), T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona</b></p> <hr/> <p>From the stan. cor. of Tps. 41 N., Rs. 20 and 21 E., established at 11 miles (880.00 chs.) West of the stan. cor. of secs. 35 and 36, T. 41 N., R. 22 E., monumented with a stainless steel post, firmly set, projecting 4 ins. above the ground, with brass cap mkd. SC T41N R22E S35 S36 2001.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole, in exposed sandstone bedrock, with top mkd.</p> <div style="text-align: center;">           SC            T 41 N            R 20 E   R 21 E            S 36   S 31  <hr style="width: 40%; margin: 0 auto;"/>           2006         </div> <p>Deposit a cylindrical magnet, 3/4 X 1 in., in the drill hole, beneath the brass tablet.</p> <p>Cor. located on the steep E. slope of Wetherill Mesa, bears East and West.</p> <p>West, on the S. bdy. of sec. 36.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses, along the top of Wetherill mesa.</p> <p>40.00 True point for the stan. 1/4 sec. cor. of sec. 36, falls on the face of a vertical cliff, where it is impracticable to establish a monument.</p> <p>From this true point, the point selected for a witness cor. to the 1/4 sec. cor. of sec. 36, bears S. 7°14' W., 3.71 chs. dist.</p>
--------	--

Survey of the Tenth Standard Parallel North  
(South Boundary),

T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">WC SC T 41 N R 20 E <u>1/4 S 36</u> ↗</p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>Point for the stan. cor. of secs. 35 and 36.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">SC T 41 N R 20 E <u>S 35   S 36</u></p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <hr/> <p>West, on the S. bdy. of sec. 35.</p> <p>Over rolling, desert terrain, through scattered sagebrush and Mormon Tea.</p>
40.00	<p>Point for the stan. 1/4 sec. cor. of sec. 35.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">SC T 41 N R 20 E <u>1/4 S 35</u></p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>Point for the stan. cor. of secs. 34 and 35.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Survey of the Tenth Standard Parallel North  
(South Boundary),  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	SC T 41 N R 20 E <u>S 34   S 35</u>
	2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	<hr/>
	West, on the S. bdy. of sec. 34.
	Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Point for the stan. 1/4 sec. cor. of sec. 34.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	SC T 41 N R 20 E <u>1/4 S 34</u>
	2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	Point for the stan. cor. of secs. 33 and 34.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	SC T 41 N R 20 E <u>S 33   S 34</u>
	2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	<hr/>
	West, on the S. bdy. of sec. 33.
	Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Point for the stan. 1/4 sec. cor. of sec. 33.

Survey of the Tenth Standard Parallel North  
(South Boundary),  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">SC T 41 N R 20 E 1/4 S 33 -----</p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>Point for the stan. cor. of secs. 32 and 33.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">SC T 41 N R 20 E S 32   S 33 -----</p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <hr/> <p>West, on the S. bdy. of sec. 32.</p> <p>Over rolling, desert terrain, through scattered sagebrush and Mormon Tea.</p>
40.00	<p>Point for the stan. 1/4 sec. cor. of sec. 32.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">SC T 41 N R 20 E 1/4 S 32 -----</p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>Point for the stan. cor. of secs. 31 and 32.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole, in the northerly edge of exposed sandstone bedrock, with top mkd.</p>

Survey of the Tenth Standard Parallel North  
(South Boundary),

T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	SC T 41 N R 20 E <u>S 31   S 32</u>
	2006
	Deposit a cylindrical magnet, 3/4 X 1 in., in the drill hole, beneath the brass tablet.
	Raise a mound of stone, 2 1/2 ft. base, 2 ft. high, N. of the cor.
	_____
	West, on the S. bdy. of sec. 31.
	Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Point for the stan. 1/4 sec. cor. of sec. 31.
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole, in exposed sandstone bedrock, with top mkd.
	SC T 41 N R 20 E <u>1/4 S 31</u>
	2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	Cor. is located 5 lks. E. of the base of a sandstone cliff, bears N. 75° E. and S. 75° W.
80.00	Point for the stan. cor. of Tps. 41 N., Rs. 19 and 20 E.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	SC T 41 N R 19 E   R 20 E <u>S 36   S 31</u>
	2006

**Survey of the Tenth Standard Parallel North  
(South Boundary),  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS

Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

**Survey of the Fifth Guide Meridian East  
(East Boundary),  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

From the stan. cor. of Tps. 41 N., Rs. 20 and 21 E., hereinbefore described.

North, bet. secs. 31 and 36.

Over rugged, desert terrain, through scattered sagebrush, Mormon Tea, native grasses and scattered juniper.

40.00 Point for the 1/4 sec. cor. of secs. 31 and 36.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 15 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.

T 41 N	
1/4	
R 20 E	R 21 E
S 36	S 31

2006

Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

80.00 True point for the cor. of secs. 25, 30, 31 and 36, falls in a rocky wash, where it is impracticable to establish a permanent monument.

From this true point, the point selected for a witness cor. to the cor. of secs. 25, 30, 31 and 36, bears N. 55°37' W., 30 lks. dist.

Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole, in a sandstone boulder, 12 X 7 X 3 ft., with top mkd.

WC	
T 41 N	
R 20 E	R 21 E
S 25	S 30
S 36	S 31

2006

**Survey of the Fifth Guide Meridian East  
(East Boundary),**

**T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS					
	<p>Deposit a cylindrical magnet, 3/4 X 1 in., in the drill hole, beneath the brass tablet.</p> <hr/> <p>North, bet. secs. 25 and 30.</p> <p>Over rugged, desert terrain, through scattered sagebrush, Mormon Tea, native grasses and scattered juniper.</p>				
40.00	<p>Point for the 1/4 sec. cor. of secs. 25 and 30.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr><td>T 41 N</td></tr> <tr><td>1/4</td></tr> <tr><td>R 20 E   R 21 E</td></tr> <tr><td>S 25   S 30</td></tr> </table> <p>2006</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>	T 41 N	1/4	R 20 E   R 21 E	S 25   S 30
T 41 N					
1/4					
R 20 E   R 21 E					
S 25   S 30					
80.00	<p>Point for the cor. of secs. 19, 24, 25 and 30.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr><td>T 41 N</td></tr> <tr><td>R 20 E   R 21 E</td></tr> <tr><td>S 24   S 19</td></tr> <tr><td>S 25   S 30</td></tr> </table> <p>2006</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <hr/> <p>North, bet. secs. 19 and 24.</p> <p>Over rugged, desert terrain, through scattered sagebrush, Mormon Tea, native grasses and scattered juniper.</p>	T 41 N	R 20 E   R 21 E	S 24   S 19	S 25   S 30
T 41 N					
R 20 E   R 21 E					
S 24   S 19					
S 25   S 30					
40.00	<p>Point for the 1/4 sec. cor. of secs. 19 and 24.</p> <p>Set a steel spike, 6 ins. long, flush with the surface of the ground.</p>				

**Survey of the Fifth Guide Meridian East  
(East Boundary),**

**T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS

from which

A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 24 ins. in the ground, for a reference monument, bears S. 16°38' E., 65.8 ft. dist., with brass cap mkd. RM T41N R21E 65.8 FT TO COR 1/4 S19 2006 and an arrow pointing to the cor. Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 24 ins. in the ground, for a reference monument, bears S. 74°25' W., 67.2 ft. dist., with brass cap mkd. RM T41N R20E 67.2 FT TO COR 1/4 S24 2006 and an arrow pointing to the cor. Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

Deposit a magnet, in a white plastic case, 12 ins. below the surface of the ground, beneath the steel spike.

Cor. is located on the S. edge of a wash.

80.00 Point for the cor of secs. 13, 18, 19 and 24.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T 41 N	
R 20 E	R 21 E
S 13	S 18
S 24	S 19

2006

Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

North, bet. secs. 13 and 18.

Over rugged, desert terrain, through scattered sagebrush, Mormon Tea, native grasses and scattered juniper.

31.46 Point selected for a witness cor. to the 1/4 sec. cor. of secs. 13 and 18.

Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole, in a sandstone boulder, 28 X 19 X 12 ft., with top mkd.



**Survey of the Fifth Guide Meridian East  
(East Boundary),**

**T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	WC T 41 N 1/4 ↑ R 20 E   R 21 E S 13   S 18 2006
	Deposit a cylindrical magnet, 3/4 X 1 in., in the drill hole, beneath the brass tablet.
31.52	Toe of the SE face of a rock cliff.
40.00	True point for the 1/4 sec. cor. of secs. 13 and 18, falls on the SE face of a rock cliff, where it is impracticable to establish a monument.
40.06	Top of the rock cliff, thence along the top of a mesa.
80.00	Point for the cor of secs. 7, 12, 13 and 18.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 41 N R 20 E   R 21 E S 12   S 7 S 13   S 18 2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	Raise a mound of stone, 3 ft. base, 2 ft. high, W. of the cor.
	North, bet. secs. 7 and 12.
	Over rugged, desert terrain, through scattered sagebrush, Mormon Tea, native grasses and scattered juniper.
40.00	Point for the 1/4 sec. cor. of secs. 7 and 12.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 41 N 1/4 R 20 E   R 21 E S 12   S 7 2006

**Survey of the Fifth Guide Meridian East  
(East Boundary),**

**T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>								
80.00	<p>Point for the cor. of secs. 1, 6, 7 and 12.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto; border-collapse: collapse;"> <tr><td colspan="2">T 41 N</td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">R 20 E</td><td style="padding: 0 5px;">R 21 E</td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">S 1</td><td style="padding: 0 5px;">S 6</td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">S 12</td><td style="padding: 0 5px;">S 7</td></tr> </table> <p>2006</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <hr style="width: 50%; margin: 10px auto;"/>	T 41 N		R 20 E	R 21 E	S 1	S 6	S 12	S 7
T 41 N									
R 20 E	R 21 E								
S 1	S 6								
S 12	S 7								
40.00	<p>North, bet. secs. 1 and 6.</p> <p>Over desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p> <p>Point for the 1/4 sec. cor. of secs. 1 and 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 8 ins. below the surface of the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto; border-collapse: collapse;"> <tr><td colspan="2">T 41 N</td></tr> <tr><td colspan="2">1/4</td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">R 20 E</td><td style="padding: 0 5px;">R 21 E</td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">S 1</td><td style="padding: 0 5px;">S 6</td></tr> </table> <p>2006</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Cor. is located on the E. edge of an abandoned graded road, 30 ft. wide, bears N. 55° E. and S. 55° W.</p>	T 41 N		1/4		R 20 E	R 21 E	S 1	S 6
T 41 N									
1/4									
R 20 E	R 21 E								
S 1	S 6								
78.76	<p>Point for the closing cor. of Tps. 41 N., Rs. 20 and 21 E., at intersection with the Arizona-Utah State Line.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>								

**Survey of the Fifth Guide Meridian East  
(East Boundary),**

**T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS

UTAH	
S 1	S 6
C	C
R20E	R21E
T41N	

2006

Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

From this cor. point, the 218th mile post of the Arizona-Utah State Line, bears N. 89°57' E., 53.50 chs. dist., hereinbefore described.

From this same cor. point, the 217th mile post of the Arizona-Utah State Line, bears S. 89°57' W., 26.36 chs. dist., hereinbefore described

---

**Survey of the West Boundary,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

---

From the stan. cor. of Tps. 40 and 41 N., Rs. 19 and 20 E., hereinbefore described.

North, bet. secs. 31 and 36.

Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.

6.30 Southerly right-of-way fence of U. S. Highway 163, parallels highway.

8.80 Center of the pavement of U. S. Highway 163, 36 ft. wide, bears N. 27° E. and S. 27° W.

11.20 Northerly right-of-way fence of U. S. Highway 163, parallels highway.

40.00 Point for the 1/4 sec. cor. of secs. 31 and 36.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T 41 N	
1/4	
R 19 E	R 20 E
S 36	S 31

2006

**Survey of the West Boundary,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS									
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post								
80.00	Point for the cor. of secs. 25, 30, 31 and 36.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.								
	<table style="margin: auto;"> <tr><td colspan="2">T 41 N</td></tr> <tr><td>R 19 E</td><td>R 20 E</td></tr> <tr><td>S 25</td><td>S 30</td></tr> <tr><td>S 36</td><td>S 31</td></tr> </table>	T 41 N		R 19 E	R 20 E	S 25	S 30	S 36	S 31
T 41 N									
R 19 E	R 20 E								
S 25	S 30								
S 36	S 31								
	2006								
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.								
	<hr/>								
	North, bet. secs. 25 and 30.								
	Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.								
40.00	Point for the 1/4 sec. cor. of secs. 25 and 30.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.								
	<table style="margin: auto;"> <tr><td colspan="2">T 41 N</td></tr> <tr><td colspan="2">1/4</td></tr> <tr><td>R 19 E</td><td>R 20 E</td></tr> <tr><td>S 25</td><td>S 30</td></tr> </table>	T 41 N		1/4		R 19 E	R 20 E	S 25	S 30
T 41 N									
1/4									
R 19 E	R 20 E								
S 25	S 30								
	2006								
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post								
80.00	Point for the cor. of secs. 19, 24, 25 and 30.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.								
	<table style="margin: auto;"> <tr><td colspan="2">T 41 N</td></tr> <tr><td>R 19 E</td><td>R 20 E</td></tr> <tr><td>S 24</td><td>S 19</td></tr> <tr><td>S 25</td><td>S 30</td></tr> </table>	T 41 N		R 19 E	R 20 E	S 24	S 19	S 25	S 30
T 41 N									
R 19 E	R 20 E								
S 24	S 19								
S 25	S 30								
	2006								

**Survey of the West Boundary,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <hr/> <p>North, bet. secs. 19 and 24.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>
38.40	Enter broken, rocky terrain.
40.00	<p>Point for the 1/4 sec. cor. of secs. 19 and 24.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 41 N 1/4 R 19 E   R 20 E S 24   S 19</p> <p>2006</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 13, 18, 19 and 25.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 41 N R 19 E   R 20 E S 13   S 18 S 24   S 19</p> <p>2006</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <hr/> <p>North, bet. secs. 13 and 18.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 13 and 18.</p> <p>Set a steel spike, 6 ins. long, flush with the surface of the ground.</p>

Survey of the West Boundary,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS									
	<p>from which</p> <p style="margin-left: 40px;">A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 24 ins. in the ground, for a reference monument, bears N. 74°58' E., 50.0 ft. dist., with brass cap mkd. RM T41N R20E 50.0 FT TO COR 1/4 S18 2006 and an arrow pointing to the cor. Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Located 48 lks. N. of the N. edge of the dirt road.</p> <p style="margin-left: 40px;">A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 24 ins. in the ground, for a reference monument, bears N. 15°04' W., 50.0 ft. dist., with brass cap mkd. RM T41N R19E 50.0 FT TO COR 1/4 S13 2006 and an arrow pointing to the cor. Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Located 15 lks. N. of the N. edge of the dirt road.</p> <p>Cor. is located in a graded dirt road, 30 ft. wide, bears S. 50° E. and N. 50° W.</p>								
80.00	<p>Point for the cor. of secs. 7, 12, 13 and 18.</p> <p style="margin-left: 40px;">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto; border-collapse: collapse;"> <tr><td colspan="2" style="padding: 0 10px;">T 41 N</td></tr> <tr><td style="padding: 0 5px;">R 19 E</td><td style="border-left: 1px solid black; padding: 0 5px;">R 20 E</td></tr> <tr><td style="padding: 0 5px;">S 12</td><td style="border-left: 1px solid black; padding: 0 5px;">S 7</td></tr> <tr><td style="padding: 0 5px;">S 13</td><td style="border-left: 1px solid black; padding: 0 5px;">S 18</td></tr> </table> <p style="margin: 5px 0;">2006</p> </div> <p style="margin-left: 40px;">Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <hr style="width: 60%; margin: 10px auto;"/> <p style="margin-left: 40px;">North, bet. secs. 7 and 12.</p> <p style="margin-left: 40px;">Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>	T 41 N		R 19 E	R 20 E	S 12	S 7	S 13	S 18
T 41 N									
R 19 E	R 20 E								
S 12	S 7								
S 13	S 18								
40.00	<p>Point for the 1/4 sec. cor. of secs. 7 and 12.</p> <p style="margin-left: 40px;">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto; border-collapse: collapse;"> <tr><td colspan="2" style="padding: 0 10px;">T 41 N</td></tr> <tr><td colspan="2" style="padding: 0 10px;">1/4</td></tr> <tr><td style="padding: 0 5px;">R 19 E</td><td style="border-left: 1px solid black; padding: 0 5px;">R 20 E</td></tr> <tr><td style="padding: 0 5px;">S 12</td><td style="border-left: 1px solid black; padding: 0 5px;">S 7</td></tr> </table> <p style="margin: 5px 0;">2006</p> </div>	T 41 N		1/4		R 19 E	R 20 E	S 12	S 7
T 41 N									
1/4									
R 19 E	R 20 E								
S 12	S 7								

**Survey of the West Boundary,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS									
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post								
80.00	Point for the cor. of secs. 1, 6, 7 and 12.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  <div style="text-align: center;"> <table style="margin: auto;"> <tr><td colspan="2">T 41 N</td></tr> <tr><td>R 19 E</td><td>R 20 E</td></tr> <tr><td>S 1</td><td>S 6</td></tr> <tr><td>S 12</td><td>S 7</td></tr> </table> <p>2006</p> </div>	T 41 N		R 19 E	R 20 E	S 1	S 6	S 12	S 7
T 41 N									
R 19 E	R 20 E								
S 1	S 6								
S 12	S 7								
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.								
	North, bet. secs. 1 and 6.  Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.								
40.00	Point for the 1/4 sec. cor. of secs. 1 and 6.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  <div style="text-align: center;"> <table style="margin: auto;"> <tr><td colspan="2">T 41 N</td></tr> <tr><td colspan="2">1/4</td></tr> <tr><td>R 19 E</td><td>R 20 E</td></tr> <tr><td>S 1</td><td>S 6</td></tr> </table> <p>2006</p> </div>	T 41 N		1/4		R 19 E	R 20 E	S 1	S 6
T 41 N									
1/4									
R 19 E	R 20 E								
S 1	S 6								
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post								
77.93	Point for the closing cor. of Tps. 41 N., Rs. 19 and 20 E., at intersection with the Arizona-Utah State Line.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.								

**Survey of the West Boundary,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	UTAH S 1   S 6 C C R19E   R20E T41N  2006
	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>From this cor. point, the 212th mile post of the Arizona-Utah State Line, bears N. 89°43' E., 53.13 chs. dist., hereinbefore described.</p> <p>From this same cor. point, the true point for the 211th mile post of the Arizona-Utah State Line, bears S. 89°43' W., 25.87 chs. dist., hereinbefore described</p> <hr/> <p style="text-align: center;"><b>Survey of the Subdivisional Lines, T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona</b></p> <hr/> <p>From the stan. cor. of secs. 35 and 36, on the S. bdy. of the Tp., hereinbefore described.</p> <p>N. 0°01' W., bet. secs. 35 and 36.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 35 and 36.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E 1/4 S 35   S 36  2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 25, 26, 35 and 36.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>



Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	T 41 N R 20 E S 26   S 25 S 35   S 36  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.  <hr/> From the true point for the cor. of secs. 25, 30, 31 and 36, on the E. bdy. of the Tp., hereinbefore described.  West, bet. secs. 25 and 36.  Over rugged, rolling, desert terrain, through scattered sagebrush and juniper.
40.00	Point for the 1/4 sec. cor. of secs. 25 and 36.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  T 41 N R 20 E S 25 1/4 ——— S 36  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	The cor. of secs. 25, 26, 35 and 36.  <hr/> N. 0°01' W., bet. secs. 25 and 26.  Over rugged, rolling, desert terrain, through scattered sagebrush and juniper.
7.20	Vertical rock cliff, bears East and West, thence ascend over the top of an inaccessible mesa.
40.00	Point for the 1/4 sec. cor. of secs. 25 and 26.  Cor. is located on top of an inaccessible mesa, not monumented.
80.00	Point for the cor. of secs. 23, 24, 25 and 25.

**Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	Cor. is located on top of an inaccessible mesa, not monumented. <hr/>
	From the cor. of secs. 19, 24, 25 and 30, on the E. bdy. of Tp., hereinbefore described.  West, bet. secs. 24 and 25.  Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
27.40	Vertical rock cliff, bears North and South, thence ascend over the top of an inaccessible mesa.
40.00	Point for the 1/4 sec. cor. of secs. 24 and 25.  Cor. is located on top of an inaccessible mesa, not monumented.
80.00	The cor. of secs. 23, 24, 25 and 26. <hr/>
	N. 0°01' W., bet. secs. 23 and 24.  Over the top of an inaccessible mesa.
34.60	Lower edge of a mesa, thence descend over the N. side of the inaccessible mesa.
40.00	Point for the 1/4 sec. cor. of secs. 23 and 24.  Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole, in an exposed sandstone outcrop, 24 X 24 X 2 ins., with top mkd.
	T 41 N R 20 E 1/4 S 23   S 24  2006
	Deposit a cylindrical magnet, 3/4 X 1 in., in the drill hole, beneath the brass tablet.  Raise a mound of stone, 3 ft. base, 3 ft. high, W. of the cor.  Over rugged, rolling, desert terrain, through scattered sagebrush and juniper.
80.00	Point for the cor. of secs. 13, 14, 23 and 24.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

**Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 41 N R 20 E S 14   S 13 S 23   S 24  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.  <hr/> From the cor. of secs. 13, 18, 19 and 24, on the E. bdy. of Tp., hereinbefore described.  West, bet. secs. 13 and 24.  Over extremely rugged, rocky, desert terrain.
40.00	True point for the 1/4 sec. cor. of secs. 13 and 24, falls on the face of a vertical cliff, where it is impracticable to establish a monument.  From this true point, the point selected for a witness cor. to the 1/4 sec. cor. of secs. 13 and 24, bears N. 80°00' W., 3.25 chs. dist.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	WC T 41 N R 20 E S 13 1/4 —————→ S 24  2006
80.00	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.  <hr/> The cor. of secs. 13, 14, 23 and 24.  N. 0°01' W., bet. secs. 13 and 14.  Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Point for the 1/4 sec. cor. of secs. 13 and 14.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.

Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	T 41 N R 20 E 1/4 S 14   S 13  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	Point for the cor. of secs. 11, 12, 13 and 14.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.
	T 41 N R 20 E S 11   S 12 S 14   S 13  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	<hr/> From the cor. of secs. 7, 12, 13 and 18, on the E. bdy. of Tp., hereinbefore described.  West, bet. secs. 12 and 13.  Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Point for the 1/4 sec. cor. of secs. 12 and 13.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 41 N R 20 E S 12 1/4 ——— S 13  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	The cor. of secs. 11, 12, 13 and 14.
	<hr/> N. 0°01' W., bet. secs. 11 and 12.

**Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00'	Point for the 1/4 sec. cor. of secs. 11 and 12.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  <div style="text-align: center;">           T 41 N R 20 E                  1/4            S 11   S 12             2006         </div>
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	Point for the cor. of secs. 1, 2, 11 and 12.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  <div style="text-align: center;">           T 41 N R 20 E            S 2   S 1            S 11   S 12             2006         </div>
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	<hr/> From the cor. of secs. 1, 6, 7 and 12, on the E. bdy. of Tp. hereinbefore described.  West, bet. secs. 1 and 12.  Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	True point for the 1/4 sec. cor. of secs. 1 and 12, falls on the S. bank of a wash, drains N. 75° E., where it is impracticable to establish a permanent monument.  From this true point, the point selected for a witness cor. to the 1/4 sec. cor. of secs. 1 and 12, bears S. 0°02' W., 50 lks. dist.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	WC T 41 N R 20 E S 1 ↑ 1/4 ——— S 12  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	The cor. of secs. 1, 2, 11 and 12.
	N. 0°01' W., bet. secs. 1 and 2.
	Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Point for the 1/4 sec. cor. of secs. 1 and 2.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 41 N R 20 E 1/4 S 2   S 1  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
78.73	Point for the closing cor. of secs. 1 and 2, at intersection with the Arizona-Utah State Line.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	UTAH ——— S 2   S 1 C C T41N   R20E  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	From this cor. point, the 217th mile post of the Arizona-Utah State Line, bears N. 89°59' E., 53.64 chs. dist., hereinbefore described.

**Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS

From this same cor. point, the 216th mile post of the Arizona-Utah State Line, bears S. 89°59' W., 26.38 chs. dist., hereinbefore described.

---

Point for the 1/4 sec. cor. of sec. 1 only, T. 41 N., R. 20 E., is at midpoint on the N. bdy. of sec. 1.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

UTAH

---

1/4 S 1  
T41N R20E

2006

Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

From this cor. point, the 217th mile post of the Arizona-Utah State Line, bears N. 89°59' E., 13.64 chs. dist., hereinbefore described.

From this same cor. point, the 216th mile post of the Arizona-Utah State Line, bears S. 89°59' W., 66.38 chs. dist., hereinbefore described.

---

From the stan. cor. of secs. 34 and 35, on the S. bdy. of the Tp., hereinbefore described.

N. 0°01' W., bet. secs. 34 and 35.


Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.

40.00 True point for the 1/4 sec. cor. of secs. 34 and 35, falls on the face of a vertical cliff, where it is impracticable to establish a monument.

From this true point, the point selected for a witness cor. to the 1/4 sec. cor. of secs. 34 and 35, bears S. 66°04' W., 2.63 chs. dist.

Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole, in exposed sandstone bedrock, 13 X 9 X 4 ft., with top mkd.

Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	WC T 41 N R 20 E 1/4 S 34   S 35 
	2006
	Deposit a cylindrical magnet, 3/4 X 1 in., in the drill hole, beneath the brass tablet.
80.00	Point for the cor. of secs. 26, 27, 34 and 35.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 41 N R 20 E S 27   S 26 S 34   S 35
	2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	<hr/>
	From the cor. of secs 25, 26, 35 and 36.
	West, bet. secs. 26 and 35.
	Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
.80	Toe of rock cliff, thence ascend over an inaccessible mesa.
40.00	Point for the 1/4 sec. cor. of secs. 26 and 35.
	Cor. is located on top of an inaccessible mesa , not monumented.
48.20	Top of a rock cliff, thence descend over the W. side of the inaccessible mesa.
80.00	The cor. of secs. 26, 27, 34 and 35.
	<hr/>
	N. 0°01' W., bet. secs. 26 and 27.
	Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Point for the 1/4 sec. cor. of secs. 26 and 27.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	T 41 N R 20 E 1/4 S 27   S 26  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	Point for the cor. of secs 22, 23, 26 and 27.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 41 N R 20 E S 22   S 23 S 27   S 26  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	<hr/> From the cor. of secs. 23, 24, 25 and 26.  West, bet. secs. 23 and 26.  Over the top of an inaccessible mesa.
38.40	Top of a rock cliff, thence descend over the W. side of the inaccessible mesa.
40.00	Point for the 1/4 sec. cor. of secs. 23 and 26.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.
	T 41 N R 20 E S 23 1/4 ——— S 26  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

**Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
80.00	<p>The cor. of secs. 22, 23, 26 and 27.</p> <hr/> <p>N. 0°01' W., bet. secs. 22 and 23.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 22 and 23.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E 1/4 S 22   S 23</p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 14, 15, 22 and 23.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E S 15   S 14 S 22   S 23</p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <hr/> <p>From the cor. of secs. 13, 14, 23 and 24.</p> <p>West, bet. secs. 14 and 23.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 14 and 23.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p>

Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	T 41 N R 20 E S 14 1/4 ——— S 23  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	The cor. of secs. 14, 15, 22 and 23. <hr/>
	N. 0°01' W., bet. secs. 14 and 15.
	Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Point for the 1/4 sec. cor. of secs. 14 and 15.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T 41 N R 20 E 1/4 S 15   S 14  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	Point for the cor. of secs. 10, 11, 14 and 15.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.
	T 41 N R 20 E S 10   S 11 S 15   S 14  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. <hr/>
	From the cor. of secs. 11, 12, 13 and 14.
	West, bet. secs. 11 and 14.
	Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.

**Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
40.00	<p>Point for the 1/4 sec. cor. of secs. 11 and 14.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E S 11 1/4 ——— S 14</p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>The cor. of secs. 10, 11, 14 and 15.</p> <hr/> <p>N. 0°01' W., bet. secs. 10 and 11.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 10 and 11.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E 1/4 S 10   S 11</p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 2, 3, 10 and 11.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E S 3   S 2 S 10   S 11</p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <hr/> <p>From the cor. of secs. 1, 2, 11 and 12.</p>

**Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	West, bet. secs. 2 and 11.
	Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Point for the 1/4 sec. cor. of secs. 2 and 11.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 41 N R 20 E S 2 1/4 ——— S 11  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	The cor. of secs. 2, 3, 10 and 11.
	_____
	N. 0°01' W., bet. secs. 2 and 3.
	Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Point for the 1/4 sec. cor. of secs. 2 and 3.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 41 N R 20 E 1/4 S 3   S 2  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
78.61	Point for the closing cor. of secs. 2 and 3, at intersection with the Arizona-Utah State Line.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS

UTAH			
S 3		S 2	
C		C	
T41N		R20E	

2006

Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

From this cor. point, the 216th mile post of the Arizona-Utah State Line, bears N. 89°53' E., 53.62 chs. dist., hereinbefore described.

From this same cor. point, the 215th mile post of the Arizona-Utah State Line, bears S. 89°53' W., 26.56 chs. dist., hereinbefore described.

---

Point for the 1/4 sec. cor. of sec. 2 only, T. 41 N., R. 20 E., is at midpoint on the N. bdy. of sec. 2.

Set a steel spike, 6 ins. long, flush with the surface of the ground.

from which

A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 24 ins. in the ground, for a reference monument, bears S. 20°02' E., 45.0 ft. dist., with brass cap mkd. RM T41N R20E 50.0 FT TO COR 1/4 S2 2006 and an arrow pointing to the cor. Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 24 ins. in the ground, for a reference monument, bears S. 70°02' W., 45.0 ft. dist., with brass cap mkd. RM T41N R19E 50.0 FT TO COR 1/4 S2 2006 and an arrow pointing to the cor. Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

Cor. is located in a graded dirt road, 30 ft. wide, bears S. 45° E. and N. 45° W.

From this cor. point, the 216th mile post of the Arizona-Utah State Line, bears N. 89°53' E., 13.62 chs. dist., hereinbefore described.

**Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>From this same cor. point, the 215th mile post of the Arizona-Utah State Line, bears S. 89°53' W., 66.56 chs. dist., hereinbefore described.</p> <hr/> <p>From the stan. cor. of secs. 33 and 34, on the S. bdy. of the Tp., hereinbefore described.</p> <p>N. 0°02' W., bet. secs. 33 and 34.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 33 and 34.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E 1/4 S 33   S 34</p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 27, 28, 33 and 34.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E S 28   S 27 S 33   S 34</p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <hr/> <p>From the cor. of secs. 26, 27, 34 and 35.</p> <p>West, bet. secs. 27 and 34.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 27 and 34.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	T 41 N R 20 E S 27 1/4 ——— S 34  2006  Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	The cor. of secs. 27, 28, 33 and 34.  <hr/> N. 0°02' W., bet. secs. 27 and 28.  Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  <div style="text-align: center;">             T 41 N R 20 E                    1/4              S 28   S 27               2006           </div> Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	Point for the cor. of secs. 21, 22, 27 and 28.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  <div style="text-align: center;">             T 41 N R 20 E              S 21   S 22              S 28   S 27               2006           </div> Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
40.00	<hr/> From the cor. of secs. 22, 23, 26 and 27.  West, bet. secs. 22 and 27.  Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Point for the 1/4 sec. cor. of secs. 22 and 27.



**Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E S 22 1/4 ——— S 27</p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>The cor. of secs. 21, 22, 27 and 28.</p> <hr/> <p>N. 0°02' W., bet. secs. 21 and 22.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 21 and 22.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E 1/4 S 21   S 22</p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 15, 16, 21 and 22.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E S 16   S 15 S 21   S 22</p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <hr/> <p>From the cor. of secs. 14, 15, 22 and 23.</p> <p>West, bet. secs. 15 and 22.</p>

**Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 41 N R 20 E S 15 1/4 ——— S 22  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	The cor. of secs. 15, 16, 21 and 22.
	N. 0°02' W., bet. secs. 15 and 16.
	Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Point for the 1/4 sec. cor. of secs. 15 and 16.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 41 N R 20 E 1/4 S 16   S 15  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	Point for the cor. of secs 9, 10, 15 and 16.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 41 N R 20 E S 9   S 10 S 16   S 15  2006

**Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <hr/> <p>From the cor. of secs 10, 11, 14 and 15.</p> <p>West, bet. secs 10 and 15.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 10 and 15.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E S 10 1/4 ——— S 15</p> <p style="text-align: center;">2006</p>
80.00	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>The cor. of secs. 9, 10, 15 and 16.</p> <hr/> <p>N. 0°02' W., bet. secs. 9 and 10.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 9 and 10.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E 1/4 S 9   S 10</p> <p style="text-align: center;">2006</p>
80.00	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Point for the cor. of secs. 3, 4, 9 and 10.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

**Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 41 N R 20 E S 4   S 3 S 9   S 10  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	<hr/> From the cor of secs 2, 3, 10 and 11. West, bet. secs. 3 and 10.
40.00	Point for the 1/4 sec. cor. of secs. 3 and 10. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 41 N R 20 E S 3 1/4 ——— S 10  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	The cor. of secs. 3, 4, 9 and 10.
	<hr/> N. 0°02' W., bet. secs. 3 and 4. Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
37.40	Southerly right-of-way fence of U. S. Highway 163, parallels highway.
40.00	Point for the 1/4 sec. cor. of secs. 3 and 4. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 5 ins. below the surface of the ground, with brass cap mkd.
	T 41 N R 20 E 1/4 S 4   S 3  2006

**Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS									
	<p>from which</p> <p style="padding-left: 40px;">The concrete base of a sign post for a billboard, bears N. 58°17' E., 1.77 chs. dist., with an X chiseled on the W. side.</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Cor. is located on the E. shoulder of U. S. Highway 163.</p>								
41.25	Center of the pavement of U. S. Highway 163, 36 ft. wide, bears N. 17° E. and S. 17° W.								
45.05	Northerly right-of-way fence of U. S. Highway 163, parallels highway.								
78.53	<p>Point for the closing cor. of secs. 3 and 4, at intersection with the Arizona-Utah State Line.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="border-collapse: collapse; margin: auto;"> <tr><td colspan="2" style="border-top: 1px solid black; border-bottom: 1px solid black;">UTAH</td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">S 4</td><td style="padding: 0 5px;">S 3</td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">C</td><td style="padding: 0 5px;">C</td></tr> <tr><td style="border-right: 1px solid black; padding: 0 5px;">T41N</td><td style="padding: 0 5px;">R20E</td></tr> </table> <p>2006</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>From this cor. point, the 215th mile post of the Arizona-Utah State Line, bears N. 89°58' E., 53.44 chs. dist., hereinbefore described.</p> <p>From this same cor. point, the 214th mile post of the Arizona- Utah State Line, bears S. 89°58' W., 26.66 chs. dist., hereinbefore described.</p> <hr style="width: 60%; margin: 10px auto;"/> <p>Point for the 1/4 sec. cor. of sec. 3 only, T. 41 N., R. 20 E., is at midpoint on the N. bdy. of sec. 3.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>	UTAH		S 4	S 3	C	C	T41N	R20E
UTAH									
S 4	S 3								
C	C								
T41N	R20E								

Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS

UTAH

1/4 S 3  
T41N R20E

2006

Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

From this cor. point, the 215th mile post of the Arizona-Utah State Line, bears N. 89°58' E., 13.44 chs. dist., hereinbefore described.

From this same cor. point, the 214th mile post of the Arizona-Utah State Line, bears S. 89°58' W., 66.66 chs. dist., hereinbefore described.

From the stan. cor. of secs. 32 and 33, on the S. bdy. of the Tp., hereinbefore described.

N. 0°03' W., bet. secs. 32 and 33.

Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.

40.00 Point for the 1/4 sec. cor. of secs. 32 and 33.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T 41 N R 20 E  
1/4  
S 32 | S 33

2006

Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

80.00 Point for the cor. of secs. 28, 29, 32 and 33.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T 41 N R 20 E  
S 29 | S 28  
S 32 | S 33

2006

Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <hr/> <p>From the cor. of secs. 27, 28, 33 and 34.</p> <p>West, bet. secs. 28 and 33.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 28 and 33.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E S 28 1/4 ——— S 33</p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>The cor. of secs. 28, 29, 32 and 33.</p> <hr/> <p>N. 0°03' W., bet. secs. 28 and 29.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 28 and 29.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E 1/4 S 29   S 28</p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 20, 21, 28 and 29.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	T 41 N R 20 E S 20   S 21 S 29   S 28  2006  Deposit a magnet, in a white plastic case, at the base of the stainless steel post. <hr/> From the cor. of secs. 21, 22, 27 and 28.  West, bet. secs. 21 and 28.  Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Point for the 1/4 sec. cor. of secs. 21 and 28.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  <div style="text-align: center;">             T 41 N R 20 E              S 21              1/4 ———              S 28           </div> 2006  Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	The cor. of secs. 20, 21, 28 and 29. <hr/> N. 0°03' W., bet. secs. 20 and 21.  Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Point for the 1/4 sec. cor. of secs. 20 and 21.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  <div style="text-align: center;">             T 41 N R 20 E              1/4              S 20   S 21           </div> 2006  Deposit a magnet, in a white plastic case, at the base of the stainless steel post.



**Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS									
80.00	<p>Point for the cor. of secs. 16, 17, 20 and 21.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="padding: 0 10px;">T 41 N</td> <td style="padding: 0 10px;">R 20 E</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 17</td> <td style="padding: 0 5px;">S 16</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 20</td> <td style="padding: 0 5px;">S 21</td> </tr> </table> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <hr/> <p>From the cor. of secs. 15, 16, 21 and 22.</p> <p>West, bet. secs. 16 and 21.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>	T 41 N	R 20 E	S 17	S 16	S 20	S 21		
T 41 N	R 20 E								
S 17	S 16								
S 20	S 21								
40.00	<p>Point for the 1/4 sec. cor. of secs. 16 and 21.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="padding: 0 10px;">T 41 N</td> <td style="padding: 0 10px;">R 20 E</td> </tr> <tr> <td></td> <td style="padding: 0 10px;">S 16</td> </tr> <tr> <td style="padding: 0 10px;">1/4</td> <td style="border-bottom: 1px solid black; padding: 0 10px;"></td> </tr> <tr> <td></td> <td style="padding: 0 10px;">S 21</td> </tr> </table> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>	T 41 N	R 20 E		S 16	1/4			S 21
T 41 N	R 20 E								
	S 16								
1/4									
	S 21								
80.00	<p>The cor. of secs. 16, 17, 20 and 21.</p> <hr/> <p>N. 0°03' W., bet. secs. 16 and 17.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>								
40.00	<p>Point for the 1/4 sec. cor. of secs. 16 and 17.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>								

**Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 41 N R 20 E 1/4 S 17   S 16  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
46.20	Southerly right-of-way fence of U. S. Highway 163, parallels highway.
48.40	Center of the pavement of U. S. Highway 163, 36 ft. wide, bears N. 32° E. and S. 32° W.
50.50	Northerly right-of-way fence of U. S. Highway 163, parallels highway.
80.00	Point for the cor. of secs. 8, 9, 16 and 17.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 41 N R 20 E S 8   S 9 S 17   S 16  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	From the cor. of secs. 9, 10, 15 and 16.  West, bet. secs. 9 and 16.  Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Point for the 1/4 sec. cor. of secs. 9 and 16.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 41 N R 20 E S 9 1/4 ——— S 16  2006

**Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
59.10	Southerly right-of-way fence of U. S. Highway 163, parallels highway.
60.40	Center of the pavement of U. S. Highway 163, 36 ft. wide, bears N. 32° E. and S. 32° W.
61.80	Northerly right-of-way fence of U. S. Highway 163, parallels highway.
80.00	The cor. of secs. 8, 9, 16 and 17.
	<hr/>
	N. 0°03' W., bet. secs. 8 and 9.
	Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Point for the 1/4 sec. cor. of secs. 8 and 9.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 41 N R 20 E 1/4 S 8   S 9  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	Point for the cor. of secs. 4, 5, 8 and 9.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 41 N R 20 E S 5   S 4 S 8   S 9  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	<hr/>
	From the cor. of secs. 3, 4, 9 and 10.
	West, bet. secs. 4 and 9.

**Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
11.60	Southerly right-of-way fence of U. S. Highway 163, parallels highway.
12.80	Center of the pavement of U. S. Highway 163, 36 ft. wide, bears N. 31° E. and S. 31° W.
14.00	Northerly right-of-way fence of U. S. Highway 163, parallels highway.
40.00	Point for the 1/4 sec. cor. of secs. 4 and 9.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  <div style="text-align: center;">           T 41 N R 20 E                  S 4              1/4 ———                  S 9             2006         </div> Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	The cor. of secs. 4, 5, 8 and 9. <hr/> N. 0°03' W., bet. secs. 4 and 5.  Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Point for the 1/4 sec. cor. of secs. 4 and 5.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  <div style="text-align: center;">           T 41 N R 20 E                  1/4              S 5   S 4             2006         </div> Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
78.28	Point for the closing cor. of secs. 4 and 5, at intersection with the Arizona-Utah State Line.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS

UTAH			
S 5		S 4	
C		C	
T41N		R20E	

2006

Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

From this cor. point, the 214th mile post of the Arizona-Utah State Line, bears N. 89°45' E., 53.34 chs. dist., hereinbefore described.

From this same cor. point, the 213th mile post of the Arizona-Utah State Line, bears S. 89°45' W., 26.33 chs. dist., hereinbefore described.

Point for the 1/4 sec. cor. of sec. 4 only, T. 41 N., R. 20 E., is at midpoint on the N. bdy. of sec. 4.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

UTAH			
-----			
1/4 S 4			
T41N R20E			

2006

Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

From this cor. point, the 214th mile post of the Arizona-Utah State Line, bears N. 89°45' E., 13.34 chs. dist., hereinbefore described.

From this same cor. point, the 213th mile post of the Arizona-Utah State Line, bears S. 89°45' W., 66.33 chs. dist., hereinbefore described.

From the stan. cor. of secs. 31 and 32, on the S. bdy. of the Tp., hereinbefore described.

N. 0°03' W., bet. secs. 31 and 32.

Over rugged, rolling, rocky, desert terrain, through scattered sagebrush.

40.00

Point for the 1/4 sec. cor. of secs. 31 and 32.

Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole, in a sandstone rock face, with top mkd.</p> <p style="text-align: center;">T 41 N R 20 E 1/4 S 31   S 32</p> <p style="text-align: center;">2006</p> <p>Deposit a cylindrical magnet, 3/4 X 1 in., in the drill hole, beneath the brass tablet.</p>
80.00	<p>Point for the cor. of secs. 29, 30, 31 and 32.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E S 30   S 29 S 31   S 32</p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <hr/> <p>From the cor. of secs. 28, 29, 32 and 33.</p> <p>West, bet. secs. 29 and 32.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 29 and 32.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E S 29 1/4 ——— S 32</p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>

**Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
80.00	<p>The cor. of secs. 29, 30, 31 and 32.</p> <hr/> <p>West, bet. secs. 30 and 31.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 30 and 31.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 41 N R 20 E S 30 1/4 ——— S 31</p> <p>2006</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
42.20	<p>Southerly right-of-way fence of U. S. Highway 163, parallels highway.</p>
43.50	<p>Center of the pavement of U. S. Highway 163, 36 ft. wide, bears N. 27° E. and S. 27° W.</p>
44.80	<p>Northerly right-of-way fence of U. S. Highway 163, parallels highway.</p>
79.91	<p>The cor. of secs. 25, 30, 31 and 36, on the W. bdy. of Tp., hereinbefore described.</p> <hr/> <p>From the cor. of secs. 29, 30, 31 and 32.</p> <p>N. 0°03' W., bet. secs. 29 and 30.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 29 and 30.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 41 N R 20 E 1/4 S 30   S 29</p> <p>2006</p> </div>

**Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**


CHAINS									
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.								
75.50	Southerly right-of-way fence of U. S. Highway 163, parallels highway.								
77.90	Center of the pavement of U. S. Highway 163, 36 ft. wide, bears N. 32° E. and S. 32° W.								
80.00	Point for the cor. of secs. 19, 20, 29 and 30.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.								
	<table style="margin: auto;"> <tr><td>T 41 N</td><td>R 20 E</td></tr> <tr><td>S 19</td><td>S 20</td></tr> <tr><td>S 30</td><td>S 29</td></tr> </table>	T 41 N	R 20 E	S 19	S 20	S 30	S 29		
T 41 N	R 20 E								
S 19	S 20								
S 30	S 29								
	2006								
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.								
	Cor. is located 20 lks. S. and 10 lks. E. of the northerly right-of-way fence of U. S. Highway 163, parallels highway.								
	<hr/>								
	From the cor. of secs. 20, 21, 28 and 29.								
	West, bet. secs. 20 and 29.								
	Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.								
40.00	Point for the 1/4 sec. cor. of secs. 20 and 29.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.								
	<table style="margin: auto;"> <tr><td>T 41 N</td><td>R 20 E</td></tr> <tr><td></td><td>S 20</td></tr> <tr><td>1/4</td><td>_____</td></tr> <tr><td></td><td>S 29</td></tr> </table>	T 41 N	R 20 E		S 20	1/4	_____		S 29
T 41 N	R 20 E								
	S 20								
1/4	_____								
	S 29								
	2006								
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.								
77.40	Southerly right-of-way fence of U. S. Highway 163, parallels highway.								



**Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
78.80	Center of the pavement of U. S. Highway 163, 36 ft. wide, bears N. 27° E. and S. 27° W.
80.00	The cor. of secs. 19, 20, 29 and 30. <hr/> West, bet. secs. 19 and 30.  Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Point for the 1/4 sec. cor. of secs. 19 and 30.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  <div style="text-align: center;">           T 41 N R 20 E                      S 19                  1/4 ———                      S 30             2006         </div> Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
79.82	The cor. of secs. 19, 24, 25 and 30, on the W. bdy. of Tp., hereinbefore described. <hr/> From the cor. of secs. 19, 20, 29 and 30.  N. 0°03' W., bet. secs. 19 and 20.  Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	True point for the 1/4 sec. cor. of secs. 19 and 20, falls on a steep rock face, where it is impracticable to establish a permanent monument.  From this true point, the point selected for a witness cor. to the 1/4 sec. cor. of secs. 19 and 20, bears S. 37°55' W., 4.00 chs. dist.  Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole, in sandstone outcrop, with top mkd.

Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">WC T 41 N R 20 E 1/4 S 19   S 20 </p> <p style="text-align: center;">2006</p> <p>Deposit a cylindrical magnet, 3/4 X 1 in., in the drill hole, beneath the brass tablet.</p>
80.00	<p>Point for the cor. of secs. 17, 18, 19 and 20.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E S 18   S 17 S 19   S 20</p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <hr/>
	<p>From the cor. of secs. 16, 17, 20 and 21.</p> <p>West, bet. secs. 17 and 20.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>
28.45	<p>Southerly right-of-way fence of U. S. Highway 163, parallels highway.</p>
29.80	<p>Center of the pavement of U. S. Highway 163, 36 ft. wide, bears N. 32° E. and S. 32° W.</p>
31.10	<p>Northerly right-of-way fence of U. S. Highway 163, parallels highway.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 17 and 20.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E S 17 1/4 ——— S 20</p> <p style="text-align: center;">2006</p>

**Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	The cor. of secs. 17, 18, 19 and 20. <hr/>
	West, bet. secs. 18 and 19.
	Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Point for the 1/4 sec. cor. of secs. 18 and 19.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  <div style="text-align: center;">           T 41 N R 20 E                      S 18                  1/4 ———                      S 19             2006         </div>
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
79.73	The cor. of secs. 13, 18, 19 and 24, on the W. bdy. of Tp., hereinbefore described. <hr/>
	From the cor. of secs. 17, 18, 19 and 20.
	N. 0°03' W., bet. secs. 17 and 18.
	Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Point for the 1/4 sec. cor. of secs. 17 and 18.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  <div style="text-align: center;">           T 41 N R 20 E                      1/4                  S 18   S 17             2006         </div>
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	Point for the cor. of secs. 7, 8, 17 and 18.

Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E S 7   S 8 ----- S 18   S 17</p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <hr/> <p>From the cor. of secs. 8, 9, 16 and 17.</p> <p>West, bet. secs. 8 and 17.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 8 and 17.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E S 8 1/4 ----- S 17</p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>The cor. of secs. 7, 8, 17 and 18.</p> <hr/> <p>West, bet. secs. 7 and 18.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 7 and 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	T 41 N R 20 E S 7 1/4 ——— S 18  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
79.65	The cor. of secs. 7, 12, 13 and 18, on the W. bdy. of Tp., hereinbefore described.
	<hr/> From the cor. of secs. 7, 8, 17 and 18.  N. 0°03' W., bet. secs. 7 and 8.  Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Point for the 1/4 sec. cor. of secs. 7 and 8.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 41 N R 20 E 1/4 S 7   S 8  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	Point for the cor. of secs. 5, 6, 7 and 8.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 41 N R 20 E S 6   S 5 S 7   S 8  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	<hr/> From the cor. of secs. 4, 5, 8 and 9.  West, bet. secs. 5 and 8.

Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Point for the 1/4 sec. cor. of secs. 5 and 8.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  <div style="text-align: center;">           T 41 N R 20 E                  S 5              1/4 ———                  S 8             2006         </div>
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	The cor. of secs. 5, 6, 7 and 8. <hr/>
	West, bet. secs. 6 and 7.
	Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Point for the 1/4 sec. cor. of secs. 6 and 7.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  <div style="text-align: center;">           T 41 N R 20 E                  S 6              1/4 ———                  S 7             2006         </div>
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
79.56	The cor. of secs. 1, 6, 7 and 12, on the W. bdy. of Tp., hereinbefore described. <hr/>
	From the cor. of secs. 5, 6, 7 and 8.
	N. 0°03' W., bet. secs. 5 and 6.
	Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.
40.00	Point for the 1/4 sec. cor. of secs. 5 and 6.

**Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T 41 N R 20 E  
1/4  
S 6 | S 5

2006

Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

78.19

Point for the closing cor. of secs. 5 and 6, at intersection with the Arizona-Utah State Line.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

UTAH  
-----  
S 6 | S 5  
C C  
T41N | R20E

2006

Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

From this cor. point, the 213th mile post of the Arizona-Utah State Line, bears S. 89°59' E., 53.67 chs. dist., hereinbefore described.

From this same cor. point, the 212th mile post of the Arizona-Utah State Line, bears N. 89°59' W., 26.33 chs. dist. hereinbefore described.

Point for the 1/4 sec. cor. of sec. 5 only, T. 41 N., R. 20 E., is at midpoint on the N. bdy. of sec. 5.

Set a steel spike, 6 ins. long, flush with the surface of the ground.

from which

A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 24 ins. in the ground, for a reference monument, bears S. 60°56' E., 45.0 ft. dist., with brass cap mkd. RM T41N R21E 45.0 FT TO COR 1/4 S5 2006 and an arrow pointing to the cor. Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

**Survey of the Subdivisional Lines,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS

A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 24 ins. in the ground, for a reference monument, bears S. 36°28' W., 45.0 ft. dist., with brass cap mkd. RM T41N R20E 45.0 FT TO COR 1/4 S5 2006 and an arrow pointing to the cor. Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

Cor. is located on the S. bank of a wash, 15 ft. wide, drains S. 70° W.

From this cor. point, the 213th mile post of the Arizona-Utah State Line, bears S. 89°59' E., 13.67 chs. dist., hereinbefore described.

From this same cor. point, the 212th mile post of the Arizona-Utah State Line, bears N. 89°59' W., 66.34 chs. dist., hereinbefore described.

---

Point for the 1/4 sec. cor. of sec. 6 only, T. 41 N., R. 20 E., is determined at 40.00 chs. in westing from the closing cor. of secs. 5 and 6, on the N. bdy. of sec. 6.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

UTAH

1/4 S 6  
T41N R20E

2006

Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

From this cor. point, the 212th mile post of the Arizona-Utah State Line, bears N. 89°43' E., 13.67 chs. dist., hereinbefore described.

From this same cor. point, the 211th mile post of the Arizona-Utah State Line, bears S. 89°43' W., 65.33 chs. dist., hereinbefore described.

---

**Survey of a Portion of the Monument Valley Tribal Park (MVTP)  
Boundary,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

---



**Survey of a Portion of the Monument Valley Tribal Park (MVTP)  
Boundary,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS

NOTE: The description of the Monument Valley Tribal Park Boundary is made part of the Resolution of the Advisory Committee of the Navajo Tribal Council, establishing the Park, approved July 11, 1958.

Point for witness point 1 on the MVTP Bdy., at intersection with the Tenth Standard Parallel North, on the S. bdy. of sec. 34.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

WP 1  
T 41 N R 20 E  
S 34 / MVTP  
2006

Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

From this cor. point, the stan. 1/4 sec. cor. of sec. 34, bears East, 23.74 chs. dist., hereinbefore described.

From this same cor. point, the point for Angle Point 3, on the MVTP Bdy., bears S. 14°59' W., 161.06 chs. dist., established at 36°56' N. latitude and 110°10' W. longitude, NAD 27, not monumented.

From this same cor. point, the stan. cor. of secs. 33 and 34, bears West, 16.26 chs. dist., hereinbefore described.

N. 14°59' E., on line 3-4 of the MVTP Bdy., in sec. 34.

Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.

8.01 Point for witness point 2 on the MVTP Bdy.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

WP 2  
T 41 N R 20 E  
S 34 / MVTP  
2006

Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

43.70 Point for witness point 3 on the MVTP Bdy.

Survey of a Portion of the Monument Valley Tribal Park (MVTP)  
Boundary,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">WP 3 T 41 N R 20 E S 34 / MVTP /</p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
82.81	<p>Intersect the line bet. secs. 27 and 34, not monumented.</p> <p>From this cor. point, the 1/4 sec. cor. of secs. 27 and 34, bears East, 2.285 chs. dist., hereinbefore described.</p> <p>From this same cor. point, the cor. of secs. 27, 28, 33 and 34, bears West, 37.715 chs. dist., hereinbefore described.</p> <p>Thence in sec. 27.</p>
83.18	<p>Point for witness point 4 on the MVTP Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">WP 4 T 41 N R 20 E S 27 / MVTP /</p> <p style="text-align: center;">2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
124.56	<p>Point for Angle Point 4, on the MVTP Bdy., established at 36°59' N. latitude and 110°08' W. longitude, NAD 27, occupied with a rebar, 21 ins. long, 5/8 ins. diam., firmly set 14 ins. in the ground.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E S 27 / AP4 / MVTP</p> <p style="text-align: center;">2006</p>

**Survey of a Portion of the Monument Valley Tribal Park (MVTP)  
Boundary,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Deposit the rebar inside, and a magnet, in a white plastic case, at the base of, the stainless steel post.</p> <hr/> <p>N. 28°09' E., on line 4-5 of the MVTP Bdy.</p> <p>Over rolling, desert terrain, through scattered sagebrush, Mormon Tea and native grasses.</p>
27.46	<p>Point for witness point 5 on the MVTP Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p align="center">WP 5</p> <p align="center">T 41 N R 20 E S 27 / MVTP</p> <p align="center">2006</p>
45.00	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Intersect the line bet. secs. 22 and 27, not monumented.</p> <p>From this cor. point, the cor. of secs. 22, 23, 26 and 27, bears East 10.23 chs. dist., hereinbefore described.</p> <p>From this same cor. point, the 1/4 sec. cor. of secs. 22 and 27, bears West, 29.77 chs. dist., hereinbefore described.</p> <p>Thence in sec. 22.</p>
66.67	<p>Intersect the line bet. secs. 22 and 23, not monumented.</p> <p>From this cor. point, the cor. of secs. 22, 23, 26 and 27, bears S. 0°01' E., 19.11 chs. dist., hereinbefore described.</p> <p>From this same cor. point, the 1/4 sec. cor. of secs. 22 and 23, bears N. 0°01' W., 20.89 chs. dist., hereinbefore described.</p> <p>Thence in sec. 23.</p>
68.56	<p>Point for witness point 6 on the MVTP Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Survey of a Portion of the Monument Valley Tribal Park (MVTP)  
Boundary,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	WP 6 T 41 N R 20 E S 23 / MVTP
	2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
113.49	Point for witness point 7 on the MVTP Bdy.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	WP 7 T 41 N R 20 E S 23 / MVTP
	2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
135.00	Point for witness point 8 on the MVTP Bdy.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	WP 8 T 41 N R 20 E S 23 / MVTP
	2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
135.72	Intersect the line bet. secs. 14 and 23, not monumented.
	From this cor. point, the 1/4 sec. cor. of secs. 14 and 23, bears East 7.41 chs. dist., hereinbefore described.
	From this same cor. point, the cor. of secs. 14, 15, 22 and 23, bears West, 32.59 chs. dist., hereinbefore described.
	Thence in sec. 14.
168.26	Point for witness point 9 on the MVTP Bdy.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

Survey of a Portion of the Monument Valley Tribal Park (MVTP)  
Boundary,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	WP 9 T 41 N R 20 E S 14 / MVTP
	2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
189.93	Point for witness point 10 on the MVTP Bdy.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	WP 10 T 41 N R 20 E S 14 / MVTP
	2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
225.03	Point for witness point 11 on the MVTP Bdy.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	WP 11 T 41 N R 20 E S 14 / MVTP
	2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
226.45	Intersect the line bet. secs. 11 and 14, not monumented.
	From this cor. point, the cor. of secs. 11, 12, 13 and 14, bears East, 4.56 chs. dist, hereinbefore described.
	From this same cor. point, the 1/4 sec. cor. of secs. 11 and 14, bears West, 35.44 chs. dist., hereinbefore described.
	Thence in sec. 11.
234.72	Point for witness point 12 on the MVTP Bdy.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

Survey of a Portion of the Monument Valley Tribal Park (MVTP)  
Boundary,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	WP 12 T 41 N R 20 E S 11 / MVTP  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
236.20	Intersect the line bet. secs. 11 and 12, not monumented.
	From this cor. point, the cor. of secs. 11, 12, 13 and 14, bears S. 0°01' E., 8.61 chs. dist, hereinbefore described.
	From this same cor. point, the 1/4 sec. cor. of secs. 11 and 12, bears N. 0°01' W., 31.39 chs. dist., hereinbefore described.
	Thence in sec. 12.
263.96	Point for witness point 13 on the MVTP Bdy.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	WP 13 T 41 N R 20 E S 12 / MVTP  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
292.50	Point for witness point 14 on the MVTP Bdy.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	WP 14 T 41 N R 20 E S 12 / MVTP  2006
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
312.91	Point for Angle Point 5, on the MVTP Bdy., established at 37°01' N. latitude and 110°07' W. longitude, NAD 27, occupied with a rebar, 21 ins. long, 5/8 ins. diam., firmly set 19 ins. in the ground.

Survey of a Portion of the Monument Valley Tribal Park (MVTP)  
Boundary,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E S 12 / AP 5           / MVTP           2006</p> <p>Deposit the rebar inside, and a magnet, in a white plastic case, at the base of, the stainless steel post.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 21°51' E., on line 5-6 on the MVTP Bdy.</p>
4.06	<p>Intersect the line bet. secs. 1 and 12, not monumented.</p> <p>From this cor. point, the true point for the 1/4 sec. cor. of secs. 1 and 12, bears East 2.27 chs. dist., hereinbefore described.</p> <p>From this same cor. point, the cor. of secs. 1, 2, 11 and 12, bears West, 37.73 chs. dist., hereinbefore described.</p> <p>Thence in sec. 1.</p>
44.90	<p>Point for witness point 15 on the MVTP Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">WP 15 T 41 N R 20 E S 1 / MVTP 2006</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
88.91	<p>Point for a witness point at intersection with the Arizona-Utah State Line.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Survey of a Portion of the Monument Valley Tribal Park (MVTP)  
Boundary,  
T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS

WP  
UTAH  
S1 / MVTP

T41N R20E

2006

Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

From this cor. point, the point for Angle Point 6 on the MVTP Bdy., bears N. 21°51' E., 109.27 chs. dist., established at 37°03' N. latitude and 110°05' W. longitude, NAD 27, not monumented.

From this same cor. point, the closing cor. of Tps. 41 N., Rs. 20 and 21 E., bears N. 89°57' E., 10.69 chs. dist., hereinbefore described.

From this same cor. point, the 217th mile post of the Arizona-Utah State Line, bears S. 89°57' W., 15.67 chs. dist., hereinbefore described.

---



## T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS

## GENERAL DESCRIPTION

---

This survey is located on the Navajo Indian Reservation, the north boundary of the township being the Arizona-Utah State Line. A portion of the township lies within the Monument Valley Tribal Park (MVTP). Access to the area is provided by U. S. Highway 163 which passes through the western portion of the township.

Most of the township consists of rolling sand dunes and grasslands. There is limited occupancy in this area, the low lying areas are used for dry land farming and the grasslands are used for grazing of cattle and sheep.

Elevation range from 5500 to 6300 ft. above sea level. Drainage is generally southerly to Cane Valley located south of the township.

The mean magnetic declination of  $11 \frac{1}{4}^{\circ}$  E. was derived from the United States Geological Survey computer program GEOMAG, utilizing the World Magnetic Model for Epoch 2005 for the dates of survey.

---



## CERTIFICATE OF SURVEY

I, Joe R. Salazar, Cadastral Surveyor, HEREBY CERTIFY upon honor, that in pursuance of special instructions bearing date of the 12th day of April, 2006, I have dependently resurveyed a portion of the Arizona-Utah State Line (north boundary), surveyed the Tenth Standard Parallel North (south boundary), the Fifth Guide Meridian East (east boundary), the west boundary, the subdivisional lines and a metes-and-bounds survey of a portion of the Monument Valley Tribal Park (MVTP) Boundary, T. 41 N., R. 20 E., of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction. Said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, 1973, and in specific manner described in the foregoing field notes.

5/6/2007  
(Date)

Joe R. Salazar  
(Cadastral Surveyor)

## CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT  
Phoenix, Arizona

The foregoing field notes of the dependent resurvey of a portion of the Arizona-Utah State Line (north boundary), the survey of the Tenth Standard Parallel North (south boundary), the Fifth Guide Meridian East (east boundary), the west boundary, the subdivisional lines and a metes-and-bounds survey of a portion of the Monument Valley Tribal Park (MVTP) Boundary, T. 41 N., R. 20 E., Gila and Salt River Meridian, in the State of Arizona, executed by Joe R. Salazar, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

9/10/2007  
(Date)

Paul J. Moss  
Acting (Chief Cadastral Surveyor of Arizona)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY That the foregoing transcript of the field notes of the above described surveys in T. 41 N., R. 20 E., Gila and Salt River Meridian, Arizona, is a true copy of the original field notes.~~

~~\_\_\_\_\_~~  
~~(Date)~~

~~\_\_\_\_\_~~  
~~(Chief Cadastral Surveyor of Arizona)~~