

ORIGINAL

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FIELD NOTES
OF THE DEPENDENT RESURVEY OF THE
SECOND GUIDE MERIDIAN EAST (EAST BOUNDARY)
AND THE SURVEY OF THE WEST AND NORTH BOUNDARIES
AND THE
SUBDIVISIONAL LINES,
TOWNSHIP 35 NORTH, RANGE 8 EAST,
OF THE GILA AND SALT RIVER MERIDIAN,
IN THE STATE OF ARIZONA

EXECUTED BY

Craig S. Dukart, Cadastral Surveyor

Under Special Instructions dated February 10, 2010, approved February 10, 2010, which provided for the surveys included under Group No. 1080, and assignment instructions dated February 10, 2010.

Survey commenced March 29, 2010

Survey completed May 24, 2010

INDEX DIAGRAM

TOWNSHIP 35 NORTH RANGE 8 EAST
GILA AND SALT RIVER MERIDIAN, ARIZONA

21 14 6 72	20 5 60	18 4 50	17 3 40	16 2 32	15 1 8
71 13 7 69	70 8 58	59 9 49	49 10 39	40 11 30	30 12 7
69 12 18 67	68 17 56	57 16 47	48 15 37	38 14 28	28 13 7
67 11 19 65	66 20 54	55 21 45	46 22 35	36 23 26	26 24 5
64 10 30 63	64 29 52	53 28 43	45 27 34	35 26 24	25 25 5
62 9 31 60	61 32 51	52 33 41	42 34 32	33 35 22	23 36 4

T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona

CHAINS

The following field notes describe the dependent resurvey of the Second Guide Meridian East (east boundary) and the survey of the west and north boundaries and the subdivisional lines, Township 35 North, Range 8 East, Gila and Salt River Meridian, Arizona.

The history of surveys pertaining to this survey is as follows:

Joe R. Salazar established the northwest township corner, Township 34 North, Range 9 East, in 2009. Joe R. Salazar established the northwest township corner, Township 35 North, Range 9 East, in 2009. Craig S. Dukart dependently resurveyed the Second Guide Meridian East (east boundary) and surveyed the west and north boundaries, Township 34 North, Range 8 East, Gila and Salt River Meridian, Arizona, concurrently under this same group.

The survey was executed in accordance with the specifications as set forth in the Manual of Instructions for the Survey of the Public Lands of the United States, 1973, and the Special Instructions dated February 10, 2010, for Group Number 1080, Arizona.

The true meridian direction and length of all lines were determined by real time kinematic global positioning system observations using Trimble Navigation 5700 model receivers.

Geodetic control was derived from Global Positioning System (GPS) static observations post processed by National Geodetic Survey, Online Positioning User Service (OPUS), utilizing Continuously Operating Reference Stations (CORS) AI8805 FRED FREDONIA CORS ARP, DJ8981 FST5 FLAGSTAFF 5 CORS ARP and DK8419 AZPG CITY OF PAGE CORS ARP. The NAD 83 (CORS96) (EPOCH: 2002), geographic position of the southeast township corner, is as follows:

Latitude: 36°22'54.08" N. Longitude: 111°28'32.82" W.

The mean magnetic declination is 11 1/4° E.

**Dependent Resurvey of the
Second Guide Meridian East (East Boundary),
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Restoring the survey executed by Joe R. Salazar, in 2009</p> <hr/> <p>Beginning at the cor. of Tps. 34 and 35 N. and Rs. 8 and 9 E., monumented with a stainless steel post, 2 1/2 ins. diam., with brass cap, set, mkd. and witnessed as described in the field notes of the dependent resurvey of the Second Guide Meridian East (east boundary), T. 34 N., R. 8 E., executed concurrently under this same group</p> <p>North, bet. secs. 31 and 36.</p> <p>Over rolling terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 31 and 36.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 35 N R 8 E R 9 E 1/4 S 36 S 31</p> <p>2010</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>
80.00	<p>Point for the cor. of secs. 25, 30, 31 and 36.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, underpinned with an aluminum rod, 36 ins. long, 3/4 in. diam., with brass cap mkd.</p> <div style="text-align: center;"> <p>T 35 N R 8 E R 9 E S 25 S 30 S 36 S 31</p> <p>2010</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>

**Dependent Resurvey of the
Second Guide Meridian East (East Boundary),
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Terrain, rolling. Soil, blow sand. Timber, scattered juniper and piñon; undergrowth, sage brush, Mormon Tea, cholla and yucca cacti and high desert grasses.</p> <hr/> <p>North, bet. secs. 25 and 30.</p> <p>Over gently rolling terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 25 and 30.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E R 9 E 1/4 S 25 S 30 2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>
80.00	<p>Point for the cor. of secs. 19, 24, 25 and 30.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E R 9 E S 24 S 19 S 25 S 30 2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p> <p>Terrain, rolling. Soil, blow sand. Timber, scattered juniper and piñon; undergrowth, sage brush, Mormon Tea, cholla and yucca cacti and high desert grasses.</p> <hr/> <p>North, bet. secs. 19 and 24.</p> <p>Over gently rolling terrain.</p>

**Dependent Resurvey of the
Second Guide Meridian East (East Boundary),
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
24.20	Trail road, bears N. 35° E. and S. 35° W.
28.75	Trail road, bears S. 70° E. and N. 70° W.
35.00	Wash, 40 ft. wide, drains N. 40° E.
40.00	Point for the 1/4 sec. cor. of secs. 19 and 24. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd. <div style="text-align: center;"> T 35 N R 8 E R 9 E 1/4 S 24 S 19 2010 </div> Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a T shaped steel fence post near the cor.
59.80	Trail road, bears S. 50° E. and N. 50° W.
80.00	Point for the cor. of secs. 13, 18, 19 and 24. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd. <div style="text-align: center;"> T 35 N R 8 E R 9 E S 13 S 18 S 24 S 19 2010 </div> Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a T shaped steel fence post near the cor. Cor. is located 8 lks. E. of a sandstone outcrop, 50 x 20 x 5 ft. high.

**Dependent Resurvey of the
Second Guide Meridian East (East Boundary),
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Terrain, rolling. Soil, blow sand. Timber, scattered juniper and piñon; undergrowth, sage brush, Mormon Tea, cholla and yucca cacti and high desert grasses.</p> <hr/> <p>North, bet. secs. 13 and 18.</p> <p>Over gently rolling terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 13 and 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E R 9 E 1/4 S 13 S 18 2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>
79.60	<p>Wash, 10 ft. wide, 1 ft. deep, drains S. 70° E.</p>
80.00	<p>Point for the cor. of secs. 7, 12, 13 and 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E R 9 E S 12 S 7 <hr/>S 13 S 18 2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p> <p>Terrain, rolling. Soil, blow sand. Timber, scattered juniper and piñon; undergrowth, sage brush, Mormon Tea, cholla and yucca cacti and high desert grasses.</p> <hr/> <p>North, bet. secs. 7 and 12.</p>

**Dependent Resurvey of the
Second Guide Meridian East (East Boundary),
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	Over gently rolling terrain.
40.00	Point for the 1/4 sec. cor. of secs. 7 and 12. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd. <div style="text-align: center;"> T 35 N R 8 E R 9 E 1/4 S 12 S 7 2010 </div>
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	Point for the cor. of secs. 1, 6, 7 and 12. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd. <div style="text-align: center;"> T 35 N R 8 E R 9 E S 1 S 6 S 12 S 7 2010 </div>
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	Set a T shaped steel fence post near the cor.
	Terrain, rolling. Soil, blow sand. Timber, scattered juniper and piñon; undergrowth, sage brush, Mormon Tea, cholla and yucca cacti and high desert grasses.
	North, bet. secs. 1 and 6.
	Over gently rolling terrain.
36.00	Trail road, bears N. 25° E. and S. 25° W.
40.00	Point for the 1/4 sec. cor. of secs. 1 and 6. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, underpinned with an aluminum rod, 36 ins. long, 3/4 in. diam., with brass cap mkd.

**Dependent Resurvey of the
Second Guide Meridian East (East Boundary),
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 35 N R 8 E R 9 E 1/4 S 1 S 6 2010
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a T shaped steel fence post near the cor.
80.00	The cor. of Tps. 35 and 36 N., Rs. 8 and 9 E., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 7 ins above ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd. T36N R8E R9E S36 S31 S1 S6 T35N 2009 from which the reference monuments A stainless steel post, 2 1/2 ins. diam., firmly set, projecting 3 ins. above ground, bears N. 87°53' W., 684.0 ft. dist., with brass cap mkd. RM T36N R8E S36 684.0 FT TO COR 2009 and an arrow pointing to the cor. Add the marks 2010 to the brass cap. A stainless steel post, 2 1/2 ins. diam., firmly set, projecting 2 ins. above ground, bears N. 9°28' W., 48.0 ft. dist., with brass cap mkd. RM T36N R8E S36 48.0 FT TO COR 2009 and an arrow pointing to the cor. Add the marks 2010 to the brass cap. Add the marks 2010 to the brass cap. Terrain, rolling. Soil, blow sand. Timber, scattered juniper and piñon; undergrowth, sage brush, Mormon Tea, cholla and yucca cacti and high desert grasses.
	<hr/> Survey of the West Boundary, T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona <hr/>
40.00	From the cor. of Tps. 34 and 35 N., Rs. 7 and 8 E., monumented with a stainless steel post, 2 1/2 ins. diam., with brass cap, set, mkd. and witnessed as described in the field notes of the survey of the west boundary, T. 34 N., R. 8 E., executed concurrently under this same group. North, bet. secs. 31 and 36. Over rolling terrain. Point for the 1/4 sec. cor. of secs. 31 and 36.

**Survey of the West Boundary,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 7 E R 8 E 1/4 S 36 S 31</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>
59.50	Trail road, bears N. 20° E. and S. 20° W.
76.55	Trail road, bears S. 80° E. and N. 80° W.
77.25	Trail road, bears S. 70° E. and N. 70° W.
79.05	Trail road, bears S. 80° E. and N. 80° W.
80.00	Point for the cor. of secs. 25, 30, 31 and 36.
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 7 E R 8 E S 25 S 30 ----- S 36 S 31</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p> <p>Terrain, rolling. Soil, blow sand. Timber, scattered juniper and piñon; undergrowth, sage brush, Mormon Tea, cholla and yucca cacti and high desert grasses.</p> <hr/> <p>North, bet. secs. 25 and 30.</p> <p>Over rolling terrain.</p>
40.00	Point for the 1/4 sec. cor. of secs. 25 and 30.

**Survey of the West Boundary,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <p align="center">T 35 N R 7 E R 8 E 1/4 S 25 S 30</p> <p align="center">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>
75.00	<p>Intersection of trail roads, bearing S. 45° E. and N. 45° W., and S. 10° E. and N. 10° W.</p>
78.05	<p>Trail road, bears N. 85° E. and S. 85° W.</p>
80.00	<p>Point for the cor. of secs. 19, 24, 25 and 30.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p align="center">T 35 N R 7 E R 8 E S 24 S 19 S 25 S 30</p> <p align="center">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p> <p>Cor. is located in a trail road, bears N. 15° E. and S. 15° W.</p> <p>Terrain, rolling. Soil, sandy loam. No timber; various high desert grasses.</p> <hr/> <p>North, bet. secs. 19 and 24.</p> <p>Over gently rolling terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 19 and 24.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Survey of the West Boundary,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T 35 N R 7 E R 8 E 1/4 S 24 S 19</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>
66.80	Trail road, bears S. 5° E. and N. 5° W.
80.00	Point for the cor. of secs. 13, 18, 19 and 24.
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 7 E R 8 E S 13 S 18 S 24 S 19</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p> <p>Terrain, rolling. Soil, sand. No timber; various high desert grasses.</p> <hr/> <p>North, bet. secs. 13 and 18.</p> <p>Over gently rolling terrain.</p>
9.35	Intersection of trail roads, bearing S. 60° E. and N. 70° W., and N. 45° W.
22.50	Trail road, bears N. 65° E. and S. 65° W.
28.50	Trail road, bears N. 70° E. and S. 70° W.
37.65	Trail road, bears N. 80° E. and S. 80° W.
40.00	Point for the 1/4 sec. cor. of secs. 13 and 18.
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

**Survey of the West Boundary,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS									
	T 35 N R 7 E R 8 E 1/4 S 13 S 18 2010 Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a T shaped steel fence post near the cor.								
42.35	Trail road, bears S. 30° E. and N. 30° W.								
54.55	Trail road, bears N. 5° E. and S. 5° W.								
80.00	Point for the cor. of secs. 7, 12, 13 and 18. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd. <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td colspan="2" style="text-align: center;">T 35 N</td> </tr> <tr> <td style="text-align: center; border-right: 1px solid black;">R 7 E</td> <td style="text-align: center;">R 8 E</td> </tr> <tr> <td style="text-align: center; border-right: 1px solid black;">S 12</td> <td style="text-align: center;">S 7</td> </tr> <tr> <td style="text-align: center; border-right: 1px solid black;">S 13</td> <td style="text-align: center;">S 18</td> </tr> </table> 2010 Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a T shaped steel fence post near the cor. Terrain, level. Soil, sand. No timber; various high desert grasses.	T 35 N		R 7 E	R 8 E	S 12	S 7	S 13	S 18
T 35 N									
R 7 E	R 8 E								
S 12	S 7								
S 13	S 18								
	North, bet. secs. 7 and 12. Over level terrain.								
40.00	Point for the 1/4 sec. cor. of secs. 7 and 12. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.								

**Survey of the West Boundary,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 35 N R 7 E R 8 E 1/4 S 12 S 7 2010
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	Set a T shaped steel fence post near the cor.
80.00	Point for the cor. of secs. 1, 6, 7 and 12. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T 35 N R 7 E R 8 E S 1 S 6 S 12 S 7 2010
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	Terrain, level. Soil, rocky, with underlying bedrock. No timber; various high desert grasses.
	<hr/> North, bet. secs. 1 and 6. Over rolling terrain.
29.65	Trail road, bears N. 50° E. and S. 50° W.
40.00	Point for the 1/4 sec. cor. of secs. 1 and 6. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T 35 N R 7 E R 8 E 1/4 S 1 S 6 2010
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

**Survey of the West Boundary,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS													
55.55	Trail road, bears S. 75° E. and N. 75° W.												
80.00	Point for the cor. of Tps. 35 and 36 N., Rs. 7 and 8 E. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. <div style="text-align: center;"> <table style="margin: auto;"> <tr><td colspan="2">T 36 N</td></tr> <tr><td>R 7 E</td><td>R 8 E</td></tr> <tr><td>S 36</td><td>S 31</td></tr> <tr><td colspan="2"><hr/></td></tr> <tr><td>S 1</td><td>S 6</td></tr> <tr><td colspan="2">T35N</td></tr> </table> <p>2010</p> </div> Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a T shaped steel fence post near the cor. Terrain, level. Soil, rocky. No timber; various high desert grasses.	T 36 N		R 7 E	R 8 E	S 36	S 31	<hr/>		S 1	S 6	T35N	
T 36 N													
R 7 E	R 8 E												
S 36	S 31												
<hr/>													
S 1	S 6												
T35N													
<hr/> <p>Survey of the North Boundary, T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona</p> <hr/>													
32.00	From the cor. of Tps. 35 and 36 N., Rs. 8 and 9 E., hereinbefore described. West, bet. secs. 1 and 36. Over rolling terrain. Point for the 80 1/16 sec. cor. of secs. 1 and 36. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., flush with the surface of the ground, underpinned with two U shaped steel fence posts, 4 ft. long, with brass cap mkd. <div style="text-align: center;"> <table style="margin: auto;"> <tr><td>T 36 N</td><td>R 8 E</td></tr> <tr><td colspan="2">S 36</td></tr> <tr><td>80</td><td>— 1/16</td></tr> <tr><td colspan="2">S 1</td></tr> <tr><td colspan="2">T 35 N</td></tr> </table> <p>2010</p> </div> Deposit a magnet, in a white plastic case, at the base of the stainless steel post.	T 36 N	R 8 E	S 36		80	— 1/16	S 1		T 35 N			
T 36 N	R 8 E												
S 36													
80	— 1/16												
S 1													
T 35 N													

**Survey of the North Boundary,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	Set a T shaped steel fence post near the cor.
57.90	Trail road, bears North and South.
66.80	Trail road, bears S. 35° E. and N. 35° W.
72.00	Point for the 1/4 sec. cor. of secs. 1 and 36. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. <div style="text-align: center;"> T 36 N R 8 E S 36 1/4 ——— S 1 T 35 N 2010 </div>
112.00	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Point for the cor. of secs. 1, 2, 35 and 36. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. <div style="text-align: center;"> T 36 N R 8 E S 35 S 36 S 2 S 1 T 35 N 2010 </div>
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a T shaped steel fence post near the cor. Terrain, gently rolling. Soil, sand. Timber, scattered juniper and piñon; undergrowth, various high desert grasses. _____
40.00	West, bet. secs. 2 and 35. Over rolling terrain. Point for the 1/4 sec. cor. of secs. 2 and 35.

**Survey of the North Boundary,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, underpinned with a U shaped steel fence post, 4 ft. long, with brass cap mkd.</p> <p align="center">T 36 N R 8 E S 35 1/4 ——— S 2 T 35 N</p> <p align="center">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>
80.00	<p>Point for the cor. of secs. 2, 3, 34 and 35.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p align="center">T 36 N R 8 E S 34 S 35 S 3 S 2 T 35 N</p> <p align="center">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p> <p>Terrain, rolling. Soil, sand. Timber, scattered juniper and piñon; undergrowth, various high desert grasses.</p>
40.00	<hr/> <p>West, bet. secs. 3 and 34.</p> <p>Over rolling terrain.</p> <p>Point for the 1/4 sec. cor. of secs. 3 and 34.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with a T shaped steel fence post, projecting 12 ins. above ground, set alongside, with brass cap mkd.</p>

**Survey of the North Boundary,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS

T 36 N R 8 E
S 34
1/4 ———
S 3
T 35 N

2010

from which

A piñon pine, 24 ins. diam., bears S. 29 3/4° W.,
31.5 lks. dist., mkd. 1/4 S3 BT.

Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

Set a T shaped steel fence post near the cor.

80.00 True point for the cor. of secs. 3, 4, 33 and 34; falls on an unstable edge of a sandstone outcrop, where it is impracticable to establish a permanent monument.

From this true point, the point selected for a witness cor. to the cor. of secs. 3, 4, 33 and 34, bears S. 68°59' W., 40 lks. dist.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, encircled with a collar of stone, with brass cap mkd.

T 36 N R 8 E
WC
S 33 | S 34 →
S 4 | S 3
T 35 N

2010

Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

Set a T shaped steel fence post, encircled with a collar of stone, near the cor.

Terrain, broken.

Soil, sand and sandstone.

Timber, scattered juniper and piñon; undergrowth, cactus, sage and various high desert grasses.

West, bet. secs. 4 and 33.

Over rolling terrain.

**Survey of the North Boundary,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
40.00	<p>Point for the 1/4 sec. cor. of secs. 4 and 33.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground, to bedrock, against a sandstone ledge to the W. and in a mound of stone, 3 ft. base, to top, to the E., with brass cap mkd.</p> <div style="text-align: center;"> <p>T 36 N R 8 E S 33 1/4 ——— S 4 T 35 N</p> <p>2010</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>True point for the cor. of secs. 4, 5, 32 and 33; falls on the steep S. face of a sandstone boulder, 9 x 8 x 7 ft. high, where it is impracticable to establish a permanent monument.</p> <p>From this true point, the point selected for a witness cor. to the cor. of secs. 4, 5, 32 and 33, bears S. 35°28' W., 25 lks. dist.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>WC T 36 N R 8 E S 32 S 33 ↗ S 5 S 4 T 35 N</p> <p>2010</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Cor. is located amongst fallen sandstone boulders, on the easterly edge of Corn Field Valley, at the toe of the slope of Echo Cliffs, bears S. 45° E. and N. 30° W.</p>

**Survey of the North Boundary,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Terrain, broken. Soil, sand and sandstone. No timber; salt brush, Mormon Tea, cholla and yucca cacti and various high desert grasses.</p> <hr/> <p>West, bet. secs. 5 and 32.</p> <p>Over rolling terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 5 and 32.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 36 N R 8 E S 32 1/4 ——— S 5 T 35 N</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>
43.15	Wash, 90 ft. wide, drains N. 35° W.
47.45	Checker pattern wire corral fence, bears North and South.
49.30	Checker pattern wire corral fence, bears North and South.
49.65	Barbed wire fence, bears North and South.
61.10	Utility line, 8 strand, bears S. 20° E. and N. 20° W.
61.35	Easterly right-of-way fence of U. S. Highway 89, barbed wire, bears S. 20° E. and N. 20° W.
64.20	Easterly edge of U. S. Highway 89, asphalt surface, 40 ft. wide, bears S. 20° E. and N. 20° W.
64.80	Westerly edge of U. S. Highway 89, bears S. 20° E. and N. 20° W.
67.70	Westerly right-of-way fence of U. S. Highway 89, barbed wire, bears S. 20° E. and N. 20° W.
70.65	Trail road, bears N. 10° E. and S. 10° W.
71.45	Trail road, bears N. 10° E. and S. 10° W.

**Survey of the North Boundary,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS											
80.00	<p>Point for the cor. of secs. 5, 6, 31 and 32.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr><td>T 36 N</td><td>R 8 E</td></tr> <tr><td>S 31</td><td>S 32</td></tr> <tr><td>S 6</td><td>S 5</td></tr> <tr><td colspan="2">T 35 N</td></tr> </table> <p>2010</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p> <p>Terrain, rolling. Soil, sand and sandstone. Timber, sparse piñon pine; undergrowth, various high desert grasses.</p> <hr/> <p>West, bet. secs. 6 and 31.</p> <p>Over rolling terrain.</p>	T 36 N	R 8 E	S 31	S 32	S 6	S 5	T 35 N			
T 36 N	R 8 E										
S 31	S 32										
S 6	S 5										
T 35 N											
40.00	<p>Point for the 1/4 sec. cor. of secs. 6 and 31.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr><td>T 36 N</td><td>R 8 E</td></tr> <tr><td>S 31</td><td></td></tr> <tr><td>1/4</td><td>—</td></tr> <tr><td>S 6</td><td></td></tr> <tr><td colspan="2">T 35 N</td></tr> </table> <p>2010</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>	T 36 N	R 8 E	S 31		1/4	—	S 6		T 35 N	
T 36 N	R 8 E										
S 31											
1/4	—										
S 6											
T 35 N											
78.32	<p>The cor. of Tps. 35 and 36 N., Rs. 7 and 8 E., hereinbefore described.</p>										

**Survey of the North Boundary,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Terrain, rolling. Soil, sand and sandstone. Timber, sparse piñon pine; undergrowth, various high desert grasses.</p> <hr/> <p style="text-align: center;">Survey of the Subdivisional Lines, T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona</p> <hr/> <p>From the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., with brass cap, set, mkd. and witnessed as described in the field notes of the survey of the north boundary, T. 34 N., R. 8 E., executed concurrently under this same group.</p> <p>N. 0°01' W., bet. secs. 35 and 36.</p> <p>Over rolling terrain to steep ascent of Echo Cliffs; thence descend the back side of Echo Cliffs.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 35 and 36.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E 1/4 S 35 S 36 2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 25, 26, 35 and 36.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E S 26 S 25 S 35 S 36 2010</p> <p>from which</p> <p style="margin-left: 40px;">A juniper, 8 ins. diam., bears N. 3 3/4° E., 43.5 lks. dist., mkd. T35N R8E S25 BT.</p> <p style="margin-left: 40px;">A piñon pine, 16 ins. diam., bears N. 89° W., 50.5 lks. dist., mkd. T35N R8E S26 BT.</p>

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p> <p>Terrain, rolling. Soil, sand and sandstone. Timber, sparse piñon pine and juniper; undergrowth, sage, Mormon Tea, prickly pear, cholla and yucca cacti and various high desert grasses.</p> <hr/> <p>From the cor. secs. 25, 30, 31 and 36, on the E. bdy. of the Tp., hereinbefore described.</p> <p>West, bet. secs. 25 and 36.</p> <p>Over rolling terrain.</p>
32.00	<p>Point for the 80 1/16 sec. cor. of secs. 25 and 36.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, underpinned with a U shaped steel fence post, 5 1/2 ft. long, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E S 25 80 ——— 1/16 S 36</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>
72.00	<p>Point for the 1/4 sec. cor. of secs. 25 and 36.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E S 25 1/4 ——— S 36</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
112.00	<p>The cor. of secs. 25, 26, 35 and 36.</p> <p>Terrain, rolling. Soil, sand and sandstone. Timber, sparse piñon pine and juniper; undergrowth, sage, Mormon Tea, prickly pear, cholla and yucca cacti and various high desert grasses.</p> <hr/> <p>N. 0°01' W., bet. secs. 25 and 26.</p> <p>Over rolling terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 25 and 26.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E 1/4 S 26 S 25</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
79.90	<p>Wash, 10 ft. wide, drains N. 55° E.</p>
80.00	<p>Point for the cor. of secs. 23, 24, 25 and 26.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 17 ins. in the ground, to bedrock, in a mound of stone, 5 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E S 23 S 24 ----- S 26 S 25</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Terrain, rolling and broken. Soil, sand. Timber, scattered piñon pine and juniper; undergrowth, sage, Mormon Tea, prickly pear cactus and various high desert grasses.</p> <hr/> <p>From the cor. secs. 19, 24, 25 and 30, on the E. bdy. of the Tp., hereinbefore described.</p> <p>West, bet. secs. 24 and 25.</p> <p>Over rolling terrain.</p>
19.75	Trail road, bears N. 25° E. and S. 25° W.
32.00	<p>Point for the 80 1/16 sec. cor. of secs. 24 and 25.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 35 N R 8 E S 24 80 ——— 1/16 S 25 2010</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post, encircled with a collar of stone, near the cor.</p>
72.00	<p>Point for the 1/4 sec. cor. of secs. 24 and 25.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, underpinned with a T shaped steel fence posts, 6 ft. long, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 35 N R 8 E S 24 1/4 ——— S 25 2010</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>
112.00	The cor. of secs. 23, 24, 25 and 26.

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Terrain, rolling. Soil, sand and sandstone. Timber, scattered piñon pine and juniper; undergrowth, sage, Mormon Tea, prickly pear, cholla and yucca cacti and various high desert grasses.</p> <hr/> <p>N. 0°01' W., bet. secs. 23 and 24.</p> <p>Over rolling terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 23 and 24.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E 1/4 S 23 S 24 2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
79.10	<p>Trail road, bears N. 40° E. and S. 40° W.</p>
80.00	<p>Point for the cor. of secs. 13, 14, 23 and 24.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E S 14 S 13 S 23 S 24 2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Terrain, broken. Soil, sand. Timber, scattered piñon pine and juniper; undergrowth, sage, Mormon Tea, prickly pear, cholla and yucca cacti, and various high desert grasses.</p> <hr/> <p>From the cor. secs. 13, 18, 19 and 24, on the E. bdy. of the Tp., hereinbefore described.</p> <p>West, bet. secs. 13 and 24.</p>

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	Over rolling terrain.
16.60	Trail road, bears S. 40° E. and N. 40° W.
32.00	Point for the 80 1/16 sec. cor. of secs. 13 and 24. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, underpinned with a U shaped steel fence post, 5 ft. long, with brass cap mkd. <div style="text-align: center;"> T 35 N R 8 E S 13 80 ——— 1/16 S 24 2010 </div>
72.00	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Point for the 1/4 sec. cor. of secs. 13 and 24. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd. <div style="text-align: center;"> T 35 N R 8 E S 13 1/4 ——— S 24 2010 </div>
	from which <div style="margin-left: 40px;"> A piñon pine, 8 ins. diam., bears N. 57 3/4° E., 1.405 chs. dist., mkd. 1/4 S13 BT. A juniper, 8 ins. diam., bears N. 40 1/2° W., 90 lks. dist., mkd. X at breast height and BT at base. </div>
112.00	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a T shaped steel fence post near the cor. The cor. of secs. 13, 14, 23 and 24.

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Terrain, rolling. Soil, sand and sandstone. Timber, scattered piñon pine and juniper; undergrowth, sage, Mormon Tea, prickly pear, cholla and yucca cacti and various high desert grasses.</p> <hr/> <p>N. 0°01' W., bet. secs. 13 and 14.</p> <p>Over rolling terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 13 and 14.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E 1/4 S 14 S 13 2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>
80.00	<p>Point for the cor. of secs. 11, 12, 13 and 14.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., flush with the surface of the ground, underpinned with a steel fence post, 4 ft. long, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E S 11 S 12 S 14 S 13 2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p> <p>Terrain, rolling. Soil, sand. Timber, scattered piñon pine and juniper; undergrowth, sage, Mormon Tea, prickly pear, cholla and yucca cacti and various high desert grasses.</p> <hr/> <p>From the cor. secs. 7, 12, 13 and 18, on the E. bdy. of the Tp., hereinbefore described.</p>

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	West, bet. secs. 12 and 13.
	Over rolling terrain.
0.30	Wash, 6 ft. wide, 2 ft. deep, drains S. 70° E.
32.00	Point for the 80 1/16 sec. cor. of secs. 12 and 13.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T 35 N R 8 E S 12 80 ——— 1/16 S 13 2010
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	Set a T shaped steel fence post near the cor.
32.10	Wash, 6 ft. wide, 1 ft. deep, drains S. 15° W.
72.00	Point for the 1/4 sec. cor. of secs. 12 and 13.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, encircled with a collar of stone, with brass cap mkd.
	T 35 N R 8 E S 12 1/4 ——— S 13 2010
	from which
	A piñon pine, 8 ins. diam., bears N. 69° E., 1.425 chs. dist., mkd. 1/4 S12 BT.
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
72.25	Trail road, bears S. 10° E. and N. 10° W.
100.65	Trail road, bears N. 30° E. and S. 30° W.
112.00	The cor. of secs. 11, 12, 13 and 14.

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Terrain, rolling. Soil, sand. Timber, scattered piñon pine and juniper; undergrowth, cacti and various high desert grasses.</p> <hr/> <p>N. 0°01' W., bet. secs. 11 and 12.</p> <p>Over rolling terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 11 and 12.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E 1/4 S 11 S 12 2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>
75.45	<p>Trail road, bears S. 35° E. and N. 35° W.</p>
80.00	<p>Point for the cor. of secs. 1, 2, 11 and 12.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., flush with the surface of the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E S 2 S 1 ----- S 11 S 12 2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p> <p>Terrain, rolling. Soil, sand. Timber, scattered piñon pine and juniper; undergrowth, cacti and various high desert grasses.</p> <hr/> <p>From the cor. of secs. 1, 6, 7 and 12, on the E. bdy. of the Tp., hereinbefore described.</p>

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	West, bet. secs. 1 and 12.
	Over rolling terrain.
32.00	Point for the 80 1/16 sec. cor. of secs. 1 and 12.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., flush with the surface of the ground, with brass cap mkd.
	T 35 N R 8 E S 1 80 ——— 1/16 S 12 2010
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	Set a T shaped steel fence post near the cor.
	From this cor. point, a water well head, on a concrete pad, 9 1/2 ft. square, bears N. 62°16' W., 20.38 chs. dist.
35.60	Trail road, bears S. 45° E. and N. 45° W.
71.20	Trail road, bears N. 65° E. and S. 65° W.
72.00	Point for the 1/4 sec. cor. of secs. 1 and 12.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., flush with the surface of the ground, underpinned with an aluminum rod, 36 ins. long, 3/4 in. diam., with brass cap mkd.
	T 35 N R 8 E S 1 1/4 ——— S 12 2010
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	Set a T shaped steel fence post near the cor.
112.00	The cor. of secs. 1, 2, 11 and 12.

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Terrain, rolling. Soil, sand. Timber, scattered piñon pine and juniper; undergrowth, cacti and various high desert grasses.</p> <hr/> <p>N. 0°01' W., bet. secs. 1 and 2.</p> <p>Over rolling terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 1 and 2.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E 1/4 S 2 S 1 2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p> <p>Cor. is located 1.5 lks. from the face of a juniper, 22 ins. diam. base.</p>
80.00	<p>The cor. of secs. 1, 2, 35 and 36, on the N. bdy. of the Tp., hereinbefore described.</p> <p>Terrain, rolling. Soil, sand. Timber, scattered piñon pine and juniper; undergrowth, cacti and various high desert grasses.</p> <hr/> <p>From the cor. of secs. 2, 3, 34 and 35, on the S. bdy. of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., with brass cap, set, mkd. and witnessed as described in the field notes of the survey of the north boundary, T. 34 N., R. 8 E., executed concurrently under this same group.</p> <p>N. 0°02' W., bet. secs. 34 and 35.</p> <p>Over rolling terrain.</p>
34.10	<p>Hamblin Wash, 100 ft. wide, 2 ft. deep, drains S. 80° E.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 34 and 35.</p>

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, underpinned with a T shaped steel fence post, 6 ft. long, encircled with a collar of stone, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E 1/4 S 34 S 35</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>
80.00	<p>Point for the cor. of secs. 26, 27, 34 and 35.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E S 27 S 26 S 34 S 35</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p> <p>Terrain, rolling. Soil, sand. Timber, scattered piñon pine and juniper; undergrowth, cacti and various high desert grasses.</p> <hr/> <p>From the cor. of secs. 25, 26, 35 and 36.</p> <p>West, bet. secs. 26 and 35.</p> <p>Over rolling terrain to ascend backside of Echo Cliffs.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 26 and 35.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 35 N R 8 E S 26 1/4 ——— S 35 2010
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Cor. is located on a steep and rocky northeasterly slope. Thence continue ascent of back side of Echo Cliffs to steep descent of face of Echo Cliffs, transitioning to rolling terrain.
80.00	The cor. of secs. 26, 27, 34 and 35. Terrain, broken and rolling. Soil, sand. Timber, scattered piñon pine and juniper; undergrowth, cacti and various high desert grasses.
	N. 0°02' W., bet. secs. 26 and 27. Over rolling terrain.
40.00	Point for the 1/4 sec. cor. of secs. 26 and 27. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., flush with the surface of the ground, with brass cap mkd.
	T 35 N R 8 E 1/4 S 27 S 26 2010
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Cor. is located 8 ft. up the NW face of a sandstone outcrop, 150 x 125 x 15 ft. high.
46.05	Trail road, bears East and West.
80.00	Point for the cor. of secs. 22, 23, 26 and 27. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS									
	<table border="1"> <tr> <td>T 35 N</td> <td>R 8 E</td> </tr> <tr> <td>S 22</td> <td>S 23</td> </tr> <tr> <td>S 27</td> <td>S 26</td> </tr> </table> <p>2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p> <p>Terrain, broken and rolling. Soil, sand and sandstone. Timber, scattered piñon pine and juniper; undergrowth, sage, cliff rose and various high desert grasses.</p> <hr/> <p>From the cor. of secs. 23, 24, 25 and 26.</p> <p>West, bet. secs. 23 and 26.</p> <p>Over rolling terrain.</p>	T 35 N	R 8 E	S 22	S 23	S 27	S 26		
T 35 N	R 8 E								
S 22	S 23								
S 27	S 26								
40.00	<p>Point for the 1/4 sec. cor. of secs. 23 and 26.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, underpinned with a T shaped steel fence post, 6 ft. long, with brass cap mkd.</p> <p align="center"> <table border="1"> <tr> <td>T 35 N</td> <td>R 8 E</td> </tr> <tr> <td></td> <td>S 23</td> </tr> <tr> <td>1/4</td> <td>_____</td> </tr> <tr> <td></td> <td>S 26</td> </tr> </table> </p> <p align="center">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>	T 35 N	R 8 E		S 23	1/4	_____		S 26
T 35 N	R 8 E								
	S 23								
1/4	_____								
	S 26								
80.00	<p>The cor. of secs. 22, 23, 26 and 27.</p> <p>Terrain, broken and rolling. Soil, sand and sandstone. Timber, scattered piñon pine and juniper; undergrowth, sage, cliff rose and various high desert grasses.</p> <hr/> <p>N. 0°02' W., bet. secs. 22 and 23.</p> <p>Over broken and rolling terrain.</p>								

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
40.00	<p>Point for the 1/4 sec. cor. of secs. 22 and 23.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground, to bedrock, in a mound of stone, 5 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E 1/4 S 22 S 23</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 14, 15, 22 and 23.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E S 15 S 14 S 22 S 23</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Terrain, broken and rolling. Soil, sand and sandstone. Timber, scattered piñon pine and juniper; undergrowth, sage and various high desert grasses.</p> <hr/> <p>From the cor. of secs. 13, 14, 23 and 24.</p> <p>West, bet. secs. 14 and 23.</p>
29.60	Trail road, bears S. 35° E. and N. 35° W.
34.30	Trail road, bears N. 35° E. and S. 35° W.
40.00	<p>Point for the 1/4 sec. cor. of secs. 14 and 23.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., flush with the surface of the ground, underpinned with a T shaped steel fence post, 5 ft. long, with brass cap mkd.</p>

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 35 N R 8 E S 14 1/4 ——— S 23 2010
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a T shaped steel fence post near the cor.
41.60	Trail road, bears S. 5° E. and N. 5° W.
80.00	The cor. of secs. 14, 15, 22 and 23. Terrain, broken and rolling. Soil, sand and sandstone. Timber, scattered piñon pine and juniper; undergrowth, sage and various high desert grasses.
	N. 0°02' W., bet. secs. 14 and 15. Over rolling terrain.
40.00	Point for the 1/4 sec. cor. of secs. 14 and 15. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.
	T 35 N R 8 E 1/4 S 15 S 14 2010
	from which A piñon pine, 18 ins. diam., bears S. 15 1/4° E., 3.04 chs. dist., mkd. 1/4 S14 BT. A piñon pine, 12 ins. diam., bears S. 69 3/4° W., 63 lks. dist., mkd. 1/4 S15 BT.
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a T shaped steel fence post near the cor.
80.00	Point for the cor. of secs. 10, 11, 14 and 15.

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., flush with surface of the ground, underpinned with an aluminum rod, 36 ins. long, 3/4 in. diam., with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E S 10 S 11 S 15 S 14</p> <p style="text-align: center;">2010</p> <p>A piñon pine, 12 ins. diam., bears N. 72° W., 1.245 chs. dist., mkd. X at breast height and BT at base.</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p> <p>Terrain, rolling. Soil, sand. Timber, scattered piñon pine and juniper; undergrowth, various high desert grasses.</p> <hr/> <p>From the cor. of secs. 11, 12, 13 and 14.</p> <p>West, bet. secs. 11 and 14.</p> <p>Over rolling terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 11 and 14.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, underpinned with two U shaped steel fence posts, each 4 ft. long, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E S 11 1/4 ——— S 14</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>
80.00	<p>The cor. of secs. 10, 11, 14 and 15.</p>

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Terrain, rolling. Soil, sand. Timber, scattered piñon pine and juniper; undergrowth, various high desert grasses.</p> <hr/> <p>N. 0°02' W., bet. secs. 10 and 11.</p> <p>Over rolling terrain.</p>
39.10	Trail road, bears East and West.
40.00	<p>Point for the 1/4 sec. cor. of secs. 10 and 11.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E 1/4 S 10 S 11</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>
40.20	Trail road, bears N. 50° E. and S. 50° W.
80.00	<p>Point for the cor. of secs. 2, 3, 10 and 11.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, underpinned with an aluminum rod, 36 ins. long, 3/4 in. diam., with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E S 3 S 2 S 10 S 11</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Terrain, rolling. Soil, sand. Timber, scattered piñon pine and juniper; undergrowth, sage and various high desert grasses.</p> <hr/> <p>From the cor. of secs. 1, 2, 11 and 12.</p> <p>West, bet. secs. 2 and 11.</p> <p>Over rolling terrain.</p>
0.65	Trail road, bears S. 10° E. and N. 10° W.
40.00	<p>Point for the 1/4 sec. cor. of secs. 2 and 11.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E S 2 1/4 ——— S 11</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p> <p>Cor. is located 12 lks. S. of a trail road, bears S. 70° E. and N. 70° W.</p>
80.00	<p>The cor. of secs. 2, 3, 10 and 11.</p> <p>Terrain, rolling. Soil, sand. Timber, scattered piñon pine and juniper; undergrowth, sage and various high desert grasses.</p> <hr/> <p>N. 0°02' W., bet. secs. 2 and 3.</p> <p>Over rolling terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 2 and 3.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, underpinned with an aluminum rod, 36 ins. long, 3/4 in. diam., with brass cap mkd.</p>

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 35 N R 8 E 1/4 S 3 S 2 2010
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a T shaped steel fence post near the cor.
80.00	The cor. of secs. 2, 3, 34 and 35, on the N. bdy. of the Tp., hereinbefore described. Terrain, rolling. Soil, sand. Timber, scattered piñon pine and juniper; undergrowth, sage and various high desert grasses.
	<hr/> From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., with brass cap, set and mkd. as described in the field notes of the survey of the north boundary, T. 34 N., R. 8 E., executed concurrently under this same group. N. 0°02' W., bet. secs. 33 and 34. Over rolling terrain.
2.30	B. I. A. Route 6110, a graded road, 45 ft. wide, bears N. 70° E. and S. 70° W.
40.00	Point for the 1/4 sec. cor. of secs. 33 and 34. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 19 ins. in the ground, to bedrock, in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.
	T 35 N R 8 E 1/4 S 33 S 34 2010
80.00	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Point for the cor. of secs. 27, 28, 33 and 34. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS							
	<table style="margin: auto; border-collapse: collapse;"> <tr> <td style="padding: 0 10px;">T 35 N</td> <td style="padding: 0 10px;">R 8 E</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 28</td> <td style="padding: 0 5px;">S 27</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 33</td> <td style="padding: 0 5px;">S 34</td> </tr> </table>	T 35 N	R 8 E	S 28	S 27	S 33	S 34
T 35 N	R 8 E						
S 28	S 27						
S 33	S 34						
	2010						
	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p> <p>Terrain, rolling. Soil, sand. Timber, scattered piñon pine and juniper; undergrowth, salt brush, Mormon Tea, prickly pear and yucca cacti and various high desert grasses.</p> <hr style="width: 60%; margin: 10px auto;"/> <p>From the cor. of secs. 26, 27, 34 and 35.</p> <p>West, bet. secs. 27 and 34.</p> <p>Over rolling terrain.</p>						
36.10	Easterly right-of-way fence of U. S. Highway 89, barbed wire, bears S. 40° E. and N. 40° W.						
37.65	Easterly edge of U. S. Highway 89, asphalt surface, 40 ft. wide, bears S. 40° E. and N. 40° W.						
38.45	Westerly edge of U. S. Highway 89, bears S. 40° E. and N. 40° W.						
39.98	Westerly right-of-way fence of U. S. Highway 89, barbed wire, bears S. 40° E. and N. 40° W.						
40.00	<p>Point for the 1/4 sec. cor. of secs. 27 and 34.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>						
	<table style="margin: auto; border-collapse: collapse;"> <tr> <td style="padding: 0 10px;">T 35 N</td> <td style="padding: 0 10px;">R 8 E</td> </tr> <tr> <td></td> <td style="padding: 0 5px;">S 27</td> </tr> <tr> <td style="padding: 0 5px;">1/4</td> <td style="border-top: 1px solid black; padding: 0 5px;">S 34</td> </tr> </table>	T 35 N	R 8 E		S 27	1/4	S 34
T 35 N	R 8 E						
	S 27						
1/4	S 34						
	2010						
	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>						

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>From this cor. point, an unmarked aluminum. tablet, 3 ins. diam., set in concrete, flush with the surface of the ground, with an angle iron, 4 x 4 ins., set nearby, painted HWY R. of W. on the W face and S.T. 2040+42.83 on the S. face, bears N. 62°00' E., 3.095 chs. dist.</p> <p>From this same cor. point, an unmarked aluminum tablet, 3 ins. diam., set in concrete, flush with the surface of the ground, with an angle iron, 4 x 4 ins., set nearby, painted HWY R. CL OF W. on the SE face and C.S. HW CL 2038.92+83 on the NE face, bears S. 38°51' E., 2.83 chs. dist.</p> <p>From this same cor. point, an unmarked aluminum tablet, 3 ins. diam., set in concrete, 4 ins. below the surface of the ground, with an angle iron, 4 x 4 ins., set nearby, painted HWY R. OF W. on the E face and S.T. 2040+42.83 on the N. face, bears S. 39°56' E., 58.5 lks. dist.</p>
40.30	Trail road, bears S. 40° E. and N. 40° W.
42.05	Utility line, 4 strand, bears S. 20° E. and N. 20° W.
80.00	The cor. of secs. 27, 28, 33 and 34.
	<p>Terrain, rolling. Soil, sand. Timber, scattered piñon pine and juniper; undergrowth, salt brush, Mormon Tea, prickly pear and yucca cacti and various high desert grasses.</p> <hr/> <p>N. 0°02' W., bet. secs. 27 and 28.</p> <p>Over rolling terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 27 and 28.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p align="center">T 35 N R 8 E 1/4 S 28 S 27 2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>
54.80	Utility line, 4 strand, bears S. 25° E. and N. 25° W.

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
59.45	Westerly right-of-way fence of U. S. Highway 89, barbed wire, bears S. 25° E. and N. 25° W.
62.15	Westerly edge of U. S. Highway 89, asphalt surface, 43 ft. wide, bears S. 25° E. and N. 25° W.
63.70	Easterly edge of U. S. Highway 89, bears S. 25° E. and N. 25° W.
66.55	Easterly right-of-way fence of U. S. Highway 89, barbed wire, bears S. 25° E. and N. 25° W.
67.415	From this point on line, an unmarked aluminum tablet, 3 ins. diam., set in concrete, projecting 2 ins. above ground, with an angle iron, 4 x 4 ins., set nearby, painted HWY R. OF W. on the W face and P.T. 2092+95.09 on the S face, bears West, 36 lks. dist.
80.00	Point for the cor. of secs. 21, 22, 27 and 28. Set an aluminum rod, 36 ins. long, 3/4 in. diam., 18 ins. below the surface of the ground, with no cap. Deposit a magnet, in a white plastic case, alongside the aluminum post. from which A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 27 ins. in the ground, underpinned with an aluminum rod, 36 ins. long, 3/4 in. diam., for a reference monument, bears S. 44°59' W., 45.0 ft. dist., with brass cap mkd. RM T35N R8E S28 45.0 FT TO COR 2010 and an arrow pointing to the cor. Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Reference monument is located 2 lks. S. of a fence, bears N. 65° E. and S. 65° W. A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set flush with the surface of the ground, underpinned with a T shaped steel fence post, for a reference monument, bears N. 45°00' W., 145.0 ft. dist., with brass cap mkd. RM T35N R8E S21 145.0 FT TO COR 2010 and an arrow pointing to the cor. Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a T shaped steel fence post near the reference monument. Cor. is located in Tanner Wash, 55 ft. wide, 2 ft. deep, drains N. 20° W.

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Terrain, rolling. Soil, sand. Timber, scattered piñon pine and juniper; undergrowth, salt brush, Mormon Tea, prickly pear and yucca cacti and various high desert grasses.</p> <hr/> <p>From the cor. of secs. 22, 23, 26 and 27.</p> <p>West, bet. secs. 22 and 27.</p> <p>Over rolling and broken terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 22 and 27.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, underpinned with an aluminum rod, 36 ins. long, 3/4 in. diam., with brass cap mkd.</p> <div style="text-align: center;"> <p>T 35 N R 8 E S 22 1/4 ——— S 27</p> <p>2010</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p> <p>Cor. is located on the W. face of a steep slope, 20 lks. W. of a sandstone cliff face, 8 ft. high, bears North and South.</p>
80.00	<p>The cor. of secs. 21, 22, 27 and 28.</p> <p>Terrain, rolling. Soil, sand. Timber, scattered piñon pine and juniper; undergrowth, salt brush, Mormon Tea, prickly pear and yucca cacti and various high desert grasses.</p> <hr/> <p>N. 0°02' W., bet. secs. 21 and 22.</p> <p>Over rolling terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 21 and 22.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p>

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 35 N R 8 E 1/4 S 21 S 22 2010
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a T shaped steel fence post near the cor.
80.00	Point for the cor. of secs. 15, 16, 21 and 22. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.
	T 35 N R 8 E S 16 S 15 S 21 S 22 2010
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a T shaped steel fence post near the cor.
	Cor. is located at the easterly edge of Corn Field Valley, at the toe of the slope of Echo Cliffs, bears N. 15° E. and South. Terrain, rolling. Soil, sand. Timber, scattered piñon pine and juniper; undergrowth, salt brush, Mormon Tea, prickly pear and yucca cacti and various high desert grasses.
	<hr/> From the cor. of secs. 14, 15, 22 and 23. West, bet. secs. 15 and 22. Over rolling and broken terrain.
40.00	Point for the 1/4 sec. cor. of secs. 15 and 22. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground, to bedrock, in a mound of stone, 5 ft. base, to top, with brass cap mkd.

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p align="center">T 35 N R 8 E S 15 1/4 ——— S 22</p> <p align="center">2010</p>
	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Thence over rolling and broken terrain, transitioning into the steep descent of Echo Cliffs.</p>
80.00	<p>The cor. of secs. 15, 16, 21 and 22.</p> <p>Terrain, rolling. Soil, sand. Timber, scattered piñon pine and juniper; undergrowth, various high desert grasses.</p> <hr/>
	<p>N. 0°02' W., bet. secs. 15 and 16.</p> <p>Over broken terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 15 and 16.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p>
	<p align="center">T 35 N R 8 E 1/4 S 16 S 15</p> <p align="center">2010</p>
	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Raise a mound of stone, 3 1/2 ft. base, 3 ft. high, W of cor.</p> <p>Cor. is located 85 lks. E. of the face of a sandstone cliff, 15 ft. high, bears N. 30° E. and S. 20° W.</p>
42.00	<p>Wash, 23 ft. wide, drains N. 85° W., continue over broken terrain, transitioning into steep ascent of Echo Cliffs.</p>
80.00	<p>True point for the cor. of secs. 9, 10, 15 and 16; falls on a steep slope of Echo Cliffs, where it is impracticable to establish a permanent monument.</p>

Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona

<p>CHAINS</p>	<p>From this true point, the point selected for a witness cor. to the cor. of secs. 9, 10, 15 and 16, bears S. 17°59' E., 2.55 chs. dist.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, to bedrock, in a mound of stone, 5 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 35 N R 8 E</p> <p>WC</p> <p>S 9 S 10</p> <p>S 16 S 15</p> </div> <p>2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Raise a mound of stone, 3 1/2 ft. base, 2 1/2 ft. high, W. of cor.</p> <p>Terrain, broken. Soil, sandstone. Timber, scattered piñon pine and juniper; undergrowth, various high desert grasses and shrubs.</p> <hr/> <p>From the cor. of secs. 10, 11, 14 and 15.</p> <p>West, bet. secs. 10 and 15.</p> <p>Over rolling terrain.</p> <p>40.00 Point for the 1/4 sec. cor. of secs. 10 and 15.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 35 N R 8 E</p> <p>S 10</p> <p>1/4 ———</p> <p>S 15</p> </div> <p>2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p> <p>80.00 True point for the cor. of secs. 9, 10, 15 and 16.</p>
---------------	---

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Terrain, broken. Soil, sandstone. Timber, scattered piñon pine and juniper; undergrowth, various high desert grasses and shrubs.</p> <hr/> <p>N. 0°02' W., bet. secs. 9 and 10.</p> <p>Across the face of Echo Cliffs, transitioning into rolling terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 9 and 10.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E 1/4 S 9 S 10 2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 3, 4, 9 and 10.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, to bedrock, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E S 4 S 3 ----- S 9 S 10 2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Terrain, broken. Soil, sandstone. Timber, scattered piñon pine and juniper; undergrowth, various high desert grasses and shrubs.</p> <hr/> <p>From the cor. of secs. 2, 3, 10 and 11.</p> <p>West, bet. secs. 3 and 10.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 3 and 10.</p>

Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E S 3 1/4 ——— S 10</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>
41.40	Wash, 10 ft. wide, 3 ft. deep, drains S. 5° W.
80.00	<p>The cor. of secs. 3, 4, 9 and 10.</p> <p>Terrain, broken. Soil, sandstone. Timber, scattered piñon pine and juniper; undergrowth, various high desert grasses and shrubs.</p> <hr/>
	<p>N. 0°02' W., bet. secs. 3 and 4.</p> <p>Over broken terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 3 and 4.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E 1/4 S 4 S 3</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>True point for the cor. of secs. 3, 4, 33 and 34, on the N. bdy. of the Tp., hereinbefore described.</p>

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Terrain, broken. Soil, sandstone. Timber, scattered piñon pine and juniper; undergrowth, various high desert grasses and shrubs.</p> <hr/> <p>From the cor. of secs. 4, 5, 32 and 33, on the S. bdy. of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., with brass cap, set, mkd. and witnessed as described in the field notes of the survey of the north boundary, T. 34 N., R. 8 E., executed concurrently under this same group.</p> <p>N. 0°03' W., bet. secs. 32 and 33.</p> <p>Over rolling terrain.</p>
37.35	Trail road, bears N. 70° E. and S. 70° W.
40.00	<p>Point for the 1/4 sec. cor. of secs. 32 and 33.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E 1/4 S 32 S 33 2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
65.10	Intersection of trail roads, bearing N. 40° E., S. 80° E. and S. 50° W.
70.85	Intersection of trail roads, bearing S. 60° E., S. 40° E. and N. 70° W.
80.00	<p>Point for the cor. of secs. 28, 29, 32 and 33.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E S 29 S 28 S 32 S 33 2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Terrain, rolling. Soil, sand. Timber, scattered juniper; undergrowth, various high desert grasses and shrubs.</p> <hr/> <p>From the cor. of secs. 27, 28, 33 and 34.</p> <p>West, bet. secs. 28 and 33.</p> <p>Over rolling terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 28 and 33.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E S 28 1/4 ——— S 33</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>The cor. of secs. 28, 29, 32 and 33.</p> <p>Terrain, rolling. Soil, sand and limestone. Timber, scattered juniper; undergrowth, various high desert grasses and shrubs.</p> <hr/> <p>N. 0°03' W., bet. secs. 28 and 29.</p> <p>Over rolling terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 28 and 29.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E 1/4 S 29 S 28</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS							
	Set a T shaped steel fence post near the cor.						
50.35	Trail road, bears N. 35° E. and S. 35° W.						
63.25	Trail road, bears N. 80° E. and S. 70° W.						
68.25	Trail road, bears S. 60° E. and N. 60° W.						
80.00	Point for the cor. of secs. 20, 21, 28 and 29.						
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.						
	<table style="margin: auto; border-collapse: collapse;"> <tr> <td style="padding: 0 10px;">T 35 N</td> <td style="padding: 0 10px;">R 8 E</td> </tr> <tr> <td style="padding: 0 10px; border-right: 1px solid black;">S 20</td> <td style="padding: 0 10px; border-bottom: 1px solid black;">S 21</td> </tr> <tr> <td style="padding: 0 10px; border-right: 1px solid black;">S 29</td> <td style="padding: 0 10px;">S 28</td> </tr> </table>	T 35 N	R 8 E	S 20	S 21	S 29	S 28
T 35 N	R 8 E						
S 20	S 21						
S 29	S 28						
	2010						
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.						
	Set a T shaped steel fence post near the cor.						
	Terrain, rolling. Soil, red clay shale and sandstone. Timber, scattered juniper; undergrowth, various high desert grasses and shrubs.						
	From the cor. of secs. 21, 22, 27 and 28.						
	West, bet. secs. 21 and 28.						
	Over rolling terrain.						
5.70	Easterly right-of-way fence of U. S. Highway 89, barbed wire, bears S. 25° E. and N. 25° W.						
6.95	Easterly edge of U. S. Highway 89, asphalt surface, 43 ft. wide, bears S. 25° E. and N. 25° W.						
7.70	Westerly edge of U. S. Highway 89, bears S. 25° E. and N. 25° W.						
9.80	Westerly right-of-way fence of U. S. Highway 89, barbed wire, bears S. 25 E. and N. 25° W.						
10.65	Utility line, 4 strand, bears S. 25° E. and N. 25° W.						
40.00	Point for the 1/4 sec. cor. of secs. 21 and 28.						
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.						

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 35 N R 8 E S 21 1/4 ——— S 28 2010
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a T shaped steel fence post near the cor.
43.45	Trail road, bears S. 40° E. and N. 40° W.
80.00	The cor. of secs. 20, 21, 28 and 29. Terrain, rolling. Soil, red clay shale and sandstone. Timber, scattered juniper; undergrowth, various high desert grasses and shrubs.
	N. 0°03' W., bet. secs. 20 and 21. Over rolling terrain.
12.85	Trail road, bears N. 60° E. and S. 60° W.
40.00	Point for the 1/4 sec. cor. of secs. 20 and 21. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.
	T 35 N R 8 E 1/4 S 20 S 21 2010
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a T shaped steel fence post near the cor.
80.00	Point for the cor. of secs. 16, 17, 20 and 21. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS									
	<table style="margin: auto; border-collapse: collapse;"> <tr> <td colspan="2">T 35 N R 8 E</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">S 17</td> <td style="padding: 2px 10px;">S 16</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">S 20</td> <td style="padding: 2px 10px;">S 21</td> </tr> </table>	T 35 N R 8 E		S 17	S 16	S 20	S 21		
T 35 N R 8 E									
S 17	S 16								
S 20	S 21								
	2010								
	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Raise a mound of stone, 4 ft. base, 2 ft. high, near the cor.</p> <p>Terrain, rolling. Soil, sand. Timber, scattered piñon pine and juniper; undergrowth, various high desert grasses and shrubs.</p> <hr style="width: 60%; margin: 10px auto;"/> <p>From the cor. of secs. 15, 16, 21 and 22.</p> <p>West, bet. secs. 16 and 21.</p> <p>Over broken and rolling terrain.</p>								
30.10	Tanner Wash, 33 ft. wide, 3 ft. deep, drains N. 15° W.								
38.80	Easterly right-of-way fence of U. S. Highway 89, barbed wire, bears S. 20° E. and N. 20° W.								
40.00	<p>Point for the 1/4 sec. cor. of secs. 16 and 21.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 3 ins. below the surface of the ground, with brass cap mkd.</p>								
	<table style="margin: auto; border-collapse: collapse;"> <tr> <td colspan="2">T 35 N R 8 E</td> </tr> <tr> <td colspan="2" style="text-align: center;">S 16</td> </tr> <tr> <td style="text-align: center;">1/4</td> <td style="border-top: 1px solid black; text-align: center;">_____</td> </tr> <tr> <td colspan="2" style="text-align: center;">S 21</td> </tr> </table>	T 35 N R 8 E		S 16		1/4	_____	S 21	
T 35 N R 8 E									
S 16									
1/4	_____								
S 21									
	2010								
	<p>from which</p> <p style="margin-left: 40px;">A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 25 ins. in the ground, for a reference monument, bears N. 25°00' E., 95.1 ft. dist., with brass cap mkd. RM T35N R8E S16 95.1 FT TO COR 2010 and an arrow pointing to the cor. Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>								

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 25 ins. in the ground, for a reference monument, bears S. 65°00' E., 95.0 ft. dist., with brass cap mkd. RM T35N R8E S21 95.0 FT TO COR 2010 and an arrow pointing to the cor. Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
40.10	Easterly edge of U. S. Highway 89, asphalt surface, 43 ft. wide, bears S. 20° E. and N. 20° W.
40.40	Utility line, 4 strand, bears N. 65° E. and S. 65° W.
40.80	Westerly edge of U. S. Highway 89, bears S. 20° E. and N. 20° W.
42.90	Westerly right-of-way fence of U. S. Highway 89, barbed wire, bears S. 20° E. and N. 20° W.
80.00	<p>The cor. of secs. 16, 17, 20 and 21.</p> <p>Terrain, broken and rolling. Soil, sand. Timber, scattered piñon pine and juniper; undergrowth, various high desert grasses and shrubs.</p> <hr/> <p>N. 0°03' W., bet. secs. 16 and 17.</p> <p>Over rolling terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 16 and 17.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E 1/4 S 17 S 16 2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p> <p>Cor. is located in a mountain drainage, 20 ft. wide, 1 ft. deep, drains N. 60° E.</p>
80.00	Point for the cor. of secs. 8, 9, 16 and 17.

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E S 8 S 9 S 17 S 16</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p> <p>Terrain, rolling. Soil, sand. Timber, scattered piñon pine and juniper; undergrowth, various high desert grasses and shrubs.</p> <hr/> <p>From the true point for the cor. of secs. 9, 10, 15 and 16.</p> <p>West, bet. secs. 9 and 16.</p> <p>Descend steep face of Echo Cliffs.</p>
25.40	Base of sandstone boulder strewn slope of Echo Cliffs, bears N. 15° E. and S. 15° W., continue over level and rolling terrain.
40.00	<p>Point for the 1/4 sec. cor. of secs. 9 and 16.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E S 9 1/4 ——— S 16</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>
59.80	Right bank of Tanner Wash, 7 ft. high, bears North and South.
61.60	Left bank of Tanner Wash, 8 ft. high, bears North and South.
72.15	Utility line, 4 strand, bears S. 25° E. and N. 25° W.

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
73.95	Easterly right-of-way fence of U. S. Highway 89, barbed wire, bears S. 25° E. and N. 25° W.
75.20	Easterly edge of U. S. Highway 89, asphalt surface, 45 ft. wide, bears S. 25° E. and N. 25° W.
76.00	Westerly edge of U. S. Highway 89, bears S. 25° E. and N. 25° W.
78.10	Westerly right-of-way fence of U. S. Highway 89, barbed wire, bears S. 25° E. and N. 25° W.
80.00	The cor. of secs. 8, 9, 16 and 17.
	Terrain, rolling. Soil, sand. Timber, scattered piñon pine and juniper; undergrowth, various high desert grasses and shrubs.
	<hr/>
	N. 0°03' W., bet. secs. 8 and 9.
	Over rolling terrain.
4.15	Westerly right-of-way fence of U. S. Highway 89, barbed wire, bears S. 25° E. and N. 25° W.
8.75	Westerly edge of U. S. Highway 89, asphalt surface, 45 ft. wide, bears S. 25° E. and N. 25° W.
10.40	Easterly edge of U. S. Highway 89, bears S. 25° E. and N. 25° W.
13.20	Easterly right-of-way fence of U. S. Highway 89, barbed wire, bears S. 25° E. and N. 25° W.
17.10	Utility line, 4 strand, bears S. 25° E. and N. 25° W.
17.60	Barbed wire fence, bears N. 55° E. and S. 55° W.
34.90	Tanner Wash, 25 ft. wide, drains N. 45° W.
40.00	Point for the 1/4 sec. cor. of secs. 8 and 9.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T 35 N R 8 E 1/4 S 8 S 9 2010
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS									
80.00	<p>Set a T shaped steel fence post near the cor.</p> <p>Point for the cor. of secs. 4, 5, 8 and 9.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, underpinned with a T shaped steel fence post, 5 ft. long, with brass cap mkd.</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr><td>T 35 N</td><td>R 8 E</td></tr> <tr><td>S 5</td><td>S 4</td></tr> <tr><td>S 8</td><td>S 9</td></tr> </table> <p>2010</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p> <p>Terrain, rolling. Soil, sand. No timber; Mormon Tea, cholla and prickly pear cacti and various high desert grasses.</p> <hr/> <p>From the cor. of secs. 3, 4, 9 and 10.</p> <p>West, bet. secs. 4 and 9.</p> <p>Over rolling terrain.</p>	T 35 N	R 8 E	S 5	S 4	S 8	S 9		
T 35 N	R 8 E								
S 5	S 4								
S 8	S 9								
39.70	Wash, 50 ft. wide, 4 ft. deep, drains S. 25° E.								
40.00	<p>Point for the 1/4 sec. cor. of secs. 4 and 9.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole, in a dense sandstone slab, 100 x 30 ft., with top mkd.</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr><td>T 35 N</td><td>R 8 E</td></tr> <tr><td>S 4</td><td></td></tr> <tr><td>1/4</td><td>—</td></tr> <tr><td>S 9</td><td></td></tr> </table> <p>2010</p> </div> <p>Deposit a magnet, in the drill hole, at the base of the brass tablet.</p>	T 35 N	R 8 E	S 4		1/4	—	S 9	
T 35 N	R 8 E								
S 4									
1/4	—								
S 9									

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Raise a mound of stone, 3 1/2 ft. base, 4 ft. high, N. of cor. Cor. is located 90 lks. NW of a bank of a wash, 20 ft. high.</p>
80.00	<p>The cor. of secs. 4, 5, 8 and 9.</p> <p>Terrain, rolling. Soil, sand and sandstone. No timber; Mormon Tea, cholla and prickly pear cacti and various high desert grasses.</p> <hr/> <p>N. 0°03' W., bet. secs. 4 and 5.</p> <p>Over rolling terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 4 and 5.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, underpinned with a T shaped steel fence post, 5 ft. long, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E 1/4 S 5 S 4 2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>From this cor. point, the NE cor. of a cemetery, 38 x 14 ft., long side bears N. 80° E., bears S. 13°15' E., 4.33 chs. dist.</p>
80.00	<p>True point for the cor. of secs. 4, 5, 32 and 33, on the N. bdy. of the Tp., hereinbefore described.</p> <p>Terrain, rolling. Soil, sand and sandstone. No timber; Mormon Tea, cholla and prickly pear cacti and various high desert grasses.</p> <hr/> <p>From the cor. of secs. 5, 6, 31 and 32, on the S. bdy. of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., with brass cap, set, mkd. and witnessed as described in the field notes of the survey of the north boundary, T. 34 N., R. 8 E., executed concurrently under this same group.</p> <p>N. 0°03' W., bet. secs. 31 and 32.</p>
0.61	<p>S. fence of a sheep pen, bears S. 80° E. and N. 80° W.</p>

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
1.44	N. fence of a sheep pen, bears East and West.
2.25	Trail road, bears N. 20° E. and S. 20° W.
13.40	Trail road, bears S. 75° E. and N. 75° W.
40.00	Point for the 1/4 sec. cor. of secs. 31 and 32. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd. <div style="text-align: center;"> T 35 N R 8 E 1/4 S 31 S 32 2010 </div> Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a T shaped steel fence post near the cor.
45.05	Trail road, bears N. 65° E. and S. 65° W.
67.00	Trail road, bears S. 70° E. and N. 70° W.
69.40	Trail road, bears East and West.
80.00	Point for the cor. of secs. 29, 30, 31 and 32. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, to bedrock, in a mound of stone, 2 1/2 ft. base, to top, with brass cap mkd. <div style="text-align: center;"> T 35 N R 8 E S 30 S 29 --- --- S 31 S 32 2010 </div> Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Terrain, rolling. Soil, sand and gravel. No timber; various high desert grasses and brush.
	<hr/> From the cor. of secs. 28, 29, 32 and 33. West, bet. secs. 29 and 32. Over rolling terrain.

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
40.00	<p>Point for the 1/4 sec. cor. of secs. 29 and 32.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E S 29 1/4 ——— S 32</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>
48.85	<p>Intersection of trail roads, bearing N. 75° E. and S. 75° W., and S. 5° E. and N. 5° W.</p>
80.00	<p>The cor. of secs. 29, 30, 31 and 32.</p> <p>Terrain, rolling. Soil, sand and gravel. No timber; various high desert grasses and brush.</p> <hr/> <p>West, bet. secs. 30 and 31.</p> <p>Over rolling terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 30 and 31.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E S 30 1/4 ——— S 31</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>
59.25	<p>Trail road, bears S. 30° E. and N. 30° W.</p>
64.95	<p>Trail road, bears N. 40° E. and S. 40° W.</p>
70.55	<p>Trail road, bears N. 45° E. and S. 45° W.</p>

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
78.79	<p>The cor. of secs. 25, 30, 31 and 36, on the W. bdy. of the Tp., hereinbefore described.</p> <p>Terrain, rolling. Soil, sand and gravel. No timber; various high desert grasses and brush.</p> <hr/> <p>From the cor. of secs. 29, 30, 31 and 32.</p> <p>N. 0°03' W., bet. secs. 29 and 30.</p> <p>Over rolling terrain.</p>
14.95	Trail road, bears S. 70° E. and N. 70° W.
34.70	Trail road, bears S. 55° E. and N. 55° W.
37.60	Trail road, bears N. 50° E. and S. 50° W.
40.00	<p>Point for the 1/4 sec. cor. of secs. 29 and 30.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E 1/4 S 30 S 29</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>
78.80	Trail road, bears N. 40° E. and S. 40° W.
79.75	Trail road, bears S. 75° E. and N. 75° W.
80.00	<p>Point for the cor. of secs. 19, 20, 29 and 30.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E S 19 S 20 S 30 S 29</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Set a T shaped steel fence post near the cor.</p> <p>Terrain, rolling. Soil, sand. No timber; various high desert grasses and brush.</p> <hr/> <p>From the cor. of secs. 20, 21, 28 and 29.</p> <p>West, bet. secs. 20 and 29.</p> <p>Over rolling terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 20 and 29.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p> <p align="center">T 35 N R 8 E S 20 1/4 ——— S 29</p> <p align="center">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
45.95	Trail road, bears S. 40° E. and N. 40° W.
51.50	Trail road, bears N. 40° E. and S. 40° W.
64.30	Trail road, bears N. 30° E. and S. 30° W.
80.00	<p>The cor. of secs. 19, 20, 29 and 30.</p> <p>Terrain, rolling. Soil, sand and gravel. Timber, scattered juniper; undergrowth, various high desert grasses and brush.</p> <hr/> <p>West, bet. secs. 19 and 30.</p> <p>Over nearly level ground.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 19 and 30.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 35 N R 8 E S 19 1/4 ——— S 30 2010
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Raise a mound of stone, 3 ft. base, 2 ft. high, near the cor.
58.70	Trail road, bears S. 20° E. and N. 20° W.
78.69	The cor. of secs. 19, 24, 25 and 30, on the W. bdy. of the Tp., hereinbefore described. Terrain, rolling. Soil, rocky. Timber, scattered juniper; undergrowth, various high desert grasses and brush.
	—————
	From the cor. of secs. 19, 20, 29 and 30. N. 0°03' W., bet. secs. 19 and 20.
40.00	Point for the 1/4 sec. cor. of secs. 19 and 20. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T 35 N R 8 E 1/4 S 19 S 20 2010
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a T shaped steel fence post near the cor.
52.10	Trail road, bears N. 20° E. and S. 20° W.

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS									
79.50	Wash, 2 ft. wide, 1 ft. deep, drains N. 20° E.								
80.00	<p>Point for the cor. of secs. 17, 18, 19 and 20.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr><td>T 35 N</td><td>R 8 E</td></tr> <tr><td>S 18</td><td>S 17</td></tr> <tr><td>S 19</td><td>S 20</td></tr> </table> <p>2010</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p> <p>Terrain, rolling. Soil, rocky. Timber, scattered juniper and piñon pine; undergrowth, various high desert grasses and brush.</p> <hr/> <p>From the cor. of secs. 16, 17, 20 and 21.</p> <p>West, bet. secs. 17 and 20.</p>	T 35 N	R 8 E	S 18	S 17	S 19	S 20		
T 35 N	R 8 E								
S 18	S 17								
S 19	S 20								
40.00	<p>Point for the 1/4 sec. cor. of secs. 17 and 20.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr><td>T 35 N</td><td>R 8 E</td></tr> <tr><td>S 17</td><td></td></tr> <tr><td>1/4</td><td>—</td></tr> <tr><td>S 20</td><td></td></tr> </table> <p>2010</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>	T 35 N	R 8 E	S 17		1/4	—	S 20	
T 35 N	R 8 E								
S 17									
1/4	—								
S 20									
80.00	The cor. of secs. 17, 18, 19 and 20.								

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Terrain, rolling. Soil, sand. Timber, scattered juniper; undergrowth, various high desert grasses and brush.</p> <hr/> <p>West, bet. secs. 18 and 19.</p> <p>Over rolling terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 18 and 19.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E S 18 1/4 ——— S 19</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
42.20	Trail road, bears N. 30° E. and S. 30° W.
50.15	Trail road, bears N. 60° E. and S. 60° W.
63.40	Trail road, bears S. 60° E. and N. 60° W.
67.85	Trail road, bears North and South.
78.60	<p>The cor. of secs. 13, 18, 19 and 24, on the W. bdy. of the Tp., hereinbefore described.</p> <p>Terrain, rolling. Soil, sand. Timber, scattered juniper; undergrowth, various high desert grasses and brush.</p> <hr/> <p>From the cor. of secs. 17, 18, 19 and 20.</p> <p>N. 0°03' W., bet. secs. 17 and 18.</p> <p>Over rolling terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 17 and 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p>

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 35 N R 8 E 1/4 S 18 S 17 2010
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a T shaped steel fence post near the cor.
53.75	Trail road, bears N. 80° E. and S. 80° W.
80.00	Point for the cor. of secs. 7, 8, 17 and 18. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T 35 N R 8 E S 7 S 8 ———— S 18 S 17 2010
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a T shaped steel fence post near the cor.
	Terrain, rolling. Soil, sandy and rocky. Timber, scattered juniper; undergrowth, various high desert grasses and brush.
	<hr/> From the cor. of secs. 8, 9, 16 and 17. West, bet. secs. 8 and 17. Over rolling terrain.
40.00	Point for the 1/4 sec. cor. of secs. 8 and 17. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T 35 N R 8 E S 8 1/4 ———— S 17 2010

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>
80.00	<p>The cor. of secs. 7, 8, 17 and 18.</p> <p>Terrain, rolling. Soil, sandy and rocky. Timber, scattered juniper; undergrowth, various high desert grasses and brush.</p> <hr/>
40.00	<p>West, bet. secs. 7 and 18.</p> <p>Over rolling terrain.</p> <p>Point for the 1/4 sec. cor. of secs. 7 and 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 35 N R 8 E S 7 1/4 ——— S 18</p> <p>2010</p> </div>
76.25	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p> <p>Trail road, bears N. 5° E. and S. 5° W.</p>
78.51	<p>The cor. of secs. 7, 12, 13 and 18, on the W. bdy. of the Tp., hereinbefore described.</p> <p>Terrain, rolling. Soil, sandy and rocky. Timber, scattered juniper; undergrowth, various high desert grasses and brush.</p> <hr/>
31.50	<p>From the cor. of secs. 7, 8, 17 and 18.</p> <p>N. 0°03' W., bet. secs. 7 and 8.</p> <p>Over rolling terrain.</p> <p>Trail road, bears N. 80° E. and S. 80° W.</p>

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
40.00	<p>Point for the 1/4 sec. cor. of secs. 7 and 8.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E 1/4 S 7 S 8</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shaped steel fence post near the cor.</p>
80.00	<p>Point for the cor. of secs. 5, 6, 7 and 8.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E S 6 S 5 S 7 S 8</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a T shape steel fence post near the cor.</p> <p>Terrain, rolling. Soil, sandy and rocky. Timber, scattered juniper; undergrowth, various high desert grasses and brush.</p> <hr/> <p>From the cor. of secs. 4, 5, 8 and 9.</p> <p>West, bet. secs. 5 and 8.</p> <p>Over rolling terrain.</p>
13.50	Tanner Wash, 50 ft. wide, 4 ft. deep, drains N. 55° W.
28.85	Utility line, 4 strand, bears S. 25° E. and N. 25° W.
30.60	Easterly right-of-way fence of U. S. Highway 89, barbed wire, bears S. 25° E. and N. 25° W.

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
31.90	Easterly edge of U. S. Highway 89, asphalt surface, 45 ft. wide, bears S. 25° E. and N. 25° W.
32.65	Westerly edge of U. S. Highway 89, bears S. 25° E. and N. 25° W.
34.80	Westerly right-of-way fence of U. S. Highway 89, barbed wire, bears S. 25° E. and N. 25° W.
40.00	Point for the cor. of secs. 5 and 8. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd. <div style="text-align: center;"> T 35 N R 8 E S 5 1/4 ——— S 8 2010 </div> Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a T shaped steel fence post near the cor.
42.65	Trail road, bears S. 30° E. and N. 30° W.
80.00	The cor. of secs. 5, 6, 7 and 8. Terrain, rolling. Soil, sand. Timber, scattered juniper; undergrowth, various high desert grasses and brush.
	<hr/> West, bet. secs. 6 and 7. Over rolling terrain.
40.00	Point for the 1/4 sec. cor. of secs. 6 and 7. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd. <div style="text-align: center;"> T 35 N R 8 E S 6 1/4 ——— S 7 2010 </div> Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

**Survey of the Subdivisional Lines,
T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona**

CHAINS	
78.41	<p>Set a T shaped steel fence post near the cor.</p> <p>The cor. of secs. 1, 6, 7 and 12, on the W. bdy. of the Tp., hereinbefore described.</p> <p>Terrain, rolling. Soil, sand. Timber, scattered juniper; undergrowth, various high desert grasses and brush.</p> <hr/> <p>From the cor. of secs. 5, 6, 7 and 8.</p> <p>N. 0°03' W., bet. secs. 5 and 6.</p> <p>Over rolling terrain.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 5 and 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 35 N R 8 E 1/4 S 6 S 5 2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Raise a mound of stone, 3 ft. base, 2 ft. high, E. of cor.</p>
80.00	<p>The cor. of secs. 5, 6, 31 and 32, on the N. bdy. of the Tp., hereinbefore described.</p> <p>Terrain, rolling. Soil, sand. Timber, scattered juniper and piñon pine; undergrowth, various high desert grasses and brush.</p> <hr/>

T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona

CHAINS

GENERAL DESCRIPTION

The community of Cedar Ridge is located in Section 34 of this township, on the Navajo Indian Reservation. The terrain is rolling and broken, with mesas and ravines throughout. Echo Cliffs runs northwesterly and southeasterly through the township, with Tanner Wash draining northwesterly below Echo Cliffs.

The elevation varies from 5,700 ft. to 6,600 ft. The soil ranges from blow sand and sandstone outcrops to clayish sand and limestone.

U. S. Highway 89 runs southeasterly and northwesterly through the center of the township, running somewhat parallel and west of Echo Cliffs. Access to the top side of Echo Cliffs is by way of a dirt road accessed from U. S. Highway 89 at the community of Cedar Ridge.

The mean magnetic declination of $11\ 1/4^\circ$ E. was derived from the National Geophysical Data Center's magnetic declination calculator, GEOMAG v6.0, utilizing the International Geomagnetic Reference Field Model for years 2005 through 2010, for the dates of the survey.

CERTIFICATE OF SURVEY

I, Craig S. Dukart, Cadastral Surveyor, HEREBY CERTIFY upon honor, that in pursuance of special instructions bearing date of the 10th day of February, 2010, I have dependently resurveyed the Second Guide Meridian East (east boundary) and surveyed the west and north boundaries and the subdivisional lines, T. 35 N., R. 8 E., of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction. Said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, 1973, and in specific manner described in the foregoing field notes.

12/06/10

(Date)

Craig S. Dukart

(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT
Phoenix, Arizona

The foregoing field notes of the dependent resurvey of the Second Guide Meridian East (east boundary) and the survey of the west and north boundaries and the subdivisional lines, T. 35 N., R. 8 E., Gila and Salt River Meridian, in the State of Arizona, executed by Craig S. Dukart, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

3/2/2011

(Date)

Stephen H. Hansen

(Chief Cadastral Surveyor of Arizona)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY That the foregoing transcript of the field notes of the above described surveys in T. 35 N., R. 8 E., Gila and Salt River Meridian, Arizona, is a true copy of the original field notes.~~

~~(Date)~~

~~(Chief Cadastral Surveyor of Arizona)~~