

ORIGINAL

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FIELD NOTES

OF THE DEPENDENT RESURVEY OF
THE YAVAPAI-PRESCOTT INDIAN RESERVATION
(WHIPPLE BARRACKS MILITARY ADDITION),
AND THE YAVAPAI INDIAN RESERVATION, ACT OF JUNE 7, 1935
PUBLIC LAW 117, 74th CONGRESS, 49 STAT. 332
AND THE METES-AND-BOUNDS SURVEYS OF THE BOUNDARY OF THE
WHIPPLE VETERAN'S ADMINISTRATION RESERVATION
AND LOTS 7 AND 8, BLOCK 6, DAMERON PARK ADDITION
AND THE COMPLETION SURVEY OF THE SUBDIVISIONAL
LINES WITHIN THE YAVAPAI-PRESCOTT INDIAN RESERVATION
TOWNSHIP 14 NORTH, RANGE 2 WEST,
OF THE GILA AND SALT RIVER MERIDIAN,
IN THE STATE OF ARIZONA

EXECUTED BY

Craig S. Dukart, Cadastral Surveyor


Under Special Instructions dated April 4, 2013, approved April 4, 2013,
which provided for the surveys included under Group No. 1116, and
assignment instructions dated April 4, 2013.

Survey commenced July 15, 2013

Survey completed April 23, 2014

INDEX DIAGRAM

TOWNSHIP 14 NORTH RANGE 2 WEST
GILA AND SALT RIVER MERIDIAN, ARIZONA



Dependent Resurvey of the Yavapai-Prescott Indian
Reservation (Whipple Barracks Military Addition)Pages 5-14

Dependent Resurvey of the Yavapai Indian Reservation
Act of June 7th, 1935, Public No. 117 74th Congress,
49 Stat. 332Page 14

Metes-and-Bounds survey of the Whipple Veteran's
Administration ReservationPages 15-21

Metes-and-Bounds Survey of Lots 7 and 8,
Blk. 6 Dameron Park AdditionPages 21-22

Completion Survey of the Subdivisional Lines
Within the Yavapai-Prescott Indian ReservationPages 22-26

T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS

The following field notes describe the dependent resurvey of the Yavapai-Prescott Indian Reservation (Whipple Barracks Military Addition), the Yavapai Indian Reservation, Act of June 7, 1935, Public No. 117, 74th Congress, 49 Stat. 332, the metes-and-bounds survey of the boundary of the Whipple Veteran's Administration Reservation and Lots 7 and 8, Block 6, Dameron Park Addition and the completion survey of the subdivisional lines within the Yavapai-Prescott Indian Reservation, Township 14 North, Range 2 West, Gila and Salt River Meridian, Arizona.

The history of surveys pertaining to this survey is as follows:

The survey of the subdivision lines of T. 14 N., Rs. 2 and 3 W., Gila and Salt River Meridian, were surveyed by S.W. Foreman, Deputy Surveyor, in 1871.

The survey of the subdivision lines of T. 14 N, R. 2 W., Gila and Salt River Meridian, were surveyed by C. Burton Foster, Deputy Surveyor, in 1875.

The resurvey of Boundaries of the Whipple Barracks Military Reservation, part of the south boundary, part of the east boundary and part of the subdivision lines, T. 14 N., R. 2 W., Gila and Salt River Meridian, were surveyed by Sidney E. Blout, U.S. Cadastral Engineer, 1927-1928.

The resurvey of the 3rd Standard Parallel North, thru R. 2 W., east, west, and north boundaries and part of the subdivision lines, T. 13 N., R. 2 W., Gila and Salt River Meridian, were surveyed by Benjamin J. Kinsey, U.S. Surveyor, in 1930.

The boundary of the Yavapai Indian Reservation, within the Whipple Barracks Military Reservation, T. 14 N., R. 2 W., Gila and Salt River Meridian, were surveyed by Benjamin J. Kinsey, U.S. Surveyor, in 1935.

The dependent resurvey of a portion of the south and west boundaries of the Whipple Barracks Military Reservation and survey of Tract A, T. 14 N., R. 2 W., Gila and Salt River Meridian, were surveyed by Wallace R. Ott, Cadastral Surveyor, 1965-1966.

The retracement of the boundaries and survey of the Division of Tract A into Tracts B and C, and survey of Tract D, T. 14 N., R. 2 W., Gila and Salt River Meridian, were surveyed by Jerold E. Knight, Cadastral Surveyor, 1968.

A Memorandum of Agreement between the Department of the Interior and the Veteran's Administration regarding jurisdiction over certain lands in Yavapai County, Arizona was approved April 11, 1958, with a plat.

Dameron Park Addition was platted in 1926.

T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions for the Survey of the Public Lands of the United States, 2009, and the Special Instructions dated April 4, 2013, for Group Number 1116, Arizona.

The true meridian direction and length of all lines were determined by real time kinematic, fast static, and static global positioning system observations using Trimble Navigation 5700 and 5800 model receivers.

Preliminary to the resurvey, the lines of the prior surveys were retraced and search was made for all corners. Identified corners were remonumented in their original positions. The retracement data were thoroughly verified and only true line field notes are given herein.

The "standard monument" referred to in these notes is a stainless steel post, 28 ins. long, 2 1/2 ins. diam., with a brass cap. Unless otherwise indicated, a magnet in a white plastic case is deposited at the base of the stainless steel post.

Geodetic control was derived from Global Positioning System (GPS) static observations post processed by National Geodetic Survey, Online Positioning User Service (OPUS), utilizing Continuously Operating Reference Stations (CORS) DL1882 AZFL NAU FLAGSTAFF CORS ARP, DN2121 AZPA PEORIA FIREST 195 CORS ARP and AI8820 FERN FERNO MESA CORS ARP. The NAD 83 (CORS96) (EPOCH: 2010), geographic position of Corner No. 4, Whipple Barracks Military Reservation is as follows:

Latitude: 34°32'44.408" N. Longitude: 112°25'16.581" W.

The NAD 83 (CORS96) (EPOCH: 2010), geographic position of Corner No. 2, Whipple Barracks Military Reservation is as follows:


Latitude: 34°33'55.149" N. Longitude: 112°28'37.019" W.

The mean magnetic declination is 11° E.

**Dependent Resurvey of the
Yavapai-Prescott Indian Reservation
(Whipple Barracks Military Addition),
T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona**



Restoring the resurvey executed by
Sidney E. Blout, in 1927-1928

Dependent Resurvey of the
Yavapai-Prescott Indian Reservation
(Whipple Barracks Military Addition),
T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Beginning Cor. No. 1, Whipple Barrack's Military Reservation, monumented with an iron post, 3 ins. diam., firmly set, 24 ins. below the ground, with brass cap mkd. TR B COR1 T14N R2W S34 1968 1966 1927, with a manhole cover, 24 ins. diam., placed over the top (20 ins. below ground).</p> <p>Add the marks 2013 to the brass cap.</p> <p>Cor. falls in landscaped area on the Yavapai College Campus.</p> <p>N. 41°48'W., on line 1-2, Whipple Barrack's Military Reservation.</p>
34.11	<p>Angle Point No. 4, section 34, identical with and hereinafter identified as cor. A, Whipple Veteran's Administration Reservation, monumented with an iron rod, 1/2 in. diam., firmly set, 2 ins. below ground, with alum. Cap marked RLS 46473. This is accepted as a true and faithful establishment of the corner as described in the Memorandum of Agreement between the Department of the Interior and the Veteran's Administration.</p> <p>At the cor. point</p> <p>Set a standard monument, 28 ins. in the ground, mkd.</p> <div style="text-align: center;"> <p>T 14 N R 2 W</p>  </div> <p>Deposit the 18 ins. Long iron rod with alum. cap inside the stainless steel post.</p> <p>Cor. falls southwesterly of an 8 ins. diam. wood fence post.</p>
62.41	<p>The closing corner of secs. 33 and 34, monumented with an iron post, 2 ins. diam., firmly set, flush with the ground, with brass cap mkd. WBMR S33 S34 T14N R2W CC 1927. Add the marks 2013 to the brass cap.</p> <p>From this same point, the 1/4 sec. cor. of secs. 33 and 34, monumented with an iron post, 1 in. diam., firmly set, projecting 18 ins. above the ground, with brass cap mkd. 1/4 S33 S34 1927, bears S. 0°09' E., 27.69 chs. dist.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 41°54' W., on line 1-2, Whipple Barrack's Military Reservation.</p>

Dependent Resurvey of the
Yavapai-Prescott Indian Reservation
(Whipple Barracks Military Addition),

T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
1.22	<p>Cor. No. 4, Yavapai Indian Reservation, monumented with an iron post, 3 ins. diam., firmly set flush with low berm, with brass cap marked YIR 4 WBMR 1935. Add the marks T14N R2W 2013 to the brass cap.</p> <p>From this same point, cor. No. 3, Yavapai Indian Reservation, bears N. 48°03' E., 26.65 chs. dist., hereinafter described.</p>
3.72	<p>Point for the closing corner of secs. 33 and 34 of the completion survey of the subdivisional lines within the Whipple Barracks Military Reservation. Falls on a steep embankment.</p> <p>Set a rebar, 14 ins. long, 1/2 in. diam., 11 ins. in the ground.</p> <p>from which</p> <p style="padding-left: 40px;">A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 22 ins. in the ground, in a mound of stone, 2 1/2 ft. base, to cap, for a reference monument, bears N. 2°04' W., 1.8 ft. dist. with brass cap mkd. RM T14N R2W 1.8 FT. TO COR. S33 S34 2013 and an arrow pointing to the cor.</p>
6.67	<p>Point for Angle Point No. 4, sec. 33; determined at intersection with the south boundary of Lots 7 and 8, Block 6, Dameron Park Addition, hereinafter described.</p> <p>Set a standard monument, 23 ins. in the ground, in a half mound of stone, 3 ft. base, to cap mkd.</p> <div style="text-align: center; margin-top: 20px;"> <p>T 14 N R 2 W</p>  <p>2013</p> </div>
9.73	<p>Point for Angle Point No. 1, sec. 33, determined at the intersection of a line projected from the NE cor., Lot 4, Dameron Park Addition, identical with the NW cor., Lot 5, Dameron Park Addition, through the NE cor., Lot 6, Dameron Park Addition, identical with the NW cor., Lot 7, Block 6, Dameron Park Addition.</p> <p>Set a standard monument, 25 ins. in the ground, mkd.</p> <div style="text-align: center; margin-top: 20px;"> <p>T 14 N R 2 W</p>  <p>2013</p> </div>

Dependent Resurvey of the
Yavapai-Prescott Indian Reservation
(Whipple Barracks Military Addition),

T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>From this point, the NE cor. Lot 6, Dameron Park Addition, identical with the NW cor. Lot 7, Block 6, Dameron Park Addition, bears N. 89°54'15" W., 68 lks. dist., monumented with an iron pipe, 7/8 ins. diam., firmly set, projecting 14 ins. above the ground.</p> <p>From this same point, the NE cor. Lot 4, Dameron Park Addition, identical with the NW cor. Lot 5, Block 6, Dameron Park Addition, bears N. 89°54'15" W., 2.19 chs. dist., monumented with an iron pipe, 1 in. diam., firmly set, projecting 36 ins. above the ground, and leaning. Measured where it entered the ground.</p>
14.53	<p>Closing corner of secs. 28 and 33, monumented with an iron post, 2 ins. diam., firmly set, projecting 2 ins. above the ground, with brass cap mkd. WBMR S28 S33 T14N R2W CC 1927. Add the marks 2013 to the brass cap.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 41°49' W., on line 1-2, Whipple Barrack's Military Reservation.</p>
11.22	<p>Point for the closing corner of secs. 28 and 33 of the completion survey of the subdivisional lines within the Whipple Barracks Military Reservation.</p> <p>Set a standard monument, 23 ins. in the ground, with a rock collar, mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T 14 N R 2 W</p> </div> <p>Closing cor. falls easterly, approx. 1/2 ft. from a barbed wire fence, bears S. 42° E. and N. 42° W.</p>
13.32	<p>Cor. No. 1, Yavapai Indian Reservation, monumented with an iron post, 3 ins. diam., firmly set, projecting 15 ins. above the ground, with brass cap mkd. WBMR YIR1 193. Add the marks T14N R2W 2013 to the brass cap.</p> <p>Cor. falls at intersection of fence lines, with fences extending N. 50° E., S. 40° E. and S. 40° E.</p>
68.45	<p>Cor. No. 2, Whipple Barracks Military Reservation, monumented with an iron post, 3 ins. diam., firmly set, 6 ins. below pavement, in hand hole, with brass cap mkd. T14N R2W 2WBMR S28 1927.</p>

Dependent Resurvey of the
Yavapai-Prescott Indian Reservation
(Whipple Barracks Military Addition),


T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Cor. falls near the center of Whetstine Ave.</p> <hr/> <p>East, on line 2-3, Whipple Barracks Military Reservation.</p>
52.84	<p>Point for the closing corner of secs. 27 and 28 of the completion survey of the subdivisional lines within the Whipple Barracks Military Reservation.</p> <p>Set a standard monument, 22 ins. in the ground, with a rock collar, mkd.</p> <div style="text-align: center;"> <p>T 14 N R 2 W</p> <p>2013</p> </div> <p>Closing cor. falls northerly, approx. 1/2 ft. from a barbed wire fence, and southerly, approx. 1 1/2 ft. from a chain link fence, both bear E. and W.</p>
59.46	<p>The closing corner of secs. 27 and 28, monumented with an iron post, 2 ins. diam., firmly set, projecting 7 ins. above the ground, with brass cap mkd. CC T14N R2W S28 S27 WBMR 1927. Add the marks 2013 to the brass cap.</p> <p>From this cor., the cor. of secs. 21, 22, 27 and 28, bears N. 0°05'30" W., 22.38 chs. dist., monumented with an iron post, 2 ins. diam., firmly set, 6 ins. below pavement, in hand hole, with brass cap mkd. T10N R2W S21 S22 S28 S27. Cor. falls near the center of Rosser St.</p> <hr/> <p>S. 89°59' E., on line 2-3, Whipple Barrack's Military Reservation.</p>
33.38	<p>Point for the closing corner of the N and S centerline of sec. 27 of the completion survey of the subdivisional lines within the Whipple Barracks Military Reservation.</p> <p>Set a standard monument, 25 ins. in the ground, mkd.</p>

Dependent Resurvey of the
Yavapai-Prescott Indian Reservation
(Whipple Barracks Military Addition),
T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	T 14 N R 2 W S27 C <hr style="width: 10%; margin: auto;"/> S 27 C C C 2013
73.38	<p>Closing cor. falls southerly, approx. 1 ft. from a barbed wire fence, bears E. and W.</p> <p>Point for the closing corner of secs. 26 and 27 of the completion survey of the subdivisional lines within the Whipple Barracks Military Reservation.</p> <p>Set a standard monument, 24 ins. in the ground, with a rock collar, mkd.</p>
	T 14 N R 2 W S27 <hr style="width: 10%; margin: auto;"/> S27 S26 C C 2013
79.20	<p>Closing cor. falls southerly, approx. 1/4 ft. from a barbed wire fence, bears E. and W.</p> <p>The closing corner of secs. 26 and 27, monumented with an iron post, 2 ins. diam., firmly set, projecting 7 ins. above the ground, with brass cap mkd. CC T14N R2W S27 S26 WBM 1927. Add the marks 2013 to the brass cap.</p> <p>From this cor., the cor. of secs. 22, 23, 26 and 27, bears N. 0°02'30" W., 23.36 chs. dist., monumented with an iron post, 2 ins. diam., firmly set, projecting 12 ins. above the ground, with brass cap mkd. T10N R2W S22 S23 S27 S26 1927. Add the marks 2013 to the brass cap.</p>
15.57	<p style="text-align: center;">_____</p> <p>S. 89°59' E., on line 2-3, Whipple Barrack's Military Reservation.</p> <p>Point for the witness cor. to cor. No. 3, Whipple Barracks Military Reservation, determined on the continued bearing and at the record dist., as recovered by Alan D. Reece, Arizona Registered Land Surveyor No. 25396, on plat recorded Book 170, Page 10, Yavapai County Recorder's Office.</p>

Dependent Resurvey of the
 Yavapai-Prescott Indian Reservation
 (Whipple Barracks Military Addition),
 T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	<p>Set a standard monument, 24 ins. in the ground, with a rock collar, mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>WC T 14 N R 2 W</p>  <p>2013</p> </div> <p>Witness cor. falls NE of the intersection of Highway 89 and Sundog Ranch Rd.</p> <p>18.57 True point for cor. No. 3, Whipple Barracks Military Reservation, falls in flood plain of Granite Creek, where it is impracticable to set a permanent monument.</p> <hr style="width: 50%; margin: 10px auto;"/> <p>S. 41°50' E., on line 3-4, Whipple Barracks Military Reservation.</p> <p>22.43 From this point, a rebar, 1/2 in. diam., firmly set, flush with the ground, with plastic cap mkd. LS 48100, bears S. 48°10' W., 2.6 lks. dist.</p> <p>44.80 From this point, a rebar, 1/2 in. diam., firmly set, flush with the ground, with plastic cap mkd. LS 48100, bears S. 48°10' W., 3.7 lks. dist.</p> <p>57.20 The closing corner of secs. 26 and 35, on the east boundary of the Whipple Barracks Military Reservation, monumented with an iron post, 2 ins. diam., firmly set, projecting 10 ins. above the ground, with brass cap mkd. T14N WBMR S26 S35 CC R2W 1927. Add the marks 2013 to the brass cap.</p> <p>From this cor., the cor. of secs. 22, 23, 26 and 27, bears N. 89°55' E., 13.47 chs. dist., monumented with an iron post, 2 ins. diam., firmly set, projecting 14 ins. above the ground, twisted, bent and leaning, with brass cap mkd. T14N R2W S26 S25 S35 S36 1927. Remove the original iron pipe and set a standard monument, 22 ins. in the ground, in a mound of stone, 3 1/2 ft. base to cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T 14 N R 2 W</p> <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 26</td> <td style="padding: 0 5px;">S 25</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 35</td> <td style="padding: 0 5px;">S 36</td> </tr> </table> <p>2013</p> </div>	S 26	S 25	S 35	S 36
S 26	S 25				
S 35	S 36				

Dependent Resurvey of the
Yavapai-Prescott Indian Reservation
(Whipple Barracks Military Addition),

T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Remove brass cap from the original iron post and bury at base of stainless steel post. Remove the original iron post from the field.</p> <hr/>
21.69	<p>S. 41°47' E., on line 3-4, Whipple Barracks Military Reservation.</p> <p>The closing corner of secs. 35 and 36, on the east boundary of the Whipple Barracks Military Reservation, monumented with an iron post, 2 ins. diam., firmly set, projecting 8 ins. above the ground, with brass cap mkd. CC T14N R2W S35 S36 WBMR 1927. Add the marks 2013 to the brass cap.</p> <p>From this cor., the cor. of secs. 22, 23, 26 and 27, bears N. 3°27' W., 16.22 chs. dist., hereinbefore described.</p> <hr/>
4.53	<p>S. 41°45' E., on line 3-4, Whipple Barracks Military Reservation.</p> <p>Point for the closing corner of secs. 35 and 36 of the completion survey of the subdivisional lines within the Whipple Barracks Military Reservation.</p> <p>Set a standard monument, 25 ins. in the ground, mkd.</p> <div data-bbox="792 1119 1005 1388" data-label="Diagram"> <p style="text-align: center;">T 14 N R 2 W</p> </div>
66.43	<p>Closing cor. falls southerly, approx. 1 ft. from a barbed wire fence, bears S. 42° E. and N. 42° W., and northerly, approx. 3 ft. from a chain link fence, bears S. 42° E. and N. 42° W.</p> <p>Cor. No. 4, Whipple Barracks Military Reservation, monumented with an iron post, 3 ins. diam., firmly set, projecting 12 ins. above the ground and leaning, with brass cap mkd. T14N R2W WBM4 S36 1927. Plumb the iron post and build a supporting mound of stone, 4 ft. base to cap. Add the marks 2013 to the brass cap.</p> <hr/> <p>N. 89°59' W., on line 4-1, Whipple Barracks Military Reservation.</p>


Dependent Resurvey of the
Yavapai-Prescott Indian Reservation
(Whipple Barracks Military Addition),

T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS					
41.23	<p>The closing corner of secs. 35 and 36, on the south boundary of the Whipple Barracks Military Reservation, monumented with an iron post, 2 ins. diam., firmly set, projecting 9 ins. above the ground, and leaning, with brass cap mkd. WBMR S35 S36 T14N R2W CC 1927. Plumb the iron post and encircle with rock collar. Add the marks 2013 to the brass cap.</p> <p>From this cor., the cor. of secs. 22, 23, 26 and 27, bears S. 3°31' E., 20.03 chs. dist., monumented with an iron post, 2 ins. diam., firmly set, projecting 11 ins. above the ground, and leaning, in a fallen mound of stone, with brass cap mkd. T14N R2W S35 S36 S2 S1 1927. Plumb the iron post and rebuild mound of stone, 4 ft. base to cap. Add the marks 2013 to the brass cap.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 89°59' W., on line 4-1, Whipple Barracks Military Reservation.</p>				
40.00	<p>Point for the closing corner of the N and S center line of sec. 35, of the completion survey of the subdivisional lines within the Whipple Barracks Military Reservation.</p> <p>Set a standard monument, 28 ins. in the ground, mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T 14 N R 2 W</p> <p style="margin: 0;">C</p> <table style="margin: 0 auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">C</td> <td style="padding: 0 5px;">C</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S</td> <td style="padding: 0 5px;">35</td> </tr> </table> <hr style="width: 20%; margin: 5px auto;"/> <p style="margin: 0;">C</p> <p style="margin: 0;">S35</p> <p style="margin: 10px 0;">2013</p> </div> <p>Closing cor. falls in of a wire fence, bears E and W.</p>	C	C	S	35
C	C				
S	35				
71.87	<p>Angle Point No. 6, sec. 35, identical with and hereinafter identified as Cor. L, Memorandum of Agreement between the Department of the Interior and the Veteran's Administration, monumented with an iron post, 2 ins. diam., firmly set in concrete, projecting 15 ins. above the ground, with brass cap with no marks. This is accepted as a true and faithful establishment of the corner as described in the Memorandum of Agreement between the Department of the Interior and the Veteran's Administration.</p> <p>Add marks to cap to now read as shown</p>				

Dependent Resurvey of the
Yavapai-Prescott Indian Reservation
(Whipple Barracks Military Addition),



T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	<p>T 14 N R 2 W</p>  <p>S35</p> <p>2013</p>
77.64	<p>Angle point falls S. 35° E., 1 lk. dist., from the cor. of a chain link fence of the V.A. cemetery, with fences extending W. and N., and westerly, 2 1/2 lks. dist., from a wood fence post, 6 ins. diam.</p> <p>Cor. No. 2, Tract C, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above the ground, and leaning, with brass cap mkd. T14N R2W TRC COR2 S35 1968 1966. Plumb the iron post. Add the marks 2013 to the brass cap.</p> <p>From this point, cor. No. 1, Tract C, bears N. 0°22' W., 75.4 lks. dist., monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 6 ins. above the ground, and leaning, with brass cap mkd. T14N R2W TRC COR1 1968 1966.</p>
78.40	<p>The closing corner of secs. 34 and 35, on the south boundary of the Whipple Barracks Military Reservation, monumented with an iron post, 2 ins. diam., firmly set, 12 ins. below ground, in a steel pipe, 5 ins. diam., with brass cap mkd. S34 S35 T14N R2W CC 1966 1927. Cor. falls W, 4 1/2 lks. dist., of the edge of pavement of S. Overland Road.</p> <p>From this cor., the point for the cor. of secs. 2, 3, 34 and 35, bears S. 0°53' E., 20.745 chs. dist., at proportionate dist. bet. the 1/4 sec. cor. of secs. 2 and 35 and the 1/4 sec. cor. of secs. 3 and 34, falls in area of a road crossing a drainage, there is no remaining evidence of the original cor.</p> <p>From the point for the cor. of secs. 2, 3, 34 and 35, the 1/4 sec. cor. of secs. 2 and 35, bears N. 89°28' E., 39.619 chs. dist., monumented with an iron pipe, 1 in. diam., firmly set, projecting 24 ins. above the ground, with brass cap mkd. 1/4 S35 S2 1930.</p> <p>From the same point for the cor. of secs. 2, 3, 34 and 35, the 1/4 sec. cor. of secs. 3 and 34, bears S. 89°28' W., 39.619 chs. dist., monumented with an iron pipe, 1 in. diam., firmly set, 30 ins. below the ground, with illegible brass cap.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 89°59' W., on line 4-1, Whipple Barracks Military Reservation.</p>

Dependent Resurvey of the
Yavapai-Prescott Indian Reservation
(Whipple Barracks Military Addition),
T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
37.54	Cor. No. 1, Whipple Barracks Military Reservation. <hr/> <p style="text-align: center;">Dependent Resurvey of the Yavapai Indian Reservation, Act of June 7, 1935, Public No. 117 74th Congress, 49 Stat. 332, T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona</p> <hr/> <p style="text-align: center;">Restoring the survey executed by Benjamin J. Kinsey, in 1935 Pursuant to the Act of June 7, 1935 (49 Stat. 332)</p> <hr/> <p>From cor. No. 1, Yavapai Indian Reservation, hereinbefore described. N. 47°58'15" E., on line 1-2, Yavapai Indian Reservation.</p>
21.67	Intersection with the sec. line bet. secs. 27 and 28, not monumented.
26.60	Cor. No. 2, Yavapai Indian Reservation, monumented with an iron post, 3 ins. diam., firmly set, projecting 24 ins. above the ground, in a fallen down mound of stone, 5 ft. base, 1 ft. high, with brass cap mkd. WBM 2 YIR 1935. Add the marks T14N R2W 2013 to the brass cap, and rebuild the mound of stone, 5 ft. base to cap. <hr/> <p style="text-align: center;">S. 41°58'45" E., on line 2-3, Yavapai Indian Reservation.</p>
26.07	Intersection with the sec. line bet. secs. 27 and 34, not monumented.
26.68	Cor. No. 3, Yavapai Indian Reservation, monumented with an iron post, 3 ins. diam., firmly set, projecting 15 ins. above the ground, with brass cap mkd. WBM YIR 3 1935, Add the marks T14N R2W 2013 to the brass cap. Cor. falls inside a low rock wall, and cap is oriented easterly. <hr/> <p style="text-align: center;">S. 48°03'00" W., on line 3-4, Yavapai Indian Reservation.</p>
26.65	Cor. No. 4, Yavapai Indian Reservation, established in 1935, on line 1-2, Whipple Barracks Military Reservation, hereinbefore described. <hr/>




**Metes-and-Bounds Survey of the
Whipple Veteran's Administration Reservation
T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona**

CHAINS	<p>Note: The April 11, 1958 memorandum of agreement bet. the Department of the Interior and the Veteran's Administration, contains a metes-and-bounds description of the entire Yavapai Indian Reservation. For clarity of these field notes, the portion of the description segregating the Veteran's Administration lands from the lands of the Yavapai Indians, have been given alphabetical identifiers that are not in the memorandum.</p> <hr style="width: 60%; margin: 10px auto;"/> <p>From cor. A, identical with Angle Point No. 4, section 34, on line 1-2, Whipple Barrack's Military Reservation, hereinbefore described.</p> <p>N. 47°54'30" E., on line A-B, Whipple Veteran's Administration Reservation.</p>
20.72	<p>Cor. B, identical with Angle Point No. 3, sec. 34, , monumented with a steel post, 2 1/2 ins. diam., firmly set in concrete, projecting 5 ins. above the ground, with brass cap with no marks. Accepted as a true and faithful establishment of the cor.</p> <p>Add marks to cap to now read as shown</p> <div style="text-align: center; margin: 10px 0;"> <p>T 14 N R 2 W</p>  <p>2013</p> <hr style="width: 60%; margin: 10px auto;"/> </div> <p>N. 6°27'45" W., on line B-C, Whipple Veteran's Administration Reservation.</p>
17.83	<p>Cor. C, identical with Angle point No. 2, sec. 34, monumented with an iron post, 2 1/2 ins. diam., firmly set in concrete, projecting 12 ins. above the ground, with brass cap with no marks. Accepted as a true and faithful establishment of the cor.</p> <p>Add marks to cap to now read as shown</p> <div style="text-align: center; margin: 10px 0;"> <p>T 14 N R 2 W</p>  <p>2013</p> <hr style="width: 60%; margin: 10px auto;"/> </div>



**Metes-and-Bounds Survey of the
Whipple Veteran's Administration Reservation
T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	N. 68°19'30" E., on line C-D, Whipple Veteran's Administration Reservation.
23.44	<p>The point for Angle Point No. 1, sec. 34, identical with Angle Point No. 3, sec. 27 and the point for the closing corner of secs. 27 and 34 of the completion survey of the subdivisional lines within the Whipple Barracks Military Reservation.</p> <p>Set a standard monument, 27 ins. in the ground, underpinned with a rebar, 1/2 in. diam., 38 ins. long, mkd.</p> <p style="text-align: center;">T 14 N R 2 W</p> <p style="text-align: center;">2013</p> <p>Cor. falls in flood plain of Granite Creek.</p>
47.60	<p>Cor. D, identical with Angle point No. 2, sec. 27, monumented with an iron post, 2 1/2 ins. diam., firmly set in concrete, projecting 12 ins. above the ground, with brass cap with no marks. Accepted as a true and faithful establishment of the cor.</p> <p>Add marks to cap to now read as shown</p> <p style="text-align: center;">T 14 N R 2 W</p> <p style="text-align: center;">2013</p> <hr style="width: 30%; margin: 10px auto;"/> <p>S. 67°10'30" E., on line D-E, Whipple Veteran's Administration Reservation.</p>
1.13	<p>The point for Angle Point No. 1, sec. 27, identical with Angle Point No. 1, sec. 26 and the point for the south closing corner of secs. 26 and 27 of the completion survey of the subdivisional lines within the Whipple Barracks Military Reservation.</p> <p>Set a standard monument, 27 ins. in the ground, mkd.</p>



Metes-and-Bounds Survey of the
Whipple Veteran's Administration Reservation
T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
6.99	<div style="text-align: center;"> <p>T 14 N R 2 W C C</p>  <p>WVAR</p> <p>2013</p> </div> <p>Cor. E, identical with Angle point No. 2, sec. 26, monumented with an iron post, 2 1/2 ins. diam., firmly set in concrete, projecting 11 ins. above the ground, with brass cap with no marks. Accepted as a true and faithful establishment of the cor.</p> <p>Add marks to cap to now read as shown</p> <div style="text-align: center;"> <p>T 14 N R 2 W</p>  <p>2013</p> </div> <hr style="width: 30%; margin: 10px auto;"/> <p>S. 26°31'15" W., on line E-F, Whipple Veteran's Administration Reservation.</p>
6.94	<p>Point for Angle Point No. 3, sec. 26, identical with Angle Point No. 1, sec. 35 and the point for the west closing corner of secs. 26 and 35 of the completion survey of the subdivisional lines within the Whipple Barracks Military Reservation.</p> <p>Set a standard monument, 22 ins. in the ground, mkd.</p> <div style="text-align: center;"> <p>T 14 N R 2 W</p>  <p>2013</p> </div>
12.10	<p>Point for Angle Point No. 2, sec. 35, identical with Angle Point No. 10, sec. 34 and the north closing corner of secs. 34 and 35 of the completion survey of the subdivisional lines within the Whipple Barracks Military Reservation.</p> <p>Set a standard monument, 27 ins. in the ground, mkd.</p>

Metes-and-Bounds Survey of the
Whipple Veteran's Administration Reservation
T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
24.82	<p style="text-align: center;">T 14 N R 2 W</p>  <p>Cor. F, identical with Angle point No. 9, sec. 34, monumented with an iron post, 2 1/2 ins. diam., firmly set in concrete, projecting 4 ins. above the ground, with brass cap with no marks. Accepted as a true and faithful establishment of the cor.</p> <p>Add marks to cap to now read as shown</p> <p style="text-align: center;">T 14 N R 2 W</p>  <p>From this point, a Right-of-Way cor., monumented with rebar, 1/2 in. diam., firmly set, projecting 1 in. above the ground, with alum. cap mkd. 746 1673+41.94, bears N. 50°49' W., 1.3 lks. dist.</p> <p>From this same point, a rebar, 1/2 in. diam., firmly set, flush with the ground, with alum. cap mkd. AZTEC 2005 LS 25396., bears N. 22°01' E., 23.3 lks. dist.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 12°41'00" W., on line F-G, Whipple Veteran's Administration Reservation.</p>
14.09	<p>Cor. G, identical with Angle point No. 8, sec. 34, monumented with rebar, 5/8 in. diam., projecting 4 ins. above the ground, with plastic cap. Accepted as a true and faithful establishment of the cor. Cor. falls on a steep embankment, where impractical to set a standard monument.</p> <p>from which</p> <p style="padding-left: 40px;">A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 25 ins. in the ground, for a reference monument, bears N. 69°40' E., 25.0 ft. dist. with brass cap mkd. RM T14N R2W 25.0 FT. TO AP. S34 2013 and an arrow pointing to the cor.</p>

**Metes-and-Bounds Survey of the
Whipple Veteran's Administration Reservation
T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona**


CHAINS	
8.94	<p>A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 25 ins. in the ground, for a reference monument, bears S. 20°20' E., 15.0 ft. dist. with brass cap mkd. RM T14N R2W 15.0 FT. TO AP. S34 2013 and an arrow pointing to the cor.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 19°13'15" E., on line G-H, Whipple Veteran's Administration Reservation.</p> <p>Cor. H, identical with Angle point No. 7, sec. 34, monumented with rebar, 5/8 in. diam., projecting 4 ins. above the ground, with plastic cap. Accepted as a true and faithful establishment of the cor.</p> <p>At the cor. point</p> <p>Set a standard monument, 26 ins. in the ground, mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T 14 N R 2 W</p>  <p>2013</p> </div> <p>Deposit the rebar inside the stainless steel post.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 27°04'45" E., on line H-I, Whipple Veteran's Administration Reservation.</p>
3.88	<p>Cor. I, identical with Angle point No. 6, sec. 34, monumented with an iron post, 2 1/2 ins. diam., firmly set in concrete, projecting 15 ins. above the ground, with brass cap with no marks. Accepted as a true and faithful establishment of the cor.</p> <p>Add marks to cap to now read as shown</p> <div style="text-align: center; margin: 10px 0;"> <p>T 14 N R 2 W</p>  <p>2013</p> </div> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 34°15'00" E., on line I-J, Whipple Veteran's Administration Reservation.</p>

**Metes-and-Bounds Survey of the
Whipple Veteran's Administration Reservation
T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona**

CHAINS

7.23 Point Angle point No. 5, sec. 34, identical with Angle Point No. 3, Sec. 35, and the south closing corner of secs. 34 and 35, of the completion survey of the subdivisional lines within the Whipple Barracks Military Reservation.


Set a standard monument, 27 ins. in the ground, mkd.



2013

7.34 Cor. J, identical with Angle Point No. 4, sec. 35, monumented with an iron post, 2 1/2 ins. diam., firmly set in concrete, projecting 14 ins. above the ground, with brass cap with no marks. Accepted as a true and faithful establishment of the cor.

Add marks to cap to now read as shown




2013

S. 78°29'45" E., on line J-K, Whipple Veteran's Administration Reservation.

9.97 Cor. K, identical with Angle point No. 5, sec. 35, monumented with an iron post, 2 1/2 ins. diam., firmly set in concrete, projecting 19 ins. above the ground, with brass cap with no marks. Accepted as a true and faithful establishment of the cor.


Add marks to cap to now read as shown



2013

S. 6°03'45" W., on line K-L, Whipple Veteran's Administration Reservation.

**Metes-and-Bounds Survey of the
Whipple Veteran's Administration Reservation
T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona**

CHAINS	
16.10	<p>Cor. L, identical with Angle point No. 6, sec. 35, on line 1-2, Whipple Barrack's Military Reservation, hereinbefore described.</p> <hr/> <p style="text-align: center;">Metes-and-Bounds Survey of Lots 7 and 8, Block 6, Dameron Park Addition, T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona</p> <hr/> <p style="text-align: center;">Restoring a portion of the survey of Dameron Park Addition, as platted in 1926</p> <hr/> <p>From Angle Point No. 1, sec. 33, on line 1-2 of the Whipple Barracks Military Reservation, hereinbefore described.</p> <p>N. 89°54'15" W., on line 1-2, sec. 33.</p>
0.68	<p>Angle Point No. 2, Sec. 33, identical with the NE cor. Lot 6 and the NW cor. Lot 7, Dameron Park Addition, hereinbefore described.</p> <p>At the corner</p> <p>Set a standard monument, 23 ins. in the ground, mkd.</p> <p style="text-align: center;">T 14 N R 2 W S33</p> <div style="text-align: center;">  </div> <p style="text-align: center;">2013</p> <p>Angle point falls in a fence line, barbed wire, bears N and S.</p> <p>From this point, the NE cor. Lot 4, identical with the NW cor. Lot 5, Dameron Park Addition, bears N. 89°54'15" W., 1.52 chs. dist., hereinbefore described.</p> <hr/>
2.27	<p>S. 0°05'45" W., on line 2-3, perpendicular to line 1-2, sec. 33.</p> <p>Point for Angle Point No. 3, sec. 33, identical with the SE cor. Lot 6, and identical with the SW cor. Lot 7, Dameron Park Addition, at record distance.</p> <p>Set a standard monument, 23 ins. in the ground, mkd.</p>

**Metes-and-Bounds Survey of
Lots 7 and 8, Block 6, Dameron Park Addition,
T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>T 14 N R 2 W</p> <div style="display: flex; justify-content: center; align-items: center;"> <div style="border: 1px solid black; padding: 2px; margin: 0 10px;">AP3</div> </div> <p>S33</p> <p>2013</p>
	<p>Angle point falls in a fence line, barbed wire, bears N and S.</p> <p>From this point, the SE cor. Lot 2, identical with the SW cor. Lot 3, Block 6, Dameron Park Addition, bears N. 89°50'00" W., 2.87 chs. dist., monumented with a rebar, 5/8 in. diam., firmly set, 1 in. below ground.</p>
2.708	<p style="text-align: center;">S. 89°54'15" E., on line 3-4, parallel with line 1-2, sec. 33.</p> <p>Angle point 4, Sec. 33, on line 1-2, of the Whipple Barracks Military Reservation, hereinbefore described.</p>
	<p>Completion Survey of the Subdivisional Lines within the Yavapai-Prescott Indian Reservation, T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona</p>
	<p>From the closing cor. of secs. 35 and 36, on the south boundary of the Whipple Barracks Military Reservation, hereinbefore described.</p> <p>North, bet. secs. 35 and 36.</p> <p>Over rolling terrain.</p>
18.41	<p>Point selected for a witness point.</p> <p>Set a standard monument, 26 ins. in the ground, mkd.</p>
	<p>T 14 N R 2 W</p> <p>WP</p> <div style="display: flex; justify-content: center; align-items: center;"> <div style="border-left: 1px solid black; padding-left: 5px; margin: 0 5px;">S35</div> <div style="border-left: 1px solid black; padding-left: 5px; margin: 0 5px;">S36</div> </div> <p>2013</p>
18.50	<p>Edge of curb, beginning of pavement behind mall stores, bears N. 70° E. and S. 70° W.; continue through store and back into parking lot.</p>
25.71	<p>Point for the 1/4 sec. cor. of secs. 35 and 36, falls in Home Depot parking lot under display storage shed, not monumented.</p>
31.01	<p>Point selected for a witness point.</p>

Completion Survey of the
Subdivisional Lines within the Yavapai-Prescott Indian Reservation,
T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a standard monument, 25 ins. in the ground, mkd.</p> <p style="text-align: center;">T 14 N R 2 W WP1 S35 S36 2013</p> <p>Witness point falls at base of steep embankment between parking lots.</p>
31.10	Edge of curb, beginning of pavement, bears N. 70° E. and S. 70° W.; continue across business area and crossing Highway 69.
46.16	The closing cor. of secs. 35 and 36 of the completion survey of the subdivisional lines within the Whipple Barracks Military Reservation, on the E. bdy. of the Whipple Barracks Military Reservation, hereinbefore described.
	<hr/> <p>From the south closing corner of secs. 34 and 35 of the completion survey of the subdivisional lines within the Whipple Barracks Military Reservation, identical with Angle Point No. 3, sec. 35 and Angle Point No. 5, sec. 34, Whipple Veteran's Administration Reservation, hereinbefore described.</p> <p>N. 0°00'30" W., bet. secs. 34 and 35.</p> <p>Over rolling terrain.</p>
7.62	Point for the 1/4 sec. cor. of secs. 34 and 35.
	<p>Set a standard monument, 25 ins. in the ground, mkd.</p> <p style="text-align: center;">T 14 N R 2 W 1/4 S 34 S 35 2013</p> <p>Cor. falls in a small patch of oak brush on a westerly slope.</p>
43.00	The north closing corner of secs. 34 and 35 of the completion survey of the subdivisional lines within the Whipple Barracks Military Reservation, identical with Angle Point No. 10, sec. 34 and Angle Point No. 2, sec. 35, Whipple Veteran's Administration Reservation, hereinbefore described.

**Completion Survey of the
Subdivisional Lines within the Yavapai-Prescott Indian Reservation,
T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>From the closing cor. of secs. 26 and 35, of the completion survey of the subdivisional lines within the Whipple Barracks Military Reservation, on the east boundary of the Whipple Barracks Military Reservation, hereinbefore described.</p> <p>West, bet. secs. 26 and 35.</p> <p>Over rolling terrain.</p>
22.53	<p>Point for the 1/4 sec. cor. of secs. 26 and 35.</p> <p>Set a standard monument, 25 ins. in the ground, mkd.</p> <div style="text-align: center;"> <p>T 14 N R 2 W</p> <p>S 26</p> <p>1/4 ———</p> <p>S 35</p> <p>2013</p> </div>
60.27	<p>The closing cor. of secs. 26 and 35, of the completion survey of the subdivisional lines within the Whipple Barracks Military Reservation, identical with Angle Point No. 3, sec. 26 and Angle Point No. 1, sec. 35, Whipple Veteran's Administration Reservation, hereinbefore described.</p> <hr/> <p>From the closing cor. of secs. 26 and 27, of the completion survey of the subdivisional lines within the Whipple Barracks Military Reservation, identical with Angle Point No. 1, sec. 26 and Angle Point No. 1, sec. 27, Whipple Veteran's Administration Reservation, hereinbefore described.</p> <p>N. 0°00'30" W., bet. secs. 26 and 27.</p> <p>Over rolling terrain.</p>
11.52	<p>Point for the 1/4 sec. cor. of secs. 26 and 27, not monumented.</p>
34.15	<p>The closing cor. of secs. 26 and 27, of the completion survey of the subdivisional lines within the Whipple Barracks Military Reservation, on the north boundary of the Whipple Barracks Military Reservation, hereinbefore described.</p> <hr/> <p>From the closing cor. of secs. 33 and 34, of the completion survey of the subdivisional lines within the Whipple Barracks Military Reservation, on the west boundary of the Whipple Barracks Military Reservation, hereinbefore described.</p> <p>N. 0°01'15" W., bet. secs. 33 and 34.</p> <p>Over rolling terrain.</p>

Completion Survey of the
Subdivisional Lines within the Yavapai-Prescott Indian Reservation,
T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS							
16.40	<p>Point for the cor. of secs. 27, 28, 33 and 34.</p> <p>Set a standard monument, 30 ins. in the ground, mkd.</p> <div style="text-align: center;"> <table border="1" style="margin: auto;"> <tr> <td>T 14 N</td> <td>R 2 W</td> </tr> <tr> <td>S 28</td> <td>S 27</td> </tr> <tr> <td>S 33</td> <td>S 34</td> </tr> </table> <p>2013</p> </div> <p>From this point, the most northerly cor. of the remains of the old Charlie Ben Wilson house, bears N. 68°32' E., 72 lks. dist.</p> <p>From this same point, the most southerly cor. of the remains of the old Charlie Ben Wilson house, bears S. 51°17' E., 50 lks. dist.</p> <hr/> <p>From the closing cor. of secs. 27 and 34, of the completion survey of the subdivisional lines within the Whipple Barracks Military Reservation, identical with Angle Point No. 3, sec. 27 and Angle Point No. 1, sec. 34, Whipple Veteran's Administration Reservation, hereinbefore described.</p> <p>West, bet. secs. 27 and 34.</p> <p>Over rolling terrain.</p>	T 14 N	R 2 W	S 28	S 27	S 33	S 34
T 14 N	R 2 W						
S 28	S 27						
S 33	S 34						
16.51	<p>Point for the 1/4 sec. cor. of secs. 26 and 34, falls in pile of large boulders in a quarry area, not monumented.</p> <p>from which</p> <p style="padding-left: 40px;">A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 24 ins. in the ground, for a reference monument, bears S. 49°27' W., 83.0 ft. dist. with brass cap mkd. RM T14N R2W S34 83.0 FT. TO 1/4 COR 2013 and an arrow pointing to the cor.</p> <p style="padding-left: 40px;">A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 23 ins. in the ground, for a reference monument, bears N. 40°29' W., 83.1 ft. dist. with brass cap mkd. RM T14N R2W 83.1 FT. TO 1/4 COR S27 2013 and an arrow pointing to the cor.</p>						
35.40	<p>Intersection of northeasterly boundary of the Original Yavapai Indian Reservation, hereinbefore described.</p>						
55.70	<p>Easterly rock wall of the remains of the old Charlie Ben Wilson house, bears N. 41° E. and S. 41° W.</p>						
56.05	<p>Westerly rock wall of the remains of the old Charlie Ben Wilson house, bears S. 25° E. and N. 25° W.</p>						

**Completion Survey of the
Subdivisional Lines within the Yavapai-Prescott Indian Reservation,
T. 14 N., R. 2 W., Gila and Salt River Meridian, Arizona**

CHAINS	
56.51	<p>The cor. of secs. 27, 28, 33 and 34.</p> <hr/> <p>N. 0°01'15" W., bet. secs. 27 and 28.</p> <p>Over rolling terrain.</p>
16.08	<p>Intersection of northwesterly boundary of the Original Yavapai Indian Reservation, hereinbefore described.</p>
42.66	<p>The closing cor. of secs. 27 and 28, of the completion survey of the subdivisional lines within the Whipple Barracks Military Reservation, on the north boundary of the Whipple Barracks Military Reservation, hereinbefore described.</p> <hr/> <p>From the cor. of secs. 27, 28, 33 and 34.</p> <p>West, bet. secs. 28 and 33.</p>
14.70	<p>The closing cor. of secs. 28 and 33, of the completion survey of the subdivisional lines within the Whipple Barracks Military Reservation, on the west boundary of the Whipple Barracks Military Reservation, hereinbefore described.</p> <hr/> <p style="text-align: center;">GENERAL DESCRIPTION</p> <hr/> <p>This survey is located in Prescott, and consists of the dependent resurvey of the boundaries of the Yavapai-Prescott Indian Reservation, and the completion survey of the subdivisional lines within the reservation.</p> <p>Highways 69 and 89, multiple paved and dirt roads, and commercial and private structures are within the scope of this survey with very few calls made to them.</p> <p>Not all local corners along surveyed lines were searched for during the execution of this survey.</p> <p>The elevation varies from 5,200 to 5,400 feet above sea level.</p> <p>The mean magnetic declination of 11° E. was derived from the National Geophysical Data Center's magnetic declination calculator, for the dates of the survey.</p> <hr/>

CERTIFICATE OF SURVEY

I, Craig S. Dukart, Cadastral Surveyor, HEREBY CERTIFY upon honor, that in pursuance of special instructions bearing date of the 4th day of April, 2013, I have dependently resurveyed the Yavapai-Prescott Indian Reservation (Whipple Barracks Military Reservation) and the Yavapai Indian Reservation, Act of June 7, 1935, Public No. 117 74th Congress, 49 Stat. 332, and performed the metes-and-bounds surveys of the boundary of the Whipple Veteran's Administration Reservation and Lots 7 and 8, Block 6, Dameron Park Addition, and performed the completion survey of the subdivisional lines within the Yavapai-Prescott Indian Reservation, T. 14 N., R. 2 W., of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction. Said survey has been made in strict conformity with said special instructions, the Manual of Surveying Instructions for the Survey of the Public Lands of the United States, 2009, and in specific manner described in the foregoing field notes.

MAY 15, 2014

(Date)

Craig S. Dukart

(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT
Phoenix, Arizona

The foregoing field notes of the dependent resurvey of the Yavapai-Prescott Indian Reservation (Whipple Barracks Military Reservation) and the Yavapai Indian Reservation, Act of June 7, 1935, Public No. 117 74th Congress, 49 Stat. 332, and the metes-and-bounds surveys of the boundary of the Whipple Veteran's Administration Reservation and Lots 7 and 8, Block 6, Dameron Park Addition, and the completion survey of the subdivisional lines within the Yavapai-Prescott Indian Reservation, T. 14 N., R. 2 W., of the Gila and Salt River Meridian, in the State of Arizona, executed by Craig S. Dukart, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

5/16/2014

(Date)

David L. Mayley
(Chief Cadastral Surveyor of Arizona)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY That the foregoing transcript of the field notes of the above described surveys in T. 14 N., R. 2 W., of the Gila and Salt River Meridian, in the State of Arizona, is a true copy of the original field notes.~~

~~(Date)~~

~~(Chief Cadastral Surveyor of Arizona)~~