Copied

OCT 6- 1009

HOMESTEAD ENTRY SURVEY NO. 44 Arizona Land District.

(Platted)

2180

2180

FIELD NOTES

the survey of the Homestead Entry Claim

W. A Drisley

Described as

Described as
HENG 05552 List N: 1845
Approx. T. 11 N., R. 5 E., Unsur.
Prescott Natura Forest Reserve,
Marapai County, Aryona
Surveyed under instructions dated Aug 4-1909. by William H Menutt U. S. Mineral Surveyor.
U. S. Mineral Surveyor.

Survey commenced Sept 2 of 1909

Survey completed " 5 th "

Adolus of Claument

M. W. Moore, agent,

Percett Anyone

2180

LOR YEARD ABOUT AND THE RESTRICT Art sons bend Bistrict. mistly right basdsemon and to yeven end Arrox, T. I. H., R. 5 E., Ungur. evicest taggod -----Courts, Accessor

Chains

Identical with cor.No.1 of the preliminary survey, a malpai boulder in place 12 X 18 X 15 ins.above the ground with mound of stones 3 X 5 ft.chiseled X.F.S.M.H.1.

I chiseled it 1-H-E-S-44. whence:
U.S.L.M.No.44.H.E.S.brs.N 2.59 E 6.05 chains.

No bearings available.

of in place bra, a 4.2 6.41 ons.

Thence S 57°44'E va.14°E

25.14

To cor. No. 2. Car take 18 ins. clan sorthed Wie. Eds. N 7: 21

Identical with por No.2 of the preliminary survey, a malpai stone 6X8X20 in mound of stones chiseled H.2.I planted a malpai stone 10 X 10 X 26 ins.14 ins.in the ground, chiseled 2-H-E-S-44. Whence:—
Cedar tree 12 ins.diam.'scribed W H.2.brs.S 46°39'E

o.20 chs.I scribed it X-B-T-2-H-E-S-44.

No.other bearings available.

Thence N 47°02'E

14,28

Toldor, No. 3. weled on mock in place bes. M 2894 1 0. 10 one.

Identical with Cor. No. 3 of the preliminary survey.

X-H.3.R.2. chiseled on granite boulder in place 4X6X4 ft. above the ground, I chiseled it 3-H-E-S-44 and built a monument of stones 3 X 2 ft, high,

A X.HW3.W2 chiseled on rock in place brs.S 39:35'E 0.29 chs.I chiseled it B-R-3-H-E-S-44.

A .X.HW3.W2 chiseled on rock in place brs.N 83°E 0.45 chs. I chiseled it B-R-3-H-E-S-44.

va.14°E

2.30 Center of wash 0.30 chs.wide.course N 44.30 E

3.03 To Cor. No. 4

A melpai stone 10 X10 X 24 ins. set 12 ins, in the ground with mound of stones chiseled 4-H-E-S-44 ,Whence:-

chains .Cor. of preliminary survey, an oak tree 14 inch.diam scribed H.4.R.1.

An oak tree 8 ins.diam scribedwH4.brs.N 35?E o.16 chs.
I scribed it X-B-T-4-H-E-S-44

X.H.4. chiseledon rock in place brs.S.39°30'W o.42 chs.
I chiseled it B-R-4-H-E-S-44.

Thence S 27,55'W

DAR THREE

21.26 To Cor. No. 5 . The real of the Divise pusts apparent

Identical with the cor. of the preliminary survey,

X.H.5.chiseledon malpai stone in place 3 X 8 X 3 ft.above
the ground with mound of stones. 3 X 3 ft.I chiseled it

5-H-E-S-44. Whence:

I chiseled it B-R-5-H-E-S-44.

X.H.W.5.chiseled on rock in place brs.N 32.42'E o.18 chs.

X.H.W.5.chiseled on rock in place brs.S 28.E o.14 chs.

I chiseled it B-R-5-H-E-S-44.

Thence N 86°52'W

17.76 To cor. No. 6. - 1-2-14 August :-

Identical with cor. of the preliminary survey.

A sand stone 8X 10 X 14 ins.above the ground, with mound. of stones 3X 3 ft.chiseled H6.I chiseled it X-6-H-E-S-44. Whence: A cedar tree 18 ins.diam scribed WH6.brs.N 74°54'W

o.31 chs.I screbed it X-H-I-6-H-E-S-44.

WH6 chiseled on rock in place brs. S 4%E @.41 chs. I chiseled it X-B-R-6-H-E-S-44.

Thence N 48°06 W
Thence N 48°06 W

21,49 To Cor. No. 7 19 to brace is a full to the transfer of the same

A Lime-stone 5 X 12 X 24 ins.set 12 ins.in the ground with mound of stones; chiseled 7-H-E-S-44. Whence:

A cedar tree 9 ins.diam.scribed WH6.brs.N 74°50'W

Chains.

o.39 chs. I soribed it X-B-T-7-H-E-S-44.

A cedar tree 8 ins.diam.scribed WH6 brs. S 20°10'W 0.37 chs.I scribed it,X-B-T-H-E-S-44.

Cor. of presiminary survey, . a cedar tree 15 ins.diam scribed H.7 brs.N 70°00'W 0.035 chs.

Thence N 46°36 E va.14°E.

13.38

To Cor. No. 1 the place of beginning.

AREA, of claim. 55.08 acres.

Improvements.

IMPROVEMENTS consist of a log house the N.W.Cor.of which brs.from Cor.No.1 S 9°36'W 5.64 chs. o.20 X o.57 chs. course of long side S 15°E

A corral built of posts and wirethe N.W.Cor.of which prs. from cor.No.1 S 35°20'E 3.00 chs.

Location

This claim is located on unsurveyed land approximately in T.11 N., R.5. E.Gila and Salt River Base and Meridian, within the Prescott National Forest Yavapai County, Arizona.

Note:-The disagreements between these field notes and the notes of the preliminary survey, are due to errors in the later.

Instrument.

This survey was made with a Gurley Solar transit, The

ourses were deflected from the true meridian as determined. by direct solar observations. The distances were measured with 100-ft. steel tape.

William H Merrit

100

As there are no corners of the public survey and no location monuments within the prescribed limits, I established U.S.L.M.No.44.H.E.S. by chiseling X-U-S-L.M.44 on malpai boulder in place 16 X 20 X 14 inches above the ground with mound of stones, whence:

X-B-R-U-S-L-M-44.chiseled on rock in place brs. S 60°45°W o.043 chs.

X-B-R-U-S-L-M-44-chiseled on rock in place brs.S 7:16'E

West point of Towell Creek Mts.brs.N 6021'E

Highest point of Hackberry Mts.brs. N 21000'E

South point of Ikes back-bone brs.S 82013'E

North Peak brs. S 52012'E

Located on the south point of a ridge on unsurveyed land approximately in T.11 N R S.E. Gila and Salt River Base and Meridian, Yavapai County, Arizona, within the Prescott National Forest; about 2 miles West of the Verde River in latitude 34° 19' N.

William Almeritt
U.S. Mineral Surveyor.

As there are no corners of the paulie street and no isostion monuments within the prescribed limit. I ostation not sheet u.s.t.M.Wo.As.H.A.S. or original N-U-S-D.W.44 on malpai boulder in place 16 X 20 X IN inches above the ground with monum of stones, whence:-

X-R-R-M-M-44. oniseled on root in place brs. 8 60945'8

x_s=r=11_s=1,-44-ohlseled on rock in place bre.8 79le'
e.11 cls.

West joint of Towell dreek Mts. brs. M 6981'E H ghest point of Hackberry Mts. brs. N 21960'E South goint of Lace back-cole brs. 9 82913'E Morth Peak brs. S 52918'E

sociated on the south point of a ridge on unsurveyed large sociations in T.11 % R 5.W. dila and Salt Five Base and Meridian, Vavaunt County, Arigons, within the Prescott Notional Forest; about 8 miles West of the Torder River in latitude 349 191 N.

William Holisando.

FINAL OATHS FOR SURVEYS.

---000---

LIST OF NAMES.

A list of the names of the individuals emp	loyed by
William H Murult United States Mineral S	Surveyor, to
assist in running, measuring, and marking the 1	Lines, cor-
ners, and boundaries described in the foregoing	g field
notes of the survey of the Homestead Entry clai	im of
WA Dursley, described as H. E. Mo. 0	5552,
List No. 1845, described as H. E. No. 0	
and showing the respective capacities in which	they acted.
I'M Munit	Chainman
	Chainman
	Axman
	Flagman.

* * * * * * * * *

LEMANDER, HOT BITTAN TANER STATE To to viving Property as 18 de the result of a content por and assemble that of the A 12 S VAN No of the second se The state of the s

FINAL OATHS OF ASSISTANTS.

was In Merrit and
, do solemnly swear that we assisted
William H Munty, United States Mineral Surveyor, in
marking the corners and surveying the boundaries of the
Homestead Entry claim of WA Drusley
described as HEN 05552
42st Nº 1845
represented in the foregoing field notes as having been
surveyed by said mineral surveyor and under his direction;
and that said survey has been in all respects, to the best
of our knowledge and belief, faithfully and correctly exe-
cuted, and the corner and boundary monuments established
according to law and the instructions furnished by the
United States Surveyor General for Arizona.
Chainman.
M. M. Muritt Chainman.
Axman
Flagman.
Subscribed and sworn to by the above named persons
before me this 5 day of day of 1909.
June 28-19/3 Voling Public
June 28-1913 Vally Public

digit

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, William H Murult, U. S. Mineral Surveyor, do
solemnly swear that, in pursuance of instructions received from
the United States Surveyor General for Arizona, dated Aug 4
1909, I have, in strict conformity to the laws of
the United States, the official regulations and instructions there-
under, and the instructions of said Surveyor-General, faithfully
and correctly executed the survey of the Homestead Entry claim of
described as H. E. No. 05552 . List
WA Drusley, described as H. E. No. 05552, List
No. 1845
situate in Prescrift National Forest,
Manafac County, Arizona, and designated as Home-
stead Entry Survey No. 44, as represented in the forego-
ing field notes, which accurately show the boundaries of said
Homestead Entry claim as distinctly marked by monuments on the
ground, and described in List No. 1845, as incorporated
in the instructions for the survey, received from the Surveyor
General, and that all the corners of said survey have been estab-
lished and perpetuated in strict accordance with the law, official
regulations and instructions thereunder; and I do further solemnly
swear that the foregoing are the true and original field notes of
said survey and my report therein.
William H humb U. S. Mineral Surveyor.
Subscribed and sworn to by the said William H Menutt,
U. S. Mineral Surveyor, before ne a nothing Cubbs in and for youngen
U. S. Mineral Surveyor. before ne a Notang Public in and for youngin
(Seal) Silva O. Trawn Public
(Seal) . Rotary Cublic
(Seal) Motary Public enes nov. 1-1909
enes nov. 1 - 1909

108 AND THE RESERVE THE PROPERTY OF THE PROPERTY O to to the continue of the box of the Lake Laterett it it is 14 Noon will I with the what he was the state of the Contract of - June Danie I I I Taylo marker instruct Chains

FIELD NOTES OF SURVEY

W. A. TINSLEY HOMESTEAD LISTING APPLICATION,

Prescott National Forest.

A tract of 57.72 acres situated in what will probably be, when surveyed, Sec. 17, T. 11 N., R. 5 E., bounded and described as follows:

Beginning at Forest Service monument, marked F S M H 1, whence Houston Spring, bears S. 12°W. 10.13 chains; exterding

Thence S. 55°E.

24

Thence N. 35°E.

14

Thence S. 55°E.

2.82

Thence S. 16°30' W.

23

Thence due W.

16

Thence N. 55° W.

21

Thence N. 35°E.

17

to the place of beginning, the tract being situated in Houston Basin, 30 miles (by trail) south of Camp Verde and 4 miles west of Verde River. This tract was listed upon the application of W. A. Tinsley of Camp Verde, Arizona, who alleged settlement in 1897.

Thence S. 55 E.

U. S. Surveyor-General's Final Certificate on Field Notes.

DEPARTMENT OF THE INTERIOR.

Office of U. S. Surveyor General,

Phoenix, Arizona, March 7,1910.

111

I, U. S. Surveyor-General for the District of Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the Survey of Homestead Entry claim of W. A. Tinsley, described as Homestead Entry No.05552, List No.1845, situate in the Prescott National Forest, Yavapai County, Arizona, in approximate T. 11 N. R. 5 E., unsurveyed, and designated as Homestead Entry Survey No. 44, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of Homestead Entry claim, as will if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

Frank S. Ingalls, U. S. Surveyor-General for Arizona. . surveyor-Green is Final Cartiflests on Final Notes.

. ROLESTED SET SE TENTH INC

office of U. S. Surveyor General,

Phoenix. Artzone, warms 7.1916.

1. U. S. Surveyor-General for the District of Arlzens, Field Norse, return and approved of the Survey of Hemeetest entry claim of V. A. Tireley, described as Ponsetesd Entry Wo.05352, Blot Wo.1845, elleate in the Prescott Wattened Forest, Yavapai County, Mrizona, in approximate 11 W. B. 5 E., uneurveyed, and designated as Homestead Entry Survey No. 14, has been correctly copied from the ellut owner, the test of the fatter of the section to identify the prorise, and that duch reference is not purpostuate and fix the locus thoseoft.

Prent S. Innells.

1/3

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF HOMESTEAD ENTRY CLAIM.

DEPARTMENT OF THE INTERIOR.

Office of U. S. Surveyor General,

Phoenix, Arizona, March 7, 1910.

I, U. S. Surveyor-General for the District of Arizona, do hereby certify that the foregoing and hereto attached Field Notes and return of the Survey of the Homestead Entry Claim of W. A. Tinsley, described as Homestead Entry No. 05552, List No. 1845, situate in Prescott National Forest, Yavapai County, in approximate T. 11 N. R. 5 E., unsurveyed, designated as Homestead Entry Survey No.44, executed by William H. Merritt, U. S. Mineral Surveyor, September 2-5, 1909, under my instructions dated August 4, 1909, has been critically examined, and the necessary corrections and explanations made, and the said Field Notes and Return, and the survey they describe, are hereby approved. A true copy of the copy of the Field Notes of the preliminary survey of said Homestead Entry Claim by the Department of Agriculture, filed by the applicant for survey is included in the field notes.

U. S. Surveyor General for Arizona.

AFD SURVEYED ON YOUR DESCRIPTION OF A ortion of which the comments of the Troomiy, arisonan Merober, 1910. 1. U. S. Surveyor- supreferent une District of Antsons, do hereby sentify that the Poregoing and hopeic attached Entry Claim of W. A. Timpley. described as Homestead Entry so. obbbs, tiet do. 1845, situate in Frencht Rational Forest, Yavapat County, in Approximate T. 31 N. E. & E., unsurveyed, designated as Horestoad Entry Survey No.44. executed by William B. Meirick, U. S. Wineral Juryayor, Senter of tode, under my instructions dated August 1909, has been oritically exected, and the mocogatry con and Return, and the turvey they deportbe, and benelve aren ved. To beun copy of the copy of the Field Motos of the proliminary survey of said Homestead Entry Sielm by the surv y is included in the field notes.

8 _ +BR. Brs. ST. 16' E. C. 11 Chs -Mark Dega star star Articol 3. 240,0 W. 84,00 8. 878 - Jist. South point of Thes Back-bone - O -- West point of Tomell Creek Mis S'AH . HE'S Mess As point of Mackberry No V 611