HOMESTEAD ENTRY SURVEY NO. 78.

FIELD NOTES

OF THE SURVEY OF THE

Wm. B. Mac Beath
Degeni bed og
Described as
O5844 971 Phoenix, Arizona, H. E. Nos.019996, List Nos. 3-395 situated in
Phoenix, Alizona, I. D. Monogovo
Approx. Secs. 16, 17 and 21,
T. 19 S., R. 15 E., Unsur.
G. &. S. R. B. & M.
Coronado National Forest,
Amigana
Pima County, Arizona.
Of the
In the State of
EXECUTED BY
Paul E. Fernald, U. S. Mineral Surveyor.
The Total To
In the capacity of U.S. Surveyor, under instructions dated Feb. 3, , 1913,
in the first terms of the forest and in the first terms of the first t
issued by the United States Surveyor General to govern surveys included in
Group No, which were approved by the Commissioner of the General Land
Group No, which were approved by the Commissioner of the General Land
Office, July 19, , , , , , , , , , , , , , , , , , ,
office, and the office of walled by continuous of the office of
Congress dated, 191
- Corogress water and a second
Carryon common and May 1 1013.
Survey commenced May 1, 1913.
Survey completed May 2, 1913.
Survey completed

INDEX DIAGRAM.

Township		, Range			
6	5	4	3	2	. 1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

A.L.H.

June 4th. 1913.

· SEr.5- 1913

HOMESTEAD ENTRY SURVEY NO.78.

Arizona Land District.

FIELD NOTES

of

The Survey of the Homestead Entry Claim

of

Wm.B.MacBeath

DESCRIBED AS

Phoenix, H.E.No. 05844, - - - - - List No. 971. Arizona: H.E.No. 019996, - - - - " " 3-395

situated in

Aprox Sections I6, I7, 2I, T I9 S, R I5 E, G.& S.R.M. (Unsvd).

Coronado National Forest, Pima County, Arizona.

Surveyed under instructions dated February 3rd. 1913.

BY Paul & Ternald.
U.S. Mineral Surveyor.

Survey commenced May Ist. 1913.

Survey completed May 2nd. 1913.

Address: - Wm.B. MacBeath, Helvetia, Arizona.

190 June Ath. 1915. MOTESTAND MITTER SURVEY NO. 78. Atlanta Dand District. atardos'i.a.mu osnix 21 4.3.00. Oscid. - - - - - - List Do. 871. ni bejeujic Aggree Tentions DG, IT, RI, C'TS ST W IS E, C. W. D. R. M. Alliard). derogade settemel Forest, sine County, Crizena. . Serveyed under the continue dead Fetguery Sen. 1913. TE TOUR Levents Surveyor. .5191 . Jul well be snaches vo vyron Snewey complehed May Sid. 1913. Address - Wh. B. WacBeath, Halvetis, Artsons.

HOMESTEAD ENTRY SURVEY NO. 78. In Corpnado National Forest ..

PREAMBLE: - These Field Notes cover the Official Survey of the Homestead Entry Claim of Wm.B.MacBeath, described as the Phoenix, Arizona, H.E.No. 05844, List No. 97I, Entered at **What Land Office on June 18th. 1909; and H.E.No.019996, List No. 3-395, entered at Local Land Office Nov.19th. 1912. This Claim is located in the Coronado National Forest, aprox. in Sections 16,17,& 21, T 19 S, R 15 E, G.& S.R.M. Unsurveyed, in Pima County, Arizona.

Survey authorized by Gen.Land Office Letter "E"

JSW 287320, Jan.6th. I9I3. Surveyed under instructions
dated Feb.3rd. I9I3.

Chains FIELD NOTES:-

. Beginning at Cor. No. I, on N. side crest of hill.

An iron pipe I¹/₂ in.in diam.,5 ft.long, painted white, set I¹/₂ ft.in ground with mound of stones. - 2 in.sq.brass cap on pipe stamped "U.S.-Hmsd.Enty.Survey No.78. Cor.No.I."

Whence:- U.S.L.M.No.78, H.E.S. bears N 31° 7'W, 37.80 chains.

- * Listing Cor.Mmt. small mound of stones, one marked "H", bears N 74° 37'E, 0.06 chains. Monument destroyed.
- * Bearing tree, live oak l.ft.in diam. bears S 3°54'W, 0.64 chains. Tree marked B.T.x I-78.
- * Bearing-tree, live oak II In.in diam, marked B.T. x I-78, bears S 22° I4'E, 0.77 chains.
- * Bearing tree, live oak 9 in.in diam. marked B.T. x I-78, bears S 63°28'E, 0.78 chains.
- * Bearing tree, live oak I2 in.in diam., marked B.T. x I-78, bears N. 20° II'W, I. I4 chains.

Thence .S. 39° 24'W

Descend

.9.27 Foot of hill, approx. I25.ft.lower than crest.

Hmsd. Enty. Survey No. 78, Cor. No. 2.

- 16.47 Intersects center of gulch running N.W., I.12 chains wide.
- 20.00 To Cor.No.2, identical with point of listing corner N.

 face of granite rock in place marked F.S.M. H.I. Set

 a I¹/₄ in.iron pipe, painted white, in drill hole, with

 mound of stones at base. Brass cap on pipe stamped U.S.

Whence: - Bearing tree - live oak I6 in in diam., marked B.T. x 2-78, bears S 12°48'E, 0.80 chains. No other bearing objects available, so built mound of stones - at base of monument, 2 ft. high and 2 ft. diam. at base. Thence N. 50° 36'W . Gradual steady descent. 40.00 Point on line. Set 8x4 in white oak post, 5 ft.long, $I_{\frac{1}{2}}$ ft.in ground, marked X 78. Whence Listing Corner - stone marked H, bears S 5°46'W, I.29 chains. Destroyed. 80.00 To Cor. No. 3, .E191 .but.def bedab An iron pipe I in. in diam., 5 ft. long, painted white, set 3½ ft.in ground. Brass cap on pipe stamped U.S. Hmsd. Enty.Survey No.78. Cor.No.3. . Whence: - Listing Cor. Mmt., a stone marked "5H", with witness . . . mmt. of stones 2 ft. West - one marked W.H., bears N 87°45'W, . 0.162 chains. Destroyed. * Live oak IO.in.in diam., marked -B.T. x 3-78, bears S.21° 25'W, . I.58 chains. Wood .adlama 20.0 . "TE AT Margad . . '* Live oak I2 in in diam., marked B.T. x 3-78, bears S 27°26'W, 2.44 chains. .8V-1 ... beiggs cont. .anisds * Live oak II in.in diam., marked B.T. x 3-78, bears S 34° IO'W, cara S.22 To'II, CO.77 Present. 2.36 chains. - * Live oak 7 in.in diam., marked B.T. x 3-78, bears S 47° 2'W, Thence N 39° 24'E .anisho (AP.I'. "'I' 'OR II arse Level Crosses road running N.W. 5.67 20.00 To Cor. No.4, A I in. iron pipe, 5 ft. long, painted white, set I ft. in ground with mound of stones. Brass cap on pipe. stamped U.S. Hmsd. Enty. Survey No. 78, Cor. No. 4. Whence: - Listing Cor. Mmt. bears N 50° 36'W, O. IO chains, a stone marked "H6", with old post 3 in.in diam., 2'2"

above ground, and stone marked WH alongside. Destroyed.

No bearing objects available, so established mound of stones

 $I_{\mathbb{Z}}^{\frac{1}{2}}$ ft.high x 2 ft.base, alongside.

Thence S. 50°36'E

Gradual Steady Ascent.

- 40.00 To point on line. Set 4" Willow Post, 4 ft.long, scribed X 78, whence listing cor.mmt. bears N.41°0'W, 0.32 chains an oak post, marked "H". Destroyed.
- 45.00 Crosses middle of gulch running N.W., I.38 chains wide.
- 71.67 Foot of hill.

Sharp Ascent.

78.49 Crest of hill, approx. I25.ft. above foot.

Level.

80.00 To Cor.No.I, the place of beginning.

- AREA. I60.00 Acres. No conflicts of any kind, and no mineral or other claims in the vicinity.
- LOCATION. This claim is located approx. in Sections 16,17 & 21, T

 19 S, R 15 E, G.& S.R.M. Unsurveyed, in the Coronado National

 Forest, Pima County, Arizona.
- IMPROVEMENTS:- House, the N.E.Vor.of which bears S. 53°40'W, 3.23½

 chains from point I2.79 line I-2. House is frame with

 iron roof, sealed inside, water piped to kitchen from spring

 in rear. House 22x32 with I3xI2 addition.

 Stable, the S.E.Cor.of which bears N.88° I5'W, 5.2I chains

 from point I2.79, line I-2, is I2x23, frame with shingle

 roof, with corrals to west 50x80, I50x200, 40x75.

 Aprox.3 miles of fence on property. Fence lines not run,
- INSTRUMENT: This survey was made with Buff Special Transit No.

 7905. Distances measured with steel chains. True

 meridian determined by direct solar observations as per separate report enclosed herewith. All lines run direct
 upon the ground.

in order to save expense to claimant.

REPORT: - Survey tied to U.S.L.M.No.78, H.E.S. Special report on establishment enclosed herewith.

94 (4).

Note: - Extreme haziness of atmosphere prevented taking taking bearings of prominent distant objects from corners at time of survey.

46.00 To point on line. Leet 4" Willer Port, 4 ft. long

I et lan con med. bears M. 47°C' .. . O.

· Paul E. Firmald.

. Illid to took

U.S.Mineral Surveyor.

. Jool avalo. 11. dSI. romus . Illi 16 Japro

To Mor. No. 1. the piece of beginning.

rec. 00 Agree. Ho conflicts of any king, and no

. Winiciple of mile winio cath

This claim is located approx. in Beetlons 18,17

denst, Plan County. Art sons.

S. C. R. IC. L. S. E. R. M. Washryeyed, Mirehe Boron

nameryan and:- House, the M. D. Cor. of which bears 3, 55 40 T.

in anora al auton . C-I anti - CT. SI trios mont anist

in meem. Thouse SEXES with TEXES adoution.

Stable, the S.T. Com. St. Widn bears M.BB TE'T, 5.2

plantar date open. Cara at .S-Lenir .Sv.II Jatog cont

pool, with correct to year someo, 150x200, 46x75.

ton smil sone T .viragena no pare

. Inamials of sanctin aves of rebro all one This enever year, sele with Engl Doce

are a cont till . ddlwored beselven danger edens

J.B.E. Special reacto

. ntlwarent bashione Jnamesildette.

Field Notes of Establishment of U.S.L.M.No.78, H.E.S.

Having received Special Instructions from the Surveyor General of Arizona, dated Feb. 3rd. 1913, for Homestead Entry Survey No. 78, of Homestead Claim of Wm.B. MacBeath, same being shown on U.S. Geological Survey Map of Patagonia Quadrangle, Arizona, as"Picketts Ranch", on unsurveyed public land (aprox.Secs.I6,2I & 22, T 19 S, R I5 E, unsvd), I find that the above claim is without the two mile limit of any corner of the Public Land Survey, also more than two miles from U.S. M.M.No.I, Greaterville Mining District, Pima County, and very close to two miles distant, more or less, from U.S.L.M.No.IIO5, above district. However, to connect this claim with U.S.L.M. No. IIO5 above, would entail a difficult traverse with increase in elevation of I500.ft. to crest of Santa Rita Mts, and drop of 500.ft. on opposite side, with the possibility that when measured, the resultant tie might be more than two miles in length. Under these conditions which would entryman to much additional expense for survey, I did not attempt to run a tie line to U.S.L.M.No.IIO5 above, but established U.S.L.M.No.78, H.E.S. as follows:-

In a 3 ft.deep crevice in solid rock at top of small hill situated by itself about \(\frac{1}{4} \) mile W.from foot of W.side of Santa Rita Mts., I set up a Red Oak Post, 6x7 in.in diam., 8 ft.long, marked on S.Side - U.S.L.M.No.78, H.E.S. - and cross to denote exact points? Filled in crevice on both sides of post with stones. From this monument:-

House or sq.mmt. on high peak of Santa Ritas, probably Mt.Baldy,

bears S. I9 Od W.

Baboquivari Peak

" S-89°22\\\ "W.

Main Bldg, Pioneer Smelter

" N.38°22'W.

Bearing Rock - Granite boulder 5x4x5 ft. brs. S. 53°23'E, 5.50 ft.

" - " 4x3x3 ft. " N.81°45'E, 4.45 ft.

" - under side granite block 7x5x6 ft. bears

N. 37° 12'E, 5.80 ft.

" - Granite bed rock

brs. N.69° 51'W, 8.38 ft.

Cor.No.I, H.E.Survey No.78, bears S.31°7'E, 2494.65 ft.or 37.80 ch. Var. I4°20'E.

Established May 2nd. 1913,

Paul E. Fernals.

U.S. Mineral Surveyor.

```
H.E. Survey No. 78. Direct Observations for Meridian, May Ist. 1913.
       Lat. N 31°46 (from U.S.Geol.Survey Map - Patagonia Quadrangle.
       Base Line - E. End Line (Line I-2), Mag. Bear. N. 24° 50'E.
                       Defl. Angle R 76° 10\frac{1}{2}'. Alt. 58° 45'. Direct.
       Obs. IO 25 A.M.
                           " R 77°41,
                                                   " 59° 20' Reverse.
       Alt. Cor. -\frac{1}{2}. Decl. N I4'58' 40.4''
                              4' 7".
I5° 3'
       Cos.Q - sin D. - tan L x tan A. Cos.L x Cos.A.
                log.sin I5'3' - 9.4I4408' log.tan 3I' 46\frac{1}{2} 9.79I992 log.tan.58' 44\frac{1}{2} 0.2I680I
Direct.
                                   9.484926
                - log.cos 58°44½ 9.715082 9.769844
                                                               0.008793
                                                    - I.02045
                              - 0.58863
       0.58863 - I.02045 = 0.43I82 - Cos. 64° 25' 76° I0\frac{1}{2}
                                     180^{\circ} - \overline{140^{\circ}35^{\circ}_{2}}! = 39^{\circ}24^{\circ}_{2}.
Reverse.
                 - \log \cdot \cos \cdot 59^{\circ} 19\frac{1}{2} 9.484926/
9.707712/
9.777214/
1 log.tan 59° 19\frac{1}{2} 0.226823/
                               - 0.5987I
                                                           - I.04428
       0.5987I - I.04428 - 0.44557 - nat.cos. 63° 32½' 77° 4½'
                   Obs. 4.P.M. Direct, defl.angle L I35 27\frac{1}{2}, Alt. 38°52'.
                      Reverse " L 134° 26\frac{1}{2}, Alt. 37° 28'.
       Alt.correction - It. Decl. N I5 7'.
       Direct bearing (figured as above) N 39º 251 E.
                     ( " " ) N 39° 23½'E
        Reverse
                        afternoon obs. N 39 241 E
        Average
             Note - observations taken both morning and afternoon, to
        equalize any small error in latitude taken.
```

FINAL OATHS FOR SURVEYS.

---000---

LIST OF NAMES.

A list of the names of the individua	als
employed by Paul E. Fernald United S	States
Mineral Surveyor, to assist in running, meas	suring
and marking the lines, corners, and boundars	ies
described in the foregoing field notes of the	ne sur-
vey of the Homestead Entry claim of Wm.B.Ma 05844 described as H. E. Nos. 019996 , List Nos.	971
Situate in the Coronado National Forest, P	
Arizona.	
and showing the respective capacities in wh	ich they
acted.	
Edward E. Haskell	Chainman
	Chainman.
	Axman.

Mineral Surveyor, to seciet in running, measures servation the terrando sent ent soldien on TROS-1 . tole real __ Herry . . . H . H se best vosel

and

do solemnly swear that we assisted Paul
E. Fernald United States Mineral Surveyor, in marking
the corners and surveying the boundaries of the Homestead Entry
claim of Wm.B. Macbeath
described as H.E.No. 05844. List No. 971. and H.E.No. 019996.
List No. 3-395. situate in the Coronado National Forest.
Pima County, Arizona.
represented in the foregoing field notes as having been surveyed
by said mineral surveyor and under his direction; and that said
survey has been in all respects, to the best of our knowledge
and belief, faithfully and correctly executed, and the corner
and boundary monuments established according to law and the
instructions furnished by the United States Surveyor General for
Arizona.
E. E. Haskell.
Chainman,
Chainman.
Chainman. Axman.
Axman.
Axman.
Axman. Flagman. Subscribed and sworn to by the above named persons before me this 3/ day of May 1913, by EE Hoskell
Subscribed and sworn to by the above named persons before me this 3/ day of May 19/3, by E. E. Hoskell my Com. 140. apr. 19-1916
Subscribed and sworn to by the above named persons before me this 31 day of may, 1913, by E. E. Hoskell my Com. Hp. apr. 1916 (Seal)
Subscribed and sworn to by the above named persons before me this 3/ day of may 1913, by E. E. Hoskell my Com. 140. apr. 1916 (Seal) Leveller Metany Petrlic
Subscribed and sworn to by the above named persons before me this 3/ day of may 1913, by E. E. Hoskell my Com. 410. apr. 1916 (Seal) Letay Pellin Person Refore Pellin
Subscribed and sworn to by the above named persons before me this 3/ day of may 1913, by E. E. Hoskell my Com. 140. apr. 1916 (Seal) Leveller Metany Petrlic

Edward E. Haskell

vov *FI. t .. the correct and some Mesoan bieil Satoretas. ard Tebra, bas to ovice - bares . gniprosoa boma. Compacti and compact of the compact 18120777 (Legs) The state of the s

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Paul E. Fernald , U. S. Mineral Surveyor, do solemn-
ly swear that, in pursuance of instructions received from the United
States Surveyor-General of Arizona, dated February 3rd. 1913.
I have, in strict conformity to the laws of the United States, the
official regulations and instructions thereunder, and the instruc-
tions of said Surveyor-General, faithfully and correctly executed
the survey of the Homestead Entry Claim of Wm.B.MacBeath ,
described as H. E. Nos. 019996, Lists Nos. 3-395, situate in the
Coronado National Forest, Pima
County, Arizona, and designated as Homestead Entry Survey No. 78.
as represented in the foregoing field notes, which accurately show
the boundaries of said Homestead Entry claim as distinctly marked
by monuments on the ground, and described in List Nos. 3-395, as
incorporated in the instructions for the survey received from the
Surveyor-General, and that all the corners of said survey have been
established and perpetuated in strict accordance with the law, of-
ficial regulations, and instructions thereunder; and I do further
solemnly swear that the foregoing are the true and original field
notes of said survey and my report therein.
O . O. M
Paul E. Ferrald. U. S. Mineral Surveyor.
Subscribed and sworn to by the said Paul E. Fernald
U. S. Mineral Surveyor, before me, of W Pensed a Modern
this 31 day of may , 1913.
CILIS OF CALL
(SEAL) D.W. Purcel
My commission exp. Apr. 19, 1916. My commission exp. Apr. 19, 1916.
Gime County
Stot of arijona

r repel se difficulty of The second secon A CONTRACT OF THE CONTRACT OF . . The second second second second The second of the second ntone de la companya Downst Bluet

Dir 1 205

DESCRIPTION OF SURVEY HOMESTEAD APPLICANT No. 5. Wm. B.MacBEATH, (Supplemental) CORONADO NATIONAL FOREST, ARIZONA.

October 30, 1909. Township 19 S., Range 15 E., G.& S.R., B.& M.,

Sections 16, 21, approximately.

Variation: This survey was run and platted on a variation of 13° E., obtained from local surveyor.

Beginning at corner No. 4 marked H being the fourth and most westerly corner of List No. 971, whence the FSMH of List No. 971 bears S. 50° E. 40 chains,
List No. 971 bears S. 50° W., 40 chains to corner No. 5, a stone
Thence N. 50° W., 40 chains to corner No. 5, a stone
4"x 6" x 12", set 6" in the ground and marked H5 witnessed
alongside by a monument of stone 2' in diameter and 2' high.
No other suitable witness
Thence N. 40° E. 20 chains to corner No. 5 a stone 4".

Thence N 40° E. 20 chains to corner No. 6 a stone 4" x

Thence N 40° E. 20 chains to corner No. 6 a stone 4" x

8" x 14" set 8" in the ground and marked H6 witnessed alongside by a desert ground willow post 4" in diameter and 4-1/2'
side by a desert ground, marked WH6 and surrounded by
long, set 12" in the ground, marked WH6 and surrounded by
a monument of stone 2' x 2' high. No other suitable witness.
Thence S. 50° E., 39.15 chains to corner No. 3 a post
marked H., being the third and most monthly corner of List
No. 971

Thence S. 40° W. along the north west line of List
No. 971 to corner No. 4 the place of beginning. Containing
80 acres, be the same more or less, of agricultural land

Surveyor, Deputy Ranger.

Description and plat compared

and approved by.

orest Supervisor.

WHE. B. MEDERATH, HOMESTEAD APPLICANT NO. B. WHO. B. (Supplemental)

CORONADO NATIONAL FOREST, ARIZONA.

Township 19 8. Range 15 E., G. S. B.R., B. & M., Sections 16, 21, approximately.

Veriation: This survey was run and platted on a variation of 15° E., obtained from local surveyor.

Beginning at corner No. 4 marked N being the fourth and most westerly corner of hist No. 91, whonce the FSMH of list No. 91 bears 5. 50° 1. AC obsides.

Miscrope N. 50° N. 40° obsides to corner No. 5, a stone of the first No. 10° N. 50° N. 10° N.

Thomse S. 40° V. along the north west line of List
Wo. 971 to corner No. 4 the place of beginning. Containing
BO acres, be the same more or less, of agricultural land

Surveyor, Deputy Render.

Description and plat compared and approved by.

Forest Supervisor.

de la

DESCRIPTION OF SURVEY
William B. MacBeath, Homestead Applicant No. 5.
Coronado National Forest, Arizona.

Unsurveyed, which when surveyed will be approximately Township 19 south, Range 15 east, G.& S.R. Meridian

Secs. 16 and 21

Beginning at FSMH a granite boulder 6 x 8 x 5 above ground, carved in E face MHW located on south bank of Oak Park Canyon, S 30° E 90 links from the SE corner of W.B.MacBeath's residence; extending thence N 40° E 20 chains to a monument of stonce thence N 50° W 40 chains to a stake set in the ground, marked H thence S 40° W 20 chains to a granite boulder cut H thence S 50° E 40 chains to the place of beginning. Magnetic variation 13° E.

Area 80 acres.

(The above survey notes cover the land under List 973)

Description of General Monesteed Applicant No. 5. Octonedo Mationed Worset, Artsons.

Unserveyed, which when surveyed will be approximately Unserveyed and, S.S. S.S. Heridism

above ground, carved in a granite boulder of a 8' x 8' a show a granite boulder of a standard and a contract bound bound and a contract bound and a standard of oak Fark Canvon, a so a links from the Ca contract of a standard of the contract of the contra

chiesled H too w An obside to a stake set in the ground, marked H there a at an account themes a account to chains to a granite boulder

ent in the place is the charme to the place of be-

Area 80 seres.

(The above survey motes cover the land under lint eve)

UNITED STATES DEPARTMENT OF AGRICULTURE Supplemental

Application No. 5

Division

MAP SHEET


Coronado National Forest.

District

District

, Block T. 19 S , R. 15 E , G& SR M., Sections 16,21, Quarter SW, SE. Mapped by M. W. Hockaday B. L. Fitch 11-17-09 Scale: 8 inches = 1 mile. Wm. B. MacBeath*5 Supplemental 500 ti. 3315 CH3 Variation used 13°E. Area 80 Acres. Sec. 16 Sec. 15. 115. 120.91 FSMH

Form 220



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE
ON FIELD HOTES.

Office of U. S. Surveyor-General,

Phoenix, Arizona,

January 5, 1914.

I, U. S. Surveyor-General for the District of Arisona, do hereby certify that the foregoing transcript of the Field Notes, Return and Approval of the survey of the Homestead Entry Claim of Wm. B. MacBeath, described as Homestead Entries 05844 and 019996, Phoenix, Arizona, Land Office, based on Lists Hos. 971 and 3-395 respectively, situated in the Coronado National Forest, Pima County, Arizona, approximately in Secs. 16, 17 and 21, T. 19 S., R. 15 B., unsurveyed, G. & S. R. B. & M., and designated as Homestead Entry Survey Ho. 78, have been correctly copied from the originals on file in this office; that said Field Hotes furnish such an accurate description of said Homestead Entry Claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or to permanent monuments as will perpetuate and fix the locus thereof.

Frank S. Ingalls. U. S. Surveyor-General for Arisona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL

OF

FIELD NOTES AND SURVEY OF HOMESTEAD ENTRY CLAIM.

DEPARTMENT OF THE INTERIOR,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

January 5, 1914.

I. U. S. Surveyor-General for the District of Arizona, do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Homestead Entry Claim of Wm. B. MacBeath, described as Homestead Entry No. 05844, and Homestead Entry No. 019996, Phoenix, Arizona, Land Office, based on Lists Nos. 971 and 3-395, respectively, situated in the Coronado National Forest, Pima County, Arizona, approximately in Secs. 16, 17 and 21, T. 19 S., R. 15 E., unsurveyed, G. & S. R. B. & M., designated as Homestead Entry Survey No. 78, executed by Paul E. Fernald, U. S. Mineral Surveyor, May 1-May 2, 1913, under my instructions dated February 3, 1913, have been critically examined and the necessary corrections and explanations made and the said Field Notes and Return and the Survey they describe are hereby approved. A true copy of the copy of the Field Notes of the preliminary survey by the Department of Agriculture is included in the Field Notes.

> Thank I ingall U. S. Surveyor-General for Arizona

few residence west of the contract of the co Applicated to tolything and the Congress reported to STALL OF THE STATE STATE STATE OF THE STATE STATES THE BREAK COMMITTEE TO A STATE OF THE STATES OF THE on the distance to reminde and the best of a little to the 