U. S. DEPARTMENT OF AGRICULTURE

FOREST SERVICE

AN3-1916 NOV.5-1978

JUN. 20. 1011

FIELD NOTES

OF

HOMESTEAD ENTRY SURVEY NO. 81

SITUATED IN THE PRESCOTT

NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO.3

In Section 14 , unsurveyed, Township11-1/2N.Range 1 E.

In Section 15 , unsurveyed, Township11-1/2N., Range 1 E.

In Section 22, Unsurveyed, Township11-1/2N., Range 1 E.

In Section 23, unsurveyed, Township11-1/2N., Range 1 E.

of the

Gila and Salt River Base and Meridian.

State of ARIZONA



Applicant for listing W. M. Murray.

Residence

Mayer, Arizona

Application No. 10

, dated January 25

List No. 1590

, dated May 12

, 1908

Applicant for survey Alfred W. Switendick,

Residence

Mayer, Arizona

H. E. No. 013438

, dated March 10

, 19 11

Land Phoenix, Arizona

Survey executed by Charles D. Hodson, Surveyor - Draftsman [Forest Service Title.]

Under special instructions dated August 1

, 19 13

Survey commenced

May 24

, 19 15

Survey completed

May 25

, 19 15

Under Acts of June 11, 1906 and June 30, 1914.

OATH OF ASSISTANTS

We hereby certify that we assisted **Charles D. Hodson,**Surveyor - Draftsman

[Forest Service Title.]

in surveying all those

parts or portions of Homestead Entry Survey No. 81 , in the State of ARIZONA , which are represented in the following field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the United States Surveyor General for ARIZONA.

Note: It would have been very expensive and inconvenient to appear before an officer to administer the oaths to Assistants; hence, they were taken by the Surveyor.

Est Boecht Chainman Songlas & Maister Chainman

Subscribed and sworn to before me this

first

day of

October

1915

Surveyor - Draftsman

OATH OF SURVEYOR

I, Charles D. Hodson, Surveyor - Draftsman

do solemnly swear that, in strict conformity with the special instructions of the United States Surveyor General for ARIZONA, dated August 1, 19 13, and the laws of the United States, I have well, faithfully, and truly, in my own proper person, surveyed a tract of land embraced in

List , No. 1590 , dated May 12 , 19 **08** , for , 1906 PATENT , under the Act of June 11 the same to be known as Homestead Entry Survey No. 81 situated within the
unsurveyed Section
unsurveyed Section
unsurveyed Section
22
unsurveyed Section 23 PRESCOTT National Forest, in , Township 11-1/2N., Range 1 E., Township 11-1/2N., Range 1 E., Township 11-1/2N., Range 1 E. and 1 E. , Township 11-1/2N., Range of the G. & S. R. B. & meridian, ARIZONA and the related retracements and resurveys and section subdivisions, which are represented in the following field notes as having been surveyed by me; and I further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the stated special instructions, and in the specific manner described in the field notes, and that the following are the original field notes of such survey.

us a) Homeou

Surveyor- Draftsman

[Forest Service Title.]

Subscribed and sworn to before me this

eight

day of

.

Elsie Church Public

PRESCOTT NATIONAL FOREST

STATE OF ARIZONA.

Chains

Applicant for listing, W. M. Murray; Application No. 10, dated January 25, 1908; List No. 1590, dated May 12, 1908; Homestead Entry No. 013438, made in the Phoenix Land Office, March 10, 1911, by Alfred W. Switendick.

Surveyed under special instructions from the Surveyor General for Arizona, dated August 1, 1913, and designated as Homestead Entry Survey No. 81.

Situated in unsurveyed secs. 14, 15, 22 and 23 T. 11 No.,

R. 1 E., G. & S. R. B. & M. Prescott National Forest, Ariz.

Surveyed under Acts of June 11, 1906 and June 30, 1914.

Survey commenced May 24; 1915 and executed with a Buff and Buff transit.

I test the adjustments of the transit and make necessary corrections.

All distances were measured on the slope with a 500 link steel tape, and the slope angles were determined with a clinometer.

May 24, 1915.

Latitude 34° 22' 24" N., long 112° 13' 40" W. from special instructions from Surveyor General.

At 9h. 17m. 10s. p.m. 1.m.t., I observe Pol. near cor. H-1 of List 1590 with telescope direct and mark the line thus determined with a tack driven in a stake set firmly in the ground 8.00 chs. N. of my station.

Astron.l.m.t., obsn. May 24, 1915 9h. 17m. 10s.

Greenwich m.t.U.C.Pol. May 24, 1915 9h. 24.8m a.m.

Astron.1.m.t.U.C.Pol. May 24, 1915 9h. 23.5m. a.m.

12h. - 9h. 23m. 30s. = 2h. 36m. 30s. 9h. 17m. 10s.

Time argument and Hour angle 11h. 53m. 40s. = 11h. 53.7m.

Azimuth of Pol. at obsn. 0° 01' 36" W.

PRESCOTT NATIONAL FOREST

STATE OF ARIZONA.

Chains

At 9h. 22m. 10s. p.m. l.m.t. I again obs. Pol. at the same station with telescope reversed and mark the line thus determined with a tack driven in a stake set firmly in the ground 8.00 chs. N. of my station.

Astron l.m.t. obsn. May 24, 1915, 9h. 22m. 10s.

Greenwich m.t.U.C.Pol. May 24, 1915, 9h. 24.8m.

Corr. for long.

1.3m.

Astron.l.m.t.U.C.Pol. May 24, 1915, 9h. 23.5m.

12h. - 9h. 23m. 30s. = 2h. 36m. 30s. 9h. 22m. 10s.

Time argument and Hour angle

11h. 58m. 40s. = 11h. 58.3m. W.

11h. 58.3m. W. = 11h. 57.7 m. E.

Azimuth of Pol. at obsn. N. 0° 00' 18" E.

May 24, 1915.

May 25, 1915.

I lay off 0° 01' 30" to the E. of the line established by obsn. (telescope direct) and mark my line of sight on the stake used in the obsn. of last night.

I also lay off 0° 00' 18" to the W. from the point established by obsn. (telescope reversed) and mark my line of sight on the stake used in the obsn. of last night which defines a line that differs 3/16 ins. from the line determined by the first obsn. I take the mean of the two lines and from the meridian thus determined all courses of this survey are deflected.

It was impracticable to check lat. by obsn. during the execution of this survey.

Beginning at cor. No. 1.

A x 4 x 36 ins. marked and witnessed as described by the Forest Service. I destroy all trace of the list cor. and at this point I set a schist stone 28 x 12 x 4 ins. 18 ins. in the ground over a small stone marked with a cross, chiseled 1 - H E S 81 on the SW.

PRESCOTT NATIONAL FOREST

STATE OF ARIZONA.

Chains of face, no bearings available therefore dig pits 24 x 24 x 12 ins. crosswise on line S. 70° 59' W., and S. 12° 30' E. 7 ft. dist. from cor. and raise a mound of stone covered with earth 5 ft. base, 2½ ft. high SW. of cor.

1/4 cor. on S. bdy. of sec. 35, T. 12 N., R.

1 E., a 1 in. iron post with brass cap,

S 35

marked 1/4 S and S 2 (not marked as described by Surveyor General) set in mound of stone,

3 ft. base, 2 ft. high, with mound of stone

2 ft. base, 1/2 ft. high W. of cor., bears

N. 88° 08' E., 18.87 chs. dist. by direct

measurement.

Lat. 34° 22' 24" N., Long. 112° 13' 40" W., taken from special instructions of the Surveyor General.

Mag. decl. at 8h. 00m. a.m. 14° 51' E., Mean Mag. ...

decl. 14° 47.7' E.

moe cor. Tence bears h. and along line.

Thence S. 12° 30' E.

Desc. 10 ft. 10 1-4 .100 djiw Lasimobi

cor.

3.32 Enter wash, banks 6 ft. high, course SSE.

9.80 Fence cor. Fence bears W. and along line over flat bottom land.

15.64 End of fence. N. bank wash, 12 ft. deep, banks perpendicular. Course E.

16.09 S. bank wash, 12 ft. deep, banks perpendicular, course

17.15 Road, course N. 70° E. and S. 70° W.

17.25 Foot of hill. Asc. 30 ft. in no estween

20.25 To cor. No. 2. To brain a saier bas . tait

At this point I set a malpais stone 32 x 10 x 10 ins.

22 ins. in the ground over a small stone marked

with a cross, chiseled 2 - H E S 81 on the NW. face

4.

HOMESTEAD ENTRY SURVEY NO. 81

PRESCOTT NATIONAL FOREST

STATE OF ARIZONA.

Chains and raise a mound of stone 3 ft. base, 2 ft. high NW.

chs. dist., blazed and scribed 2 H E S 81 + B T.

Cor. H-4 of the list survey, a post 4 x 4 x 8

ins. above ground, marked and witnessed as

described by the Forest Service, bears N. 70°

bediesed as 56' E., 127 lks. dist. I destroy all trace of

snow to have No other bearings available. Pits impracticable.

Thende S. 12° 30' E.

Thence S. 70° 56! W. . . . 180 988

Along gentle N. slope through small scrub oak.

33.00 Leave hillside, enter flat.

36.90 Road, course NE. and SW. Trank Island Month

51.00 Wash, 4 ft. deep, 15 lks. wide, course N.

51.50 Fence cor. Fence bears N. and along line. Asc. 15 ft.

77.03 To cor. No. 3.

H-l of List No. 3-1439, H. E. 018475, Marshall R. Stoddard, which is a post 4 x 4 x 48 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of the list cor. pertaining to this claim and at this point I set a quartzite stone 24 x 14 x 8 ins., 14 ins. in the ground over a small stone marked with a cross, chiseled 3 - H E S 81 on the NE. face. No bearings available, therefore dig pits 24 x 24 x 12 ins. crosswise on this and the succeeding course, 7 ft. dist. and raise a mound of stone covered with earth 5 ft. base, 2 ft. high NE. of cor.

Fence cor. bears North, 2 lks. dist., fence bears N. 70° 56' E., and N. 66° 38' W.

PRESCOTT NATIONAL FOREST STATE OF ARIZONA

	STATE OF ARIZONA
Chains	11101100 IV. 20 04 W.
	Desc. 15 ft.
.02	
4.00	Foot of hill.
4.50	Barn 34 x 26 ft. bears E. and W.
9.30	The water was
13.50	Fence bears N. 60° W. and S. 60° E.
16.16	and the second of the second o
sint	S. bank wash, 35 lks. wide, 15 ft. deep, course E.
20.25	
	Identical with cor. H-2 of the list survey, and H-6 of
	List 3-1439, H. E. No. 018475 Marshall R. Stoddard,
	which is a post 4 x 4 x 48 ins. above ground, marked
	and witnessed as described by the Forest Service. I
	destroy all trace of the List cor, pertaining to this
noin	claim and at this point I set a quartzite stone 24 x 8
.A .of	x 8 ins. 14 ins. in the ground over a small stone
00.	marked with a cross, and chiseled 4 - H E S 81 on
	the SE. face. No bearings available, therefore dig
	pits 24 x 24 x 12 ins. crosswise on this and the suc-
	ceeding line, 7 ft. dist. and raise a mound of stone
90.	covered with earth 5 ft. base, 2 ft. high, SE. of cor-
	Thence N. 70° 59' E.
00.	Desc. 20 ft. through flat bottom.
40.26	To cor. H-5 of List 3-1439, H. E. 018475, Marshall R.
s Blue	Stoddard, a schist stone 10 x 6 x 3 ins. above ground
	marked and witnessed as described by the Forest Ser-
yd d	Vice. The soil is a sandy loam and where it nee been on
40.70	Road bears N. and S.
41.00	Fence cor. Fence bears S. and N. 70° 59' E.
73.62	Fence cor. Fence bears S.70° 59'. W. and SE.S. bank wash

8 ft. deep, course E.

affording little or no protection from the elements.

HOMESTEAD ENTRY SURVEY NO. 81

PRESCOTT NATIONAL FOREST

STATE OF ARIZONA

Chains 74.00

N. bank wash, 8 ft. deep, course E.

79.85

Thence over level land. To cor. No. 1 the place of beginning.

> Area ultiveted land, beers E. and

Total area

158.29 Acres.

Improvements.

The improvements made upon and for the benefit of this claim consist of the following:

A well 5 x 5 x 30 ft. deep, with 2 H.P. gasoline engine and pump, the center of which bears from cor. No. 4 S. 34° 45' E., 11.60 chs. dist.

Value

A corrugated iron dwelling 26 x 16 ft. the long side of which bears N. and S., and the NW. cor. of which bears S. 28° 37' E., 14.70 chs. dist. from cor. No. 4. Value

A corrugated iron barn 34 x 26 ft. the long side of which bears E. and W. and the NW. cor. of which bears from cor. No. 4, S 19° 31' E., 15.21 chs. dist. ered with earth 5 ft. base, 8 ft. h \$200.00

Value

Approximately two miles of wire fence

Value

\$300.00

Description. 40.26 To cor. H-5

eec. 20 ft. through flat octtom.

This claim is situated in what is locally known as Blue Bell Flat which has a gentle east slope.

The soil is a sandy loam and where it has been cut by arroyos shows a maximum depth of 16 ft.

A small portion of the claim was under cultivation at 75.68 Tence cor. Tence peers the time of survey.

The hills to the north and south are low and rolling, affording little or no protection from the elements.

7

PRESCOTT NATIONAL FOREST

STATE OF ARIZONA

Chains

There is no timber on this claim.

Water for domestic and stock purposes and to irrigate in a small garden patch is obtained from the well.

This claim is in a mineralized section but I saw no indication of mineral upon the ground.

Conflicts and Adjoining Claims.

There are no conflicts.

This claim is joined on the west and north by H. E. 018475 of Marshall R. Stoddard, unsurveyed H.E.S. 336. Mayer Post Office is approximately $3\frac{1}{2}$ miles in a northeasterly direction.

Blue Bell siding, the nearest railroad point, is approximately 1 mile east.

The Blue Bell mine lies to the south about 2 miles dist.

Traverse.

Course	Dis	stance	N.	s.	E.	W.
S. 12°	30' E.	20.25		19.77	4.38	
s. 70°	56' W.	77.03		25.16		72.80
N. 20°	34' W.	20.25	18.96			7.11
		97.38	26.00 44.96 44.93 0.03	44.93	75.51 79.89	79.91 79.89 0.02
Error	in lat.	and dep.	0.00			0.02
Closing	g error	1:5474				

The listing survey locates this claim in Sec. 35, T.

12 N., R. 1 E. and Secs. 26, 27 and 34, T.11 N.,

R. 1 E., which location is in error as is shown
by the tie to the 1/4 sec. cor. on the S. bdy. of

Sec. 35, previously recorded in these field notes.

Survey completed May 25,1915.

harus a restaman.

TENNOT MATIONAL FOREST

STATE OF OR LIA TO HTATE

Chains		is claim	There is no timber on thi
eregi	poses and to irr	took pur	Water for domestic and st
ell.	w eds from the w	do ai i	integ nebrag Ifama s ni
on	was I Jud noite	lized s	This claim is in a minera
	ground.	spon the	indication of mineral a
	.amisi° gni	nio(6A)	Conflicts and
			There are no conflicts.
.E	and north by H.	ine west	This claim is joined on t
88 .8.8	d. unsurveyed H.	rebbota	CISAPS of Marshall E.
north-	ly 3½ miles in a	ed anixo	Mayer Rost Office is appr
			easterly direction.
Rend da	et .Jalog bsorff	er Jeer	Blue Bell siding, the nes
			.tase elim i vletam
es dist	lim 2 tuode diug	o the se	The Blue Bell mine lies t
		terse.	Trav
. 17	E. E.	. VI	Course Dig tance
	19.77 4.38		S. 12° 80' E. 80.25
08.3	25.16		8. 70° 56' W. 77.05
TI.		18.96	M. 20° 34' W. 20.25
	75.51 44.93 79.89 7	26.00 44.96 44.95	N. 70° 59' F. 39'85
88.8		50.0	Error in lat. and dep.
			Closing error 1:5474
la N., hown dy. of notes.	, 27 and 34. T.I in error as is s cor. on the S. b	ion is ion is recorded	The listing survey locates N. R. 1 E. and a R. 1 E. which locate by the the to the 1/Sec. 35, previously survey completed May 25,191

Sheet No. 3.—Revised Feb., 1915.

DIRECTIONS.—1. Carry out calculations to two decimals only.

2. In balancing Latitudes and Departures do not obliterate or change the original figures.

2. In balancing Latitudes and Departures do not obliterate or change the footing of the original figures, but put below them the corrected figure or figures above in red ink. Do not change the lengths of the lines.

The corrections for balancing fallings should be proportional to the lengths of the lines.

3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. L. O. 4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

										L' H									2	
	S. AREAS.		3072,65	2190.04		7	5262,69	2096.82	3165.87	158.29										
	N. AREAS.				134.81	1962.01	2096,82			Area										
	DOUBLE M. D.		155,42	10, 78	7,11	75.52														
DEG.	KES.	West.		72.80	7.11		79.91	98 90						1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
SHOTIMA AGEA	DEFARIC	East.	4.38			75.51	79.89	19 90												
200	JES.	South.	19.77	25.16			44.93	29 24												
TIMIMIT	LAITTODES.	North.			18.96	26.00	44.96	96 th												
	DISTANCE.		20.25	77.03	20.25	79.85	197.38													
	BEARING.		S. 12° 30' E.			70° 591 E.				Closing error 1:5474										
	CORNERS.		1-2							Closin							1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			

128.53 2762.81	80000.88			SI30.04	30.200	
200	28.0002	Toeser	T24 8T			N. VBEVR
		Sa. Gr	A.17	TO. 78	755°45	
	Na al		11.7	08.37		ALBER"
	13.83	4 P • PJ			4.38	PELVICICIES
	44.32			22.03	T3 44	
	44.30	00.33	18.96			
Closing error 1:5414	Der vel	4-1 M. 10° 29' E. 79.8p	M. 800 24, M. 80.89	S-2 3. 40° 26, A. 44.02	2. TS. 20. E. 80.82	PEARING DIRLYMCE
Closi		イー丁・	P-12	03 65	T-8	

APPROVAL

Office of the United States Surveyor General,

Phoenix, Arizona, August 14 , 1917

The foregoing field notes of Homestead Entry Survey No.

81

executed by Charles D. Hodson, Surveyor-Draftsman, [Forest Service Title.] under his special instructions, dated August 1, 1913 having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above-described survey in the State of Arizona , has been correctly copied from the original notes on file in this office.

Frank P. Trott
U. S. Surveyor General.

3-2349