9

0

0

OCT. 20 1910

JAN 7 919

U. S. DEPARTMENT OF AGRICULTURE

FOREST SERVICE

FIELD NOTES

OF

HOMESTEAD ENTRY SURVEY NO. 216

SITUATED IN THE

APACHE

NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO. 3

In Section 31 , unsurveyed, Township 2 N., Range 28 E. In Section 32 , unsurveyed, Township 2 N., Range 28 E.

of the

Gila and Salt River Base and Meridian.

State of

ARIZONA.

Applicant for listing Pete Cornett

Residence

Metcalf, Arizona

Application No. 172

, dated August 14

, 19 11

List No. 3-1515

, dated Uctober 21

, 19 11

Applicant for survey

Pete Cornett

Residence

Metcalf, Arizona

H. E. No. 018492

, dated

July 15

, 19 12

Office Land District Phoenix, Arizona.

Survey executed by Lee C. Daves

Under special instructions dated supplemental special instructions dated Survey commenced

Survey completed

Surveyor - Forest Service [Forest Service Title.]

August 6 , 1914 and June 21 , 1916 March 29 , 1917

March 30 , 19 17

Under Acts of June 11, 1906 and August 11, 1916 8-2349

OATH OF ASSISTANTS

Lee C. Daves We hereby certify that we assisted Surveyor - Forest Service in surveying all those [Forest Service Title.]

parts or portions of Homestead Entry Survey No. 216 , in the State of ARIZONA , which are represented in the following field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the United States Surveyor General for ARIZONA.

- Note -It would have been very expensive and inconvenient to appear before an officer to administer oaths to assistants; hence, they were taken by the surveyor.

| Pf. ambrosp | , Chainman |
|-------------|------------|
| John H Caft | ett la |
| Chainman | |
| | |

Subscribed and sworn to before me this thirtieth

March

, 19 17 .

Luchanis Surveyor - Forest Service

OATH OF SURVEYOR

I, Lee C. Daves

Surveyor - Forest Service [Forest Service Title.]

do solemnly swear that, in strict conformity with the special instructions of the United States Surveyor General for ARIZONA , dated , 19 14 , and the laws of the United States, I have well, faithfully, and truly, in my own proper person, surveyed a tract of land embraced in List No. 3-1515, dated October 21, 1911, and a tract of land upon the application of Pete Cornett,

, dated August 14 , 19 11 , for listing , under the Act of $\mbox{\it June 11}$, 19 $\mbox{\it 06}$, Application , No. 172 the same to be known as Homestead Entry Survey No. 216 APACHE situated within the National Forest, in , Township 2 N. , Range 28 E. , and , Township 2 N. , Range 28 E. , unsurveyed Section 31 unsurveyed Section 32

of the Gila and Salt River Base &meridian, ARIZONA and the related retracements and resurveys and section subdivisions, which are represented in the following field notes as having been surveyed by me; and I further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the stated special instructions, and in the specific manner described in the field notes, and that the following are the original field notes of such survey.

> Luchanes 7 Surveyor - Forest Service

> > [Forest Service Title.]

Subscribed and sworn to before me this fourth

September

, 1918.

Enel & myere.

Notary Public.

SEAT

My Commission expires March 17, 1921.

8-2349

1

TRAPACHE OF NATIONAL FOREST

STATE OF ARIZONA TTATE

Chains

Applicant for listing, Pete Cornett; Application No.172, dated August 14, 1911; List No. 3-1515, dated October 21, 1911; H. E. 018492, made in the Phoenix Land Office on July 15, 1912 by Pete Cornett.

Also a tract of unlisted land adjoining claimant's entry was included in this survey; the land is agricultural in character, was desired by entryman and will be listed as a basis for Supplemental and Amendatory listing and entry. This is therefore a Composite Survey.

Surveyed under special instructions from the Surveyor

General for Arizona, dated August 6, 1914, and supplemental special instructions, June 21, 1916, and designated as Homestead Entry Survey No. 216.

Situated in unsurveyed Secs. 31 and 32, T. 2 N., R. 28

E., Gila and Salt River Base and Meridian, within the

Apache National Forest, Arizona.

Surveyed under the Acts of June 11, 1906 and August 11,

Survey commenced March 29, 1917 and executed with a Buff and Buff transit No. 9702, equipped with Smith solar attachment.

I test the adjustments of the transit and made necessary corrections.

All distances are horizontal and were reduced from measurements made directly on the slope with a 500 link steel tape. The slope angles were determined with a clinometer.

March 29, 1917.

-98

At the cor. Secs. 5, 6, 31 and 32, Ts. 1 and 2 N., R. 28 E., hereinafter described, Lat. 33° 28' 10", Long. 109° 28' 38", from Forest Service Base Map. I observe

ed by the serve or General.

ol 1/4 on I. and 5 6 on 5. nolf, witnessed as describ-

8--2340

TRANSPACHE NATIONAL FOREST

STATE OF ARIZONA HTATE

Chains Polaris at W. elong. at 6h: 58.8m. p.m., 1.m.t. Reference mark: a dead tree on mountain about 2 1/2 miles dist. in a northwardly direction. Angles by repetition from star to mark. (mark W. of star). 1. 1/6 (23°51'15") = 3° 58' 32", 3 direct and 3 reverse. 2. 1/4(15°55'15") = 3° 58' 44", 2 direct and 2 reverse. Diff. bet. obsns. O' la" est asw . Teloatano ni Azimuth of Pol. at W. elong. 1º 21: 32" W. Mean angle star to mark 3° 58' 38" Azimuth of Mark N. 50 20' 10" W. Accept the bearing as N. 5° 20' W., from which all courses of this survey are determined by angulation. .als .ou yevens with the march 29, 1917. March 30, 1917. ons sess revis the bus slid .. adt n RETRACEMENT - Landitat one sca From cor. of Secs. 5, 6, 31 and 32 on N. bdy., Ts. 1 and 2, R. 28E., hereinafter described. Thence East. Retracing line bet. Secs. 5 and 32, W/2. 40.06 Falls 20 lks. S. of the 1/4 sec. cor. bet. Secs. 5 and 32, which is an iron post 1 in. dia. showing 12 ins. above ground, with brass cap marked 1913 on S. rim; S 32 1/4 on N. and S 5 on S. half, witnessed as described by the Forest Service. True line is S. 89° 43' W., 40.06 chs. From the cor. Secs. 5, 6, 31 and 32 above mentioned. Thence West. Retracing line bet. Secs. 6 and 31, E/2. 39.98 Falls 2 lks. N. of the 1/4 sec. cor. bet. Secs. 6 and 31, Long. which is an iron post 1 in. in dia., set in a mound of stones, with brass cap marked 1913 on S rim; S 31 1/4 on N. and S 6 on S. half, witnessed as described by the Surveyor General.

APACHE NATIONAL FOREST

STATE OF ARIZONA

Chains

* la ins.

.axr de

9.97 chs.

True line is S. 89° 58' W. 39.98 chs.

BOUNDARIES OF CLAIM.

on line bet. Secs Beginning at Cor.. No. 1.

Identical with the cor. of Secs. 5, 6, 31 and 32, on N. bdy. T. 1 N., R. 28 E., which is an iron post 2 ins. in dia., showing 12 ins. above ground, with brass cap marked 1913 on S. rim; T. 2 N on N., R 28 E on W., T. 1 N on S. half, S 32 in NE., S 5 in SE., S 6 in SW and S 31 in NW. quadrants, witnessed as described by the Surveyor General. I adopt same for Cor. No. 1 of this survey and alongside to North set a sandstone 26 x 14 x 10 ins. 16 ins. in the ground, marked 1 H E S 216 on N. face, whence from Cor.: Cor. Bada. 5

> A pinon 5 ins. dia., bears N. 55° 55' E. 71 lks. dist., marked T 2 N R 28 E S 32 B T.

> A pinon 5 ins. dia., bears S 37° 25' E., 38 lks. dist. marked T 1 N R 28 E S 5 B T.

A pinon 7 ins dis., bears S. 68° 25' W., 22 lks. dist. marked T 1 N R 28 E S 6 B T.

A juniper 10 ins. dia., bears N. 8° 45' W.,50 lks. dist. marked T 2 N R 28 E S 31 B T. To each tree I add 1 H E S 216.

& junioer la ine. &

Phence M. 89° 43' E.

Lat. 33° 28' 10" N., Long. 109° 28' 38" W., from Forest Service Base Map.

Mag. decl. at 10:30 a.m., 14° 02' E. Mean Mag. decl. 14° 02' E. a ft. high SE. of cor., whence;

Thence S. 89° 58' W.

Along line bet. Secs. 6 and 31, through scattering pinon and juniper timber. .ani a montq A

Pole fence, bears N. and S. SE. Cor. bears S. 2 lks. dist. .03

see. along N. slope through juniper and pinon timber.

.18 Pole fence, bears N. and S.

Pole fence, bears N. and S. .64

8-2349

STATE OF ARIZONA

| TAL. | |
|------|--|
| | Chains 2.00 Wire fence, bears N. 85° W. and S. 85° E. |
| | 4.30 Forest Service trail, bears NW. and SE. |
| | 10.01 To Cor. No. 2 and Closing Corner on line bet. Secs. 6 and |
| | Beginning at Cor No. 1. |
| | Deposit a sandstone 4 x 3 x 3 ins. marked with a + 14 ins |
| | in the ground, over which set a sandstone 24 v 10 v 8 |
| | ins., chiseled + for the point. C.C. on N and 2-H E.C. |
| | 216 on NE. face; and raise a mound of stone 4 ft. base |
| | 2 ft. high NE. of cor., whence: |
| | A pinon, 6 ins. dia., bears N. 54° 50' E. 35 lks. |
| | dist., marked 2 H E S 216 + B T. |
| | A pinon 6 ins. dia. bears S. 50° 50' E. 28 1ks |
| | dist. marked 2 H E S 216 + B T. |
| | Cor. Secs. 5, 6, 31 and 32, heretofore described |
| | bears N. 89° 58 E. 10.01 chs. |
| | 1/4 Sec. cor. bet. Secs. 6 and 31, heretofore |
| | described, bears S. 89° 58' W. 29.97 chs. |
| | dist. marked T 1 N H 28 E 5 5 B T. |
| | Thence N. O' 58' W. |
| | Along E. slope through thick juniper and pinon. |
| | 5.00 Top 30 ft. asc. on E. slope. Desc. 25 ft. to cor. |
| | 9.96 To Cor. No. 3. |
| | Deposit a sandstone 4 x 2 x 2 ins. marked with a + 14 |
| | ins. in the ground, over which set a sandstone 24 x |
| | 18 x 6 ins. chiseled + for the point and 3-H E S 216 |
| | on SE. face; and raise a mound of stone 4 ft. base |
| | 2 ft. high SE. of cor., whence; |
| | A juniper 12 ins. dia., bears S. 35° 40' W. |
| | 28 lks. dist., marked 3 H E S 216 + B T. |
| | A pinon 6 ins. dia. bears N. 61° 55' W. 54 taib . all 2 2 2 2 3 4 5 5 5 5 5 5 5 6 5 6 6 6 6 6 6 6 6 6 6 |
| • | TYPE GIRL WELKER 2 H E 2 570 + B L. |
| | .18 Fole fence, bears N. and S. |

Thence N. 89° 43' E.

Asc. along N. slope through juniper and pinon timber.

Fole fence, bears N. and S.

5.

APACHE NATIONAL FOREST

STATE OF ARIZONA.

| | Chains | with oak and mahogany brush. |
|---|----------|---|
| | 0.60 | Top 10 ft. asc. Desc. abruptly along NE. slope. |
| | 4.20 | Trail, bears N. 60° W. and S. 60° E. |
| | 5.60 | Bottom 95 ft. desc. NW: and SE. Thence over creek bottom. |
| | 7.80 | Middle of Eagle Creek, running water 40 lks. wide, 1 ft. |
| | | deep, course SE. |
| | 11.40 | Wire fence, bears N. and S. Enter cultivated land. |
| | 13.30 | Leave cultivated land. Wire fence, bears N. and S. |
| | | Begin asc. of 90 ft. to cor. Leave creek bottom. |
| | 16.92 | To Cor. No. 4. |
| | eep. | Point falls on a sandstone in place, shows 48 x 30 x20 |
| | . nto Jo | ins. above ground; chisel same stone + on top for the |
| | | point and 3 H E S 216 on SW. face; and raise a mound |
| | | of stone 4 ft. base, 2 ft. high SW. of cor., whence: |
| | ₩., | A juniper, 7 ins. dia., bears N. 41° 20' E., 22 |
| | Sn | lks. dist., marked 4 H E S 216 + B T. |
| | -,I tol | A pinon, 10 ins. dia., bears N. 42° 30' W., 56 |
| | | lks. dist., marked 4 H E S 216 + B T. |
| | | Note: It was impracticable to place the mound upon the |
| | | claim. |
| | 0.1 | LIPS |
| | | Thence S. 7° 00' E. |
| | 9. | Desc. 60 ft. along SW. slope. |
| | 3.00 | Bottom desc. on SW. slope. Asc. 40 ft. to cor. |
| | 10.06 | To Cor. No. 5 and C C on line bet. secs. 5 and 32. |
| | | Deposit a sandstone 4 x 4 x 2 ins., marked with a + |
| | | 20 ins. in the ground, over which set a sandstone |
| | the | 30 x 16 x 6 ins. chiseled + for the point and 5 h E |
| | | 216 on NW. face; C C on N.; and raise a mound of stone |
| | extend- | 4 It. base, 2 It. high N. 7 W. of col., whence. |
| | mon | A pinon, 5 ins. dia., bears N. 18 22 H., C. |
| | | lks. dist. 03 08 1 00 . 100 |
| , | - | A pinon, 10 ins. dia., bears S. 69° 00' E., 16 |

lks. dist.

APACHE NATIONAL FOREST

STATE OF ARIZONA.

Each marked 5 H E S 216 + B T. Chains Cor. Secs. 5, 6, 31 and 32, heretofore described, bears S. 89° 43' W., 7.90 chs. The 1/4 sec. cor. bet. Secs. 5 and 32, heretomotted fore described, bears N. 89° 43' E., 32.16 chs. Thence S. 89° 43' W. Wire Tence, bears I. and B. Along line bet. Secs. 5 and 32. Desc. steep and rocky W. slope through pinon and juniper.

3.00

Bottom 110 ft. desc. Thence over creek bottom.

5.00

Eagle Creek. Running water, 40 lks. wide, 1 ft. deep, course SW. Asc. 100 ft. to cor. Leave creek bottom.

To Cor. No. 1 and point of beginning.

That portion of List 3-1515 in secs. 5 and 6, T. 1 N., R. 28 E., will be amended to embrace the following legal subdivisions: W/2 Lot 4, sec. 5 and NE/4 Lot 1, sec. 6.als a H A bewigm .. Jaib . axl

AREA

.misIo

Area - - . - - - - - - - 17.39 acres

Note: After careful search I am unable to find any corners of the listing survey and it is therefore impracticable to compute the listed and unlisted area in this survey. anil no 0 0 bms d .o. . 100 of

abnaa a jes noidw Tevo IMPROVEMENTS

The improvements made upon this claim consist of the ale on Mv. face: C C on N.: and r: Spriwollohid of stone

A pole and shake barn, 20 x 16 ft., the long side extending N. and S., and the SE. cor. of which bears from cor. No. 1, N. 33° W., 50 lks. dist.

.tain .ami

7.

APACHE NATIONAL FOREST

STATE OF ARIZONA.

Chains

A pole and shake cabin, 18 x 16 ft., the long side extending N. and S. and the SE. cor. of which bears from cor. No. 1, N. 0° 57'W., 4.12 chs. dist.

Value - - - - - - - - - \$200.00

Approximately 1/2 mile of wire fence.

DESCRIPTION

This claim is situated on Eagle Creek and is comprised of approximately 2 acres of cultivated land in the creek bottom, while the remainder is mesa land covered with scrub oak and suitable only for grazing.

The soil on the cultivated portion is a silt loam and

The soil on the cultivated portion is a silt loam and produces good crops.

Water for all purposes is obtained from Eagle Creek,
which crosses the claim from N. to S. An irrigation
ditch has been dug on this claim, but owing to recent
floods had been entirely washed out.

There is no timber of commercial value on this claim.

I saw no indication of mineral on the ground.

CONFLICTS AND ADJOINING CLAIMS

There are neither conflicts nor adjoining claims.

Metcalf, Arizona, the nearest post office, railroad and market point, lies in a Southerly direction and is reached by 55 miles of mountain trails.

| Cor. Course | TRAVERSE Dist. | n s | E W |
|---|---|-----------------------------------|---|
| 1-2 S. 89° 58' W. 2-3 N. 0° 58' W. 3-4 N. 89° 43' E. 4-5 S. 7° 00' E. 5-1 S. 89° 43' W. | 10.01 9.96 16.92 10.06 7.90 | .01 9.96 .08 9.99 .04 | 10.01/ .17/ 16.92/ 1.22/ 7.90 |
| Error in Lat. and Dep. | | 10.04 10.04 | 18.14 18.08 18.08 |

8.

STATE OF ARIZONA.

| ChainsSurvey completed March 30, 1917. | |
|---|---|
| The changes made in this survey meet with the approval | |
| of the entryman. | |
| Gor. No. 1, N. O° 57'W., 4.12 chs. dist. | |
| CO.COSS | |
| Approximately 1/2 wile of wire lence. | |
| Surveyor - Forest Service | _ |
| Surveyor - Horest Service | |
| NOTTERSEED | |
| This cleim is situated on legie Oreek and is comprised | |
| ent hi brol betavitles to seres a vietemizorge to | |
| berevo bottom, while the remainder is mess land covered | |
| . Buftarg wet vino alestius and who dores nit | |
| The med the si noilted portion is a silt losm and | |
| produces good erops. | |
| Water for all purposes is obtained from Eagle Crock, | |
| which crosses the claim from m. to E. An arrightion | |
| ditch has been dug on this claim, but owing to recent | |
| Floods had been entirely washed out. | |
| There is no timber of commercial value on this olding. | |
| I saw no indication of mineral on the ground. | |
| | |
| CONTRICTS AND AUDOLINE CONTRICTS | |
| .There are neither conflicts nor sajoining aleins. | |
| Hetealf. Arizons, the nearest post office, reilroad and | |
| merket point, lies in a southerly direction and is | |
| resoned by 55 miles of mountain trails. | |
| | |
| EMATERIA | |
| W Source Dist. Is a W W | |
| 10.01 10.01 10.01 W'86 8.8 2-1 .; | |
| | |
| 1. S . T . 00.00 1. 2 . 0.00 2. 2 . 2 . 2 . 2 . 2 . 2 . 2 | |
| 04. 7 . 90 . 40. 04. 7 . 90 . 8 . E-3 | |
| 54.85 10.04 10.04 18.14 18.08 10.04 10.04 18.18 | |
| Brrow in Let. and Dep | |
| | |

Form 85. Sheet No. 3.—Revised Feb., 1915.

Drections.—1. Carry out calculation, to two decimals only.

2. In balancing Latitudes and Departures do not obliterate or change the original figures.

2. In balancing in red ink.

2. Put the corrected figure or figures above in red ink.

3. The corrections for balancin fallings should be proportional to the lengths of the lines.

3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. L. O.

4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

| | | | | | | | | | | Acres | J | | | | | | | |
|-------------|-------------|--------------|-------------|-------|---------------------------|---------------------------------------|--------|-------|-------------|---------------------|-------|---|--|--|--|--|--|--|
| A PERAG | D. ANEAD. | 10 | | | 349 75 | | 350 98 | 3 14 | 20) 347 84 | 17 | ax () | | | | | | | |
| N ARRAS | N. Athanas. | | 1 79 | 1 | The state of the state of | | 3 14 | | | | | | | | | | | |
| DOUBLE M. D | | 10 38 | | 16 90 | 25 01 | 28 31 | | | | | | • | | | | | | |
| TURES. | West. | 10 01 | 178 | | | 7 90 | 18 08 | 1 ! | | | | | | | | | | |
| DEPARTURES. | EAST. | | 06 31 | | 1 22 | | 18 14 | 11811 | . | | | | | | | | | |
| LATITUDES. | South. | 10 | | | 66 6 | 04 | 10 04 | 40 01 | | | | | | | | | | |
| LATI | Nовтн. | | 96 6 | 08 | | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 10 04 | HO 01 | | | | | | | | | | |
| DISTANCE. | | 10.01 | 96.6 | 16.92 | 10.06 | 7.90 | 54.85 | | | or 1:914 | | | | | | | | |
| BEARING. | | S. 89°58' W. | N. 0°58' W. | 89.43 | S. 7°00¹ E. | S. 89°43' W. | (| | | Closing error 1:914 | | | | | | | | |
| CORNERS. | 12 | 1-2 | 2-3 | 3-4 | 4-5 | 1-9 | | | | | | | | | | | | |

| | | | | | | | | | | E C | | | | | | | | | | |
|--|--|---|--|---|--|-----|---|---|-----|----------------------|------|----|--------|-------------------|-------|-------|------|--------|--------------------------|---|
| | | | | | | | | | 200 | 889 | 188 | TÆ | 98 | Z | 0172 | | | TO | | |
| | | | | | | 4 | | | | 7.7 | 1200 | 61 | 350 | H | 54.9 | | | | in stempton | C T T T T T T T T T T T T T T T T T T T |
| | | | | | | | | | | | 200 | | | | | | | | | |
| | | | | | | | | | | | | | | | | 35 | 0 | | | |
| | | | | | | | | | | | | | CO. | | | l-1 | | | A CAST AND A SAME OF THE | 100010 |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | 27 | OT | 0 | 8. | 8 | | |
| | | | | | | | | | | | | | | | 0 000 | | | 70 | | |
| | | | | | | | | | | | | 1 | | | | | | | | |
| | | | | | | | | | | | | | | 90 | | | T. | 10% | | |
| | | | | | | | | | | | | | · T8 | -2 | | | | 10 | | |
| | | | | | | | | | | | | | 1 | | 20. | 50 | | | | |
| | | | | | | | | | | | | | 6 | | 10% | | | | | |
| | | | | * | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | 100 | 99 | | | LO | | |
| | | | | | | | | | | | | | TO | and an experience | 0 | | | | луой | |
| | | 1 | | | | | | | | | | | N. N. | | | 80 | 36 | | | |
| | | | | | | | | | | | | | JO 04 | | | | 0 | | | |
| | | | | | | P+1 | • | | | | | | | | | | | | | |
| | | | | | | | | | | 7-1-1 | | | 28. PG | 08.7 | 90. | Te.as | 9.96 | TO OT | | DISLYMOE |
| | | | | | | | | | | ordering error 7:814 | | | a | | I | F | |) i | | 0180 |
| | | | | | | | | | | OTTO | | | | W. | | | . 07 | | | |
| | | | | | | | | | | STAR. | | | | 83042 | 100°K | 88048 | 0.08 | 89.581 | | BEYENDG |
| | | | | | | | | | | OTO | | | | 00 | | 8.1 | | | | 9 |
| | | | | | | | | | | | | | | | 1 | | | | | |
| | | | | | | | | | | | | | | - | 0 | No. | 0 | | | |
| | | | | | | | | 1 | | | | | | I-C | 9 | 1 | 100 | 1 | | |
| | | | | | | | | | | | | | | | | | | | | |

APPROVAL

Office of the United States Surveyor General,

Phoenix, Orizona, June 4, 1919
The foregoing field notes of Homestead Entry Survey No.

216

| executed by Lee C. Daves, Durveyor. [Forest Service Title.] |
|---|
| under his special instructions, dated durant 6, 1914, having and supplemental special instructions dated fune 21, 1916 been critically examined, and the necessary corrections and explanations |
| been critically examined, and the necessary corrections and explanations |
| made, the said field notes, and the surveys they describe, are hereby |
| approved. |
| U. S. Surveyor General. |

I certify that the foregoing transcript of the field notes of the above-described survey in the State of Origona , has been correctly copied from the original notes on file in this office.

> FRANK P. TROTT U. S. Surveyor General.