OCT.23 1918

U. S. DEPARTMENT OF AGRICULTURE

FOREST SERVICE

OCT.-21916 NOV.3-1917

FIELD NOTES

OF

HOMESTEAD ENTRY SURVEY NO. 296.

SITUATED IN THE

CORONADO

NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO. 3.

In Section 12 , -- surveyed, Township 24 S., Range 18 E.

In Section 7 , unsurveyed, Township 24 S., Range 19 E.

In Section 18 , unsurveyed, Township 24 S., Range 19 E.

of the

Gila and Salt River Base and Meridian.

State of

ARIZONA.

Applicant for listing

Alister M. Macnab.

Residence

Parker Canyon, Arizona.

O JOBE B OBLU : NEW

Supp'l. List No. 3-2530 List No. 3-2530

, dated , dated June 6 , dated November 13 , dated May 12

, ¹⁹12. , 1914 , 1913.

Applicant for survey

Alister M. Macnab.

Residence

Parker Canyon, Arizona.

H. E. No. 024894 , dated April 29 Office

, 1914.

Land District Phoenix, Arizona.

Survey executed by Charles D. Hodson, Surveyor - Draftsman. [Forest Service Title.]

Under special instructions dated October 17

, 1914.

Survey commenced

February 17

, 1915.

Survey completed

February 20

, 1915.

Under Acts of June 11, 1906 and June 30, 1914.

1,0

OATH OF ASSISTANTS

We hereby certify that we assisted Charles D. Hodson, Surveyor - Draftsman, [Forest Service Title.] in surveying all those

parts or portions of Homestead Entry Survey No. 296 , in the State , which are represented in the following field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the United States Surveyor General for Arizona.

Note: It would have been very expensive and inconvenient to appear before an officer to administer oaths to Assistants; hence, they were taken by the Surveyor.

EsBacelor

Subscribed and sworn to before me this fush

March , 19/5.

Surveyor - Draftsman.

OATH OF SURVEYOR

I, Charles D. Hodson,

Surveyor - Draftsman,

do solemnly swear that, in strict conformity with the special instructions of the United States Surveyor General for Arizona October 17 , 1914 , and the laws of the United States, I have well, faithfully, and truly, in my own proper person, surveyed a tract of land embraced in List No. 3-2530, dated May 12, 1913, and November 13, 1914; also a tract of land upon the application of A. M. Macnab,

Application , No.215 , dated June 6 , 1912 , for Patent , under the Act of June 11 , 1906 the same to be known as Homestead Entry Survey No. 296 situated within the CORONADO National Forest, in , Township 24 S., Township 24 S. -- surveyed Section 12 , Range 18 E. , Range 19 E. unsurveyed Section 7 , Township 24 S. , Range 19 E. unsurveyed Section 18

meridian, Arizona G. and S. R. B. and related retracements and resurveys and section subdivisions, which are represented in the following field notes as having been surveyed by me; and I further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the stated special instructions, and in the specific manner described in the field notes, and that the following are the original field notes of such survey.

Charles D Hodson

Surveyor - Draftsman.

[Forest Service Title.]

Subscribed and sworn to before me this 3/si

, 19/J·

SEAL. Seppino Pepi H, 1916. Molary Public

CORONADO NATIONAL FOREST

STATE OF ARIZONA

Applicant for listing, A. M. Macnab; Application No. 215, dated June 6, 1912; List No. 3-2530, dated May 12, 1913 and November 13, 1914; Serial No. 024894, made in the Phoenix Land Office on April 29, 1914, by Alister M. Macnab.

> Also a small tract of unlisted land adjoining claimant's entry was included in this survey. The land is agricultural in character, was desired by entryman and will be listed as a basis for amendment of H. E. No. 024894.

Surveyed under special instructions from the Surveyor General for Arizona, dated October 17, 1914 and designated as Homestead Entry Survey No. 296.

Situated in surveyed section 12, T. 24 S., R. 18 E., and unsurveyed sections 7 and 18, T. 24 S., R. 19 E., Gila and Salt River Base and Meridian, within the Coronado National Forest, Arizona.

Surveyed under the Acts of June 11, 1906 and June 30, 1914.

Survey commenced February 17, 1915 and executed with a Buff and Buff Forest Service transit No. 9700-6, with vertical circle. The horizontal limb has two double verniers placed opposite to each other, reading to single minutes of arc, which is also the least count of the vernier on the vertical circle.

I test the adjustments of the transit and make necessary corrections.

All distances are horizontal and were reduced from measurements made directly on the slope with a 500 link steel tape. The slope angles were determined with a clinometer.

At the cor. of secs. 12 and 13, T. 24 S., R. 19 E. and

CORONADO NATIONAL FOREST

STATE OF ARIZONA

Chains

IIIw bo

184894.

-alasi

dilw

-889M

secs. 7 and 18, T. 24 S., R. 19 E., which is also cor. No. 1 of this survey, I observe the altitude of the sun for azimuth. The reading on the reference object was set at zero and the sun was observed in the lower left and upper right quadrants of the field. My watch is set for local mean time, Lat. 31° 21' 12" N., Long. 110° 28' W., from the special instructions from the Surveyor General. Compared the Leading

> Position Horizontal Vertical Angle Telescope 1. m. t. Angle

- Direct 8h. 48m. 30s. 56° 54' 00" 25° 24' 00" (1) Reversed 8h. 49m. 3ls. 57° 18' 30" 25° 03' 00" 8h. 49m. 00s. 57° 06' 15" Mean 25° 13' 30" Bearing of reference object, S. 0° 26' 31" E.
- Direct 8h. 50m. 28s. 56° 33' 00" 25° 44' 30" Reversed 8h. 51m. 16s. 56° 59' 00" 25° 20' 00" Mean 8h. 50m. 52s. 56° 46' 00" 25° 32' 15" Bearing of reference object, S. 0° 27' 30" E. The mean of the two observations is S. 0° 27' E.

February 20, 1915.

At 1h. 00m. p.m., 1.m.t., I lay off 0° 27' to the right of the reference object and mark the meridian thus determined by a nail driven in a stake set 10.00 chs. S. of my station, and to the meridian thus determined all the courses of this survey are referred.

mout beened stew but retracements

February 17, 1915.

The cor. to secs. 7, 12, 13 and 18 being obliterated. and the one bearing tree given in the field notes of said cor. being destroyed, I commence at the 1/4 sec. cor. bet. secs. 13 and 18, a sandstone 8 x 4 x 6 ins. above ground, marked and witnessed as described by the

CORONADO NATIONAL FOREST

STATE OF ARIZONA Surveyor General. A flag at the 1/4 sec. cor. bet. Chains secs. 7 and 12, is plainly visible. Thence N. 0° 09' W. Manage and Bas : mis 10 ont On a true line bet. secs. 13 and 18. Set temporary point for cor. secs. 7, 12, 13 and 18. 40.00 Continue bet. secs. 7 and 12. Intersect the 1/4 sec. cor. bet. secs. 7 and 12, a sand-80.20 stone 8 x 6 x 8 ins. above ground, marked and witnessed as described by the Surveyor General. Thence S. 0° 09' H. On a true line. Set a temporary point at true point for cor. to secs. 40.10 7, 12, 13 and 18. Thence West. On a random line bet. secs. 12 and 13. 40.22 Fall 7 lks. N. of the 1/4 sec. cor. bet. secs. 12 and 13, a sandstone 10 x 6 x 10 ins. above ground, marked 1/4 S on N. face, with mound of stone 2 ft. base, 1-1/2 ft. high N. of cor., whence:

A black cak, 24 ins. dia., blazed and scribed 1/4 S 13 B T, bears S. 47° 50' E., 33 lks. dist.

Thence N. 89° 54' E.

40.22

On a true line bet. secs. 12 and 13.

Intersect point for location of cor. to secs. 7, 12, 13 and 18, and what will be cor. No. 1 of this survey.

BOUNDARLES OF CLAIM

Beginning at cor. No. 1.

Identical with cor. to secs. 7, 12, 13 and 18. I set a limestone 24 x 8 x 6 ins., 14 ins. in the ground, over a small stone marked with a cross, chiseled (+)

8---2345

CORONADO NATIONAL FOREST

STATE OF ARIZONA

Chains

at the point, with two notches on North edge and 4 notches on South edge, and 1 - H E S 296 on side facing the claim; and raise a mound of stone 3 ft. base, 2 ft. high West of cor., whence:

A black oak, 6 ins. dia., blazed and scribed

Sec 12 + 1 H E S 296 + B T, bears N. 8°

16' W., 356 lks. dist.

Mag. decl. at 10h. 00m. a.m., l.m.t., 13° 29' E. Mean mag. decl., 13° 26' 48" E.

Lat. 31° 21' 12" N., Long. 110° 28' W., obtained from special instructions from the Surveyor General.

Thence S. 89° 54' W.

On line bet. secs. 12 and 13, over unlisted land.

- 0.20 Road bears N. and S.
- 4.00 Fence bears N. 85° W. and S. 85° E. Enter cultivated land.
- 8.04 To cor. No. 2 and C. C. on line bet. secs. 12 and 13.

 Set a diorite stone 26 x 18 x 6 ins., 20 ins. in the ground, over a small stone marked with a cross, chiseled (+) at the point, C C on NE. face and 2 H E S 296 on side facing the claim; and raise a mound of stone 2 ft. base, 1-1/2 ft. high, N. 53° 15' E., 3-1/2 ft. dist. from cor., whence:

A willow, 6 ins. dia., blazed and scribed 2 H E S 296 + B T, bears N. 8° 45' E., 115 lks. dist.

A sycamore, 12 ins. dia., blazed and scribed

2 H E S 296 + BT, bears N. 36° 25' W.,

78 lks. dist.

Cor. common to secs. 7, 12, 13 and 18, heretofore described, bears N. 89° 54' E., 8.04 chs. dist.

1/4 cor. bet. secs. 12 and 13, heretofore described, bears S. 89° 54' W., 32.18 chs. dist.

101

CORONADO NATIONAL FOREST

STATE OF ARIZONA

Chains Thence N. 53° 15'. E.

0.10 Fence bears E. and W. a north new auto I fame

0.25 Road, bears E. and W. Cross flat near S. bank of creek.

10.03 To cor. No. 3 and C. C. on line bet. secs. 12 and 7,

Rs. 18 and 19 E. . mort . with . Jt Sal- . . Tralo

Identical with cor. H-l of the list survey, a granite stone 8 x 4 x 8 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. and at this point I set a lime-stone 24 x 16 x 8 ins., 14 ins. in the ground, over a small stone marked with a +, chiseled (+) at the point, C C on SW. face and 3 - H E S 296 on the side facing the claim; and raise a mound of stone 3 ft. base, 2 ft. high S. 53° 04' W., 3-1/2 ft. dist. from cor., whence:

A black oak, 6 ins. dia., blazed and scribed 3 H E S 296 + B T, bears S. 80° 22' E.,

75 lks. dist.

A willow, 8 ins. dia., blazed and scribed 30.33
3 H E S 296 + B T, bears S. 60° 55' W.,
19 lks. dist.

Cor. to secs. 7, 12, 13 and 18, heretofore de-

1/4 sec. cor. bet. secs. 7 and 12, heretofore described, bears N. 0° 09' W., 34.10 chs. dist.

Enter listed land. Ascend 5 ft. along S. bank of creek.

20.00 Creek, 100 lks. wide, banks 2 ft. high, course NW.

21.88 To cor. No. 4. A. . and Al . dec sould A

. delb

Identical with cor. H-2 of the list survey, a granite stone 8 x 4 x 6 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. and at this point set a lime-

CORONADO NATIONAL FOREST

STATE OF ARIZONA

Chains

stone 24 x 16 x 6 ins., 14 ins. in the ground, over a small stone marked with a +, chiseled (+) at the point and 4 - H E S 296 on side facing the claim; and raise a mound of stone 2 ft. base, 1-1/2 ft. high within the claim, 3-1/2 ft. dist. from the cor., whence:

A black oak, 24 ins. dia., blazed and scribed

4 H E S 296 + B T, bears N. 41° 45' E.,

97 lks. dist.

A black oak, 6 ins. dia., blazed and scribed

4 H E S 296 + BT, bears N. 49° 22' W.,

94 lks. dist.

. Thence N. 61° 00' E. mom a enter hos : misle ent

Ascend 5 ft. along foot of steep bank.

12.30 Dry wash, 100 lks. wide, banks 1 ft. high, course S.
Ascend 10 ft.

21.50 Top of ascent. Descend 5 ft.

22.05 To cor. No. 5. braid . . . Bib . ani 8 . wollhw A

H-1, Serial 024893, Edward McFarlane, H. E. S. No. 297,

a granite stone 8 x 4 x 8 ins. above ground, marked and

witnessed as described by the Forest Service. I de
stroy all trace of this list cor. which refers to this

claim, and at this point I set a limestone 24 x 18 x 10

ins., 14 ins. in the ground, over a small stone marked

with a +, chiseled (+) at the point and 5 - H E S 296 on

side facing the claim; and raise a mound of stone 2 ft.

base, 1-1/2 ft. high within the claim, 3-1/2 ft. dist.

from cor., whence:

A black oak, 14 ins. dia., blazed and scribed.

5 H E S 296 + B T, bears N. 76° 00' E.,

iw bas be168 lks. dist. Toos . and d x 4 x 8 enote

A white oak, 6 ins. dia., blazed and scribed - 5 H E S 296 + B T, bears N. 25° 05' W.,

7.

CORONADO NATIONAL FOREST

STATE OF ARIZONA

	DIAIL OF ARTICONA
Chains	enote 1, 53 lks. dist.
east .t	
	Thence S. 1° 35' W. San and no des a M Hy- y bas
edi Bi	Along line H-3 to H-4 of the list survey.
, 0.01	Fence bears NE. and SW., cor. 4 lks. E.
2.10	Creek, 80 lks. wide, banks 2 ft. high, course W. Con-
.tup lo	tinue over agricultural land.
8.00	Fence bears N. 10° E. and S. 10° W.
10.00	Foot of NW. slope. Ascend 105 ft.
21.55	Cor. fence, 5 lks. W., fence bears N. and SW.
22.00	Top of hill. Enter Campini Mesa, slopes SW.
24.86	Cor. H-6, Serial 024893, Edward McFarlane. Descend 10
40.00	ft.
48.60	To cor. No. 6.
	Identical with cor. H-4 of the list survey, a granite
	stone 6 x 4 x 6 ins. above ground, marked as described
. Mon	by the Forest Service. I destroy all trace of this
	list cor. and at this point I set a sandstone 28 x 16
	x 8 ins., 18 ins. in the ground, over a small stone
.Jas	marked with a +, chiseled (+) at the point and 6 - H E S
	296 on side facing the claim. No bearings available,
	therefore dig pits 24 x 24 x 12 ins. crosswise on this
	and the succeeding course, 7 ft. dist.; and raise a
and the second second desired	mound of stone covered with earth, 5 ft. base, 2 ft.
	high within the claim, 3-1/2 ft. dist. from the cor.
eros ÉS	
prompany and a	Thence N. 89° 26' W.
9108 00	Descend 10 ft. over grassy mesa.
0.90	Road bears NW. and SE.
39.42	To cor. No. 7 and C. C. on line bet. secs. 13 and 18.
BIA	Identical with cor. H-5 of the list survey, a granite
	stone 10 x 6 x 8 ins. above ground, marked as described
	by the Forest Service. I destroy all trace of this
	list cor. and at this point set a sandstone 24 x 8 x 8

-2340 .

CORONADO NATIONAL FOREST

STATE OF ARIZONA

Chains

ins., 14 ins. in the ground, over a small stone marked with a +, chiseled (+) at the point, C C on the E. face and 7 - H E S 296 on the side facing the claim. No bearings available, therefore dig pits 30 x 24 x 12 ins. crosswise on each line, N. and S., 4 ft. and S. 89° 26' E., 8 ft. dist., and raise a mound of stone covered with earth, 6 ft. base, 2-1/2 ft. high S. 89° 26' E. of cor., whence:

cor. to secs. 7, 12, 13 and 18, heretofore described, bears N. 0° 09' W., 28.00 chs. dist.

1/4 sec. cor. bet. secs. 13 and 18, heretofore
described, bears S. 0° 09' E., 12.10 chs. dist.

Thence N. 0°09' W.

Over level mesa.

7.40 Edge of mesa. Descend 50 ft.

16.00 Foot of hill. Enter bench; descend 10 ft. over bench.

20.00 Leave bench. Descend 30 ft.

21.90 Foot of hill. Enter bottom.

23.65 Enter road, bears N. and SE. Fence cor. 25 lks. East.

27.50 Leave road, bears NW. and S.

earth, 5 ft. base, 8

28.00 To cor. No. 1, the place of beginning.

AREA Delevos len

Area unlisted land (Sec. 12, surveyed - - - - 2.42 acres

Area listed land (Secs. 18 and 19 unsurveyed) 157.23 acres

Total Area - - - - - - - - - - - - 159.65 acres

second 10 ft. over grassy mess.

IMPROVEMENTS DAM . WILLIAM BELOW DECK DECK DECK

The improvements made upon and for the benefit of this homestead consist of the following:

A well with pump, 4 ft. dia. by 25 ft. deep, the center of which bears N. 3° 00' E.; 2.44 chs. dist. from cor. No.1.

Value ----- \$175.00

CORONADO NATIONAL FOREST

STATE OF ARIZONA

Chains

An adobe store house, 20 x 12 ft., the long side of which bears E. and W., the SW. cor. of which bears N. 47°

35' E., 4.40 chs. dist. from cor. No. 1.

Value ----- \$100.00

An adobe dwelling, 44 x 16 ft., the long side of which bears E. and W. and the SW. cor. of which bears N. 59° 45' E., 3.50 chs. dist. from cor. No. 1.

Value ----- \$600.00

Approximately 1-1/2 miles of wire fence.

Value ----- \$120.00

DESCRIPTION

This claim is situated on bottom and mesa land of excellent quality at an elevation of approximately 5200 ft.

The slopes are rocky and non-agricultural, but make exceptionally fine grazing land. The mesa land, which comprises approximately one-half of the area, is adapted to the growing of dry farm products. The bottom land, which is sub-irrigated, is well adapted to orcharding, and a tract of approximately ll acres is used for this purpose, which is the only land under cultivation at the time of survey.

This is not a mineralized section, and I saw no indications of mineral upon the claim.

CONFLICTS AND ADJOINING CLAIMS

This claim is joined on the East by the homestead of Edward McFarlane, Serial 024893, H. E. S. 297, and on the SW. by patented land of Colin Cameron.

Parker Canyon post office is 5 miles Northwesterly.

Patagonia, the nearest railroad station in the United States, is 32 miles by wagon road in a Northwesterly direction.

CORONADO NATIONAL FOREST

STATE OF ARIZONA

Sing 9	The same of the same							
hains				TRAVERSE	, G			S. C. C. C. C.
478	.E sas	ed doldw	Sect	ion 12,	Survey	ed .	A ersed	
	Cor.	· Course	. 100	Dist.	STD N. BU	S.	· · E	W
00	. 1-2 5	- 890- 54	-1 - W	8.04		0.01		8.04
	2-3 N	. 53° 15	· E.	10.03	6.00	0.01	8.04	0.01
noin	3-1 S	. 0° 09	· E.	10.03	E 34 . 3	6.00	0 09	mA.
				24.07 Dep.	6.00	6.01	8.06	8.04
0.69			. 10	he BM. o	d one .	6.00-	8.04	
	Error	in Lat.	and	Dep.		.01	.02	
		.T 0/1	" 10	74	ern, ec	00.0	. + B . G%	
00	Closin	g error,	1:2	010.				
	* 000							
		0	4	_ w _ 1	70			
		Sec	tion	s 7 and	18, Uns	urveyed	Sm k o o o o	
	Cor.	ence.			Tim SYL	-L vier		W
00	· Valdes -	Course	i or	Dist.	N	S S	E	W
0	· Valdes -	Course	i or	Dist.	N	S	E 21.59	W
00	3-4 N 4-5 N	Course . 80° 44 . 61° 00	' E.	Dist. 21.88 22.05	N 3.52 10.69	S	E 21.59 19.29	W
Q.C	3-4 N 4-5 N	Course . 80° 44 . 61° 00	' E.	Dist. 21.88	N 3.52 10.69	S	E 21.59 19.29	1.34
Q.C.	3-4 N 4-5 N	Course . 80° 44 . 61° 00	' E.	Dist. 21.88	N 3.52 10.69	S	E 21.59 19.29	1.34 39.42
Oc	3-4 N 4-5 N 5-6 S 6-7 N 7-1 N	Course . 80° 44 . 61° 00 . 1° 35 . 89° 26 . 0° 09	E. W.	Dist. 21.88 22.05 48.60 39.42 28.00	N 3.52 10.69 0.39 28.00	\$ 48.58	E 21.59 19.29	1.34 39.42
oc Tacks	3-4 N 4-5 N 5-6 S 6-7 N 7-1 N 1-3 N	Course . 80° 44 . 61° 00 . 1° 35 . 89° 26 . 0° 09 . 0° 09	E. W.	Dist. 21.88 22.05 48.60 39.42 28.00	N 3.52 10.69 0.39 28.00 6.00	\$ 48.58	E 21.59 19.29	1.34 39.42 0.07 0.02
oo excel-	3-4 N 4-5 N 5-6 S 6-7 N 7-1 N 1-3 N	Course . 80° 44 . 61° 00 . 1° 35 . 89° 26 . 0° 09 . 0° 09	E. W.	Dist. 21.88 22.05 48.60 39.42 28.00	N 3.52 10.69 0.39 28.00 6.00	\$ 48.58	E 21.59 19.29	1.34 39.42 0.07 0.02
. #1 00	3-4 N 4-5 N 5-6 S 6-7 N 7-1 N 1-3 N	Course - 80° 44 - 61° 00 - 1° 35 - 89° 26 - 0° 09	E. E. W. W.	Dist. 21.88 22.05 48.60 39.42 28.00 6.00 165.95	N 3.52 10.69 0.39 28.00 6.00 48.60 48.58	\$ 48.58	E 21.59 19.29	1.34 39.42 0.07 0.02 40.85
. #1 00	3-4 N 4-5 N 5-6 S 6-7 N 7-1 N 1-3 N	Course - 80° 44 - 61° 00 - 1° 35 - 89° 26 - 0° 09	E. E. W. W.	Dist. 21.88 22.05 48.60 39.42 28.00 6.00	N 3.52 10.69 0.39 28.00 6.00 48.60 48.58	\$ 48.58	E 21.59 19.29 40.88 40.85	1.34 39.42 0.07 0.02 40.85
-xe e	3-4 N 4-5 N 5-6 S 6-7 N 7-1 N 1-3 N Error	Course . 80° 44 . 61° 00 . 1° 35 . 89° 26 . 0° 09 in Lat. g error.	E. W. W. W.	Dist. 21.88 22.05 48.60 39.42 28.00 6.00 165.95	N 3.52 10.69 0.39 28.00 6.00 48.60 48.58	\$ 48.58 48.58	E 21.59 19.29 40.88 40.85	1.34 39.42 0.07 0.02 40.85
o ox-	3-4 N 4-5 N 5-6 S 6-7 N 7-1 N 1-3 N Error	Course 80° 44 61° 00 1° 35 89° 26 0° 09 in Lat. g error,	: E. ' W. ' W. ' W. and ' 1:4	Dist. 21.88 22.05 48.60 39.42 28.00 6.00 165.95	N 3.52 10.69 0.39 28.00 6.00 48.60 48.58	\$ 48.58	E 21.59 19.29 40.88 40.85	1.34 39.42 0.07 0.02 40.85

to the growing of dry farm products. The bottom land,

which is sub-diricated, is well adapted to orenarding.

and a tract of approximately il screet is need for this

purpose, which is the only land under oultivation et

This claim is joined on the Rest by the homestead of

Edward McFarlano, Seriol Of1895, H. E. E. 297, and on

Tatagonia, the meanest railroad atation in the United

States; is 22 wiles by wagon road in a Morthweaterly

the SW. by patented land of Colin Cameron.

Parker Canyon post office is builes Borthwesterly.

Charles D Hockson

Surveyor - Draftsman

.doiteetie.

Drections.—1. Carry out calculation to two decimals only.

2. In balancing Latitudes and Departures do not obliterate or change the original figures.

2. In balancing Latitudes and Departures do not obliterate or change the footing of the original figures, but put below them the corrected figure or figures above in red ink. Do not change the footing of the lines.

The corrected figure or figures above in red ink. Do not change the lengths of the lines.

The corrected footing in red ink.

The corrected footing in red ink.

The corrected footing in red ink.

3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal.

4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner. Arizona. D. DOUBLE M. 0平 STATE WEST. DEPARTURES unsu rveyed EAST. NO. Surveyed HOMESTEAD ENTRY SURVEY 디 and Section LATITUDES Sections NORTH. OF 00.9 00.9 DISTANCE 8.04 10.03 21.88 22.05 39.42 48.60 28,00 24.07 165.95 TABLING AND CALCULATIONS 1:8010 Closing error, 1:4609 日言 曰 H 国 國 54. 44 * . 60 BEARING. error, ô ô ô N. S Closing N. i B S H Form 85. Sheet No. 3.—Revised Feb., 1915. 2-3 4-5 1-2 3-1 9-9 6-7 7-1 CORNERS. 8-2349

Acres

ai

48 26

48 30

Acres

S. AREAS. N. AREAS.

APPROVAL

Office of the United States Surveyor General,

Phoenix, Arizona, March 21, , 1918.

The foregoing field notes of Homestead Entry Survey No.

296

executed by Charles D. Hodson, Surveyor-Draftsman [Forest Service Title.] under his special instructions, dated October 17, , 1914, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above-described survey in the State of Arizona, , has been correctly copied from the original notes on file in this office.

Frank P. Trott .

U. S. Surveyor General.

8-2349