

ORIGINAL
U. S. DEPARTMENT OF AGRICULTURE

FOREST SERVICE

47

MAR-4-1919

OCT-5-1916

OCT-1-1917

DEC 9- 1918

MAR 20 1918

FIELD NOTES

OF

HOMESTEAD ENTRY SURVEY NO. 373

SITUATED IN THE **COCONINO** NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO. 3

In Section 28, - surveyed, Township 22 N., Range 8 E.

In Section 33, - surveyed, Township 22 N., Range 8 E.

of the

Gila and Salt River Base and Meridian.

State of **ARIZONA**

Applicant for listing **J. F. Block**,

Residence **Flagstaff, Arizona**

Application No. **410**, dated **April 21**, 19 **13** ✓

List No. **3-2550**, dated **May 22**, 19 **13** ✓

Applicant for survey **George Connolly**,

Residence **Flagstaff, Arizona**

H. E. No. **024970**, dated **April 27**, 19 **14** ✓

Land District **Phoenix, Arizona**

Survey executed by **R. P. A. Johnson**, Surveyor - Draftsman
[Forest Service Title.]

Under special instructions dated **July 9**, 19 **15**

Survey commenced **October 3**, 19 **15**

Survey completed **October 11**, 19 **15**

Under Acts of **June 11, 1906 and March 4, 1915.** ✓

OATH OF ASSISTANTS

We hereby certify that we assisted *R.P.A. Johnson*
Surveyor Draftsman in surveying all those
 parts or portions of Homestead Entry Survey No. 373, in the State
 of *Arizona*, which are represented in the following field notes
 as having been surveyed by him and under his direction; and that said
 survey has been in all respects, to the best of our knowledge and
 belief, well and faithfully surveyed, and the corner monuments estab-
 lished, according to the instructions furnished by the United States
 Surveyor General for *Arizona*

Note: It would have been
 very expensive and incon-
 venient to appear before
 an officer to administer
 the oaths to Assistants;
 hence, they were taken
 by the Surveyor.

C.H. Baecht Chairman
Douglas E. Maister Chairman

Subscribed and sworn to before me this fifteenth day of
 December, 1915.

R.P.A. Johnson
Surveyor Draftsman

OATH OF SURVEYOR

I, *R.P.A. Johnson*, Surveyor Draftsman
 [Forest Service Title.]

do solemnly swear that, in strict conformity with the special instruc-
 tions of the United States Surveyor General for *Arizona*, dated
 July 9, 1915, and the laws of the United States, I have
 well, faithfully, and truly, in my own proper person, surveyed a tract
 of land ~~embraced in~~

Kist Patent, No. 3-2550 dated May 23, 1913, for
 the same to be known as Homestead Entry Survey No. 373,
 situated within the *Cochino* National Forest, in
 - surveyed Section 28, Township 22N, Range 8E, and
 - surveyed Section 33, Township 22N, Range 8E,

of the *Gila and Salt River Base and Meridian, Arizona*, and the
 related retracements and resurveys and section subdivisions, which are
 represented in the following field notes as having been surveyed by me;
 and I further solemnly swear that all the corners of said survey have been
 established and perpetuated in strict accordance with the stated special
 instructions, and in the specific manner described in the field notes,
 and that the following are the original field notes of such survey.

R.P.A. Johnson
Surveyor Draftsman
 [Forest Service Title.]

Subscribed and sworn to before me this 25th day of

March, 1916

Elsie C. Mayer
Notary Public



8-2349

My Commission expires April 20, 1918.

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains Applicant for listing, J. F. Block; Application No. 410 dated April 21, 1913; List No. 3-2550 dated May 22, 1913; H. E. 024970 made in the Phoenix Land Office on April 27, 1914 by George Connolly.

Surveyed under special instructions from the Surveyor General for Arizona dated July 9, 1915 and designated as Homestead Entry Survey No. 373.

Situated in Secs. 28 and 33, T. 22 N., R. 8 E., Gila and Salt River Base and Meridian, Coconino National Forest, Arizona.

Surveyed under the Acts of June 11, 1906 and March 4, 1915.

Survey commenced October 3, 1915 and executed with a Buff and Buff transit No. 9700-6.

I test the adjustments of the transit and make necessary corrections.

All measurements were made directly on the slope with a 500 link steel tape. The slope angles were determined with a clinometer.

October 3, 1915.

At 6h. 8.5m., p.m., l.m.t., I observe Polaris at Cor. No. 1 identical with cor. 1 to Secs. 28, 29, 32 and 33, T. 22 N., R. 8 E., hereinafter described. The reading on the reference object is set at Zero.

Lat. $35^{\circ} 15' 15''$ N. Long. $111^{\circ} 33' 45''$ W. from Flagstaff Quadrangle U. S. G. S. sheet.

Telescope	Horizontal Angle	Time
-----------	------------------	------

Direct 33° 08' 1° 30' E. of Star 6h.7m.

Reverse 33° 08' 1° 30' E. of Star 6h.10m.4s.

2) 3° 00' 12h.17m.4s.

Mean 33° 08' 1° 30' 12h.16m.32s.

:feint w mottl, begin

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains
 Astron. l.m.t., U.C.Pol., October 3, 1915 12h. 43.9m.

Mean Astron. l.m.t., obsn. October 3, 1915 6h. 8.5m.

6h. 35.4m.

Corr. for long. 1.2m.

Hour angle Pol. at obsn. 6h. 34.2m.

Azimuth Pol. $1^{\circ} 22' 52''$ to E. rim for latenc.

Bearing of reference object N. $2^{\circ} 52' 52''$ E.

6h. 8.5m. 6h. 35.4m.

At 6h. n 12.4m., p.m., l.m.t., I again observed Polaris

at Cor. No. 1. The reading on the reference object

was set at zero. until to sec and return before

Telescope	Horizontal Angle	Time
Direct	$1^{\circ} 30'$	6h. 11m. 47s.
Reverse	$1^{\circ} 30'$	6h. 13m. 05s.
	$3^{\circ} 00'$	<u>12h. 24m. 52s.</u>
	$1^{\circ} 30'$	6h. 12m. 26s.

Astron. l.m.t., U.C.Pol., October 3, 1915 12h. 43.9m.

Mean Astron. l.m.t., obsns. October 3, 1915 6h. 12.4m.

6h. 31.5m.

Corr. for long. 1.2m.

Hour angle Pol. at obsn. 6h. 30.3m.

Azimuth Pol. $1^{\circ} 23' 06''$ E.

Bearing of reference object N. $2^{\circ} 53' 07''$ E.

The mean of these is N. $2^{\circ} 52' 59''$ E. and from the cor-

responding meridian all the courses of this survey

were deflected.

Retracements.

October 4, 1915.

Secs. 28, 29, 32 and 33, T. 22 N., R. 8 E.,

which is a granite stone 6 x 6 x 16 ins. above ground

chiseled with 1 notch on south and 4 notches on east

edges, from which:

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains

. and Q bearing A yellow pine 26 ins. dia., bears S. 89°

bedrock. dist. 21' W., 269 lks. dist. scribed

T 22 N R 8 E S 32 B T. a 2 A 1

This cor. is described by Surveyor General as a post with pits and mound of earth. The old post was on ground at restored corner. The old witness tree has disappeared.

Thence North. On random line bet. Secs. 28 and 29.

40.83 Fall 74 lks. E. of 1/4 sec. cor. bet. Secs. 28 and 29, S. 88° T. 22 N., R. 8 E., which is a sandstone 12 x 5 x 8 ins. Bedrock above ground marked and witnessed as described by the Surveyor General.

Thence S. 1° 03' E.

On true line bet. Secs. 28 and 29.

20.42 Set temp. 1/16 sec. cor. on W. bdy. SW/4.

30.63 Set temp. 1/64 sec. cor. on W. bdy. SW/4 SW/4 and point for Cor. No. 2 of this survey.

40.84 Cor. for Secs. 28, 29, 32 and 33 heretofore described.

Thence East.

On random line bet. Secs. 28 and 33.

40.44 Fall 45-1/2 lks. S. of 1/4 cor. bet. Secs. 28 and 33,

T. 22 N., R. 8 E., which is described by Surveyor General as post with pits and mound of earth and one bearing tree. I find no trace of post, pits or mound but bearing tree is in place marked as described by Surveyor General. I restore cor. as follows:

Set a limestone 20 x 6 x 6 ins., 10 ins. in the ground, over charred stake, chiseled 1/4 on N. face and raise a mound of stone 2 ft. base, 1-1/2 ft. high N. of cor.

from which:

Isivogem ic birch, etiq, jecq to seost, vna brnt et

basin linc ittoqotl :swallol ab too nallidstas-er I

HOMESTEAD ENTRY SURVEY NO. 373

COCONINO NATIONAL FOREST

STATE OF ARIZONA

- Chains . The original witness tree, a yellow pine 40 ins. dia., bears S. 70° W., 110 lks. dist. scribed 1/4 S B T. & SE 1/4 SW 1/4 T.
- 10.11 fad s. as A yellow pine 28 ins. dia., bears N. 78° 30' E., no saw jacq b 144 lks. dist. scribed 1/4 S 28 B T.
- 20.22 Thence S. 89° 21' W. tentos betrojser de bajarz
On true line bet. Secs. 28 and 33. betrojser de bajarz
- Set temp. 1/64 sec. cor. on S. bdy. SE/4 SW/4, Sec. 28 and point for cor. Note 29 of this survey.
- 30.33 Set temp. 1/64 sec. cor. on S. bdy. SW/4 SW/4, Sec. 28.
- 40.44 Cor. for Secs. 28, 29, 32 and 33 heretofore described.
-
- Thence South. N. 180° E. a second
- On random line bet. Secs. 32 and 33. errit no
- 40.00 The 1/4-cor. bet. Secs. 32 and 33 is not found after careful search. V no . no . see N. I. qmet jec 60.08
- 82.69 Intersect E. and W. line 101 lks. east of cor. for secs. 4, 5, 32 and 33, Ts. 21 and 22 N., R. 8 E., which is post marked and witnessed as described by the Surveyor General. The post is decayed and broken off at ground. I restore cor. as follows:
- Set a malpais stone 24 x 10 x 8 ins., 14 ins. in the ground, over charred stake, chiseled with 4 notches on east and 2 notches on W. edges, and raise a mound of rock 3 ft. base, 2 ft. high N. of cor.
- Thence N. 0° 42' E.
- On true line bet. Secs. 32 and 33.
- 41.35 At this point, I again make strict search for 1/4 sec. cor. which is described by Surveyor General as a post with pits, mound and marked stone, but am unable to find any traces of post, pits, mound or memorial. I re-establish cor. as follows: (Proportional measurement.)

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains

Set malpais stone 24 x 16 x 8 ins., 14 ins. in the ground, over marked stone, chiseled 1/4 on West face and raise mound of stone 3 ft. base, 2 ft. high West of cor. from which:

A yellow pine 36 ins. dia., bears S. 44° 24' E.,

19 lks. dist. scribed 1/4 S 33 B T.

A yellow pine 34 ins. dia., bears N. 22° 24' W.,

39 lks. dist. scribed 1/4 S 32 B T.

62.025 Set temp. 1/16 sec. cor. on W. bdy. NW/4, Sec. 33.

72.36 Set temp. 1/64 sec. cor. on W. bdy. NW/4 NW/4, Sec. 33, and point for cor. No. 12 of this survey.

82.70 Cor. for Secs. 28, 29, 32 and 33, heretofore described.

October 4, 1915.

October 5, 1915.

Subdivision Sec. 28, T. 22 N., R. 8 E.

From 1/4 sec. cor. bet. Secs. 28 and 33 heretofore described.

Thence North.

On random meridional 1/4 sec. line bet. E/2 and W/2, Sec. 28.

80.36 Intersect E. and W. line 112 lks. west of 1/4 sec. cor. bet. Secs. 28 and 21, which is a red sandstone 20 x 10 x 10 ins. above ground, marked 1/4 on N. face with mound of stone 2 ft. base, 1-1/2 ft. high N. of cor.

witnessed as described by Surveyor General.

This cor. is described by Surveyor General as a

post with pits and mound of earth. Strict

search revealed no trace of post, mound or pits.

Thence S. 0° 05' W.

On true meridional 1/4 sec. line bet. E/2 and W/2, center of Sec. 28.

HOMESTEAD ENTRY SURVEY NO. 373

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains

80.36

1/4 sec. cor. bet. Secs. 28 and 33.

east

one east from no A/I boulders, none below

Returning to 1/4 sec. cor. on W. bdy. Sec. 28 heretofore
described.

Thence East.

On random latitudinal 1/4 sec. line bet. N/2 and S/2,
Sec. 28.

80.47

Intersect N. and S. line 16 lks. S. of 1/4 cor. on

east bdy., Sec. 28, which is a quartzite stone
10' x 10 x 10 ins. above ground marked 1/4 on W. face.

No witnesses. This cor. is described by Surveyor

General as post with pits and mound of earth. Strict
search revealed no trace of post, pits or mound.

Thence S. 89° 53' W.

On true latitudinal 1/4 sec. line bet. N/2 and S/2,
Sec. 28.

39.18

Intersect meridional 1/4 sec. line at a point S. 0° 05' W.,

40.00 chs. from 1/4 cor. bet. Secs. 21 and 28 and N. 0°

05' E., 40.36 chs. from 1/4 cor. bet. Secs. 28 and 33.

Set temp. C 1/4 S and point for cor. 17 of this survey.

49.51

Set temp. 1/64 sec. cor. on N. bdy. NE/4 SW/4, Sec. 28,
and point for cor. No. 6 of this survey.

59.83

Set temp. 1/16 sec. cor. center W/2, Sec. 28.

80.47

1/4 sec. cor. on W. bdy. Sec. 28, heretofore described.

Returning to temp. C 1/4 S, Sec. 28.

Thence S. 0° 05' W.

On true meridional 1/4 sec. line bet. E/2 and W/2 of
Sec. 28.

10.09

Set temp. 1/64 sec. cor. on E. bdy. NE/4 SW/4, Sec. 28.

55

SCE - ON YERUBA MOUNTAIN MOUNTAIN
HOMESTEAD ENTRY SURVEY NO. 373
COCONINO NATIONAL FOREST
STATE OF ARIZONA

7.

- | Chains | |
|---|---|
| 15.13 | Set temp. 1/256 sec. cor. on E. bdy. SE/4 NE/4 SW/4, Sec. 28, and point for cor. No. 18 of this survey. |
| 20.18 | Set temp. point for 1/16 sec. cor. on E. bdy. SW/4, Sec. 28. |
| 40.36 | 1/4 sec. cor. bet. Secs. 28 and 33 heretofore described.
October 5, 1915. |
| <hr/> | |
| October 6, 1915. | |
| From temp. 1/16 sec. cor. on E. bdy. SW/4, Sec. 28. | |
| Thence West. | |
| On random latitudinal 1/16 sec. line bet. N/2 and S/2, SW/4, Sec. 28. | |
| 40.85 | Fall 22 lks. N. of temp. 1/16 sec. cor. on W. bdy. SW/4. |
| Thence N. 89° 41' E. | |
| On true latitudinal 1/16 sec. line bet. N/2 and S/2, SW/4, Sec. 28. | |
| 40.85 | Temp. 1/16 sec. cor. on E. bdy. SW/4, Sec. 28. |
| <hr/> | |
| Returning to temp. 1/16 sec. cor. center W/2, Sec. 28. | |
| Thence South. | |
| On random meridional 1/16 sec. line bet. E/2 and W/2, SW/4, Sec. 28. | |
| 40.60 | Fall 35 lks. W. of temp. 1/16 sec. cor. on S. bdy. SW/4, Sec. 28. |
| Thence N. 0° 30' W. | |
| On true meridional 1/16 sec. line bet. E/2 and W/2, SW/4, Sec. 28. | |
| 20.32 | Intersect latitudinal 1/16 sec. line at a point N. 89° 41' E., 20.41 chs. from temp. 1/16 sec. cor. on W. bdy. SW/4 and S. 89° 41' W., 20.44 chs. from temp. 1/16 sec. cor. on E. bdy. SW/4. Set temp. 1/16 cor. center SW/4. |

56

HOMESTEAD ENTRY SURVEY NO. 373
 COCONINO NATIONAL FOREST
 STATE OF ARIZONA

- | Chains | |
|--------|--|
| 30.46 | Set temp. 1/64 sec. cor. center N/2 N/2, SW/4. |
| 40.60 | Temp. 1/16 sec. cor. center W/2, Sec. 28. |
| <hr/> | |
| | Return to temp. 1/16 sec. cor. on E. bdy. SW/4, Sec. 28. |
| | Thence S. 89° 41' W. |
| | On true latitudinal 1/16 sec. line bet. N/2 and S/2 of SW/4, Sec. 28. |
| 5.11 | Set temp. 1/256 sec. cor. on S. bdy. SE/4 NE/4 SW/4, Sec. 28 and point for cor. No. 20 of this survey. |
| 10.22 | Set temp. 1/64 sec. cor. on S. bdy. NE/4 SW/4, Sec. 28. |
| 20.44 | Intersect temp. 1/16 sec. cor. center SW/4, Sec. 28. |
| 30.645 | Set temp. 1/64 sec. cor. on S. bdy. NW/4 SW/4, Sec. 28. |
| 40.85 | Temp. 1/16 sec. cor. on E. bdy. of SW/4, Sec. 28. |
| <hr/> | |
| | From temp. 1/64 sec. cor. on N. bdy. NE/4 SW/4, Sec. 28. |
| | Thence South. |
| | On random meridional 1/64 sec. line bet. E/2 and W/2 NE/4 SW/4, Sec. 28. |
| 20.24 | Fall 8-1/2 lks. W. of temp. 1/64 sec. cor. on S. bdy. NE/4 SW/4, Sec. 28. |
| | Thence N. 0° 15' W. |
| | On true meridional 1/64 sec. line bet. E/2 and W/2 NE/4 SW/4, Sec. 28. |
| 10.12 | Set temp. 1/64 sec. cor. approximately center of NE/4 SW/4, Sec. 28. |
| 20.24 | Temp. 1/64 sec. cor. on N. bdy. NE/4 SW/4, Sec. 28. |
| <hr/> | |
| | Return to temp. 1/64 sec. cor. on E. bdy. NE/4 SW/4, Sec. 28. |
| | Thence West. |
| | On random latitudinal 1/64 sec. line bet. N/2 and S/2 NE/4 SW/4, Sec. 28. |

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains

- 20.53 Fall 7-1/2 lks. N. of temp. 1/64 sec. cor. on W. bdy.
 NE/4 SW/4, Sec. 28.
 Thence N. 89° 47' E.
 On true latitudinal 1/64 sec. line bet. N/2 and S/2
 NE/4 SW/4, Sec. 28.
 10.27 Intersect temp. 1/64 sec. cor. center NE/4 SW/4, Sec.
 28 and point for cor. No. 5 of this survey.
 15.30 Set temp. 1/256 sec. cor. on N. bdy. SE/4 NE/4 SW/4,
 Sec. 28.
 20.53 Temp. 1/64 sec. cor. on E. bdy. NE/4 SW/4, Sec. 28.

Return to temp. 1/64 cor. on S. bdy. NE/4 SW/4, Sec. 28.

Thence N. 0° 15' W.

- On true meridional 1/64 sec. line bet. E/2 and W/2
 NE/4 SW/4, Sec. 28.
 5.06 Set temp. 1/256 sec. cor. on W. bdy. SE/4 NE/4 SW/4,
 Sec. 28.
 10.12 Temp. 1/64 sec. cor. at center of NE/4 SW/4, Sec. 28.

From temp. 1/256 sec. cor. on N. bdy. SE/4 NE/4 SW/4,
 Sec. 28 to 1/256 sec. cor. on S. bdy. which is in plain
 view.

Thence S. 0° 04' E.

- On true line bet. E/2 and W/2 SE/4 NE/4 SW/4, Sec. 28.
 10.11 Temp. 1/256 sec. cor. on S. bdy. SE/4 NE/4 SW/4, Sec. 28.

Return to temp. 1/256 sec. cor. on E. bdy. SE/4 NE/4 SW/4,
 Sec. 28, thence to 1/256 sec. cor. on W. bdy. SE/4
 NE/4 SW/4, Sec. 28 which is in plain view.

Thence S. 89° 43' W.

COCONINO NATIONAL FOREST

STATE OF ARIZONA STATE

- Chains On true line bet. N/2 and S/2 SE/4 NE/4 SW/4, Sec. 28.
- 5.13 Set temp. 1/256 sec. cor. at center of SE/4 NE/4 SW/4 and from which point for cor. No. 19 of this survey adopt temp. 1/256 sec. cor. on N. bdy. SE/4 NE/4 SW/4 bears N. 0° 04' W., 5.05-1/2 and temp. 1/256 sec. cor. on S. bdy. SE/4 NE/4 SW/4 bears S. 0° 04' E., 5.05-1/2 lks. dist.
- 10.25 Temp. 1/256 sec. cor. on W. bdy. SE/4 NE/4 SW/4, Sec. 28.
-
- From temp. 1/64 sec. cor. on W. bdy. of SW/4 SW/4 adopting mean courses and distances.
- Thence N. 89° 31' E.
- On latitudinal 1/64 sec. line bet. N/2 and S/2 SW/4 SW/4 Sec. 28.
- 10.16 Set temp. 1/64 sec. cor. at center SW/4 SW/4, Sec. 28 and point for cor. No. 3 of this survey.
- Thence N. 0° 47' W.
- On meridional 1/64 sec. line through W/2 SW/4, Sec. 28.
- 10.19 Temp. 1/64 sec. cor. center W/2 SW/4, Sec. 28.
- 20.36 Set temp. 1/64 sec. cor. center NW/4 SW/4, Sec. 28 and point for cor. No. 4 of this survey.
- Thence N. 89° 47' E.
- On latitudinal 1/64 sec. line bet. N/2 and S/2 NW/4 SW/4, Sec. 28.
- 10.27 Temp. 1/64 sec. cor. on E. bdy. NW/4 SW/4, Sec. 28.
-
- October 6, 1915.
- October 7, 1915.
- From 1/4 sec. cor. bet. Secs. 28 and 33, heretofore described.
- Thence South.
- On random meridional 1/4 sec. line bet. E/2 and W/2 of Sec. 33.

59
11.
FEDERAL LAND OFFICE
HOMESTEAD ENTRY SURVEY NO. 373

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains

- 82.27 Intersect E. and W. line 124 lks. E. of 1/4 sec. cor. bet. Secs. 33 and 4, which is a post marked and witnessed as described by Surveyor General. Post is decayed. I therefore restore cor. as follows:
Set a malpais stone 24 x 8 x 8 ins., 14 ins. in the ground, over a stone 7 x 4 x 3 ins. marked with a cross, chiseled 1/4 on N. face and raise a mound of stone 3 ft. base, 2 ft. high N. of cor.
Thence N. $0^{\circ} 52'$ E.
On true meridional 1/4 sec. line bet. E/2 and W/2, Sec. 33.
- 82.28 1/4 sec. cor. bet. Secs. 28 and 33 heretofore described.
- Return to 1/4 cor. bet. Secs. 32 and 33 heretofore described.
Thence East.
On random latitudinal 1/4 sec. line bet. N/2 and S/2, Sec. 33.
- 81.04 Intersect N. and S. line 163 lks. S. of 1/4 sec. cor. bet. Secs. 33 and 34 which is a post marked and witnessed as described by Surveyor General. Post is decayed. I therefore restore cor. as follows:
Set pine post 4 x 4 x 48 ins., 10 ins. in ground, over quart of charcoal, scribed 1/4 S on W. face and raise a mound of stone 3 ft. base, 2 ft. high around cor. to protect it. Impracticable to set post deeper.
Thence S. $88^{\circ} 51'$ W.
- On true latitudinal 1/4 sec. line bet. N/2 and S/2 of Sec. 33.
- 40.73 Set temp. center 1/4 sec. cor. at intersection with

HOMESTEAD ENTRY SURVEY NO. 373

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains	meridional 1/4 sec. line, Sec. 33.
60.89	Set temp. 1/16 sec. cor. on S. bdy. NW/4.
81.05	1/4 sec. cor. bet. sec. 32 and 33 heretofore described.
	Return to 1/4 sec. cor. bet. Secs. 28 and 33 heretofore described.
	Thence S. $0^{\circ} 52' W$.
	On true meridional 1/4 sec. line bet. E/2 and W/2, Sec. 33.
20.50	Set temp. 1/16 cor. on E. bdy. NW/4, Sec. 33.
41.00	Intersect temp. C 1/4 S, Sec. 33.
	From temp. 1/16 sec. cor. on N. bdy. NW/4, Sec. 33.
	Thence South.
	On random meridional 1/16 sec. line bet. E/2 and W/2 NW/4, Sec. 33.
41.17	Fall 54-1/2 lks. E. of 1/16 sec. cor. on S. bdy. NW/4.
	Thence N. $0^{\circ} 46' E$.
	On true meridional 1/16 sec. line bet. E/2 and W/2, NW/4 Sec. 33.
41.17	Temp. 1/16 sec. cor. on N. bdy. NW/4, Sec. 33.
	Return to temp. 1/16 sec. cor. on W. bdy. NW/4. Sec. 33.
	Thence East.
	On random latitudinal 1/16 sec. line bet. N/2 and S/2 NW/4, Sec. 33.
40.39	Fall 63 lks. S. of temp. 1/16 sec. cor. on E. bdy. NW/4, Sec. 33.
	Thence S. $89^{\circ} 06' W$.
	On true latitudinal 1/16 sec. line bet. N/2 and S/2, Sec. 33.
20.20	Set temp. 1/16 sec. cor. at center NW/4 at intersection with meridional center line NW/4.

COCONINO NATIONAL FOREST

STATE OF ARIZONA.

- Chains Temp. 1/16 sec. cor. on N. bdy. NW/4 bears N. $0^{\circ} 46'$ E.
 20.58 chs. dist.
- Temp. 1/16 sec. cor. on S. bdy. NW/4 bears S. $0^{\circ} 46'$ W.,
 20.59 chs. dist.
- 25.25 Set temp. 1/256 sec. cor. on S. bdy. SE/4 NW/4 NW/4,
 sec. 33 and point for cor. No. 34 of this survey.
- 35.35 Set temp. 1/256 sec. cor. on S. bdy. SW/4 NW/4 NW/4.
 Sec. 33, and point for cor. No. 25 of this survey.
- 40.39 Temp. 1/16 sec. cor. on W. bdy. NW/4, Sec. 33.
- October 7, 1915.
-
- October 8, 1915.
- From temp. 1/64 sec. cor. on W. bdy. NW/4 NW/4, Sec. 33
 adopting mean courses and distances I run
 N. $89^{\circ} 13'$ E.
- On latitudinal 1/64 sec. line NW/4 NW/4, Sec. 33.
- 5.05 Set temp. 1/256 sec. cor. on N. bdy. SW/4 NW/4 NW/4,
 Sec. 33, and point for cor. No. 11 of this survey.
-
- Thence S. $0^{\circ} 45'$ W.
- On random meridional line bet. E/2 and W/2 SW/4 NW/4
 NW/4, Sec. 33.
- 10.32 Temp. 1/256 sec. cor. on S. bdy. SW/4 NW/4 NW/4, Sec. 33.
-
- Return to temp. 1/256 sec. cor. on S. bdy. SE/4 NW/4
 NW/4, Sec. 33, adopting mean courses and distances.
 Thence N. $0^{\circ} 45'$ E.
- On meridional line through SE/4 NW/4 NW/4, Sec. 33.
- 5.15 Set temp 1/256 sec. cor. at center SE/4 NW/4 NW/4 and
 point for cor. No. 33 of this survey.
 Thence N. $89^{\circ} 09'$ E.
- On latitudinal line through S/2 N/2 NW/4, Sec. 33.
- 10.10 Set temp. 1/256 sec. cor. at center SW/4 NE/4 NW/4, Sec.
 33 and point for cor. No. 32 of this survey.
 Thence N. $0^{\circ} 47'$ E.
- On meridional line through SW/4 NE/4 SW/4, Sec. 33.
- 5.14 Set temp. 1/256 sec. cor. on N. bdy. SW/4 NE/4 NW/4, Sec.

TO COCONINO NATIONAL FOREST.

STATE OF ARIZONA

Chains	33 and point for cor. No. 31 of this survey.	50.00
	Thence N. $89^{\circ} 13'$ E.	50.00
	On latitudinal line through NE/4 NW/4 Sec. 33.	50.00
5.05	Set temp. 1/64 sec. cor. at center NE/4 NW/4 and point for cor. No. 30 of this survey.	50.00
	Thence N. $0^{\circ} 49'$ E.	50.00
	On random latitudinal line through NE/4 NW/4, Sec. 33.	50.00
10.31	Fall 3-1/2 lks. W. of 1/64 sec. cor. on N. bdy. NE/4 NW/4, Sec. 33.	50.00
	Return course S. $1^{\circ} 01'$ W., 10.31 chs.	50.00

The strip excepted from this survey for a logging railroad is required by the Forest Service as an outlet for Government owned timber.

The center line method of laying down the boundaries of the exception was not used.

BOUNDARIES OF CLAIM

Tract A.

Beginning at cor. No. 1.

Identical with cor. for Secs. 28, 29, 32 and 33,

heretofore described. I chiseled a cross on top of

same stone for cor. No. 1 of this survey and set a

granite stone 24 x 10 x 8 ins., 14 ins. in ground

alongside chiseled 1 - H E S 373 on E. face and raise

a mound of rock 3 ft. base, 2 ft. high around cor.

to protect it, whence:

A yellow pine 20 ins. dia., bears N. $59^{\circ} 33'$ E.,

297 lks. dist. blazed and scribed

1 H E S 373 + B T.

No other bearings available.

Lat. $35^{\circ} 15' 15''$ N. Long. $111^{\circ} 33' 45''$ W. from special

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains

- instructions from the Surveyor General, and later verified.
- Mag. Va. $14^{\circ} 30'$ E. at 8 a.m. Mean Mag. Va. $14^{\circ} 27'$ E.
- Thence N. $1^{\circ} 03'$ W. T E + S E S H S
- Over level cultivated land on line bet. Secs. 28 and 29.
- W V P P O . H consent
- 10.21 To cor. No. 2 and CC. on line bet. Secs. 28 and 29.
- Identical with temp. 1/64 sec. cor. on W. bdy. SW/4 0.0 SW/4, Sec. 28. I chisel (+) on a stone 6 x 4 x 4 ins., and deposit it 14 ins. in the ground; over which I set a granite stone 24 x 12 x 8 ins., 14 ins. in the ground; chiseled (+) at the point and 2 - H E S 373. on the SE. face and CC. on E. face. No witnesses available, therefore dig pits crosswise on lines 24 x 18 x 12 ins., N. $1^{\circ} 03'$ W. and S. $1^{\circ} 03'$ E., 3 ft. dist. and N. $89^{\circ} 31'$ E., 7 ft. dist. and raise a mound of earth and rock 5 ft. base, 3 ft. high N. $89^{\circ} 31'$ E., 3-1/2 ft. dist. H - + lbs into
- 1/4 cor. bet. Secs. 28 and 29 heretofore described bears N. $1^{\circ} 03'$ W., 30.63 chs. dist. :holdw mort
- Thence N. $89^{\circ} 31'$ E. beaufid .telp .bni gbs
- Over level land along fence and cultivated land.
- 10.16 To Cor. No. 3. .sidsilive scessentiv refece on
- Identical with temp. 1/64 sec. cor. at center SW/4 SW/4, Sec. 28. I chisel (+) on a stone 4 x 3 x 2 ins., and deposit it 14 ins. in the ground; over which I set a granite stone 24 x 12 x 9 ins., 14 ins. in the ground; chiseled (+) at the point and 3 - H E S 373. on the SE. face and raise a mound of stone 3 ft. base, 2 ft. high SE. of cor. from which: .tco5 - ep .46.08
- A yellow pine 5 ins. dia., bears N. $74^{\circ} 16'$ W., 3 x 9 21 lks. dist. blazed and scribed , P W
- 3 H E S 373 + B T.

HOMESTEAD ENTRY SURVEY NO. 373

COCONINO NATIONAL FOREST

STATE OF ARIZONA

- Chains A yellow pine 5 ins. dia., bears N. 30° 57' E., 248 lks. dist. blazed and scribed.
- 3 H E S 373 + B T
- Distance 83 rods dist. until no basal batteritive level revo
- Thence N. 0° 47' W.
- Ascend SE. slope 10 ft. to fence on line.
- 5.00 Top ascent. Descend 10 ft. to arroyo. Identical
- 7.80 Arroyo, 10 lks. wide, 1 ft. deep, course ENE. Ascend 10 ft. to ridge.
- 10.00 Top ridge. Descend 10 ft. to arroyo.
- 13.80 Arroyo, 30 lks. wide, 12 ft. deep, course ENE. Thence over level land.
- 20.36 To Cor. No. 4. note atiq sib excent eidsilave
Identical with temp. 1/64 sec. cor. at center NW/4
SW/4, Sec. 28. Set a sandstone 24 x 12 x 6 ins., 14 ins. in the ground over broken glass chiseled (+) at the point and 4 - H E S 373 on the SE. face and raise a mound of stone 2 ft. base, 1-1/2 ft. high SE. of cor. from which:
- A white oak 14 ins. dia., bears N. 62° 20' E., 248 lks. dist. blazed and scribed.
- 4 H E S 373 + B T
- No other witnesses available.
-
- Thence N. 89° 47' E. (+) leaning 1.88 rods. Along fence and cultivated land to south ascending 10 ft. to base of hill.
- 15.00 Leave cultivated land south. (+) leaning 1.88 rods
- 18.00 Base of hill. Ascend 10 ft. to cor. 1.88 rods no
- 20.54 To Cor. No. 5. note to 1.88 right at S. end
Identical with temp. 1/64 sec. cor. at center NE/4 SW/4, Sec. 28. Set a granite stone 24 x 9 x 6 ins.

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains

14 ins. in the ground over broken glass; chiseled

(+) at the point and 5 - H E S 373 on the SE. face

and raise a mound of stone 3 ft. base, 2 ft. high

SE. of cor. from which:

A yellow pine 26 ins. dia. bears N. $38^{\circ} 28' W.$,

184 lks. dist. blazed and scribed

5 H E S 373 + B T

A yellow pine 36 ins. dia., bears N. $69^{\circ} 06' E.$,

98 lks. dist. blazed and scribed

5 H E S 373 + B T

Thence N. $0^{\circ} 15' W.$

Along SE. slope ascending 10 ft. to cor. Fence on line.

10.12 To Cor. No. 6.

Identical with temp. 1/64 sec. cor. on N. bdy. NE/4

SW/4, Sec. 28. I chisel (+) on a stone 4 x 3 x 2 ins., and deposit it 14 ins. in the ground; over which I set a granite stone 24 x 8 x 6 ins., 14 ins. in the ground; chiseled (+) at the point and 6 - H E S 373 on the SE. face and raise a mound of stone 3 ft. base, 2 ft. high SE. of cor. from which:

A yellow pine 10 ins. dia., bears N. $84^{\circ} 59' E.$,

37 lks. dist. blazed and scribed

6 H E S 373 + B T

A yellow pine 30 ins. dia., bears N. $7^{\circ} 27' W.$,

126 lks. dist. blazed and scribed

6 H E S 373 + B T

Thence N. $89^{\circ} 53' E.$

Along latitudinal 1/4 sec. line of Sec. 28. In edge of timber, descending 5 ft. to cor. Fence on line.

COCONINO NATIONAL FOREST

STATE OF ARIZONA

- Chains
- 7.56 To Cor. No. 7.
- I chisel (+) on a stone 3 x 3 x 3 ins., and deposit it 14 ins. in the ground; over which I set a sand-stone 24 x 9 x 6 ins., 14 ins. in the ground; chiseled (+) at the point and 7 - H E S 373 on the SW. face and raise a mound of stone 2 ft. base, 1-1/2 ft. high SW. of cor. from which:
- A yellow pine 14 ins. dia., bears N. 4° 19' W., 71 lks. dist. blazed and scribed
- 7 H E S 373 + B T
- A yellow pine 26 ins. dia., bears N. 53° 28' W., 109 lks. dist. blazed and scribed
- 7 H E S 373 + B T
- October 8, 1915.
-
- October 9, 1915.
- I chisel (+) on a stone 8 x 6 x 3 ins. and deposit it 14 ins. in the ground; over which I set a granite stone 24 x 12 x 9 ins., 14 ins. in the ground; chiseled (+) at the point and 8 - H E S 373 on the W. face. No witnesses available, therefore dig pits 24 x 24 x 12 ins. crosswise on claim lines 7 ft. dist. and raise a mound of earth 4 ft. base, 2 ft. high west of cor.
-
- Thence S. 33° 42' W.
- Over level land in open along railroad, cultivated land to west.

COCONINO NATIONAL FOREST

STATE OF ARIZONA

- Chains Cor. No. 9 and CC. on line bet. Secs. 28 and 33.
- 28.44 At this point I set a granite stone 24 x 10 x 6 ins., 14 ins. in the ground over broken glass, chiseled cross on top, CC. on NE. and 9 - H E S 373 on W. faces, and raise a mound of stone 3 ft. base, 2 ft. high NE. of cor. No witnesses available. Pits impracticable.
- Holdw work Cor. for Secs. 28, 29, 32 and 33, heretofore described bears S. 89° 21' W., 15.81 chs. dist.
- 1/4 sec. cor. bet. Secs. 28 and 33, heretofore described, bears N. 89° 21' E., 24.63 chs. dist.
-
- Thence S. 33° 42' W.
- Over level land in open, along railroad/ exemption(Tract E) cultivated land to west.
- 15.40 Arroyo 10 lks. wide, 2 ft. deep, course SE. Leave cultivated land.
- 19.33 Fence bears N. and S.
- 19.75 To cor. No. 10. On meridional line bet. E/2 and W/2 of SW/4 NW/4 NW/4, Sec. 33. I chisel (+) on a stone 4 x 4 x 4 ins. and deposit it 14 ins. in the ground; over which I set a granite stone 24 x 14 x 10 ins., 14 ins. in the ground; chiseled (+) at the point and 10 - H E S 373 on the NNE. face and raise a mound of stone 3 ft. base, 2 ft. high NNE. of cor. from which: No witnesses available. Pits impracticable.
-
- Thence N. 0° 43' E.
- Over level land.
- 5.96 To Cor. No. 11.

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains	<p>Identical with temp. 1/256 sec. cor. on N. bdy. SW/4 NW/4 NW/4, Sec. 33. I chisel (+) on a stone 4 x 4 x 4 ins., and deposit it 14 ins. in the ground; over which I set a quartzite stone 24 x 10 x 8 ins., 14 ins. in the ground; chiseled (+) at the point and 11 - H E S 373 on the NE. face and raise a mound of stone 5 ft. base, 3 ft. high NE. of cor. from which: A white oak 12 ins. dia., bears S. 13° 41' E., 62 lks. dist. blazed and scribed 11 H E S 373 + B T. A yellow pine 22 ins. dia., bears N. 85° 41' W., 149 lks. dist. blazed and scribed 11 H E S 373 + B T </p>
1.85	<p>Thence S. 89° 13' W. Along fence in open ascending 5 ft. to cor. Road bears NE. and SW.</p>
5.05	<p>To Cor. No. 12 and CC on line bet. Secs. 32 and 33. Identical with temp. 1/64 sec. cor. on W. bdy. NW/4 NW/4, Sec. 33. I chisel (+) on a stone 4 x 4 x 4 ins., and deposit it 14 ins. in the ground; over which I set a granite stone 24 x 12 x 6 ins., 14 ins. in the ground; chiseled (+) at the point, 12 - H E S 373 on the NE. face and CC. on E. face; and raise a mound of stone 2 ft. base, 1-1/2 ft. high E. of cor. from which: A yellow pine 30 ins. dia., bears S. 5° 22' W., 86 lks. dist. blazed and scribed 12 H E S 373 + B T A yellow pine 18 ins. dia., bears S. 37° 03' W., 122 lks. dist. blazed and scribed 12 H E S 373 + B T </p>

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains

Cor. for Secs. 28, 29, 32 and 33 heretofore described, bears N. $0^{\circ} 42'$ E., 10.34 chs. dist. 1/4 cor. bet. Secs. 32 and 33 heretofore described bears S. $0^{\circ} 42'$ W., 31.01 chs. dist.

Thence N. $0^{\circ} 42'$ E.

Over level land, in open.

2.25 Arroyo, 10 lks. wide, 2 ft. deep, course SE.

6.54 Cor. cultivated land bears N. and SE.

10.34 To Cor. No. 1, the place of beginning.

Tract B.

Beginning at cor. No. 13 on meridional line bet. E/2

and W/2 SW/4 NW/4 NW/4, Sec. 33. Set a granite stone

28 x 12 x 12 ins., 18 ins. in the ground over broken

glass, chiseled + on top and 13 - H E S 373 on E.

face; raise mound of stone 3 ft. base, 2 ft. high E.

of cor. from which:

A yellow pine 16 ins. dia., bears S. $41^{\circ} 18'$ E.,

185 lks. dist. blazed and scribed

13 H E S 373 + B T

A yellow pine 30 ins. dia., bears N. $73^{\circ} 35'$ E.,

249 lks. dist. blazed and scribed

13 H E S 373 + B T

Cor. No. 10, H. E. S. 373, Tract A, heretofore

described, bears N. $0^{\circ} 43'$ E., 83 lks. dist.Thence N. $33^{\circ} 42'$ E.

Over level land in open, along railroad, Cultivated

land to east.

1.67 SW.cor.house bears NW. and SE.

1.85 NW.cor.house bears NW. and SE.

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains

5.05 Arroyo 10 lks. wide, 2 ft. deep, course SE.

20.76 To Cor. No. 14 and CC. on line bet. Secs. 28 and 33.

At this point I set a granite stone 24 x 8 x 4 ins.,
 14 ins. in the ground over broken glass, chiseled +
 on top; 14 - H E S 373 on E. and CC. on SW. faces.

No witnesses available, therefore, dig pits crosswise
 on each line 30 x 24 x 12 ins., N. 89° 21' E., 3 ft.
 dist. and 24 x 18 x 12 ins., S. 33° 42' W., 7 ft. dist.
 and raise a mound of earth 4 ft. base, 2 ft. high
 S. 33° 42' E., 3-1/2 ft. dist.

Cor. for Secs. 28, 29, 32 and 33 heretofore
 described bears S. 89° 21' W., 16.36 chs. dist.

1/4 Sec. Cor. bet. Secs. 28 and 33, heretofore
 described bears N. 89° 21' E., 24.08 chs. dist.

Thence N. 33° 42' E.

Over level land in open along railroad, Cultivated
 land to east.

28.18 Cor. No. 15.

I chisel (+) on a stone 6 x 4 x 3 ins., and deposit
 it 14 ins. in the ground; over which I set a malpais
 stone 24 x 12 x 12 ins., 14 ins. in the ground; chis-
 eled (+) at the point and 15 - H E S 373 on the SE.
 face and raise a mound of stone 4 ft. base, 1-1/2 ft.
 high around cor. to protect it.

No witnesses available. Pits impracticable.

Thence N. 19° 59' E.

Over level land in open along railroad, Cultivated land
 to east.

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains 90' 918 ft. n. 1/4 sec. line OS end woffey A

9.35 Arroyo 30 lks. wide, 1 ft. deep, course ENE. Cultivated land bears SW. and E. Ascend 5 ft. in open to cor.

18.32 To Cor. No. 16.

On latitudinal 1/4 sec. line through Sec. 28.

I chisel (+) on a stone 6 x 4 x 4 ins., and deposit it 14 ins. in the ground; over which I set a granite stone 24 x 10 x 6 ins., 14 ins. in the ground; chiseled (+) at the point and 16 - H E S 373 on the SE. face and raise a mound of stone 2 ft. base, 1-1/2 ft. high SE. of cor. from which:

A yellow pine 25 ins. dia., bears N. 27° 07' E., 40 lks. dist. blazed and scribed
16 H E S 373 + B T

A yellow pine 16 ins. dia., bears S. 88° 35' E., 127 lks. dist. blazed and scribed
16 H E S 373 + B T

Cor. No. 7, H. E. S. 373, Tract A, heretofore described, bears S. 89° 53' W., 48 lks. dist.

Thence N. 89° 53' E.

Along latitudinal 1/4 sec. line through Sec. 28 in edge of timber. Fence on line.

2.30 Cor. No. 17.

Identical with temp. center 1/4 sec. cor. Sec. 28. Set a granite stone 24 x 14 x 12 ins., 14 ins. in the ground over broken glass chiseled (+) on top, C 1/4 S on N. and 17 - H E S 373 on SW. faces and raise a mound of stone 3 ft. base, 2 ft. high SW. of cor. from which:

A yellow pine 20 ins. dia. bears S. 32° 51' W., 120 lks. dist. blazed and scribed
C 1/4 S 28 - 17 H E S 373 + B T

COCONINO NATIONAL FOREST

STATE OF ARIZONA STATE

Chains A yellow pine 20 ins. dia., bears N. 81° 09' W.,
 95 lks. dist. blazed and scribed
 C 1/4 S 28 - 17 H E S 373 + B T

Thence S. 0° 05' W.
 On meridional 1/4 sec. line through Sec. 28, in open.
 Fence on line. Descend 5 ft. to arroyo.
 9.85 Arroyo, 50 lks. wide, 10 ft. deep, course E.
 14.85 Leave fence bears SW.
 15.13 Cor. No. 18.
 Identical with temp. 1/256 sec. cor. on E. bdy. SE/4
 NE/4 SW/4, Sec. 28.
 Set a sandstone 30 x 16 x 8 ins., 14 ins. in the
 ground, over broken glass, chiseled cross on top
 and 18 - H E S 373 on NW. face. No witnesses available
 therefore dig pits 24 x 24 x 12 ins. crosswise on
 claim lines 7 ft. dist. and raise a mound of earth
 and rock 5 ft. base, 3 ft. high 3-1/2 ft. dist. NW.

October 9, 1915.

October 11, 1915.

Thence S. 89° 43' W.
 Over level land in open.
 .40 Fence bears NE. and SW. Enter cultivated land.
 5.13 To Cor. No. 19.
 Identical with temp. 1/256 sec. cor. at center SE/4
 NE/4 SW/4, Sec. 28.
 I chisel (+) on a stone 8 x 6 x 4 ins., and deposit
 it 14 ins. in the ground; over which I set a malpais
 stone 24 x 14 x 10 ins., 14 ins. in the ground; chis-
 eled (+) at the point and 19 - H E S 373 on the NW.
 face; and raise a mound of stone 4 ft. base, 2-1/2 ft.

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains

BMO

high around cor. to protect it. No witnesses available, pits impracticable. .jailb

Thence S. 0° 04' E.

In open over cultivated land.

5.05

Cor. No. 20.

Identical with temp. 1/256 sec. cor. on S. bdy. SE/4 NE/4 SW/4, Sec. 28.

I chisel (+) on a stone 6 x 4 x 3 ins., and deposit it 14 ins. in the ground; over which I set a malpais stone 24 x 14 x 8 ins., 14 ins. in the ground; chiseled (+) at the point and 20 - H E S 373 on the NW. face and raise a mound of stone 4 ft. base, 2 ft. high around cor. to protect it. No witnesses available, pits impracticable.

Thence S. 89° 41' W.

In open over cultivated land.

5.11 Cor. No. 21.

Identical with temp. 1/64 sec. cor. I chisel (+) on a stone 8 x 6 x 4 ins., and deposit it 14 ins. in the ground; over which I set a malpais stone 24 x 16 x 8 ins., 14 ins. in the ground; chiseled (+) at the point and 21 - H E S 373 on the NW. face and raise a mound of stone 4 ft. base, 2 ft. high around cor. to protect it, from which:

A yellow pine 14 ins. dia., bears S. 23° 37' E., 278 lks. dist. blazed and scribed.

21 H E S 373 + B T

A yellow pine 36 ins. dia., bears S. 37° 34' W., 317 lks. dist. blazed and scribed

21 H E S 373 + B T

Temp. 1/64 sec. cor. on S. bdy. SE/4 SW/4 which is Sec. 28,

Chains

-Leave season in plain sight bears S. 0° 16' E., 20.23 chs.
dist.

Thence S. 0° 16' E.

In open over cultivated land.

8.80

Fence bears NE. and SW. Leave cultivated land.

9.41

Cor. No. 22. On meridional 1/64 sec. line bet. E/2 and W/2 SE/4 SW/4,
Sec. 28. I chisel (+) on a stone 8 x 4 x 7 ins. and deposit
it 14 ins. in the ground; over which I set a malpais
stone 24 x 18 x 9 ins., 14 ins. in the ground; chis-
eled (+) at the point and 22 - H E S 373 on the W. face.
No witnesses available therefore dig pits 24 x 24 x 12
ins. crosswise on claim lines 7 ft. dist. and raise a
mound of earth 4 ft. base, 3 ft. high, 3-1/2 ft. dist.
west of cor.

Thence S. 36° 52' W.

In open over level land along NW. bdy. road exception.
Tract D.

Cultivated land to west.

13.66 To Cor. No. 23 and CC. on line bet. Secs. 28 and 33.

Set a malpais stone 24 x 12 x 8 ins., 14 ins. in the
ground, over broken glass, chiseled + on top, CC. on
NE. face and 23 - H E S 373 on W. face. No witnesses
available, therefore dig pits 30 x 24 x 12 ins. S. 89°
21' W., 3 ft. dist. and 24 x 18 x 12 ins. N. 36° 52'
E. 7 ft. dist. and raise a mound of earth 4 ft. base,
2 ft. high, N. 36° 52' E., 3-1/2 ft. dist.

Cor. for Secs. 28, 29, 32 and 33, heretofore
described bears S. 89° 21' W., 22.09 chs. dist.
1/4 Sec. Cor. bet. Secs. 28 and 33 heretofore de-
scribed bears N. 89° 21' E., 18.35 chs. dist.

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains	Thence S. 36° 52' W. and along wolley A In open over level land along NW. bdy. road exception, Tract D. Cultivated land to west. + CYS 2 E H 8S
17.20	Arroyo, 10 lks. wide, 1 ft. deep, course ESE.
26.01	Cor. No. 24. + 18° 00' N. secant On latitudinal 1/16 sec. line through NW/4, Sec. 33. I chisel (+) on a stone 7 x 6 x 5 ins., and deposit it 14 ins. in the ground; above which I set a 24 - H E S. granite stone 24 x 16 x 8 ins., 14 ins. in the ground; chiseled (+) at the point and 24 - H E S. 373 on the NW. face and raise a mound of stone 2 ft. base, 1-1/2 ft. high NW. of cor. from which: + 18° 00' N. secant A yellow pine 14 ins. dia., bears N. 22° 43' W., 95 lks. dist. blazed and scribed, bearing 24 H E S. 373 + B T no + besides I . A yellow pine 18 ins. dia., bears S. 62° 29' W., 95 lks. dist. blazed and scribed to . 24 H E S. 373 + B T no + besides I . + 18° 00' N. secant
	Thence S. 89° 06' W. + CYS 2 E H 8S Over level land. Fence on line. wolley A
.32	Fence bears NE. and SW. besides tail and SE
1.37	Fence bears N. and S. + CYS 2 E H 8S
1.72	Cor. No. 25. + CYS 2 E H 8S Identical with temp. 1/256 sec. cor. on S. bdy. SW/4 NW/4 NW/4, Sec. 33. + 18° 00' N. secant Set a granite stone 24 x 14 x 6 ins., 14 ins. in the ground over broken glass chiseled + on top and 25 - H E S. 373 on NE. face; and raise a mound of stone 3 ft. base, 2 ft. high NE. of cor. from which: + 18° 00' N. secant Besides A yellow pine 10 ins. dia., bears N. 72° 32' E., 24 lks. dist. blazed and scribed to . 25 H E S. 373 + B T.

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains

A yellow pine 5 ins. dia., bears S. 25° 01' E.,

53 lks. dist. blazed and scribed

25 H E S 373 + B T

Thence N. 0° 43' E.

Over level land in open along meridional line bet.

E/2 and W/2 SW/4 NW/4 NW/4, Sec. 33.) facing I

3.52 To Cor. No. 13, the place of beginning.

; bearing left at cor. 13, and 8 x 8 ft x 48 inches

Tract C. 8 x 8 ft - 48 ins. from end to (+) before

Beginning at cor. No. 26 on latitudinal 1/16 sec. line

through NW/4, Sec. 33. cor. 26 to SW right .ft

Set a granite stone 24 x 18 x 10 ins. 14 ins. in the

ground, over a stone 6 x 4 x 2 ins., marked with a

cross. I chisel + on top and 26 - H E S 373 on NE.

face and raise a mound of stone 3 ft. base, 2 ft. high

NE. of cor. from which old rail will be

A yellow pine 22 ins. dia., bears S. 31° 47' E.,

27 lks. dist. blazed and scribed

26 H E S 373 + B T

A yellow pine 14 ins. dia., bears S. 176° 14' E.,

32 lks. dist. blazed and scribed

26 H E S 373 + B T

Cor. No. 24, H. E. S. 373, Tract B, bears S. 37.1

58 89° 06' W., 57-1/2 lks. dist. (ft) w. isolable

Thence N. 36° 52' E.

In open over level land along SE. bdy. road exception,
Tract D.

8.65 Arroyo, 10 lks. wide, 1 ft. deep, course ESE.

26.01 Cor. No. 27 and CC. on line bet. Secs. 28 and 33.

At this point, I set a granite stone 24 x 9 x 18 ins.,

14 ins. in the ground, over broken glass, chiseled

+ on top, CC on SW. and 27 - H E S 373 on W. faces.

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains No witnesses available, therefore dig pits 30 x 24 x 12 ins. N. $89^{\circ} 21'$ E., 3 ft. dist. and 24 x 18 x 12 ins. S. $36^{\circ} 52'$ W., 7 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high S. $36^{\circ} 52'$ W., 3-1/2 ft. dist. Cor. for secs. 28, 29, 32 and 33, heretofore described, bears S. $89^{\circ} 21'$ W., 22.66 chs. dist. 1/4 sec. cor. bet. secs. 28 and 33, heretofore described, bears N. $89^{\circ} 21'$ E., 17.78 chs. dist.

Thence N. $36^{\circ} 52'$ E. In open over level land along SE. bdy. road exception, Tract D. Cor. No. 28. On meridional 1/64 sec. line through SE/4 SW/4 sec. 28. At this point I chisel (+) on a stone 6 x 5 x 5 ins. and deposit it 14 ins. in the ground, over which I set a malpais stone 24 x 16 x 8 ins., 14 ins. in the ground, chiseled (+) at the point and 28 - H E S 373 on the SW. face. No witnesses available, therefore dig pits 24 x 24 x 12 ins. crosswise on claim lines 8 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high SW. of cor. Cor. No. 22, H. E. S. 373, Tract B, bears N. $0^{\circ} 16'$ W., 74 lks. dist.

Thence S. $0^{\circ} 16'$ E. fence line no evidence ani 0.60 Fence bears NE. and SW. 3.65 Fence bears E. and W. 9.60 Fence bears E. and W. 10.08 To cor. No. 29 and C.C. on line bet. secs. 28 and 33. Identical with temp. 1/64 sec. cor. on S. bdy. SW/4, sec. 28. I chisel (+) on a stone 8 x 7 x 3 ins. and deposit it 20 ins. in the ground, over which I set a

TO COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains
 granite stone 30 x 18 x 16 ins., 20 ins. in the ground,
 chiseled (+) at the point, 29 - H E S 373 on the W.
 Drive to face and C C on N. face; and raise a mound of stone 2
 ft. base, 1-1/2 ft. high N. of cor., from which:
 A yellow pine, 12 ins. dia., bears N. 19°
 35' W., 103 lks. dist., blazed and scribed
 29 H E S 373 + B T.
 A yellow pine, 26 ins. dia., bears S. 32° 16' W.,
 66 lks. dist., blazed and scribed
 29 H E S 373 + B T.
 Cor. for secs. 28, 29, 32 and 33, heretofore
 described bears S. 89° 21' W., 30.33 chs. dist.
 1/4 sec. cor. bet. secs. 28 and 33, heretofore
 described, bears N. 89° 21' W., 10.11 chs. dist.

Thence S. 1° 01' W.

Over level land in open.

4.67 Road bears ENE. and WSW.

10.31 Cor. No. 30.

Identical with temp. 1/64 sec. cor. at center NE/4 NW/4,
 sec. 33. Set a pine post 48 x 6 x 4 ins., 36 ins. in
 the ground, over broken glass, scribed cross on top and
 30 - H E S 373 on NW. face. Dig pits 24 x 24 x 12
 ins. crosswise on claim lines 7 ft. dist. and raise a
 mound of earth 4 ft. base, 2 ft. high NW. of cor., whence:

A yellow pine 34 ins. dia., bears S. 38° 35' E., 56
 lks. dist., blazed and scribed 30 H E S 373 + B T.

A yellow pine, 12 ins. dia., bears N. 85° 49' W.,

131 lks. dist., blazed and scribed

30 H E S 373 + B T.

Thence S. 89° 13' W. 1/4 mi. and 08 ft. to Jisogah

HOMESTEAD ENTRY SURVEY NO. 373

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains 5.05	In open, over level land. Cor. No. 31. Identical with temp. 1/256 sec. cor. on N.W. bdy. SW/4 NE/4 NW/4, sec. 33. Set a malpais stone 24 x 16 x 12 ins., 14 ins. in the ground, over broken glass, chiseled 31 - H E S 373 on NW. face. Dig pits 24 x 24 x 12 ins. crosswise on claim lines 3-1/2 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high NW. of cor., from which: A yellow pine, 32 ins. dia., bears S. $59^{\circ} 43'$ E., 206 lks. dist., blazed and scribed 31 H E S 373 + B T. A yellow pine, 18 ins. dia., bears S. $20^{\circ} 56'$ E., 227 lks. dist., blazed and scribed 31 H E S 373 + B T. In open, over level land.
5.14	Cor. No. 32. Identical with temp. 1/256 sec. cor. at center SW/4 NE/4 NW/4, sec. 33. Set a granite stone 24 x 12 x 6 ins., 14 ins. in the ground, over broken glass, chiseled 32 - H E S 373 on NW. face. Dig pits 24 x 24 x 12 ins. crosswise on claim lines 7 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, NE. of cor., from which: A yellow pine, 18 ins. dia., bears S. $75^{\circ} 01'$ W., 154 lks. dist., blazed and scribed 32 H E S 373 + B T. A yellow pine, 16 ins. dia., bears N. $10^{\circ} 43'$ W., 218 lks. dist., blazed and scribed 32 H E S 373 + B T. Thence S. $89^{\circ} 09'$ W. Over open level land.

HOMESTEAD ENTRY SURVEY NO. 373

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains 0.50	Road bears NW. and SE.
3.85	Arroyo, 50 lks. wide, 7 ft. deep, course SE.
10.10	Cor. No. 33. Identical with temp. 1/256 sec. cor. at center SE/4 Sec. 33. I chisel (+) on a stone 6 x 4 x 3 ins., and deposit it 14 ins. in the ground, over which I set a granite stone 24 x 8 x 6 ins., 14 ins. in the ground, chiseled (+) at the point and 33- H E S 373 on the NW. face. Dig pits 24 x 24 x 12 ins. crosswise on claim, lines, 3-1/2 ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high NW. of cor., from which: A white oak, 12 ins. dia., bears S. 56° 12' W., 255 lks. dist., blazed and scribed 33 H E S 373 + B T.
	A yellow pine, 20 ins. dia., bears S. 3° 51' E., 74 lks. dist., blazed and scribed 33 H E S 373 + B T.
5.15	Thence S. 0° 45' W. Over level land. Cor. No. 34. Identical with temp. 1/256 sec. cor. on S. bdy. SE/4 Sec. 33. I chisel (+) on a stone 4 x 4 x 6 ins. and deposit it 14 ins. in the ground, over which I set a granite stone 24 x 6 x 6 ins., 14 ins. in the ground, chiseled (+), at the point and 34 - H E S 373 on NW. face. Dig pits 24 x 24 x 12 ins. crosswise on claim lines 3-1/2 ft. dist.; and raise a mound of earth 4 ft. base, 2 ft. high, NW. of cor., from which: A yellow pine, 8 ins. dia., bears S. 22° 37' W., 67 lks. dist., blazed and scribed 34 H E S 373 + B T. A yellow pine, 24 ins. dia., bears S. 37° 38' E.,

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains	74 lks. dist., blazed and scribed	entirely
	34 H E S 373 + B T.	as above
Total	_____	_____
Point	Thence S. 89° 06' W. bearing at sec. corner	for distance
dist'd	Over level land, in open.	as above
7.80	Cor. No. 26, the place of beginning.	as above

AREA

Sec. 28, Tract A	- - - - -	64.45 acres
Sec. 28, Tract B	- - - - -	19.57 acres
Sec. 28, Tract C	- - - - -	3.87 acres
Total area, sec. 28	- - - - -	87.89 acres
Sec. 33, Tract A	- - - - -	13.98 acres
Sec. 33, Tract B	- - - - -	9.68 acres
Sec. 33, Tract C	- - - - -	21.12 acres
Total area, sec. 33	- - - - -	44.78 acres
Total Area	- - - - -	132.67 acres
Road exemption	(Tract D)	1.77 acres
freedom of movement	(Tract E)	3.03 acres

IMPROVEMENTS

The improvements made upon and for the benefit of this claim consist of the following:

A frame shack, 115x10 ft., the long side of which bears NW. and SE. and west cor. of which bears N. 33° 18' E., 1.67 chs. dist. from cor. No. 13 of this survey.

W	I	A	Value	\$ 40.00
---	---	---	-------	----------

There is approximately 2-1/4 miles of wire fencing.

88.0	Value	\$ 275.00
------	-------	-----------

40.0	Value	\$ 275.00
------	-------	-----------

88.7	Value	\$ 275.00
------	-------	-----------

10.71	DESCRIPTION	\$ 275.00
-------	-------------	-----------

88.85	Value	\$ 275.00
-------	-------	-----------

80.0	Value	\$ 275.00
------	-------	-----------

88.86	Value	\$ 275.00
-------	-------	-----------

88.86	Value	\$ 275.00
-------	-------	-----------

80.0	Value	\$ 275.00
------	-------	-----------

This claim is situated on edge of Doney Park, one mile

east of base of Elden Mountain at an elevation of 6,900

feet. The land is nearly level, having only a slight

general slope to east.

The claim is part of large open park, and has only a few

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains	scattered yellow pine trees which occur along the boundary lines.
	There is no water for irrigation or domestic use. Water for domestic use is hauled from Greenlaw's Mills, four miles distant. The depth at which water can be obtained is unknown. A nearby well 212 feet deep is dry.
	The soil is a sandy loam, fertile, and produces fair crops without irrigation.
	There is approximately 90 acres in cultivation; also 15 acres are in cultivation in sec. 29, on portion of this entry not covered by entry survey.
	I saw no indications of mineral upon this claim.

CONFLICTS AND ADJOINING CLAIMS

There are no conflicting claims. Fifteen acres in sec. 29, described by legal subdivisions, belonging to claimant and a part of this entry, adjoins this survey along line 1-2 on west. H. E. 018864, belonging to Robert I. Sargent, adjoins this claim on the east.

Cliffs, the nearest post office, situated on a logging railroad, is 4 miles to SW.

Flagstaff, the nearest town, is 8 miles to SW.

TRAVERSE - TRACT A.

Cor.	Course	Dist.	N	S	E	W
1-2	N. 1° 03' W.	10.21	10.21			0.19
2-3	N. 89° 31' E.	10.16	0.09		10.16	
3-4	N. 0° 47' W.	20.36	20.36			0.28
4-5	N. 89° 47' E.	20.54	0.08		20.54	
5-6	N. 0° 15' W.	10.12	10.12			0.04
6-7	N. 89° 53' E.	7.56	0.02		7.56	
7-8	S. 19° 59' W.	18.10		17.01		6.19
8-9	S. 33° 42' W.	28.44		23.66		15.78
9-10	S. 33° 42' W.	19.75		16.43		10.96
10-11	N. 0° 43' E.	5.96	5.96		0.07	
11-12	S. 89° 13' W.	5.05		0.07		5.05
12-1	N. 0° 42' E.	10.34	10.34		0.13	
		166.59	57.18	57.17	38.46	38.49
				57.17		38.46
	Error in Lat. and Dep.	.01				.03
	Closing error, 1:5272.					

8-2349

83

COCONINO NATIONAL FOREST

STATE OF ARIZONA

Closing error 1:333

TRACT A - Sec. 33.

Cor.	Course	Dist.	N	S	E	W
1-9	N. $89^{\circ} 21'$ E.	15.81	0.18		15.81	
9-10	S. $33^{\circ} 42'$ W.	19.75		16.43		10.96
10-11	N. $0^{\circ} 43'$ E.	5.96	5.96		0.07	
11-12	S. $89^{\circ} 13'$ W.	5.05		0.07		5.05
12-1	N. $0^{\circ} 42'$ E.	10.34	10.34		0.13	
		56.91	16.48	16.50	16.01	16.01
				16.48	16.01	
Error in Lat. and Dep.				.02	.00	

Closing error. 1:2845 ✓

TRACT B.

Cor.	Course	Dist.	N	S	E	W
13-14	N. $33^{\circ} 42'$ E.	20.76	17.27		11.52	
14-15	N. $33^{\circ} 42'$ E.	28.08	23.36		15.58	
15-16	N. $19^{\circ} 59'$ E.	18.32	17.22		6.26	
16-17	N. $89^{\circ} 53'$ E.	2.30			2.30	
17-18	S. $0^{\circ} 05'$ W.	15.13		15.13		0.02
18-19	S. $89^{\circ} 43'$ W.	5.13		0.03		5.13
19-20	S. $0^{\circ} 04'$ E.	5.05		5.05	0.01	
20-21	S. $89^{\circ} 41'$ W.	5.11		0.03		5.11
21-22	S. $0^{\circ} 16'$ E.	9.41		9.41	0.04	
22-23	S. $36^{\circ} 52'$ W.	13.66		10.93		8.20
23-24	S. $36^{\circ} 52'$ W.	26.01		20.81		15.60
24-25	S. $89^{\circ} 06'$ W.	1.72		0.03		1.72
25-13	N. $0^{\circ} 43'$ E.	3.52	3.52		0.04	
		154.20	61.37	61.42	35.75	35.78
				61.37		35.75
Error in Lat. and Dep.				.05		.03

Error in Lat. and Dep.

Closing error, 1:2644

HOMESTEAD ENTRY SURVEY NO. 373

COCONINO NATIONAL FOREST

STATE OF ARIZONA

TRACT B - Sec. 28.

Chains	Cor.	Course	Dist.	N	S	E	W
ER	14-15	N. 33° 42' E.	28.18	123.44	.80	.91	.15.64
EE	15-16	N. 19° 59' E.	18.32	117.22	.18	.98	.6.26
EE	16-17	N. 89° 53' E.	2.30	08	.7	.70	.2.30
EE	17-18	S. 0° 05' SW.	15.13	08	.7	15.13	.4-4
EE	18-19	S. 89° 43' SW.	5.13	01	.7	10.03	.4-4
EE	19-20	S. 0° 04' SE.	5.05	01	.7	5.05	.0.01
EE	20-21	S. 89° 41' W.	5.11	81	.7	0.03	.8 8-7
EE	21-22	S. 0° 16' E.	9.41	88	.7	9.41	.0.04
EE	22-23	S. 36° 52' W.	13.66	81	.7	10.93	.8 8-7
EE	23-14	S. 89° 21' SW.	5.73	81	.7	0.06	.5.73
EE			58.08	108.02	40.56	40.64	24.25
EE				30.	40.64	40.38	24.19
	Error in Lat. and Dep.				0.02	.06	.06

Closing error, 1:1708

TRACT B - Sec. 33.

W	Cor.	Course	Dist.	N	S	E	W
EE	13-14	N. 33° 42' E.	20.76	17.27	.88	.8	11.52
EE	14-23	N. 89° 21' E.	5.73	0.06	.70	.7	5.73
EE	23-24	S. 36° 52' W.	26.01	17.27	20.81	.81-11	15.60
EE	24-25	S. 89° 06' W.	1.72	17.27	0.03	.71-11	1.72
EE	25-13	N. 0° 43' E.	3.52	3.52		0.04	
EE			57.74	20.85	20.84	17.29	17.32
EE				20.84			17.29
	Error in Lat. and Dep.				.01		.03

Closing error, 1:1827.

TRACT C

W	Cor.	Course	Dist.	N	S	E	W
EE	26-27	N. 36° 52' E.	26.01	20.81		15.60	
EE	27-28	N. 36° 52' E.	12.71	10.17		7.63	
EE	28-29	S. 0° 16' E.	10.08		10.08	0.05	
EE	29-30	S. 1° 01' W.	10.31		10.31		0.18
EE	30-31	S. 89° 13' W.	5.05		0.07		5.05
EE	31-32	S. 0° 47' W.	5.14		5.14		0.07
EE	32-33	S. 89° 09' W.	10.10		0.15		10.10
EE	33-34	S. 0° 45' W.	5.15		5.15		0.07
EE	34-26	S. 89° 06' W.	7.80		0.12		7.80
EE			92.35	30.98	31.02	23.28	23.27
EE				30.98		23.27	
	Error in Lat. and Dep.				.04	.01	

Closing error, 1:2241.

TRACT C - Sec. 28.

Cor.	Course	Dist.	N	S	E	W
27-28	N. 36° 52' E.	12.71	10.17		7.63	
28-29	S. 0° 16' E.	10.08		10.08	0.05	
29-27	S. 89° 21' W.	7.67		0.09		7.67
		30.46	10.17	10.17	7.68	7.67
				10.17	7.67	
	Error in Lat. and Dep.				.00	.01

Closing error, 3046.

HOMESTEAD ENTRY SURVEY NO. 373

85

COCONINO NATIONAL FOREST


STATE OF ARIZONA

Chains	TRACT C - Sec. 33.						
	Cor.	Course	Dist.	N.	S.	E.	W.
26-27	N. 36° 52' E.	26.01	20.81			15.60	
27-29	N. 89° 21' E.	7.67	.09			7.67	
29-30	S. 1° 01' W.	10.31		10.31			.18
30-31	S. 89° 13' W.	5.05			.07		5.05
31-32	S. 0° 47' W.	5.14		5.14			.07
32-33	S. 89° 09' W.	10.10			.15		10.10
33-34	S. 0° 45' W.	5.15		5.15			.07
34-26	S. 89° 06' W.	7.80			.12		7.80
		77.23	20.90	20.94	23.27	23.27	
	Error in Lat. and Dep.			20.90		23.27	
				0.04		0.00	

Closing error 1:1931

Survey completed October 11, 1915.

Note: Positions for cors. 3, 4, 11, —, 30, 31, 32, 33, — were obtained by using mean courses and distances consistent with the ascertained boundaries of the 1/4 1/4 sections, thereby to sufficiently identify the listed and entered lands which were described in terms of legal subdivisions. The positions were not found by complete technical subdivisions of the 1/4 1/4 sections and are therefore not to be regarded as defining such technical subdivision. Foregoing descriptions of said corners, adopted for convenient statement of their relation to the listed lands as "identical with", are to be understood accordingly.



Surveyor - Draftsman.

HOMESTEAD ENTRY SURVEY NO.

NATIONAL FOREST

STATE OF HONORATE

APPROVAL


Office of the United States Surveyor General,

Phoenix, Arizona, May 15 , 1918

The foregoing field notes of Homestead Entry Survey No.

373

executed by R.P.A. Johnson, Surveyor-Draftsman [Forest Service Title.]
under his special instructions, dated July 9 , 1915, having
been critically examined, and the necessary corrections and explanations
made, the said field notes, and the surveys they describe, are hereby
approved.


U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the
above-described survey in the State of Arizona , has been
correctly copied from the original notes on file in this office.

Frank P. Trott
U. S. Surveyor General.

DIRECTIONS.—1. Carry out calculations to two decimals only.

2. In balancing Latitudes and Departures do not obliterate or change the original figures.

Put the corrected figure or figures above in red ink. Do not change the footing of the original figures, but put below them the corrected footing in red ink.

The corrections for balancing fallings should be proportional to the lengths of the lines.

3. In calculations of fallings all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. L. O.

4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

Tract A. **George Connolly - Coconino**

TABLING AND CALCULATIONS OF HOMESTEAD ENTRY SURVEY NO. 373, STATE OF ARIZONA

CORNERS.	BEARING.	DISTANCE.	LATITUDES.		DEPARTURES.		N. AREAS.	S. AREAS.
			NORTH.	SOUTH.	EAST.	WEST.		
Sec. 28. 1-2	N. 1° 03' W.	10.21	10 21			19	1	94
2-3	N. 89° 31' E.	10.16	0 09		10 16	10 16	91	
3-4	N. 0° 47' W.	20.36	20.36		28	20 05	408	02
4-5	N. 89° 47' E.	20.54	08		53	40 33	2	82
5-6	N. 0° 15' W.	10.12	10 12		54	04	60 84	615 70
6-7	N. 89° 53' E.	7.56	02		7 56	68 36	1 37	
7-8	S. 19° 59' W.	18.10		17 01	6 19	69 73		1186 11
8-9	S. 33° 42' W.	28.44		23 67	15 78	47 77		1130 72
9-1	S. 89° 21' W.	15.81		18	15 81	16 19		2 91
		141.30	40 88	38 40	38 26	28 29	1030 76	2319 74
			40 86	40 86	38 17	38 17		1030 76 20) 1288 98
	Error closure 1:3351						Area 64.	45 acres
Sec. 33. 1-9	N. 89° 21' E.	15.81	18 19	15 81		16 07	3 05	
2-10	S. 33° 42' W.	19.75	16 43	10	96	20 92		343 51
10-11	N. 0° 43' E.	5.96	5 96		07	10 03	59 78	
11-12	S. 89° 13' W.	5.05		07	5 05	5 05		35
12-1	N. 0° 42' E.	10.34	10 34	0 13	0 13	13	1 34	
		56.91	16 48	16 50	16 01		64 17	343 86
			16 49	16 49	16 01		64 17	64 17
	Error of closure 1:2845						20) 279 69	89 98 acres

TABLING AND CALCULATIONS OF HOMESTEAD ENTRY SURVEY NO. 373, STATE OF ARIZONA, GEORGE CHANNEL, filing no.

مکالمہ نمبر ۳۳ جلد دو