3

U. S. DEPARTMENT OF AGRICULTURE

FOREST SERVICE

MAN. 2- 197/

FIELD NOTES

OF

HOMESTEAD ENTRY SURVEY NO. 405

SITUATED IN THE

TONTO

NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO. 3

In Section 19 , unsurveyed, Township 6 N. , Range 14 E.

In Section 30 , unsurveyed, Township 6 N. , Range 14 E.

of the

Gila and Salt River Base and Meridian.

State of

ARIZONA

Applicant for listing Mrs. Haidee Rose, Residence Kirby, arizona. , dated Application No. 420 August 13 , 1913 , dated List No. 3-2943 December 19 , 1913 Applicant for survey Benjamin L. Rogers, Kirby, Arizona Residence H. E. No. 025615 , dated October 22 , 1914 V Office Phoenix, Arizona Land District

Survey executed by Walter G. Turley, Surveyor - Forest Service [Forest Service Title.]

Under special instructions dated September 23 , 1915

Survey commenced March 7 , 1916

But of the second of the secon

Survey completed March 8 , 1916

Under Acts of June 11, 1906 and March 4, 1915.

OATH OF ASSISTANTS

We hereby certify that we assisted Walter G. Turley,
Surveyor - Forest Service in surveying all those
[Forest Service Title.]

parts or portions of Homestead Entry Survey No. 405 , in the State of Arizona which are represented in the following field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the United States Surveyor General for Arizona.

Note: It would have been very expensive and inconvenient to appear before an officer to administer the oaths to Assistants; hence, they were taken by the Surveyor.

Charles A. Baecht, Chainman Ferry D. Lewis, Chainman

Subscribed and sworn to before me this twenty ugas

day of

march

, 19/6

Halter Frusley Surveyor Frank Grad

OATH OF SURVEYOR

I, Walter G. Turley,

Surveyor - Forest Service [Forest Service Title.]

do solemnly swear that, in strict conformity with the special instructions of the United States Surveyor General for Arizona, dated September 23, 1915, and the laws of the United States, I have well, faithfully, and truly, in my own proper person, surveyed a tract of land embraced in List No. 3-2943, dated December 19, 1913, and a tract of land upon the application of Benjamin L. Rogers,

, dated October 23 , 1915 , for Application , No. 603 , under the Act of June 11 , 1906 , Patent the same to be known as Homestead Entry Survey No. 405 National Forest, in situated within the TONTO , Township 6 N. , Range 14 E. , and unsurveyed Section 19 , Township 6 N. , Range unsurveyed Section 30 14 E.

of the **Gila and Salt River Base &** meridian, **Arizona**, and the related retracements and resurveys and section subdivisions, which are represented in the following field notes as having been surveyed by me; and I further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the stated special instructions, and in the specific manner described in the field notes, and that the following are the original field notes of such survey.

for thut Lewise
[Forest Service Title.]

Subscribed and sworn to before me this

814

day of

SEAL.

Elsie G. Myers Notary Public

TONTO NATIONAL FOREST

STATE OF ARIZONA

	Chains	Applicant for listing Mrs. Haidee Rose; Application No.
100		420, dated August 13, 1913; List No. 3-2943, dated De-
		cember 19, 1913; Homestead Entry No. 025615, made in
	which	. the Phoenix Land Office on October 22, 1914 by Benjamin
	bns ban	L. Rogers, whose post office address is Kirby, Arizona.
	d. with	Also a small tract of unlisted land adjoining claimant's
	nd iw e	entry on Northwest was included in this survey. The
	the di-	land is agricultural in character, was desired by the
	et firm-	entryman and will be listed as a basis for amendment of
	Lat. 354	his entry No. 025615; Application No. 603, dated October
	-ni Is	10 23, 1915 W "TS 'Vd OII .gnol bns . M "TS 'VS
		Surveyed under Acts of June 11, 1906 and March 4, 1915,
	10.0m.	· together with special instructions from the Surveyor
	27.79.	- General for Arizona, dated September 23, 1915, and de-
	.mg.Sa	· signated as Homestead Entry Survey No. 405.
		Situated in what will probably be, when surveyed, secs.
+		19 and 30, T. 6 N., R. 14 E., Gila and Salt River Base
-	S, here.	and Meridian, within the Tonto National Forest, Arizona.
-	-itis	tofore described, and with telescope reversed in
	ne same	Survey. commenced. March 7, 1916, and executed with a W.
	-ni	and L. E. Gurley light mountain transit No. 12953, pro-
	ed with	vided with prism eye piece, stadia wires, vertical cir-
	·n ·ens	cle, and Burt solar attachment. The horizontal limb
-		of the transit has two double verniers placed opposite
-	.mo.88	. each other, and graduated to single minutes of arc, which
	87.7m	. is also the graduation upon the verniers of the latitude
-	57.3m.	and declination arcs. and an . for eight work
-		I test the adjustments of the transit and solar attach-
-		ment and make necessary corrections.
		All distances are horizontal, and were reduced from meas-
Service Control	morî .	urements made directly on the slope with a 500 link
	:elet	steel tape graduated to links and tenths. The slope
	3 д	angles were determined with a clinometer, the vernier

HOMESTEAD ENTRY SURVEY NO. 405

TONTO NATIONAL FOREST

STATE OF ARIZONA

Chains

of which reads to degrees.

ni - March 17. 1916. vrtua bestaemon : 8181 ,81 dadma

I set up my transit over cor. H-1 of List 3-2943, which is a sandstone 10 x 4 x 5 ins. above ground, marked and witnessed as described by the Forest Service; and, with · telescope direct, I observe Polaris in accordance with instructions at 6h. 10m. p.m., l.m.t., and mark the direction thus determined with a tack in a stake set firmly in the ground 5.00 chs. N. of my station, in Lat. 33 27' 27" N. and Long. 110° 57' 27" W., from special in-. structions from the Surveyor General. Astron. 1.m.t. obsn., March 7, 1916, 6h. 10.0m. - Astron. 1.m.t. U.C.Pol., March 7, 1916, 2h. 27.7m.

Hour angle Pol. at obsn., as a feet 3h. 42.3m.

. Azimuth Pol. at obsn., 1° 08' 06" W.

With my transit set up over cor. H-1 of List 3-2943, heretofore described, and with telescope reversed in altitude and azimuth, at 6h. 25m. p.m., l.m.t., on the same date, I again observe Polaris in accordance with instructions, and mark the direction thus determined with a tack in a stake set firmly in the ground, 5.00 chs. N. of my station. V eldoob out ask lieners ent to

> Astron. 1.m.t. obsn., March 7, 1916, 6h. 25.0m. Astron. 1.m.t. U.C. Pol., March 7, 1916, 2h. 27.7m. Hour angle Pol. at obsn., To holdeniford 57.3m.

Azimuth of Pol. at obsn., 1° 10' 54" W.

March 8, 1916. W bas , lather tred ets seenstain IIA

I turn off 1° 08', the azimuth of Polaris, to the E. from its direction at 6h. 10m. p.m., 1.m.t., March 7, 1916; and mark the line thus determined with a tack in a

. 3.

TONTO NATIONAL FOREST

STATE OF ARIZONA

Chains

stake set firmly in the ground 5:00 chs. N. of my station.

I also turn off-1° 11', the azimuth of Polaris, to the E. from its direction at 6h. 25m. p.m., l.m.t., and mark the line thus determined with a tack in a stake set firmly in the ground 5.00 chs. N. of my station. This line falls 0° 00' 32" of measured arc to the W. of the line previously established.

I'mark the mean of these two lines with a tack in a stake set firmly in the ground 5.00 chs. N. of my station; and from the corresponding meridian, all the 'courses stated in these field notes were deflected and referred by continuous sustained angulation.

at cor. No. 1 of this survey, by account from values stated in the special instructions of the Surveyor General.

It was cloudy and not possible to check the latitude by direct observation during the execution of this survey.

My watch is set for Standard 105th. Meridian time, from which I subtract 23m. 50s. for l.m.t.

Observed magnetic declination at cor. No. 1, at 8h. 00m.
a.m., 15° 15' E. Mean magnetic declination 15° 12' E.

A 5 in. walnut bears H. 40°

There is no corner of the public land survey within two miles of this claim. This survey is therefore tied to U. S. L. M. No. 148 H. E. S., located on the point of a ridge approximately 90 lks. South of Workman Creek and 3.90 chs. East of Connor Creek, and is a + chiseled at the point and U S L M No. 148 H E S on top of a porphyry ledge, 16 ft. high, which bears SW. and SE., with mound of stone 6 ft. base, 4 ft. high, South of cor., from which:

STATE OF ARIZONA

Chains . A 12 in. white oak, scribed U S L M No 148 H E S + B T, bears West, 65 lks.

> A 9 in. pine scribed U S L M No 148 H E S + B T, bears S. 18° 00' W., 87 lks.

A 6 in. black oak scribed U S L M No 148 H E S

A 10 in. alder scribed U S L M No 148 H E S + B T, bears N. 13° 50' W., 60 lks.

Cor. to Ts. 6 and 7 N., Rs. 13 and 14 E., which is a granite stone 9 x 6 x 5 ins. above ground, marked and witnessed as described by the Surveyor General, bears N. 13° 46' 16" E., 297.34 ... chs., by traverse, details of which are hereto attached.

Beginning at cor. No. 1.

I chisel + on a stone 4 x 4 x 2 ins., and deposit it 15 ins. in the ground; over which I set a sandstone 25 x 10 x 6 ins., 15 ins. in the ground; chiseled (+) at the point and 1 - H E S 405 on the E. face; and raise a mound of stone 2 ft. base, 1-1/2 ft. high, over the cor., from which:

.moo. A. 10 in. alder bears N. 67° 14' W., 11 lks., blazed and scribed 1 H E S 405 + B T.

A 5 in. walnut bears N. 40° 10' E., 29 lks., blazed and scribed 1 H E S 405 + B T.

U. S. L. M. No. 148 H. E. S., heretofore described, bears N. 76° 37' 14" W., 97.75 chs., by traverse, details of which are hereto attached. romood to deal . one De, & Black

cor., from which:

Thence N. 82° 32' E. M. I 2 U Sak talog edt te

Asc. brushy S. slope 20 ft. over unlisted land.

0.05 Trail bears NW. and SE.

To cor. No. 2. 12.84

TONTO NATIONAL FOREST

STATE OF ARIZONA

Chains

Identical with cor. H-2 of List 3-2943, which is a granite stone 10 x 3 x 4 ins. above ground, marked and witnessed as described by the Forest Service. I destroy cor. H-2 and its witnesses; and, for cor. No. 2 of this survey, I chisel (+) on a stone 4 x 4 x 2 ins., and deposit it 14 ins. in the ground; over which I set a granite stone 24 x 10 x 9 ins., 14 ins. in the ground, chiseled (+) at the point and 2 - H E S, 405 on the S. onse a face; and raise, a mound of stone 2 ft. base, 1-1/2 ft. belowing high S. of cor., from which: A x ff x ds enote

A 4 in. white oak bears N. 3° 28' W., 20 lks., revo d id . + blazed and scribed 2 H E S 405 + B T.

> A 4 in. white oak bears N. 78° 47' W., 19 lks., ... blazed and scribed 2 H E S 405 + B T.

Thence S., 22° 32' E. . a stand onig . al OE A

Desc. brushy SW. slope 10 ft. Over listed land.

10.60 To cor. No. 3.

Identical with cor. H-3 of List 3-2943, which is a sandstone 15 x 2 x 5 ins. above ground, marked and witnessed as described by the Forest Service. I destroy cor. H-3 and its witnesses; and, for cor. No. 3 of this survey, I chisel (+) on a stone 4 x 4 x 3 ins., and deposit it 14 ins. in the ground; over which I set a sandstone 24 x 9 x 5 ins., 14 ins. in the ground; chiseled (+) at the point and 3 - H E S 405 on the NW. face; and raise a mound of stone 2 ft. base, 1-1/2 ft. high NW. of cor. stone 27 x 11 x 4 ids., 17 ins. in : daidw mort chiseled

A 16 in. white oak bears S. 23° 58' W., 43 lks., Tovo mend . . blazed and scribed 3 H E S 405 + B T.

A 20 in. white oak bears N. 13° 51' W., 23 lks., ... blazed and scribed 3 H E S 405 + B T.

Thence N. 76° 46' W. and Meo solid and a A

HOMESTEAD ENTRY SURVEY NO. 405

TONTO NATIONAL FOREST

STATE OF ARIZONA

Chains

Desc. brushy bottom 5 ft. . 100 Main included

1.88 Pole fence bears N. and S. Enter cleared land.

To cor. No. 4. side and yet bad twomen as between in 9.13

Identical with cor. H-4 of List 3-2943, which is a . sandstone 12 x 3 x 6 ins. above ground, marked and witnessed as described by the Forest Service. I destroy cor. H-4 and its witnesses; and, for cor. No. 4 of this survey, I chisel (+) on a stone 4 x 4 x 3 ins., and de-- posit it-15 ins. in the ground, over which I set a sandstone 25 x 11 x 4 ins., 15 ins. in the ground, chiseled (+) at the point and 4 - H E S 405 on the NE. face; and raise a mound of stone 2 ft. base, 1-1/2 ft. high over the cor., from which: date still all A

A 7 in. pine bears S. 81° 30' W., 4 lks., blazed and scribed 4 H E S 405 + B T. A 30 in. pine bears S. 21° 22' W., 76 lks., blazed and scribed 4 H E S 405 + B T.

Thence N. 35° 00' W. to d-H . 100 dt lw Isolinsbl

Over cleared land. wods . and d x 3 x dl enote

To cor. No. 5. solves destor ent vd bedirens as - 3.97

ent te

Identical with cor. H-1 of List 3-2943, which is a sandstone 10 x 4 x 5 ins. above ground, marked and witnessed as described by the Forest Service. I destroy cor. H-1 and its witnesses, and for cor. No. 5 of this survey, I chisel (+) on a stone 4 x 4 x 3 ins., and deposit it 17 ins. in the ground, over which I set a sandstone 27 x 11 x 4 ins., 17 ins. in the ground, chiseled (+') at the point and 5 - H E S 405 on the NE. face; and raise a mound of stone 2 ft. base, 1-1/2 ft. high over the cor., from which:

A 17 in. white oak bears S. 26° 35' W., 30 lks., blazed and scribed 5 H E S 405 + B T.

A 16 in. white oak bears S. 18° 30' E., 40 lks.,

TONTO NATIONAL FOREST

STATE OF ARIZONA

Chains	blazed and scribed 5 H E S 405 + B T.
evan n	of the temperate zone. Good vegetables and cor
	Thence N. 63° 56' W.
.Meero	Enter unlisted land. Desc. SW. slope 5 ft.
0.15	Enter cultivated land bears NE. and SW.
4.57	Pole fence bears NE. and SW. Leave cultivated land.
no I	Continue in undergrowth.
6.06	Trail bears NW. and SE. Loos . Minim . Bellanwood
6.27	To cor. No. 1, the place of beginning.
	There are no conflicts or adjoining claims.
ni bec	r rogav for first to AREA of al sollio two ydain
	Listed Area 5.58 acres
-15	Unlisted Area 2.25 acres
	Total Area 7.83 acres
	IMPROVEMENTS
	A frame and log dwelling 24 x 14 ft., the long side ex-
	tending E. and W. and the NW. cor. of which bears
	S. 50° 28' E., 2.23 chs. from cor. No. 5 of this survey.
981	Estimated Value \$100.00
88.	A frame chicken house, 10 x 7 ft., the long side extend-
38.	
97.8 10.	15' E., .68 chs. from cor. No. 5 of this survey.
	Estimated Value \$ 15.00
	Approximately 2 acres of cultivated land.
	Approximately 1/2 mile of fencing.
	Estimated Value \$ 50.00
	DESCRIPTION
	This claim is situated on Workman Creek, a tributary to
	Salt Diver and is valuable for cardening and steek

Salt River and is valuable for gardening and stock raising.

HOMESTEAD ENTRY SURVEY NO. 405

TONTO NATIONAL FOREST

STATE OF ARIZONA

Chains	The soil is a dark loam and produces the ordinary crops
Personal Turn of the Section	of the temperate zone. Good vegetables and corn have
	been raisedW '83 %88 .M eomenT
	Sufficient water for all purposes flows in Workman Creek.
	This section is timbered and a few pine trees are in-
.50	of cluded in this survey. And . THE steed somet slot wo. A
	This section is not reported to be mineralized, and no
	townsites, mining, coal or oil claims are known to have
	been located in conflict herewith.
	There are no conflicts or adjoining claims.
	Kirby post office is 26 miles by trail and wagon road in
aeros	a Southerly direction. Globe railway station is 52
BOTOS	miles by trail and wagon road in a Southeasterly di-
	rection.
	CTRAVERSE
-xe e	Cor. Course Dist. New S. D. E. E. W
9	Cor. Course I Dist. Bull News as Bus English
survey.	Cor. Course Dist. N N S E E W 1-2 N. 82° 32' E. 12.84 1.67 5 12.73
survey.	Cor. Course Dist. N S E W 1-2 N. 82° 32' E. 12.84 1.67 12.73 2-3 S. 22° 32' E. 10.60
survey.	Cor. Course Dist. N S E W 1-2 N. 82° 32' E. 12.84 1.67 12.73 2-3 S. 22° 32' E. 10.609.79 4.06 3-4 N. 76° 46' W. 9.13 2.09 8.89 4-5 N. 35° 00' N. 3.97 3.25 2.28 5-1 N. 63° 56' W. 6.27 2.76
survey.	Cor. Course Dist. N S E W 1-2 N. 82° 32' E. 12.84 1.67 12.73 2-3 S. 22° 32' E. 10.609.79 4.06 3-4 N. 76° 46' W. 9.13 2.09 8.89 4-5 N. 35° 00' N. 3.97 3.25 2.28 5-1 N. 63° 56' W. 6.27 2.76
survey.	Cor. Course Dist. N S E W 1-2 N. 82° 32' E. 12.84 1.67 12.73 2-3 S. 22° 32' E. 10.609.79 4.06 3-4 N. 76° 46' W. 9.13 2.09 8.89 4-5 N. 35° 00' W. 3.97 3.25 2.28 5-1 N. 63° 56' W. 6.27 2.76
survey.	Cor. Course Dist. N S E W 1-2 N. 82° 32' E. 12.84 1.67 12.73 2-3 S. 22° 32' E. 10.60
survey.	Cor. Course Dist. N S E W 1-2 N. 82° 32' E. 12.84 1.67 12.73 2-3 S. 22° 32' E. 10.609.79 4.06 3-4 N. 76° 46' W. 9.13 2.09 8.89 4-5 N. 35° 00' N. 3.97 3.25 2.28 5-1 N. 63° 56' W. 6.27 2.76

on Workman Creek, a tributary to

valuable for gardening and auder

Surveyor - Forest Service

raising.

0 004

Sheet No. 3.—Revised Feb., 1915.

DIRECTIONS.—1. Carry out calculations to two decimals only.

2. In balancing Latitudes and Departures do not obliterate or change the original figures.

2. In balancing Latitudes and Departures do not obliterate or change the footing of the original figures, but put below them the corrected figure or figures above in red ink. Do not change the footing of the lines.

The corrections for balancing fallings should be proportional to the lengths of the lines.

3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. L. O. 4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

										.80						8		
S. AREAS.			289 10			Table and the control of the control	289 10	132 59	156 51	7.83 Acres.								
N. AREAS.		21 40		51 64	44 01	15 54 ~	132 59											
DOUBLE M. D.		12 74	29 54	24 71	13 54	5 63												
	West.			68 8	82 2		16 80	08 91					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
DEPARTURES.	East.	12 73	4 06				16 79	08 91										
ES.	Волтн.		9 78				9 79	866										
LATITUDES.	Nовтн.	1 67		60 2	3 25	2 76	9 77	9 78										
DISTANCE.		12,84	10.60	9.13	3.97	6.27	42.81			7								
BEARING.		N. 82° 32' E.	S. 22° 32' E.	N. 76° 46' W.	N. 35° 00° W.	N. 63° 56' W.				error. 1:1915								
CORNERS.		1-2	2-3		4-5	5-1				Closing								

ENH

Form 85. Sheet No. 3.—Revised Feb., 1915.

DIRECTIONS.—I. Carry out calculations to two decimals only.

2. In balancing Latitudes and Departures do not obliterate or change the original figures.

Put the corrected figure or figures above in red ink. Do not change the footing of the lines.

The corrections for balancing fallings should be proportional to the lengths of the lines.

3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. L. O. 4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner. Arizona. STATE OF TABLING AND CALCULATIONS OF HOMESTEAD ENTRY SURVEY NO. 405. 8-2349

CORNERS.	BEARING.	DISTANCE.	LATIT	LATITUDES.	DEPAR	DEPARTURES.	DOUBLE M. D.	N. ABEAS	S AREAS	
			North.	South.	EAST.	West.				
				Listed Area.	.88					
5-2	N. 58° 05' E.		4 43		7 10		01.4	77		
2-3	S. 22° 32' E	10,60	1000	\ 64 6	i			40	89 87 L	
42	N. 76° 46' W.	6.13	2 09			> 68	13 45	28 25	1	
4-5	N. 35° 00' W.		3 25			2 28 <	OX.	7 41		
		32.07	9 77	64 6	11 16			67 11	178 68	
			6 18	866	1111	1111			1	
									711 57	
Closing	ing error, 1:2268.	• 89								deres.
		,	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							
					1					
						1				
										8
										5
				=						HW +

Sheet No. 3.—Revised Feb., 1915.

Drescrons.—1. Carry out calculations to two decimals only.

2. In balancing Latitudes and Departures do not obliterate or change the original figures.

Put the corrected figure or figures above in red ink. Do not change the footing of the lines.

Put the corrected figure or figures above in red ink. Do not change the footing of the lines.

The corrections for balancing fallings should be proportional to the lengths of the lines.

3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. L. O. 4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

CORNERS.	BEARING.	DISTANCE.	LATITUDES.	UDES.	DEPARTURES	URES.	DOUBLE M. D.	N. AREAS.	S. AREAS.
			Nовтн.	Воитн.	EAST.	West.			
	Tie from	m Cor. Ts.	6 and 7 N.	Rs. 13 a	and 14 E. to	U. S. I.	M. No. 148 F	н. в. з.	
	S. 15° 48' W.	53.68		51 65		14 62			
	S. 15° 53' W.	79 60		76 56		21 787			
	S. 43° 42' W.	93.25		67 42		64 42			
	N. 85° 45' W.	41.31	3 06			41 20			
	N. 10° 40' W.		3 75			V17 0			
	S. 17° 30' E.	43.18		41 18	12 98				
	S. 40° 07' W.	9.84		7 52		6 34			
	S. 37° 21' E.	57.59		45 78	34 94				
	S. 79° 45' E.	50.86		5 49	30 37/				
			6 81	295.60	78 29	149 07			
N.	13° 46' 16" E.	297.34	288 79		70 78				
			295 60	295 60	149 07	149 07			
		Tie from	U.S. L.	M. No. 148	H. E. S. to	cor. No.			
	S. 74 º 20 1 E.	60.86		26 49 7	94 45				
	N. 9° 30' E.	3,92	3 87		0 65				
			3 87	26 49	95 10	00 0			
N.	76° 371 14" W.	97.76	22 62			95 10			
			26 49	26 49	95 10	95 10			

APPROVAL

Office of the United States Surveyor General,

Phoenix, Arizona, June 19, 1917.

The foregoing field notes of Homestead Entry Survey No.

405

executed by Walter G. Turley, Surveyor-Forest Service [Forest Service Title.] under his special instructions, dated September 23, 1915, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above-described survey in the State of Arizona, has been correctly copied from the original notes on file in this office.

Frank P. Trott

8-2349

U. S. Surveyor General.