139

U. S. DEPARTMENT OF AGRICULTURE

FOREST SERVICE

JAN 27.1919

FIELD NOTES

OF

HOMESTEAD ENTRY SURVEY NO. 489

SITUATED IN THE

APACHE

NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO. 3

In Section 34, unsurveyed, Township 2 S., Range 28 E.

And Establishment of U. S. L. M. No. 489 H. E. S.

of the

Gila and Salt River Base and Meridian.

State of

ARIZONA

Applicant for listing Eugene Hopper,

Residence Metcalf, Arizona

Application No. 71 , dated December 15 , 19 08

List No. 3-1124 , dated February 9 , 1911

Applicant for survey

Thomas B. McCulloch.

Residence

Metcalf, Arizona

H. E. No. 025740

, dated

September 17 , 19 14

Office Land District

Phoenix, Arizona

Survey executed by Lee C. Daves,

Surveyor - Forest Service

[Forest Service Title.]

Under special instructions dated

June 21

1916

Survey commenced

March 24

, 19 17

Survey completed

March 25

, 1917

Under Acts of

June 11, 1906 and August 11, 1916

[OVER] OLANA

CV -- 1 6 480

489 spech

OATH OF ASSISTANTS

We hereby certify that we assisted Surveyor - Forest Service Lee C. Daves,

in surveying all those

parts or portions of Homestead Entry Survey No. 489 , in the State of ARIZONA which are represented in the following field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the United States Surveyor General for Arizona.

Note: It would have been very expensive and inconvenient to appear before an Officer to administer oaths to Assistants; hence, they were taken by the Surveyor.

	(P	1	-	6	C	u	c	1	21	0	Z.	P	,	Cř	aj	nn	an
_	-		1	_	_	_	_	_	-	_	-	-	-	-	-	-	-	
_	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Subscribed and sworn to before me this

15th

day of

July

1917

secoures

Surveyor, Forest Service

OATH OF SURVEYOR

I, Lee C. Daves, Surveyor Forest Service [Forest Service Title.]

do solemnly swear that, in strict conformity with the special instructions of the United States Surveyor General for ARIZONA, dated June 21, 1916, and the laws of the United States, I have well, faithfully, and truly, in my own proper person, surveyed a tract of land embraced in

List , No. 3-1124 , dated February 9 , 1911 , for Patent , under the Act of June 11 , 1906 , the same to be known as Homestead Entry Survey No. 489 , situated within the Apache National Forest, in unsurveyed Section 34 , Township 2 S. , Range 28 E. , and surveyed Section - - - , Township - - - - , Range - - - ,

of the Gila and Salt River Base &meridian, Arizona, and the related retracements and resurveys and section subdivisions, which are represented in the following field notes as having been surveyed by me; and I further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the stated special instructions, and in the specific manner described in the field notes, and that the following are the original field notes of such survey.

Surveyor, Forest Service
[Forest Service Title.]

Subscribed and sworn to before me this fifth

th

day of

October

, 19 18

Ethel & myere Notary Public.



APACHE NATIONAL FOREST

STATE OF ARIZONA

Chains Applicant for listing Eugene Hopper; Application No. 71, dated December 15, 1908; List No. 3-1124, dated February 9, 1911; H. E. 025740, made in the Phoenix Land Office on September 17, 1914 by Thomas B. McCulloch.

Surveyed under special instructions from the Surveyor General for Arizona, dated June 21, 1916 and designated as Homestead Entry Survey No. 489.

Situated in what will probably be, when surveyed, Sec.

34, T. 2 S., R. 28 E., Gila and Salt River Base and

Meridian, Apache National Forest, Arizona.

Surveyed under the Acts of June 11, 1906 and August 11,

Surveyed under the Acts of June 11, 1906 and August 11,

Survey commenced March 24, 1917 and executed with a Buff and Buff transit No. 9702, equipped with Smith solar attachment.

I test the adjustments of the transit and make necessary corrections.

All distances are horizontal, and were reduced from measurements made directly on the slope with a 500 link
steel tape. The slope angles were determined with a
clinometer.

March 24, 1917.

At U. S. L. M. No. 489 H. E. S, hereinafter described, in Lat. 33° 13' 07" N., Long. 109° 26' 57" W., from Forest Service Base Map, I observe Polaris at W. Elong. at 7h. -18.4m. p.m., 1.m.t.

. . Jaib sellm S\I-

Reference mark: A light on a stake about 40.00 chs.

Northwardly of my station.

- 1. 1/4(14° 36' 00") = 3° 39' 00"
- 2. 1/2(7° 17' 15") = 3° 38' 38"
- 3. 1/6(21° 53' 00") = 3° 38' 50"

HOMESTEAD ENTRY SURVEY NO. 489

APACHE NATIONAL FOREST

STATE OF ARIZONA

Chains graurdel Azimuth of Polaris at W. Elong. 178° 28' 44"

Mean Angle, 31 : 3001 . 31 1 30 38 49"

Bearing of Mark, N. 5° 00' 05".W.

From this azimuth all the courses of this survey are referred by angulation.

There being no corner of the Public Land Survey or U. S. Location Monument within two miles, I establish U. S. L. M: No. 489.H. E. S. as follows:

This monument is situated about 100 lks. in a Southwesterly direction from the highest point of a round summit in the ridge North of Tule Creek. Also about 3.00 chs. E. of a drift fence bearing N. and S. and about 20.00 chs. Northwardly of TuleSprings. I cut a + and USLM No 489 HES on top of a limestone boulder in place, showing 48 x 24 x 16 ins. above ground; and raise a mound of stone 6 ft. base and 5 ft. high SE. of cor., whence: and , latnoziron era seenstail IIA

A juniper, 10 ins. dia., bears N. 38° 10' E., 270 lks. dist., marked U S L M No 489 H E S + B T. No other witnesses atailable.

> Grey's Peak bears N. 70° 56' E., about March 24, 1917. 2-1/2 miles dist.

A sharp peak bears S. 76° 23' B., about 4-1/2 miles dist. ..

. The middle one of three peaks in the Coronado Ridge bears S. 4º 00' .E.; about 5-1/2 Reference mark: A light on dist. 40.00 chs.

> The highest point of Turtle Mountain bears S. 16° 48' W. about 8 miles dist. Graham Mountain (highest point) bears . S. 34° 43' W. about 43 miles dist.

3.

APACHE NATIONAL FOREST

STATE OF ARIZONA

Chains A sharp peak near Eagle Pass bears S. 49° 13' W., about 50 miles dist. Highest point of Elevation Mountain bears . N. 84° 59' W., about 9-1/2 miles dist. March 24, 1917.

BOUNDARIES OF CLAIM

March, 25, 1917. il end to I-a . Too eddiw Leotineble

Beginning at cor. No. 1.

Identical with cor. H-2 of the list survey, which is a basalt stone 12 x 8 x 4 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. Deposit a limestone 6 x 6 x 1 ins, marked with a +, 14 ins. in the ground, over which set a limestone 24 x 12 x 12 ins., chiseled : 00 + for the point and 1 - H E S 489 on S. face; and raise a mound of stone 4 ft. base, 2 ft. high S. of cor., whence:

> A pinon, 6 ins. dia., bears S. 28° 55' E., 218 1ks. dist., marked 1 H E S 489 + B T. NE. cor. adobe house bears S. 39° 31' W. 16.75 chs. dist.

SE. cor. frame shed bears S. 39° 50' W., . 14.43 chs. dist.

U. S. L. M. No. 489 H. E. S., heretofore described, bears N. O' 36' E., 9.91 chs. dist., by direct measurement.

Lat. 33° 13' 01" N., Long. 109° 26' 57" W., from Forest Service Base Map.

Mag. decl. at 6:00 a.m. is 12° 30' E. Mean mag. decl. nesse this 12° 28's E. senote to be on a ni enote enti

Thence S. 30°. 28' E.

Desc. rocky S. slope.

Bottom 200 ft. desc. Arroyo, 50 lks. wide (dry), course 4.40

HOMESTEAD ENTRY SURVEY NO. 489

APACHE NATIONAL FOREST

STATE OF ARIZONA

SW. Asc. 60 ft. to cor., entering hackberry and ash Chains timber on South side arroyo. .. 'SI Wire fence bears NW. and SE. 9.70 Running stream from Tule Springs, 10 lks. wide, 6 ins. 12.50 ·deep, course NW. Rail fence bears E. and W. 13.30 To cor. No. 2. I and the same and the 13.41 Identical with cor. H-1 of the list survey, also F. S. M., which is a malpais stone 12 x 18 x 24 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. and F. S. M. Deposit a porphyry stone 6 x 4 x 2 ins. marked with a +, 14 ins. in the ground, over which set a porphyry stone 24 x 10 x 5 ins., chiseled + for the point and 2 - H ES 489 on NW. face; and raise a mound of stone 4 ft. base, 2 ft. high NW. of cor., whence: . . A hackberry, 24 ins. dia., bears N. 22° 40' E., 150 lks. dist. A hackberry, 30 ins. dia., bears N. 63° . 1 8 + 884 15' W., 18 1ks. dist. . BAL 818

Thence'S. 57° 48' W. od beds emart . 100 . Ac

Ascend along N. slope and S. edge of timber.

16.75 chs. dist.

Each marked 2 H E S 489 + B T.

- 1.50 Top 10 ft. asc. on NW. slope. Desc. 50 ft. to cor.
- 5.20 Arroyo, 15 lks. wide, 2 ft. deep, course NW.
- 9.45 Arroyo, 20 lks. wide, 3 ft. deep, course NW.
- 18.40 Arroyo, 10 lks. wide, 1 ft. deep, course NW.
- 21.47 To cor. No. 3.
- · Identical with cor. H-5 of the list survey, which is a limestone in a mound of stones, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. · Deposit a porphyry stone 6 x 6 x 2 ins. marked with a +, ·14 ins. in the ground, over

APACHE NATIONAL FOREST

STATE OF ARIZONA

Chains

which set a sandstone 24 x 8 x 6 ins., chiseled + for the point and 3 - H E S 489 on NW. face; and raise a mound of stone 4 ft. base, 2 ft. high NW. of cor., whence:

> A juniper 5 ins. dia., bears N. 63° 45' E., 142 lks. dist.

A juniper, 5 ins. dia., bears N. 27° 50' W., 204 lks. dist.

Each marked 3 H E S 489 + B T.

Thence S. 76° 27' W.

Desc. along N. slope, through scattering juniper and oak.

Tule Creek, 60 lks. wide, 6 ft. deep, running water 8 28.00 1ks. wide, 6 ins. deep, course S. 60° W.

31.50 To cor. No. 4.

Identical with cor. H-4 of the list survey, which is a limestone 4 x 10 x 16 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. Deposit a limestone 5 x 4 x 2 ins. marked with a +, 14 ins. in the ground, over which set a limestone 24 x 16 x 6 ins., chiseled + for the point and 4 - H E S 489 on NE. face; and raise a mound of stone 4 ft. base, 2 ft. high NE. of cor., whence:

> An Arizona Cypress, 36 ins. dia., bears S. 37° 30' E., 10 1ks. dist.

A walnut, 8 ins. dia., bears N. 16° 38' E., 59 1ks. dist.

Each marked 4 H E S 489 + B T.

Thence N. 29° 20' W.

Leave scattering timber E. and W. Ascend 10 ft. to cor. on open South slope.

146

Form 85. Sheet No. 2. . 6.

HOMESTEAD ENTRY SURVEY NO. 489

APACHE NATIONAL FOREST

STATE OF ARIZONA

Chains 4.35

To cor. No. 5.

Identical with cor. H-3 of the list survey, which is a malpais stone 6 x 14 x 8 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. Deposit a basalt stone 6 x 4 x 4 ins. marked with a +, 14 ins. in the ground, over which set a limestone 24 x 8 x 6 ins., chiseled + for the point and 5 - H E S 489 on SE. face; and raise a mound of stone 4 ft. base, 2 ft. high SE. of cor., whence:

A juniper 6 ins. dia., bears N. 45° 55' E.,

134 lks. dist., marked 5 H E S 489 + B T.

No other bearings available. Pits impracticable.

Thence N. 58° 55' E.

Ascending 250 ft. to cor. along South slope, over open land.

51.50

. . 80

To cor. No. 1 and point of beginning.

AREA

Total Area - - - - - - - - - - - 56.60 acres

IMPROVEMENTS

The improvements made upon and for the benefit of this claim, and belonging to the claimant, consist of the following:

An adobe house, 40 x 20 ft., the long side extending E. and W. and the NE. cor. of which bears S. 39° 31' W., 16.75 chs. dist. from cor. No. 1.

Value ----- \$1000.00

A frame shed 30 x 18 ft., the long side extending N. and S., the SE. cor. of which bears S. 29° 50' W.,

APACHE NATIONAL FOREST

STATE OF ARIZONA

Chains

14.43 chs. dist. from cor. No. 1.

Value ----- \$ 75.00

A well, 30 ft. deep, with 12 ft. water, the center of which bears S. 39° 42' W., 18.05 chs. dist. from cor. No. 1.

Value ----- \$250.00

DESCRIPTION

The claim is situated in the canyon of Tule Creek.

The soil is sandy and well adapted to agriculture.

Water is obtained for domestic use from a well near the house. For stock and irrigation, the water from Tule Springs is used.

There is no timber of commercial value upon the claim.

About 20 acres in the middle and Eastern part of the claim are in cultivation.

There were no indications of mineral upon the land.

CONFLICTS AND ADJOINING CLAIMS

There are no conflicts or adjoining claims.

Metcalf, Arizona, the nearest post office and trading point, is 12 miles in a Southeasterly direction by trail.

					TRAVI	ERSE			
Cor.		Cou	rse		Dist.	N	S	E	W
1-2 2-3 3-4 4-5 5-1	s. s. n.	30° 57° 76° 29° 58°	28' 48' 27' 20' 55'		13.41 21.47 31.50 4.35 51.50	3.79 26.59	11.56 11.44 7.38	6.80	18.17 30.62 2.13
Erro Clos	r i	n L a	t. a	nd I	30.38 30.38 .00	50.91	50.92 50.91		

Survey completed March 25, 1917.

Surveyor - Forest Service

HOMESTEAD ENTRY SURVEY NO.

NATIONAL FOREST

STATE OF

ains .1.04.100 mort .telb .ens	ains 14.45
Vslue \$ 75.00	
30 ft. deep, with 12 ft. water, the center of	A well.
bears 8. 59° 42' W. 18.05 chs. dist. from	which
10. 1.	1 . 100
Value	
DESCRIPTION	THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.
im is situated in the cenyon of Tule Creek.	aloam
l is sandy and well adapted to egriculture.	
s obtained for domestic use from a well near the	
For stock and irrigation, the water from	
Springs is used.	
a no timber of commercial value upon the claim.	
ed to trag metase and Esstern part of the	
are in cultivation.	
ere no indications of mineral upon the land.	N STORE
donkilote and appliance	Arcanor distance de distance
COMPLICTS AND ADJOINING CLAIMS	s eredT
re no conflicts or sajoining claims.	Meterlf
re no conflicts or adjoining claims. Arizona, the nearest post office and trading. is 12 miles in a Southeasterly direction by	Meterlf
re no conflicts or sajoining claims. Arizona, the nearest post office and trading. Is 12 miles in a Southeasterly direction by	torog.
re no conflicts or sajoining claims. Arizona, the nearest post office and trading. is 12 miles in a Southeasterly direction by THAVERSE	liston faioq
re no conflicts or sajoining claims. Arizona, the nearest post office and trading. Is 12 miles in a Southeasterly direction by THAVEREE Course Dist. N S E W	list
re no conflicts or sajoining claims. Arizons, the nearest post office and traing. 18 12 miles in a Southeasterly direction by Course Dist. H S E W 50° 28' R. 15.41 11.56 6.80 57° 48' W. 21.47 11.44 11.76 6.80 76° 27' W. 51.50 7.58 11.44 11.44 29° 20' W. 4.35 3.79 58° 55' E. 51.50 26.59 44.11 122.23 20.38 20.38 20.38 50.91 51.92	list
re no conflicts or sajoining claims. Arizona, the nearest post office and trading. is 12 miles in a Southeasterly direction by Course Dist. H S E W 50° 28' R. 15.41 11.56 6.80 57° 48' W. 21.47 11.56 6.80 76° 27' W. 51.50 7.38 3.62 29° 20' W. 4.35 3.79 58° 55' S. 51.50 26.59 44.11	Trond Trond

Sheet No. 3.—Revised Feb., 1915.

Drections.—1. Carry out calculations to two decimals only.

2. In balancing Latitudes and Departures do not obliterate or change the original figures.

3. In balancing Latitudes and Departures above in red ink. Do not change the footing of the original figures, but put below them the corrected footing in red ink.

The corrections for balancing fallings should be proportional to the lengths of the lines.

3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. L. O.

4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

								,	American Ame								4	9	
	N TOTAG	b. Angab.	1098 66′	957 18	257 41		2313 25	1132 03	be 60 acres										6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
18.	DEPARTURES. DOUBLE M. D. N. AREAS.	A. ALLEGANO.			200	1173 15	1181 22	8											
OF	DOUBLE M. D.	i	95 04″		24 88	44 12	and the state of the												
TABLING AND CALCULATIONS OF HOMESTEAD ENTRY SURVEY NO.	URES.	West.		18 17	20.00	2	50 92			1 1 1 2 2 3 1 1 1 2 1 1 1 1 1 1 1 1 1 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
NO. 468	DEPART	EAST.	,08-9			44 11	20 91	6002					8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						
	OES.	Востн.	11 56	11 44′			30 38 ~	36 38											
NA CRATCANO	LATITO	North.			3 79	26 59	20.08	2038						4-					
d di	BEARING. DISTANCE. LATITUDES. DEPARTURES. DOUBLE M. D.		13.41	31.50	4.35	51.50	122 • 20		r 1:12223										
	BEARING.		30° 28°	S. 76° 27' W	N. 29° 201 W	N. 58° 55' E			Closing error 1:12223										
	CORNERS.		1-2		4-5	5-1													

APPROVAL

Office of the United States Surveyor General,

Phoenix, Arizona, march 27, 1920

The foregoing field notes of Homestead Entry Survey No.

489

executed by Lee C. Daves, Surveyor [Forest Service Title.] under his special instructions, dated fure 2), 1916, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above-described survey in the State of Arizona, has been correctly copied from the original notes on file in this office.

FRANK P. TROTT

U. S. Surveyor General.

-2349