0

U. S. DEPARTMENT OF AGRICULTURE

183 MAY 17.1919

APR 11.1920

FOREST SERVICE

FIELD NOTES

OF

HOMESTEAD ENTRY SURVEY NO. 494

SITUATED IN THE APACHE

NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO. 3

In Section 14, unsurveyed, Township 2 S., Range 28 E. In Section 23, unsurveyed, Township 2 S., Range 28 E.

of the

Gila and Salt River Base and Meridian.

State of

ARIZONA

Applicant for listing Orion Wright, Residence Metcalf, Arizona Application No. 262 , 1913 , dated January 15 , 1913 List No. 3-2580 , dated June 2 Applicant for survey Orion Wright, Residence Metcalf, Arizona H. E. No. 024686 April 25 , dated , 1914 Office Land District Phoenix, Arizona

Survey executed by Lee C. Daves,

Surveyor - Forest Service [Forest Service Title.]

Under special instructions dated

June 21

, 19 16

Survey commenced

March 25

, 19 17

Survey completed

March 25

, 19 17

Under Acts of

June 11, 1906 and August 11, 1916

[OVER]

19cl. opoch

OATH OF ASSISTANTS

We hereby certify that we assisted

Surveyor - Forest Service

[Forest Service Title.]

Lee C. Daves, in surveying all those

parts or portions of Homestead Entry Survey No. 494 , in the State of ARIZONA which are represented in the following field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the United States Surveyor General for Arizona.

Note: It would have been very expensive and inconvenient to appear before an Officer to administer oaths to Assistants; hence, they were taken by the Surveyor.

Pf ambrose, Chainman

Subscribed and sworn to before me this

15th

day of

July

19 17

Surveyor, Forest Service

OATH OF SURVEYOR

I, Lee C. Daves, Surveyor, Forest Service [Forest Service Title.]

do solemnly swear that, in strict conformity with the special instructions of the United States Surveyor General for ARIZONA, dated June 21, 1916, and the laws of the United States, I have well, faithfully, and truly, in my own proper person, surveyed a tract of land embraced in

List , No. 3-2580 , dated June 2 , 19 13 , for Patent , under the Act of June 11 , 1906 , the same to be known as Homestead Entry Survey No. 494 , situated within the APACHE National Forest, in unsurveyed Section 14 , Township 2 S. , Range 28 E. , and unsurveyed Section 23 - , Township 2 S. , Range 28 E. ,

Approximately.

of the Gila & Salt River Base and meridian, Arizona, and the related retracements and resurveys and section subdivisions, which are represented in the following field notes as having been surveyed by me; and I further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the stated special instructions, and in the specific manner described in the field notes, and that the following are the original field notes of such survey.

Surveyor, Forest Service
[Forest Service Title.]

Subscribed and sworn to before me this fifth

day of

October

, 19 18

Exhel & myers

Notary Public.

SEAL.

8—2349

APACHE NATIONAL FOREST

STATE OF ARIZONA

Chains

Applicant for listing. Orion Wright: Application No. 262. dated January 15, 1913; List No. 3-2580, dated June 2, 1913; H. E. 024686, made in the Phoenix Land Office on April 25, 1914 by Orion Wright.

Surveyed under special instructions from the Surveyor General for Arizona, dated June 21, 1916 and designated as Homestead Entry Survey No. 494.

Situated in what will probably be, when surveyed, Secs. 14 & 23, T. 2 S., R. 28 E., Gila and Salt River Base and Meridian, Apache National Forest, Arizona.

. Surveyed under the Acts of June 11, 1906 and August 11. 1916. . too tail shat to esert Ils youtee

Survey commenced March 25, 1917, and executed with a Buff and Buff transit No. 9702, equipped with Smith solar ea attachment. To bourn a selet bus : soul . Av.

> I test the adjustments of the transit and make necessary corrections. . . sib . and di . regiment

> All distances are horizontal, and were reduced from meas-. urements made directly on the slope with a 500 link steel tape. The slope angles were determined with a clinometer. + AND S. H. F. Designan Most

March 25. 1917.

At cor. No. 1. hereinafter described. Lat. 33° 15' 20" N., Long. 109° 26' 29" W., from Forest Service Base Map,, I observe Polaris of W. Elong. at 7h. 14.5m. p.m., 1.m.t. for azimuth. en yd ... ala .ada fo. gal

place. showing 48 x

Reference Mark: A light on a stake about 12.00 chs. Northwardly of this station.

Angles by repetition from Star to Mark. (Mark E. of . | o Star) assi . 1 '08 °EL .m. 8 00: V Js

1/4(91° 59' 30") = 1/2(45° 59' 30") = 22° 59' 52" 22° 59' 45"

1/6(137° 56' 00") = 22° .59" 20" .

HOMESTEAD ENTRY SURVEY NO. 494

APACHE NATIONAL FOREST

STATE OF ARIZONA

Chains

Secs.l4

Azimuth of star at W. Elong. 178° 38' 42" Mean Angle (Mark E. of Star) 22° 59' 39" Azimuth of Mark, . 383 30 : 201° 38' 21" Bearing, N. 21 38' 21" E., from which all bearings are obtained by angulation.

BOUNDARIES OF CLAIM

Beginning at cor. No. 1.

Identical with cor. H-4 of the list survey, which is a basalt stone 12 x 10 x 3 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. Deposit a porphyry stone 4 x 4 x 1 ins. marked with a +, 16 ins. in the ground, over which set a porphyry stone 26 x 12 x 6 ins., chiseled +, for the point and 1 - H E S 494 on NE. face; and raise a mound of stone 4 ft. base, 2 ft. wasse on high NE. of cor., whence: dead and dadd

A juniper, 16 ins. dia., bears N. 55° 50' E., -gram nort booms 117 aks. dist. noziron ers seonstelb fil

A pinon, 5 ins. dia., bears N. 71° 50' W., e dist. egole edl .egst feere

Each marked 1 H E S 494 + B T.

U. S. L. M. No. 489, H.E.S., a limestone boulder in place, showing 48 x 24 x 16 ins. above ground. marked + U S L M No 489 H E S on top, with mound of stane 6 ft. base, 5 ft. high SE. of Monument, bears S. 13° 03' 46" W., 159.01 chs. dist., by traverse which appears at the end of these notes.

Lat. 33° 15' 20" N., Long. 109° 26' 29" W., from Forest to . Service Base Map. and more model to entry a sofgua

Mag. decl. at 7:00 a.m. 13° 30' E. Mean mag. decl. 13° 27' E. 36 '08 'S8 = ("00 '08 '10)

Thence N. 0° (47" W. SS = (00 '86 ° 761) 8\I

.3.

APACHE NATIONAL FOREST

		STATE OF ARIZONA
	Chains	Through juniper and oak timber.
	2.00	Deerhead Creek (dry), 50 lks. wide, 3 ft. deep, from
		N. 60° E., course S. 5° W.
	5.00	Arroyo (dry), 50 lks. wide, 3 ft. deep, course S. 10° W.
	in tie	Begin asc Towns dall and to S-H . To D
	16.00	Top 140 ft. asc. on E. slope. Desc. 80 ft. to cor.
	-138	Leave timber NW. and SE.
	29.90	To cor. No. 2. 4 . 2 . a aread . soiv
		Identical with cor. H-1 of the list survey, which is
		a basalt stone 12 x 6 x 6 ins. above ground, marked
		and witnessed as described by the Forest Service. I
		destroy all trace of this list cor. Deposit a por-
		phyry stone 4 x 4 x 2 ins. marked with a +, 16 ins.
		in the ground, over which set a porphyry stone 26 x 12
		x 6 ins., chiseled + for the point and 2 - H E S 494
	.83	on SE. face; and raise a mound of stone 4 ft. base,
	03.0	2 ft. high SE. of cor., whence:
-		A juniper, 30 ins. dia., bears S. 89° 30' W.,
		3.76 chs. dist., marked 2 H E S 494 + B T.
		No other witnesses available.
-	at is	idw .wevricel with cor. H-5 of whe list adrvey, whi
-	5 min.	Thence N. 89° 00' E. S. C. C. S. S. C. S.
-	I .	Over level land, along N. side wire fence, 1 lk.
-	-roq	from same. 100 Jail widt to epart fis worthan
-	2.00	Head of arroyo, course S. I x 4 x 4 and a grynd
	2.50	Cross to South side wire fence.
-	9.90	Arroyo (dry), 15 lks. wide, 6 ft. deep, course S.
-	.tt.g	Begin asc. 330 ft. to cor. over steep and rocky W.
		slope. : whende:
	11.70	-Wire fence bears NW. and SE. NE. cor. of fences bears
1		N. 45° W., 50 lks. dist
1	19.71	To cor. No. 3. Collave despending redso of
-		Point for cor. falls on a porphyry stone in place
-		showing 16 x 12 x 8 ins. above ground. I chisel

HOMESTEAD ENTRY SURVEY NO. 494

APACHE NATIONAL FOREST

STATE OF ARIZO NA

Chains

same stone + for the point and 3 - H E S 494 on SW.

face; and raise a mound of stone 4 ft. base, 2 ft.

high SW. of cor.

No witnesses available. Pits impracticable.

Cor. H-2 of the list survey, which is a basalt

stone 10 x 8 x 4 ins. above ground, marked

and witnessed as described by the Forest Service, bears S. 9° E., 4 lks. dist. I de
stroy all trace of this list cor.

. Thence S. 1° 03' E. Sediroso sa Seasadiw

Desc. rocky S. slope. I be as a line portrait

3.00 Bottom 90 ft. desc. Rocky gulch 100 lks. wide, 15 ft. deep, course SW. Asc. along W. slope.

5.80 Top 20 ft. asc. on W. slope. Desc.

17.60 Bottom 325 ft. desc. Deerhead Creek (dry), 30 lks.

wide, 2 ft. deep, course S. 70°. W. Asc. 290 ft. to

cor. on brushy N. slope, alongside of and 2 lks. E.

of wire fence.

30.15 To cor. No. 4. delieva sessendiw reside of

Identical with cor. H-3 of the list survey, which is a basalt stone 14 x 10 x 3.ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. Deposit a porphyry stone 4 x 4 x 1.ins. marked with a +, 14 ins. in the ground, over which set a porphyry stone 24 x 12 x 10 ins., chiseled + for the point and 4 - H E S 494 on NW. face; and raise a mound of stone 4 ft. base, 2 ft. high NW. of cor., whence:

A juniper 36 ins. dia., bears S. 2° 15' W.,

18 lks. dist., marked 4 H ES 494 + B T.

No other witnesses available. Pits impracticable.

5.

APACHE NATIONAL FOREST

STATE OF ARIZONA

Chains	Thence S. 89° 37' W. I Bellin OS Juoda ak . Milor S. Ad
	Along South side of wire fence, through scattering
	juniper and mahogany brush.
15.00	Bottom 300 ft. desc., NE, and SE. Thence over level

15.00 Bottom 300 ft. desc., NE, and SE. Thence over level bottom.

19.86 To cor. No. 1 and point of beginning.

. Total Area - - - - - - - - - 59.41 acres

IMPROVEMENTS.

The improvements made upon and for the benefit of this claim, and belonging to the claimant, consist of the following:

A frame house, 18 x 14 ft., the long side extending N. and S., and the NE. cor. of which bears S. 3° 18' W., 19.40 chs. dist. from cor. No. 3.

. Value ----- \$160.00

DESCRIPTION

The claim is situated near the head of Deerhead Creek.

The soil is clay, and sand in the creek bottom and rocky on side hills.

The larger part of the claim is covered with juniper and oak-brush. There is no timber of any value on the land.

Water is obtained for domestic purposes from a spring about 1/4 mile E. of the claim.

About 4 acres are in cultivation.

I saw no indications of mineral on the land.

CONFLICTS AND ADJOINING CLAIMS

There are no conflicts or adjoining claims.

Metcalf, Arizona, the nearest post office and trading

HOMESTEAD ENTRY SURVEY NO. 494

NATIONAL FOREST APACHE

STATE OF ARIZONA

Chains	point, is about 20 miles in a Southeasterly direction.
aga a	Alone South side of wire fence, through scatteri
	TRAVERSES Tagonam Das Teginut
vel	Cor. Course . Dist. Nose . S. 00 E . Wo. a.
	1-2 N. 0° 47' W. 29.90 29.90
	2-3 N. 89° 00' E. 19.71 0.34 1 . 19.71 1 38.
	3-4 S. 1° 03' E. 30.15 30.14 0.55
	4-1 S. 89° 37' W. 19.86 0.13 19.86
aero	99.62 30.24 30.27 20.26 20.27
	Error in Lat. and Dep03 .01
	Closing Error, 1:3150.
	Tie from Cor. No. 1 to U. S. L. M. No. 489.
907	Course Dist. N S E W S. 13° 00' W. 159.00 154.92 35.77
	N. 83° 00' W. 0.17 0.02 : gniwolfot 0.17
	0.00
	1 °3 .2 stude dulmy to .100 .3% 154.90 6 535.94
	Tie is S. 13° 03' 46" W., 159.01 chs
90	Survey completed March 25, 1917.
	DESCRIPTION

reginut driv bereves similar ent 1 &

rocky on significa.

no slav yas to redmit on at ero Surveyor - Forest Service

Water is obtained for domestic purposes from a spring

The claim is situated near the head of Deerhead Creek.

The soil is elsy, and send in the creek bottom an

sout 1/4 mile B. of the elsim.

About 1807, 5081 . Noitsvilluo ni ers, 20108 Pripode

13°03'40 = 7.192,0514

9.3657767

13°03'40 = 9.36547 78

13°03'46"

7.3.9. = 06

9.5.9. - 06

Metcalf, Arisons, the mearest post office and trading

Sheet No. 3.—Revised Feb., 1915.

DIRECTIONS.—1. Carry out calculation to two decimals only.

2. In balancing Latitudes and Departures do not obliterate or change the original figures.

Put the corrected figure or figures above in red ink. Do not change the footing of the original figures, but put below them the corrected footing in red ink.

The corrections for balancing fallings should be proportional to the lengths of the lines.

3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal.

4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

				3	200	00 15	96	22	to6 Acres	Vi Acres	44							
	S. AREAS.			100	+ 001		133	/1188	- 59	59 7								
N ADDAG	N. ANEAS.		200			18 96												
DOUBLE M D		=	10 71	i	2 20 00	1												
URES.	West.	4	2		19 86	20 27	20 26	3	3									
DEPARTURES.	EAST.		19 71,	210		20 26	20 27								- 1			
DES.	South.		36.13		13	30 27		5 -										
LATITUDES.	NORTH.	29 97	745	-		30 24	20 73											
DISTANCE.		29.90	19.71	30.15	19.86	99.65	and Deft.	1/3150										
BEARING.		-	N. 89-00 E.	S. 1-03 E.	S.89-37 W.	- 11	Error in Lat.	Closing error										
CORNERS.		1-2			1-1	1												

APPROVAL

Office of the United States Surveyor General,

Phoenix, Arizona, april 14, 1920

The foregoing field notes of Homestead Entry Survey No.

494

executed by Lee C. Daves, Service Title.]
under his special instructions, dated June 2), 1916, having
been critically examined, and the necessary corrections and explanations
made, the said field notes, and the surveys they describe, are hereby
approved.

U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above-described survey in the State of . Arizona , has been correctly copied from the original notes on file in this office.

FRANK P. TROTT

U. S. Surveyor General.

1-2349