209 JAN 27, 1919

U. S. DEPARTMENT OF AGRICULTURE

FOREST SERVICE

FIELD NOTES

OF

HOMESTEAD ENTRY SURVEY NO. 496

SITUATED IN THE

APACHE

NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO.3

In Section 19 , unsurveyed, Township 1 S., Range 31 E. In Section 30 , unsurveyed, Township 1 S., Range 31 E. And Establishment of U. S. L. M. No. 496 H. E. S.

of the

Gila and Salt River Base and Meridian.

State of

ARIZONA

Applicant for listing Fred Fritz,

Residence

Clifton, Arizona

Application No. 276

, dated

April 16 , 19 13

List No.

3-2826

, dated

September 22, 1913

Applicant for survey Fred Fritz,

Residence

Clifton, Arizona

H. E. No. 024696 , dated

April 25

, 19 14

Office Land District

Phoenix, Arizona

Survey executed by Lee C. Daves,

Surveyor - Forest Service [Forest Service Title.]

Under special instructions dated

June 21

, 1916

Survey commenced

April 10

, 19 17

Survey completed

April 12

, 19 17

Under Acts of June 11, 1906 and August 11, 1916

496 apoche

OATH OF ASSISTANTS

We hereby certify that we assisted

Surveyor - Forest Service

[Forest Service Title.]

Lee C. Daves, in surveying all those

parts or portions of Homestead Entry Survey No. 496 , in the State of ARIZONA , which are represented in the following field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the United States Surveyor General for Arizona.

Note: It would have been very expensive and inconvenient to appear before an Officer to administer oaths to Assistants; hence, they were taken by the Surveyor.

P	I an	ubs	029	, Chainm	an
4	spin	4	Cal	lett I	an , Chainman
		-6			
		·			

Subscribed and sworn to before me this

15th

day of

July

, 19 17 .

Luc Danes

Surveyor Forest Service

OATH OF SURVEYOR

I, Lee C. Daves, Surveyor Forest Service
[Forest Service Title.]

do solemnly swear that, in strict conformity with the special instructions of the United States Surveyor General for Arizona, dated June 21, 1916, and the laws of the United States, I have well, faithfully, and truly, in my own proper person, surveyed a tract of land embraced in

List , No. 3-2826 , dated September 23 1913 , for

Patent , under the Act of June 11, 1906 ,
the same to be known as Homestead Entry Survey No. 496 ,
situated within the Apache National Forest, in
un surveyed Section 19 , Township 1 S. , Range 31 E. , and
un surveyed Section 30 , Township 1 S. , Range 31 E. ,

of the Gila & Salt River Base and meridian, Arizona, and the related retracements and resurveys and section subdivisions, which are represented in the following field notes as having been surveyed by me; and I further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the stated special instructions, and in the specific manner described in the field notes, and that the following are the original field notes of such survey.

Surveyor Forest Service [Forest Service Title.]

Subscribed and sworn to before me this

fifth

day of

October

, 19 18

Ochel & myers
Notary Public.

SEAL.

My Commission expires March 17, 1921.

AP ACHE NATIONAL FOREST

STATE OF ARIZONA

Chains

Applicant for listing, Fred Fritz; Application No. 216, dated April 16, 1913; List No. 3-2826, dated September 22. 1913: H. E. 024696, made in the Phoenix Land Office on April 25, 1914 by Fred Fritz.

Surveyed under special instructions from the Surveyor General for Arizona, dated June 21, 1916 and designated as Homestead Entry Survey No. 496.

Situated in what will probably be, when surveyed, Secs. 19 and 30, T. 1 S., R. 31 E., Gila and Salt River Base and Meridian, Apache National Forest, Arizona.

Surveyed under the Acts of June 11, 1906 and August 11, and meise a mound of stone 7 ft. base. . 161 his

N. of cor., whence:

Survey commenced April 10, 1917 and executed with a Buff and Buff transit No. 9702, equipped with Smith

I test the adjustments of the transit and make necessary · corrections.

All distances are horizontal, and were reduced from measurements made directly on the slope with a 500 link steel tape. The slope angles were determined with a clinometer.

6, miles, dist.

untein bears S. 26° 44' W. about

April 10, 1917.

At cor. No. 1 of this claim, hereinafter described, in Lat. 33° 19' 50" N., Long. 109° 11' 40" W., from Forest Service Base Map, I observe Polaris for azimuth at W. Elong. at 6h. 11.6m. p.m., l.m.t. and mark the directions determined by the mean of two direct and two reversed positions of the telescope by stakes firmly set in the ground about 30.00 chs. Northwardly of my ·station.

Difference between the mean of the two obsns. is 3/4 inch.

APACHE NATIONAL FOREST

STATE OF ARIZONA

Chains Azimuth of Polaris at Elong., 1° 21' 49"

There being no Corner of the Public Land Survey, or U. S. Location Monument within two miles, I establish the U. S. Location Monument No. 496 H. E. S. as follows: Located on a high ridge between the Blue River and Alder Creek, 5/8 mile NW. of the Fritz Ranch, and about 3/4 mile NW. of the junction of Alder Creek and the Blue east to River. ons sile ... It

I chisel U S L M + No 496 H E S on top of a porphyry stone in place showing 30 x 16 x 8 ins. above ground; and raise a mound of stone 7 ft. base, 5 ft. high N. of cor., whence:

A cedar, 6 ins. dia., bears S. 82° 10' E., dist. I dist. I dist.

A cedar, 6 ins. dia., bears S. 43° 45' W., rade an enam 5 82 lks. dist. to strentsopes and faet.

Each marked U S L M No 496 H E S + B T. Maple Peak bears N. 77° 06' E., about 5 miles Mint 000 s ni distore and no viloorib abam admanan

Sunset Peak bears S. 7° 31' W., about 14 miles dist.

> Pat Mountain bears S. 26° 44' W., about 6 miles dist. April 10. 1917.

ni , pedirogeb redigared , mislo side o April 10, 1917.

de dudice to alt lo BOUNDARIES OF CLAIM

Beginning at cor. No. 1.

Identical with cor. H-3 of the list survey, which is a sandstone 24 x 12 x 12 ins. above ground, marked and witnessed as described by the Forest Service. I dedon't a stroy all trace of this list cor. Deposit a sandstone

APACHE NATIONAL FOREST

STATE OF ARIZONA

Chains

6 x 4 x 3 ins. marked with a +, 14 ins. in the ground, over which set a sandstone 24 x 10 x 7 ins., chiseled + for the point and 1 - H E S 496 on SE. face; and raise a mound of stone 4 ft. base, 2 ft. high SE. of cor., whence:

A cedar, 10 ins. dia., bears S. 84° 30' W.,

A pinon, 7 ins. dia., bears N. 18° 30' W.,
18 lks. dist.

Each marked 1 H E-S 496 + B T.

U. S. L. M. No.496 H. E. S., heretofore described, bears N. 84° 02'E., 6.23 chs. dist.

Lat. 33° 19' 50" N., Long. 109° 11' 40" W., from Forest
Service Base Map.

Mag. decl. at.7:00 a.m. is 13° 30' E., which gives a mean mag. decl. of 13° 27' E.

Thence N. 89° 46' E.

Asc. 128 ft. through scattering juniper and pinon.

- . 6.40 Top ridge, bears NW. and SE. Desc.
- 13.30 Wire fence bears N. and S.
- 17.50 Bottom 210 ft. desc. Canyon 200 lks. wide and 50 ft.

 deep dry- course SE. Asc. steep and rocky W. slope.
- 25.30 Top 160 ft. asc. on S. point of ridge. Desc. abrupt ly.
- 32.50 Bottom 310 ft. desc. Thence over river bottom.
 - 35.10 Middle channel Blue River, 50 lks. wide, 3 ft. deep, swift current, course S.
 - 38.65 To cor. No. 2.

Identical with cor. H-4 of the list survey, which is a sandstone 24 x 10 x 9 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. Deposit a sandstone 6 x 4 x 4 ins. marked with a +, 14 ins. in the ground, over which set a sandstone 24 x 16 x 8 ins.,

APACHE NATIONAL FOREST

STATE OF ARIZONA

Chains

chiseled + for the point and 2 - H E S 496 on SW. face; and raise a mound of stone 4 ft. base, 2 ft. high SW.

No witnesses available. Pits impracticable.

1.25 Arroyo, 30 lks. wide, 3 ft. deep (dry), course W. Asc. along steep and rocky W. slope, through scattering pinon and juniper.

18.00 Top 260 ft. asc. on W. slope. Desc. gradually 170 ft. to cor.

39.73 To cor. No. 3. 'S To cor

Identical with cor. H-1 of the list survey, which is a sandstone 16 x 8 x 6 ins, above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. Deposit a sandstone 5 x 5 x 3 ins. marked with a +, 24 ins. in the ground, over which set an iron post, 36 ins. long, 2 ins. dia., with brass cap marked 1917 and 3 - H E S 496 in NW. quadrant; and raise a mound of stone 4 ft. base, 2 ft. high NW. of cor., whence:

A pinon, 8 ins. dia., bears S. 61° 10' E.,

146 lks. dist.

A.U., S. G. S. B. M., which is an iron post

3-1/2 ins. in dia., with brass cap marked

4321, bears N, 59° 41' W., 12.48 chs. dist.

April 11, 1917.

April 12, 1917.

Thence N. 89° 28' W.

Desc. steep and rocky W. slope.

3.00 Arroyo, 15 1ks, wide, 3 ft. deep, course NW.

5.50 Bottom 165 ft. desc. N. and S. Thence over rocky bed of Blue River.

APACHE NATIONAL FOREST

STATE OF ARIZONA

_		11 11
	Chains 7.20	Middle Blue River, running water 100 lks. wide, 2 ft.
	1.20	deep. swift current, course S.
	0.40	
	8.40	Begin asc. of steep E. slope.
	17.50	Top 260 ft. asc. Asc. gradually through mesquit brush.
	38.42	
	-the s	Identical with cor. H-2 of the list survey; which is
		a sandstone 24 x 16 x 10 ins. above ground, marked
		and witnessed as described by the Forest Service. I
		destroy all trace of this list cor. Set an iron post
	eidi	3 ft. long, 2 ins. dia., with brass cap marked 1917 -
	ont	4 - H E S 496 in NE. quadrant, on solid rock in a mound
		of stones; and raise a mound of stone 4 ft. base, 2 ft.
		high NE. of cor., whence: 1 x 00 . sayod sussel A
		A cedar, 12 ins. dia., bears N. 47º 00' E.,
		163 lks. dist., marked. 4 H E.S 496 + B T.
	00	No other witnesses available. Pits imprac-
	90	ibusta enticable. est to al x 8A .eldeta emera A
	.W. 'O# 1	do . a eread dainw ro . rop . Ed and the
		Thence N. O° 58'W 100 dott Tate . 340 00.41
	po	· Asc. over bare conglomerate ledges.
	2.50	Top 20 ft. asc., ridge bears E. and W. Desc. through
		scattering cedar and pinon.
	7.75	Gulch, 20 lks. wide, 6 ft. deep, course N. 60° E.
	15.20	Bottom 95 ft. desc. in box canyon, cut 20 lks. wide and
		25 ft. deep into solid rock, dry, course SE. Enter
	* 10	gulch from the North and asc. along East side.
	19.00	Leave gulch at head, course S.
	21.00	Top 80 ft. asc. Ridge bears E. and W. Desc. 15 ft.
	ene n	abruptly. add along bereitses Larevas to
	31.50	Desc. along steep and rocky W. wall of box canyon.
	38.10	Bottom 50 ft. desc., box canyon of Alder Creek, 30 lks.
	. 11	wide, 50 ft. deep, course SE. (dry). Asc. 30 ft.
		to cor.

APACHE NATIONAL FOREST

STATE OF ARIZONA

Chains 39.19 To cor. No. 1, and point of beginning. . da Total Area - - - - - - - - - - - - - - 152.04 acres Note: Any discrepancy between this and the listing survey, is due to error in the latter. Jeog note he Jes . . . IMPROVEMENTS - The improvements made upon and for the benefit of this basem s claim, and belonging to the claimant, consist of the . It S , earfollowing: ofa to busom a ealar bus : earous to A frame house. 30 x 18 ft., the long side extending E. . and W. and the NE. cor. of which bears N. 68° 40' W., 14.95 chs. dist. from cor. No. 3. osigni edita .era Value =========== \$500.00 A frame stable. 48 x 16 ft., the long side extending E. and W., and the NE. cor. of which bears N. 65° 40' W., 14.30 chs. dist. from cor. No. 3. Value ----- \$350.00 PESCRIPTION CONTRACTOR OF THE PERCENTAGE OF THE The claim is situated on Blue River at the Mouth of Alder Creek. , movemen mod at . Dest . 12 de mod tott 102.21 The land is very rough and rocky. There is no timber of commercial value on the claim. Water for domestic use is obtained from Alder Creek. About 5 acres might be cultivated. This area consists of several scattered tracts. About 0.7 acres in one place and about a quarter of an acre near the house

.sal | are in cultivation. so mod .. seeb . st 00 moddon 01.88

. There were no indications of mineral upon the claim.

APACHE NATIONAL FOREST

STATE OF ARIZONA

Chains

CONFLICTS AND ADJOINING CRAIMS

There are no conflicts or adjoining claims.

Clifton, Arizona, the nearest post office and trading point, is about 20 miles dist. in a Southerly direction.

MPA	VER	OTO
TUH	VLI	OF

Cor.	Course	Dist.	N	S	E	W	
1-2 N.	89° 46' E.	38.65	0.16		38.65		
	0° 30' E.			39.73	0.35		
	89° 28' W.					38.42	
4-1 N.	0° 58' W.	39.19	39.18			0.66	
Error in	Lat. and I		59 . 70	39.73 39.70	39.00	39.08 39.00	
Closing	Error. 1:17	709		•00		•08	

1:1709.

Survey completed April 12, 1917.

Luchanes

Surveyor - Forest Service

Form 85. Sheet No. 2.

HOMESTEAD ENTRY SURVEY NO.

NATIONAL FOREST

Chains		
	Lacre are no conflicts or adjoining on ers event	
onthers	One solls tood feeteen end . Buosine . noisine	
	Iredated a ni .jaib salim OS Juoda ar .jaiod	
	tior.	
	TRANSPORT	
10	Cor. Course Dist. H S E	
	11-2 N. 89° 46' E. 89.65 0.16 38.65	
	8-5 8. 0° 80' 3. 189.75 0.55	
	88.0 80.85 .1 188 80 .1 4-6	
\$4.40	4-1 W. 0° 581 W. 29.18 39.18	
83.		
80.	Sortor and Lat. and Dep.	
	Closing Error, 1:1700.	
	Survey completed April 16, 1917.	
ecit	iss Jeans - moveyous	
eciv	iss Jeans - movewall	
COLT		
30		
30		
30		
30		
No.		
No.		
30		
9017		

Sneet No. 8.—Revised Feb., 1915.

Drections.—1. Carry out calculation, to two decimals only.

2. In balancing Latitudes and Departures do not obliterate or change the original figures.

3. In balancing Latitudes and Departures above in red ink. Do not change the footing of the original figures, but put he corrected figure or figures above in red ink. Do not change the lengths of the lines.

3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. I. O. 4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

												1 1 1 1 4 5 6 1 1 1		2	10	7
		804			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					* * * * * * * * * * * * * * * * * * *	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
	64	64 71 04 ao								3 2 2 2 2 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4						
S. AREAS.	2086	3086 20 /3040 152				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3			2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
	57 28 28	69			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
N. AREAS.	9 14 20 25	45										4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
E M. D.	63 71 68 68															
DOUBL	38 77 39															
ST.	7 4130	80														
TURES.	28	39														
DEPARTURES.	255	00			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2							
EAS	88	39						0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0						3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3		
Н.	43	73		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1								
DES.	29	39		1 1 1 1 1 1 1 1 1 1				1						2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
LATITUDES. H.	16	70					1	1								
Nort	39	3 33									1					
VOE.	2. N. 89° 46° E E S8.65															
DISTAI	38.6 39.7 58.4 39.1	145.9	1709													
7 h		,	or 1:			1										
BEARING.	39° 46 0° 36 89° 28		ag err			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	1 1 1 1 1 1 1 1 1			
			Closi										1	1		
	2 2 4 1															
CORNERS.	- 2 2 4					57										
0																

APPROVAL

Office of the United States Surveyor General,

Phoenix, Arizona, march 27, 1920

The foregoing field notes of Homestead Entry Survey No.

496

executed by Lee C. Daves, Surveyor [Forest Service Title.] under his special instructions, dated fune 21, 1916, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

I certify that the foregoing transcript of the field notes of the above-described survey in the State of Arizona, has been correctly copied from the original notes on file in this office.

FRANK P. TROTT

U. S. Surveyor General.

1─**2**349