-

0

U. S. DEPARTMENT OF AGRICULTURE

FOREST SERVICE

IELD NOTES

OF

HOMESTEAD ENTRY SURVEY NO. 555

SITUATED IN THE CROOK

NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO. 3

In Section 35 , unsurveyed, Township 4 N. , Range 15 E. And establishment of U.S.L.M. No. 555

of the

Gila and Salt River Base and Meridian.

State of

Arizona.



[OVER]

Oscar O. Fuel Applicant for listing Residence Miami, Arizona. , dated September 15 Application No. 196 , 1911

List No. 3-1847 , 1912 , dated April 12,

Miami, Arizona. Residence

H. E. No. 028202 , dated September 1 , 1915

Office
Land District Phoenix, Arizona. Relinquished Jan. 26, 1920.

Clinton G. Hicks

Applicant for survey

Survey executed by C. A. Long, Dist. Engineer, Forest Service [Forest Service Title.]

, 1918 Under special instructions dated February 15

September 13 , 1918 Survey commenced

, 1918 September 14 Survey completed

Under Acts of June 11,1906 and October 1, 1918

OATH OF ASSISTANTS

We hereby certify that we assisted C. A. Long

District Engineer, For. Ser. in surveying all those

parts or portions of Homestead Entry Survey No. 555 , in the State of Arizona which are represented in the following field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the United States Surveyor General for Arizona.

Rear Chainman, Clinton & Micks

Head Chainman,

Subscribed and sworn to before me this

, 19/8

res April 25. 1920

Holary Pushe

OATH OF SURVEYOR

I, C. A. Long, District Engineer, Forest Service, [Forest Service Title.]

do solemnly swear that, in strict conformity with the special instructions of the United States Surveyor General for Arizona, dated February 15, 1918, and the laws of the United States, I have well, faithfully, and truly, in my own proper person, surveyed a tract of land embraced in List 3-1847 dated April 12, 1912 and a tract of land upon the application of Oscar O. Fuel.

Application , No. 196 , dated September 15 1911 , for listing and Patent , under the Act of June 11 , 1906 , the same to be known as Homestead Entry Survey No. 555 , situated within the Crook National Forest, in unsurveyed Section 35 , Township 4 N. , Range 15 E. , and surveyed Section , Township , Range ,

of the Gila & Salt River Base and meridian, Arizona , and the related retracements and resurveys and section subdivisions, which are represented in the following field notes as having been surveyed by me; and I further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the stated special instructions, and in the specific manner described in the field notes, and that the following are the original field notes of such survey.

District Engineer, Forest Service

Subscribed and sworn to before me this

day of

april

, 1914

Water Bull to

1 · Notary Public

My commission expires March 17,1921.

CROOK NATIONAL FOREST

STATE OF ARIZONA.

Chains Applicant for listing, Oscar O. Euel; Application No. 196,
- dated September 15, 1911; List No. 3-1847, dated April
12, 1912.; H. E. 028202 made in the Phoenix Land Office
on September 1, 1915 by Clinton G. Hicks.

. therefore a composite survey.

Surveyed under special instructions from the Surveyor

General for Arizona, dated February 15, 1918, and designated as Homestead Entry Survey No. 555.

Situated in what will probably be when surveyed Sec. 35,

T. 4 N., R. 15 E., G. and S. R. B and M., within the

Crook National Forest, Arizona.

Survey commenced September 13, 1918, and executed with a Leitz transit No. 6384.

I test the adjustments of the transit and make necessary corrections.

September 13, 1918.

At Cor. H-1 of the list survey, hereinafter described, at 6h. 1lm. p.m., 1.m.t., I observe Polaris with telescope direct, reading an angle of 60° 36' 30" from Star to left to a Reference Mark 2 miles distant. Latitude 33° 38' 40" N., Longitude 110° 49' 20" W., derived from special instructions of the Surveyor General and verified by comparison with Forest Service Base Map.

WITTE.

HOMESTEAD ENTRY SURVEY NO. 555

CROOK NATIONAL FOREST

STATE OF ARIZONA.

Greenwich m.t. U.C. Pol. September 13, 1918,2h. 07.1m.a.m. Chains 1.m.t. U.C. Pol. September 13, 1918, ... 2h. 05.9m.

. woin .. nothing vo old . . . codnoto+12ho 00.0m.

Astron.1.m.t. U.C.Pol.Sept. 12,1918, 1918, 14h. 05.9m.

Astron.1.m.t. of obsn. Sept 12, 1918, abs for 30h. 11.0m.

-Jail | Hour Angle | A

Bearing of Pol. at obsn N. 1° 11' 48" E.

Bearing of Reference Mark 1120 N.59° 24' 42" W.

At the same station at 6h. 13m. p.m., 1.m.t., I again observe Polaris with telescope reversed, reading an angle of 60° 37' from Star to left, to the same Reference Mark. Reference Mark.

Astron. 1.m. t. U.C. Pol. September 12,1918, 14h.05.9m. Astron.l.m.t. of obsn, September 12,1918, 30h.13.0m. . Hour Angle, the transle, 100 and be 16h.07.1m.

Bearing of Pol. at obsn. N. Ol° 12: 15" E. N. 59° 24' 45" W. Bearing of Reference Mark

The mean of the two observations gives bearing of reference mark as N. 59° 24' 43" W., and from the corresponding meridian all the courses of the survey were deflected.

September 14,1918. A F MO VE Toom it sham standard

Establishment of U.S.L.M. No. 555 H.E.S.

As there are no corners of the Public Land Surveys, U.S. location or U. S. mineral monuments within two miles of the claim, I establish U.S.L.M. No. 555 H. E. S. as follows: archesiat

On a red sandstone in place showing 12 x 12 x 10 ins. above ground I cut a + for the point and chisel USLM No 555 H E S around the +; raise a mound of stone 6 ft. base and 5 ft. high 4 ft. East of monument. No bearing trees or objects available. The

CROOK NATIONAL FOREST STATE OF ARIZONA.

-95

Chains , following bearings were taken to prominent topographic features: so if the vortage I .Jaib .and

Bakers Mtn. bears N. 28° 45' W.

. Roughinstraw mountain bears S. 32° 40' W., approximately 3 miles, on a sorred

Sharp Peak bears S. 89° 30' W., approximately 3 miles.

Sharp peak bears N. 23° 20' W., approximately quem . 2 miles. En ferroir rot bejoerroe ne in w

> This monument is located on the NW. end of a low ridge covered with mesquite and greasewood, about 20 chains south of Salt River at Horse Shoe Bend.

September 14, 1918. Boundaries of HES 555 Beginning at Cor. No. 1,

Identical with Cor. H-1 of the list survey, which is a sandstone 14 x 20 x 12 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor. and in the same place deposit a granite stone 4 x 4 x 5 ins. marked with a + 14 ins. in the ground, over which set a granite stone 10 x 10 x 24 ins. marked with a + on top and 1 H E S 555 on side facing the claim; raise a mound of stone 3 ft. base 2 ft. high 3 1/2 ft. dist. within the claim, whence:

A mesquite 4 ins. diam. blazed and scribed 1 H E S + 555 B T bears N. 42° 00' E., .eld lks. dist.

> No other bearing frees or objects within limits. Pits impracticable. .W 170 - 08

U.S.L.M. 555 HES heretofore described brs.S.15°05'E. . 6.98 chains dist. by direct measurement.

Forest Service monument, which is a quartzite stone in place showing 12 x 14 x 10 ins. above ground, marked and witnessed as described by

HOMESTEAD ENTRY SURVEY NO. 555

CROOK NATIONAL FOREST

STATE OF ARIZONA.

Chains the Forest Service bears S. 18° 15' E. 7.90 chs. dist. I destroy all trace of this monument. da . 1 stated . Att dro le-

> Latitude 33° 38' 40" N. Longitude 110° 49' 20" W. derived from special instructions of the Surveyor General and verified by comparison with Forest Service Base Map.

> The observed magnetic declination at 9 a.m. is 13° 30' E. which corrected for diurnal change gives a mean magnetic declination of 13° 28' E.

Thence S. 47° 53' W.

Over gently rolling land, thru dense mesquite.

- 14.20 NW. point of low ridge bearing NW. and SE.
- Cor. H-2 of the list survey which is a quartzite stone 25.40 24 x 24 x 24 ins. set in mound of stone, marked and witnessed as described by the Forest Service. I destroy all trace of the list cor. Thence over unlisted land. desiro, all trace of this list or.
- Wash 30 lks. wide, course NW. 26.00
- 26.50 Ascend 20 ft. over steep rocky N. slope.
- 27.46 To Cor. No. 2.

Deposit a dacite stone 2 x 5 x 5 ins. marked with a + 6 ins. in the ground to bed rock, over which set a limestone 6 x 8 x 26 ins. marked with a + on top and 2 H E S 555 on N. face; raise mound of stone around cor. and mound of stone 3 ft. base 2 ft. high 3 1/2 ft. N. of cor. No bearing trees or objects available. Pits impracticable.

Thence N. 69° 07' W.

· Along foot of rocky N. slope, through scattering mesquite and undergrowth, over unlisted land.

.elmoldoste l'art

21.54 To Cor. No. 3.

Point for cor. falls on top of a conglomerate stone in place showing 15 x 20 x 12 ft. above ground. I chisel

. 5

CROOK NATIONAL FOREST

STATE OF ARIZONA

Chains same stone + on top for exact point and 3 H E S 555

A mesquite 24 ins. diam. blazed and scribed

... July 3 H E S + 555 B T bears S. 42° 00' E. 62 lks.

dist.

No other trees or bearing objects within limits.

Cor. H-3 of the list survey, which is a limestone

12 x 18 x 20 ins. above ground, marked and wit
nessed as described by the Forest Service, bears

N. 42° 30' W. 240 lks. dist. I destroy all trace

of this list cor.

Thence N. 62° 57' E.

Over bottom land, thru dense growth of arrow weed.

Over unlisted land.

1.40 Leave unlisted and enter listed land.

36.50 Wire fence bears N. 62° 30' E. and S. 62° 30' W. 37.00 To Cor. No. 4.

Deposit a sandstone 3 x 4 x 5 ins. marked with a +, 16 ins. in the ground, over which I set a dacite stone $6 \times 14 \times 26$ ins. marked with a + on top and 4×16 E S 555 on S. face; raise mound of stone 3 ft. base 2 ft. high 3 1/2 ft. S. of Cor.

No bearing trees or other objects available.
Pits impracticable.

Cor. H-4 of the list survey, which is a cedar post 6 ins. diam. 4 ft. above ground, marked and witnessed as described by the Forest Service, bears N. 51° 05'W. 370 lks. dist. I destroy all trace of this list cor.

Thence S. 51° 05' E.

Thru scattering mesquite and greasewood.

9.69 To Cor. No. 1, the place of beginning.

Area of Unlisted Land - - - - - - - 3.06 acres
Area of Listed Land - - - - - - - - 39.67 acres
Total Area - - - - - - - - - - - 42.73 acres

HOMESTEAD ENTRY SURVEY NO. 555

CROOK NATIONAL FOREST

STATE OF ARIZONA.

Chains

Note: The listing survey locates this claim in Sec. 10, T. 3 N., R. 15 E. unsurveyed, which location is believed to be in error, by reason of the topographic bearings recorded in connection with the establishment of U.S. L.M. No. 555 H.E.S. heretofore described. On February 19, 1907, all lands of the United States situated within one half mile of the Salt River in T. 3 N., R. 15 E. were withdrawn from entry and held for powersite purposes. The location of this claim as to township is not definitely known, but it appears that the claim is in Sec. 35, T. 4 N., R. 15 E. The entry survey does not conform to the listing survey. The changes as made were in accordance with the desires of the Entryman and meet with the approval of the Forest Service. Copy of a signed statement from the Entryman agreeing to the changes and also agreeing to amend his entry to conform to this survey is attached at the end of these notes.

IMPROVEMENTS

The improvements made upon this claim and belonging to the claimant herein consist of the following:

A frame dwelling 14 x 28 ft., course of long sides E. and W., the NW. cor. of which bears S. 39° 40' E. 2.71 chains distant from Cor. No. 4.

Value - - - \$500:00

About 1 1/4 miles of barbed wire fencing.

Value - - - \$250.00

Total value of improvements - - - - \$750.00

GENERAL DESCRIPTION

This claim is located on a bench along the south side of Salt River, at what is locally known as Horse Shoe Bend. Most of the land is suitable for farming. The

CROOK NATIONAL FOREST

STATE OF ARIZONA.

Chains

soil is a sandy loam, deep and fertile.

There is no timber, water or mineral on the claim. About 3 acres of land are now under cultivation.

Water for all purposes is obtained from the Salt River, which is about 5 chains west of the claim.

CONFLICTS AND ADJOINING CLAIMS

There are no conflicts or adjoining claims.

Miami, Arizona, the nearest Postoffice, railway point and trading place is about 20 miles South of the claim and reached by a rough wagon road.

		TRAV	ERSE		
Course	Distance	N.	s.	E.	W.
N. 69° 07' N. 62° 57'	W. 27.46 W. 21.54 E. 37.00 E. 9.69	7.68 16.83	18.42	32.95 7.54	20.37
		24.51	24.51	40.49	40.49

Error in Lat. and Dep. None.

Closing Error, None.

Survey completed September 14, 1918.

District Engineer

Forest Service

HOMESTEAD ENTRY SURVEY NO.

NATIONAL FOREST

	STATE OF	
Chains	These constant and door . moof there are since - weekler	
føon	. wining saf no feronic to redew troughts on it event	
	the designation remarkable and the section of the s	-
1107	- Fire on Eura Feriesdo wi associng the sol was	
	. Siele and in rear attack to the cities of the	
	SELTAL SOF AN GLOCAL MELLINGS	
	control sublication to attachment on other ores	
int	Control of the converse of the control of the contr	
milaro.	e. 7 10 fines solle on repos et cost, gillate but	
	and reachables distorals some	
	· · · · · · · · · · · · · · · · · · ·	
VC.		
98.		-
	Company and the sky of core	
	- West and the second s	
	The very construct and the last the construction of the constructi	
	trong to investe	
Ass.	Transferred Total	
		-
		The state of

November 6, 1918.

I, Clinton G. Hicks, hereby agree to the survey of my homestead number 555 as made on the 14th day of September, 1918, by Forest Service Surveyor C. A. Long, and further agree that when notified that the survey has been approved and before attempting to make final proof on my entry, I will apply for amendment of the same to conform with said survey.

The changes made by the surveyor are: The inclusion of a strip of land along the S. bdy and the elimination of a strip about 3 chains wide on the W. bdy.

(Sgd) F. L. Kirby Witness Clinton G. Hicks Claimant Lares A. 1918.

I, Shinton O. Teire, serong egapisto the entrem of my corearead monder abbotic made on the TV in due of Mathemat, 1215, by howers weight office of the egapt of the controved and testine the wear following to heave the rearest managed controved and restine arterating to heave that arough office entry. I will apply or a

of a westerfield and the day bed as a translation of a state atoms a translation of the atoms and the atoms and the atoms are a translation of the atoms and the atoms are a translation of the atoms

Bylad Conf. and . tota reographs with the ben Roghado and

Clinton . Home

Adding, I .T (Bot)

Directions.—1. Carry out calculations to two decimals only.

2. In balancing Latitudes and Departures do not obliterate or change the original figures.

Put the corrected figure or figures above in red ink. Do not change the footing of the original figures, but put below them the corrected footing in red ink.

The corrections for balancing fallings should be proportional to the lengths of the lines.

3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. L. O.

4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

8—2349	TABLING AND CALCUL	ATIONS OF	HOMEST	EAD E	NTRY S	SURVE	NO	555	·,	STAT	E OF	Ari	zona					
CORNERS.	BEARING.	DISTANCE.	LATITUDES.			DEPARTURES.			DOUBLE M. D.		N. AREAS.		S. AREAS.					
			NORTH. SOUTH.		н.	East. West.				iii iiiiiii.		S. IIIIII						
1-2	s. 47° 53' W.	27.46			18	42			20	37	60	61			1116	44		
2-3	N. 69° 07' W.	21,54	7	68		"			20	12	20	12"	154	52		"		
3-4	N. 62° 57' E.	37.00	16	83			32	95	、	- "	32	95-	554	55				
4-1	S. 51 05' E.	-9.69	~	. "	6	09	"7	54			73	1114 ~		42.	447	25		
*	. , , ,	95.69	24	51	24	51	40	49	40	49	. 11		709	07	1563	69		
	Closing Error	NÓNE '	. "	,-	"		" \	" /	" \	u ,			.,0	× .	709 20 /854	07 62		
														- 5		62		
															42	73 A	cres	5-
						Tra	rerse	of Un	listed	Lan	đ			111	*			
• H2-2	s. 47° 53' W.	2.06			1	38			1	53	41	72			57	57		
2-3	N. 69° 07' W.		7	68	Lifey (1-	" .			20	12	20	10 -	154	37	٠.	٠.		
3-X	N. 62° 57' E.	1,40		64			1	25			1	25		80				
X-H2	S. 71° 10' E.	21.50			6	94	20	35			22	87-		,	158	72		
		46.50	8	32	8	32	21	60	21	65			155	17	216	29		
			8	32		" .,		,	21						155			
	Error in Lat.	and Dep.		00						05					20 /61			
	Closing Error	1:930								• •					- 3	06 A	cres	厅
															"	,	4 4 4	
										, 								
																		36
																		N
																-		0

APPROVAL

Office of the United States Surveyor General,

Phoenix, Arizona, march 30, 1920

The foregoing field notes of Homestead Entry Survey No.

555

executed by C. A. Long, District Engineer,
[Forest Service Title.]
under his special instructions, dated February 15, 1918, having
been critically examined, and the necessary corrections and explanations
made, the said field notes, and the surveys they describe, are hereby
approved.

U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above-described survey in the State of Arizona , has been correctly copied from the original notes on file in this office.

FRANK P. TROTT

1-2349

U. S. Surveyor General.

RIGINAL

U. S. DEPARTMENT OF AGRICULTURE

FOREST SERVICE

FIELD NOTES

HOMESTEAD ENTRY SURVEY NO.

556

SITUATED IN THE

CROOK

NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO. 3

In Section 27 , unsurveyed, Township 3 N., Range 16 E.

of the

GILA AND SALT RIVER BASE AND Meridian.

State of

ARIZONA.

Applicant for listing

Wirt Anderson,

Residence

Globe, Arizona.

Application No. 241

March 6 , 19 13 , dated

List No.

3-2647

, dated

June 24 , 19 13

Applicant for survey

Harvey D. Thornhild,

Residence

Globe, Arizona.

H. E. No. 031171

, dated

September 26 , 19 16

Land Land

Office,

Phoenix, Arizona.

Survey executed by Frank D. Yost, Surveyor - Forest Service, [Forest Service Title.]

Under special instructions dated

February 15, , 19 18

Survey commenced

February 10 , 19 19

Survey completed

February 18 , 19 19.

Under Acts of June 11, 1906, and October 1, 1918 (OVER)

OATH OF ASSISTANTS We hereby certify that we assisted Frank D. Yost, Surveyor - Forest Service, in surveying all those [Forest Service Title.] parts or portions of Homestead Entry Survey No. 556 , in the State which are represented in the following field notes ARIZONA as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the United States Surveyor General for ARIZONA. Note: It would have been very expensive and inconvenient to appear before an officer to administer oaths to Assistants; hence, they were taken by the Surveyor. Forest Ranger, Chainman Subscribed and sworn to before me this 19th day of , 1919. February Surveyor - Forest Service, OATH OF SURVEYOR Frank D. Yost, Surveyor - Forest Service, do solemnly swear that, in strict conformity with the special instruc-[Forest Service Title.] tions of the United States Surveyor General for ARIZONA , dated February 15, , 1918 , and the laws of the United States, I have well, faithfully, and truly, in my own proper person, surveyed a tract of land embraced in , dated June 24, 1913, for under the Act of June 11, 1906 , No. 3-2647 , dated List June 11 , 1906 , the same to be known as Homestead Entry Survey No. 556 National Forest, in situated within the CROOK , Township 3 N. unsurveyed Section , Range 16 E. , and 27 , Range - surveyed Section , Township ------

of the GILA AND SALT RIVER BASE & meridian, ARIZONA, and the related retracements and resurveys and section subdivisions, which are represented in the following field notes as having been surveyed by me; and I further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the stated special instructions, and in the specific manner described in the field notes, and that the following are the original field notes of such survey.

Surveyor - Forest Service,
[Forest Service Title.]

Subscribed and sworn to before me this

, 1919:

fifth

day of

SEAL.

8-2349

November

Notary Public.

My Com. expires March 17, 1921