10.

-9-

U. S. DEPARTMENT OF AGRICULTURE

FOREST SERVICE

FIELD NOTES

HOMESTEAD ENTRY SURVEY NO. 568

SITUATED IN THE

TONTO

NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO. 3

In Section 32 , un surveyed, Township 11 N., Range 12 E. In Section 33, unsurveyed, Township 11 N., Range 12 E.

of the

GILA AND SALT RIVER BASE & Meridian.

State of

ARIZONA .

Applicant for listing

Henry Garrels,

Residence

Payson, Arizona.

Application No. 467

, dated

April 9 , 19 14

List No.

3-3564

, dated

May 19 , 1915

Applicant for survey

Columbus Haught,

Residence

Payson, Arizona.

H. E. No. 040532

, dated

October 3 , 19 18

Land Office

Phoenix, Arizona.

Survey executed by Frank D. Yost, Surveyor - Forest Service,

Under special instructions dated

February 15, 19, 18

Survey commenced

April 4 , 19 19

Survey completed

April 6 , 19 19.

Under Acts of June 11, 1906, and October 1, 1918. [OVER]

OATH OF ASSISTANTS

We hereby certify that we assisted

Frank D. Yost,

in surveying all those

Surveyor - Forest Service [Fcrest Service Title.]

parts or portions of Homestead Entry Survey No. 568, in the State of ARIZONA which are represented in the following field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the United States Surveyor General for ARIZONA.

Note: It would have been very expensive and inconvenient to appear before an officer to administer oaths to Assistants; hence, they were taken by the surveyor.

H.E. Brandebury

Che i mmon

Subscribed and sworn to before me this

.6th

day of

T

August , 19 19

Surveyor - Forest Service,

OATH OF SURVEYOR

I, Frank D. Yost,

Surveyor - Forest Service,
[Forest Service Title.]

do solemnly swear that, in strict conformity with the special instructions of the United States Surveyor General for ARIZONA, dated February 15, 1918, and the laws of the United States, I have well, faithfully, and truly, in my own proper person, surveyed a tract of land embraced in List No. 3-3564, dated May 19, 1915; and a tract of unlisted land upon the Application of Henry Carrels,

Application , No. 467 , dated April 9 , 1914 , for
Listing and Patent , under the Act of June 11 , 1906 ,
the same to be known as Homestead Entry Survey No. 568 ,
situated within the TONTO National Forest, in
unsurveyed Section 32 , Township 11 No., Range 12 Eo , and
unsurveyed Section 33 , Township 11 No., Range 12 Eo ,

of the GILA AND SALT RIVER BASE & meridian, ARIZONA , and the related retracements and resurveys and section subdivisions, which are represented in the following field notes as having been surveyed by me; and I further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the stated special instructions, and in the specific manner described in the field notes, and that the following are the original field notes of such survey.

Surveyor, Forest Service.

[Ferest Service Title.]

Subscribed and sworn to before me this

fifth

day of

November

, 19 19.

Notary Public.

SEAL.

My commission expires March 17, 1921.

TONTO NATIONAL FOREST

STATE OF ARIZONA

Chains

Applicant for listing, Henry Carrels; Application No. 467, dated April 9, 1914; List No. 3-3564, dated May 19, 1915; H. E. 040,532 made in the Phoenix Land Office on October 3, 1918, by Columbus Haught.

Valso a tract of unlisted land adjoining claimant's entry was included in this survey; the land is agricultural in character, was desired by entryman and will be listed as a basis for amendment of his entry. This is therefore a composite survey.

Surveyed under special instructions from the Surveyor General for Arizona, dated February 15, 1918, and design nated as Homestead Entry Survey No. 568.

Situated in what will probably be when surveyed Secs. 32 and 33, T. 11 N., R. 12 E., Gila and Salt River Base and Meridian, Tonto National Forest, Arizona.

Surveyed under the Acts of June 11, 1906 and October 1, 1918 toodrop tioner esert bus months sent

. Survey commenced April 4, 1919, and executed with a Buff and Buff transit No. 10019, equipped with Smith solar attachment.

I test the adjustments of the transit and make necessary . F. Ol. . TOU WE SMITH LY B corrections.

All distances are horizontal, and were reduced from measurements made directly on the slope with a 500 link steel tape. The slope angles were determined with a clinometer. The same and sign but

At Cor. No. 1 of this survey, hereinafter, described, at 6h 29.1m p.m., l.m.t., L. observe Polaris at Western Elongation with telescope direct reading an angle of 23° 03' 45" from star, to left to a reference mark about 1/2 mile dist. Lat. 34° 17' 32" N., Long. 1111° 05' 52" W., from Special Instructions from the Surveyor

TONTO NATIONAL FOREST

STATE OF ARIZONA.

Chains

General and later verified.

Azimuth of Polaris at W. Elong. 1° 21' W. Bearing of reference mark, N. 24° 241 45" W.

At same station at 6h 3l.2m p.m., I again observe Polaris at Western elongation with telescope reversed reading an angle of 23° 04' from star to left to same reference mark.

Azimuth of Polaris at W. elong. 1° 21' W., Bearing of reference mark, N. 24° 25' 00" W. The bearing of the reference mark as determined from the two obsns. differ by 15" of arc. I accept bearing of reference mark as N. 24° 25' W. and to the corresponding meridian all the courses of this survey were referred by sustained angulation.

Note: The courses of this survey were run on an assumed azimuth and subsequently corrected to the meridian as above determined.

the becomes are , and , alless bee April 6, 1919.

BOUNDARIES OF CLAIM

Beginning at Cor. No. 1.

Deposit a granite stone 3 x 3 x 1 ins. marked with a + 20 ins. in the ground, on solid rock, over which set an iron post 2 ins. dia., 36 ins. long, with brass cap marked 1919 on S. rim and L H E S 568 in portion of circle facing claim, surrounded by a mound of stone 3 ft. base, 1 ft. high; raise a mound of stone 3 ft. base, 2 ft. high, N. of cor., whence:

A pine 18 ins. dia., brs. N. 4° 38' W.,

56 lks. dist.

A pine 24 ins. dia., brs. N. 80° 56' W., . 198 lks. dist.

the the transfer of the free three the

magnetic dias.

TONTO NATIONAL FOREST

. The State opening

STATE OF ARIZONA

Chains

Each blazed and scribed LHE S 568 + BT red Cor. to Secs. 32 and 33 on S. bdy., T. all N., ...

R. 12 E., an iron.post 4 ins. dia., with brass cap, set in mound of stone 8 ft. base, 2-1/2 ft. high, marked and witnessed as desolvents scribed by the Surveyor General, bears South 19.23 chs. dist. by direct measurement.

√ granite boulder 20 x,10 x 8 ins. above ground, . . marked and witnessed as described by the Forest Service, bears N. 0° 07' W., 17.34 chs.

> . . 'dist' . I.destroy all trace of this list cor. Lat. 34° 17' 32" N., Long. 111. 05' 52" W., from Special Instructions from the Surveyor General and later verified.

Mag. decl. at 8 a.m., 14° 30' E., . Mean Magnetic

Thence N. 82° 31' W..

Over level. bottom land, unlisted land.

8.61 Creek 60 lks. wide, banks 6 ft. high, running water 18 lks. wide, 10 ins. deep, course S. 10° E.

9.98 to To Cor. No. 2.0 housem a pair : sear . 2 no 800

Deposit a limestone 3 x 2 x 1 ins, marked with a + 14 ins. in the ground, over which set a granite stone 24 x 10 x 4 ins. chiseled + for the point and 2 H E S 568 on NE: face; raise a mound of stone 3 ft. base, 2 ft. high NE. of cor., whence:

A pine 24 ins. dia., brs. N. 52° 45' W., . eler , 4 fi62 lks. dist.

> A pine 20 ins. dia., brs. S. 36° 33' W., 78 lks. dist. 111 b, 1919.

Each blazed and scribed 2 H E S. 568 + B T

TONTO NATIONAL FOREST

A second

STATE OF ARIZONA

Chains Thence N. 8° 49' W.

Over level bottom land,

21.72 Creek, 60 lks. wide, banks 5 ft. high, running water 18.1ks. wide, 8 ins. deep. Course East.

23.95 To Cor. No. 3. Dick al very get and

Deposit a granite stone 5 x 4 x 3 ins. marked with a + 14 ins. in the ground, over which set a sandstone 24 x 8 x 5 ins. chiseled + for the point and 3 H E S 568 on E. face; raise a mound of stone 3 ft. base, 2 ft. high, .E. of cor., whence

A pine 12 ins. dia., brs. S. 11° 30' W.,

. Ty ... 150'lks. dist. 100 , esiving to

A pine 24 ins. dia., brs. S. 70° 20' W.,

195 lks. dist.

Each blazed and scribed 3 H E S 568 + B T

Over level bottom land,

To Cor. No. 4. 18.58

> Deposit a sandstone 6, x 3 x 3 ins. marked with a + 14 ins. in the ground, over which set a sandstone 24 x 12 x 4 ins. chiseled * for the point and 4 H E S 568 on E. face; raise a mound of stone . 5 ft. base, . 2 ft. high, E. of cor., whence:

TYR SET 1. 1000

A pine 30 ins. dia., brs. N. 53° 23'.E., 106 lks. dist. delegate

. A pine 8 ins. dia., brs. S. 39° 00! E., 26 1ks. dist.: 2000 ...

.. Each blazed and scribed 4 H E S 568 + B T . April 4, 1919.

entitle that is

ene do the dee, ore, the

April 5, 1919.

Thence N. 51° 58' E. To the Benefit of

TONTO NATIONAL FOREST

STATE OF ARIZONA

Chains

Over level bottom land.

5.91

29.36

Enter heavy pine reproduction. in

Identical with Cor. H-2 of the list survey, which is a granite stone 8 x 6 x 5 ins. above ground, marked and

witnessed as described by the Forest Service. I de-

stroy all trace of this list cor. I. .

Deposit a sandstone 6.x 5 x 4 ins. marked with a + 24 ins. in the ground, over which set an iron post 2 ins. dia., 36 ins. long, with brass. cap. marked 1919. on S. rim and 5 H E S 568 in portion of circle facing claim; raise a mound of stone 3 ft. base, 2 ft. high,

· bo/S. of cord, whence : ed its ab an ios sendir buts

An oak 18 ins. dia., brs. S. 84° 42' W.,

1 colder . 78 lks. dist. onath editory a discover

A pine 6 ins. dia., brs. S. 0°. 15' W., To callere an 29 lks. dist. . and A x 31 m 61 con

Each blazed and scribed 5 HES 568 + BT Leave unlisted and enter listed land.

Over rolling land, thru heavy pine and oak.

10.06

> Identical with Cor. H-3 of the list survey, which is a granite stone 10 x 8 x 3 ins. above ground, marked and witnessed as described by the Forest Service. destroy all trace of this list cor. . . .

isomed .. too to

. Deposit a granite stone 3 x 3 x 2 ins. marked with a + 14 ins. in the ground, over which set a sandstone 24 x 12 x 4 ins. chiseled. + for the point and 6 H E S 568 on SW. face; raise a mound of stone 3 ft. base,

2 ft. high. SW. of cor., whence:

TONTO NATIONAL FOREST

STATE OF ARIZONA

Chains

A pine 14 ins. dia. brs. S. 9° 28 E.,

51 1ks. dist. Composer ente year gaine

A pine 36 ins. dia., brs. S. 67°.41'.W.,

. vev7901ks. dist. to 2-4 . row at ht Issidness

Each blazed and scribed 6 H E S 568 + B T

Thence S. 11°.23 E. . will be seem fire your

Thru heavy pine and oak. on or property and thouse

25.27

Identical with Cor. H-4 of the list survey, which is a granite stone 18 x 10 x 5 ins. above ground, marked and witnessed as described; by the Forest Service.

/I destroy all trace of this list cor.

Deposit a granite stone 3 x 3 x 2 ins. marked with a + 15 ins. in the ground, over which set a granite stone 18 x 12 x 4 ins. (no longer stone available), chiseled + for the point and 7 H E S 568 on W. face; raise a mound of stone 3 ft. base, 2 ft. high, W. of cor., whence

An oak 8 ins. dia., brs. N. 69° 50' W.,

ovo 24 lks. dist. want, that ship for govo

A pine 32 ins. dia., brs. S. 2° 55' W.,

et dist. dist. d-v.icu as in iscissori

Each blazed and scribed 7 H B S 568 + B T

/ Thence S. 24° 53' W. sind to continue and the

Over rolling land, thru timber and underbrush,

18.77 To Cor. No. 8. Two plant of the said al

Identical with Cor. H-5 of the list survey, which is a granite stone 20 x 12 x 8 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor.

4

TONTO NATIONAL FOREST

STATE OF ARIZONA

Chains

Deposit a granite stone 3 x 2 x 1 ins. marked with a + 14 ins. in the ground, over which set a granite stone 24 x 12 x 4 ins. chiseled * for the point and 8 H E S 568 on NW. face; raise a mound of stone 3 ft. base, 2 ft. high; NW. of cor., whence:

A pine 40 ins. dia., brs. N. 14° 12' E., 109 lks. dist.

An oak 4 ins. dia., brs. S. 80° 33' E., 33 lks. dist.

Each blazed and scribed 8 H E S 568 + B T Leave listed and enter unlisted land.

Thence S. 22° 04' W.

Over rolling land, thru heavy timber and underbrush. To Cor. No. 1, the place of beginning.

18.47

April 5, 1919.

Constant Control of the Brown AREA - COURSE ALLESS

Listed Area - - - - - - - - - - - 49.56 Acres Unlisted Area - - - - - - - - - 84.34 Acres Total Area - - - - - - - - - - - - - - - - - 133.90 Acres.

IMPROVEMENTS

The improvements made upon and for the benefit of this claim and belonging to the claimant herein, consist of the following:

A frame house 20 x 24 ft., the long sides extending N. and S., the SE. cor. of which bears N. 15° 10' W., 10.87 chs. dist. from of hocor. No. 1.200 hattin to endir chal of

Value - - - - - - - - - \$ 300.00

A frame barn 30 x 32 ft., the long sides ex-. tending E. and W. and the SE. cor. of which

TONTO NATIONAL FOREST

STATE OF ArIZONA

Chains

pears N. 38° 00' W., 12.22 chs. dist. enco of his from Cor. No. 1, mor on the and are

Value - - - - - - - - \$ 150.00

A frame house 20 x 24 ft., the long sides extending N. and S., the SE. cor. of which bears N. 75° 50' W., 4.37 chs. dist. from Cor. No. 8,

> ... value - - - - - - - - - 3 250.00 A dug well 6 ft. dia., 20 ft. deep, the center of which bears N. 34° 25' W., 13.32 chs.

Value - - - - - - \$ 100.00 Approximately 2 miles of fencing, value - - - - - - - - - - - \$ 175.00

dist. from Cor. No. 1.

DESCRIPTION

The claim consists mainly of level bottom land, located in a small canyon which is a tributary of Tonto Creek. The soil is a rich sandy loam, deep and very fertile, and is well adapted for agricultural purposes. rainfall is depended upon to raise crops.

There is a good stand of timber and reproduction in the NE. cor. and along the N. and E. edges of the claim. The stand is hardly sufficient, however, to be considered of commercial value.

About 85 percent of the area is suitable for farming. of which approximately 50 acres have been under culti-

Water for domestic use is obtained from the well. No indications of mineral were observed on the claim.

CONFLICTS AND ADJOINING CLAIMS

There are no conflicts or adjoining claims.

TONTO NATIONAL FOREST

STATE OF ARIZONA

Chains

Payson, Arizona, the nearest settlement and postoffice, lies about 18 miles distant in a southwesterly direction.

TRAVERSE												
Course	Dist.	N.	S.	E.	W.							
N. 82° 31' W. N. 8° 49' W. N. 31° 45' W. N. 51° 58' E. N. 89° 53' E. S. 24° 53' W. S. 22° 04' W.	23.95 18.58 29.36 10.06 25.27	1.30 23.67 15.80 18.09 .02	24.77 17.03 17.12	23.13 10.06 4.99	9.89 3.67 9.78 7.90 6.94							
Error in Lat.	154.44 and Dep.	58.88	58.92 58.88 .04	38.18 38.18 .00	38.18							

Closing Error, 1:3861

Survey completed April 6, 1919.

Surveyor - Forest Service,

NATIONAL FOREST

Įhains	Jeog bra	3 Juniora	Jou Jeesce	on one of	estimate de la constancia de la constanc	entano	
					I Juoga sell		
					ion.		
			572				
1				.Juli	s 1210Ú		
• 17							
40.0			00.1	60.9	115 28 .11		
10.0			10.00	9.50			
81.6	The second		90.01	60.43	. 10 10 10 . L		
	10.05		30.	10.01	11. 88 88 11		
	00.4	VV.40		74.3			
0		60. 7.		IS. PY	120 040 . 2		
38.0		LIVE		lo.ev	. 6 120 923		
	18. a Qu	EV.OU	186.6				
	1. 10	10.			.vor ni horn		
	•						
				1035:1	disain: mor,		
			6, 1919.	Sed Løkth.	efones terres		
		- 101000					
ectvie	deerol	- 201992					
culvie	deemo l	- 10,000					
ecivie	Jesto.	- 1039MI					
ecivie	deemo.	- 103981					
eulvie.	రి తాజర్జ	- 70.047					
ecivie	d 0%0.	- wordwa					
ecivie	d - 0% 0 2	- TOTENT					
etivie	d = 6% 0 1	- 107941					
eu ivio	d = 6%0 .	- 107991					
eu ivio	d e%5.	- TOTOWI					
ouivio	d 0%0.	- TOTOWI					
ecivie.	d = 0% 0 2	- TOTANT					
etivie.	d = 6%0 .	- TOTANT					
et ivio	d = 6%0 .	- TOTOWI					
et ivio	0.0%0	- TOTAVI					
ou ivio	0.020	- TOTAVI					
et ivio	J-6%0.	- TOTANT					
et ivio	J-675	- TOTANT					
et ivio		- TOTANT					
SULVIO	J = 6720	- TOTAVI					
ou ivio	0.000	- TOTAVI					
etivie.	0.000	- TOTANT					
etivie.		- TOTANT					
et ivio		- TOTANT					
et ivio		- TOTAVI					
SULVIO		- TOTAVI					
ou ivio		- TOTANT					
et ivio		- TOTANT					

s -2349

A SH Marik

Directions.—1. Carry out calculations to two decimals only.

2. In balancing Latitudes and Departures do not obliterate or change the original figures.

Put the corrected figure or figures above in red ink. Do not change the footing of the original figures, but put below them the corrected footing in red ink.

The corrections for balancing fallings should be proportional to the lengths of the lines.

3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. L. O.

4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

CORNERS. BEARING.		DISTANCE.	DISTANCE. LATIT			PITUDES.			DEPARTURES.				DOUBLE M. D.		N. AREAS.		S. AR	S. AREAS.		
			Nort	н.	So	UTH.		Eas	т.	5% W.E	WEST	г.		2 60.22				Towns	19	
1 - 2	N. 82-31 W.	9.98	1	30						1	9	89	36	79	47	83				
2 - 3	N. 8-49 W.	? 23.95	23	67						4	3	67	23	23	550	09 -				
3 - 4	N. 31-45 W.	18.58	15	80 -						4	9	78	9	78	154	52 L				
4 - 5	N. 51-58 E.	29.36	18	09 4				23	13	-			23	13	418	65				
5 - 6	N. 89-53 E.	10.06	NI SAN	02 -		-		10	06	1			56	32	1	13				
6 - 7	S. 11-23 E.	25.27		,	/ 2	4 7	7	4	99	~			71	37			17	67 1	2	
7 - 8	s. 24-53 W.	18.77		4	1	7 0	3			4	7	90	68	46			1	65 19	9	
8 - 1	S. 22-04 W.	18.47		-	1	7 1	2			V	6	94	53	62			4	17 9	7	
		154.44	58	88	5	8 9	2	38	18	-	38	18		/	1172	22	38	50 2	8	
			5.8	90		8 8		38	18		38	18	V				The second second second second second	72 2		
	Error in Lat	and Dep.				0	4		00								20/26	78 0	6	
																		33 90	Ö	Acres.
	Closing Erro	r, 1:3861																- 1	14	I.5.
									199							2014				
			Y. W.													1.37				
			1700																	

Directions.—1. Carry out calculations to two decimals only.

2. In balancing Latitudes and Departures do not obliterate or change the original figures.

Put the corrected figure or figures above in red ink. Do not change the footing of the original figures, but put below them the corrected footing in red ink.

The corrections for balancing fallings should be proportional to the lengths of the lines.

3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. L. O.

4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

CORNERS. BEARING.	BEARING.	DISTANCE.		LATI	rudes.			DEPA	RTURI	ES.		DOUBLE	M. D	N. AREA	S	S. ARE	AS	
			-North, South.				EAS	East. West.			DOODEL	и. Б.	A. Mills	LO.	S. AIU	A.S.		
	S. 85-12 E.	6.98	TRAVI	ERSE	OF LIS	TED	AREA 6	98				7	32		1		1 61	
	N. 24-53 E.	18,77	17	03		,	7	90	4			22	20	378	07			
	N. 11-23 W.	25.27	24	77					-	4	99	25	The beautiful transfer	621				
	S. 89-53 W.	10.06				02			-	10	06	10				_	20	
	S. 0-14 E.	41,56		L	41	56		17 -					17			-	07	
		102,64	41,	80		80/	15	05		15	05		-/-	1000	04/	property and the second	88	
								1		1				8	88			
														20/ 991	16		1	
								- 1						- 49	56V	Acres.		
															,			
						14.00												
				The same														
				1000														
													3 32					
			4													8-18-11-8-11		
							-											
							-											
										1					-			
															-			
							-											

April 5, 1919.

I, Columbus Haught, hereby agree to the survey of my homestead, Number 568 as made on 4th and 5th days of April, 1919, by Forest Service Surveyor Frank D. Yost, and further agree that when notified that the survey has been approved and before attempting to make final proof on my entry, I will apply for amendment of the same to conform with said survey.

	The	change	es mad	e by	y the si	urvey	or are	addi	tions
on the	Sou	th and	West,	to	include	lan	d cult	ivated	for
years,	and	house	and b	arn,	fences	and	other	impro	vements
which	are (outside	e the	home	stead a	as lis	ated.		
	years,	on the Sou	on the South and years, and house	on the South and West,	on the South and West, to years, and house and barn,	on the South and West, to include years, and house and barn, fences	on the South and West, to include land years, and house and barn, fences and	on the South and West, to include land cult	The changes made by the surveyor are addition the South and West, to include land cultivated years, and house and barn, fences and other improved which are outside the homestead as listed.

(Sgd.) W.E.Childers,

Witness.

(Sgd.) Columbus Haught,

Claimant.

By Sam Haught,

Attorney in fact.

APPROVAL

Office of the United States Surveyor General,

Phoenix, Arizona, May 22, 1920

The foregoing field notes of Homestead Entry Survey No.

568

executed by Frank D. York, Surveyor [Forest Service Title.] under his special instructions, dated February 15, 1918, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above-described survey in the State of Arizona, has been correctly copied from the original notes on file in this office.

FRANK P. TROTT

U. S. Surveyor General.

1-2349