Sept. 14

U. S. DEPARTMENT OF AGRICULTURE

FOREST SERVICE

HOMESTEAD ENTRY SURVEY NO. 597

SITUATED IN THE

APACHE NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO.3

In Section 15 , un-surveyed, Township 4 N, Range 30 E. In Section 22 , un-surveyed, Township 4 N. Range 30 E.

of the contract of the second

GILA AND SALT RIVER BASE AND Meridian.

State of

ARIZONA

Applicant for listing Joe Brooks

Residence Espero, Arizona

, dated November 8 , 19 13 Application No. 307 , dated May 4, , 19 14 List No. 3-3146

Applicant for survey Norman A. Josh

Residence Espero, Arizona

H. E. Nov. 031355 , dated February 14 , 19 17

Land Office Phoenix, Arizona

Survey executed by Thomas F. Myers, Surveyor - Forest Service

Under special instructions dated May 14 19 19

, 19 21 June 12 Survey commenced

, 1921 June 13 Survey completed

Under Acts of June 11, 1906, and May 31, 1921

OVER

OATH OF ASSISTANTS

We hereby certify that we assisted Surveyor - Forest Service [Forest Service Title.]

Thomas F. Myers, in surveying all those

parts or portions of Homestead Entry Survey No. 597 , in the State ARIZONA which are represented in the following field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the United States Surveyor General for ARIZONA.

Note: It would have been very expensive and inconvenient to appear before an Officer to administer Oaths to Assistants; hence they were taken by the Surveyor.

Subscribed and sworn to before me this

13th

1921

Surveyor - Forest Service.

OATH OF SURVEYOR

Thomas F. Myers,

Surveyor - Forest Service [Forest Service Title.]

do solemnly swear that, in strict conformity with the special instructions of the United States Surveyor General for ARIZONA

May 14 , 19 19 , and the laws of the United States, I have well, faithfully, and truly, in my own proper person, surveyed a tract of land embraced in list No. 3-3146, dated May 4, 1914, and a tract of land upon the application of Joe Brooks

, dated November 8, 19 13 , for , under the Act of June 11 , 19 06 Application , No. 307 listing and patent the same to be known as Homestead Entry Survey No. 597 APACHE National Forest, in situated within the , Township 4 N. , Range , Range 30 E. 15 un-surveyed Section 22 un-surveyed Section

of the GILA AND SALT RIVER BASE & meridian, ARIZONA related retracements and resurveys and section subdivisions, which are represented in the following field notes as having been surveyed by me; and I further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the stated special instructions, and in the specific manner described in the field notes, and that the following are the original field notes of such

Surveyor - Forest Service.

[Ferest Service Title.]

Subscribed and sworn to before me this

day of

April

, 19 22.

. Exhel G. Myers

thomas 2

6th

MANAGE AND STREET SEAL.

rary.

My comm. expires April 12, 1925.

APACHE NATIONAL FOREST

STATE OF ARIZONA

1.

Chains

Applicant for listing, Joe Brooks; Application No. 307, dated November 8, 1913; List No. 3-3146, dated May 4, 1914; H. E. 031355, made in the Phoenix Land Office on February 14, 1917, by Norman A. Josh.

Also a tract of unlisted land adjoining claimant's entry was included in this survey. The land is agricultural in character, was desired by entryman and will be listed as a basis for amendment of his entry No. 031355. This is therefore a composite survey. Surveyed under special instructions from the Surveyor General for Arizona, dated May 14, 1919, and designated as Homestead Entry Survey No. 597.

Situated in what will probably be when surveyed Secs.

15 and 22, T. 4 N., R. 30 E., Gila and Salt River

Base and Meridian, Apache National Forest, Arizona.

Surveyed under the Acts of June 11, 1906, and May 31,

1921.

Survey commenced June 12, 1921, and executed with a Buff and Buff transit No. 10530, equipped with Smith solar attachment.

I test the adjustments of the transit and make necessary corrections.

All distances are horizontal, and were reduced from measurements made directly on the slope with a 500 link steel tape. The slope angles were determined with a clinometer.

The courses of this survey were deflected from the meridian established by Polaris obsn. on June 8, 1921, near Cor. No. 1 of HES 592. All lines were carried forward by sustained angulation and checked with the

Form 85. Sheet No. 2.

STATE OF ARIZONA

APACHE NATIONAL FOREST

Chains

Smith solar attachment, which I carefully check on the above meridian as follows:

June 12, 1921.

At the Azimuth station near Cor. No. 1 of HES 592 at 7h 00m a.m. 1.m.t., I set off 33°42' on Lat. are and 23°10' Non decl. arc, and determine a meridian with the solar. The meridian thus determined agrees within less than 1 minute of the meridian determined by Polaris obsn.

At the same station at 4h 44m p.m. l.m.t., I set off 33°42! on lat. arc and 23°11! N. on decl. arc, and determine a meridian with the solar. The meridian thus determined differs by 1 minute from the meridian determined by Polaris. obsn.

Note: Because of clouds and rain, it was impracticable to determine a meridian on the claim by direct obsn.

of the sun or by Polaris obsn.

BOUNDARIES OF CLAIM

June 12, 1921.

Beginning at Cor. No. 1.

Identical with Cor H/1 of the list survey, which is a malpais stone 10x6x8 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list cor.

· Description

Deposit a malpais stone 7x3x4 ins., marked with a + 16 ins. in the ground, over which set a malpais stone 26x12x8 ins., chiseled + for the point and 1 HES 597 on Sw. face; raise a mound of stone 2 ft. base 1-1/2 ft. high Sw. of Cor., whence:

A pine 14 ins. dia. brs. N. 48°32' E. 34 1ks. A pine 12 ins. dia. brs. N. 10°30' W. 25 1ks.

POWER PLANS

APACHE NATIONAL FOREST

STATE OF ARIZONA

3.

Chains

Each blazed and scribed 1 HES 597 + BT.

U.S.I.M. 594 HES. (established by me on June 12, 1921, in connection with HES. 594), an

- · embedded malpais boulder showing 55x46x22 ins. above ground, chiseled + on top for the
- point and USIM 594 HES on NE. face, with a
- . mound of stone 9 ft. base 7 ft. high NE. of

 U.S.L.M. bears N. 47°03'96" E. 38.51 chs.

 distant by traverse which appears at the end

of these notes. . 'V' W., from Forest

Mag. decl. at 9 a.m. 13°40' E. Mean mag. decl. 13°37' E. Rain in afternoon.

June 12, 1921.

June 13, 1921.

Service Base Map.

At 9h. 30m. a.m. 1.m.t., I set off 33°41' on lat. are 23°13' N. on decl. are and determine a meridian with the solar, at the above Cor. The meridian thus determined checks the azimuth carried by sustained angulation from Cor. No. 3 of HES. 592. On account of cloudy weather, all lines were carried forward by angulation.

Thence S. 8°39' E.

16.10 To Cor. No. 2.

Identical with Cor. H/2 of the list survey, which is a malpais stone 12x6x6 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list Cor.

-22.10

STATE OF ARIZONA

Chains

Deposit a malpais stone 6x5x4 ins. marked with a + 18 ins. in the ground, over which set a malpais stone 28x14x10 ins. chiseled + for the point and 2 HES 597 on NW. face: raise a mound of stone 3 ft. base 2 ft. high NW. of Cor., whence:

A pine 24 ins. dia. brs. S. 44°32' W. 82 1ks. A pine 14 ins. dia. brs. S. 49°00' E. 103 lks. Each blazed and scribed 2 HES 597 + BT.

Thence S. 79°47' W.

Over rolling land through edge of heavy pine. Descend

Fence inside of line!

- Arroyo 10 lks. wide 1 ft. deep, course N. Bottom of 31.50 descent. Ascend gradually 15 ft.
- 40.00 Low spur bears N. Descend gradually 20 ft.
- 50.01 To Cor. No. 3.

· Identical with Cor. H/3 of the list survey, which is a malpais stone 8x10x4 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list Cor.

Deposit a malpais stone 4x4x3 ins., marked with a + 14 ins. in the ground, over which set a malpais stone 24x12x8 ins., chiseled + for the point and 3 HES 597 on N. face; raise a mound of stone 2 ft. base 1-1/2 ft.

high N. of Cor., whence:

A pine 34 ins. dia. brs. S. 66°46' E. 85 lks. A pine 12 ins. dia. brs. S. 12°13' W. 52 1ks. . Each blazed and scribed 3 HES 597 + BT.

Leave listed and enter unlisted land.

Thence N. 44°15' W.

Over gently rolling land through scattering pine.

APACHE NATIONAL FOREST

STATE OF ARIZONA

5.

Chains

Fence inside of line.

5.00

Small ravine (no well defined banks). Course NE.

14.59

To Cor. No. 4.

Deposit a malpais stone 4x4x4 ins., marked with a + 14 ins in the ground, over which set a malpais stone 24x16x6 ins., chiseled + for the point and 4 HES 597 on E. face; raise a mound of stone 2 ft. base 1-1/2.ft. high E. of Cor., whence:

A pine 32 ins. dia. brs. N. 49°54' E. 26 lks. .

A pine 36 ins. dia. brs. S. 45°28' E. 29 lks. .

Each blazed and scribed 4 HES 597 + BT.

Thence N. 24°11' E. -

Over unlisted rolling land through scattering pine.
Fence inside of line.

13.90

Road, bears E. and W.

14.48

To Cor. No. 5.

Identical with Cor. H/4 of the list survey, which is a malpais stone 19x8x8 ins. above ground, marked and witnessed as described by the Forest Service. I destroy all trace of this list Cor.

Deposit a malpais stone 8x4x3 ins., marked with a + 16 ins. in the ground, over which set a malpais stone

26x10x8 ins., chiseled + for the point and 5 HES 597 on SE. face; raise a mound of stone 3 ft. base 2 ft.

high SE. of Cor., whence:

A pine 24 ins. dia. brs. N. 23°13' E. 85 lks.

A pine 24 ins. dia. brs. N. 44°51' W. 80 lks.

Each blazed and scribed 5 HES 597 + BT.

Cor. No. 3 of HES 592 (surveyed by me on June 8 and

9, 1921), a malpais stone 10x10x10 ins. above ground, marked + on top and 3 HES 592 on NW. face, bears N. 42°02'27" W. 74.38 chs. by traverse which appears at the end of these

6.

HOMESTEAD ENTRY SURVEY NO. 597

APACHE NATIONAL FOREST

STATE OF ARIZONA

Thence N. 88°45' E. Over rolling land through scattering pine. Fence inside of line. 18.00 Draw, head of W. Fork of Beaver Greek, 100.1ks. wide 50 ft. deep, course N.: 36.10 Arroyo 10 1ks. wide 2 ft. deep, course NW. 51.07 To Cor. No. 1, the place of beginning. AREA Listed area	Chains	notesout o opine con comp												
Thence N. 88°45' E. Over rolling land through scattering pine. Fence inside of line. 18.00 Draw, head of W. Fork of Beaver Creek, 100.1ks. wide 50 ft. deep, course N.: 36.10 Arroyo 10 1ks. wide 2 ft. deep, course NW. 51.07 To Cor. No. 1, the place of beginning. AREA Listed area														
Over rolling land through scattering pine. Fence inside of line. 18.00 -Draw, head of W. Fork of Beaver Creek, 100.1ks. wide 50 ft. deep, course N. 36.10 Arroyo 10 lks. wide 2 ft. deep, course NW. 51.07 To Gor. No. 1, the place of beginning. AREA Listed area														
inside of line. 18.00 Drew, head of W. Fork of Beaver Greek, 100.1ks. wide 50 ft. deep, course N.: 26.10 Arroyo 10 lks. wide 2 ft. deep, course NW. 51.07 To Gor. No. 1, the place of beginning. AREA Listed area		Thence N. 88°45! E.												
-Draw, head of W. Fork of Beaver Creek, 100.1ks. wide 50 ft. deep, course N.: 36.10 Arroyo 10 1ks. wide 2 ft. deep, course NW. 51.07 To Cor. No. 1, the place of beginning. AREA Listed area		Over rolling land through scattering pine. Fence												
50 ft. deep, course N. 36.10 Arroyo 10 lks. wide 2 ft. deep, course NW. 51.07 To Cor. No. 1, the place of beginning. AREA Listed area		inside of line.												
AREA Listed area	18.00	-Draw, head of W. Fork of Beaver Creek, 100.1ks. wide												
AREA Listed area		50 ft. deep, course N.:												
Listed area 9.82 " Total area	36.10	Arroyo 10 lks. wide 2 ft. deep, course NW.												
AREA Listed area 9.82 " Total area 9.82 " Total area	51.07	To Cor. No. 1, the place of beginning.												
Listed area		The state and selection of the state of the												
Unlisted area														
IMPROVEMENTS. The improvements made upon and for the benefit of this claim and belonging to the claimant, consist of the following: A log house 16x18 ft. (no roof), the long sides extending E. and W.; the NW. Cor. bears S. 64°26' E. 10.77 chs. dist. from Cor. No. 5. Value 40.00 A log house 16x24 ft., the long sides extending N. and S., the NW. Cor. of which bears S. 53°24' E. 25.11 chs. from Cor. No. 5. Value		Listed area												
The improvements made upon and for the benefit of this claim and belonging to the claimant, consist of the following: A log house 16x18 ft. (no roof), the long sides extending E. and W.; the NW. Cor. bears S. 64°26' E. 10.77 chs. dist. from Cor. No. 5. Value 40.00 A log house 16x24 ft., the long sides extending N. and S., the NW. Cor. of which bears S. 53°24' E. 25.11 chs. from Cor. No. 5. Value	. 8.													
The improvements made upon and for the benefit of this claim and belonging to the claimant, consist of the following: A log house 16x18 ft. (no roof), the long sides extending E. and W.; the NW. Cor. bears S. 64°26' E. 10.77 chs. dist. from Cor. No. 5. Value		Total area 110.70 acres												
The improvements made upon and for the benefit of this claim and belonging to the claimant, consist of the following: A log house 16x18 ft. (no roof), the long sides extending E. and W.; the NW. Cor. bears S. 64°26' E. 10.77 chs. dist. from Cor. No. 5. Value		The Drott on stating												
claim and belonging to the claimant, consist of the following: A log house 16x18 ft. (no roof), the long sides extending E. and W.; the NW. Cor. bears S. 64°26' E. 10.77 chs. dist. from Cor. No. 5. Value														
following: A log house lex18 ft. (no roof), the long sides extending E. and W.; the NW. Cor. bears S. 64°26' E. 10.77 chs. dist. from Cor. No. 5. Value 40.00 A log house lex24 ft., the long sides extending N. and S., the NW. Cor. of which bears S. 53°24' E. 25.11 chs. from Cor. No. 5. Value														
A log house 16x18 ft. (no roof), the long sides extending E. and W.; the NW. Cor. bears S. 64°26' E. 10.77 chs. dist. from Cor. No. 5. Value 40.00 A log house 16x24 ft., the long sides extending N. and S., the NW. Cor. of which bears S. 53°24' E. 25.11 chs. from Cor. No. 5. Value														
extending E. and W.; the NW. Cor. bears S. 64°26' E. 10.77 chs. dist. from Cor. No. 5. Value 40.00 A log house 16x24 ft., the long sides extending N. and S., the NW. Cor. of which bears S. 53°24' E. 25.11 chs. from Cor. No. 5. Value														
Value	, 37													
Value														
A log house 16x24 ft., the long sides extending N. and S., the NW. Cor. of which bears S. 53°24' E. 25.11 chs. from Cor. No. 5. Value	7190													
S., the NW. Cor. of which bears S. 53°24' E. 25.11 chs. from Cor. No. 5. Value		A log house 16x24 ft., the long sides extending N. and												
Value		S., the NW. Cor. of which bears S. 53°24' E. 25.11 chs.												
A log stable 30x50 ft., the long sides extending N. and s., the NW. Cor. of which bears S. 64°43' E. 24.05 chs. from Cor. No. 5. Value		from Cor. No. 5.												
s., the NW. Cor. of which bears S. 64°43' E. 24.05 chs. from Cor. No. 5. Value \$300.00 About 2 miles of wire fencing.		. Value,												
from Cor. No. 5. Value \$300.00 About 2 miles of wire fencing.		A log stable 30x50 ft., the long sides extending N. and												
Value \$300.00 About 2 miles of wire fencing.	24.8.01	S., the NW. Cor. of which bears S. 64°43' E. 24.05 chs.												
About 2 miles of wire fencing.														
About 2 miles of wire fencing.	a	Value \$300.00												
Velue		About 2 miles of wire fencing.												
Value		Value \$300.00												

1000000

APACHE NATIONAL FOREST

STATE OF ARIZONA

7.

Chains

SI.CI

BULL.

1000

A log shed 20x24 ft., the long sides extending E. & W., the SW. Cor. of which bears S. 87°24' E. 15.41 chs. from Cor. No. 5.

Value - - - - - - - - - - - - - 5 50.00

DESCRIPTION

The claim is comprised mainly of a large open cienega, locally known as coffee mill cienega, a marshy meadow, situated at an elevation of about 8,000 ft. The soil is a deep, black loam. About 100 acres of the area is suitable for agricultural purposes, of which about 40 acres were under cultivation at the time of survey. The rainfall is depended upon to grow crops.

Water for domestic use is obtained from a spring east of the house.

There is no timber of commercial value on the claim.

I saw no indication of mineral on the claim.

CONFLICTS AND ADJOINING CLAIMS

There are no conflicts and adjoining claims. HES. 592 lies about 7/8 of a mile to the NW. HES. 505 lies about 1-1/4 miles to NW. HES. 595 (surveyed by me on June 14, 1921) lies about 1/2 mile to N., and HES. 594 (surveyed by me on June 16, 1921) lies about 1/2 mile to NE.

Espero, Arizona, postoffice, lies about 2-1/2 miles to NW.

Alpine, Arizona, the nearest settlement and trading point, lies about 18 miles to NE. and is reached by trail. Springerville, Arizona, the general trading point for this section of the country, lies about 40 miles distant in a northerly direction and is reached by fair wagon road.

APACHE NATIONAL FOREST

8.

STATE OF ARIZONA

Chains	sides subschipt	TRA	VERSES	Maria Bonia	E 01 8	enis69
.000	Course	Dist.	N.	. s.	E.	W.
0	S. 8°39'E. S.79°47'W. N.44°15'W. N.24°11'E. N.88°45'E.	16.10 50.01 14.59 14.48 51.07	10.45 13.21 1.11 24.77	15.92	5.93 51.06 59.41	49.22 10.18
	Error in lat.	and dep.	02			01
,85000	Closing error	1/6541.	bosing	oc at miel	o enf	
.wc.bada	UNLISTED AREA	o file e	ntico a	a Ewona vil	1,00	
Lios e	*Course .	Dist.	N.	s.	E.	W
guide.	N.44°15'W. N.24°11'E. S.10°11'E.	14.59 14.48 24.04	10.45	23.66	5.93	10.18
.Terres	to ends end de	m likvitl	23.66	23.66	10.18	10.18
	TIE COR. 5/597	to COR.	3/592	ol Instal	T only	
- JEGA	Course	Dist	N.	semos roz	E.	W-
2. 63 S	N.63°01'W. S.88°58'W. S.79°58'W. N.60°24'W. N.21°05'W. N.16°35'W. N.45°40'W. N.75°12'W. N.50°01'W. N.52°34'W. N.8°52'E. N.7°34'E. N.86°27'W. S.36°51'E.	3.42 3.25 4.59 10.12 8.75 8.05 2.79 3.64 11.80 7.63 12.53 7.75 8.61 2.53	1.55 5.00 8.16 7.72 1.95 .93 7.58 4.64 12.38 7.68 .53	2.02	1.93 1.02 1.52 4.47	3.05 3.25 4.52 8.80 3.15 2.30 2.90 3.52 9.04 6.06
	595 (Surveyed by	TEST. TEST.	2.88	tie 2001 ;	emit.	4.47 49.81
efim s	Resultant cour	se N. 42	02 27"	W. 74.38 cl	hs.	
	TIE COR. 1 HES	. 597 to	U.S.L.M	. 594 HES.	10 of	
Les to	Course N.85°46'E. N.14°49'E. N.23°16'W. S.61°55'W.	Dist. 27.25 17.96 7.77 .58	N. 2.01 17.36 7.14	. 27 . 27	E. 27.18 4.59	3.07 .51 3.58
No 3	adder at adm	of sell	26.24	da bell .	3.58	

Resultant course N. 47°03'06" E. 38.51 chs.

Survey completed June 13, 1921.

Thomas & Myers
Surveyor - Forest Service.

Sheet No. 3.—Revised Feb., 1915.

Directions.—1. Carry out calculations to two decimals only.

2. In balancing Latitudes and Departures do not obliterate or change the original figures.

Put the corrected figure or figures above in red ink. Do not change the footing of the original figures, but put below them the corrected footing in red ink.

The corrections for balancing fallings should be proportional to the lengths of the lines.

3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. L. O.

4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

corners.	BEARING. S. 8°39° E.	DISTANCE.	LATITUDES.				DEPARTURES.			DOUBLE M. D.		N. AREAS.		S. AREAS.			
			North,		South.	Eas	East.		т.	DOUBLE M. D.		N. AREAS.		S. AREAS.			
					15 92	2	42			116	38			1852	77		
2 - 3	S. 79°47' W.	50.01			8 87			49	22	69	58		La Dic	616		- 31.7.31	27
3 - 4	N. 44°15' W.	14.59	10	45			- 1 Ve	10	18	10	18	106	38				
4 - 5	N. 24°11' E.	14.48	13	21		5	93			5	93	78	34.				
5 - 1	N. 88°45' E.	51.07	1	11		51	06			62	91	70	46-				
		146.25	24	77	24 79	59	41	59	40			255	18	2469	25	100000000000000000000000000000000000000	
Error in Lat.	& Dep.			02					01				3,34	255	18	1	
Closing erro	r 1/6541													20/2214			Q-Printe
														110		ET	
															Was i		
									POST.								**********
					Unlisted A	rea			A A A A A A A A A A A A A A A A A A A								
	N. 44°15' W.	14.59	1.0	45				10	18	10	18	1.06	38				
	N. 24°11' E.	14.48	13	.21		5	93			5	93		34/				
	S. 10°11' E.	24.04	4		23 66	4	25			16	11			381	16		
			23	66	23 66	10	18	10	18			184	72	381	-		
									No.	-1.5				184			
										Calle L				20/196 44			
														A MANAGEMENT OF THE PARTY OF TH	82	0. K.	, N
										100						·H	1
															٥		4
						T4 (6)											

APPROVAL

Office of the United States Surveyor General,

Phoenix. Arizona, Dec. 12, 1912

The foregoing field notes of Homestead Entry Survey No.

597

executed by Themas F. Myers, Surveyor under his special instructions, dated any 14, 1919, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby J. S. Surveyor General. approved.

I certify that the foregoing transcript of the field notes of the Arizona , has been above-described survey in the State of correctly copied from the original notes on file in this office.

FRANK P. TROTT

U. S. Surveyor General.

8-2349