

M  
S  
-  
G  
N  
0  
0  
0  
2  
3

Lots No. 38 A. & B.

Field Notes

of the survey of the Belmont  
Mining & Mill-Site Claims  
situate in the Santa Cruz range  
of mountains, in the southern part  
of Pima Co. Arizona Territory  
claimed by the San Antonio  
Mining Co. Thos. M. Yerkes. Agt.  
Surveyed by Theo. F. White,  
U.S. Dep. Surv., under instructions  
from the Surveyor General for Arizona  
dated September 1<sup>st</sup>. 1873.  
Survey executed Sept. 20-22. 1873

Belmont

2

Belmont

Preliminary Oaths for Surveys of Mining Claims and Mill-Sites.

OATHS OF ASSISTANTS.

WE, A. G. Elliott and Thos. W. Yorkes

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

A. G. Elliott

Thos. W. Yorkes

Sworn to and subscribed before me, this 1<sup>st</sup> day  
of September 1873

William J. Osborn  
Probate Judge

I, V. Ed. Magender

do solemnly swear that I will well and truly perform the duties of

Flagman

according

to instructions given me, and to the best of my skill and ability.

V. Ed. Magender

Sworn to and subscribed before me this 1<sup>st</sup> day  
of September 1873

William J. Osborn  
Probate Judge

# Survey of the Belmont Mining Claim

Located in Pima Co. Arizona.

Traverses

I find the ledge here to be N.W. and S.E.  $36^{\circ}$ . Commencing at the N.E. cor. of the claim I set apart 4 ft long, squared 3 in. at top, in ground 1 ft. with mound of stone 2 ft high and marked "P. No. 1." from which

A white Oak 15 in. dia. has S.  $76\frac{3}{4}^{\circ}$  E. 20 lbs. dist.

black 7 " " N.  $45\frac{3}{4}^{\circ}$  W. 48 "

" white 9 " " S.  $76\frac{3}{4}^{\circ}$  W. 45 "

" black 8 " " S.  $10\frac{3}{4}^{\circ}$  W. 24 "

All of which I blaze and mark "B. No. 1."

From this cor. the top of a bare quartz cliff, a prominent land mark in the vicinity of the mine and to be seen for a long distance has A.  $11\frac{1}{2}^{\circ}$  W. and is by calculation 40.80 cha. dist.

From this cor. I run along N. end of claim S.  $51\frac{1}{2}^{\circ}$  W.

over  $12^{\circ}$  East

As found by observation of the North Star I descend along N.W. slope of hill.

3.39 Small ravine runs N.E.

9.09 Or 600 ft. to N.W. cor. of claim, where I set apart 4 ft long, squared 3 in. at top, in ground 1 ft. with mound of stone 2 ft. high and marked "B. No. II." from which

A white Oak 16 in. dia. has N.  $79\frac{3}{4}^{\circ}$  W. 29 lbs. dist.

black 12 " " N.  $34\frac{3}{4}^{\circ}$  E. 51 "

" white 10 " " S.  $27\frac{3}{4}^{\circ}$  E. 18 "

All of which I blaze and mark "B. No. II."

From this cor. top of bare quartz cliff before noted has A.  $34\frac{3}{4}^{\circ}$  W. The top of a prominent mountain to the S. has S.  $90^{\circ}$  E.

Some white quartz cropping on the vein br. S.  $87\frac{3}{4}^{\circ}$  E.

From this N.W. cor. I run along W. boundary of claim S.  $36^{\circ}$  E.

over  $12^{\circ}$  East

Along near base of hill to the E.

5.545 Small ravine runs W.

8.55 Ravine runs W.

# Survey of the Belmont Mining Claim

Located in Pima Co. Arizona.

Lines Continued

- 10.45 Top of ridge extending S.W.  
11.45 Small ravine runs S.W.  
16.65 do " S.W.  
21.75 Ravine " S.W.  
23.85 do " S.W.  
27.75 Top of ridge of quartz rock extending to the S.W.  
30.45 Ravine runs S.W. and ascend then steeply.  
34.85 Face of tunnel has from this point S. 77° W. 214 ft. dist. down on side of hill, it is run inward  
the ledge 60 ft.  
34.95 Top of hill sloping steeply to the N.W. and S. 7° descend.  
37.25 Steeper descent  
45.45 0.3000 oft. To S.W. cor. of claim where I set a post 1 ft long, squared 3 in at top, 1 ft in the ground,  
with mound of stones 2 ft high and marked "B. No. III."  
from which  
A black oak 6 in. dia. bas. S. 84 $\frac{1}{2}$ ° W. 17 lbs. dist  
A black oak 7 " " S. 84° E. 70 " "

From this S.W. cor. I run, along S. end of claim  
N. 54° E.

Var. 12° E.

Ascending S.W. slope

Ravine runs S.

6.09 Broken croppings 1 ch. wide; from this point  
along the line of the ledge N. 36° W. 2.42 chs. dist.,  
the ledge has been stripped and sunk on to  
some little depth for the length of 1.30 ch.

9.09 0.6000 oft. To S. E. cor. of claim, where I set a  
post 1 ft long, squared 3 in. at top, in the ground  
1 ft. with mound of stones 2 ft high and marked  
"B. No. IV." from which

A black oak 16 in. dia. bas. S. 72° E. 17 lbs. dist

do. 13 " " S. 17° W. 53 " "  
which I blaze and mark "B. No. IV."

From this cor. the top of prominent mound  
to the S. before noted, bas. S. 44 $\frac{1}{2}$ ° E. and is  
by calculation 460.10 chs. dist.

# Survey of the Belmont Mining Claim

Located in Pima County Arizona

From the S. E. cor. I am, along E. boundary of claim  
A. 36° W.

var. 12° East

Ascending S. E. slope

- 1.75 Top of slope and descend.  
 10.45 Ravine runs S. E. small stone house 2 chs. E.  
 21.45 Main shaft lies from this point 8.80' 50' W, 3.79  
 chs. dist. This shaft is 8 x 10 ft. in dimensions.  
 There were no means at hand to actually measure the depth, but by repeated dropping of a  
 stone and timing its descent, the shaft was  
 found to be a little more than 140 ft. deep.  
 From this shaft another shaft, comk for pros-  
 pecting, lies N. 77½° W. 3.40 chs. dist. This shaft  
 is 6 x 8 ft. in size, and 20 ft. deep.  
 31.95 Top of hill and then descend. White quartz  
 croppings on claim br. N. 57° W.  
 45.45 To N. E. cor. of claim, the place of beginning.  
 This claim contains 111  $\frac{3}{4}$  acres.

## General Description

The country around this mine, is hilly and moun-  
 tainous. Soil grows some grass. There is considerable  
 oak timber and an occasional cedar, and  
 cottonwood, along the ravine by the mill-site.  
 The work done on the mine is at the shafts and  
 tunnel above noted. At the main shaft is a  
 horse whim for hoisting ore. The value of the  
 work and improvements on the mine amounts  
 to several thousand dollars. The ore is quartz rock,  
 containing principally argentiferous galena,  
 some copper and iron. The Merry mine that was  
 extensively worked some years ago is between 3  $\frac{3}{4}$  miles  
 to the N.E.

Howard F. White,  
 U. S. Deputy Surveyor.

September 20, 1873.

U. S. Surveyor Genl's Office  
Princeton N.J. October 4. 1873

The foregoing field notes of the survey  
of the Belmont Mining Claim, located  
in Pima Co. A.T., claimed by the San -  
Antonio Mining Company, executed  
by Theo. F. White, U.S. Dep't. Surveyor,  
under instructions from this office,  
having been critically examined, and  
the necessary corrections and explanations  
made, the said field notes and the  
surveys they describe are hereby ap-  
proved.

John Nasson.  
Surveyor General.

# 7

## Snow of the Mill-Site of the Belmont Mining Claim

Located in Pima Co. Arizona.

From At the point selected as the N.E. cor. of the Mill-Site claim, on bank of creek, bordering creek, I plant a post 14 ft. long, squared 3 in. at top, 1 ft. in the ground, with mound of stones 2 ft. high, and marked "B.M.S. No. I," from which A white oak 12 in. dia. has. N. 64° 40' E. 118 lbs. dist.  
" black " 10 in. dia. has. S. 43° 20' E. 155 " "  
" white " 15 in. dia. has. S. 35° 40' W. 165 " "  
All of which I blaze and mark "B.M.S. No. I".

From the N.E. cor. I am  
 $8.12^{\circ} 10' W.$

$our 12^{\circ} East$   
(After observations of North Star)  
Descend into creek.

1.30 Bottom of creek 10 less wide, and rise on opposite bank, creek now dry.  
Some old furnaces remain in ruins 17 lbs. w.  
2.15 To S.E. cor. of Mill-Site where I set post 14 ft long, squared 3 in. at top, 1 ft. in the ground, with mound of stones 2 ft. high, and marked "B.M.S. No. II" from which  
A black oak 10 in. dia. has. S. 44° 30' E. 91 lbs. dist.  
do 12 " . . . N. 54° 40' E. 97 " "  
A white oak 10 " " . . . N. 18° 05' W. 107 " "  
do 14 " " . . . S. 11° 25' W. 104 " "  
All of which I blaze and mark "B.M.S. No. II".

From the S.E. cor. I am, along S. boundary of claim  
 $A. 77^{\circ} 50' W.$

$our 12^{\circ} East$ .

Nearly level

3.92 To face of old adobe house partly in ruins ex-tending  $N. 12^{\circ} 10' E.$  42 lbs. and  $S. 12^{\circ} 10' W.$  65 lbs.  
4.82 Back wall of corral, back of house, parallel with the W. boundary of Mill-Site.  
5.00 To S.W. cor. of Mill-Site where I set post 14 ft long squared 3 in. at top, set 1 ft. in the ground, with mound of stones 2 ft. high, and marked "B.M.S. No. III" from which

# Survey of the Mill-Site of the Belmont Mining Claim

Located in Pima Co. Arizona

From A white oak 15 in. dia. has S. 87° 25' W. 83. 66 chs. dist.  
 do 10 " " N. 1° 40' E. 19 " "  
 which I blaze and mark B.M.S. No. III.

From this cor. I run along W. boundary of claim  
 N. 12° 10' E.

var. 12° East

Gently descending

to N.W. cor. of corral, 10 hrs. E. The corral with house in front extends  
 S. 77° 50' E. 98 hrs. Front of house thence extend S. 12° 10' W. 128 hrs.

Descend bank into stream.

Creek 20 hrs. wide runs E. now dry. Second opposite bank.

To N.W. cor. of claim, where I set post 4 ft. long, squared 3 in. at top,  
 ft. in ground, with mound of stone 2 ft. high, and marked B.M.S. No. IV  
 from which

A cottonwood 15 in. dia. has S. 9° 55' W. 93 hrs. dist.

A white oak 24 " " S. 48° 20' W. 42 " "

do 16 " " S. 82° 10' E. 68 " "

All of which I blaze and mark B.M.S. No. IV.

From the N.W. cor. I run along N. boundary of claim  
 S. 77° 50' E.

var. 12° East

Alongside a creek.

Opposite face of old dam across creek.

2.00 Cross arroyo running into creek. S.E.

5.00 To N.E. cor., the place of beginning  
 The Mill-Site contains 5 Acres.

From the N.W. cor. post No. IV, I run a line connecting the Mill-Site  
 with the S.E. cor. of the Belmont Mining Claim at post No. IV, the  
 bearing and distance being N. 38° 28' W. 15. 92 chs.

## General Description

The land upon which the Mill-Site is located  
 shows no evidence of metalliferous mineral.  
 It grows luxuriant grass and large oak trees  
 scattered over it. Water runs in the creek during

# Sketch of the Mill Site of the Belmont Mining Town

Located in Pima Co. Arizona.

Rains continued

and for some time after the rainy season,  
and can probably be held in dams during  
the whole year.

There are a number of old buildings on it that  
were formerly used as quarters for the  
miners and workers in the furnaces.

Theodore F. White  
U.S. Deputy Surveyor.

September 22, 1873.

Belmont 10 Belmont.

**Final Oaths for Surveys of Mining Claims and Mill-Sites.**

**LIST OF NAMES.**

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of The Belmont Mining Claim and Mill-Site

located in \_\_\_\_\_ mining district,  
Pima County, Arizona, showing the respective capacities in which they acted.

Eliot A. Elliott Chainman.  
Yerkes Thos M. Yerkes Chainman.  
Axeman.  
Franklin U. Ed. Mayenda Flagman.

**FINAL OATHS OF ASSISTANTS.**

We hereby certify that we assisted Geo. F. White  
U. S. Deputy Surveyor, in surveying The Belmont Mining  
and Mill-Site Claims  
claimed by The San Antonio Mining Co.

located in \_\_\_\_\_ mining  
district, Pima County, and in Township No. \_\_\_\_\_

Range No. \_\_\_\_\_, of the \_\_\_\_\_ base and  
meridian, Arizona, and that said Survey has been in all respects, to the best of  
our knowledge and belief, well and faithfully executed, and the boundary  
monuments planted according to the instructions furnished by the Surveyor-  
General.

Eliot A. Elliott Chainman.  
Yerkes Thos M. Yerkes Chainman.  
Axeman.

Franklin U. Ed. Mayenda Flagman.

Sworn to and subscribed before me this 27<sup>th</sup> day

of September 1873

William J. Osborn  
Probate Judge

## FINAL OATH OF DEPUTY SURVEYOR.

I, Theodore F. White, U. S. Deputy Surveyor do solemnly swear that, in pursuance of instructions from John Wasson, U. S. Surveyor-General for Arizona, bearing date the 1<sup>st</sup> day of September 1873 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of the lines bounding the Belmont Mining and Mill-Side Claim claimed by The San Antonio Mining Company located in Pima mining district, Pima County, and in Township No. Range No. of the base and meridian, Arizona, as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original Field Notes of such surveys.

Theodore F. White

Deputy Surveyor.

Sworn to and subscribed before me this 27<sup>th</sup> day  
of September 1873

William J. Osborn  
Probate Judge

U.S. Surveyor Gen'l's Office  
Pinecon A.T. October 4. 1873.

12

The foregoing field notes of the survey  
of the Mill Site of the Belmont Mining  
Claim, located in Pima Co. A.T., claimed  
by the San Antonio Mining Company, executed  
by Theo. F. White, U.S. Deputy Surveyor,  
under instructions from this office, hav-  
ing been critically examined and the ne-  
cessary corrections and explanations  
made, the said field notes and the sur-  
veys they describe are hereby approved.

John Basson  
Surveyor General.

# Field Notes

of the survey of the  
Belmont Mining and  
Mill Side Claims.

Situate in Pima Co. Ar.