

M
S

-
G
N

0

0

0

6

2

POOR QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

Lot No. 48.

Seven Thirty Mining Claims.

Claimed by J. F. Yankee

Located in the Copper Mountain Mining
District, Yavapai County, Arizona

Surveyed March 23, 1875
Geo. F. White
U.S. Dep. Surveyor.

Preliminary Oaths for Surveys of Mining Claims and Mill-Sites.

OATHS OF ASSISTANTS.

WE, Jos T. Yankee and Edwin Polk

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

Jos T. Yankee
Edwin Polk

Sworn to and subscribed before me, this 18th day
of March 1875

O. Bennett
Notary Public.
Yavapai Co. Arizona

WE Chas M Shannon and A. M. Clay
we

do solemnly swear that I will well and truly perform the duties of Flagman and Opeman respectively according to instructions given me, and to the best of my skill and ability.

Charles M Shannon
A. M. Clay

Sworn to and subscribed before me this 18th day
of March 1875

O. Bennett
Notary Public,
Yavapai Co. Arizona

Seven Thirty Mining Claim

- lks. To connect this claim with the initial point of surveys, at the junction of the East & Middle or Main branches of Chasis Creek, I start from the large rock at the point, marked & witnessed in the survey of the Little Annie Claim and run thence
 S 1° 31' E Var. 14° 30' E. Per Solar Compass.
- 3.76 To a point, thence
 South 25.74 chs to a point thence
 S 7° 08' E. 12.18 chs " " "
 S 22° 51' W. 3.48 chs to the N. W. cor of the Seven Thirty Claim. This gives by calculation, a distance of 44.45 chs, and direction of S 0° 11' E. in a straight line from said initial point to the N. W. cor of the claim. This cor. stands in the valley on the west side of the water in Chasis Creek, and is marked by a mound of stones, which I replace by a post 4 ft. long squared 4 in. set in the ground, with a mound of stones built around it 2 ft. high, from which
 A Juniper 12 in. diam. bears S 22° 34' E 56 lks dist.
 An Oak 8 " " " N. 73° 34' W. 98 " "
 Mark post & trees "S. T. M. C., No I"
- From this cor I run along the N. end of the claim
 S 70° 34' E. Var. 14. 25 E. Per Solar Compass.
- 1.70 Chasis Creek 6 lks wide running S. E.
 3.00 Trail along creek bearing S. E. & E. W.
 4.54 1/2 To centre point of N. end boundary marked by a monument of stones, which I replace by a post 4 ft. long 4 in. squared, set in the ground, with a mound of stones built around it 2 ft. high from which
 An Oak 9 in diam. bears S 59 1/2° W. 50 1/2 lks dist.
 do 8 " " " S 10 1/2° W. 106 " "
 Mark post & trees "S. T. M. C., No. II"
- 9.09 or 600 ft. to the N. E. cor of claim marked by a monument of stones, which I replace by a post 4 ft. long squared 4 in. set in the ground with a mound of stones built around it 2 ft. high from which
 An Oak 12 in. diam bears S 38° 32' W. 130 lks dist.
 do 10 " " " S 11 3/4° E. 136 " "
 Mark post & trees "S. T. M. C., No III"

Seven Thirty Mining Claim

Chains	From this N.E. cor. I run E. side of Claim S 19° 06' W. Same Variation
1.02	Trail down the valley bearing S.E.
2.52	Chase's Creek 10 lks. wide running S.E.
3.27	Leave valley & begin to ascend steep side of mountain
5.72	Rocky bluff bearing S.E. & N.W.
12.22	Ridge extending N.E.
19.67	Bluff of rock bearing N.W. & S.E.
20.22	Point of rock to right.
22.22	Rocky ravine running N.E.
22.72 1/2	or 1500 ft To S.E. cor of Claim on steep N.E. slope marked by a monument of stones, which I replace by a post 4 ft. long, 4 in squared set in the ground with a mound of stones built around it 2 ft. high, from which A Pinon 8 in. diam. bears N. 29 3/4 E 27 lks. dist. do 8 " " " N 58 1/4 W 79 " " Mark post & trees "S. T. M. C. No IV"
From the S.E. cor of Claim I run along the S. end of Claim N 70° 54' W Var. 14° 24' E. Per Solar Compass.	
0.30	Rocky ravine running N.E.
1.70	Bluff of rocks bearing N. & S.
4.54 1/2	or 500 ft. to center of point on S. end boundary of Claim, marked by a monument of stones which I replace by a post 4 ft long 4 in. squared, set in the ground with a mound of stones built around it 2 ft high from which A Pinon 8 in. diam. bears S 12° E 41 lks. dist. do 7 " " " " S 12 1/4 W 109 " " Mark post & trees "S. T. M. C., No V"
5.89	Ascent becomes very steep.
9.09	To S.W. cor. of Claim, near the summit of high ridge, marked by a monument of stones, which I replace by a post 4 ft. long, squared 4 in set in the ground with a mound of stones built around it 2 ft. high, from which A Pinon 5 in. diam. bears S 65° 3/4 E 55 lks. dist. do 8 " " " " S 23 W 85 " " Mark post & trees "S. T. M. C., No VI"

Seven Thirty Mining Claim

Chains	From this S. W. cor I run along the W. side of Claim No. 1976 E. Var. the same.
	Descend steep N. E. slope
5.95	Ledge of rocks bearing E & W.
8.27	Point of rocks
20.02	Ravine running E & descend into valley of Chasis Creek
20.32	Trail running up the canon bearing S. W. & N. E.
22.72 1/2	or 1500 ft to the N. W. cor of Claim, the place of beginning. The Claim contains 20 ⁶⁶ / ₁₀₀ Acres.

In order to connect this claim with the claims to the southward I start from the south west. cor. of the Seven Thirty and run S 61° 47' W 3.02 chs to a point, whence the N. E. cor of the Clay Mine bears S 33° 20' W. From this point I lay off a base line N. 82° 3' 3" W. 13.60 1/2 chs. in length, from the west end of which, the same N. E. cor. of the Clay Mine bears S 11° 0' W. Calculating from this, the E. end of the base line is 35.78 chs. distant from the N. E. cor. of the Clay Mine, and from the S. W. cor of the Seven Thirty the N. E. cor. of the Clay is 38.46 chs distant and in direction S 35° 28' W.

Measurement of work done on the Claim

From the N. E. cor. of Claim, I run along S 77° W. 6.30 chs. to head of cut. 37.60 ft. long. 7.20 ft. wide & 6 ft. deep. There is a shaft near the mouth of this cut sunk 5.28 ft. below bottom of cut, and 6.60 x 7.26 ft wide Southwest 38 chs. from the head of this cut is a second cut 18 ft. long, 4.62 ft. wide, & 5.28 ft. deep. From the mouth of first cut a ditch is run into the creek 82.50 ft. long for draining the cut

General Description etc.

The Seven Thirty Claim, located, in the Copper Mountain Mining District, Yavapai County Arizona, lies mostly on the slope of steep hill on the West side of Chasis Creek - the creek runs through the extreme N. E. cor. The surface on the hillside is very precipitous. There is some timber in the vicinity, Piñon & Cedar on the hillside, & some cotton wood in the valley. The ores of

Seven Thirty Mining Claims

the claim are copper bearing with some silver, and considerable iron etc. The work on the claim is done in the cuts above described; and I hereby certify that the value of the improvements on the mine is not less than five hundred dollars, and that they have been made by the claimant

March 23, 1845

Theodore F. White,
U.S. Deputy Surveyor.

Final Oaths for Surveys of Mining Claims and Mill-Sites.

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of the Seven Thirty Mining Claim

located in Copper Mountain mining district,
Yavapai County, Arizona, showing the respective capacities in which they acted.

- Jos. S. Yankie Chairman.
- Edwin Polk Chairman.
- A. M. Clay Axeman.
- Charles M. Haman Flagman.

FINAL OATHS OF ASSISTANTS.

We hereby certify that we assisted Theodor F. White
 U. S. Deputy Surveyor, in surveying the lands of the
Seven Thirty Mining Claim
 claimed by J. J. Yankie
 located in the Copper Mountain mining
 district, Yavapai County, and in Township No. _____
 Range No. _____, of the _____ base and
 meridian, Arizona, and that said Survey has been in all respects, to the best of
 our knowledge and belief, well and faithfully executed, and the boundary
 monuments planted according to the instructions furnished by the Surveyor-
 General.

- Jos. S. Yankie Chairman.
- Edwin Polk Chairman.
- A. M. Clay Axeman.
- Charles M. Haman Flagman.

Sworn to and subscribed before me this 27th day
of March 1878

Cornelius Bennett
Notary Public
Yavapai Co., Arizona

FINAL OATH OF DEPUTY SURVEYOR.

I, Theodore F. White U. S. Deputy Surveyor do solemnly swear that, in pursuance of instructions from John Wasson, U. S. Surveyor-General for Arizona, bearing date the 9 day of Feb ruary 1875 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of the Seven Thirty Mining Claim

claimed by J. J. Yankee
located in Copper Mountain mining
district, Yavapai County, and in Township No. _____
Range No. _____, of the _____

base and meridian, Arizona, as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original Field Notes of such surveys.

Theodore F. White

Deputy Surveyor.

Sworn to and subscribed before me this 27th day
of March 1875

Cornelius Bennett
Notary Public
Yavapai Co, Arizona

U. S. Surveyor General's Office
Tucson, A.T. May 17, 1895.

The foregoing field notes of the survey of
the Seven Thirty mining claim, situate
in Copper Mountain mining district,
Yavapai County, A.T., and claimed by
Jos. T. Yankee, survey executed by Theodore
J. White, D.S. under instructions from this
office, having been critically examined and
the necessary corrections and explanations
made, the said field notes and the survey
they describe are hereby approved.

John Messery
Surveyor General
