

M
S
-
G
N
0
0
0
0
9
2

LOT NO. 41.

Field Notes

of the survey of the

Peek Mining Claim

Situate in The Peek mining district,

County of Gavapai and in Sec. , Tp. ,

Range , of the Gila and Salt River Meridian,

ARIZONA.

Claimed by The Peek Mining Company.

L. L. Bean, President.

Survey executed by Earl D. Thomas. D. S.,

Under instructions dated April 20. 1877.

Survey commenced April 29. 1877

Survey completed April 29. 1877.

PRELIMINARY OATHS FOR SURVEYS OF MINING CLAIMS AND MILL-SITES.

WE Wm C Ferguson and Richard D Eklund

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

Wm C Ferguson

Richard D Eklund

26th

day

Sworn to and subscribed before me this

of April, 1877

Das. Conroy
Notary Public

Emil Eckhoff

I,

do solemnly swear that I will well and truly perform the duties of

Surveyor

according

to instructions given me, and to the best of my skill and ability.

Emil Eckhoff

Sworn to and subscribed before me this

26th day

of April, 1877

Das. Conroy
Notary Public

3

Field Notes of Peck - Discovery Location

feet	inches	
		Beguning at Monument on centre of ledge at surface - builds upon a conspicuous Boulder on top of a dyke - on northern boundary line of Claim - True N. $63^{\circ} 20' W.$ - variation $14^{\circ} 15' E.$ as per observation of polaris -
180	-	Wagon road ^{Trail} from Alexandra to Mine on North of North tunnel situated within the first North extension of this claim.
300	-	to Monument No. I, North West Corner of Claim; Established on Eastern slope of hill by deposit stone in bottom of pit and marked X on surface, set $\frac{2}{3}$ in the ground a slatestone $20 \times 8 \times 6$ inches near Head P. M. No. I, build Monument of Stones 3 feet high. - This corner is also the Southwest Corner or Monument No. I of the first North Extension of this claim No. Trees. Thence S. $40^{\circ} 45' W.$
1500	-	along Western boundary of Claim to Monument No. II - South West Corner of Claim. - Corner penetrated by a quartz rock 3 feet high and 2 feet wide situated on outcroppings of a quartz-ledge on eastern slope of hill and marked on East face with X, 6×6 inches and the letters P. M. No. II. From this corner a White oak tree 18 inches diam. blazed and marked "P. M." bears N. $13^{\circ} 45' W.$ 115 feet distant. - Also a Black Walnut tree 10 inches diam. blazed and marked "P. M." bears S. $40^{\circ} 45' E.$ 108 feet distant. Thence S. $63^{\circ} 20' E.$
100	-	along southern boundary of Claim, Wagon road from Wood-Camp in Man Eagle Range to Mine
130	-	bottom of Gulch
600	-	to Monument No. III, South-East Corner of Claim; Established on North-West slope of hill by deposit-stone in bottom

Said last mentioned corner being
distance from the South west corner
of the "Oriental Lode" a patented sil-
ver mine as follows:-

N. $30^{\circ} . 50' E.$ - 1500 ft. to N.W. corner
of $1\frac{5}{8}$ N. Ext. Peak Mine, thence
N. $58^{\circ} . 45' E.$, 718 ft. to S. W. corner
of Oriental Lode.

And from the North west corner
of said Oriental Lode as follows:-

N. $30^{\circ} . 50' E.$ - 1500 ft., to N.W. cor.
of $1\frac{5}{8}$ N. Ext. Peak Mine, thence
N. $43^{\circ} . 15' E.$ - 219 2/3 ft. to N.W. cor.
of Oriental claim.

Field-Notes of the Peck-Discovery Section.

of pit marked X on surface and set $\frac{2}{3}$ in the ground a Slate-rock $29 \times 12 \times 7$ inches, marked "P.M. No III, build Monument of Stones 3 feet high.

No trees.

Thence N. $40^{\circ} 45' E.$

along Eastern boundary line of Claim House,

300 - Waggon road to Alexandra,

354 - face of South tunnel - for the Notes of which see general Description - bears westerly at right angles to line 318 feet distant from this point.

1160 - to Monument No IV - North East corner of claim - Established on East-slope of hill by deposit stone marked X in bottom of pit and set $\frac{2}{3}$ in the ground a Quartermoth $18 \times 13 \times 8$ inches marked P.M. No IV; build monument of stones. This corner is also the South East Corner or Monument No III of the first North Extension of this Claim.

No trees.

Thence N. $63^{\circ} 20' W.$

along northern boundary line of Claim to Monument on centre of ledge at surface - the place of beginning -

comprising 20. acres;

Magnetic Decl. $14^{\circ} 15' E.$

General Description.

This mine, situated in the District bearing its name, was discovered about $2\frac{1}{2}$ years ago by its present owners and sprang rapidly into prominence, as one of the richest and most promising discoveries in the Territory.

The lode is traceable for several miles, being upon surface two slightly diverging immense Iron dykes about

Field - Notes of the 'Pesh' Discovery Location.

150 feet in thickness and from 50 to 75 feet high, standing out prominently and at once attract the eye by their imposing and lofty appearance. —

The claim is located on Mar-Eagle gulch 35 miles from Prescott A.T. by Trail via Sonora ditch, Crooks Canyon - Battleflat and Mar Eagle gulch; and 51 miles via Waggon road through the Oqua Tria Valley and Blackberry flat thence by Trail, 6 miles to mine.

The "Del pasoo" and "Mar Eagle" mines are about 3 miles Southwest from this claim.

The ore taken from this mine is free milling and several thousand tons have been worked and continue to be worked, the company pushing work with energy. Up to last January when negotiations for purchase of this mine were entered into, over \$200,000⁰⁰ of silver bullion had been extracted.

The area of mineral matter averages from 2 to 3 feet, uniform in all cuts or tunnels, with a pay streak of 24 inches of exceptionally rich ore, assaying from one to twenty thousand per ton. —

Only first class ore worked; about 1500 tons of second grade ore on dump assaying not less than \$150 per ton.

The lode is located both North and South of discovery location, the Sth South: E. B. Jewell, the first North: M. Alexander with extensions of the Silver Prince boundary on the East and the "Oztec" on the West.

The country rock is principally slate No wood in quantities of any consequence near. A few Pine - Oak or Juniper trees along Mar-Eagle-Gulch and adjacent canyons.

Filled Notes of the "Peck" Discovery Location.

Timber obtained from the Mar-Eagle-Mountain Range to which the company has built a practicable waggon road.

Water obtained from a gulch tank and well near South-Tunnel.

A small, but thriving Miningtown: "Alexandra" has sprung up in immediate vicinity of this mine.

Several well build frame houses are built upon this claim used as offices and accommodation for working forces animals etc.

Public Land Survey's not extended to vicinity of this mine.

The work upon this mine - the Discovery and 1st North extension constitute the incorporated stock of the Company - was performed under Sec. 2324 R. S. amounting in the aggregate to over fifty thousand Dollars cost of improvements, consisting within the boundary lines of this survey of several cuts and short tunnels; The following are notes of measurements of main tunnel and shaft.

Face of Tunnel about 105 feet below
Feet. high point on summit of hill.

66 a wine 35 feet long, 8 feet long, 4 feet wide;
209 Wine No: II 45 feet deep, 8 feet long and
4 feet wide; from which depth
a level is run 60 feet north and
90 feet south from centre of
Wine. from Tunnel level Wine
No 4. 47 feet from which lead
a Tunnel, 65 feet each wing.

264 Main shaft - 300 feet deep from Tunnel-
level + 100 feet to surface

feet

330 wine 45 feet deep 8 feet long 4 feet wide.

593 Total length of Tunnel;
Timbered - Shaft - Rails -
Water case etc. etc.

Ed. Howard
N. S. Deputy Surveyor.

AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

We, Richard D. Kuhn and Emil Echhoff

of lawful age, being first duly sworn according to law, depose and say that we are acquainted with the

"Peck" mining claim, situate in

"Peck" Mining District, Yavapai County,
Arizona Territory, for which Peck Mining Company

has made application for survey prior to application for patent under the provisions of the Act of Congress approved May 10, 1872, and that the labor done and improvements made thereon by the applicant and grantor exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

Richard D. Kuhn

Emil Echhoff

Territory of Arizona,
County of Yavapai. } ss.

Sworn to and Subscribed before me this tenth

day of May, 1877

Jas. Douglass
Notary Public

9

UNITED STATES LAND OFFICE.

FORM I
United States Mining Act, May 10, 1872.

AFFIDAVIT
—OF—

Five Hundred Dollars Improvements.

Name of Lode.....

Lot No.....

.....*Mining District,*

Yavapai County, Arizona Territory.

NAME OF APPLICANT.
.....
.....

FINAL OATHS FOR SURVEYS OF MINING CLAIMS AND MILL-SITES.

A list of the names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of

the 'Peck' Discovery Location
located in the Peck mining district,

Yavapai County, Arizona, showing the respective capacities in which they acted.

Wm H Ferguson Chainman.

Richard DeKuh Chainman.

Emil Ekhoff Axeman.

Flagman.

We hereby certify that we assisted

Carl D Thomas

U. S. Deputy surveyor, in surveying

the 'Peck' Mining claim

claimed by the Peck Mining Co. A. C. Boaw Pres.

located in the Peck Mining District mining

Yavapai County, and in Township No. number Range No. number reyed
of the Gila and Salt River base and meridian, Arizona, and that said Survey has been in all respects, to the best of our knowledge
and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

W H Ferguson Chainman.

Richard DeKuh Chainman.

Emil Ekhoff Axeman.

Flagman

SWORN to and subscribed before me this 14 day

of

May 1879

As. W. Wasson
Notary Public

Carl D Thomas

I, U. S. Deputy Surveyor do solemnly swear that, in pursuance of instruc-

tions from John Wasson, U. S. Surveyor-General for Arizona, bearing date the 12 day of April 1879
I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of the 'Peck' Mining Claim

claimed by the Peck Mining Co. A. C. Boaw Pres.

located in the Peck mining

Yavapai County, and in Township No. number Range No. number reyed.
of the Gila and Salt River base and meridian, Arizona, as are represented in the foregoing field-notes as having been surveyed under
my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict
accordance with the instructions furnished me, and that the foregoing are the true and original field-notes of such surveys.


D. Chambers
Deputy Surveyor.

SWORN to and subscribed before me this 15th day

of

May 1879

As. W. Wasson
Notary Public



Notice of Location of the Peck ledge, discovery,
 containing minerals, and located as a silver mine.
 The undersigned claims for mining purposes,
 fifteen hundred (1500) feet of this Quartz ledge,
 in length along the ledge or vein, and three hundred
 (300) feet on each side of the middle of the vein,
 at the surface, together with all the dips, spurs and
 angles, and all valuable mineral deposits con-
 tained therein, and all timber growing within
 the limits of said claim, and all water and water
 privileges thereon or appurtenant thereto, under
 and according to the provisions of an Act
 of Congress, approved May 10, 1872, entitled "An
 Act to promote the development of the Mining
 Resources of the United States".

This claim commences at this notice, which
 is posted in a conspicuous place in a mon-
 ument on the ledge, and runs in a Southwesterly or
 South-Westerly direction fifteen hundred (1500)
 feet to a monument.

This claim may be more generally described
 as situated on War Eagle Creek, about $2\frac{1}{2}$ miles
 North-East of McKinnon Goodwin's Camp on the
 War Eagle mine, in the Bradshaw Mountains, in
 Yavapai County, and Territory of Arizona, and
 shall be known as the Peck mine.

Dated on the ground, the 18th day of June, 1875
 witness E. G. Peck

C. C. Bean

Discoverer & Locator

Territory of Arizona
County of Yavapai }

I hereby certify the above
and foregoing to be a full, true and correct
transcript of the Records of said County,
and Territory relative to the discovery
location and Cole claim on the Peck
Bridge.

Witness my hand and official
seal, this 10th day of April,

A.D. 1877.

William Wisterson

County Recorder

U. S. Surveyor General's Office.
Tucson, Arizona,
June 26, 1877.

The foregoing field notes of the
Survey of the Peck mining claim,
Discovery Location, situated in the
Peck mining district, Yavapai
County, Arizona, and claimed by
the Peck mining company, C. C.
Bean, President, survey executed
by Earl A. Thomas, U.S., under
instructions from this office,
having been critically examined
and the necessary corrections and
explanations made, the said
field-notes and the survey they
describe, are hereby approved.

John H. Gossom,
Surveyor General,