

**M
S
G
N**

0

0

1

5

6

LOT NO. 48

Field Notes

of the survey of the

Sulphuret

Mingulauw

Situate in Panabotane mining district,

County of Pima and in Sec. _____, Tp. 20N,

Range 22E, of the Gila and Salt River Meridian,

ARIZONA.

Claimed by Joseph H. White

Wm. Parsons and

Hamilton Disston

Survey executed by Julius H. Striedinger D. S.,

Under instructions dated February 9, 1880

Survey commenced February 19, 1880

Survey completed February 19, 1880

PRELIMINARY OATHS FOR SURVEYS OF MINING CLAIMS AND MILL-SITES.



WE, J. P. McCafferty and E. J. Packwood


do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

J. P. McCafferty
E. J. Packwood

SWORN AND SUBSCRIBED before me this 15th

day of February 1880.

W. J. Harwood
Notary Public



I,

do solemnly swear that I will well and truly perform the duties of
..... according to instructions given me, and to the best
of my skill and ability.

SWORN AND SUBSCRIBED before me this

day of 187.....

.....
.....

Field-Notes of Survey of Sulphuret Mining Claim.

Variation of Needle as per observation of North Star.

* $12^{\circ} 18'$ East. Survey February 9, 1890.

Commencing at the original Initial Monument, a mound of stones containing a copy of the Notice of Location, and which point is situate between the Prospect Shaft and the Cut of the claim, and, in addition, is marked by a 4 inch by 4 inch by 4 feet post bearing the letters "S. M. C." on one side and "I. M." on the other side, and running thence

$S 83^{\circ} 28' E$ 4.9 $1/2$ obs to a stake in a mound of Stones, near the road leading from the new City of Tombstone to the hoisting works of the Contention Mining Claim, being the original centre of the South Westerly endline of the Tranquillity Mining Claim, thence along said endline

Set No. 49.

$S 39^{\circ} 49' E$ 4.54 $1/2$ obs to a 4 inch x 4 inch x 4 ft post, marked "S. M. C. N^o I" on one side and "T. M. C. N^o IV" on the other side, and surrounded by a pile of stones, being an original point on the N. E. sideline of the claim, the 4th corner of the Tranquillity M. C., and a corner — marked "H. C. M. C. N^o IV" — of the Head Center M. C., thence

Set No. 48.

Set No. 38.

$S 20^{\circ} 14' E$ 4.63 obs. to a 4 inch x 4 inch x 4 ft. post, marked "S. M. C. N^o II", along side of a small stake marked "A. W. C. Morrison Mine", and surrounded by a mound of stones, being the original S. E. corner of the claim, thence, along the S. E. end line of the claim,

$S 58^{\circ} 15' W$ 8.13 $1/2$ obs to a 4 inch by 4 inch by 4 ft. post, marked "S. M. C. N^o III" surrounded by a mound of stones, being the original S. W. corner of the claim, thence, along the S. Westerly sideline of the claim,

$N 32^{\circ} 15' W$ 12.32 $3/4$ obs to a 4 inch x 4 inch x 4 ft. post, marked "S. M. C. N^o IV", surrounded by a mound of stones, being an original S. W. sideline monument of the claim and also the N. W.

"Sulphuret"

corner of the "Last Chance M. C." as marked by a separate stake. Thence, along the S. W. side line of the Sulphuret M. Claim, to a 4 inch x 4 inch x 4 ft. post, marked "S. M. C. No V", surrounded by a mound of stones, being the original N. W. corner of claim and also the N. W. corner of the "Boss" M. C. as indicated by a separate stake. Thence, to make the endlines of the claim parallel,

N 25° 56' W 10.01 1/3 chs

N 58° 15' E 8.30 1/4 chs

to a 2 inch x 6 inch x 40 inch stake marked "S. M. C. No VI" and surrounded by a mound of stones, the new N. E corner of the claim.

[The old and original N. E corner of the claim is

N 58° 11' E 8.32 1/4 chs

from the original N. W. corner of the claim.]

Thence, to limit the width of the claim to 600 ft,

S 30° 45' E 8.56 1/2 chs

to a 4 inch x 4 inch x 4 ft. post, marked "S. M. C. No VII", and surrounded by a mound of stones, the new 7th corner of the claim.

[The old 7th corner of the claim is from the new 7th corner:]

N 49° 49' E 0.13 1/2 chs

Thence, following the original line to a 4 inch x 4 inch x 4 ft. post, marked on one side "S. M. C. No VIII" and "T. M. C. No III" on the other side, and surrounded by a mound of stones, being the original 8th corner of the Sulphuret Mining Claim and the original S. W. corner of the Tranquillity Mining Claim. Thence, along the S. Westerly endline of the Tranquillity M. C.

S 39° 49' E 4.54 1/2 chs

to a stake in a mound of stones, being the original center of the South Westerly endline of the Tranquillity Mining Claim, where the survey closes.

N 74° 18' E 8.32 chs

Direct line from post marked "S. M. C. No I" to N. W. corner of Contention Mining Claim,

Sub No. 37.

"Sulphuret"

marked "C.M.C. N° 3"
 S₂₄°49'W 32.13 chs Direct line from post marked "S.M.C. N° 1"
 to Mineral Monument marked "U.S.M.M.T.D. N° 1"
 All the posts of the Sulphuret Mining
 Claim are marked with block letters
 3 1/2 inches high and cut into the wood 3/8" in.
 deep.

N₄₁°44'W 1.12 1/2 chs Direct line from Initial monument to
 centre of Cut. Width of cut = 0.07 chs.,
 length 0.47 chs. Course of cut at 57° E.

S₂₃°42'E 1.75 1/2 chs Direct line from Initial monument to
 centre of Prospect Shaft. Bearings of its
 0.10 ch. sides N₅₇° E. Bearing of its 0.07 1/4 ch.
 sides N₃₃° W. Depth of Prospect Shaft
 = 0.70 chs.

S₈₅°57'W 1.05 chs Direct line from S. E. corner of Sulphuret
 marked "S.M.C. N° 11" to center of Main Shaft.
 Bearing of its 0.07 ch. sides S₄₄° W. Bearing
 of its 0.10 ch. sides S₄₆° E. Depth of Main
 Shaft = 3.05 chs. Length of "100ft. levels"
 = 2.58 chs. Bearing of "100ft levels" S₃₃° W.
 Length of "200 ft. drift" = 0.54 chs. Bearing of
 "200 ft. drift" N₂₂° W.

Area of Claim 19.129 Acres.

This claim is bounded on the N. E. by
 the "Head Centre", "Tranquillity" + "Toughnut
 Extension" Mining Claims, on the N. W.
 by the Sulphuret Extension M. C., on the
 S. W. by the "Boss", "Last Chance" +
 "Mayflower" Mining Claims, and on the
 S. E. by the "Charrison" M. C.

The Sulphuret Mining Claim approaches
 with its S. E. corner the "Westerly Sideline"
 of the well known "Contention" M. C. within
 3.15 chains.

The road from the old Village of Tombstone
 to the "Contention" M. C. nearly bisects
 the Sulphuret M. C., and the road
 from the new City of Tombstone to the

"Sulphuret"

hoisting works of the "Contention" runs nearly parallel to that part of the boundary of the claim which lies between corners VII, VIII, I & II, of the N.E. sideline.

The Sulphuret Mining Claim, situate in the Tombstone Mining District, Pima County, Arizona Territory, is claimed by its first discoverers Messrs. Josiah White and W^m C. Parsons, and ^{Dea} Mr. Hamilton Diston of Philadelphia, Pa.

All work on the Sulphuret Mining Claim as described above, viz: sinking of 1 Main Shaft, driving of 2 levels, and 1 drift, sinking 1 Prospect Shaft, excavating 1 Cross Cut, has been done by the claimants Messrs. Josiah H. White, W^m C. Parsons and Hamilton Diston.

I herewith certify that said improvements represent an expenditure of \$5,180.00 etc all of which is most respectfully submitted
Millerville, Pima County, March 8th 1880.

Julius H. Stridinger
U. S. D. & C.

FINAL OATHS FOR SURVEYS OF MINING CLAIMS AND MILL-SITES.

A LIST of the names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of the Sulphuret Mining Claim located in Tombstone Mining District, Pima County, Arizona, showing the respective capacities in which they acted.

J. P. Mc Cafferty Chainman.
E. T. Packwood Chainman.
Axeman.
Flagman.

WE hereby certify that we assisted Julius H. Striedinger U. S. Deputy Surveyor, in surveying the Sulphuret Mining Claim claimed by Josiah H. White, Wm C. Parsons & Hamilton Diston located in Tombstone Mining District, Pima County, and in Township No. Range No. of the Gila and Salt River base and meridian, Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

J. P. Mc Cafferty Chainman.
E. T. Packwood Chainman.
Axeman.
Flagman.

SWORN TO AND SUBSCRIBED before me this 18th day of February 1880

W. A. Harwood
Notary Public

I, Julius H. Striedinger U. S. Deputy Surveyor do solemnly swear that, in pursuance of instructions from John Wasson, U. S. Surveyor-General for Arizona, bearing date the 9th day of February 1880, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of the Sulphuret Mining Claim claimed by Josiah H. White, Wm C. Parsons & Hamilton Diston located in Tombstone Mining District, Pima County, and in Township No. Range No. of the Gila and Salt River base and meridian, Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field-notes of such surveys.

Julius H. Striedinger Deputy Surveyor.

SWORN TO AND SUBSCRIBED before me this 19th day of February 1880

W. A. Harwood
Notary Public

"Sulphuret"

Ire the undersigned under
the provisions of an Act
of Congress approved May 10th
1872 have this day located and
claim this silver bearing
quartz ledge and Mining
claim. Commencing at a
monument of stone on the
ledge on which this notice
is placed thence Easterly 300
feet to a monument of stone
being the center of the South-
west end line of the Tranquil-
ity claim thence Southerly and
Parallel to ledge 800 feet to
a monument of stone, supposed
intersecting the Western boundary
of the Contention claim said
intersection being the S. E. corner
thence Westerly crossing ledge
at right angles 600 feet to a
monument of stone S. W. corner
thence Northerly and Parallel
to the ledge 1500 feet to a mon-
ument of stone N. W. corner
thence Easterly crossing ledge
at right angles 600 feet to a

Monument of Stone N.E. corner
thence southerly and parallel
to ledge 700 feet to close, claim-
ing all the privileges granted
by the laws of Congress.

Territory and District. Dated
on the ground this 5th day of
May 1878 Tomb Stone District
Pima County Arizona Territory
to be known as the Sulphurat
Book D. Page 39. Josiah. H. Whier
Jr. C. Parsons

Filed and recorded at request of
Josiah. H. Whier May 18th 1878 at
8 o'clock a. m.

S. T. Carpenter
County Recorder

Territory of Arizona }
County of Pima } ss.

D. Sidney, Jr.

Carpenter County Recorder in
and for the County of Pima do
hereby certify that the above and
foregoing is a full true and
correct copy of what purports
to be the original location
notice of the Sulphurat Mine

as appears of record now in
my office in Book D. Record
of Mines Page 39. Records
of said Pima County. In Wit-
ness whereof I have hereunto set
my hand and affixed my
official seal at Tucson A.T.
This 7th day of February A.D.
One thousand eight hundred and
eighty

S. Carpenter
County Recorder
Pima County A.T.

Sulphur.

... ..
... ..
... ..

... ..
... ..
... ..
... ..
... ..

... ..
... ..
... ..
... ..

... ..
... ..
... ..

... ..
... ..
... ..

... ..
... ..
... ..

U. S. Surveyor General's Office,
Tucson, Arizona, March 25, 1880.

The foregoing field-notes of the
Survey of the Sulphur Mining
Claim, situated in Tombstone
Mining District, Pima County,
Arizona; claimed by Josiah B.
White, Wm. Parsons and Sam-
uel D. Distant; survey executed
by J. H. Striedinger, U. S., under
instructions from this office,
having been critically exam-
ined and the necessary cor-
rections and alterations made,
the said field-notes and the
Survey they describe are
herely approved.

Surveyor General.